Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
All causes													
All races, both sexes	2,448,288	224,122	200,529	213,548	199,379	199,161	191,526	193,630	192,520	188,503	202,794	201,078	241,498
Male	1,201,964	109,002	97,471	104,346	97,862	98,693	94,772	96,188	95,935	93,825	99,438	98,422	116,010
Female	1,246,324	115,120	103,058	109,202	101,517	100,468	96,754	97,442	96,585	94,678	103,356	102,656	125,488
White, both sexes	2,103,714	192,951	172,658	183,863	171,453	171,092	164,296	165,523	164,759	161,408	174,132	172,902	208,677
Male	1,025,650	93,166	83,335	89,090	83,675	84,201	80,861	81,716	81,580	79,800	84,794	84,090	99,342
Female	1,078,064	99,785	89,323	94,773	87,778	86,891	83,435	83,807	83,179	81,608	89,338	88,812	109,335
Black, both sexes	291,300	26,415	23,597	25,050	23,590	23,702	23,004	23,792	23,547	22,861	24,199	23,809	27,734
Male	148,022	13,381	11,892	12,747	11,842	12,164	11,647	12,189	12,086	11,731	12,257	12,061	14,025
Female	143,278	13,034	11,705	12,303	11,748	11,538	11,357	11,603	11,461	11,130	11,942	11,748	13,709
American Indian 1/, both sexes	13,147	1,125	1,003	1,145	1,045	1,026	1,006	1,104	1,079	1,033	1,152	1,119	1,310
Male	7,106	607	544	629	568	547	561	606	608	547	623	579	687
Female	6,041	518	459	516	477	479	445	498	471	486	529	540	623
Asian or Pacific Islander 2/, both sexes	40,127	3,631	3,271	3,490	3,291	3,341	3,220	3,211	3,135	3,201	3,311	3,248	3,777
Male	21,186	1,848	1,700	1,880	1,777	1,781	1,703	1,677	1,661	1,747	1,764	1,692	1,956
Female	18,941	1,783	1,571	1,610	1,514	1,560	1,517	1,534	1,474	1,454	1,547	1,556	1,821
Other salmonella infections (A02)													
All races, both sexes	43	4	3	6	1	2	2	6	2	5	4	4	4
Male	23	2	1	4	-	1	-	3	1	3	2	3	3
Female	20	2	2	2	1	1	2	3	1	2	2	1	1
White, both sexes	31	2	3	5	1	-	2	5	1	4	2	4	2
Male	17	2	1	3	-	-	-	3	1	2	1	3	1
Female	14	-	2	2	1	-	2	2	-	2	1	1	1
Black, both sexes	8	1	-	1	-	2	-	1	1	-	1	-	1
Male	3	-	-	1	-	1	-	-	-	-	-	-	1
Female	5	1	-	-	-	1	-	1	1	-	1	-	-
American Indian 1/, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	3	-	-	-	-	-	-	-	-	1	1	-	1
Male	3	-	-	-	-	-	-	-	-	1	1	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Salmonella gastroenteritis (A02.0)													
All races, both sexes	17	1	1	3	-	-	1	2	1	3	1	3	1
Male	11	1	-	2	-	-	-	1	1	2	1	3	-
Female	6	-	1	1	-	-	1	1	-	1	-	-	1
White, both sexes	15	1	1	2	-	-	1	2	1	3	-	3	1
Male	9	1	-	1	-	-	-	1	1	2	-	3	-
Female	6	-	1	1	-	-	1	1	-	1	-	-	1
Black, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	1	-	-	1	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Salmonella septicemia (A02.1)													
All races, both sexes	23	1	2	3	1	2	1	4	1	2	2	1	3
Male	11	-	1	2	-	1	-	2	-	1	1	-	3
Female	12	1	1	1	1	1	1	2	1	1	1	1	-
White, both sexes	14	-	2	3	1	-	1	3	-	1	1	1	1
Male	7	-	1	2	-	-	-	2	-	-	1	-	1
Female	7	-	1	1	1	-	1	1	-	1	-	1	-
Black, both sexes	7	1	-	-	-	2	-	1	1	-	1	-	1
Male	2	-	-	-	-	1	-	-	-	-	-	-	1
Female	5	1	-	-	-	1	-	1	1	-	1	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	2	-	-	-	-	-	-	-	-	1	-	-	1
Male	2	-	-	-	-	-	-	-	-	1	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Localized salmonella infections (A02.2)													
All races, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Salmonella infection, unspecified (A02.9)													
All races, both sexes	2	1	-	-	-	-	-	-	-	-	1	-	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
White, both sexes	2	1	-	-	-	-	-	-	-	-	1	-	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Shigellosis (A03)													
All races, both sexes	2	1	-	-	-	-	-	1	-	-	-	-	-
Male	1	-	-	-	-	-	-	1	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	2	1	-	-	-	-	-	1	-	-	-	-	-
Male	1	-	-	-	-	-	-	1	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Shigellosis, unspecified (A03.9)													
All races, both sexes	2	1	-	-	-	-	-	1	-	-	-	-	-
Male	1	-	-	-	-	-	-	1	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	2	1	-	-	-	-	-	1	-	-	-	-	-
Male	1	-	-	-	-	-	-	1	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other bacterial intestinal infections (A04)													
All races, both sexes	2,861	222	239	232	250	255	219	228	211	226	259	240	280
Male	1,027	80	78	86	94	90	83	82	80	89	108	68	89
Female	1,834	142	161	146	156	165	136	146	131	137	151	172	191
White, both sexes	2,664	211	224	217	232	232	204	210	194	215	241	226	258
Male	961	77	73	81	87	84	75	74	76	85	100	64	85
Female	1,703	134	151	136	145	148	129	136	118	130	141	162	173
Black, both sexes	171	9	14	12	17	20	11	12	17	11	15	12	21
Male	59	3	5	4	7	5	7	6	4	4	6	4	4
Female	112	6	9	8	10	15	4	6	13	7	9	8	17
American Indian 1/, both sexes	8	1	-	-	-	2	1	2	-	-	1	1	-
Male	2	-	-	-	-	-	1	-	-	-	1	-	-
Female	6	1	-	-	-	2	-	2	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes	18	1	1	3	1	1	3	4	-	-	2	1	1
Male	5	-	-	1	-	1	-	2	-	-	1	-	-
Female	13	1	1	2	1	-	3	2	-	-	1	1	1
Other intestinal Escherichia coli infections (A04.4)													
All races, both sexes	2	-	-	-	1	-	-	-	-	-	1	-	-
Male	1	-	-	-	1	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
White, both sexes	2	-	-	-	1	-	-	-	-	-	1	-	-
Male	1	-	-	-	1	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Enterocolitis due to Clostridium difficile (A04.7)													
All races, both sexes	2,776	214	234	224	242	248	213	220	208	224	251	234	264
Male	998	77	75	85	91	88	80	79	78	89	105	67	84
Female	1,778	137	159	139	151	160	133	141	130	135	146	167	180
White, both sexes	2,584	203	220	210	225	225	198	202	191	213	234	220	243
Male	932	74	70	80	84	82	72	71	74	85	97	63	80
Female	1,652	129	150	130	141	143	126	131	117	128	137	157	163
Black, both sexes	166	9	13	11	16	20	11	12	17	11	14	12	20
Male	59	3	5	4	7	5	7	6	4	4	6	4	4
Female	107	6	8	7	9	15	4	6	13	7	8	8	16
American Indian 1/, both sexes	8	1	-	-	-	2	1	2	-	-	1	1	-
Male	2	-	-	-	-	-	1	-	-	-	1	-	-
Female	6	1	-	-	-	2	-	2	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes	18	1	1	3	1	1	3	4	-	-	2	1	1
Male	5	-	-	1	-	1	-	2	-	-	1	-	-
Female	13	1	1	2	1	-	3	2	-	-	1	1	1
Other specified bacterial intestinal infections (A04.8)													
All races, both sexes	62	5	3	6	6	4	5	8	3	2	4	5	11
Male	19	1	2	1	2	2	2	3	2	-	1	-	3
Female	43	4	1	5	4	2	3	5	1	2	3	5	8
White, both sexes	58	5	3	5	5	4	5	8	3	2	3	5	10
Male	19	1	2	1	2	2	2	3	2	-	1	-	3
Female	39	4	1	4	3	2	3	5	1	2	2	5	7
Black, both sexes	4	-	-	1	1	-	-	-	-	-	1	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	4	-	-	1	1	-	-	-	-	-	1	-	1
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Bacterial intestinal infection, unspecified (A04.9)													
All races, both sexes	21	3	2	2	1	3	1	-	-	-	3	1	5
Male	9	2	1	-	-	-	1	-	-	-	2	1	2
Female	12	1	1	2	1	3	-	-	-	-	1	-	3
White, both sexes	20	3	1	2	1	3	1	-	-	-	3	1	5
Male	9	2	1	-	-	-	1	-	-	-	2	1	2
Female	11	1	-	2	1	3	-	-	-	-	1	-	3
Black, both sexes	1	-	1	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other bacterial food-borne intoxications (A05)													
All races, both sexes	9	-	-	-	1	-	2	-	-	-	3	-	3
Male	6	-	-	-	1	-	1	-	-	-	2	-	2
Female	3	-	-	-	-	-	1	-	-	-	1	-	1
White, both sexes	8	-	-	-	1	-	1	-	-	-	3	-	3
Male	6	-	-	-	1	-	1	-	-	-	2	-	2
Female	2	-	-	-	-	-	-	-	-	-	1	-	1
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	1	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	1	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Botulism (A05.1)													
All races, both sexes	6	-	-	-	-	-	1	-	-	-	3	-	2
Male	3	-	-	-	-	-	-	-	-	-	2	-	1
Female	3	-	-	-	-	-	1	-	-	-	1	-	1
White, both sexes	5	-	-	-	-	-	-	-	-	-	3	-	2
Male	3	-	-	-	-	-	-	-	-	-	2	-	1
Female	2	-	-	-	-	-	-	-	-	-	1	-	1
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	1	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	1	-	-	-	-	-	-
Food-borne Clostridium perfringens [Clostridium welchii] intoxication (A05.2)													
All races, both sexes	2	-	-	-	1	-	-	-	-	-	-	-	1
Male	2	-	-	-	1	-	-	-	-	-	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	2	-	-	-	1	-	-	-	-	-	-	-	1
Male	2	-	-	-	1	-	-	-	-	-	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Food-borne Vibrio parahemolyticus intoxication (A05.3)													
All races, both sexes	1	-	-	-	-	-	1	-	-	-	-	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	-	-	1	-	-	-	-	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Amebiasis (A06)													
All races, both sexes	5	-	1	1	-	1	-	1	-	1	-	-	-
Male	4	-	1	1	-	1	-	-	-	1	-	-	-
Female	1	-	-	-	-	-	-	1	-	-	-	-	-
White, both sexes	4	-	1	-	-	1	-	1	-	1	-	-	-
Male	3	-	1	-	-	1	-	-	-	1	-	-	-
Female	1	-	-	-	-	-	-	1	-	-	-	-	-
Black, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	1	-	-	1	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Amebic liver abscess (A06.4)													
All races, both sexes	2	-	-	1	-	1	-	-	-	-	-	-	-
Male	2	-	-	1	-	1	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	1	-	-	1	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Amebiasis, unspecified (A06.9)													
All races, both sexes	3	-	1	-	-	-	-	1	-	1	-	-	-
Male	2	-	1	-	-	-	-	-	-	1	-	-	-
Female	1	-	-	-	-	-	-	1	-	-	-	-	-
White, both sexes	3	-	1	-	-	-	-	1	-	1	-	-	-
Male	2	-	1	-	-	-	-	-	-	1	-	-	-
Female	1	-	-	-	-	-	-	1	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other protozoal intestinal diseases (A07)													
All races, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	1	-	-	-	-	-	-	-	-	-	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	1	-	-	-	-	-	-	-	-	-	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Isosporiasis (A07.3)													
All races, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	1	-	-	-	-	-	-	-	-	-	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	1	-	-	-	-	-	-	-	-	-	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Viral and other specified intestinal infections (A08)													
All races, both sexes	130	49	21	11	5	9	4	2	1	2	4	11	11
Male	44	12	9	3	2	7	2	-	1	-	2	3	3
Female	86	37	12	8	3	2	2	2	-	2	2	8	8
White, both sexes	122	47	19	11	5	8	3	2	1	2	3	11	10
Male	40	12	8	3	2	6	1	-	1	-	1	3	3
Female	82	35	11	8	3	2	2	2	-	2	2	8	7
Black, both sexes	7	2	2	-	-	1	1	-	-	-	1	-	-
Male	4	-	1	-	-	1	1	-	-	-	1	-	-
Female	3	2	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	1
Rotaviral enteritis (A08.0)													
All races, both sexes	3	-	1	-	2	-	-	-	-	-	-	-	-
Male	2	-	1	-	1	-	-	-	-	-	-	-	-
Female	1	-	-	-	1	-	-	-	-	-	-	-	-
White, both sexes	3	-	1	-	2	-	-	-	-	-	-	-	-
Male	2	-	1	-	1	-	-	-	-	-	-	-	-
Female	1	-	-	-	1	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Acute gastroenteropathy due to Norwalk agent (A08.1)													
All races, both sexes	1	-	1	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	1	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	1	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	1	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral intestinal infection, unspecified (A08.4)													
All races, both sexes	126	49	19	11	3	9	4	2	1	2	4	11	11
Male	42	12	8	3	1	7	2	-	1	-	2	3	3
Female	84	37	11	8	2	2	2	2	-	2	2	8	8
White, both sexes	118	47	17	11	3	8	3	2	1	2	3	11	10
Male	38	12	7	3	1	6	1	-	1	-	1	3	3
Female	80	35	10	8	2	2	2	2	-	2	2	8	7
Black, both sexes	7	2	2	-	-	1	1	-	-	-	1	-	-
Male	4	-	1	-	-	1	1	-	-	-	1	-	-
Female	3	2	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Diarrhea and gastroenteritis of infectious origin (A09)													
All races, both sexes	98	6	12	7	7	7	5	13	8	8	9	8	8
Male	37	-	4	4	2	2	2	4	4	4	3	4	4
Female	61	6	8	3	5	5	3	9	4	4	6	4	4
White, both sexes	90	6	11	7	5	7	5	12	8	8	8	8	5
Male	34	-	4	4	2	2	2	4	4	4	2	4	2
Female	56	6	7	3	3	5	3	8	4	4	6	4	3
Black, both sexes	8	-	1	-	2	-	-	1	-	-	1	-	3
Male	3	-	-	-	-	-	-	-	-	-	1	-	2
Female	5	-	1	-	2	-	-	1	-	-	-	-	1
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Respiratory tuberculosis, not confirmed bacteriologically or histologically (A16)													
All races, both sexes	562	62	36	55	45	52	44	35	36	42	66	42	47
Male	344	47	18	35	26	33	26	19	23	26	37	28	26
Female	218	15	18	20	19	19	18	16	13	16	29	14	21
White, both sexes	347	37	20	33	21	33	29	20	27	28	36	30	33
Male	208	29	7	19	12	19	19	11	17	18	21	18	18
Female	139	8	13	14	9	14	10	9	10	10	15	12	15
Black, both sexes	138	15	12	16	12	13	9	9	5	6	19	11	11
Male	93	12	8	12	8	10	6	5	3	4	9	9	7
Female	45	3	4	4	4	3	3	4	2	2	10	2	4
American Indian 1/, both sexes	10	1	-	-	1	1	-	1	1	1	3	-	1
Male	4	-	-	-	-	-	-	1	-	1	2	-	-
Female	6	1	-	-	1	1	-	-	1	-	1	-	1
Asian or Pacific Islander 2/, both sexes	67	9	4	6	11	5	6	5	3	7	8	1	2
Male	39	6	3	4	6	4	1	2	3	3	5	1	1
Female	28	3	1	2	5	1	5	3	-	4	3	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Tuberculosis of lung, without mention of bacteriological or histological confirmation (A16.2)													
All races, both sexes	334	36	23	32	27	34	22	20	24	23	41	26	26
Male	212	28	12	22	14	23	13	12	17	15	29	14	13
Female	122	8	11	10	13	11	9	8	7	8	12	12	13
White, both sexes	190	20	10	17	12	18	12	12	15	14	20	21	19
Male	115	15	3	11	6	9	8	7	11	9	15	11	10
Female	75	5	7	6	6	9	4	5	4	5	5	10	9
Black, both sexes	93	10	10	12	8	12	6	4	5	5	13	4	4
Male	64	8	6	8	5	10	4	4	3	4	8	2	2
Female	29	2	4	4	3	2	2	-	2	1	5	2	2
American Indian 1/, both sexes	5	-	-	-	-	-	-	-	1	1	2	-	1
Male	3	-	-	-	-	-	-	-	-	1	2	-	-
Female	2	-	-	-	-	-	-	-	1	-	-	-	1
Asian or Pacific Islander 2/, both sexes	46	6	3	3	7	4	4	4	3	3	6	1	2
Male	30	5	3	3	3	4	1	1	3	1	4	1	1
Female	16	1	-	-	4	-	3	3	-	2	2	-	1
Tuberculosis of larynx, trachea, and bronchus, without mention of bacteriological or histological confirmation (A16.4)													
All races, both sexes	2	-	-	1	-	-	1	-	-	-	-	-	-
Male	1	-	-	1	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	1	-	-	-	-	-	-
White, both sexes	2	-	-	1	-	-	1	-	-	-	-	-	-
Male	1	-	-	1	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	1	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Tuberculous pleurisy, without mention of bacteriological or histological confirmation (A16.5)													
All races, both sexes	6	1	-	1	2	-	-	-	-	1	-	1	-
Male	5	1	-	1	1	-	-	-	-	1	-	1	-
Female	1	-	-	-	1	-	-	-	-	-	-	-	-
White, both sexes	3	1	-	-	1	-	-	-	-	1	-	-	-
Male	3	1	-	-	1	-	-	-	-	1	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	3	-	-	1	1	-	-	-	-	-	-	1	-
Male	2	-	-	1	-	-	-	-	-	-	-	1	-
Female	1	-	-	-	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Respiratory tuberculosis unspecified, without mention of bacteriological or histological confirmation (A16.9)													
All races, both sexes	220	25	13	21	16	18	21	15	12	18	25	15	21
Male	126	18	6	11	11	10	13	7	6	10	8	13	13
Female	94	7	7	10	5	8	8	8	6	8	17	2	8
White, both sexes	152	16	10	15	8	15	16	8	12	13	16	9	14
Male	89	13	4	7	5	10	11	4	6	8	6	7	8
Female	63	3	6	8	3	5	5	4	6	5	10	2	6
Black, both sexes	42	5	2	3	3	1	3	5	-	1	6	6	7
Male	27	4	2	3	3	-	2	1	-	-	1	6	5
Female	15	1	-	-	-	1	1	4	-	1	5	-	2
American Indian 1/, both sexes	5	1	-	-	1	1	-	1	-	-	1	-	-
Male	1	-	-	-	-	-	-	1	-	-	-	-	-
Female	4	1	-	-	1	1	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes	21	3	1	3	4	1	2	1	-	4	2	-	-
Male	9	1	-	1	3	-	-	1	-	2	1	-	-
Female	12	2	1	2	1	1	2	-	-	2	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Tuberculosis of nervous system (A17)													
All races, both sexes	14	1	1	3	2	-	1	4	-	-	-	-	2
Male	8	1	-	2	-	-	1	2	-	-	-	-	2
Female	6	-	1	1	2	-	-	2	-	-	-	-	-
White, both sexes	7	1	1	1	1	-	-	3	-	-	-	-	-
Male	3	1	-	1	-	-	-	1	-	-	-	-	-
Female	4	-	1	-	1	-	-	2	-	-	-	-	-
Black, both sexes	4	-	-	2	1	-	-	1	-	-	-	-	-
Male	2	-	-	1	-	-	-	1	-	-	-	-	-
Female	2	-	-	1	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	3	-	-	-	-	-	1	-	-	-	-	-	2
Male	3	-	-	-	-	-	1	-	-	-	-	-	2
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculous meningitis (A17.0)													
All races, both sexes	10	1	1	1	2	-	1	2	-	-	-	-	2
Male	6	1	-	1	-	-	1	1	-	-	-	-	2
Female	4	-	1	-	2	-	-	1	-	-	-	-	-
White, both sexes	6	1	1	1	1	-	-	2	-	-	-	-	-
Male	3	1	-	1	-	-	-	1	-	-	-	-	-
Female	3	-	1	-	1	-	-	1	-	-	-	-	-
Black, both sexes	1	-	-	-	1	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	3	-	-	-	-	-	1	-	-	-	-	-	2
Male	3	-	-	-	-	-	1	-	-	-	-	-	2
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other tuberculosis of nervous system (A17.8)													
All races, both sexes	3	-	-	2	-	-	-	1	-	-	-	-	-
Male	2	-	-	1	-	-	-	1	-	-	-	-	-
Female	1	-	-	1	-	-	-	-	-	-	-	-	-
White, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	3	-	-	2	-	-	-	1	-	-	-	-	-
Male	2	-	-	1	-	-	-	1	-	-	-	-	-
Female	1	-	-	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of nervous system, unspecified (A17.9)													
All races, both sexes	1	-	-	-	-	-	-	1	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	1	-	-	-	-	-
White, both sexes	1	-	-	-	-	-	-	1	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	1	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Tuberculosis of other organs (A18)													
All races, both sexes	75	12	1	7	8	5	10	-	7	10	4	5	6
Male	38	6	-	6	2	2	5	-	7	3	2	4	1
Female	37	6	1	1	6	3	5	-	-	7	2	1	5
White, both sexes	61	10	1	6	7	4	7	-	5	9	4	4	4
Male	30	5	-	5	1	1	4	-	5	3	2	3	1
Female	31	5	1	1	6	3	3	-	-	6	2	1	3
Black, both sexes	11	1	-	1	1	1	3	-	1	1	-	1	1
Male	7	1	-	1	1	1	1	-	1	-	-	1	-
Female	4	-	-	-	-	-	2	-	-	1	-	-	1
American Indian 1/, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	2	-	-	-	-	-	-	-	1	-	-	-	1
Male	1	-	-	-	-	-	-	-	1	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	1
Tuberculosis of bones and joints (A18.0)													
All races, both sexes	64	8	1	7	8	5	8	-	6	9	3	4	5
Male	31	4	-	6	2	2	4	-	6	3	1	3	-
Female	33	4	1	1	6	3	4	-	-	6	2	1	5
White, both sexes	56	8	1	6	7	4	7	-	5	8	3	4	3
Male	27	4	-	5	1	1	4	-	5	3	1	3	-
Female	29	4	1	1	6	3	3	-	-	5	2	1	3
Black, both sexes	7	-	-	1	1	1	1	-	1	1	-	-	1
Male	4	-	-	1	1	1	-	-	1	-	-	-	-
Female	3	-	-	-	-	-	1	-	-	1	-	-	1
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Tuberculosis of genitourinary system (A18.1)													
All races, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	1	-	-	-	-	-	-	-	-	-	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	1	-	-	-	-	-	-	-	-	-	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculous peripheral lymphadenopathy (A18.2)													
All races, both sexes	1	-	-	-	-	-	-	-	-	-	-	1	-
Male	1	-	-	-	-	-	-	-	-	-	-	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	1	-	-	-	-	-	-	-	-	-	-	1	-
Male	1	-	-	-	-	-	-	-	-	-	-	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Tuberculosis of intestines, peritoneum, and mesenteric glands (A18.3)													
All races, both sexes	3	1	-	-	-	-	1	-	1	-	-	-	-
Male	3	1	-	-	-	-	1	-	1	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	1	-	-	-	-	-	1	-	-	-	-	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	-	1	-	-	-	-
Male	1	-	-	-	-	-	-	-	1	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of skin and subcutaneous tissue (A18.4)													
All races, both sexes	1	-	-	-	-	-	1	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	1	-	-	-	-	-	-
White, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	1	-	-	-	-	-	1	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Tuberculosis of adrenal glands (A18.7)													
All races, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of other specified organs (A18.8)													
All races, both sexes	4	2	-	-	-	-	-	-	-	1	1	-	-
Male	2	1	-	-	-	-	-	-	-	-	1	-	-
Female	2	1	-	-	-	-	-	-	-	1	-	-	-
White, both sexes	3	1	-	-	-	-	-	-	-	1	1	-	-
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	2	1	-	-	-	-	-	-	-	1	-	-	-
Black, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Miliary tuberculosis (A19)													
All races, both sexes	60	3	2	5	3	6	11	5	4	3	7	7	4
Male	37	2	-	2	2	5	8	2	2	2	4	4	4
Female	23	1	2	3	1	1	3	3	2	1	3	3	-
White, both sexes	22	-	1	1	1	1	7	2	2	-	1	5	1
Male	14	-	-	-	1	1	6	1	1	-	1	2	1
Female	8	-	1	1	-	-	1	1	1	-	-	3	-
Black, both sexes	19	2	1	2	1	4	2	2	1	1	1	1	1
Male	12	2	-	1	1	3	1	1	-	1	-	1	1
Female	7	-	1	1	-	1	1	1	1	-	1	-	-
American Indian 1/, both sexes	4	1	-	-	1	-	-	-	-	1	1	-	-
Male	2	-	-	-	-	-	-	-	-	1	1	-	-
Female	2	1	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	15	-	-	2	-	1	2	1	1	1	4	1	2
Male	9	-	-	1	-	1	1	-	1	-	2	1	2
Female	6	-	-	1	-	-	1	1	-	1	2	-	-
Other miliary tuberculosis (A19.8)													
All races, both sexes	2	1	-	-	-	-	-	1	-	-	-	-	-
Male	2	1	-	-	-	-	-	1	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	-	-	-	1	-	-	-	-	-
Male	1	-	-	-	-	-	-	1	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Miliary tuberculosis, unspecified (A19.9)													
All races, both sexes	58	2	2	5	3	6	11	4	4	3	7	7	4
Male	35	1	-	2	2	5	8	1	2	2	4	4	4
Female	23	1	2	3	1	1	3	3	2	1	3	3	-
White, both sexes	21	-	1	1	1	1	7	1	2	-	1	5	1
Male	13	-	-	-	1	1	6	-	1	-	1	2	1
Female	8	-	1	1	-	-	1	1	1	-	-	3	-
Black, both sexes	18	1	1	2	1	4	2	2	1	1	1	1	1
Male	11	1	-	1	1	3	1	1	-	1	-	1	1
Female	7	-	1	1	-	1	1	1	1	-	1	-	-
American Indian 1/, both sexes	4	1	-	-	1	-	-	-	-	1	1	-	-
Male	2	-	-	-	-	-	-	-	-	1	1	-	-
Female	2	1	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	15	-	-	2	-	1	2	1	1	1	4	1	2
Male	9	-	-	1	-	1	1	-	1	-	2	1	2
Female	6	-	-	1	-	-	1	1	-	1	2	-	-
Tularemia (A21)													
All races, both sexes	2	-	-	-	-	-	-	-	1	-	-	-	1
Male	2	-	-	-	-	-	-	-	1	-	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	-	-	-	-	1	-	-	-	-
Male	1	-	-	-	-	-	-	-	1	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	1	-	-	-	-	-	-	-	-	-	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Generalized tularemia (A21.7)													
All races, both sexes	2	-	-	-	-	-	-	-	1	-	-	-	1
Male	2	-	-	-	-	-	-	-	1	-	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	-	-	-	-	1	-	-	-	-
Male	1	-	-	-	-	-	-	-	1	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	1	-	-	-	-	-	-	-	-	-	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Glanders and melioidosis (A24)													
All races, both sexes	1	-	-	-	-	-	-	1	-	-	-	-	-
Male	1	-	-	-	-	-	-	1	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	-	-	-	1	-	-	-	-	-
Male	1	-	-	-	-	-	-	1	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Acute and fulminating melioidosis (A24.1)													
All races, both sexes	1	-	-	-	-	-	-	1	-	-	-	-	-
Male	1	-	-	-	-	-	-	1	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	-	-	-	1	-	-	-	-	-
Male	1	-	-	-	-	-	-	1	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Rat-bite fevers (A25)													
All races, both sexes	2	-	-	-	-	-	-	-	-	1	-	1	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	-	1	-	1	-
White, both sexes	2	-	-	-	-	-	-	-	-	1	-	1	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	-	1	-	1	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Streptobacillosis (A25.1)													
All races, both sexes	1	-	-	-	-	-	-	-	-	-	-	1	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-
White, both sexes	1	-	-	-	-	-	-	-	-	-	-	1	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Rat-bite fever, unspecified (A25.9)													
All races, both sexes	1	-	-	-	-	-	-	-	-	1	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	1	-	-	-
White, both sexes	1	-	-	-	-	-	-	-	-	1	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	1	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other zoonotic bacterial diseases, not elsewhere classified (A28)													
All races, both sexes	23	2	1	3	1	1	-	3	5	1	1	4	1
Male	14	1	1	2	1	-	-	2	4	-	1	2	-
Female	9	1	-	1	-	1	-	1	1	1	-	2	1
White, both sexes	21	2	1	2	-	1	-	3	5	1	1	4	1
Male	13	1	1	2	-	-	-	2	4	-	1	2	-
Female	8	1	-	-	-	1	-	1	1	1	-	2	1
Black, both sexes	1	-	-	-	1	-	-	-	-	-	-	-	-
Male	1	-	-	-	1	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Pasteurellosis (A28.0)													
All races, both sexes	15	-	-	3	-	1	-	2	3	1	1	4	-
Male	10	-	-	2	-	-	-	2	3	-	1	2	-
Female	5	-	-	1	-	1	-	-	-	1	-	2	-
White, both sexes	14	-	-	2	-	1	-	2	3	1	1	4	-
Male	10	-	-	2	-	-	-	2	3	-	1	2	-
Female	4	-	-	-	-	1	-	-	-	1	-	2	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other specified zoonotic bacterial diseases, not elsewhere classified (A28.8)													
All races, both sexes	8	2	1	-	1	-	-	1	2	-	-	-	1
Male	4	1	1	-	1	-	-	-	1	-	-	-	-
Female	4	1	-	-	-	-	-	1	1	-	-	-	1
White, both sexes	7	2	1	-	-	-	-	1	2	-	-	-	1
Male	3	1	1	-	-	-	-	-	1	-	-	-	-
Female	4	1	-	-	-	-	-	1	1	-	-	-	1
Black, both sexes	1	-	-	-	1	-	-	-	-	-	-	-	-
Male	1	-	-	-	1	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Leprosy [Hansen's disease] (A30)													
All races, both sexes	2	-	-	-	-	1	-	-	-	-	-	-	1
Male	1	-	-	-	-	-	-	-	-	-	-	-	1
Female	1	-	-	-	-	1	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	1	-	-	-	-	-	-	-	-	-	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Leprosy, unspecified (A30.9)													
All races, both sexes	2	-	-	-	-	1	-	-	-	-	-	-	1
Male	1	-	-	-	-	-	-	-	-	-	-	-	1
Female	1	-	-	-	-	1	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	1	-	-	-	-	-	-	-	-	-	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-
Infection due to other mycobacteria (A31)													
All races, both sexes	240	18	22	16	18	18	20	21	25	21	24	18	19
Male	116	6	9	8	9	9	11	10	13	13	12	6	10
Female	124	12	13	8	9	9	9	11	12	8	12	12	9
White, both sexes	215	17	20	13	15	18	17	20	23	17	21	16	18
Male	97	5	7	6	7	9	8	10	12	11	9	4	9
Female	118	12	13	7	8	9	9	10	11	6	12	12	9
Black, both sexes	16	-	2	2	1	-	2	1	-	3	3	1	1
Male	13	-	2	2	1	-	2	-	-	1	3	1	1
Female	3	-	-	-	-	-	-	1	-	2	-	-	-
American Indian 1/, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	8	-	-	1	2	-	1	-	2	1	-	1	-
Male	5	-	-	-	1	-	1	-	1	1	-	1	-
Female	3	-	-	1	1	-	-	-	1	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Pulmonary mycobacterial infection (A31.0)													
All races, both sexes	193	17	22	12	14	13	14	18	17	18	19	13	16
Male	92	5	9	5	7	8	7	9	7	12	10	5	8
Female	101	12	13	7	7	5	7	9	10	6	9	8	8
White, both sexes	177	16	20	9	12	13	13	18	17	15	17	12	15
Male	80	4	7	3	6	8	6	9	7	11	8	4	7
Female	97	12	13	6	6	5	7	9	10	4	9	8	8
Black, both sexes	11	-	2	2	1	-	-	-	-	2	2	1	1
Male	9	-	2	2	1	-	-	-	-	-	2	1	1
Female	2	-	-	-	-	-	-	-	-	2	-	-	-
American Indian 1/, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	4	-	-	1	1	-	1	-	-	1	-	-	-
Male	2	-	-	-	-	-	1	-	-	1	-	-	-
Female	2	-	-	1	1	-	-	-	-	-	-	-	-
Other mycobacterial infections (A31.8)													
All races, both sexes	6	-	-	-	1	-	1	1	2	-	-	1	-
Male	5	-	-	-	-	-	1	1	2	-	-	1	-
Female	1	-	-	-	1	-	-	-	-	-	-	-	-
White, both sexes	5	-	-	-	1	-	1	1	2	-	-	-	-
Male	4	-	-	-	-	-	1	1	2	-	-	-	-
Female	1	-	-	-	1	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	-	-	-	-	1	-
Male	1	-	-	-	-	-	-	-	-	-	-	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Mycobacterial infection, unspecified (A31.9)													
All races, both sexes	41	1	-	4	3	5	5	2	6	3	5	4	3
Male	19	1	-	3	2	1	3	-	4	1	2	-	2
Female	22	-	-	1	1	4	2	2	2	2	3	4	1
White, both sexes	33	1	-	4	2	5	3	1	4	2	4	4	3
Male	13	1	-	3	1	1	1	-	3	-	1	-	2
Female	20	-	-	1	1	4	2	1	1	2	3	4	1
Black, both sexes	5	-	-	-	-	-	2	1	-	1	1	-	-
Male	4	-	-	-	-	-	2	-	-	1	1	-	-
Female	1	-	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	3	-	-	-	1	-	-	-	2	-	-	-	-
Male	2	-	-	-	1	-	-	-	1	-	-	-	-
Female	1	-	-	-	-	-	-	-	1	-	-	-	-
Listeriosis (A32)													
All races, both sexes	33	2	2	3	3	3	1	3	3	3	4	6	-
Male	17	-	-	1	2	2	1	-	2	2	2	5	-
Female	16	2	2	2	1	1	-	3	1	1	2	1	-
White, both sexes	31	2	2	3	3	3	-	3	3	3	4	5	-
Male	15	-	-	1	2	2	-	-	2	2	2	4	-
Female	16	2	2	2	1	1	-	3	1	1	2	1	-
Black, both sexes	2	-	-	-	-	-	1	-	-	-	-	1	-
Male	2	-	-	-	-	-	1	-	-	-	-	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Listerial meningitis and meningoencephalitis (A32.1)													
All races, both sexes	17	-	-	1	1	2	1	2	2	1	2	5	-
Male	12	-	-	-	1	2	1	-	2	1	1	4	-
Female	5	-	-	1	-	-	-	2	-	-	1	1	-
White, both sexes	15	-	-	1	1	2	-	2	2	1	2	4	-
Male	10	-	-	-	1	2	-	-	2	1	1	3	-
Female	5	-	-	1	-	-	-	2	-	-	1	1	-
Black, both sexes	2	-	-	-	-	-	1	-	-	-	-	1	-
Male	2	-	-	-	-	-	1	-	-	-	-	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Listerial septicemia (A32.7)													
All races, both sexes	11	1	2	-	1	-	-	1	1	2	2	1	-
Male	4	-	-	-	1	-	-	-	-	1	1	1	-
Female	7	1	2	-	-	-	-	1	1	1	1	-	-
White, both sexes	11	1	2	-	1	-	-	1	1	2	2	1	-
Male	4	-	-	-	1	-	-	-	-	1	1	1	-
Female	7	1	2	-	-	-	-	1	1	1	1	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other forms of listeriosis (A32.8)													
All races, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-	-
White, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Listeriosis, unspecified (A32.9)													
All races, both sexes.....	4	1	-	2	-	1	-	-	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	3	1	-	1	-	1	-	-	-	-	-	-	-
White, both sexes.....	4	1	-	2	-	1	-	-	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	3	1	-	1	-	1	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other tetanus (A35)													
All races, both sexes	4	-	-	-	-	-	-	1	2	-	1	-	-
Male	2	-	-	-	-	-	-	1	1	-	-	-	-
Female	2	-	-	-	-	-	-	-	1	-	1	-	-
White, both sexes	3	-	-	-	-	-	-	1	2	-	-	-	-
Male	2	-	-	-	-	-	-	1	1	-	-	-	-
Female	1	-	-	-	-	-	-	-	1	-	-	-	-
Black, both sexes	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria (A36)													
All races, both sexes	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Diphtheria, unspecified (A36.9)													
All races, both sexes	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (A37)													
All races, both sexes	11	2	1	2	1	1	-	2	-	-	-	2	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	10	2	1	2	1	-	-	2	-	-	-	2	-
White, both sexes	10	2	1	2	1	-	-	2	-	-	-	2	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	10	2	1	2	1	-	-	2	-	-	-	2	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Whooping cough, unspecified (A37.9)													
All races, both sexes	11	2	1	2	1	1	-	2	-	-	-	2	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	10	2	1	2	1	-	-	2	-	-	-	2	-
White, both sexes	10	2	1	2	1	-	-	2	-	-	-	2	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	10	2	1	2	1	-	-	2	-	-	-	2	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (A39)													
All races, both sexes	161	14	13	18	16	12	8	9	7	12	12	16	24
Male	75	8	3	11	8	3	5	5	3	5	7	6	11
Female	86	6	10	7	8	9	3	4	4	7	5	10	13
White, both sexes	121	9	9	9	14	9	8	7	7	8	7	11	23
Male	56	6	2	6	6	2	5	3	3	3	6	4	10
Female	65	3	7	3	8	7	3	4	4	5	1	7	13
Black, both sexes	36	5	4	6	2	3	-	2	-	4	4	5	1
Male	17	2	1	3	2	1	-	2	-	2	1	2	1
Female	19	3	3	3	-	2	-	-	-	2	3	3	-
American Indian 1/, both sexes	3	-	-	2	-	-	-	-	-	-	1	-	-
Male	1	-	-	1	-	-	-	-	-	-	-	-	-
Female	2	-	-	1	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	1	-	-	1	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Meningococcal meningitis (A39.0)													
All races, both sexes	49	4	4	8	8	4	3	3	1	2	1	5	6
Male	25	2	1	5	3	2	2	2	-	1	1	3	3
Female	24	2	3	3	5	2	1	1	1	1	-	2	3
White, both sexes	42	2	3	6	7	4	3	3	1	2	-	5	6
Male	21	1	1	4	2	2	2	2	-	1	-	3	3
Female	21	1	2	2	5	2	1	1	1	1	-	2	3
Black, both sexes	7	2	1	2	1	-	-	-	-	-	1	-	-
Male	4	1	-	1	1	-	-	-	-	-	1	-	-
Female	3	1	1	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Waterhouse-Friderichsen syndrome (A39.1)													
All races, both sexes	32	2	2	2	5	3	1	2	-	2	5	3	5
Male	15	2	-	1	2	-	1	1	-	1	3	1	3
Female	17	-	2	1	3	3	-	1	-	1	2	2	2
White, both sexes	21	1	2	-	4	1	1	1	-	1	3	2	5
Male	9	1	-	-	1	-	1	-	-	-	3	-	3
Female	12	-	2	-	3	1	-	1	-	1	-	2	2
Black, both sexes	11	1	-	2	1	2	-	1	-	1	2	1	-
Male	6	1	-	1	1	-	-	1	-	1	-	1	-
Female	5	-	-	1	-	2	-	-	-	-	2	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Acute meningococcemia (A39.2)													
All races, both sexes	1	-	-	-	-	-	-	1	-	-	-	-	-
Male	1	-	-	-	-	-	-	1	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	-	-	-	1	-	-	-	-	-
Male	1	-	-	-	-	-	-	1	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcemia, unspecified (A39.4)													
All races, both sexes	76	8	7	7	3	4	4	3	6	8	6	8	12
Male	33	4	2	4	3	1	2	1	3	3	3	2	5
Female	43	4	5	3	-	3	2	2	3	5	3	6	7
White, both sexes	55	6	4	3	3	3	4	2	6	5	4	4	11
Male	25	4	1	2	3	-	2	-	3	2	3	1	4
Female	30	2	3	1	-	3	2	2	3	3	1	3	7
Black, both sexes	18	2	3	2	-	1	-	1	-	3	1	4	1
Male	7	-	1	1	-	1	-	1	-	1	-	1	1
Female	11	2	2	1	-	-	-	-	-	2	1	3	-
American Indian 1/, both sexes	2	-	-	1	-	-	-	-	-	-	1	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	1	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	1	-	-	1	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Meningococcal infection, unspecified (A39.9)													
All races, both sexes	3	-	-	1	-	1	-	-	-	-	-	-	1
Male	1	-	-	1	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	1	-	-	-	-	-	-	1
White, both sexes	2	-	-	-	-	1	-	-	-	-	-	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	1	-	-	-	-	-	-	1
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	1	-	-	1	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal septicemia (A40)													
All races, both sexes	539	60	52	53	63	37	28	41	35	28	37	33	72
Male	235	26	21	28	28	21	10	21	13	8	18	15	26
Female	304	34	31	25	35	16	18	20	22	20	19	18	46
White, both sexes	426	46	41	46	51	33	21	31	27	21	26	25	58
Male	192	23	16	26	23	17	9	16	11	6	12	12	21
Female	234	23	25	20	28	16	12	15	16	15	14	13	37
Black, both sexes	90	9	10	5	8	2	6	9	8	6	8	7	12
Male	34	2	5	1	3	2	1	5	2	1	4	3	5
Female	56	7	5	4	5	-	5	4	6	5	4	4	7
American Indian 1/, both sexes	15	4	-	-	4	-	1	-	-	1	3	1	1
Male	6	1	-	-	2	-	-	-	-	1	2	-	-
Female	9	3	-	-	2	-	1	-	-	-	1	1	1
Asian or Pacific Islander 2/, both sexes	8	1	1	2	-	2	-	1	-	-	-	-	1
Male	3	-	-	1	-	2	-	-	-	-	-	-	-
Female	5	1	1	1	-	-	-	1	-	-	-	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Septicemia due to streptococcus, group A (A40.0)													
All races, both sexes	22	2	2	4	3	1	1	1	1	-	1	1	5
Male	8	1	1	3	-	-	-	1	1	-	-	-	1
Female	14	1	1	1	3	1	1	-	-	-	1	1	4
White, both sexes	19	1	2	4	2	1	1	1	1	-	1	1	4
Male	8	1	1	3	-	-	-	1	1	-	-	-	1
Female	11	-	1	1	2	1	1	-	-	-	1	1	3
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	2	-	-	-	1	-	-	-	-	-	-	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	1	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
Septicemia due to streptococcus, group B (A40.1)													
All races, both sexes	24	2	3	-	1	1	1	2	1	4	3	4	2
Male	9	-	2	-	-	1	-	-	-	1	2	2	1
Female	15	2	1	-	1	-	1	2	1	3	1	2	1
White, both sexes	15	1	3	-	1	1	-	2	-	3	1	1	2
Male	7	-	2	-	-	1	-	-	-	1	1	1	1
Female	8	1	1	-	1	-	-	2	-	2	-	-	1
Black, both sexes	7	1	-	-	-	-	1	-	1	1	1	2	-
Male	2	-	-	-	-	-	-	-	-	-	1	1	-
Female	5	1	-	-	-	-	1	-	1	1	-	1	-
American Indian 1/, both sexes	2	-	-	-	-	-	-	-	-	-	1	1	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	-	-	1	1	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Septicemia due to streptococcus, group D (A40.2)													
All races, both sexes	157	16	12	12	20	11	10	12	15	12	12	10	15
Male	75	8	3	7	11	4	4	9	6	3	6	5	9
Female	82	8	9	5	9	7	6	3	9	9	6	5	6
White, both sexes	121	13	9	9	14	10	6	12	10	9	10	7	12
Male	64	7	3	6	8	3	4	9	5	2	6	4	7
Female	57	6	6	3	6	7	2	3	5	7	4	3	5
Black, both sexes	32	2	2	3	5	1	3	-	5	3	2	3	3
Male	10	1	-	1	2	1	-	-	1	1	-	1	2
Female	22	1	2	2	3	-	3	-	4	2	2	2	1
American Indian 1/, both sexes	3	1	-	-	1	-	1	-	-	-	-	-	-
Male	1	-	-	-	1	-	-	-	-	-	-	-	-
Female	2	1	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	1	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	1	-	-	-	-	-	-	-	-	-	-
Septicemia due to Streptococcus pneumoniae (A40.3)													
All races, both sexes	188	21	23	19	20	11	11	10	7	7	15	11	33
Male	80	8	10	6	7	10	5	7	2	3	8	3	11
Female	108	13	13	13	13	1	6	3	5	4	7	8	22
White, both sexes	143	16	15	16	16	9	9	6	6	5	10	9	26
Male	55	6	5	5	6	8	4	4	1	2	4	2	8
Female	88	10	10	11	10	1	5	2	5	3	6	7	18
Black, both sexes	38	4	8	2	3	1	2	4	1	1	3	2	7
Male	19	1	5	-	1	1	1	3	1	-	2	1	3
Female	19	3	3	2	2	-	1	1	-	1	1	1	4
American Indian 1/, both sexes	5	1	-	-	1	-	-	-	-	1	2	-	-
Male	4	1	-	-	-	-	-	-	-	1	2	-	-
Female	1	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	2	-	-	1	-	1	-	-	-	-	-	-	-
Male	2	-	-	1	-	1	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other streptococcal septicemia (A40.8)													
All races, both sexes	13	-	1	3	4	-	-	1	1	-	-	2	1
Male	7	-	1	3	2	-	-	-	-	-	-	1	-
Female	6	-	-	-	2	-	-	1	1	-	-	1	1
White, both sexes	11	-	1	3	4	-	-	-	1	-	-	2	-
Male	7	-	1	3	2	-	-	-	-	-	-	1	-
Female	4	-	-	-	2	-	-	-	1	-	-	1	-
Black, both sexes	1	-	-	-	-	-	-	1	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	1
Streptococcal septicemia, unspecified (A40.9)													
All races, both sexes	135	19	11	15	15	13	5	15	10	5	6	5	16
Male	56	9	4	9	8	6	1	4	4	1	2	4	4
Female	79	10	7	6	7	7	4	11	6	4	4	1	12
White, both sexes	117	15	11	14	14	12	5	10	9	4	4	5	14
Male	51	9	4	9	7	5	1	2	4	1	1	4	4
Female	66	6	7	5	7	7	4	8	5	3	3	1	10
Black, both sexes	12	2	-	-	-	-	-	4	1	1	2	-	2
Male	3	-	-	-	-	-	-	2	-	-	1	-	-
Female	9	2	-	-	-	-	-	2	1	1	1	-	2
American Indian 1/, both sexes	3	2	-	-	1	-	-	-	-	-	-	-	-
Male	1	-	-	-	1	-	-	-	-	-	-	-	-
Female	2	2	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	3	-	-	1	-	1	-	1	-	-	-	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	2	-	-	1	-	-	-	1	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other septicemia (A41)													
All races, both sexes	33,530	3,224	2,968	2,950	2,719	2,582	2,480	2,635	2,518	2,497	2,701	2,748	3,508
Male	14,752	1,365	1,301	1,313	1,201	1,134	1,093	1,173	1,154	1,102	1,199	1,213	1,504
Female	18,778	1,859	1,667	1,637	1,518	1,448	1,387	1,462	1,364	1,395	1,502	1,535	2,004
White, both sexes	26,754	2,606	2,371	2,329	2,166	2,093	1,976	2,089	1,987	1,963	2,188	2,169	2,817
Male	11,717	1,117	1,030	1,026	959	910	876	902	902	855	959	965	1,216
Female	15,037	1,489	1,341	1,303	1,207	1,183	1,100	1,187	1,085	1,108	1,229	1,204	1,601
Black, both sexes	6,116	564	543	563	499	438	452	482	493	479	451	518	634
Male	2,741	218	244	260	221	201	200	240	236	223	210	223	265
Female	3,375	346	299	303	278	237	252	242	257	256	241	295	369
American Indian 1/, both sexes	212	19	19	23	17	14	13	17	14	16	19	19	22
Male	83	10	7	11	4	5	6	6	5	4	9	7	9
Female	129	9	12	12	13	9	7	11	9	12	10	12	13
Asian or Pacific Islander 2/, both sexes	448	35	35	35	37	37	39	47	24	39	43	42	35
Male	211	20	20	16	17	18	11	25	11	20	21	18	14
Female	237	15	15	19	20	19	28	22	13	19	22	24	21
Septicemia due to Staphylococcus aureus (A41.0)													
All races, both sexes	691	45	65	71	52	50	65	47	53	59	55	59	70
Male	345	19	37	33	25	25	30	25	26	23	27	31	44
Female	346	26	28	38	27	25	35	22	27	36	28	28	26
White, both sexes	574	39	54	58	40	42	55	37	43	50	42	53	61
Male	287	17	28	30	18	21	25	23	19	19	20	29	38
Female	287	22	26	28	22	21	30	14	24	31	22	24	23
Black, both sexes	102	6	9	11	10	7	9	9	8	8	10	6	9
Male	52	2	7	3	6	3	5	2	6	4	6	2	6
Female	50	4	2	8	4	4	4	7	2	4	4	4	3
American Indian 1/, both sexes	8	-	1	1	1	-	-	-	2	1	2	-	-
Male	3	-	1	-	-	-	-	-	1	-	1	-	-
Female	5	-	-	1	1	-	-	-	1	1	1	-	-
Asian or Pacific Islander 2/, both sexes	7	-	1	1	1	1	1	1	-	-	1	-	-
Male	3	-	1	-	1	1	-	-	-	-	-	-	-
Female	4	-	-	1	-	-	1	1	-	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Septicemia due to other specified staphylococcus (A41.1)													
All races, both sexes	19	3	1	2	-	1	-	1	2	-	5	1	3
Male	6	2	-	-	-	-	-	-	1	-	3	-	-
Female	13	1	1	2	-	1	-	1	1	-	2	1	3
White, both sexes	15	2	-	2	-	1	-	1	2	-	4	1	2
Male	5	1	-	-	-	-	-	-	1	-	3	-	-
Female	10	1	-	2	-	1	-	1	1	-	1	1	2
Black, both sexes	4	1	1	-	-	-	-	-	-	-	1	-	1
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	3	-	1	-	-	-	-	-	-	-	1	-	1
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia due to unspecified staphylococcus (A41.2)													
All races, both sexes	723	75	73	74	70	54	40	58	47	57	53	55	67
Male	346	35	39	37	33	31	16	25	25	27	29	24	25
Female	377	40	34	37	37	23	24	33	22	30	24	31	42
White, both sexes	593	66	64	59	55	45	35	46	36	46	41	47	53
Male	290	31	33	30	26	27	14	19	22	22	23	21	22
Female	303	35	31	29	29	18	21	27	14	24	18	26	31
Black, both sexes	106	6	8	14	13	8	4	9	10	6	12	7	9
Male	39	2	5	6	6	3	1	3	2	3	6	2	-
Female	67	4	3	8	7	5	3	6	8	3	6	5	9
American Indian 1/, both sexes	9	2	-	1	2	1	-	-	-	2	-	-	1
Male	5	1	-	1	1	1	-	-	-	1	-	-	-
Female	4	1	-	-	1	-	-	-	-	1	-	-	1
Asian or Pacific Islander 2/, both sexes	15	1	1	-	-	-	1	3	1	3	-	1	4
Male	12	1	1	-	-	-	1	3	1	1	-	1	3
Female	3	-	-	-	-	-	-	-	-	2	-	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Septicemia due to Hemophilus influenzae (A41.3)													
All races, both sexes	12	1	2	1	-	3	1	-	2	1	-	-	1
Male	3	-	-	1	-	-	1	-	1	-	-	-	-
Female	9	1	2	-	-	3	-	-	1	1	-	-	1
White, both sexes	10	-	2	1	-	3	1	-	1	1	-	-	1
Male	3	-	-	1	-	-	1	-	1	-	-	-	-
Female	7	-	2	-	-	3	-	-	-	1	-	-	1
Black, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	-	1	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	1	-	-	-	-
Septicemia due to anaerobes (A41.4)													
All races, both sexes	67	5	6	3	3	9	5	7	5	5	4	4	11
Male	32	4	2	1	1	6	3	1	2	2	2	1	7
Female	35	1	4	2	2	3	2	6	3	3	2	3	4
White, both sexes	59	4	5	3	1	9	4	7	5	4	4	3	10
Male	28	4	2	1	-	6	2	1	2	1	2	1	6
Female	31	-	3	2	1	3	2	6	3	3	2	2	4
Black, both sexes	6	1	1	-	1	-	1	-	-	1	-	1	-
Male	2	-	-	-	-	-	1	-	-	1	-	-	-
Female	4	1	1	-	1	-	-	-	-	-	-	1	-
American Indian 1/, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	1	-	-	-	-	-	-	-	-	-	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	1	-	-	-	-	-	-	-	-
Male	1	-	-	-	1	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Septicemia due to other Gram-negative organisms (A41.5)													
All races, both sexes	718	71	47	60	53	53	64	50	50	50	81	65	74
Male	328	33	19	27	32	23	34	22	21	23	34	30	30
Female	390	38	28	33	21	30	30	28	29	27	47	35	44
White, both sexes	571	55	34	48	45	42	51	40	40	42	60	51	63
Male	268	25	14	24	29	19	29	20	17	17	24	24	26
Female	303	30	20	24	16	23	22	20	23	25	36	27	37
Black, both sexes	119	12	10	8	6	9	13	8	8	7	18	12	8
Male	47	7	4	1	2	3	5	1	2	5	8	6	3
Female	72	5	6	7	4	6	8	7	6	2	10	6	5
American Indian 1/, both sexes	5	1	1	1	1	-	-	-	-	-	-	1	-
Male	1	-	-	1	-	-	-	-	-	-	-	-	-
Female	4	1	1	-	1	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes	23	3	2	3	1	2	-	2	2	1	3	1	3
Male	12	1	1	1	1	1	-	1	2	1	2	-	1
Female	11	2	1	2	-	1	-	1	-	-	1	1	2
Other specified septicemia (A41.8)													
All races, both sexes	117	9	12	7	10	7	12	9	15	13	5	6	12
Male	52	4	6	2	7	3	5	4	6	5	3	2	5
Female	65	5	6	5	3	4	7	5	9	8	2	4	7
White, both sexes	90	3	7	7	8	4	8	9	12	11	4	6	11
Male	38	1	2	2	6	2	3	4	4	4	3	2	5
Female	52	2	5	5	2	2	5	5	8	7	1	4	6
Black, both sexes	25	5	5	-	2	3	4	-	3	1	1	-	1
Male	13	2	4	-	1	1	2	-	2	1	-	-	-
Female	12	3	1	-	1	2	2	-	1	-	1	-	1
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	2	1	-	-	-	-	-	-	-	1	-	-	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	1	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Septicemia, unspecified (A41.9)													
All races, both sexes	31,183	3,015	2,762	2,732	2,531	2,405	2,293	2,463	2,344	2,312	2,498	2,558	3,270
Male	13,640	1,268	1,198	1,212	1,103	1,046	1,004	1,096	1,072	1,022	1,101	1,125	1,393
Female	17,543	1,747	1,564	1,520	1,428	1,359	1,289	1,367	1,272	1,290	1,397	1,433	1,877
White, both sexes	24,842	2,437	2,205	2,151	2,017	1,947	1,822	1,949	1,848	1,809	2,033	2,008	2,616
Male	10,798	1,038	951	938	880	835	802	835	836	792	884	888	1,119
Female	14,044	1,399	1,254	1,213	1,137	1,112	1,020	1,114	1,012	1,017	1,149	1,120	1,497
Black, both sexes	5,753	532	509	530	467	411	421	456	464	456	409	492	606
Male	2,587	204	224	250	206	191	186	234	224	209	190	213	256
Female	3,166	328	285	280	261	220	235	222	240	247	219	279	350
American Indian 1/, both sexes	189	16	17	20	13	13	13	17	12	13	17	18	20
Male	73	9	6	9	3	4	6	6	4	3	8	7	8
Female	116	7	11	11	10	9	7	11	8	10	9	11	12
Asian or Pacific Islander 2/, both sexes	399	30	31	31	34	34	37	41	20	34	39	40	28
Male	182	17	17	15	14	16	10	21	8	18	19	17	10
Female	217	13	14	16	20	18	27	20	12	16	20	23	18
Actinomycosis (A42)													
All races, both sexes	8	1	1	1	-	2	-	-	2	1	-	-	-
Male	4	1	1	-	-	2	-	-	-	-	-	-	-
Female	4	-	-	1	-	-	-	-	2	1	-	-	-
White, both sexes	8	1	1	1	-	2	-	-	2	1	-	-	-
Male	4	1	1	-	-	2	-	-	-	-	-	-	-
Female	4	-	-	1	-	-	-	-	2	1	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Pulmonary actinomycosis (A42.0)													
All races, both sexes	4	1	1	-	-	-	-	-	2	-	-	-	-
Male	2	1	1	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	2	-	-	-	-
White, both sexes	4	1	1	-	-	-	-	-	2	-	-	-	-
Male	2	1	1	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	2	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Actinomycotic septicemia (A42.7)													
All races, both sexes	1	-	-	-	-	-	-	-	-	1	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	1	-	-	-
White, both sexes	1	-	-	-	-	-	-	-	-	1	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	1	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other forms of actinomycosis (A42.8)													
All races, both sexes	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Actinomycosis, unspecified (A42.9)													
All races, both sexes	2	-	-	1	-	1	-	-	-	-	-	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	1	-	-	1	-	-	-	-	-	-	-	-	-
White, both sexes	2	-	-	1	-	1	-	-	-	-	-	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	1	-	-	1	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Nocardiosis (A43)													
All races, both sexes	50	4	2	-	4	3	8	5	8	3	1	4	8
Male	27	1	-	-	3	2	4	2	7	2	1	3	2
Female	23	3	2	-	1	1	4	3	1	1	-	1	6
White, both sexes	44	4	2	-	4	2	7	5	8	2	1	2	7
Male	22	1	-	-	3	1	3	2	7	1	1	1	2
Female	22	3	2	-	1	1	4	3	1	1	-	1	5
Black, both sexes	3	-	-	-	-	-	-	-	-	1	-	2	-
Male	3	-	-	-	-	-	-	-	-	1	-	2	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	3	-	-	-	-	1	1	-	-	-	-	-	1
Male	2	-	-	-	-	1	1	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	1
Pulmonary nocardiosis (A43.0)													
All races, both sexes	34	2	1	-	3	3	7	5	4	3	1	2	3
Male	20	1	-	-	3	2	3	2	4	2	1	2	-
Female	14	1	1	-	-	1	4	3	-	1	-	-	3
White, both sexes	29	2	1	-	3	2	6	5	4	2	1	1	2
Male	16	1	-	-	3	1	2	2	4	1	1	1	-
Female	13	1	1	-	-	1	4	3	-	1	-	-	2
Black, both sexes	2	-	-	-	-	-	-	-	-	1	-	1	-
Male	2	-	-	-	-	-	-	-	-	1	-	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	3	-	-	-	-	1	1	-	-	-	-	-	1
Male	2	-	-	-	-	1	1	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other forms of nocardiosis (A43.8)													
All races, both sexes	3	1	-	-	-	-	-	-	-	-	-	-	2
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	3	1	-	-	-	-	-	-	-	-	-	-	2
White, both sexes	3	1	-	-	-	-	-	-	-	-	-	-	2
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	3	1	-	-	-	-	-	-	-	-	-	-	2
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Nocardiosis, unspecified (A43.9)													
All races, both sexes	13	1	1	-	1	-	1	-	4	-	-	2	3
Male	7	-	-	-	-	-	1	-	3	-	-	1	2
Female	6	1	1	-	1	-	-	-	1	-	-	1	1
White, both sexes	12	1	1	-	1	-	1	-	4	-	-	1	3
Male	6	-	-	-	-	-	1	-	3	-	-	-	2
Female	6	1	1	-	1	-	-	-	1	-	-	1	1
Black, both sexes	1	-	-	-	-	-	-	-	-	-	-	1	-
Male	1	-	-	-	-	-	-	-	-	-	-	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Erysipelas (A46)													
All races, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	1
White, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	1
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other bacterial diseases, not elsewhere classified (A48)													
All races, both sexes	203	15	10	20	14	10	19	29	15	14	27	14	16
Male	111	7	4	11	7	6	12	21	6	9	19	5	4
Female	92	8	6	9	7	4	7	8	9	5	8	9	12
White, both sexes	175	14	10	18	8	8	15	27	14	14	21	11	15
Male	93	7	4	10	3	4	10	20	5	9	14	3	4
Female	82	7	6	8	5	4	5	7	9	5	7	8	11
Black, both sexes	24	-	-	2	5	2	4	1	1	-	6	2	1
Male	17	-	-	1	3	2	2	1	1	-	5	2	-
Female	7	-	-	1	2	-	2	-	-	-	1	-	1
American Indian 1/, both sexes	2	1	-	-	-	-	-	1	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	1	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	2	-	-	-	1	-	-	-	-	-	-	1	-
Male	1	-	-	-	1	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Gas gangrene (A48.0)													
All races, both sexes	22	2	3	2	1	1	1	4	-	2	1	3	2
Male	15	-	2	2	1	1	1	4	-	2	1	1	-
Female	7	2	1	-	-	-	-	-	-	-	-	2	2
White, both sexes	18	2	3	2	-	-	1	3	-	2	-	3	2
Male	11	-	2	2	-	-	1	3	-	2	-	1	-
Female	7	2	1	-	-	-	-	-	-	-	-	2	2
Black, both sexes	4	-	-	-	1	1	-	1	-	-	1	-	-
Male	4	-	-	-	1	1	-	1	-	-	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Legionnaires' disease (A48.1)													
All races, both sexes	98	3	3	1	6	5	11	20	11	5	22	5	6
Male	60	1	1	-	3	3	8	14	5	4	17	3	1
Female	38	2	2	1	3	2	3	6	6	1	5	2	5
White, both sexes	87	2	3	1	5	4	8	20	10	5	19	4	6
Male	51	1	1	-	2	2	6	14	4	4	14	2	1
Female	36	1	2	1	3	2	2	6	6	1	5	2	5
Black, both sexes	10	-	-	-	1	1	3	-	1	-	3	1	-
Male	9	-	-	-	1	1	2	-	1	-	3	1	-
Female	1	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Toxic shock syndrome (A48.3)													
All races, both sexes	71	9	4	17	5	4	5	5	1	5	3	6	7
Male	30	5	1	9	1	2	2	3	-	2	1	1	3
Female	41	4	3	8	4	2	3	2	1	3	2	5	4
White, both sexes	60	9	4	15	2	4	5	4	1	5	1	4	6
Male	26	5	1	8	-	2	2	3	-	2	-	-	3
Female	34	4	3	7	2	2	3	1	1	3	1	4	3
Black, both sexes	8	-	-	2	2	-	-	-	-	-	2	1	1
Male	3	-	-	1	-	-	-	-	-	-	1	1	-
Female	5	-	-	1	2	-	-	-	-	-	1	-	1
American Indian 1/, both sexes	1	-	-	-	-	-	-	1	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	2	-	-	-	1	-	-	-	-	-	-	1	-
Male	1	-	-	-	1	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-
Other specified bacterial diseases (A48.8)													
All races, both sexes	12	1	-	-	2	-	2	-	3	2	1	-	1
Male	6	1	-	-	2	-	1	-	1	1	-	-	-
Female	6	-	-	-	-	-	1	-	2	1	1	-	1
White, both sexes	10	1	-	-	1	-	1	-	3	2	1	-	1
Male	5	1	-	-	1	-	1	-	1	1	-	-	-
Female	5	-	-	-	-	-	-	-	2	1	1	-	1
Black, both sexes	2	-	-	-	1	-	1	-	-	-	-	-	-
Male	1	-	-	-	1	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Bacterial infection of unspecified site (A49)													
All races, both sexes	967	90	69	86	84	77	77	69	60	62	85	93	115
Male	494	55	32	45	41	30	36	33	36	32	48	46	60
Female	473	35	37	41	43	47	41	36	24	30	37	47	55
White, both sexes	788	72	59	73	63	65	67	56	51	51	62	75	94
Male	397	43	25	35	30	24	31	28	31	26	35	38	51
Female	391	29	34	38	33	41	36	28	20	25	27	37	43
Black, both sexes	162	15	9	13	19	11	7	11	9	9	22	17	20
Male	85	10	6	10	9	6	3	4	5	5	12	7	8
Female	77	5	3	3	10	5	4	7	4	4	10	10	12
American Indian 1/, both sexes	5	2	-	-	-	-	-	1	-	1	-	-	1
Male	2	1	-	-	-	-	-	-	-	-	-	-	1
Female	3	1	-	-	-	-	-	1	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes	12	1	1	-	2	1	3	1	-	1	1	1	-
Male	10	1	1	-	2	-	2	1	-	1	1	1	-
Female	2	-	-	-	-	1	1	-	-	-	-	-	-
Staphylococcal infection, unspecified (A49.0)													
All races, both sexes	382	41	30	39	34	33	23	28	20	22	29	40	43
Male	205	28	13	19	15	18	14	13	10	11	22	20	22
Female	177	13	17	20	19	15	9	15	10	11	7	20	21
White, both sexes	323	31	27	37	27	29	22	23	17	19	22	32	37
Male	170	20	11	17	12	16	13	10	9	9	16	17	20
Female	153	11	16	20	15	13	9	13	8	10	6	15	17
Black, both sexes	52	9	3	2	5	4	1	4	3	1	7	8	5
Male	30	7	2	2	1	2	1	3	1	1	6	3	1
Female	22	2	1	-	4	2	-	1	2	-	1	5	4
American Indian 1/, both sexes	4	1	-	-	-	-	-	1	-	1	-	-	1
Male	2	1	-	-	-	-	-	-	-	-	-	-	1
Female	2	-	-	-	-	-	-	1	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes	3	-	-	-	2	-	-	-	-	1	-	-	-
Male	3	-	-	-	2	-	-	-	-	1	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Streptococcal infection, unspecified (A49.1)													
All races, both sexes	93	7	10	9	9	6	10	5	5	6	8	8	10
Male	52	4	6	4	7	4	5	3	3	1	4	5	6
Female	41	3	4	5	2	2	5	2	2	5	4	3	4
White, both sexes	80	7	8	6	8	5	8	4	4	6	8	7	9
Male	44	4	4	2	6	3	4	3	3	1	4	4	6
Female	36	3	4	4	2	2	4	1	1	5	4	3	3
Black, both sexes	11	-	2	3	1	1	1	1	1	-	-	-	1
Male	6	-	2	2	1	1	-	-	-	-	-	-	-
Female	5	-	-	1	-	-	1	1	1	-	-	-	1
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	2	-	-	-	-	-	1	-	-	-	-	1	-
Male	2	-	-	-	-	-	1	-	-	-	-	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemophilus influenzae infection, unspecified (A49.2)													
All races, both sexes	5	2	-	-	1	1	-	-	-	-	-	-	1
Male	2	1	-	-	1	-	-	-	-	-	-	-	-
Female	3	1	-	-	-	1	-	-	-	-	-	-	1
White, both sexes	3	1	-	-	-	1	-	-	-	-	-	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	3	1	-	-	-	1	-	-	-	-	-	-	1
Black, both sexes	2	1	-	-	1	-	-	-	-	-	-	-	-
Male	2	1	-	-	1	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Mycoplasma infection, unspecified (A49.3)													
All races, both sexes	2	-	-	-	-	1	-	-	1	-	-	-	-
Male	1	-	-	-	-	-	-	-	1	-	-	-	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-
Black, both sexes	1	-	-	-	-	-	-	-	1	-	-	-	-
Male	1	-	-	-	-	-	-	-	1	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other bacterial infections of unspecified site (A49.8)													
All races, both sexes	92	9	7	6	5	7	9	4	5	5	7	17	11
Male	41	5	4	3	2	2	5	1	3	3	5	5	3
Female	51	4	3	3	3	5	4	3	2	2	2	12	8
White, both sexes	78	8	6	5	4	5	9	3	5	3	5	16	9
Male	35	5	3	2	1	2	5	1	3	3	3	4	3
Female	43	3	3	3	3	3	4	2	2	-	2	12	6
Black, both sexes	12	1	1	1	1	1	-	1	-	2	1	1	2
Male	5	-	1	1	1	-	-	-	-	-	1	1	-
Female	7	1	-	-	-	1	-	1	-	2	-	-	2
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	2	-	-	-	-	1	-	-	-	-	1	-	-
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Bacterial infection, unspecified (A49.9)													
All races, both sexes	393	31	22	32	35	29	35	32	29	29	41	28	50
Male	193	17	9	19	16	6	12	16	19	17	17	16	29
Female	200	14	13	13	19	23	23	16	10	12	24	12	21
White, both sexes	303	25	18	25	24	24	28	26	25	23	27	20	38
Male	148	14	7	14	11	3	9	14	16	13	12	13	22
Female	155	11	11	11	13	21	19	12	9	10	15	7	16
Black, both sexes	84	4	3	7	11	5	5	5	4	6	14	8	12
Male	41	2	1	5	5	3	2	1	3	4	5	3	7
Female	43	2	2	2	6	2	3	4	1	2	9	5	5
American Indian 1/, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	5	1	1	-	-	-	2	1	-	-	-	-	-
Male	4	1	1	-	-	-	1	1	-	-	-	-	-
Female	1	-	-	-	-	-	1	-	-	-	-	-	-
Congenital syphilis (A50)													
All races, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	1	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	1	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Congenital syphilis, unspecified (A50.9)													
All races, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	1	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	1	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Late syphilis (A52)													
All races, both sexes	29	2	6	3	3	2	1	-	1	2	1	4	4
Male	20	1	3	2	2	1	1	-	1	1	1	3	4
Female	9	1	3	1	1	1	-	-	-	1	-	1	-
White, both sexes	15	1	3	3	2	2	-	-	-	1	-	3	-
Male	9	-	2	2	1	1	-	-	-	-	-	3	-
Female	6	1	1	1	1	1	-	-	-	1	-	-	-
Black, both sexes	14	1	3	-	1	-	1	-	1	1	1	1	4
Male	11	1	1	-	1	-	1	-	1	1	1	-	4
Female	3	-	2	-	-	-	-	-	-	-	-	1	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Cardiovascular syphilis (A52.0)													
All races, both sexes	5	-	-	-	2	-	1	-	-	-	-	1	1
Male	4	-	-	-	1	-	1	-	-	-	-	1	1
Female	1	-	-	-	1	-	-	-	-	-	-	-	-
White, both sexes	3	-	-	-	2	-	-	-	-	-	-	1	-
Male	2	-	-	-	1	-	-	-	-	-	-	1	-
Female	1	-	-	-	1	-	-	-	-	-	-	-	-
Black, both sexes	2	-	-	-	-	-	1	-	-	-	-	-	1
Male	2	-	-	-	-	-	1	-	-	-	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Symptomatic neurosyphilis (A52.1)													
All races, both sexes	4	-	1	1	-	-	-	-	-	-	-	2	-
Male	2	-	-	-	-	-	-	-	-	-	-	2	-
Female	2	-	1	1	-	-	-	-	-	-	-	-	-
White, both sexes	4	-	1	1	-	-	-	-	-	-	-	2	-
Male	2	-	-	-	-	-	-	-	-	-	-	2	-
Female	2	-	1	1	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Neurosyphilis, unspecified (A52.3)													
All races, both sexes	14	1	3	2	1	2	-	-	1	1	1	-	2
Male	11	1	2	2	1	1	-	-	1	-	1	-	2
Female	3	-	1	-	-	1	-	-	-	1	-	-	-
White, both sexes	6	-	1	2	-	2	-	-	-	1	-	-	-
Male	4	-	1	2	-	1	-	-	-	-	-	-	-
Female	2	-	-	-	-	1	-	-	-	1	-	-	-
Black, both sexes	8	1	2	-	1	-	-	-	1	-	1	-	2
Male	7	1	1	-	1	-	-	-	1	-	1	-	2
Female	1	-	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other symptomatic late syphilis (A52.7)													
All races, both sexes	2	-	1	-	-	-	-	-	-	-	-	-	1
Male	2	-	1	-	-	-	-	-	-	-	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	1	-	-	-	-	-	-	-	-	-	-
Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	1	-	-	-	-	-	-	-	-	-	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Late syphilis, unspecified (A52.9)													
All races, both sexes	4	1	1	-	-	-	-	-	-	1	-	1	-
Male	1	-	-	-	-	-	-	-	-	1	-	-	-
Female	3	1	1	-	-	-	-	-	-	-	-	1	-
White, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	3	-	1	-	-	-	-	-	-	1	-	1	-
Male	1	-	-	-	-	-	-	-	-	1	-	-	-
Female	2	-	1	-	-	-	-	-	-	-	-	1	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other and unspecified syphilis (A53)													
All races, both sexes	4	2	-	-	-	-	-	1	-	-	-	-	1
Male	2	1	-	-	-	-	-	-	-	-	-	-	1
Female	2	1	-	-	-	-	-	1	-	-	-	-	-
White, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	1	-	-	-	-	-	-	-	-	-	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	2	1	-	-	-	-	-	1	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	1	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Latent syphilis, unspecified as early or late (A53.0)													
All races, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis, unspecified (A53.9)													
All races, both sexes	3	1	-	-	-	-	-	1	-	-	-	-	1
Male	2	1	-	-	-	-	-	-	-	-	-	-	1
Female	1	-	-	-	-	-	-	1	-	-	-	-	-
White, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	1	-	-	-	-	-	-	-	-	-	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	1	-	-	-	-	-	-	1	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Gonococcal infection (A54)													
All races, both sexes	6	-	-	-	1	1	2	1	-	-	-	-	1
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	5	-	-	-	1	1	1	1	-	-	-	-	1
White, both sexes	6	-	-	-	1	1	2	1	-	-	-	-	1
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	5	-	-	-	1	1	1	1	-	-	-	-	1
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other gonococcal infections (A54.8)													
All races, both sexes	5	-	-	-	1	1	2	-	-	-	-	-	1
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	4	-	-	-	1	1	1	-	-	-	-	-	1
White, both sexes	5	-	-	-	1	1	2	-	-	-	-	-	1
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	4	-	-	-	1	1	1	-	-	-	-	-	1
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Gonococcal infection, unspecified (A54.9)													
All races, both sexes	1	-	-	-	-	-	-	1	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	1	-	-	-	-	-
White, both sexes	1	-	-	-	-	-	-	1	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	1	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Granuloma inguinale (A58)													
All races, both sexes	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other predominantly sexually transmitted diseases, not elsewhere classified (A63)													
All races, both sexes	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Anogenital (venereal) warts (A63.0)													
All races, both sexes	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Unspecified sexually transmitted disease (A64)													
All races, both sexes	7	-	-	1	-	2	3	1	-	-	-	-	-
Male	2	-	-	-	-	-	2	-	-	-	-	-	-
Female	5	-	-	1	-	2	1	1	-	-	-	-	-
White, both sexes	6	-	-	1	-	2	2	1	-	-	-	-	-
Male	2	-	-	-	-	-	2	-	-	-	-	-	-
Female	4	-	-	1	-	2	-	1	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	1	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	1	-	-	-	-	-	-
Other spirochetal infections (A69)													
All races, both sexes	4	-	-	-	-	1	1	1	-	-	-	1	-
Male	3	-	-	-	-	1	1	-	-	-	-	1	-
Female	1	-	-	-	-	-	-	1	-	-	-	-	-
White, both sexes	3	-	-	-	-	1	-	1	-	-	-	1	-
Male	2	-	-	-	-	1	-	-	-	-	-	1	-
Female	1	-	-	-	-	-	-	1	-	-	-	-	-
Black, both sexes	1	-	-	-	-	-	1	-	-	-	-	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Lyme disease (A69.2)													
All races, both sexes	4	-	-	-	-	1	1	1	-	-	-	1	-
Male	3	-	-	-	-	1	1	-	-	-	-	1	-
Female	1	-	-	-	-	-	-	1	-	-	-	-	-
White, both sexes	3	-	-	-	-	1	-	1	-	-	-	1	-
Male	2	-	-	-	-	1	-	-	-	-	-	1	-
Female	1	-	-	-	-	-	-	1	-	-	-	-	-
Black, both sexes	1	-	-	-	-	-	1	-	-	-	-	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Spotted fever [tick-borne rickettsioses] (A77)													
All races, both sexes	12	-	-	1	-	4	1	2	3	1	-	-	-
Male	9	-	-	1	-	2	-	2	3	1	-	-	-
Female	3	-	-	-	-	2	1	-	-	-	-	-	-
White, both sexes	9	-	-	1	-	4	-	2	2	-	-	-	-
Male	7	-	-	1	-	2	-	2	2	-	-	-	-
Female	2	-	-	-	-	2	-	-	-	-	-	-	-
Black, both sexes	1	-	-	-	-	-	-	-	-	1	-	-	-
Male	1	-	-	-	-	-	-	-	-	1	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	2	-	-	-	-	-	1	-	1	-	-	-	-
Male	1	-	-	-	-	-	-	-	1	-	-	-	-
Female	1	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Spotted fever due to Rickettsia rickettsii (A77.0)													
All races, both sexes	9	-	-	1	-	2	1	1	3	1	-	-	-
Male	7	-	-	1	-	1	-	1	3	1	-	-	-
Female	2	-	-	-	-	1	1	-	-	-	-	-	-
White, both sexes	6	-	-	1	-	2	-	1	2	-	-	-	-
Male	5	-	-	1	-	1	-	1	2	-	-	-	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-
Black, both sexes	1	-	-	-	-	-	-	-	-	1	-	-	-
Male	1	-	-	-	-	-	-	-	-	1	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	2	-	-	-	-	-	1	-	1	-	-	-	-
Male	1	-	-	-	-	-	-	-	1	-	-	-	-
Female	1	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other spotted fevers (A77.8)													
All races, both sexes	3	-	-	-	-	2	-	1	-	-	-	-	-
Male	2	-	-	-	-	1	-	1	-	-	-	-	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-
White, both sexes	3	-	-	-	-	2	-	1	-	-	-	-	-
Male	2	-	-	-	-	1	-	1	-	-	-	-	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Q fever (A78)													
All races, both sexes	1	-	-	-	-	-	-	-	1	-	-	-	-
Male	1	-	-	-	-	-	-	-	1	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	-	1	-	-	-	-
Male	1	-	-	-	-	-	-	-	1	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other rickettsioses (A79)													
All races, both sexes	1	-	-	-	-	-	1	-	-	-	-	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	-	-	1	-	-	-	-	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other specified rickettsioses (A79.8)													
All races, both sexes	1	-	-	-	-	-	1	-	-	-	-	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	-	-	1	-	-	-	-	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Atypical virus infections of central nervous system (A81)													
All races, both sexes	250	22	21	19	15	21	13	28	16	21	26	31	17
Male	132	13	10	12	8	9	8	14	10	9	15	18	6
Female	118	9	11	7	7	12	5	14	6	12	11	13	11
White, both sexes	231	20	21	14	14	19	12	26	15	21	24	30	15
Male	121	11	10	9	7	9	8	12	9	9	14	17	6
Female	110	9	11	5	7	10	4	14	6	12	10	13	9
Black, both sexes	11	2	-	4	-	1	-	1	-	-	2	1	-
Male	7	2	-	2	-	-	-	1	-	-	1	1	-
Female	4	-	-	2	-	1	-	-	-	-	1	-	-
American Indian 1/, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes	7	-	-	1	1	1	1	1	1	-	-	-	1
Male	4	-	-	1	1	-	-	1	1	-	-	-	-
Female	3	-	-	-	-	1	1	-	-	-	-	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Creutzfeldt-Jakob disease (A81.0)													
All races, both sexes	218	18	17	17	12	19	12	23	14	19	23	28	16
Male	116	11	7	11	6	9	7	12	9	9	13	17	5
Female	102	7	10	6	6	10	5	11	5	10	10	11	11
White, both sexes	205	17	17	13	11	18	11	22	13	19	23	27	14
Male	108	10	7	8	5	9	7	11	8	9	13	16	5
Female	97	7	10	5	6	9	4	11	5	10	10	11	9
Black, both sexes	5	1	-	3	-	-	-	-	-	-	-	1	-
Male	4	1	-	2	-	-	-	-	-	-	-	1	-
Female	1	-	-	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes	7	-	-	1	1	1	1	1	1	-	-	-	1
Male	4	-	-	1	1	-	-	1	1	-	-	-	-
Female	3	-	-	-	-	1	1	-	-	-	-	-	1
Progressive multifocal leukoencephalopathy (A81.2)													
All races, both sexes	30	4	4	2	2	1	1	5	2	2	3	3	1
Male	15	2	3	1	1	-	1	2	1	-	2	1	1
Female	15	2	1	1	1	1	-	3	1	2	1	2	-
White, both sexes	24	3	4	1	2	-	1	4	2	2	1	3	1
Male	12	1	3	1	1	-	1	1	1	-	1	1	1
Female	12	2	1	-	1	-	-	3	1	2	-	2	-
Black, both sexes	6	1	-	1	-	1	-	1	-	-	2	-	-
Male	3	1	-	-	-	-	-	1	-	-	1	-	-
Female	3	-	-	1	-	1	-	-	-	-	1	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Atypical virus infection of central nervous system, unspecified (A81.9)													
All races, both sexes	2	-	-	-	1	1	-	-	-	-	-	-	-
Male	1	-	-	-	1	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-
White, both sexes	2	-	-	-	1	1	-	-	-	-	-	-	-
Male	1	-	-	-	1	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Rabies (A82)													
All races, both sexes	2	-	-	1	-	-	-	-	-	1	-	-	-
Male	2	-	-	1	-	-	-	-	-	1	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	2	-	-	1	-	-	-	-	-	1	-	-	-
Male	2	-	-	1	-	-	-	-	-	1	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Rabies, unspecified (A82.9)													
All races, both sexes	2	-	-	1	-	-	-	-	-	1	-	-	-
Male	2	-	-	1	-	-	-	-	-	1	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	2	-	-	1	-	-	-	-	-	1	-	-	-
Male	2	-	-	1	-	-	-	-	-	1	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Mosquito-borne viral encephalitis (A83)													
All races, both sexes	13	-	1	-	2	-	1	1	1	2	3	2	-
Male	9	-	-	-	2	-	1	1	1	1	2	1	-
Female	4	-	1	-	-	-	-	-	-	1	1	1	-
White, both sexes	10	-	1	-	1	-	1	-	1	2	2	2	-
Male	6	-	-	-	1	-	1	-	1	1	1	1	-
Female	4	-	1	-	-	-	-	-	-	1	1	1	-
Black, both sexes	1	-	-	-	1	-	-	-	-	-	-	-	-
Male	1	-	-	-	1	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	2	-	-	-	-	-	-	1	-	-	1	-	-
Male	2	-	-	-	-	-	-	1	-	-	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Eastern equine encephalitis (A83.2)													
All races, both sexes	1	-	-	-	-	-	1	-	-	-	-	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	-	-	1	-	-	-	-	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Louis encephalitis (A83.3)													
All races, both sexes	2	-	-	-	-	-	-	1	-	-	1	-	-
Male	1	-	-	-	-	-	-	1	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
White, both sexes	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	1	-	-	-	-	-	-	1	-	-	-	-	-
Male	1	-	-	-	-	-	-	1	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Australian encephalitis (A83.4)													
All races, both sexes	1	-	-	-	1	-	-	-	-	-	-	-	-
Male	1	-	-	-	1	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	1	-	-	-	1	-	-	-	-	-	-	-	-
Male	1	-	-	-	1	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other mosquito-borne viral encephalitis (A83.8)													
All races, both sexes	9	-	1	-	1	-	-	-	1	2	2	2	-
Male	6	-	-	-	1	-	-	-	1	1	2	1	-
Female	3	-	1	-	-	-	-	-	-	1	-	1	-
White, both sexes	8	-	1	-	1	-	-	-	1	2	1	2	-
Male	5	-	-	-	1	-	-	-	1	1	1	1	-
Female	3	-	1	-	-	-	-	-	-	1	-	1	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other viral encephalitis, not elsewhere classified (A85)													
All races, both sexes	3	1	-	-	-	-	-	-	1	-	-	1	-
Male	2	-	-	-	-	-	-	-	1	-	-	1	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	3	1	-	-	-	-	-	-	1	-	-	1	-
Male	2	-	-	-	-	-	-	-	1	-	-	1	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other specified viral encephalitis (A85.8)													
All races, both sexes	3	1	-	-	-	-	-	-	1	-	-	1	-
Male	2	-	-	-	-	-	-	-	1	-	-	1	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	3	1	-	-	-	-	-	-	1	-	-	1	-
Male	2	-	-	-	-	-	-	-	1	-	-	1	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Unspecified viral encephalitis (A86)													
All races, both sexes	118	15	8	9	5	6	6	10	15	16	10	5	13
Male	65	7	4	5	2	5	3	4	10	10	6	3	6
Female	53	8	4	4	3	1	3	6	5	6	4	2	7
White, both sexes	106	13	8	9	5	5	5	9	13	14	9	5	11
Male	59	6	4	5	2	4	2	4	9	9	6	3	5
Female	47	7	4	4	3	1	3	5	4	5	3	2	6
Black, both sexes	11	2	-	-	-	1	1	1	2	2	1	-	1
Male	6	1	-	-	-	1	1	-	1	1	-	-	1
Female	5	1	-	-	-	-	-	1	1	1	1	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	1
Viral meningitis (A87)													
All races, both sexes	51	2	3	7	4	4	1	4	10	6	2	4	4
Male	22	-	-	3	2	1	1	3	6	5	1	-	-
Female	29	2	3	4	2	3	-	1	4	1	1	4	4
White, both sexes	42	2	1	5	3	4	1	3	10	6	1	3	3
Male	20	-	-	2	2	1	1	2	6	5	1	-	-
Female	22	2	1	3	1	3	-	1	4	1	-	3	3
Black, both sexes	8	-	2	2	1	-	-	1	-	-	-	1	1
Male	2	-	-	1	-	-	-	1	-	-	-	-	-
Female	6	-	2	1	1	-	-	-	-	-	-	1	1
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Enteroviral meningitis (A87.0)													
All races, both sexes	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Lymphocytic choriomeningitis (A87.2)													
All races, both sexes	4	1	1	-	1	-	-	1	-	-	-	-	-
Male	2	-	-	-	1	-	-	1	-	-	-	-	-
Female	2	1	1	-	-	-	-	-	-	-	-	-	-
White, both sexes	2	1	-	-	1	-	-	-	-	-	-	-	-
Male	1	-	-	-	1	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	2	-	1	-	-	-	-	1	-	-	-	-	-
Male	1	-	-	-	-	-	-	1	-	-	-	-	-
Female	1	-	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Viral meningitis, unspecified (A87.9)													
All races, both sexes	46	1	2	7	3	3	1	3	10	6	2	4	4
Male	20	-	-	3	1	1	1	2	6	5	1	-	-
Female	26	1	2	4	2	2	-	1	4	1	1	4	4
White, both sexes	39	1	1	5	2	3	1	3	10	6	1	3	3
Male	19	-	-	2	1	1	1	2	6	5	1	-	-
Female	20	1	1	3	1	2	-	1	4	1	-	3	3
Black, both sexes	6	-	1	2	1	-	-	-	-	-	-	1	1
Male	1	-	-	1	-	-	-	-	-	-	-	-	-
Female	5	-	1	1	1	-	-	-	-	-	-	1	1
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
Unspecified viral infection of central nervous system (A89)													
All races, both sexes	13	1	-	4	1	-	1	2	-	-	3	-	1
Male	6	-	-	3	-	-	-	2	-	-	1	-	-
Female	7	1	-	1	1	-	1	-	-	-	2	-	1
White, both sexes	10	-	-	4	1	-	-	1	-	-	3	-	1
Male	5	-	-	3	-	-	-	1	-	-	1	-	-
Female	5	-	-	1	1	-	-	-	-	-	2	-	1
Black, both sexes	2	-	-	-	-	-	1	1	-	-	-	-	-
Male	1	-	-	-	-	-	-	1	-	-	-	-	-
Female	1	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other mosquito-borne viral fevers (A92)													
All races, both sexes	191	3	2	1	1	2	-	1	50	73	26	21	11
Male	121	2	1	1	-	1	-	-	27	53	16	14	6
Female	70	1	1	-	1	1	-	1	23	20	10	7	5
White, both sexes	172	3	2	-	1	2	-	1	44	66	22	20	11
Male	109	2	1	-	-	1	-	-	24	46	15	14	6
Female	63	1	1	-	1	1	-	1	20	20	7	6	5
Black, both sexes	13	-	-	-	-	-	-	-	3	5	4	1	-
Male	8	-	-	-	-	-	-	-	2	5	1	-	-
Female	5	-	-	-	-	-	-	-	1	-	3	1	-
American Indian 1/, both sexes	5	-	-	-	-	-	-	-	3	2	-	-	-
Male	3	-	-	-	-	-	-	-	1	2	-	-	-
Female	2	-	-	-	-	-	-	-	2	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	1	-	-	1	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
West Nile fever (A92.3)													
All races, both sexes	191	3	2	1	1	2	-	1	50	73	26	21	11
Male	121	2	1	1	-	1	-	-	27	53	16	14	6
Female	70	1	1	-	1	1	-	1	23	20	10	7	5
White, both sexes	172	3	2	-	1	2	-	1	44	66	22	20	11
Male	109	2	1	-	-	1	-	-	24	46	15	14	6
Female	63	1	1	-	1	1	-	1	20	20	7	6	5
Black, both sexes	13	-	-	-	-	-	-	-	3	5	4	1	-
Male	8	-	-	-	-	-	-	-	2	5	1	-	-
Female	5	-	-	-	-	-	-	-	1	-	3	1	-
American Indian 1/, both sexes	5	-	-	-	-	-	-	-	3	2	-	-	-
Male	3	-	-	-	-	-	-	-	1	2	-	-	-
Female	2	-	-	-	-	-	-	-	2	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	1	-	-	1	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other arthropod-borne viral fevers, not elsewhere classified (A93)													
All races, both sexes	1	-	-	-	-	-	1	-	-	-	-	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	-	-	1	-	-	-	-	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other specified arthropod-borne viral fevers (A93.8)													
All races, both sexes	1	-	-	-	-	-	1	-	-	-	-	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	-	-	1	-	-	-	-	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Yellow fever (A95)													
All races, both sexes	1	-	-	-	1	-	-	-	-	-	-	-	-
Male	1	-	-	-	1	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	1	-	-	-	-	-	-	-	-
Male	1	-	-	-	1	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Yellow fever, unspecified (A95.9)													
All races, both sexes	1	-	-	-	1	-	-	-	-	-	-	-	-
Male	1	-	-	-	1	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	1	-	-	-	-	-	-	-	-
Male	1	-	-	-	1	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Herpes-viral [herpes simplex] infections (B00)													
All races, both sexes	183	11	16	22	15	13	11	17	13	19	12	19	15
Male	76	4	7	9	5	4	6	6	5	12	3	11	4
Female	107	7	9	13	10	9	5	11	8	7	9	8	11
White, both sexes	161	11	15	22	11	13	10	12	12	16	10	15	14
Male	66	4	7	9	3	4	6	3	4	11	3	8	4
Female	95	7	8	13	8	9	4	9	8	5	7	7	10
Black, both sexes	17	-	1	-	3	-	1	4	-	3	1	3	1
Male	8	-	-	-	2	-	-	3	-	1	-	2	-
Female	9	-	1	-	1	-	1	1	-	2	1	1	1
American Indian 1/, both sexes	3	-	-	-	1	-	-	1	1	-	-	-	-
Male	1	-	-	-	-	-	-	-	1	-	-	-	-
Female	2	-	-	-	1	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	2	-	-	-	-	-	-	-	-	-	1	1	-
Male	1	-	-	-	-	-	-	-	-	-	-	1	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
Herpes-viral vesicular dermatitis (B00.1)													
All races, both sexes	4	-	-	2	1	-	-	-	-	-	-	1	-
Male	3	-	-	1	1	-	-	-	-	-	-	1	-
Female	1	-	-	1	-	-	-	-	-	-	-	-	-
White, both sexes	4	-	-	2	1	-	-	-	-	-	-	1	-
Male	3	-	-	1	1	-	-	-	-	-	-	1	-
Female	1	-	-	1	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Herpes-viral gingivostomatitis and pharyngotonsillitis (B00.2)													
All races, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	1	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	1	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Herpes-viral meningitis (B00.3)													
All races, both sexes	2	-	-	-	-	-	-	1	-	-	1	-	-
Male	2	-	-	-	-	-	-	1	-	-	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	1	-	-	-	-	-	-	1	-	-	-	-	-
Male	1	-	-	-	-	-	-	1	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Herpes-viral encephalitis (B00.4)													
All races, both sexes	104	6	6	14	10	6	8	8	11	6	7	11	11
Male	36	3	1	7	3	2	4	-	3	3	2	5	3
Female	68	3	5	7	7	4	4	8	8	3	5	6	8
White, both sexes	94	6	5	14	8	6	7	7	10	5	7	9	10
Male	33	3	1	7	2	2	4	-	2	3	2	4	3
Female	61	3	4	7	6	4	3	7	8	2	5	5	7
Black, both sexes	8	-	1	-	2	-	1	1	-	1	-	1	1
Male	1	-	-	-	1	-	-	-	-	-	-	-	-
Female	7	-	1	-	1	-	1	1	-	1	-	1	1
American Indian 1/, both sexes	1	-	-	-	-	-	-	-	1	-	-	-	-
Male	1	-	-	-	-	-	-	-	1	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	-	-	-	-	1	-
Male	1	-	-	-	-	-	-	-	-	-	-	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Disseminated herpes-viral disease (B00.7)													
All races, both sexes	11	-	1	1	1	3	-	2	-	1	2	-	-
Male	4	-	1	-	-	1	-	1	-	1	-	-	-
Female	7	-	-	1	1	2	-	1	-	-	2	-	-
White, both sexes	8	-	1	1	-	3	-	1	-	1	1	-	-
Male	4	-	1	-	-	1	-	1	-	1	-	-	-
Female	4	-	-	1	-	2	-	-	-	-	1	-	-
Black, both sexes	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes	2	-	-	-	1	-	-	1	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	1	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other forms of herpes-viral infection (B00.8)													
All races, both sexes	11	1	2	1	2	-	1	-	-	3	-	1	-
Male	4	-	-	1	-	-	1	-	-	2	-	-	-
Female	7	1	2	-	2	-	-	-	-	1	-	1	-
White, both sexes	10	1	2	1	2	-	1	-	-	2	-	1	-
Male	4	-	-	1	-	-	1	-	-	2	-	-	-
Female	6	1	2	-	2	-	-	-	-	-	-	1	-
Black, both sexes	1	-	-	-	-	-	-	-	-	1	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	1	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Herpes-viral infection, unspecified (B00.9)													
All races, both sexes	50	4	7	3	1	4	2	6	2	9	2	6	4
Male	27	1	5	-	1	1	1	4	2	6	-	5	1
Female	23	3	2	3	-	3	1	2	-	3	2	1	3
White, both sexes	43	4	7	3	-	4	2	4	2	8	1	4	4
Male	21	1	5	-	-	1	1	2	2	5	-	3	1
Female	22	3	2	3	-	3	1	2	-	3	1	1	3
Black, both sexes	6	-	-	-	1	-	-	2	-	1	-	2	-
Male	6	-	-	-	1	-	-	2	-	1	-	2	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Varicella [chickenpox] (B01)													
All races, both sexes	16	2	4	-	-	1	-	1	3	3	1	-	1
Male	10	2	2	-	-	1	-	-	2	3	-	-	-
Female	6	-	2	-	-	-	-	1	1	-	1	-	1
White, both sexes	14	2	4	-	-	1	-	1	2	2	1	-	1
Male	9	2	2	-	-	1	-	-	2	2	-	-	-
Female	5	-	2	-	-	-	-	1	-	-	1	-	1
Black, both sexes	2	-	-	-	-	-	-	-	1	1	-	-	-
Male	1	-	-	-	-	-	-	-	-	1	-	-	-
Female	1	-	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Varicella encephalitis (B01.1)													
All races, both sexes	2	-	-	-	-	-	-	-	1	1	-	-	-
Male	2	-	-	-	-	-	-	-	1	1	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	-	-	-	-	1	-	-	-	-
Male	1	-	-	-	-	-	-	-	1	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	1	-	-	-	-	-	-	-	-	1	-	-	-
Male	1	-	-	-	-	-	-	-	-	1	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Varicella pneumonia (B01.2)													
All races, both sexes.....	11	2	3	-	-	1	-	-	2	2	-	-	1
Male.....	7	2	1	-	-	1	-	-	1	2	-	-	-
Female.....	4	-	2	-	-	-	-	-	1	-	-	-	1
White, both sexes.....	10	2	3	-	-	1	-	-	1	2	-	-	1
Male.....	7	2	1	-	-	1	-	-	1	2	-	-	-
Female.....	3	-	2	-	-	-	-	-	-	-	-	-	1
Black, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Varicella without complications (B01.9)													
All races, both sexes.....	3	-	1	-	-	-	-	1	-	-	1	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	1	-	-	1	-	-
White, both sexes.....	3	-	1	-	-	-	-	1	-	-	1	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	1	-	-	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Zoster [herpes zoster] (B02)													
All races, both sexes	157	20	12	12	12	20	8	13	9	16	13	15	7
Male	50	7	2	3	6	7	3	2	5	4	3	6	2
Female	107	13	10	9	6	13	5	11	4	12	10	9	5
White, both sexes	144	18	12	12	9	20	6	11	9	13	13	14	7
Male	45	5	2	3	5	7	3	1	5	3	3	6	2
Female	99	13	10	9	4	13	3	10	4	10	10	8	5
Black, both sexes	12	2	-	-	2	-	2	2	-	3	-	1	-
Male	5	2	-	-	1	-	-	1	-	1	-	-	-
Female	7	-	-	-	1	-	2	1	-	2	-	1	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	1	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	1	-	-	-	-	-	-	-	-
Zoster encephalitis (B02.0)													
All races, both sexes	15	1	2	-	2	2	-	-	2	1	1	2	2
Male	6	1	-	-	1	1	-	-	1	-	-	1	1
Female	9	-	2	-	1	1	-	-	1	1	1	1	1
White, both sexes	13	1	2	-	-	2	-	-	2	1	1	2	2
Male	5	1	-	-	-	1	-	-	1	-	-	1	1
Female	8	-	2	-	-	1	-	-	1	1	1	1	1
Black, both sexes	1	-	-	-	1	-	-	-	-	-	-	-	-
Male	1	-	-	-	1	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	1	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	1	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Zoster meningitis (B02.1)													
All races, both sexes	3	-	-	-	-	-	1	-	2	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	3	-	-	-	-	-	1	-	2	-	-	-	-
White, both sexes	2	-	-	-	-	-	-	-	2	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	2	-	-	-	-
Black, both sexes	1	-	-	-	-	-	1	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Zoster with other nervous system involvement (B02.2)													
All races, both sexes	20	3	1	1	1	4	2	1	1	4	2	-	-
Male	7	1	-	-	1	2	-	-	1	1	1	-	-
Female	13	2	1	1	-	2	2	1	-	3	1	-	-
White, both sexes	20	3	1	1	1	4	2	1	1	4	2	-	-
Male	7	1	-	-	1	2	-	-	1	1	1	-	-
Female	13	2	1	1	-	2	2	1	-	3	1	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Zoster ocular disease (B02.3)													
All races, both sexes	6	1	1	-	-	1	-	1	-	2	-	-	-
Male	1	-	-	-	-	-	-	1	-	-	-	-	-
Female	5	1	1	-	-	1	-	-	-	2	-	-	-
White, both sexes	5	1	1	-	-	1	-	-	-	2	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	5	1	1	-	-	1	-	-	-	2	-	-	-
Black, both sexes	1	-	-	-	-	-	-	1	-	-	-	-	-
Male	1	-	-	-	-	-	-	1	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Disseminated zoster (B02.7)													
All races, both sexes	19	1	1	2	2	2	1	3	-	2	3	1	1
Male	8	1	1	1	1	1	1	1	-	-	1	-	-
Female	11	-	-	1	1	1	-	2	-	2	2	1	1
White, both sexes	16	1	1	2	1	2	1	3	-	1	3	-	1
Male	8	1	1	1	1	1	1	1	-	-	1	-	-
Female	8	-	-	1	-	1	-	2	-	1	2	-	1
Black, both sexes	3	-	-	-	1	-	-	-	-	1	-	1	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	3	-	-	-	1	-	-	-	-	1	-	1	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Zoster without complication (B02.9)													
All races, both sexes	94	14	7	9	7	11	4	8	4	7	7	12	4
Male	28	4	1	2	3	3	2	-	3	3	1	5	1
Female	66	10	6	7	4	8	2	8	1	4	6	7	3
White, both sexes	88	12	7	9	7	11	3	7	4	5	7	12	4
Male	25	2	1	2	3	3	2	-	3	2	1	5	1
Female	63	10	6	7	4	8	1	7	1	3	6	7	3
Black, both sexes	6	2	-	-	-	-	1	1	-	2	-	-	-
Male	3	2	-	-	-	-	-	-	-	1	-	-	-
Female	3	-	-	-	-	-	1	1	-	1	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (B05)													
All races, both sexes	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Measles without complication (B05.9)													
All races, both sexes	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute hepatitis A (B15)													
All races, both sexes	54	5	3	3	1	6	8	5	8	4	4	5	2
Male	29	3	1	2	-	3	4	4	3	2	3	3	1
Female	25	2	2	1	1	3	4	1	5	2	1	2	1
White, both sexes	41	5	2	1	1	4	8	4	4	3	2	5	2
Male	25	3	1	1	-	3	4	3	2	2	2	3	1
Female	16	2	1	-	1	1	4	1	2	1	-	2	1
Black, both sexes	13	-	1	2	-	2	-	1	4	1	2	-	-
Male	4	-	-	1	-	-	-	1	1	-	1	-	-
Female	9	-	1	1	-	2	-	-	3	1	1	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Hepatitis A with hepatic coma (B15.0)													
All races, both sexes	3	1	1	-	-	-	-	-	-	-	1	-	-
Male	2	1	-	-	-	-	-	-	-	-	1	-	-
Female	1	-	1	-	-	-	-	-	-	-	-	-	-
White, both sexes	3	1	1	-	-	-	-	-	-	-	1	-	-
Male	2	1	-	-	-	-	-	-	-	-	1	-	-
Female	1	-	1	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Hepatitis A without hepatic coma (B15.9)													
All races, both sexes	51	4	2	3	1	6	8	5	8	4	3	5	2
Male	27	2	1	2	-	3	4	4	3	2	2	3	1
Female	24	2	1	1	1	3	4	1	5	2	1	2	1
White, both sexes	38	4	1	1	1	4	8	4	4	3	1	5	2
Male	23	2	1	1	-	3	4	3	2	2	1	3	1
Female	15	2	-	-	1	1	4	1	2	1	-	2	1
Black, both sexes	13	-	1	2	-	2	-	1	4	1	2	-	-
Male	4	-	-	1	-	-	-	1	1	-	1	-	-
Female	9	-	1	1	-	2	-	-	3	1	1	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Acute hepatitis B (B16)													
All races, both sexes	583	50	50	33	61	54	46	44	42	42	54	42	65
Male	410	34	29	26	43	41	35	27	36	33	37	23	46
Female	173	16	21	7	18	13	11	17	6	9	17	19	19
White, both sexes	382	29	32	21	43	36	27	33	27	31	32	30	41
Male	269	18	16	15	31	27	22	23	22	25	26	15	29
Female	113	11	16	6	12	9	5	10	5	6	6	15	12
Black, both sexes	116	17	13	8	10	8	10	6	6	6	8	8	16
Male	78	13	9	7	6	7	7	1	6	5	3	5	9
Female	38	4	4	1	4	1	3	5	-	1	5	3	7
American Indian 1/, both sexes	4	-	-	-	2	1	1	-	-	-	-	-	-
Male	3	-	-	-	1	1	1	-	-	-	-	-	-
Female	1	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	81	4	5	4	6	9	8	5	9	5	14	4	8
Male	60	3	4	4	5	6	5	3	8	3	8	3	8
Female	21	1	1	-	1	3	3	2	1	2	6	1	-
Acute hepatitis B without delta-agent with hepatic coma (B16.2)													
All races, both sexes	34	4	5	-	4	3	3	5	1	3	1	1	4
Male	19	2	1	-	3	3	2	3	-	3	1	1	-
Female	15	2	4	-	1	-	1	2	1	-	-	-	4
White, both sexes	21	4	3	-	2	1	-	3	-	3	1	1	3
Male	11	2	-	-	1	1	-	2	-	3	1	1	-
Female	10	2	3	-	1	-	-	1	-	-	-	-	3
Black, both sexes	9	-	2	-	2	1	2	1	-	-	-	-	1
Male	5	-	1	-	2	1	1	-	-	-	-	-	-
Female	4	-	1	-	-	-	1	1	-	-	-	-	1
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	4	-	-	-	-	1	1	1	1	-	-	-	-
Male	3	-	-	-	-	1	1	1	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	1	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Acute hepatitis B without delta-agent and without hepatic coma (B16.9)													
All races, both sexes	549	46	45	33	57	51	43	39	41	39	53	41	61
Male	391	32	28	26	40	38	33	24	36	30	36	22	46
Female	158	14	17	7	17	13	10	15	5	9	17	19	15
White, both sexes	361	25	29	21	41	35	27	30	27	28	31	29	38
Male	258	16	16	15	30	26	22	21	22	22	25	14	29
Female	103	9	13	6	11	9	5	9	5	6	6	15	9
Black, both sexes	107	17	11	8	8	7	8	5	6	6	8	8	15
Male	73	13	8	7	4	6	6	1	6	5	3	5	9
Female	34	4	3	1	4	1	2	4	-	1	5	3	6
American Indian 1/, both sexes	4	-	-	-	2	1	1	-	-	-	-	-	-
Male	3	-	-	-	1	1	1	-	-	-	-	-	-
Female	1	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	77	4	5	4	6	8	7	4	8	5	14	4	8
Male	57	3	4	4	5	5	4	2	8	3	8	3	8
Female	20	1	1	-	1	3	3	2	-	2	6	1	-
Other acute viral hepatitis (B17)													
All races, both sexes	4,115	376	353	361	339	322	311	357	294	317	324	383	378
Male	2,707	230	245	228	215	216	201	245	206	205	223	244	249
Female	1,408	146	108	133	124	106	110	112	88	112	101	139	129
White, both sexes	3,316	305	299	298	258	272	246	286	240	247	258	300	307
Male	2,221	192	209	190	172	182	161	197	172	165	185	189	207
Female	1,095	113	90	108	86	90	85	89	68	82	73	111	100
Black, both sexes	652	54	49	53	72	41	51	58	48	57	50	64	55
Male	416	30	34	34	41	31	33	40	31	34	30	44	34
Female	236	24	15	19	31	10	18	18	17	23	20	20	21
American Indian 1/, both sexes	54	6	4	3	4	4	6	4	1	6	5	5	6
Male	28	3	2	1	1	2	4	3	1	3	2	3	3
Female	26	3	2	2	3	2	2	1	-	3	3	2	3
Asian or Pacific Islander 2/, both sexes	93	11	1	7	5	5	8	9	5	7	11	14	10
Male	42	5	-	3	1	1	3	5	2	3	6	8	5
Female	51	6	1	4	4	4	5	4	3	4	5	6	5

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Acute hepatitis C (B17.1)													
All races, both sexes	4,109	375	351	361	337	322	311	356	294	317	324	383	378
Male	2,705	229	245	228	214	216	201	245	206	205	223	244	249
Female	1,404	146	106	133	123	106	110	111	88	112	101	139	129
White, both sexes	3,310	304	297	298	256	272	246	285	240	247	258	300	307
Male	2,219	191	209	190	171	182	161	197	172	165	185	189	207
Female	1,091	113	88	108	85	90	85	88	68	82	73	111	100
Black, both sexes	652	54	49	53	72	41	51	58	48	57	50	64	55
Male	416	30	34	34	41	31	33	40	31	34	30	44	34
Female	236	24	15	19	31	10	18	18	17	23	20	20	21
American Indian 1/, both sexes	54	6	4	3	4	4	6	4	1	6	5	5	6
Male	28	3	2	1	1	2	4	3	1	3	2	3	3
Female	26	3	2	2	3	2	2	1	-	3	3	2	3
Asian or Pacific Islander 2/, both sexes	93	11	1	7	5	5	8	9	5	7	11	14	10
Male	42	5	-	3	1	1	3	5	2	3	6	8	5
Female	51	6	1	4	4	4	5	4	3	4	5	6	5
Acute hepatitis E (B17.2)													
All races, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other specified acute viral hepatitis (B17.8)													
All races, both sexes	5	-	2	-	2	-	-	1	-	-	-	-	-
Male	1	-	-	-	1	-	-	-	-	-	-	-	-
Female	4	-	2	-	1	-	-	1	-	-	-	-	-
White, both sexes	5	-	2	-	2	-	-	1	-	-	-	-	-
Male	1	-	-	-	1	-	-	-	-	-	-	-	-
Female	4	-	2	-	1	-	-	1	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic viral hepatitis (B18)													
All races, both sexes	614	66	55	46	49	59	39	41	53	51	60	42	53
Male	369	40	30	31	27	35	24	24	34	29	35	29	31
Female	245	26	25	15	22	24	15	17	19	22	25	13	22
White, both sexes	502	50	45	36	41	52	31	31	47	41	49	32	47
Male	307	32	25	26	23	32	20	18	31	23	29	21	27
Female	195	18	20	10	18	20	11	13	16	18	20	11	20
Black, both sexes	65	10	7	6	4	4	2	7	3	7	4	5	6
Male	42	6	4	4	3	2	1	4	2	5	3	4	4
Female	23	4	3	2	1	2	1	3	1	2	1	1	2
American Indian 1/, both sexes	3	1	-	-	-	-	-	-	-	1	1	-	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	-	1	1	-	-
Asian or Pacific Islander 2/, both sexes	44	5	3	4	4	3	6	3	3	2	6	5	-
Male	19	1	1	1	1	1	3	2	1	1	3	4	-
Female	25	4	2	3	3	2	3	1	2	1	3	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Chronic viral hepatitis B without delta-agent (B18.1)													
All races, both sexes	102	13	6	9	6	10	11	5	9	6	9	10	8
Male	70	6	3	5	4	7	8	4	6	5	6	8	8
Female	32	7	3	4	2	3	3	1	3	1	3	2	-
White, both sexes	67	9	3	5	4	10	6	3	7	2	4	7	7
Male	49	5	2	4	2	7	5	2	5	2	2	6	7
Female	18	4	1	1	2	3	1	1	2	-	2	1	-
Black, both sexes	9	-	1	1	1	-	1	-	-	2	1	1	1
Male	8	-	1	1	1	-	1	-	-	2	1	-	1
Female	1	-	-	-	-	-	-	-	-	-	-	1	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	26	4	2	3	1	-	4	2	2	2	4	2	-
Male	13	1	-	-	1	-	2	2	1	1	3	2	-
Female	13	3	2	3	-	-	2	-	1	1	1	-	-
Chronic viral hepatitis C (B18.2)													
All races, both sexes	507	53	49	37	43	47	28	35	44	45	50	32	44
Male	298	34	27	26	23	27	16	20	28	24	29	21	23
Female	209	19	22	11	20	20	12	15	16	21	21	11	21
White, both sexes	433	41	42	31	37	41	25	28	40	39	44	25	40
Male	257	27	23	22	21	24	15	16	26	21	27	15	20
Female	176	14	19	9	16	17	10	12	14	18	17	10	20
Black, both sexes	54	10	6	5	3	3	1	7	3	5	3	4	4
Male	34	6	3	3	2	2	-	4	2	3	2	4	3
Female	20	4	3	2	1	1	1	3	1	2	1	-	1
American Indian 1/, both sexes	3	1	-	-	-	-	-	-	-	1	1	-	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	-	1	1	-	-
Asian or Pacific Islander 2/, both sexes	17	1	1	1	3	3	2	-	1	-	2	3	-
Male	6	-	1	1	-	1	1	-	-	-	-	2	-
Female	11	1	-	-	3	2	1	-	1	-	2	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other chronic viral hepatitis (B18.8)													
All races, both sexes	1	-	-	-	-	-	-	1	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	1	-	-	-	-	-
White, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	1	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	1	-	-	-	-	-
Chronic viral hepatitis, unspecified (B18.9)													
All races, both sexes	4	-	-	-	-	2	-	-	-	-	1	-	1
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	3	-	-	-	-	1	-	-	-	-	1	-	1
White, both sexes	2	-	-	-	-	1	-	-	-	-	1	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
Black, both sexes	2	-	-	-	-	1	-	-	-	-	-	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	1	-	-	-	-	-	-	1
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Unspecified viral hepatitis (B19)													
All races, both sexes	65	3	2	5	5	6	2	4	6	5	12	5	10
Male	31	-	2	1	1	3	1	3	3	2	7	2	6
Female	34	3	-	4	4	3	1	1	3	3	5	3	4
White, both sexes	54	1	2	5	4	6	2	3	6	3	9	5	8
Male	26	-	2	1	1	3	1	2	3	1	5	2	5
Female	28	1	-	4	3	3	1	1	3	2	4	3	3
Black, both sexes	8	1	-	-	1	-	-	1	-	2	2	-	1
Male	4	-	-	-	-	-	-	1	-	1	2	-	-
Female	4	1	-	-	1	-	-	-	-	1	-	-	1
American Indian 1/, both sexes	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes	2	1	-	-	-	-	-	-	-	-	-	-	1
Male	1	-	-	-	-	-	-	-	-	-	-	-	1
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
Unspecified viral hepatitis with coma (B19.0)													
All races, both sexes	2	-	-	-	1	-	-	-	-	-	1	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	1	-	-	-	-	-	1	-	-
White, both sexes	2	-	-	-	1	-	-	-	-	-	1	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	1	-	-	-	-	-	1	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Unspecified viral hepatitis without coma (B19.9)													
All races, both sexes	63	3	2	5	4	6	2	4	6	5	11	5	10
Male	31	-	2	1	1	3	1	3	3	2	7	2	6
Female	32	3	-	4	3	3	1	1	3	3	4	3	4
White, both sexes	52	1	2	5	3	6	2	3	6	3	8	5	8
Male	26	-	2	1	1	3	1	2	3	1	5	2	5
Female	26	1	-	4	2	3	1	1	3	2	3	3	3
Black, both sexes	8	1	-	-	1	-	-	1	-	2	2	-	1
Male	4	-	-	-	-	-	-	1	-	1	2	-	-
Female	4	1	-	-	1	-	-	-	-	1	-	-	1
American Indian 1/, both sexes	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes	2	1	-	-	-	-	-	-	-	-	-	-	1
Male	1	-	-	-	-	-	-	-	-	-	-	-	1
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
Human immunodeficiency virus [HIV] disease resulting in infectious and parasitic diseases (B20)													
All races, both sexes	5,222	464	433	463	443	439	400	400	420	414	443	453	450
Male	3,874	353	336	342	328	338	290	282	303	306	332	334	330
Female	1,348	111	97	121	115	101	110	118	117	108	111	119	120
White, both sexes	2,427	217	206	213	193	205	192	194	190	182	208	230	197
Male	1,962	179	170	175	162	171	147	152	144	153	160	190	159
Female	465	38	36	38	31	34	45	42	46	29	48	40	38
Black, both sexes	2,715	241	220	236	245	225	204	198	225	228	231	215	247
Male	1,848	170	161	155	162	159	140	123	155	149	168	139	167
Female	867	71	59	81	83	66	64	75	70	79	63	76	80
American Indian 1/, both sexes	35	2	3	5	3	4	2	4	1	2	4	2	3
Male	25	-	2	4	2	3	1	3	1	2	4	1	2
Female	10	2	1	1	1	1	1	1	-	-	-	1	1
Asian or Pacific Islander 2/, both sexes	45	4	4	9	2	5	2	4	4	2	-	6	3
Male	39	4	3	8	2	5	2	4	3	2	-	4	2
Female	6	-	1	1	-	-	-	-	1	-	-	2	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
HIV disease resulting in mycobacterial infection (B20.0)													
All races, both sexes	147	12	10	12	8	17	9	20	12	5	13	12	17
Male	107	11	7	6	7	11	6	12	8	5	11	11	12
Female	40	1	3	6	1	6	3	8	4	-	2	1	5
White, both sexes	60	8	3	4	3	4	4	11	5	2	3	5	8
Male	54	7	3	4	3	4	4	8	4	2	3	5	7
Female	6	1	-	-	-	-	-	3	1	-	-	-	1
Black, both sexes	81	4	7	7	5	12	5	8	7	3	10	6	7
Male	50	4	4	1	4	6	2	3	4	3	8	6	5
Female	31	-	3	6	1	6	3	5	3	-	2	-	2
American Indian 1/, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes	5	-	-	1	-	1	-	1	-	-	-	1	1
Male	3	-	-	1	-	1	-	1	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	-	-	-	1	1
HIV disease resulting in other bacterial infections (B20.1)													
All races, both sexes	1,063	93	75	100	77	88	92	71	87	100	77	103	100
Male	753	67	55	74	49	68	60	48	65	70	51	77	69
Female	310	26	20	26	28	20	32	23	22	30	26	26	31
White, both sexes	405	34	27	40	31	26	37	34	34	36	28	48	30
Male	319	26	23	33	24	23	24	24	26	31	20	42	23
Female	86	8	4	7	7	3	13	10	8	5	8	6	7
Black, both sexes	644	58	48	55	46	59	55	36	52	63	48	54	70
Male	422	40	32	37	25	43	36	23	38	38	30	34	46
Female	222	18	16	18	21	16	19	13	14	25	18	20	24
American Indian 1/, both sexes	7	-	-	3	-	2	-	-	-	1	1	-	-
Male	5	-	-	2	-	1	-	-	-	1	1	-	-
Female	2	-	-	1	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	7	1	-	2	-	1	-	1	1	-	-	1	-
Male	7	1	-	2	-	1	-	1	1	-	-	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
HIV disease resulting in cytomegaloviral disease (B20.2)													
All races, both sexes	33	-	4	1	3	3	5	2	4	2	1	2	6
Male	25	-	3	1	2	2	4	1	3	2	1	1	5
Female	8	-	1	-	1	1	1	1	1	-	-	1	1
White, both sexes	16	-	2	-	-	2	3	1	3	1	-	-	4
Male	13	-	2	-	-	1	3	-	3	1	-	-	3
Female	3	-	-	-	-	1	-	1	-	-	-	-	1
Black, both sexes	16	-	2	1	3	-	2	1	1	1	1	2	2
Male	11	-	1	1	2	-	1	1	-	1	1	1	2
Female	5	-	1	-	1	-	1	-	1	-	-	1	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
HIV disease resulting in other viral infections (B20.3)													
All races, both sexes	703	61	67	57	61	60	61	57	39	57	62	63	58
Male	568	51	53	46	47	52	48	47	30	46	52	47	49
Female	135	10	14	11	14	8	13	10	9	11	10	16	9
White, both sexes	457	38	46	41	35	38	41	43	24	38	35	39	39
Male	374	35	35	35	29	33	31	35	21	30	29	27	34
Female	83	3	11	6	6	5	10	8	3	8	6	12	5
Black, both sexes	237	23	20	14	25	22	20	12	15	19	24	24	19
Male	185	16	17	9	17	19	17	10	9	16	20	20	15
Female	52	7	3	5	8	3	3	2	6	3	4	4	4
American Indian 1/, both sexes	7	-	1	1	1	-	-	1	-	-	3	-	-
Male	7	-	1	1	1	-	-	1	-	-	3	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	2	-	-	1	-	-	-	1	-	-	-	-	-
Male	2	-	-	1	-	-	-	1	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
HIV disease resulting in candidiasis (B20.4)													
All races, both sexes	15	-	2	1	2	1	1	1	-	1	-	4	2
Male	13	-	2	1	2	1	-	1	-	-	-	4	2
Female	2	-	-	-	-	-	1	-	-	1	-	-	-
White, both sexes	7	-	-	1	2	-	-	-	-	-	-	3	1
Male	7	-	-	1	2	-	-	-	-	-	-	3	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	8	-	2	-	-	1	1	1	-	1	-	1	1
Male	6	-	2	-	-	1	-	1	-	-	-	1	1
Female	2	-	-	-	-	-	1	-	-	1	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
HIV disease resulting in other mycoses (B20.5)													
All races, both sexes	308	24	30	21	35	21	26	22	27	25	31	29	17
Male	249	21	28	19	29	18	21	17	21	16	22	24	13
Female	59	3	2	2	6	3	5	5	6	9	9	5	4
White, both sexes	127	8	11	15	16	10	8	13	9	7	15	8	7
Male	111	7	10	13	16	9	8	12	8	6	9	6	7
Female	16	1	1	2	-	1	-	1	1	1	6	2	-
Black, both sexes	180	16	19	6	19	11	18	9	17	18	16	21	10
Male	137	14	18	6	13	9	13	5	12	10	13	18	6
Female	43	2	1	-	6	2	5	4	5	8	3	3	4
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	-	1	-	-	-	-
Male	1	-	-	-	-	-	-	-	1	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
HIV disease resulting in Pneumocystis carinii pneumonia (B20.6)													
All races, both sexes	487	37	42	48	43	36	36	42	43	43	42	39	36
Male	342	26	30	36	32	26	28	24	28	28	34	29	21
Female	145	11	12	12	11	10	8	18	15	15	8	10	15
White, both sexes	227	17	21	22	20	15	16	20	18	18	24	22	14
Male	181	14	17	16	18	13	13	15	15	14	20	18	8
Female	46	3	4	6	2	2	3	5	3	4	4	4	6
Black, both sexes	251	19	20	26	23	21	18	21	23	24	18	17	21
Male	155	11	13	20	14	13	14	8	12	13	14	11	12
Female	96	8	7	6	9	8	4	13	11	11	4	6	9
American Indian 1/, both sexes	5	-	-	-	-	-	1	1	1	1	-	-	1
Male	4	-	-	-	-	-	-	1	1	1	-	-	1
Female	1	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	4	1	1	-	-	-	1	-	1	-	-	-	-
Male	2	1	-	-	-	-	1	-	-	-	-	-	-
Female	2	-	1	-	-	-	-	-	1	-	-	-	-
HIV disease resulting in multiple infections (B20.7)													
All races, both sexes	1,248	119	107	106	101	104	97	98	114	87	112	103	100
Male	907	82	78	76	75	75	69	66	81	70	83	78	74
Female	341	37	29	30	26	29	28	32	33	17	29	25	26
White, both sexes	570	51	49	37	34	50	52	40	56	43	60	55	43
Male	447	38	39	30	30	37	39	28	39	40	46	49	32
Female	123	13	10	7	4	13	13	12	17	3	14	6	11
Black, both sexes	654	65	55	66	65	51	45	56	57	43	52	45	54
Male	441	42	37	44	43	35	30	37	41	29	37	27	39
Female	213	23	18	22	22	16	15	19	16	14	15	18	15
American Indian 1/, both sexes	8	1	1	-	1	2	-	1	-	-	-	1	1
Male	5	-	-	-	1	2	-	-	-	-	-	1	1
Female	3	1	1	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	16	2	2	3	1	1	-	1	1	1	-	2	2
Male	14	2	2	2	1	1	-	1	1	1	-	1	2
Female	2	-	-	1	-	-	-	-	-	-	-	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
HIV disease resulting in other infectious and parasitic diseases (B20.8)													
All races, both sexes	1,186	117	94	116	109	106	70	85	91	91	102	93	112
Male	887	94	78	82	83	84	51	64	64	67	77	59	84
Female	299	23	16	34	26	22	19	21	27	24	25	34	28
White, both sexes	543	61	47	52	50	59	29	32	38	36	42	46	51
Male	443	52	41	42	38	51	23	30	25	28	33	36	44
Female	100	9	6	10	12	8	6	2	13	8	9	10	7
Black, both sexes	627	55	45	61	57	46	39	52	53	54	60	44	61
Male	431	42	35	37	44	32	26	33	39	38	44	21	40
Female	196	13	10	24	13	14	13	19	14	16	16	23	21
American Indian 1/, both sexes	7	1	1	1	1	-	1	1	-	-	-	1	-
Male	4	-	1	1	-	-	1	1	-	-	-	-	-
Female	3	1	-	-	1	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes	9	-	1	2	1	1	1	-	-	1	-	2	-
Male	9	-	1	2	1	1	1	-	-	1	-	2	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
HIV disease resulting in unspecified infectious or parasitic disease (B20.9)													
All races, both sexes	32	1	2	1	4	3	3	2	3	3	3	5	2
Male	23	1	2	1	2	1	3	2	3	2	1	4	1
Female	9	-	-	-	2	2	-	-	-	1	2	1	1
White, both sexes	15	-	-	1	2	1	2	-	3	1	1	4	-
Male	13	-	-	1	2	-	2	-	3	1	-	4	-
Female	2	-	-	-	-	1	-	-	-	-	1	-	-
Black, both sexes	17	1	2	-	2	2	1	2	-	2	2	1	2
Male	10	1	2	-	-	1	1	2	-	1	1	-	1
Female	7	-	-	-	2	1	-	-	-	1	1	1	1
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Human immunodeficiency virus [HIV] disease resulting in malignant neoplasms (B21)													
All races, both sexes	895	82	66	82	79	82	52	73	85	70	77	58	89
Male	717	66	49	65	58	66	39	58	70	60	66	47	73
Female	178	16	17	17	21	16	13	15	15	10	11	11	16
White, both sexes	510	58	40	43	42	44	28	44	50	38	44	33	46
Male	450	53	31	38	36	37	25	39	45	34	41	32	39
Female	60	5	9	5	6	7	3	5	5	4	3	1	7
Black, both sexes	374	23	24	39	36	37	23	28	34	31	33	24	42
Male	258	12	16	27	21	28	13	18	25	25	25	14	34
Female	116	11	8	12	15	9	10	10	9	6	8	10	8
American Indian 1/, both sexes	4	-	-	-	1	-	-	1	-	1	-	1	-
Male	4	-	-	-	1	-	-	1	-	1	-	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	7	1	2	-	-	1	1	-	1	-	-	-	1
Male	5	1	2	-	-	1	1	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	1	-	-	-	1
HIV disease resulting in Kaposi's sarcoma (B21.0)													
All races, both sexes	87	9	3	13	11	7	3	3	9	8	8	6	7
Male	83	9	3	12	10	7	3	3	7	8	8	6	7
Female	4	-	-	1	1	-	-	-	2	-	-	-	-
White, both sexes	48	8	2	8	5	6	1	1	4	5	5	2	1
Male	46	8	2	7	5	6	1	1	3	5	5	2	1
Female	2	-	-	1	-	-	-	-	1	-	-	-	-
Black, both sexes	37	1	-	5	6	1	1	2	5	3	3	4	6
Male	35	1	-	5	5	1	1	2	4	3	3	4	6
Female	2	-	-	-	1	-	-	-	1	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	2	-	1	-	-	-	1	-	-	-	-	-	-
Male	2	-	1	-	-	-	1	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
HIV disease resulting in Burkitt's lymphoma (B21.1)													
All races, both sexes	35	3	1	-	1	2	2	3	8	2	4	2	7
Male	30	2	-	-	-	2	2	3	8	2	4	2	5
Female	5	1	1	-	1	-	-	-	-	-	-	-	2
White, both sexes	25	2	1	-	1	2	2	3	6	1	3	2	2
Male	22	1	-	-	-	2	2	3	6	1	3	2	2
Female	3	1	1	-	1	-	-	-	-	-	-	-	-
Black, both sexes	9	1	-	-	-	-	-	-	2	1	1	-	4
Male	8	1	-	-	-	-	-	-	2	1	1	-	3
Female	1	-	-	-	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	1
HIV disease resulting in other types of non-Hodgkin's lymphoma (B21.2)													
All races, both sexes	388	41	31	39	29	42	24	26	33	34	27	22	40
Male	324	33	25	32	21	36	19	25	28	27	25	20	33
Female	64	8	6	7	8	6	5	1	5	7	2	2	7
White, both sexes	258	30	21	21	19	23	13	21	23	22	21	17	27
Male	232	28	17	19	17	19	11	20	22	19	20	17	23
Female	26	2	4	2	2	4	2	1	1	3	1	-	4
Black, both sexes	122	10	9	18	9	18	11	4	9	11	6	4	13
Male	85	4	7	13	3	16	8	4	6	7	5	2	10
Female	37	6	2	5	6	2	3	-	3	4	1	2	3
American Indian 1/, both sexes	4	-	-	-	1	-	-	1	-	1	-	1	-
Male	4	-	-	-	1	-	-	1	-	1	-	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	4	1	1	-	-	1	-	-	1	-	-	-	-
Male	3	1	1	-	-	1	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	1	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
HIV disease resulting in other malignant neoplasms of lymphoid, hematopoietic, and related tissue (B21.3)													
All races, both sexes	66	5	4	6	6	3	5	9	8	6	4	4	6
Male	57	4	4	5	6	1	5	7	7	5	4	3	6
Female	9	1	-	1	-	2	-	2	1	1	-	1	-
White, both sexes	37	2	2	4	4	1	4	3	4	5	2	3	3
Male	34	2	2	4	4	1	4	2	4	4	2	2	3
Female	3	-	-	-	-	-	-	1	-	1	-	1	-
Black, both sexes	29	3	2	2	2	2	1	6	4	1	2	1	3
Male	23	2	2	1	2	-	1	5	3	1	2	1	3
Female	6	1	-	1	-	2	-	1	1	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
HIV disease resulting in multiple malignant neoplasms (B21.7)													
All races, both sexes	31	5	2	2	2	5	1	4	3	3	4	-	-
Male	24	4	1	2	2	4	1	2	2	3	3	-	-
Female	7	1	1	-	-	1	-	2	1	-	1	-	-
White, both sexes	22	3	2	1	2	4	1	4	2	2	1	-	-
Male	19	3	1	1	2	4	1	2	2	2	1	-	-
Female	3	-	1	-	-	-	-	2	-	-	-	-	-
Black, both sexes	9	2	-	1	-	1	-	-	1	1	3	-	-
Male	5	1	-	1	-	-	-	-	-	1	2	-	-
Female	4	1	-	-	-	1	-	-	1	-	1	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
HIV disease resulting in other malignant neoplasms (B21.8)													
All races, both sexes	243	17	21	18	24	22	15	19	20	15	26	23	23
Male	167	12	12	13	16	15	8	13	15	14	18	15	16
Female	76	5	9	5	8	7	7	6	5	1	8	8	7
White, both sexes	101	11	9	9	10	8	6	7	9	3	10	8	11
Male	80	9	6	7	7	5	5	7	7	3	8	8	8
Female	21	2	3	2	3	3	1	-	2	-	2	-	3
Black, both sexes	142	6	12	9	14	14	9	12	11	12	16	15	12
Male	87	3	6	6	9	10	3	6	8	11	10	7	8
Female	55	3	6	3	5	4	6	6	3	1	6	8	4
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
HIV disease resulting in unspecified malignant neoplasm (B21.9)													
All races, both sexes	45	2	4	4	6	1	2	9	4	2	4	1	6
Male	32	2	4	1	3	1	1	5	3	1	4	1	6
Female	13	-	-	3	3	-	1	4	1	1	-	-	-
White, both sexes	19	2	3	-	1	-	1	5	2	-	2	1	2
Male	17	2	3	-	1	-	1	4	1	-	2	1	2
Female	2	-	-	-	-	-	-	1	1	-	-	-	-
Black, both sexes	26	-	1	4	5	1	1	4	2	2	2	-	4
Male	15	-	1	1	2	1	-	1	2	1	2	-	4
Female	11	-	-	3	3	-	1	3	-	1	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Human immunodeficiency virus [HIV] disease resulting in other specified diseases (B22)													
All races, both sexes	1,319	133	105	129	98	113	100	108	113	94	93	120	113
Male	1,052	113	78	103	77	87	82	89	91	72	75	95	90
Female	267	20	27	26	21	26	18	19	22	22	18	25	23
White, both sexes	664	68	51	59	50	52	56	50	60	49	48	63	58
Male	578	62	41	51	45	40	53	42	53	42	44	55	50
Female	86	6	10	8	5	12	3	8	7	7	4	8	8
Black, both sexes	642	64	53	68	47	59	43	56	53	45	45	57	52
Male	462	50	36	51	31	45	28	45	38	30	31	40	37
Female	180	14	17	17	16	14	15	11	15	15	14	17	15
American Indian 1/, both sexes	8	1	1	1	-	2	-	1	-	-	-	-	2
Male	7	1	1	-	-	2	-	1	-	-	-	-	2
Female	1	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	5	-	-	1	1	-	1	1	-	-	-	-	1
Male	5	-	-	1	1	-	1	1	-	-	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
HIV disease resulting in encephalopathy (B22.0)													
All races, both sexes	159	16	8	16	11	11	11	8	23	8	12	15	20
Male	113	15	5	13	7	7	7	6	15	4	7	11	16
Female	46	1	3	3	4	4	4	2	8	4	5	4	4
White, both sexes	69	7	5	7	5	4	4	4	10	3	5	4	11
Male	52	7	3	6	3	2	4	4	6	2	3	4	8
Female	17	-	2	1	2	2	-	-	4	1	2	-	3
Black, both sexes	88	9	3	9	6	6	7	4	13	5	7	11	8
Male	59	8	2	7	4	4	3	2	9	2	4	7	7
Female	29	1	1	2	2	2	4	2	4	3	3	4	1
American Indian 1/, both sexes	2	-	-	-	-	1	-	-	-	-	-	-	1
Male	2	-	-	-	-	1	-	-	-	-	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
HIV disease resulting in wasting syndrome (B22.2)													
All races, both sexes	224	27	19	17	11	22	17	21	18	20	14	21	17
Male	170	20	12	16	7	16	14	16	16	13	10	18	12
Female	54	7	7	1	4	6	3	5	2	7	4	3	5
White, both sexes	109	14	7	8	5	10	7	11	11	9	7	14	6
Male	94	11	6	8	5	6	7	9	11	6	6	13	6
Female	15	3	1	-	-	4	-	2	-	3	1	1	-
Black, both sexes	115	13	12	9	6	12	10	10	7	11	7	7	11
Male	76	9	6	8	2	10	7	7	5	7	4	5	6
Female	39	4	6	1	4	2	3	3	2	4	3	2	5
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
HIV disease resulting in multiple diseases classified elsewhere (B22.7)													
All races, both sexes	936	90	78	96	76	80	72	79	72	66	67	84	76
Male	769	78	61	74	63	64	61	67	60	55	58	66	62
Female	167	12	17	22	13	16	11	12	12	11	9	18	14
White, both sexes	486	47	39	44	40	38	45	35	39	37	36	45	41
Male	432	44	32	37	37	32	42	29	36	34	35	38	36
Female	54	3	7	7	3	6	3	6	3	3	1	7	5
Black, both sexes	439	42	38	50	35	41	26	42	33	29	31	39	33
Male	327	33	28	36	25	31	18	36	24	21	23	28	24
Female	112	9	10	14	10	10	8	6	9	8	8	11	9
American Indian 1/, both sexes	6	1	1	1	-	1	-	1	-	-	-	-	1
Male	5	1	1	-	-	1	-	1	-	-	-	-	1
Female	1	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	5	-	-	1	1	-	1	1	-	-	-	-	1
Male	5	-	-	1	1	-	1	1	-	-	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Human immunodeficiency virus [HIV] disease resulting in other conditions (B23)													
All races, both sexes	3,265	294	266	260	275	243	239	288	287	263	265	277	308
Male	2,307	190	201	189	207	173	167	190	203	185	185	201	216
Female	958	104	65	71	68	70	72	98	84	78	80	76	92
White, both sexes	1,202	89	93	100	97	96	90	105	113	93	108	101	117
Male	970	71	81	81	79	73	68	85	95	71	86	82	98
Female	232	18	12	19	18	23	22	20	18	22	22	19	19
Black, both sexes	2,035	202	170	157	176	145	146	182	171	169	156	174	187
Male	1,319	119	117	107	126	99	96	104	105	113	99	118	116
Female	716	83	53	50	50	46	50	78	66	56	57	56	71
American Indian 1/, both sexes	9	3	-	2	1	-	2	-	-	-	1	-	-
Male	4	-	-	1	1	-	2	-	-	-	-	-	-
Female	5	3	-	1	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes	19	-	3	1	1	2	1	1	3	1	-	2	4
Male	14	-	3	-	1	1	1	1	3	1	-	1	2
Female	5	-	-	1	-	1	-	-	-	-	-	1	2
HIV disease resulting in (persistent) generalized lymphadenopathy (B23.1)													
All races, both sexes	1	-	1	-	-	-	-	-	-	-	-	-	-
Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	1	-	-	-	-	-	-	-	-	-	-
Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
HIV disease resulting in hematological and immunological abnormalities, not elsewhere classified (B23.2)													
All races, both sexes	287	28	27	11	24	15	22	24	33	31	21	24	27
Male	205	20	18	6	20	10	16	18	23	18	18	17	21
Female	82	8	9	5	4	5	6	6	10	13	3	7	6
White, both sexes	109	13	10	4	8	7	12	7	14	11	7	8	8
Male	98	12	9	4	8	6	10	7	13	7	7	8	7
Female	11	1	1	-	-	1	2	-	1	4	-	-	1
Black, both sexes	172	14	17	7	15	8	10	16	18	20	14	15	18
Male	103	8	9	2	11	4	6	10	9	11	11	9	13
Female	69	6	8	5	4	4	4	6	9	9	3	6	5
American Indian 1/, both sexes	2	1	-	-	1	-	-	-	-	-	-	-	-
Male	1	-	-	-	1	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	4	-	-	-	-	-	-	1	1	-	-	1	1
Male	3	-	-	-	-	-	-	1	1	-	-	-	1
Female	1	-	-	-	-	-	-	-	-	-	-	1	-
HIV disease resulting in other specified conditions (B23.8)													
All races, both sexes	2,977	266	238	249	251	228	217	264	254	232	244	253	281
Male	2,101	170	182	183	187	163	151	172	180	167	167	184	195
Female	876	96	56	66	64	65	66	92	74	65	77	69	86
White, both sexes	1,092	76	82	96	89	89	78	98	99	82	101	93	109
Male	871	59	71	77	71	67	58	78	82	64	79	74	91
Female	221	17	11	19	18	22	20	20	17	18	22	19	18
Black, both sexes	1,863	188	153	150	161	137	136	166	153	149	142	159	169
Male	1,216	111	108	105	115	95	90	94	96	102	88	109	103
Female	647	77	45	45	46	42	46	72	57	47	54	50	66
American Indian 1/, both sexes	7	2	-	2	-	-	2	-	-	-	1	-	-
Male	3	-	-	1	-	-	2	-	-	-	-	-	-
Female	4	2	-	1	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes	15	-	3	1	1	2	1	-	2	1	-	1	3
Male	11	-	3	-	1	1	1	-	2	1	-	1	1
Female	4	-	-	1	-	1	-	-	-	-	-	-	2

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Unspecified human immunodeficiency virus [HIV] disease (B24)													
All races, both sexes	2,957	273	207	263	238	268	246	261	242	219	255	236	249
Male	2,169	212	162	183	168	195	178	189	178	148	191	176	189
Female	788	61	45	80	70	73	68	72	64	71	64	60	60
White, both sexes	1,216	109	86	99	100	126	96	114	111	81	91	98	105
Male	1,004	93	74	81	83	102	76	92	99	62	73	85	84
Female	212	16	12	18	17	24	20	22	12	19	18	13	21
Black, both sexes	1,713	161	119	162	133	137	148	144	129	137	163	136	144
Male	1,146	117	87	100	80	90	101	95	78	85	117	91	105
Female	567	44	32	62	53	47	47	49	51	52	46	45	39
American Indian 1/, both sexes	14	2	1	1	3	2	1	2	-	-	1	1	-
Male	9	1	1	1	3	1	-	1	-	-	1	-	-
Female	5	1	-	-	-	1	1	1	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes	14	1	1	1	2	3	1	1	2	1	-	1	-
Male	10	1	-	1	2	2	1	1	1	1	-	-	-
Female	4	-	1	-	-	1	-	-	1	-	-	1	-
Cytomegaloviral disease (B25)													
All races, both sexes	96	7	7	11	7	11	9	7	4	10	7	10	6
Male	51	5	5	4	5	6	5	2	3	6	4	3	3
Female	45	2	2	7	2	5	4	5	1	4	3	7	3
White, both sexes	74	3	5	10	6	9	7	5	3	9	5	8	4
Male	38	2	4	4	4	5	3	2	2	6	3	1	2
Female	36	1	1	6	2	4	4	3	1	3	2	7	2
Black, both sexes	15	4	1	1	1	1	1	-	1	1	2	1	1
Male	9	3	1	-	1	-	1	-	1	-	1	1	-
Female	6	1	-	1	-	1	-	-	-	1	1	-	1
American Indian 1/, both sexes	3	-	1	-	-	1	-	1	-	-	-	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	2	-	1	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	4	-	-	-	-	-	1	1	-	-	-	1	1
Male	3	-	-	-	-	-	1	-	-	-	-	1	1
Female	1	-	-	-	-	-	-	1	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Cytomegaloviral pneumonitis (B25.0)													
All races, both sexes	36	2	3	6	4	1	3	5	3	1	1	5	2
Male	19	1	2	4	2	1	2	2	2	1	1	1	-
Female	17	1	1	2	2	-	1	3	1	-	-	4	2
White, both sexes	27	1	1	5	4	1	3	3	2	1	1	4	1
Male	16	1	1	4	2	1	2	2	1	1	1	-	-
Female	11	-	-	1	2	-	1	1	1	-	-	4	1
Black, both sexes	6	1	1	1	-	-	-	-	1	-	-	1	1
Male	3	-	1	-	-	-	-	-	1	-	-	1	-
Female	3	1	-	1	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes	2	-	1	-	-	-	-	1	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	1	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	1	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	1	-	-	-	-	-
Cytomegaloviral hepatitis (B25.1)													
All races, both sexes	2	-	-	-	-	1	-	-	-	-	-	1	-
Male	2	-	-	-	-	1	-	-	-	-	-	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	-	-	-	-	-	-	-	1	-
Male	1	-	-	-	-	-	-	-	-	-	-	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other cytomegaloviral diseases (B25.8)													
All races, both sexes	16	2	1	1	1	4	-	-	-	2	4	-	1
Male	10	1	1	-	1	2	-	-	-	2	2	-	1
Female	6	1	-	1	-	2	-	-	-	-	2	-	-
White, both sexes	15	2	1	1	1	4	-	-	-	2	3	-	1
Male	9	1	1	-	1	2	-	-	-	2	1	-	1
Female	6	1	-	1	-	2	-	-	-	-	2	-	-
Black, both sexes	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Cytomegaloviral disease, unspecified (B25.9)													
All races, both sexes	42	3	3	4	2	5	6	2	1	7	2	4	3
Male	20	3	2	-	2	2	3	-	1	3	1	1	2
Female	22	-	1	4	-	3	3	2	-	4	1	3	1
White, both sexes	31	-	3	4	1	4	4	2	1	6	1	3	2
Male	12	-	2	-	1	2	1	-	1	3	1	-	1
Female	19	-	1	4	-	2	3	2	-	3	-	3	1
Black, both sexes	8	3	-	-	1	1	1	-	-	1	1	-	-
Male	5	3	-	-	1	-	1	-	-	-	-	-	-
Female	3	-	-	-	-	1	-	-	-	1	1	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	3	-	-	-	-	-	1	-	-	-	-	1	1
Male	3	-	-	-	-	-	1	-	-	-	-	1	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Infectious mononucleosis (B27)													
All races, both sexes	31	2	4	1	3	6	2	3	-	1	6	2	1
Male	16	1	2	-	3	2	2	1	-	1	3	1	-
Female	15	1	2	1	-	4	-	2	-	-	3	1	1
White, both sexes	27	1	3	1	3	6	2	3	-	1	5	1	1
Male	14	1	2	-	3	2	2	1	-	1	2	-	-
Female	13	-	1	1	-	4	-	2	-	-	3	1	1
Black, both sexes	4	1	1	-	-	-	-	-	-	-	1	1	-
Male	2	-	-	-	-	-	-	-	-	-	1	1	-
Female	2	1	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Gamma-herpes-viral mononucleosis (B27.0)													
All races, both sexes	23	2	3	1	1	4	2	2	-	1	4	2	1
Male	12	1	2	-	1	2	2	1	-	1	1	1	-
Female	11	1	1	1	-	2	-	1	-	-	3	1	1
White, both sexes	19	1	2	1	1	4	2	2	-	1	3	1	1
Male	10	1	2	-	1	2	2	1	-	1	-	-	-
Female	9	-	-	1	-	2	-	1	-	-	3	1	1
Black, both sexes	4	1	1	-	-	-	-	-	-	-	1	1	-
Male	2	-	-	-	-	-	-	-	-	-	1	1	-
Female	2	1	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Infectious mononucleosis, unspecified (B27.9)													
All races, both sexes	8	-	1	-	2	2	-	1	-	-	2	-	-
Male	4	-	-	-	2	-	-	-	-	-	2	-	-
Female	4	-	1	-	-	2	-	1	-	-	-	-	-
White, both sexes	8	-	1	-	2	2	-	1	-	-	2	-	-
Male	4	-	-	-	2	-	-	-	-	-	2	-	-
Female	4	-	1	-	-	2	-	1	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other viral diseases, not elsewhere classified (B33)													
All races, both sexes	73	7	7	7	2	8	8	6	3	4	6	5	10
Male	46	6	1	5	1	5	5	4	3	3	2	3	8
Female	27	1	6	2	1	3	3	2	-	1	4	2	2
White, both sexes	59	5	5	7	2	8	6	3	3	3	5	5	7
Male	39	5	1	5	1	5	5	1	3	2	2	3	6
Female	20	-	4	2	1	3	1	2	-	1	3	2	1
Black, both sexes	11	1	1	-	-	-	2	3	-	-	1	-	3
Male	5	-	-	-	-	-	-	3	-	-	-	-	2
Female	6	1	1	-	-	-	2	-	-	-	1	-	1
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	3	1	1	-	-	-	-	-	-	1	-	-	-
Male	2	1	-	-	-	-	-	-	-	1	-	-	-
Female	1	-	1	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Viral carditis (B33.2)													
All races, both sexes	56	6	4	6	2	4	6	4	2	4	6	4	8
Male	36	5	1	4	1	2	5	2	2	3	2	2	7
Female	20	1	3	2	1	2	1	2	-	1	4	2	1
White, both sexes	48	4	3	6	2	4	6	2	2	3	5	4	7
Male	31	4	1	4	1	2	5	-	2	2	2	2	6
Female	17	-	2	2	1	2	1	2	-	1	3	2	1
Black, both sexes	6	1	1	-	-	-	-	2	-	-	1	-	1
Male	3	-	-	-	-	-	-	2	-	-	-	-	1
Female	3	1	1	-	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	2	1	-	-	-	-	-	-	-	1	-	-	-
Male	2	1	-	-	-	-	-	-	-	1	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Retrovirus infections, not elsewhere classified (B33.3)													
All races, both sexes	5	-	-	-	-	-	2	1	-	-	-	1	1
Male	3	-	-	-	-	-	-	1	-	-	-	1	1
Female	2	-	-	-	-	-	2	-	-	-	-	-	-
White, both sexes	1	-	-	-	-	-	-	-	-	-	-	1	-
Male	1	-	-	-	-	-	-	-	-	-	-	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	4	-	-	-	-	-	2	1	-	-	-	-	1
Male	2	-	-	-	-	-	-	1	-	-	-	-	1
Female	2	-	-	-	-	-	2	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other specified viral diseases (B33.8)													
All races, both sexes	12	1	3	1	-	4	-	1	1	-	-	-	1
Male	7	1	-	1	-	3	-	1	1	-	-	-	-
Female	5	-	3	-	-	1	-	-	-	-	-	-	1
White, both sexes	10	1	2	1	-	4	-	1	1	-	-	-	-
Male	7	1	-	1	-	3	-	1	1	-	-	-	-
Female	3	-	2	-	-	1	-	-	-	-	-	-	-
Black, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	1	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	1	-	-	-	-	-	-	-	-	-	-
Viral infection of unspecified site (B34)													
All races, both sexes	363	43	45	34	18	13	19	20	15	11	19	38	88
Male	148	21	11	14	12	6	7	7	7	4	9	19	31
Female	215	22	34	20	6	7	12	13	8	7	10	19	57
White, both sexes	297	38	35	29	14	10	12	15	11	10	16	28	79
Male	115	17	9	10	10	4	2	6	5	4	7	13	28
Female	182	21	26	19	4	6	10	9	6	6	9	15	51
Black, both sexes	52	5	9	3	2	3	6	3	4	1	2	9	5
Male	25	4	2	2	1	2	4	-	2	-	1	6	1
Female	27	1	7	1	1	1	2	3	2	1	1	3	4
American Indian 1/, both sexes	5	-	1	1	1	-	-	-	-	-	1	1	-
Male	2	-	-	1	-	-	-	-	-	-	1	-	-
Female	3	-	1	-	1	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes	9	-	-	1	1	-	1	2	-	-	-	-	4
Male	6	-	-	1	1	-	1	1	-	-	-	-	2
Female	3	-	-	-	-	-	-	1	-	-	-	-	2

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Adenovirus infection, unspecified (B34.0)													
All races, both sexes	8	1	2	-	-	-	1	-	1	-	1	1	1
Male	4	1	1	-	-	-	1	-	1	-	-	-	-
Female	4	-	1	-	-	-	-	-	-	-	1	1	1
White, both sexes	6	1	2	-	-	-	-	-	-	-	1	1	1
Male	2	1	1	-	-	-	-	-	-	-	-	-	-
Female	4	-	1	-	-	-	-	-	-	-	1	1	1
Black, both sexes	2	-	-	-	-	-	1	-	1	-	-	-	-
Male	2	-	-	-	-	-	1	-	1	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Enterovirus infection, unspecified (B34.1)													
All races, both sexes	3	-	-	-	-	-	-	2	-	1	-	-	-
Male	3	-	-	-	-	-	-	2	-	1	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	2	-	-	-	-	-	-	1	-	1	-	-	-
Male	2	-	-	-	-	-	-	1	-	1	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	1	-	-	-	-	-
Male	1	-	-	-	-	-	-	1	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other viral infections of unspecified site (B34.8)													
All races, both sexes	46	5	10	6	5	2	1	-	1	1	1	8	6
Male	20	1	2	2	4	2	1	-	1	-	1	4	2
Female	26	4	8	4	1	-	-	-	-	1	-	4	4
White, both sexes	34	5	5	6	4	2	-	-	-	1	-	7	4
Male	14	1	1	2	3	2	-	-	-	-	-	4	1
Female	20	4	4	4	1	-	-	-	-	1	-	3	3
Black, both sexes	8	-	4	-	1	-	1	-	1	-	1	-	-
Male	5	-	1	-	1	-	1	-	1	-	1	-	-
Female	3	-	3	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	2	-	1	-	-	-	-	-	-	-	-	1	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	1	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes	2	-	-	-	-	-	-	-	-	-	-	-	2
Male	1	-	-	-	-	-	-	-	-	-	-	-	1
Female	1	-	-	-	-	-	-	-	-	-	-	-	1
Viral infection, unspecified (B34.9)													
All races, both sexes	306	37	33	28	13	11	17	18	13	9	17	29	81
Male	121	19	8	12	8	4	5	5	5	3	8	15	29
Female	185	18	25	16	5	7	12	13	8	6	9	14	52
White, both sexes	255	32	28	23	10	8	12	14	11	8	15	20	74
Male	97	15	7	8	7	2	2	5	5	3	7	9	27
Female	158	17	21	15	3	6	10	9	6	5	8	11	47
Black, both sexes	42	5	5	3	1	3	4	3	2	1	1	9	5
Male	18	4	1	2	-	2	2	-	-	-	-	6	1
Female	24	1	4	1	1	1	2	3	2	1	1	3	4
American Indian 1/, both sexes	3	-	-	1	1	-	-	-	-	-	1	-	-
Male	2	-	-	1	-	-	-	-	-	-	1	-	-
Female	1	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	6	-	-	1	1	-	1	1	-	-	-	-	2
Male	4	-	-	1	1	-	1	-	-	-	-	-	1
Female	2	-	-	-	-	-	-	1	-	-	-	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Dermatophytosis (B35)													
All races, both sexes	1	-	-	-	-	-	1	-	-	-	-	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	-	-	1	-	-	-	-	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Tinea pedis (B35.3)													
All races, both sexes	1	-	-	-	-	-	1	-	-	-	-	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	-	-	1	-	-	-	-	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other superficial mycoses (B36)													
All races, both sexes	1	-	-	-	1	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	1	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	1	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	1	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Superficial mycosis, unspecified (B36.9)													
All races, both sexes	1	-	-	-	1	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	1	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	1	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	1	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Candidiasis (B37)													
All races, both sexes	279	28	21	22	29	20	21	24	20	26	26	20	22
Male	111	10	7	10	9	7	10	9	8	10	10	9	12
Female	168	18	14	12	20	13	11	15	12	16	16	11	10
White, both sexes	211	19	15	19	21	14	15	19	14	21	21	12	21
Male	84	7	6	9	7	5	7	7	5	7	9	4	11
Female	127	12	9	10	14	9	8	12	9	14	12	8	10
Black, both sexes	60	9	6	3	8	4	5	5	5	3	5	6	1
Male	24	3	1	1	2	2	3	2	3	2	1	3	1
Female	36	6	5	2	6	2	2	3	2	1	4	3	-
American Indian 1/, both sexes	3	-	-	-	-	2	-	-	-	-	-	1	-
Male	1	-	-	-	-	-	-	-	-	-	-	1	-
Female	2	-	-	-	-	2	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	5	-	-	-	-	-	1	-	1	2	-	1	-
Male	2	-	-	-	-	-	-	-	-	1	-	1	-
Female	3	-	-	-	-	-	1	-	1	1	-	-	-
Candidal stomatitis (B37.0)													
All races, both sexes	8	-	1	3	1	-	-	-	-	-	-	-	3
Male	4	-	1	1	1	-	-	-	-	-	-	-	1
Female	4	-	-	2	-	-	-	-	-	-	-	-	2
White, both sexes	7	-	1	2	1	-	-	-	-	-	-	-	3
Male	4	-	1	1	1	-	-	-	-	-	-	-	1
Female	3	-	-	1	-	-	-	-	-	-	-	-	2
Black, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Pulmonary candidiasis (B37.1)													
All races, both sexes	14	2	-	2	2	-	2	1	2	-	1	1	1
Male	6	-	-	-	1	-	-	1	2	-	1	-	1
Female	8	2	-	2	1	-	2	-	-	-	-	1	-
White, both sexes	12	2	-	2	-	-	2	1	2	-	1	1	1
Male	5	-	-	-	-	-	-	1	2	-	1	-	1
Female	7	2	-	2	-	-	2	-	-	-	-	1	-
Black, both sexes	2	-	-	-	2	-	-	-	-	-	-	-	-
Male	1	-	-	-	1	-	-	-	-	-	-	-	-
Female	1	-	-	-	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Candidiasis of skin and nail (B37.2)													
All races, both sexes	2	-	-	-	-	-	-	1	-	1	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	1	-	1	-	-	-
White, both sexes	2	-	-	-	-	-	-	1	-	1	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	1	-	1	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Candidiasis of other urogenital sites (B37.4)													
All races, both sexes	10	2	1	1	1	-	-	2	2	-	-	-	1
Male	2	-	-	1	-	-	-	-	1	-	-	-	-
Female	8	2	1	-	1	-	-	2	1	-	-	-	1
White, both sexes	8	2	1	1	1	-	-	-	2	-	-	-	1
Male	2	-	-	1	-	-	-	-	1	-	-	-	-
Female	6	2	1	-	1	-	-	-	1	-	-	-	1
Black, both sexes	2	-	-	-	-	-	-	2	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	2	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Candidal meningitis (B37.5)													
All races, both sexes	2	1	1	-	-	-	-	-	-	-	-	-	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	1	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	1	-	1	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Candidal endocarditis (B37.6)													
All races, both sexes	6	1	-	-	1	-	1	1	-	1	1	-	-
Male	3	1	-	-	-	-	1	-	-	-	1	-	-
Female	3	-	-	-	1	-	-	1	-	1	-	-	-
White, both sexes	5	1	-	-	1	-	1	-	-	1	1	-	-
Male	3	1	-	-	-	-	1	-	-	-	1	-	-
Female	2	-	-	-	1	-	-	-	-	1	-	-	-
Black, both sexes	1	-	-	-	-	-	-	1	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Candidal septicemia (B37.7)													
All races, both sexes	188	15	15	13	18	13	15	18	14	19	17	17	14
Male	72	5	4	6	5	5	8	7	3	8	6	7	8
Female	116	10	11	7	13	8	7	11	11	11	11	10	6
White, both sexes	138	8	11	12	13	9	9	17	8	15	13	10	13
Male	53	3	4	6	4	4	5	6	-	6	5	3	7
Female	85	5	7	6	9	5	4	11	8	9	8	7	6
Black, both sexes	42	7	4	1	5	2	5	1	5	2	4	5	1
Male	16	2	-	-	1	1	3	1	3	1	1	2	1
Female	26	5	4	1	4	1	2	-	2	1	3	3	-
American Indian 1/, both sexes	3	-	-	-	-	2	-	-	-	-	-	1	-
Male	1	-	-	-	-	-	-	-	-	-	-	1	-
Female	2	-	-	-	-	2	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	5	-	-	-	-	-	1	-	1	2	-	1	-
Male	2	-	-	-	-	-	-	-	-	1	-	1	-
Female	3	-	-	-	-	-	1	-	1	1	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Candidiasis of other sites (B37.8)													
All races, both sexes	30	4	-	2	6	3	2	1	2	2	5	1	2
Male	15	3	-	1	2	-	1	1	2	1	2	1	1
Female	15	1	-	1	4	3	1	-	-	1	3	-	1
White, both sexes	23	2	-	1	5	2	2	-	2	2	4	1	2
Male	12	2	-	-	2	-	1	-	2	1	2	1	1
Female	11	-	-	1	3	2	1	-	-	1	2	-	1
Black, both sexes	7	2	-	1	1	1	-	1	-	-	1	-	-
Male	3	1	-	1	-	-	-	1	-	-	-	-	-
Female	4	1	-	-	1	1	-	-	-	-	1	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Candidiasis, unspecified (B37.9)													
All races, both sexes	19	3	3	1	-	4	1	-	-	3	2	1	1
Male	8	-	2	1	-	2	-	-	-	1	-	1	1
Female	11	3	1	-	-	2	1	-	-	2	2	-	-
White, both sexes	15	3	2	1	-	3	1	-	-	2	2	-	1
Male	4	-	1	1	-	1	-	-	-	-	-	-	1
Female	11	3	1	-	-	2	1	-	-	2	2	-	-
Black, both sexes	4	-	1	-	-	1	-	-	-	1	-	1	-
Male	4	-	1	-	-	1	-	-	-	1	-	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Coccidioidomycosis (B38)													
All races, both sexes.....	73	6	3	6	7	6	3	4	7	7	9	5	10
Male.....	51	5	3	6	4	6	3	1	5	4	5	3	6
Female.....	22	1	-	-	3	-	-	3	2	3	4	2	4
White, both sexes.....	61	5	3	5	5	4	3	4	7	5	9	2	9
Male.....	43	5	3	5	2	4	3	1	5	3	5	1	6
Female.....	18	-	-	-	3	-	-	3	2	2	4	1	3
Black, both sexes.....	5	-	-	1	-	2	-	-	-	1	-	1	-
Male.....	4	-	-	1	-	2	-	-	-	-	-	1	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	2	1	-	-	1	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.	5	-	-	-	1	-	-	-	-	1	-	2	1
Male.....	3	-	-	-	1	-	-	-	-	1	-	1	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	1	1
Acute pulmonary coccidioidomycosis (B38.0)													
All races, both sexes.....	6	3	-	-	1	-	-	-	-	-	-	-	2
Male.....	4	3	-	-	1	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-	2
White, both sexes.....	6	3	-	-	1	-	-	-	-	-	-	-	2
Male.....	4	3	-	-	1	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-	2
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Pulmonary coccidioidomycosis, unspecified (B38.2)													
All races, both sexes	21	-	2	1	1	1	1	1	4	3	2	1	4
Male	17	-	2	1	1	1	1	-	2	3	2	-	4
Female	4	-	-	-	-	-	-	1	2	-	-	1	-
White, both sexes	18	-	2	1	-	1	1	1	4	2	2	-	4
Male	15	-	2	1	-	1	1	-	2	2	2	-	4
Female	3	-	-	-	-	-	-	1	2	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	1	-	-	-	1	-	-	-	-	-	-	-	-
Male	1	-	-	-	1	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	2	-	-	-	-	-	-	-	-	1	-	1	-
Male	1	-	-	-	-	-	-	-	-	1	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-
Coccidioidomycosis meningitis (B38.4)													
All races, both sexes	4	1	-	-	-	1	-	-	-	1	-	-	1
Male	4	1	-	-	-	1	-	-	-	1	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	3	1	-	-	-	-	-	-	-	1	-	-	1
Male	3	1	-	-	-	-	-	-	-	1	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Disseminated coccidioidomycosis (B38.7)													
All races, both sexes	16	-	1	3	1	3	1	1	-	1	2	2	1
Male	10	-	1	3	-	3	1	-	-	-	1	1	-
Female	6	-	-	-	1	-	-	1	-	1	1	1	1
White, both sexes	13	-	1	3	1	2	1	1	-	1	2	1	-
Male	8	-	1	3	-	2	1	-	-	-	1	-	-
Female	5	-	-	-	1	-	-	1	-	1	1	1	-
Black, both sexes	2	-	-	-	-	1	-	-	-	-	-	1	-
Male	2	-	-	-	-	1	-	-	-	-	-	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	1
Other forms of coccidioidomycosis (B38.8)													
All races, both sexes	2	-	-	-	-	1	-	-	-	-	1	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
White, both sexes	2	-	-	-	-	1	-	-	-	-	1	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Coccidioidomycosis, unspecified (B38.9)													
All races, both sexes	24	2	-	2	4	-	1	2	3	2	4	2	2
Male	15	1	-	2	2	-	1	1	3	-	2	2	1
Female	9	1	-	-	2	-	-	1	-	2	2	-	1
White, both sexes	19	1	-	1	3	-	1	2	3	1	4	1	2
Male	12	1	-	1	1	-	1	1	3	-	2	1	1
Female	7	-	-	-	2	-	-	1	-	1	2	-	1
Black, both sexes	2	-	-	1	-	-	-	-	-	1	-	-	-
Male	1	-	-	1	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	1	-	-	-
American Indian 1/, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	2	-	-	-	1	-	-	-	-	-	-	1	-
Male	2	-	-	-	1	-	-	-	-	-	-	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Histoplasmosis (B39)													
All races, both sexes	28	2	3	1	2	4	1	3	3	1	3	2	3
Male	19	2	1	1	-	3	1	2	3	1	3	1	1
Female	9	-	2	-	2	1	-	1	-	-	-	1	2
White, both sexes	25	2	2	1	1	3	1	3	3	1	3	2	3
Male	18	2	1	1	-	2	1	2	3	1	3	1	1
Female	7	-	1	-	1	1	-	1	-	-	-	1	2
Black, both sexes	3	-	1	-	1	1	-	-	-	-	-	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	2	-	1	-	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Pulmonary histoplasmosis capsulati, unspecified (B39.2)													
All races, both sexes	4	2	-	-	-	-	-	1	-	-	1	-	-
Male	4	2	-	-	-	-	-	1	-	-	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	4	2	-	-	-	-	-	1	-	-	1	-	-
Male	4	2	-	-	-	-	-	1	-	-	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Histoplasmosis, unspecified (B39.9)													
All races, both sexes	24	-	3	1	2	4	1	2	3	1	2	2	3
Male	15	-	1	1	-	3	1	1	3	1	2	1	1
Female	9	-	2	-	2	1	-	1	-	-	-	1	2
White, both sexes	21	-	2	1	1	3	1	2	3	1	2	2	3
Male	14	-	1	1	-	2	1	1	3	1	2	1	1
Female	7	-	1	-	1	1	-	1	-	-	-	1	2
Black, both sexes	3	-	1	-	1	1	-	-	-	-	-	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	2	-	1	-	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Blastomycosis (B40)													
All races, both sexes	28	3	4	5	4	2	2	2	3	-	2	-	1
Male	19	1	3	4	4	1	1	2	1	-	2	-	-
Female	9	2	1	1	-	1	1	-	2	-	-	-	1
White, both sexes	23	2	3	3	4	1	2	2	3	-	2	-	1
Male	16	1	2	2	4	1	1	2	1	-	2	-	-
Female	7	1	1	1	-	-	1	-	2	-	-	-	1
Black, both sexes	3	-	1	1	-	1	-	-	-	-	-	-	-
Male	2	-	1	1	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	1	-	-	1	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Pulmonary blastomycosis, unspecified (B40.2)													
All races, both sexes	8	-	1	1	3	-	1	1	1	-	-	-	-
Male	7	-	1	1	3	-	1	1	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	1	-	-	-	-
White, both sexes	6	-	-	-	3	-	1	1	1	-	-	-	-
Male	5	-	-	-	3	-	1	1	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	1	-	-	-	-
Black, both sexes	2	-	1	1	-	-	-	-	-	-	-	-	-
Male	2	-	1	1	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Disseminated blastomycosis (B40.7)													
All races, both sexes.....	6	1	1	1	-	-	-	1	2	-	-	-	-
Male.....	2	-	-	-	-	-	-	1	1	-	-	-	-
Female.....	4	1	1	1	-	-	-	-	1	-	-	-	-
White, both sexes.....	5	-	1	1	-	-	-	1	2	-	-	-	-
Male.....	2	-	-	-	-	-	-	1	1	-	-	-	-
Female.....	3	-	1	1	-	-	-	-	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Blastomycosis, unspecified (B40.9)													
All races, both sexes.....	14	2	2	3	1	2	1	-	-	-	2	-	1
Male.....	10	1	2	3	1	1	-	-	-	-	2	-	-
Female.....	4	1	-	-	-	1	1	-	-	-	-	-	1
White, both sexes.....	12	2	2	2	1	1	1	-	-	-	2	-	1
Male.....	9	1	2	2	1	1	-	-	-	-	2	-	-
Female.....	3	1	-	-	-	-	1	-	-	-	-	-	1
Black, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.	1	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Aspergillosis (B44)													
All races, both sexes	177	11	17	17	14	13	12	12	16	18	15	14	18
Male	100	9	10	8	8	7	5	10	8	8	9	6	12
Female	77	2	7	9	6	6	7	2	8	10	6	8	6
White, both sexes	138	6	11	15	10	11	11	9	10	14	11	14	16
Male	77	6	7	7	6	5	5	8	4	6	7	6	10
Female	61	-	4	8	4	6	6	1	6	8	4	8	6
Black, both sexes	31	4	4	2	3	1	1	2	5	3	4	-	2
Male	18	3	2	1	2	1	-	1	3	1	2	-	2
Female	13	1	2	1	1	-	1	1	2	2	2	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	8	1	2	-	1	1	-	1	1	1	-	-	-
Male	5	-	1	-	-	1	-	1	1	1	-	-	-
Female	3	1	1	-	1	-	-	-	-	-	-	-	-
Invasive pulmonary aspergillosis (B44.0)													
All races, both sexes	7	-	-	1	-	1	1	-	1	1	1	-	1
Male	4	-	-	-	-	1	1	-	1	-	1	-	-
Female	3	-	-	1	-	-	-	-	-	1	-	-	1
White, both sexes	5	-	-	1	-	-	1	-	1	1	-	-	1
Male	2	-	-	-	-	-	1	-	1	-	-	-	-
Female	3	-	-	1	-	-	-	-	-	1	-	-	1
Black, both sexes	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other pulmonary aspergillosis (B44.1)													
All races, both sexes	95	5	14	7	8	6	6	6	9	13	6	6	9
Male	54	5	9	3	6	3	1	5	4	7	4	2	5
Female	41	-	5	4	2	3	5	1	5	6	2	4	4
White, both sexes	74	3	10	7	5	5	5	4	5	10	6	6	8
Male	40	3	6	3	4	2	1	4	2	5	4	2	4
Female	34	-	4	4	1	3	4	-	3	5	2	4	4
Black, both sexes	17	2	3	-	2	1	1	2	3	2	-	-	1
Male	11	2	2	-	2	1	-	1	1	1	-	-	1
Female	6	-	1	-	-	-	1	1	2	1	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	4	-	1	-	1	-	-	-	1	1	-	-	-
Male	3	-	1	-	-	-	-	-	1	1	-	-	-
Female	1	-	-	-	1	-	-	-	-	-	-	-	-
Disseminated aspergillosis (B44.7)													
All races, both sexes	10	-	1	2	-	-	1	1	-	1	1	1	2
Male	5	-	-	1	-	-	-	-	-	-	1	1	2
Female	5	-	1	1	-	-	1	1	-	1	-	-	-
White, both sexes	9	-	-	2	-	-	1	1	-	1	1	1	2
Male	5	-	-	1	-	-	-	-	-	-	1	1	2
Female	4	-	-	1	-	-	1	1	-	1	-	-	-
Black, both sexes	1	-	1	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other forms of aspergillosis (B44.8)													
All races, both sexes	13	1	2	1	2	1	2	-	1	-	1	1	1
Male	9	-	1	1	1	-	2	-	1	-	1	1	1
Female	4	1	1	-	1	1	-	-	-	-	-	-	-
White, both sexes	8	-	1	-	2	1	2	-	-	-	1	1	-
Male	6	-	1	-	1	-	2	-	-	-	1	1	-
Female	2	-	-	-	1	1	-	-	-	-	-	-	-
Black, both sexes	3	-	-	1	-	-	-	-	1	-	-	-	1
Male	3	-	-	1	-	-	-	-	1	-	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	2	1	1	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	1	1	-	-	-	-	-	-	-	-	-	-
Aspergillosis, unspecified (B44.9)													
All races, both sexes	52	5	-	6	4	5	2	5	5	3	6	6	5
Male	28	4	-	3	1	3	1	5	2	1	2	2	4
Female	24	1	-	3	3	2	1	-	3	2	4	4	1
White, both sexes	42	3	-	5	3	5	2	4	4	2	3	6	5
Male	24	3	-	3	1	3	1	4	1	1	1	2	4
Female	18	-	-	2	2	2	1	-	3	1	2	4	1
Black, both sexes	9	2	-	1	1	-	-	-	1	1	3	-	-
Male	3	1	-	-	-	-	-	-	1	-	1	-	-
Female	6	1	-	1	1	-	-	-	-	1	2	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	1	-	-	-	-	-
Male	1	-	-	-	-	-	-	1	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Cryptococcosis (B45)													
All races, both sexes	97	7	5	4	9	8	5	7	9	7	13	5	18
Male	72	6	5	4	6	5	3	4	7	5	10	3	14
Female	25	1	-	-	3	3	2	3	2	2	3	2	4
White, both sexes	66	4	2	-	6	7	5	4	7	6	8	5	12
Male	50	3	2	-	4	4	3	3	5	5	7	3	11
Female	16	1	-	-	2	3	2	1	2	1	1	2	1
Black, both sexes	26	3	3	3	2	1	-	3	2	1	3	-	5
Male	18	3	3	3	1	1	-	1	2	-	2	-	2
Female	8	-	-	-	1	-	-	2	-	1	1	-	3
American Indian 1/, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	1	-	-	-	-	-	-	-	-	-	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	4	-	-	1	1	-	-	-	-	-	2	-	-
Male	3	-	-	1	1	-	-	-	-	-	1	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
Pulmonary cryptococcosis (B45.0)													
All races, both sexes	5	-	-	1	-	1	-	-	-	-	-	1	2
Male	4	-	-	1	-	1	-	-	-	-	-	1	1
Female	1	-	-	-	-	-	-	-	-	-	-	-	1
White, both sexes	3	-	-	-	-	1	-	-	-	-	-	1	1
Male	2	-	-	-	-	1	-	-	-	-	-	1	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	1
Black, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	1	-	-	1	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	1	-	-	-	-	-	-	-	-	-	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Cerebral cryptococcosis (B45.1)													
All races, both sexes	67	3	3	2	7	5	4	6	8	7	8	4	10
Male	51	3	3	2	5	3	3	4	6	5	6	2	9
Female	16	-	-	-	2	2	1	2	2	2	2	2	1
White, both sexes	47	1	1	-	4	4	4	3	6	6	5	4	9
Male	37	1	1	-	3	2	3	3	4	5	4	2	9
Female	10	-	-	-	1	2	1	-	2	1	1	2	-
Black, both sexes	17	2	2	1	2	1	-	3	2	1	2	-	1
Male	12	2	2	1	1	1	-	1	2	-	2	-	-
Female	5	-	-	-	1	-	-	2	-	1	-	-	1
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	3	-	-	1	1	-	-	-	-	-	1	-	-
Male	2	-	-	1	1	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
Disseminated cryptococcosis (B45.7)													
All races, both sexes	14	2	1	1	2	1	1	-	1	-	1	-	4
Male	10	2	1	1	1	-	-	-	1	-	1	-	3
Female	4	-	-	-	1	1	1	-	-	-	-	-	1
White, both sexes	8	1	1	-	2	1	1	-	1	-	-	-	1
Male	5	1	1	-	1	-	-	-	1	-	-	-	1
Female	3	-	-	-	1	1	1	-	-	-	-	-	-
Black, both sexes	5	1	-	1	-	-	-	-	-	-	-	-	3
Male	4	1	-	1	-	-	-	-	-	-	-	-	2
Female	1	-	-	-	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other forms of cryptococcosis (B45.8)													
All races, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	1
White, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Cryptococcosis, unspecified (B45.9)													
All races, both sexes	10	2	1	-	-	1	-	1	-	-	4	-	1
Male	7	1	1	-	-	1	-	-	-	-	3	-	1
Female	3	1	-	-	-	-	-	1	-	-	1	-	-
White, both sexes	8	2	-	-	-	1	-	1	-	-	3	-	1
Male	6	1	-	-	-	1	-	-	-	-	3	-	1
Female	2	1	-	-	-	-	-	1	-	-	-	-	-
Black, both sexes	2	-	1	-	-	-	-	-	-	-	1	-	-
Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Zygomycosis (B46)													
All races, both sexes	24	2	3	-	1	3	3	2	2	2	1	-	5
Male	13	1	2	-	1	1	1	2	-	2	1	-	2
Female	11	1	1	-	-	2	2	-	2	-	-	-	3
White, both sexes	20	2	2	-	1	2	2	2	2	2	1	-	4
Male	10	1	1	-	1	1	-	2	-	2	1	-	1
Female	10	1	1	-	-	1	2	-	2	-	-	-	3
Black, both sexes	4	-	1	-	-	1	1	-	-	-	-	-	1
Male	3	-	1	-	-	-	1	-	-	-	-	-	1
Female	1	-	-	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Pulmonary mucormycosis (B46.0)													
All races, both sexes	4	-	-	-	-	1	-	2	-	1	-	-	-
Male	3	-	-	-	-	-	-	2	-	1	-	-	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-
White, both sexes	3	-	-	-	-	-	-	2	-	1	-	-	-
Male	3	-	-	-	-	-	-	2	-	1	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Rhinocerebral mucormycosis (B46.1)													
All races, both sexes	3	2	-	-	-	-	-	-	-	1	-	-	-
Male	2	1	-	-	-	-	-	-	-	1	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	3	2	-	-	-	-	-	-	-	1	-	-	-
Male	2	1	-	-	-	-	-	-	-	1	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Disseminated mucormycosis (B46.4)													
All races, both sexes	2	-	-	-	-	-	1	-	-	-	1	-	-
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	1	-	-	-	-	-	1	-	-	-	-	-	-
White, both sexes	2	-	-	-	-	-	1	-	-	-	1	-	-
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	1	-	-	-	-	-	1	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Mucormycosis, unspecified (B46.5)													
All races, both sexes	15	-	3	-	1	2	2	-	2	-	-	-	5
Male	7	-	2	-	1	1	1	-	-	-	-	-	2
Female	8	-	1	-	-	1	1	-	2	-	-	-	3
White, both sexes	12	-	2	-	1	2	1	-	2	-	-	-	4
Male	4	-	1	-	1	1	-	-	-	-	-	-	1
Female	8	-	1	-	-	1	1	-	2	-	-	-	3
Black, both sexes	3	-	1	-	-	-	1	-	-	-	-	-	1
Male	3	-	1	-	-	-	1	-	-	-	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Mycetoma (B47)													
All races, both sexes	1	-	-	-	-	-	-	-	-	-	-	1	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-
White, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	1	-	-	-	-	-	-	-	-	-	-	1	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Mycetoma, unspecified (B47.9)													
All races, both sexes	1	-	-	-	-	-	-	-	-	-	-	1	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-
White, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	1	-	-	-	-	-	-	-	-	-	-	1	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other mycoses, not elsewhere classified (B48)													
All races, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	1	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	1	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other specified mycoses (B48.8)													
All races, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	1	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	1	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Unspecified mycosis (B49)													
All races, both sexes	376	24	26	34	28	37	30	28	36	27	35	32	39
Male	203	16	10	17	13	25	19	15	24	16	15	15	18
Female	173	8	16	17	15	12	11	13	12	11	20	17	21
White, both sexes	286	23	20	28	18	29	19	19	29	20	26	24	31
Male	156	15	7	14	9	21	14	10	20	11	12	11	12
Female	130	8	13	14	9	8	5	9	9	9	14	13	19
Black, both sexes	79	-	3	6	9	7	11	8	6	7	7	8	7
Male	42	-	2	3	4	3	5	4	4	5	2	4	6
Female	37	-	1	3	5	4	6	4	2	2	5	4	1
American Indian 1/, both sexes	5	1	2	-	-	-	-	-	-	-	2	-	-
Male	3	1	1	-	-	-	-	-	-	-	1	-	-
Female	2	-	1	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes	6	-	1	-	1	1	-	1	1	-	-	-	1
Male	2	-	-	-	-	1	-	1	-	-	-	-	-
Female	4	-	1	-	1	-	-	-	1	-	-	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Plasmodium falciparum malaria (B50)													
All races, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	1	-	-	-	-	-	-	-	-	-	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	1	-	-	-	-	-	-	-	-	-	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Plasmodium falciparum malaria, unspecified (B50.9)													
All races, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	1	-	-	-	-	-	-	-	-	-	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	1	-	-	-	-	-	-	-	-	-	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Unspecified malaria (B54)													
All races, both sexes	3	-	-	1	1	-	-	-	-	-	-	-	1
Male	3	-	-	1	1	-	-	-	-	-	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	3	-	-	1	1	-	-	-	-	-	-	-	1
Male	3	-	-	1	1	-	-	-	-	-	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Chagas' disease (B57)													
All races, both sexes	1	-	-	-	-	-	-	-	-	1	-	-	-
Male	1	-	-	-	-	-	-	-	-	1	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	-	-	-	-	-	1	-	-	-
Male	1	-	-	-	-	-	-	-	-	1	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Chagas' disease (chronic) with nervous system involvement (B57.4)													
All races, both sexes	1	-	-	-	-	-	-	-	-	1	-	-	-
Male	1	-	-	-	-	-	-	-	-	1	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	-	-	-	-	-	1	-	-	-
Male	1	-	-	-	-	-	-	-	-	1	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Toxoplasmosis (B58)													
All races, both sexes	13	-	2	-	3	-	-	-	2	1	1	1	3
Male	8	-	1	-	3	-	-	-	1	-	1	-	2
Female	5	-	1	-	-	-	-	-	1	1	-	1	1
White, both sexes	2	-	1	-	-	-	-	-	-	-	-	-	1
Male	2	-	1	-	-	-	-	-	-	-	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	10	-	1	-	3	-	-	-	2	1	1	1	1
Male	5	-	-	-	3	-	-	-	1	-	1	-	-
Female	5	-	1	-	-	-	-	-	1	1	-	1	1
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	1	-	-	-	-	-	-	-	-	-	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Toxoplasma meningoencephalitis (B58.2)													
All races, both sexes	7	-	2	-	2	-	-	-	1	-	1	-	1
Male	5	-	1	-	2	-	-	-	-	-	1	-	1
Female	2	-	1	-	-	-	-	-	1	-	-	-	-
White, both sexes	1	-	1	-	-	-	-	-	-	-	-	-	-
Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	5	-	1	-	2	-	-	-	1	-	1	-	-
Male	3	-	-	-	2	-	-	-	-	-	1	-	-
Female	2	-	1	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	1	-	-	-	-	-	-	-	-	-	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Toxoplasmosis, unspecified (B58.9)													
All races, both sexes	6	-	-	-	1	-	-	-	1	1	-	1	2
Male	3	-	-	-	1	-	-	-	1	-	-	-	1
Female	3	-	-	-	-	-	-	-	-	1	-	1	1
White, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	1	-	-	-	-	-	-	-	-	-	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	5	-	-	-	1	-	-	-	1	1	-	1	1
Male	2	-	-	-	1	-	-	-	1	-	-	-	-
Female	3	-	-	-	-	-	-	-	-	1	-	1	1
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Pneumocystosis (B59)													
All races, both sexes	156	17	13	13	7	16	11	19	11	11	15	13	10
Male	89	12	5	6	4	11	4	10	8	7	10	7	5
Female	67	5	8	7	3	5	7	9	3	4	5	6	5
White, both sexes	111	11	11	8	5	11	7	14	6	8	14	7	9
Male	64	8	4	4	3	9	4	7	4	5	9	3	4
Female	47	3	7	4	2	2	3	7	2	3	5	4	5
Black, both sexes	39	6	2	5	1	5	4	4	3	2	1	5	1
Male	20	4	1	2	-	2	-	2	2	2	1	3	1
Female	19	2	1	3	1	3	4	2	1	-	-	2	-
American Indian 1/, both sexes	1	-	-	-	-	-	-	-	-	-	-	1	-
Male	1	-	-	-	-	-	-	-	-	-	-	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	5	-	-	-	1	-	-	1	2	1	-	-	-
Male	4	-	-	-	1	-	-	1	2	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	1	-	-	-
Other protozoal diseases, not elsewhere classified (B60)													
All races, both sexes	4	-	-	-	1	-	-	-	1	1	-	-	1
Male	2	-	-	-	-	-	-	-	1	-	-	-	1
Female	2	-	-	-	1	-	-	-	-	1	-	-	-
White, both sexes	4	-	-	-	1	-	-	-	1	1	-	-	1
Male	2	-	-	-	-	-	-	-	1	-	-	-	1
Female	2	-	-	-	1	-	-	-	-	1	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Babesiosis (B60.0)													
All races, both sexes	4	-	-	-	1	-	-	-	1	1	-	-	1
Male	2	-	-	-	-	-	-	-	1	-	-	-	1
Female	2	-	-	-	1	-	-	-	-	1	-	-	-
White, both sexes	4	-	-	-	1	-	-	-	1	1	-	-	1
Male	2	-	-	-	-	-	-	-	1	-	-	-	1
Female	2	-	-	-	1	-	-	-	-	1	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Cysticercosis (B69)													
All races, both sexes	7	-	2	1	-	1	-	-	1	-	1	-	1
Male	5	-	1	1	-	-	-	-	1	-	1	-	1
Female	2	-	1	-	-	1	-	-	-	-	-	-	-
White, both sexes	7	-	2	1	-	1	-	-	1	-	1	-	1
Male	5	-	1	1	-	-	-	-	1	-	1	-	1
Female	2	-	1	-	-	1	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Cysticercosis of central nervous system (B69.0)													
All races, both sexes	7	-	2	1	-	1	-	-	1	-	1	-	1
Male	5	-	1	1	-	-	-	-	1	-	1	-	1
Female	2	-	1	-	-	1	-	-	-	-	-	-	-
White, both sexes	7	-	2	1	-	1	-	-	1	-	1	-	1
Male	5	-	1	1	-	-	-	-	1	-	1	-	1
Female	2	-	1	-	-	1	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Hookworm diseases (B76)													
All races, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	1	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	1	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Necatoriasis (B76.1)													
All races, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	1	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	1	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Strongyloidiasis (B78)													
All races, both sexes	11	2	3	2	-	1	-	1	1	-	-	1	-
Male	8	1	3	2	-	1	-	-	1	-	-	-	-
Female	3	1	-	-	-	-	-	1	-	-	-	1	-
White, both sexes	9	2	2	2	-	1	-	-	1	-	-	1	-
Male	7	1	2	2	-	1	-	-	1	-	-	-	-
Female	2	1	-	-	-	-	-	-	-	-	-	1	-
Black, both sexes	1	-	-	-	-	-	-	1	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	1	-	-	-	-	-	-	-	-	-	-
Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Disseminated strongyloidiasis (B78.7)													
All races, both sexes	3	-	1	1	-	-	-	-	1	-	-	-	-
Male	3	-	1	1	-	-	-	-	1	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	3	-	1	1	-	-	-	-	1	-	-	-	-
Male	3	-	1	1	-	-	-	-	1	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Strongyloidiasis, unspecified (B78.9)													
All races, both sexes	8	2	2	1	-	1	-	1	-	-	-	1	-
Male	5	1	2	1	-	1	-	-	-	-	-	-	-
Female	3	1	-	-	-	-	-	1	-	-	-	1	-
White, both sexes	6	2	1	1	-	1	-	-	-	-	-	1	-
Male	4	1	1	1	-	1	-	-	-	-	-	-	-
Female	2	1	-	-	-	-	-	-	-	-	-	1	-
Black, both sexes	1	-	-	-	-	-	-	1	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	1	-	-	-	-	-	-	-	-	-	-
Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other intestinal helminthiases, not elsewhere classified (B81)													
All races, both sexes	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Mixed intestinal helminthiases (B81.4)													
All races, both sexes	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Scabies (B86)													
All races, both sexes	2	1	-	-	-	-	-	-	-	-	-	-	1
Male	1	-	-	-	-	-	-	-	-	-	-	-	1
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	2	1	-	-	-	-	-	-	-	-	-	-	1
Male	1	-	-	-	-	-	-	-	-	-	-	-	1
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Unspecified parasitic disease (B89)													
All races, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Sequelae of tuberculosis (B90)													
All races, both sexes	80	7	10	9	3	7	10	6	9	3	3	5	8
Male	33	6	3	2	-	2	4	2	5	1	1	4	3
Female	47	1	7	7	3	5	6	4	4	2	2	1	5
White, both sexes	59	4	6	8	2	5	8	3	7	2	2	5	7
Male	22	4	1	1	-	2	3	1	3	-	1	4	2
Female	37	-	5	7	2	3	5	2	4	2	1	1	5
Black, both sexes	8	1	3	1	-	1	1	-	-	-	-	-	1
Male	4	-	2	1	-	-	-	-	-	-	-	-	1
Female	4	1	1	-	-	1	1	-	-	-	-	-	-
American Indian 1/, both sexes	3	1	-	-	-	1	-	-	-	-	1	-	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	1	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes	10	1	1	-	1	-	1	3	2	1	-	-	-
Male	6	1	-	-	-	-	1	1	2	1	-	-	-
Female	4	-	1	-	1	-	-	2	-	-	-	-	-
Sequelae of respiratory and unspecified tuberculosis (B90.9)													
All races, both sexes	80	7	10	9	3	7	10	6	9	3	3	5	8
Male	33	6	3	2	-	2	4	2	5	1	1	4	3
Female	47	1	7	7	3	5	6	4	4	2	2	1	5
White, both sexes	59	4	6	8	2	5	8	3	7	2	2	5	7
Male	22	4	1	1	-	2	3	1	3	-	1	4	2
Female	37	-	5	7	2	3	5	2	4	2	1	1	5
Black, both sexes	8	1	3	1	-	1	1	-	-	-	-	-	1
Male	4	-	2	1	-	-	-	-	-	-	-	-	1
Female	4	1	1	-	-	1	1	-	-	-	-	-	-
American Indian 1/, both sexes	3	1	-	-	-	1	-	-	-	-	1	-	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	1	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes	10	1	1	-	1	-	1	3	2	1	-	-	-
Male	6	1	-	-	-	-	1	1	2	1	-	-	-
Female	4	-	1	-	1	-	-	2	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Sequelae of poliomyelitis (B91)													
All races, both sexes	301	40	29	33	21	18	20	19	17	22	24	29	29
Male	140	19	17	16	7	12	10	5	8	13	11	10	12
Female	161	21	12	17	14	6	10	14	9	9	13	19	17
White, both sexes	286	39	26	33	19	18	18	19	17	21	22	27	27
Male	132	19	16	16	6	12	9	5	8	12	10	9	10
Female	154	20	10	17	13	6	9	14	9	9	12	18	17
Black, both sexes	9	-	2	-	1	-	1	-	-	1	2	2	-
Male	5	-	1	-	1	-	-	-	-	1	1	1	-
Female	4	-	1	-	-	-	1	-	-	-	1	1	-
American Indian 1/, both sexes	2	1	1	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	1	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	4	-	-	-	1	-	1	-	-	-	-	-	2
Male	3	-	-	-	-	-	1	-	-	-	-	-	2
Female	1	-	-	-	1	-	-	-	-	-	-	-	-
Sequelae of other and unspecified infectious and parasitic diseases (B94)													
All races, both sexes	2,363	186	178	215	178	190	194	196	167	192	210	229	228
Male	1,400	120	107	122	114	96	104	126	104	121	125	126	135
Female	963	66	71	93	64	94	90	70	63	71	85	103	93
White, both sexes	1,971	153	158	187	159	156	158	159	139	154	169	194	185
Male	1,183	101	98	107	104	79	89	107	83	102	103	103	107
Female	788	52	60	80	55	77	69	52	56	52	66	91	78
Black, both sexes	270	19	16	22	10	19	26	25	19	29	29	23	33
Male	155	12	8	11	5	10	10	14	15	15	19	15	21
Female	115	7	8	11	5	9	16	11	4	14	10	8	12
American Indian 1/, both sexes	20	1	1	2	3	3	1	2	-	2	2	3	-
Male	12	1	-	1	3	1	1	1	-	1	-	3	-
Female	8	-	1	1	-	2	-	1	-	1	2	-	-
Asian or Pacific Islander 2/, both sexes	102	13	3	4	6	12	9	10	9	7	10	9	10
Male	50	6	1	3	2	6	4	4	6	3	3	5	7
Female	52	7	2	1	4	6	5	6	3	4	7	4	3

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Sequelae of viral encephalitis (B94.1)													
All races, both sexes	10	1	1	-	-	2	-	1	-	1	1	2	1
Male	5	-	1	-	-	1	-	-	-	-	1	1	1
Female	5	1	-	-	-	1	-	1	-	1	-	1	-
White, both sexes	8	1	1	-	-	2	-	1	-	-	1	1	1
Male	5	-	1	-	-	1	-	-	-	-	1	1	1
Female	3	1	-	-	-	1	-	1	-	-	-	-	-
Black, both sexes	1	-	-	-	-	-	-	-	-	1	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	1	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	-	-	-	-	1	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-
Sequelae of viral hepatitis (B94.2)													
All races, both sexes	1,749	127	127	150	139	149	148	164	121	140	149	173	162
Male	1,112	87	80	90	93	82	87	112	86	90	98	103	104
Female	637	40	47	60	46	67	61	52	35	50	51	70	58
White, both sexes	1,460	103	112	129	123	120	121	133	101	116	122	143	137
Male	941	72	73	78	85	66	75	96	69	76	83	83	85
Female	519	31	39	51	38	54	46	37	32	40	39	60	52
Black, both sexes	178	10	11	16	7	15	18	20	13	15	16	19	18
Male	113	8	6	8	3	9	7	12	12	10	12	12	14
Female	65	2	5	8	4	6	11	8	1	5	4	7	4
American Indian 1/, both sexes	20	1	1	2	3	3	1	2	-	2	2	3	-
Male	12	1	-	1	3	1	1	1	-	1	-	3	-
Female	8	-	1	1	-	2	-	1	-	1	2	-	-
Asian or Pacific Islander 2/, both sexes	91	13	3	3	6	11	8	9	7	7	9	8	7
Male	46	6	1	3	2	6	4	3	5	3	3	5	5
Female	45	7	2	-	4	5	4	6	2	4	6	3	2

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Sequelae of other specified infectious and parasitic diseases (B94.8)													
All races, both sexes	603	58	50	65	39	39	46	31	46	50	60	54	65
Male	282	33	26	32	21	13	17	14	18	30	26	22	30
Female	321	25	24	33	18	26	29	17	28	20	34	32	35
White, both sexes	502	49	45	58	36	34	37	25	38	37	46	50	47
Male	236	29	24	29	19	12	14	11	14	25	19	19	21
Female	266	20	21	29	17	22	23	14	24	12	27	31	26
Black, both sexes	91	9	5	6	3	4	8	5	6	13	13	4	15
Male	42	4	2	3	2	1	3	2	3	5	7	3	7
Female	49	5	3	3	1	3	5	3	3	8	6	1	8
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	10	-	-	1	-	1	1	1	2	-	1	-	3
Male	4	-	-	-	-	-	-	1	1	-	-	-	2
Female	6	-	-	1	-	1	1	-	1	-	1	-	1
Sequelae of unspecified infectious or parasitic disease (B94.9)													
All races, both sexes	1	-	-	-	-	-	-	-	-	1	-	-	-
Male	1	-	-	-	-	-	-	-	-	1	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	-	-	-	-	-	1	-	-	-
Male	1	-	-	-	-	-	-	-	-	1	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other and unspecified infectious diseases (B99)													
All races, both sexes	273	21	28	28	23	23	14	17	23	24	28	23	21
Male	123	8	14	14	10	9	8	9	8	14	12	6	11
Female	150	13	14	14	13	14	6	8	15	10	16	17	10
White, both sexes	224	16	25	21	23	19	10	16	19	23	23	16	13
Male	100	5	12	10	10	9	6	8	6	13	10	6	5
Female	124	11	13	11	13	10	4	8	13	10	13	10	8
Black, both sexes	41	5	2	6	-	3	4	1	4	-	4	5	7
Male	19	3	1	3	-	-	2	1	2	-	2	-	5
Female	22	2	1	3	-	3	2	-	2	-	2	5	2
American Indian 1/, both sexes	5	-	-	1	-	-	-	-	-	-	1	2	1
Male	2	-	-	1	-	-	-	-	-	-	-	-	1
Female	3	-	-	-	-	-	-	-	-	-	1	2	-
Asian or Pacific Islander 2/, both sexes	3	-	1	-	-	1	-	-	-	1	-	-	-
Male	2	-	1	-	-	-	-	-	-	1	-	-	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-
Malignant neoplasm of lip (C00)													
All races, both sexes	72	5	4	4	4	9	7	4	5	7	9	5	9
Male	52	4	3	4	3	6	4	2	2	6	6	3	9
Female	20	1	1	-	1	3	3	2	3	1	3	2	-
White, both sexes	70	5	4	4	4	8	7	4	5	7	8	5	9
Male	51	4	3	4	3	5	4	2	2	6	6	3	9
Female	19	1	1	-	1	3	3	2	3	1	2	2	-
Black, both sexes	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
External upper lip (C00.0)													
All races, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	1	-	-	-	-	-	-	-	-	-	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	1	-	-	-	-	-	-	-	-	-	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
External lower lip (C00.1)													
All races, both sexes	15	1	1	-	2	1	2	2	-	1	1	1	3
Male	9	1	1	-	1	-	-	-	-	1	1	1	3
Female	6	-	-	-	1	1	2	2	-	-	-	-	-
White, both sexes	15	1	1	-	2	1	2	2	-	1	1	1	3
Male	9	1	1	-	1	-	-	-	-	1	1	1	3
Female	6	-	-	-	1	1	2	2	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Lip, unspecified (C00.9)													
All races, both sexes	56	4	3	4	2	8	5	2	5	6	8	4	5
Male	42	3	2	4	2	6	4	2	2	5	5	2	5
Female	14	1	1	-	-	2	1	-	3	1	3	2	-
White, both sexes	54	4	3	4	2	7	5	2	5	6	7	4	5
Male	41	3	2	4	2	5	4	2	2	5	5	2	5
Female	13	1	1	-	-	2	1	-	3	1	2	2	-
Black, both sexes	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
Malignant neoplasm of base of tongue (C01)													
All races, both sexes	138	11	11	11	18	6	15	13	7	7	20	11	8
Male	106	9	7	9	12	4	13	11	6	6	12	10	7
Female	32	2	4	2	6	2	2	2	1	1	8	1	1
White, both sexes	110	6	9	8	18	4	13	12	5	7	16	8	4
Male	86	4	7	6	12	2	12	10	5	6	10	8	4
Female	24	2	2	2	6	2	1	2	-	1	6	-	-
Black, both sexes	26	4	2	3	-	2	2	1	2	-	4	2	4
Male	18	4	-	3	-	2	1	1	1	-	2	1	3
Female	8	-	2	-	-	-	1	-	1	-	2	1	1
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	2	1	-	-	-	-	-	-	-	-	-	1	-
Male	2	1	-	-	-	-	-	-	-	-	-	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Malignant neoplasm of other and unspecified parts of tongue (C02)													
All races, both sexes	1,737	143	144	133	135	156	110	159	168	151	138	150	150
Male	1,135	98	98	80	95	104	71	101	101	92	88	106	101
Female	602	45	46	53	40	52	39	58	67	59	50	44	49
White, both sexes	1,498	122	118	113	115	134	95	141	142	129	126	129	134
Male	975	84	80	66	81	88	61	93	83	79	80	89	91
Female	523	38	38	47	34	46	34	48	59	50	46	40	43
Black, both sexes	189	17	19	13	16	18	14	12	19	18	12	17	14
Male	135	13	14	9	13	13	9	6	13	12	8	15	10
Female	54	4	5	4	3	5	5	6	6	6	4	2	4
American Indian 1/, both sexes	8	-	-	1	-	-	-	2	1	1	-	2	1
Male	4	-	-	1	-	-	-	1	-	1	-	1	-
Female	4	-	-	-	-	-	-	1	1	-	-	1	1
Asian or Pacific Islander 2/, both sexes	42	4	7	6	4	4	1	4	6	3	-	2	1
Male	21	1	4	4	1	3	1	1	5	-	-	1	-
Female	21	3	3	2	3	1	-	3	1	3	-	1	1
Tongue, unspecified (C02.9)													
All races, both sexes	1,737	143	144	133	135	156	110	159	168	151	138	150	150
Male	1,135	98	98	80	95	104	71	101	101	92	88	106	101
Female	602	45	46	53	40	52	39	58	67	59	50	44	49
White, both sexes	1,498	122	118	113	115	134	95	141	142	129	126	129	134
Male	975	84	80	66	81	88	61	93	83	79	80	89	91
Female	523	38	38	47	34	46	34	48	59	50	46	40	43
Black, both sexes	189	17	19	13	16	18	14	12	19	18	12	17	14
Male	135	13	14	9	13	13	9	6	13	12	8	15	10
Female	54	4	5	4	3	5	5	6	6	6	4	2	4
American Indian 1/, both sexes	8	-	-	1	-	-	-	2	1	1	-	2	1
Male	4	-	-	1	-	-	-	1	-	1	-	1	-
Female	4	-	-	-	-	-	-	1	1	-	-	1	1
Asian or Pacific Islander 2/, both sexes	42	4	7	6	4	4	1	4	6	3	-	2	1
Male	21	1	4	4	1	3	1	1	5	-	-	1	-
Female	21	3	3	2	3	1	-	3	1	3	-	1	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Malignant neoplasm of gum (C03)													
All races, both sexes	70	5	4	8	6	9	3	5	7	6	2	10	5
Male	39	4	2	2	4	4	2	4	5	1	1	6	4
Female	31	1	2	6	2	5	1	1	2	5	1	4	1
White, both sexes	61	4	4	7	5	8	3	4	7	6	2	7	4
Male	31	3	2	2	3	3	2	3	5	1	1	3	3
Female	30	1	2	5	2	5	1	1	2	5	1	4	1
Black, both sexes	7	1	-	-	1	1	-	1	-	-	-	2	1
Male	7	1	-	-	1	1	-	1	-	-	-	2	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	2	-	-	1	-	-	-	-	-	-	-	1	-
Male	1	-	-	-	-	-	-	-	-	-	-	1	-
Female	1	-	-	1	-	-	-	-	-	-	-	-	-
Upper gum (C03.0)													
All races, both sexes	16	1	1	1	1	1	-	2	2	2	-	2	3
Male	11	1	1	-	1	1	-	2	2	-	-	1	2
Female	5	-	-	1	-	-	-	-	-	2	-	1	1
White, both sexes	14	-	1	1	1	1	-	1	2	2	-	2	3
Male	9	-	1	-	1	1	-	1	2	-	-	1	2
Female	5	-	-	1	-	-	-	-	-	2	-	1	1
Black, both sexes	2	1	-	-	-	-	-	1	-	-	-	-	-
Male	2	1	-	-	-	-	-	1	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Lower gum (C03.1)													
All races, both sexes	6	-	-	2	-	2	-	-	-	1	-	-	1
Male	4	-	-	2	-	1	-	-	-	-	-	-	1
Female	2	-	-	-	-	1	-	-	-	1	-	-	-
White, both sexes	5	-	-	2	-	2	-	-	-	1	-	-	-
Male	3	-	-	2	-	1	-	-	-	-	-	-	-
Female	2	-	-	-	-	1	-	-	-	1	-	-	-
Black, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	1	-	-	-	-	-	-	-	-	-	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Gum, unspecified (C03.9)													
All races, both sexes	48	4	3	5	5	6	3	3	5	3	2	8	1
Male	24	3	1	-	3	2	2	2	3	1	1	5	1
Female	24	1	2	5	2	4	1	1	2	2	1	3	-
White, both sexes	42	4	3	4	4	5	3	3	5	3	2	5	1
Male	19	3	1	-	2	1	2	2	3	1	1	2	1
Female	23	1	2	4	2	4	1	1	2	2	1	3	-
Black, both sexes	4	-	-	-	1	1	-	-	-	-	-	2	-
Male	4	-	-	-	1	1	-	-	-	-	-	2	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	2	-	-	1	-	-	-	-	-	-	-	1	-
Male	1	-	-	-	-	-	-	-	-	-	-	1	-
Female	1	-	-	1	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Malignant neoplasm of floor of mouth (C04)													
All races, both sexes	147	15	19	12	12	9	8	16	10	12	13	10	11
Male	98	12	10	11	8	7	6	12	4	6	6	6	10
Female	49	3	9	1	4	2	2	4	6	6	7	4	1
White, both sexes	121	11	17	10	10	8	5	11	9	10	11	9	10
Male	75	8	8	9	7	7	3	7	3	4	5	5	9
Female	46	3	9	1	3	1	2	4	6	6	6	4	1
Black, both sexes	24	3	2	2	2	1	2	5	1	2	2	1	1
Male	21	3	2	2	1	-	2	5	1	2	1	1	1
Female	3	-	-	-	1	1	-	-	-	-	1	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	2	1	-	-	-	-	1	-	-	-	-	-	-
Male	2	1	-	-	-	-	1	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Floor of mouth, unspecified (C04.9)													
All races, both sexes	147	15	19	12	12	9	8	16	10	12	13	10	11
Male	98	12	10	11	8	7	6	12	4	6	6	6	10
Female	49	3	9	1	4	2	2	4	6	6	7	4	1
White, both sexes	121	11	17	10	10	8	5	11	9	10	11	9	10
Male	75	8	8	9	7	7	3	7	3	4	5	5	9
Female	46	3	9	1	3	1	2	4	6	6	6	4	1
Black, both sexes	24	3	2	2	2	1	2	5	1	2	2	1	1
Male	21	3	2	2	1	-	2	5	1	2	1	1	1
Female	3	-	-	-	1	1	-	-	-	-	1	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	2	1	-	-	-	-	1	-	-	-	-	-	-
Male	2	1	-	-	-	-	1	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Malignant neoplasm of palate (C05)													
All races, both sexes	177	13	13	8	17	9	14	15	10	12	29	20	17
Male	96	9	8	4	9	5	7	6	6	6	14	12	10
Female	81	4	5	4	8	4	7	9	4	6	15	8	7
White, both sexes	139	12	10	8	12	8	10	9	5	9	24	17	15
Male	72	8	5	4	7	4	4	4	3	4	11	10	8
Female	67	4	5	4	5	4	6	5	2	5	13	7	7
Black, both sexes	33	1	3	-	4	1	3	4	4	3	5	3	2
Male	22	1	3	-	2	1	2	1	3	2	3	2	2
Female	11	-	-	-	2	-	1	3	1	1	2	1	-
American Indian 1/, both sexes	3	-	-	-	1	-	1	1	-	-	-	-	-
Male	2	-	-	-	-	-	1	1	-	-	-	-	-
Female	1	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	2	-	-	-	-	-	-	1	1	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	1	1	-	-	-	-
Hard palate (C05.0)													
All races, both sexes	31	1	2	-	3	1	3	4	3	3	7	3	1
Male	14	-	1	-	1	-	1	2	2	1	4	2	-
Female	17	1	1	-	2	1	2	2	1	2	3	1	1
White, both sexes	22	1	2	-	2	1	3	2	2	1	5	2	1
Male	11	-	1	-	1	-	1	2	1	-	3	2	-
Female	11	1	1	-	1	1	2	-	1	1	2	-	1
Black, both sexes	8	-	-	-	-	-	-	2	1	2	2	1	-
Male	3	-	-	-	-	-	-	-	1	1	1	-	-
Female	5	-	-	-	-	-	-	2	-	1	1	1	-
American Indian 1/, both sexes	1	-	-	-	1	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Soft palate (C05.1)													
All races, both sexes	55	4	7	3	6	4	6	3	-	5	6	5	6
Male	40	4	6	2	5	3	5	3	-	3	4	2	3
Female	15	-	1	1	1	1	1	-	-	2	2	3	3
White, both sexes	41	4	5	3	4	3	3	2	-	4	3	4	6
Male	28	4	4	2	4	2	2	2	-	2	2	1	3
Female	13	-	1	1	-	1	1	-	-	2	1	3	3
Black, both sexes	12	-	2	-	2	1	2	-	-	1	3	1	-
Male	10	-	2	-	1	1	2	-	-	1	2	1	-
Female	2	-	-	-	1	-	-	-	-	-	1	-	-
American Indian 1/, both sexes	2	-	-	-	-	-	1	1	-	-	-	-	-
Male	2	-	-	-	-	-	1	1	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Uvula (C05.2)													
All races, both sexes	7	1	1	1	-	-	-	2	-	-	-	1	1
Male	4	1	1	-	-	-	-	-	-	-	-	1	1
Female	3	-	-	1	-	-	-	2	-	-	-	-	-
White, both sexes	5	1	-	1	-	-	-	1	-	-	-	1	1
Male	3	1	-	-	-	-	-	-	-	-	-	1	1
Female	2	-	-	1	-	-	-	1	-	-	-	-	-
Black, both sexes	2	-	1	-	-	-	-	1	-	-	-	-	-
Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Palate, unspecified (C05.9)													
All races, both sexes	84	7	3	4	8	4	5	6	7	4	16	11	9
Male	38	4	-	2	3	2	1	1	4	2	6	7	6
Female	46	3	3	2	5	2	4	5	3	2	10	4	3
White, both sexes	71	6	3	4	6	4	4	4	3	4	16	10	7
Male	30	3	-	2	2	2	1	-	2	2	6	6	4
Female	41	3	3	2	4	2	3	4	1	2	10	4	3
Black, both sexes	11	1	-	-	2	-	1	1	3	-	-	1	2
Male	8	1	-	-	1	-	-	1	2	-	-	1	2
Female	3	-	-	-	1	-	1	-	1	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	2	-	-	-	-	-	-	1	1	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	1	1	-	-	-	-
Malignant neoplasm of other and unspecified parts of mouth (C06)													
All races, both sexes	929	73	61	88	75	69	61	83	84	73	83	97	82
Male	520	46	40	53	43	37	30	38	44	39	46	64	40
Female	409	27	21	35	32	32	31	45	40	34	37	33	42
White, both sexes	811	62	56	73	66	60	50	74	76	63	72	85	74
Male	439	36	37	42	37	32	22	34	38	32	38	55	36
Female	372	26	19	31	29	28	28	40	38	31	34	30	38
Black, both sexes	104	10	5	14	9	7	11	8	6	10	7	11	6
Male	73	9	3	10	6	5	8	3	5	7	6	8	3
Female	31	1	2	4	3	2	3	5	1	3	1	3	3
American Indian 1/, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	1	-	-	-	-	-	-	-	-	-	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	13	1	-	1	-	2	-	1	2	-	4	1	1
Male	7	1	-	1	-	-	-	1	1	-	2	1	-
Female	6	-	-	-	-	2	-	-	1	-	2	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Cheek mucosa (C06.0)													
All races, both sexes	28	3	1	2	4	1	2	2	2	1	1	6	3
Male	15	3	-	1	1	-	1	1	1	-	1	4	2
Female	13	-	1	1	3	1	1	1	1	1	-	2	1
White, both sexes	25	3	1	2	3	1	1	2	2	1	-	6	3
Male	13	3	-	1	1	-	-	1	1	-	-	4	2
Female	12	-	1	1	2	1	1	1	1	1	-	2	1
Black, both sexes	2	-	-	-	1	-	1	-	-	-	-	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	1	-	-	-	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Retromolar area (C06.2)													
All races, both sexes	23	1	1	2	3	3	1	2	-	3	4	2	1
Male	17	1	1	2	2	3	-	-	-	2	3	2	1
Female	6	-	-	-	1	-	1	2	-	1	1	-	-
White, both sexes	21	1	1	1	3	3	1	2	-	2	4	2	1
Male	16	1	1	1	2	3	-	-	-	2	3	2	1
Female	5	-	-	-	1	-	1	2	-	-	1	-	-
Black, both sexes	1	-	-	-	-	-	-	-	-	1	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	1	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	1	-	-	1	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Mouth, unspecified (C06.9)													
All races, both sexes	878	69	59	84	68	65	58	79	82	69	78	89	78
Male	488	42	39	50	40	34	29	37	43	37	42	58	37
Female	390	27	20	34	28	31	29	42	39	32	36	31	41
White, both sexes	765	58	54	70	60	56	48	70	74	60	68	77	70
Male	410	32	36	40	34	29	22	33	37	30	35	49	33
Female	355	26	18	30	26	27	26	37	37	30	33	28	37
Black, both sexes	101	10	5	14	8	7	10	8	6	9	7	11	6
Male	72	9	3	10	6	5	7	3	5	7	6	8	3
Female	29	1	2	4	2	2	3	5	1	2	1	3	3
American Indian 1/, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	1	-	-	-	-	-	-	-	-	-	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	11	1	-	-	-	2	-	1	2	-	3	1	1
Male	5	1	-	-	-	-	-	1	1	-	1	1	-
Female	6	-	-	-	-	2	-	-	1	-	2	-	1
Malignant neoplasm of parotid gland (C07)													
All races, both sexes	543	51	46	47	34	43	44	44	54	54	33	47	46
Male	348	30	32	33	23	26	23	26	38	32	24	24	37
Female	195	21	14	14	11	17	21	18	16	22	9	23	9
White, both sexes	492	43	41	45	33	41	37	36	52	48	30	44	42
Male	319	25	28	32	23	25	21	21	36	29	22	23	34
Female	173	18	13	13	10	16	16	15	16	19	8	21	8
Black, both sexes	40	6	5	1	1	1	6	7	2	5	2	2	2
Male	20	3	4	-	-	1	1	4	2	2	2	-	1
Female	20	3	1	1	1	-	5	3	-	3	-	2	1
American Indian 1/, both sexes	2	-	-	-	-	1	-	-	-	1	-	-	-
Male	1	-	-	-	-	-	-	-	-	1	-	-	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	9	2	-	1	-	-	1	1	-	-	1	1	2
Male	8	2	-	1	-	-	1	1	-	-	-	1	2
Female	1	-	-	-	-	-	-	-	-	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Malignant neoplasm of other and unspecified major salivary glands (C08)													
All races, both sexes	153	10	14	15	14	9	14	8	11	12	13	18	15
Male	89	8	9	8	5	5	5	5	8	7	9	10	10
Female	64	2	5	7	9	4	9	3	3	5	4	8	5
White, both sexes	135	10	13	14	13	8	10	8	9	9	12	17	12
Male	80	8	9	8	5	5	3	5	7	5	8	9	8
Female	55	2	4	6	8	3	7	3	2	4	4	8	4
Black, both sexes	13	-	1	-	1	-	4	-	1	1	1	1	3
Male	6	-	-	-	-	-	2	-	-	-	1	1	2
Female	7	-	1	-	1	-	2	-	1	1	-	-	1
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	5	-	-	1	-	1	-	-	1	2	-	-	-
Male	3	-	-	-	-	-	-	-	1	2	-	-	-
Female	2	-	-	1	-	1	-	-	-	-	-	-	-
Submandibular gland (C08.0)													
All races, both sexes	25	2	-	3	2	4	1	1	1	-	6	3	2
Male	16	1	-	2	2	2	-	1	1	-	5	1	1
Female	9	1	-	1	-	2	1	-	-	-	1	2	1
White, both sexes	24	2	-	3	2	3	1	1	1	-	6	3	2
Male	16	1	-	2	2	2	-	1	1	-	5	1	1
Female	8	1	-	1	-	1	1	-	-	-	1	2	1
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Sublingual gland (C08.1)													
All races, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	1	-	-	1	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	1	-	-	1	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Major salivary gland, unspecified (C08.9)													
All races, both sexes	127	8	14	11	12	5	13	7	10	12	7	15	13
Male	72	7	9	5	3	3	5	4	7	7	4	9	9
Female	55	1	5	6	9	2	8	3	3	5	3	6	4
White, both sexes	110	8	13	10	11	5	9	7	8	9	6	14	10
Male	63	7	9	5	3	3	3	4	6	5	3	8	7
Female	47	1	4	5	8	2	6	3	2	4	3	6	3
Black, both sexes	13	-	1	-	1	-	4	-	1	1	1	1	3
Male	6	-	-	-	-	-	2	-	-	-	1	1	2
Female	7	-	1	-	1	-	2	-	1	1	-	-	1
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	4	-	-	1	-	-	-	-	1	2	-	-	-
Male	3	-	-	-	-	-	-	-	1	2	-	-	-
Female	1	-	-	1	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Malignant neoplasm of tonsil (C09)													
All races, both sexes	608	40	50	57	45	62	47	46	53	51	56	50	51
Male	472	32	36	46	38	47	37	35	39	38	46	38	40
Female	136	8	14	11	7	15	10	11	14	13	10	12	11
White, both sexes	514	35	39	47	36	54	44	40	42	45	45	42	45
Male	395	27	29	38	29	42	35	32	30	32	36	31	34
Female	119	8	10	9	7	12	9	8	12	13	9	11	11
Black, both sexes	86	5	9	10	9	7	3	6	10	5	10	7	5
Male	70	5	6	8	9	4	2	3	8	5	9	6	5
Female	16	-	3	2	-	3	1	3	2	-	1	1	-
American Indian 1/, both sexes	1	-	1	-	-	-	-	-	-	-	-	-	-
Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	7	-	1	-	-	1	-	-	1	1	1	1	1
Male	6	-	-	-	-	1	-	-	1	1	1	1	1
Female	1	-	1	-	-	-	-	-	-	-	-	-	-
Tonsillar fossa (C09.0)													
All races, both sexes	14	2	-	1	4	2	1	-	-	-	2	2	-
Male	12	1	-	1	4	2	1	-	-	-	1	2	-
Female	2	1	-	-	-	-	-	-	-	-	1	-	-
White, both sexes	12	2	-	1	3	2	-	-	-	-	2	2	-
Male	10	1	-	1	3	2	-	-	-	-	1	2	-
Female	2	1	-	-	-	-	-	-	-	-	1	-	-
Black, both sexes	2	-	-	-	1	-	1	-	-	-	-	-	-
Male	2	-	-	-	1	-	1	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Tonsillar pillar (anterior) (posterior) (C09.1)													
All races, both sexes	1	-	-	-	1	-	-	-	-	-	-	-	-
Male	1	-	-	-	1	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	1	-	-	-	-	-	-	-	-
Male	1	-	-	-	1	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Tonsil, unspecified (C09.9)													
All races, both sexes	593	38	50	56	40	60	46	46	53	51	54	48	51
Male	459	31	36	45	33	45	36	35	39	38	45	36	40
Female	134	7	14	11	7	15	10	11	14	13	9	12	11
White, both sexes	501	33	39	46	32	52	44	40	42	45	43	40	45
Male	384	26	29	37	25	40	35	32	30	32	35	29	34
Female	117	7	10	9	7	12	9	8	12	13	8	11	11
Black, both sexes	84	5	9	10	8	7	2	6	10	5	10	7	5
Male	68	5	6	8	8	4	1	3	8	5	9	6	5
Female	16	-	3	2	-	3	1	3	2	-	1	1	-
American Indian 1/, both sexes	1	-	1	-	-	-	-	-	-	-	-	-	-
Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	7	-	1	-	-	1	-	-	1	1	1	1	1
Male	6	-	-	-	-	1	-	-	1	1	1	1	1
Female	1	-	1	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Malignant neoplasm of oropharynx (C10)													
All races, both sexes	626	61	40	50	40	52	47	49	52	57	46	59	73
Male	463	46	31	35	32	39	35	37	43	43	31	45	46
Female	163	15	9	15	8	13	12	12	9	14	15	14	27
White, both sexes	497	45	33	42	29	45	35	39	42	47	38	45	57
Male	357	33	25	29	23	33	25	28	34	35	25	32	35
Female	140	12	8	13	6	12	10	11	8	12	13	13	22
Black, both sexes	112	11	7	7	9	7	9	9	9	9	8	12	15
Male	91	9	6	5	7	6	7	8	8	7	6	12	10
Female	21	2	1	2	2	1	2	1	1	2	2	-	5
American Indian 1/, both sexes	3	1	-	-	1	-	-	-	-	-	-	-	1
Male	2	-	-	-	1	-	-	-	-	-	-	-	1
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	14	4	-	1	1	-	3	1	1	1	-	2	-
Male	13	4	-	1	1	-	3	1	1	1	-	1	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-
Vallecula (C10.0)													
All races, both sexes	2	-	-	-	-	-	-	-	1	-	-	1	-
Male	1	-	-	-	-	-	-	-	-	-	-	1	-
Female	1	-	-	-	-	-	-	-	1	-	-	-	-
White, both sexes	1	-	-	-	-	-	-	-	-	-	-	1	-
Male	1	-	-	-	-	-	-	-	-	-	-	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	1	-	-	-	-	-	-	-	1	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Lateral wall of oropharynx (C10.2)													
All races, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	1	-	-	-	-	-	-	-	-	-	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	1	-	-	-	-	-	-	-	-	-	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Oropharynx, unspecified (C10.9)													
All races, both sexes	623	61	40	50	40	52	47	49	51	57	46	58	72
Male	461	46	31	35	32	39	35	37	43	43	31	44	45
Female	162	15	9	15	8	13	12	12	8	14	15	14	27
White, both sexes	495	45	33	42	29	45	35	39	42	47	38	44	56
Male	355	33	25	29	23	33	25	28	34	35	25	31	34
Female	140	12	8	13	6	12	10	11	8	12	13	13	22
Black, both sexes	111	11	7	7	9	7	9	9	8	9	8	12	15
Male	91	9	6	5	7	6	7	8	8	7	6	12	10
Female	20	2	1	2	2	1	2	1	-	2	2	-	5
American Indian 1/, both sexes	3	1	-	-	1	-	-	-	-	-	-	-	1
Male	2	-	-	-	1	-	-	-	-	-	-	-	1
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	14	4	-	1	1	-	3	1	1	1	-	2	-
Male	13	4	-	1	1	-	3	1	1	1	-	1	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Malignant neoplasm of nasopharynx (C11)													
All races, both sexes	599	48	47	57	40	55	37	46	42	49	59	63	56
Male	406	32	34	35	24	37	23	27	31	39	45	42	37
Female	193	16	13	22	16	18	14	19	11	10	14	21	19
White, both sexes	403	32	31	37	28	40	28	27	29	28	43	42	38
Male	265	21	24	16	15	27	18	15	22	22	32	27	26
Female	138	11	7	21	13	13	10	12	7	6	11	15	12
Black, both sexes	83	4	9	5	6	5	3	11	7	7	9	7	10
Male	60	3	4	5	4	4	2	7	5	6	7	5	8
Female	23	1	5	-	2	1	1	4	2	1	2	2	2
American Indian 1/, both sexes	6	-	-	-	1	-	-	1	-	-	-	1	3
Male	1	-	-	-	1	-	-	-	-	-	-	-	-
Female	5	-	-	-	-	-	-	1	-	-	-	1	3
Asian or Pacific Islander 2/, both sexes	107	12	7	15	5	10	6	7	6	14	7	13	5
Male	80	8	6	14	4	6	3	5	4	11	6	10	3
Female	27	4	1	1	1	4	3	2	2	3	1	3	2
Posterior wall of nasopharynx (C11.1)													
All races, both sexes	12	1	1	1	1	1	-	-	3	-	1	2	1
Male	4	-	1	-	-	-	-	-	1	-	1	-	1
Female	8	1	-	1	1	1	-	-	2	-	-	2	-
White, both sexes	7	-	1	1	1	1	-	-	1	-	-	1	1
Male	2	-	1	-	-	-	-	-	-	-	-	-	1
Female	5	-	-	1	1	1	-	-	1	-	-	1	-
Black, both sexes	2	-	-	-	-	-	-	-	2	-	-	-	-
Male	1	-	-	-	-	-	-	-	1	-	-	-	-
Female	1	-	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	3	1	-	-	-	-	-	-	-	-	1	1	-
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	2	1	-	-	-	-	-	-	-	-	-	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Nasopharynx, unspecified (C11.9)													
All races, both sexes	587	47	46	56	39	54	37	46	39	49	58	61	55
Male	402	32	33	35	24	37	23	27	30	39	44	42	36
Female	185	15	13	21	15	17	14	19	9	10	14	19	19
White, both sexes	396	32	30	36	27	39	28	27	28	28	43	41	37
Male	263	21	23	16	15	27	18	15	22	22	32	27	25
Female	133	11	7	20	12	12	10	12	6	6	11	14	12
Black, both sexes	81	4	9	5	6	5	3	11	5	7	9	7	10
Male	59	3	4	5	4	4	2	7	4	6	7	5	8
Female	22	1	5	-	2	1	1	4	1	1	2	2	2
American Indian 1/, both sexes	6	-	-	-	1	-	-	1	-	-	-	1	3
Male	1	-	-	-	1	-	-	-	-	-	-	-	-
Female	5	-	-	-	-	-	-	1	-	-	-	1	3
Asian or Pacific Islander 2/, both sexes	104	11	7	15	5	10	6	7	6	14	6	12	5
Male	79	8	6	14	4	6	3	5	4	11	5	10	3
Female	25	3	1	1	1	4	3	2	2	3	1	2	2
Malignant neoplasm of pyriform sinus (C12)													
All races, both sexes	107	7	12	15	7	6	10	11	11	8	6	7	7
Male	88	6	7	12	7	6	9	10	10	4	5	5	7
Female	19	1	5	3	-	-	1	1	1	4	1	2	-
White, both sexes	83	4	12	12	6	5	6	10	9	6	4	4	5
Male	68	3	7	11	6	5	5	9	8	3	3	3	5
Female	15	1	5	1	-	-	1	1	1	3	1	1	-
Black, both sexes	20	2	-	3	1	1	3	1	1	2	2	2	2
Male	16	2	-	1	1	1	3	1	1	1	2	1	2
Female	4	-	-	2	-	-	-	-	-	1	-	1	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	4	1	-	-	-	-	1	-	1	-	-	1	-
Male	4	1	-	-	-	-	1	-	1	-	-	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Malignant neoplasm of hypopharynx (C13)													
All races, both sexes	211	21	13	11	15	20	21	22	15	15	17	21	20
Male	163	13	9	7	12	18	16	17	7	14	14	19	17
Female	48	8	4	4	3	2	5	5	8	1	3	2	3
White, both sexes	172	12	13	10	11	15	19	19	13	11	14	17	18
Male	127	7	9	6	8	13	14	14	5	10	11	15	15
Female	45	5	4	4	3	2	5	5	8	1	3	2	3
Black, both sexes	36	9	-	1	4	4	1	2	2	4	3	4	2
Male	33	6	-	1	4	4	1	2	2	4	3	4	2
Female	3	3	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	3	-	-	-	-	1	1	1	-	-	-	-	-
Male	3	-	-	-	-	1	1	1	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Postcricoid region (C13.0)													
All races, both sexes	1	-	-	-	-	-	-	-	-	-	-	1	-
Male	1	-	-	-	-	-	-	-	-	-	-	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	-	-	-	-	-	-	-	1	-
Male	1	-	-	-	-	-	-	-	-	-	-	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Aryepiglottic fold, hypopharyngeal aspect (C13.1)													
All races, both sexes	3	-	-	-	1	-	-	-	-	1	1	-	-
Male	3	-	-	-	1	-	-	-	-	1	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	2	-	-	-	-	-	-	-	-	1	1	-	-
Male	2	-	-	-	-	-	-	-	-	1	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	1	-	-	-	1	-	-	-	-	-	-	-	-
Male	1	-	-	-	1	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypopharynx, unspecified (C13.9)													
All races, both sexes	207	21	13	11	14	20	21	22	15	14	16	20	20
Male	159	13	9	7	11	18	16	17	7	13	13	18	17
Female	48	8	4	4	3	2	5	5	8	1	3	2	3
White, both sexes	169	12	13	10	11	15	19	19	13	10	13	16	18
Male	124	7	9	6	8	13	14	14	5	9	10	14	15
Female	45	5	4	4	3	2	5	5	8	1	3	2	3
Black, both sexes	35	9	-	1	3	4	1	2	2	4	3	4	2
Male	32	6	-	1	3	4	1	2	2	4	3	4	2
Female	3	3	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	3	-	-	-	-	1	1	1	-	-	-	-	-
Male	3	-	-	-	-	1	1	1	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Malignant neoplasm of other and ill-defined sites in the lip, oral cavity, and pharynx (C14)													
All races, both sexes	1,661	143	119	142	127	137	160	137	131	122	155	116	172
Male	1,223	108	74	107	103	103	115	93	98	92	112	90	128
Female	438	35	45	35	24	34	45	44	33	30	43	26	44
White, both sexes	1,303	112	102	116	94	113	121	105	107	94	125	83	131
Male	942	83	61	86	74	81	86	72	80	71	89	65	94
Female	361	29	41	30	20	32	35	33	27	23	36	18	37
Black, both sexes	333	30	16	25	29	23	38	30	22	25	26	31	38
Male	264	24	12	21	26	21	29	20	17	19	20	23	32
Female	69	6	4	4	3	2	9	10	5	6	6	8	6
American Indian 1/, both sexes	9	-	-	-	1	-	1	1	2	1	1	1	1
Male	5	-	-	-	1	-	-	-	1	1	-	1	1
Female	4	-	-	-	-	-	1	1	1	-	1	-	-
Asian or Pacific Islander 2/, both sexes	16	1	1	1	3	1	-	1	-	2	3	1	2
Male	12	1	1	-	2	1	-	1	-	1	3	1	1
Female	4	-	-	1	1	-	-	-	-	1	-	-	1
Pharynx, unspecified (C14.0)													
All races, both sexes	1,660	143	119	142	127	137	160	137	131	122	155	116	171
Male	1,222	108	74	107	103	103	115	93	98	92	112	90	127
Female	438	35	45	35	24	34	45	44	33	30	43	26	44
White, both sexes	1,303	112	102	116	94	113	121	105	107	94	125	83	131
Male	942	83	61	86	74	81	86	72	80	71	89	65	94
Female	361	29	41	30	20	32	35	33	27	23	36	18	37
Black, both sexes	333	30	16	25	29	23	38	30	22	25	26	31	38
Male	264	24	12	21	26	21	29	20	17	19	20	23	32
Female	69	6	4	4	3	2	9	10	5	6	6	8	6
American Indian 1/, both sexes	9	-	-	-	1	-	1	1	2	1	1	1	1
Male	5	-	-	-	1	-	-	-	1	1	-	1	1
Female	4	-	-	-	-	-	1	1	1	-	1	-	-
Asian or Pacific Islander 2/, both sexes	15	1	1	1	3	1	-	1	-	2	3	1	1
Male	11	1	1	-	2	1	-	1	-	1	3	1	-
Female	4	-	-	1	1	-	-	-	-	1	-	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Waldeyer's ring (C14.2)													
All races, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	1	-	-	-	-	-	-	-	-	-	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	1	-	-	-	-	-	-	-	-	-	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of esophagus (C15)													
All races, both sexes	12,860	1,039	991	1,079	1,036	1,082	1,090	1,059	1,046	1,092	1,127	1,077	1,142
Male	9,921	789	770	839	806	827	845	833	827	819	890	816	860
Female	2,939	250	221	240	230	255	245	226	219	273	237	261	282
White, both sexes	11,058	885	863	924	897	935	938	894	904	950	981	907	980
Male	8,617	668	678	722	708	725	737	717	718	719	775	698	752
Female	2,441	217	185	202	189	210	201	177	186	231	206	209	228
Black, both sexes	1,591	135	113	136	120	134	136	141	131	122	127	151	145
Male	1,133	105	81	101	85	91	95	98	99	84	99	100	95
Female	458	30	32	35	35	43	41	43	32	38	28	51	50
American Indian 1/, both sexes	49	6	4	3	3	3	5	4	2	3	4	6	6
Male	38	5	3	2	3	3	4	2	1	2	3	6	4
Female	11	1	1	1	-	-	1	2	1	1	1	-	2
Asian or Pacific Islander 2/, both sexes	162	13	11	16	16	10	11	20	9	17	15	13	11
Male	133	11	8	14	10	8	9	16	9	14	13	12	9
Female	29	2	3	2	6	2	2	4	-	3	2	1	2

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Cervical part of esophagus (C15.0)													
All races, both sexes	4	2	1	-	-	-	-	-	-	-	1	-	-
Male	2	1	1	-	-	-	-	-	-	-	-	-	-
Female	2	1	-	-	-	-	-	-	-	-	1	-	-
White, both sexes	3	2	1	-	-	-	-	-	-	-	-	-	-
Male	2	1	1	-	-	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Thoracic part of esophagus (C15.1)													
All races, both sexes	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Upper third of esophagus (C15.3)													
All races, both sexes	4	-	-	-	1	-	1	-	1	-	1	-	-
Male	3	-	-	-	-	-	1	-	1	-	1	-	-
Female	1	-	-	-	1	-	-	-	-	-	-	-	-
White, both sexes	4	-	-	-	1	-	1	-	1	-	1	-	-
Male	3	-	-	-	-	-	1	-	1	-	1	-	-
Female	1	-	-	-	1	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Lower third of esophagus (C15.5)													
All races, both sexes	69	8	6	6	2	8	3	8	3	10	5	4	6
Male	57	7	5	3	2	8	2	6	3	8	4	4	5
Female	12	1	1	3	-	-	1	2	-	2	1	-	1
White, both sexes	68	8	6	6	2	8	3	8	3	10	5	3	6
Male	56	7	5	3	2	8	2	6	3	8	4	3	5
Female	12	1	1	3	-	-	1	2	-	2	1	-	1
Black, both sexes	1	-	-	-	-	-	-	-	-	-	-	1	-
Male	1	-	-	-	-	-	-	-	-	-	-	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Esophagus, unspecified (C15.9)													
All races, both sexes	12,782	1,029	984	1,073	1,033	1,074	1,086	1,051	1,042	1,082	1,119	1,073	1,136
Male	9,858	781	764	836	804	819	842	827	823	811	884	812	855
Female	2,924	248	220	237	229	255	244	224	219	271	235	261	281
White, both sexes	10,982	875	856	918	894	927	934	886	900	940	974	904	974
Male	8,555	660	672	719	706	717	734	711	714	711	769	695	747
Female	2,427	215	184	199	188	210	200	175	186	229	205	209	227
Black, both sexes	1,590	135	113	136	120	134	136	141	131	122	127	150	145
Male	1,132	105	81	101	85	91	95	98	99	84	99	99	95
Female	458	30	32	35	35	43	41	43	32	38	28	51	50
American Indian 1/, both sexes	48	6	4	3	3	3	5	4	2	3	3	6	6
Male	38	5	3	2	3	3	4	2	1	2	3	6	4
Female	10	1	1	1	-	-	1	2	1	1	-	-	2
Asian or Pacific Islander 2/, both sexes	162	13	11	16	16	10	11	20	9	17	15	13	11
Male	133	11	8	14	10	8	9	16	9	14	13	12	9
Female	29	2	3	2	6	2	2	4	-	3	2	1	2
Malignant neoplasm of stomach (C16)													
All races, both sexes	12,110	1,060	888	1,057	1,012	1,058	1,027	1,016	1,021	971	1,048	1,014	938
Male	7,055	616	512	604	586	608	582	608	587	587	602	594	569
Female	5,055	444	376	453	426	450	445	408	434	384	446	420	369
White, both sexes	9,282	808	691	799	787	814	779	801	805	732	814	746	706
Male	5,428	466	403	450	458	466	434	493	468	450	480	430	430
Female	3,854	342	288	349	329	348	345	308	337	282	334	316	276
Black, both sexes	2,041	177	130	177	161	181	173	167	160	186	172	188	169
Male	1,187	104	76	108	91	109	102	87	87	109	91	118	105
Female	854	73	54	69	70	72	71	80	73	77	81	70	64
American Indian 1/, both sexes	84	10	11	6	8	8	7	4	4	5	6	8	7
Male	50	8	5	4	4	6	4	3	4	2	4	2	4
Female	34	2	6	2	4	2	3	1	-	3	2	6	3
Asian or Pacific Islander 2/, both sexes	703	65	56	75	56	55	68	44	52	48	56	72	56
Male	390	38	28	42	33	27	42	25	28	26	27	44	30
Female	313	27	28	33	23	28	26	19	24	22	29	28	26

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Cardia (C16.0)													
All races, both sexes	723	64	50	73	49	55	66	62	66	62	69	59	48
Male	592	51	41	63	39	43	52	53	54	53	54	47	42
Female	131	13	9	10	10	12	14	9	12	9	15	12	6
White, both sexes	667	58	48	71	41	49	61	60	63	59	59	54	44
Male	556	45	40	61	36	38	50	52	52	52	48	42	40
Female	111	13	8	10	5	11	11	8	11	7	11	12	4
Black, both sexes	43	3	2	1	5	4	4	2	2	3	9	4	4
Male	25	3	1	1	1	3	1	1	1	1	6	4	2
Female	18	-	1	-	4	1	3	1	1	2	3	-	2
American Indian 1/, both sexes	3	-	-	-	1	1	-	-	-	-	1	-	-
Male	2	-	-	-	1	1	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes	10	3	-	1	2	1	1	-	1	-	-	1	-
Male	9	3	-	1	1	1	1	-	1	-	-	1	-
Female	1	-	-	-	1	-	-	-	-	-	-	-	-
Fundus of stomach (C16.1)													
All races, both sexes	3	-	-	-	1	1	-	1	-	-	-	-	-
Male	3	-	-	-	1	1	-	1	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	2	-	-	-	-	1	-	1	-	-	-	-	-
Male	2	-	-	-	-	1	-	1	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	1	-	-	-	1	-	-	-	-	-	-	-	-
Male	1	-	-	-	1	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Body of stomach (C16.2)													
All races, both sexes	3	-	1	-	-	-	1	-	-	-	1	-	-
Male	3	-	1	-	-	-	1	-	-	-	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	2	-	-	-	-	-	1	-	-	-	1	-	-
Male	2	-	-	-	-	-	1	-	-	-	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	1	-	1	-	-	-	-	-	-	-	-	-	-
Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Pyloric antrum (C16.3)													
All races, both sexes	6	-	-	1	1	1	-	1	1	-	-	1	-
Male	3	-	-	1	-	-	-	1	1	-	-	-	-
Female	3	-	-	-	1	1	-	-	-	-	-	1	-
White, both sexes	5	-	-	-	1	1	-	1	1	-	-	1	-
Male	2	-	-	-	-	-	-	1	1	-	-	-	-
Female	3	-	-	-	1	1	-	-	-	-	-	1	-
Black, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	1	-	-	1	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Pylorus (C16.4)													
All races, both sexes	5	-	-	-	1	-	-	1	2	1	-	-	-
Male	3	-	-	-	1	-	-	-	2	-	-	-	-
Female	2	-	-	-	-	-	-	1	-	1	-	-	-
White, both sexes	3	-	-	-	1	-	-	1	1	-	-	-	-
Male	2	-	-	-	1	-	-	-	1	-	-	-	-
Female	1	-	-	-	-	-	-	1	-	-	-	-	-
Black, both sexes	1	-	-	-	-	-	-	-	-	1	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	1	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	-	1	-	-	-	-
Male	1	-	-	-	-	-	-	-	1	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Stomach, unspecified (C16.9)													
All races, both sexes	11,370	996	837	983	960	1,001	960	951	952	908	978	954	890
Male	6,451	565	470	540	545	564	529	553	530	534	547	547	527
Female	4,919	431	367	443	415	437	431	398	422	374	431	407	363
White, both sexes	8,603	750	643	728	744	763	717	738	740	673	754	691	662
Male	4,864	421	363	389	421	427	383	439	414	398	431	388	390
Female	3,739	329	280	339	323	336	334	299	326	275	323	303	272
Black, both sexes	1,994	174	127	175	155	177	169	165	158	182	163	184	165
Male	1,159	101	74	106	89	106	101	86	86	108	85	114	103
Female	835	73	53	69	66	71	68	79	72	74	78	70	62
American Indian 1/, both sexes	81	10	11	6	7	7	7	4	4	5	5	8	7
Male	48	8	5	4	3	5	4	3	4	2	4	2	4
Female	33	2	6	2	4	2	3	1	-	3	1	6	3
Asian or Pacific Islander 2/, both sexes	692	62	56	74	54	54	67	44	50	48	56	71	56
Male	380	35	28	41	32	26	41	25	26	26	27	43	30
Female	312	27	28	33	22	28	26	19	24	22	29	28	26

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Malignant neoplasm of small intestine (C17)													
All races, both sexes	1,070	96	99	87	90	85	86	101	92	95	94	83	62
Male	539	49	53	45	46	38	43	55	41	50	47	44	28
Female	531	47	46	42	44	47	43	46	51	45	47	39	34
White, both sexes	889	82	76	69	79	73	72	86	78	74	80	65	55
Male	443	41	40	41	41	33	34	44	32	38	40	34	25
Female	446	41	36	28	38	40	38	42	46	36	40	31	30
Black, both sexes	154	13	18	13	9	8	13	12	13	18	13	18	6
Male	80	7	11	2	3	3	8	10	8	10	6	10	2
Female	74	6	7	11	6	5	5	2	5	8	7	8	4
American Indian 1/, both sexes	10	-	3	1	1	1	1	1	-	2	-	-	-
Male	6	-	-	-	1	1	1	1	-	2	-	-	-
Female	4	-	3	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	17	1	2	4	1	3	-	2	1	1	1	-	1
Male	10	1	2	2	1	1	-	-	1	-	1	-	1
Female	7	-	-	2	-	2	-	2	-	1	-	-	-
Duodenum (C17.0)													
All races, both sexes	553	56	49	43	33	54	47	49	44	49	52	46	31
Male	277	32	28	20	19	24	22	22	18	28	26	25	13
Female	276	24	21	23	14	30	25	27	26	21	26	21	18
White, both sexes	453	50	39	31	26	46	40	42	36	36	43	37	27
Male	221	27	23	18	15	21	17	17	12	20	21	19	11
Female	232	23	16	13	11	25	23	25	24	16	22	18	16
Black, both sexes	86	6	9	10	6	5	6	5	8	11	8	9	3
Male	49	5	5	2	3	2	4	4	6	7	4	6	1
Female	37	1	4	8	3	3	2	1	2	4	4	3	2
American Indian 1/, both sexes	6	-	1	1	1	-	1	1	-	1	-	-	-
Male	4	-	-	-	1	-	1	1	-	1	-	-	-
Female	2	-	1	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	8	-	-	1	-	3	-	1	-	1	1	-	1
Male	3	-	-	-	-	1	-	-	-	-	1	-	1
Female	5	-	-	1	-	2	-	1	-	1	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Jejunum (C17.1)													
All races, both sexes	38	3	5	3	5	2	2	5	-	4	3	4	2
Male	20	3	2	3	2	1	2	2	-	2	1	2	-
Female	18	-	3	-	3	1	-	3	-	2	2	2	2
White, both sexes	30	1	4	3	4	-	2	5	-	4	2	3	2
Male	16	1	2	3	2	-	2	2	-	2	1	1	-
Female	14	-	2	-	2	-	-	3	-	2	1	2	2
Black, both sexes	5	1	-	-	1	1	-	-	-	-	1	1	-
Male	2	1	-	-	-	-	-	-	-	-	-	1	-
Female	3	-	-	-	1	1	-	-	-	-	1	-	-
American Indian 1/, both sexes	2	-	1	-	-	1	-	-	-	-	-	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	1	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Ileum (C17.2)													
All races, both sexes	26	2	2	3	3	1	2	3	3	2	-	3	2
Male	11	-	1	1	2	-	1	1	1	-	-	2	2
Female	15	2	1	2	1	1	1	2	2	2	-	1	-
White, both sexes	24	2	2	3	3	1	2	3	2	2	-	2	2
Male	10	-	1	1	2	-	1	1	1	-	-	1	2
Female	14	2	1	2	1	1	1	2	1	2	-	1	-
Black, both sexes	2	-	-	-	-	-	-	-	1	-	-	1	-
Male	1	-	-	-	-	-	-	-	-	-	-	1	-
Female	1	-	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Small intestine, unspecified (C17.9)													
All races, both sexes	453	35	43	38	49	28	35	44	45	40	39	30	27
Male	231	14	22	21	23	13	18	30	22	20	20	15	13
Female	222	21	21	17	26	15	17	14	23	20	19	15	14
White, both sexes	382	29	31	32	46	26	28	36	40	32	35	23	24
Male	196	13	14	19	22	12	14	24	19	16	18	13	12
Female	186	16	17	13	24	14	14	12	21	16	17	10	12
Black, both sexes	61	6	9	3	2	2	7	7	4	7	4	7	3
Male	28	1	6	-	-	1	4	6	2	3	2	2	1
Female	33	5	3	3	2	1	3	1	2	4	2	5	2
American Indian 1/, both sexes	2	-	1	-	-	-	-	-	-	1	-	-	-
Male	1	-	-	-	-	-	-	-	-	1	-	-	-
Female	1	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	8	-	2	3	1	-	-	1	1	-	-	-	-
Male	6	-	2	2	1	-	-	-	1	-	-	-	-
Female	2	-	-	1	-	-	-	1	-	-	-	-	-
Malignant neoplasm of colon (C18)													
All races, both sexes	46,868	3,956	3,732	3,940	3,877	3,910	3,731	3,897	4,064	3,866	3,975	3,801	4,119
Male	23,081	1,937	1,803	1,952	1,892	1,917	1,871	1,946	1,974	1,920	1,980	1,855	2,034
Female	23,787	2,019	1,929	1,988	1,985	1,993	1,860	1,951	2,090	1,946	1,995	1,946	2,085
White, both sexes	39,867	3,395	3,171	3,346	3,270	3,326	3,198	3,292	3,457	3,266	3,417	3,211	3,518
Male	19,753	1,662	1,537	1,690	1,603	1,631	1,619	1,666	1,676	1,637	1,708	1,592	1,732
Female	20,114	1,733	1,634	1,656	1,667	1,695	1,579	1,626	1,781	1,629	1,709	1,619	1,786
Black, both sexes	5,951	485	477	508	514	493	446	513	530	513	465	501	506
Male	2,804	234	222	224	239	234	212	239	263	237	214	232	254
Female	3,147	251	255	284	275	259	234	274	267	276	251	269	252
American Indian 1/, both sexes	164	14	10	14	10	10	12	21	6	14	19	17	17
Male	90	7	6	8	6	7	3	11	4	10	13	5	10
Female	74	7	4	6	4	3	9	10	2	4	6	12	7
Asian or Pacific Islander 2/, both sexes	886	62	74	72	83	81	75	71	71	73	74	72	78
Male	434	34	38	30	44	45	37	30	31	36	45	26	38
Female	452	28	36	42	39	36	38	41	40	37	29	46	40

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Cecum (C18.0)													
All races, both sexes	359	24	34	38	28	39	24	25	28	32	27	31	29
Male	147	4	17	14	15	17	8	13	13	12	9	10	15
Female	212	20	17	24	13	22	16	12	15	20	18	21	14
White, both sexes	315	23	30	35	25	34	20	22	22	25	24	28	27
Male	131	3	17	12	13	16	7	12	11	9	8	10	13
Female	184	20	13	23	12	18	13	10	11	16	16	18	14
Black, both sexes	39	1	4	3	2	5	4	2	5	6	3	3	1
Male	13	1	-	2	1	1	1	1	1	3	1	-	1
Female	26	-	4	1	1	4	3	1	4	3	2	3	-
American Indian 1/, both sexes	1	-	-	-	-	-	-	-	1	-	-	-	-
Male	1	-	-	-	-	-	-	-	1	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	4	-	-	-	1	-	-	1	-	1	-	-	1
Male	2	-	-	-	1	-	-	-	-	-	-	-	1
Female	2	-	-	-	-	-	-	1	-	1	-	-	-
Appendix (C18.1)													
All races, both sexes	272	21	25	19	15	30	16	22	30	22	23	29	20
Male	123	13	11	9	6	18	5	9	14	6	11	13	8
Female	149	8	14	10	9	12	11	13	16	16	12	16	12
White, both sexes	219	18	23	15	11	23	14	19	25	19	14	24	14
Male	104	11	11	7	5	13	4	9	13	6	6	12	7
Female	115	7	12	8	6	10	10	10	12	13	8	12	7
Black, both sexes	46	3	2	3	3	7	2	2	4	3	8	4	5
Male	18	2	-	2	1	5	1	-	1	-	4	1	1
Female	28	1	2	1	2	2	1	2	3	3	4	3	4
American Indian 1/, both sexes	2	-	-	-	-	-	-	-	-	-	1	-	1
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes	5	-	-	1	1	-	-	1	1	-	-	1	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	5	-	-	1	1	-	-	1	1	-	-	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Ascending colon (C18.2)													
All races, both sexes	321	36	20	27	27	22	26	28	22	30	42	20	21
Male	146	16	9	14	10	10	13	12	9	10	20	12	11
Female	175	20	11	13	17	12	13	16	13	20	22	8	10
White, both sexes	284	32	17	23	24	17	23	26	20	28	36	19	19
Male	133	14	9	12	9	7	12	12	9	10	17	12	10
Female	151	18	8	11	15	10	11	14	11	18	19	7	9
Black, both sexes	28	4	1	3	3	4	-	2	2	2	4	1	2
Male	9	2	-	2	1	2	-	-	-	-	1	-	1
Female	19	2	1	1	2	2	-	2	2	2	3	1	1
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	9	-	2	1	-	1	3	-	-	-	2	-	-
Male	4	-	-	-	-	1	1	-	-	-	2	-	-
Female	5	-	2	1	-	-	2	-	-	-	-	-	-
Hepatic flexure (C18.3)													
All races, both sexes	10	-	-	-	-	2	2	-	2	3	-	-	1
Male	6	-	-	-	-	1	-	-	2	3	-	-	-
Female	4	-	-	-	-	1	2	-	-	-	-	-	1
White, both sexes	8	-	-	-	-	1	2	-	1	3	-	-	1
Male	4	-	-	-	-	-	-	-	1	3	-	-	-
Female	4	-	-	-	-	1	2	-	-	-	-	-	1
Black, both sexes	2	-	-	-	-	1	-	-	1	-	-	-	-
Male	2	-	-	-	-	1	-	-	1	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Transverse colon (C18.4)													
All races, both sexes	67	11	7	7	5	6	4	5	5	4	7	2	4
Male	26	3	1	4	2	3	3	1	2	3	2	1	1
Female	41	8	6	3	3	3	1	4	3	1	5	1	3
White, both sexes	58	6	6	6	5	6	4	4	4	4	7	2	4
Male	25	2	1	4	2	3	3	1	2	3	2	1	1
Female	33	4	5	2	3	3	1	3	2	1	5	1	3
Black, both sexes	7	3	1	1	-	-	-	1	1	-	-	-	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	6	2	1	1	-	-	-	1	1	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	2	2	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	2	-	-	-	-	-	-	-	-	-	-	-
Splenic flexure (C18.5)													
All races, both sexes	8	1	1	1	-	2	-	-	1	-	2	-	-
Male	5	1	1	-	-	2	-	-	-	-	1	-	-
Female	3	-	-	1	-	-	-	-	1	-	1	-	-
White, both sexes	6	1	1	1	-	-	-	-	1	-	2	-	-
Male	3	1	1	-	-	-	-	-	-	-	1	-	-
Female	3	-	-	1	-	-	-	-	1	-	1	-	-
Black, both sexes	2	-	-	-	-	2	-	-	-	-	-	-	-
Male	2	-	-	-	-	2	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Descending colon (C18.6)													
All races, both sexes	76	5	2	3	6	7	9	9	4	8	6	11	6
Male	40	-	-	2	4	3	5	4	1	6	3	8	4
Female	36	5	2	1	2	4	4	5	3	2	3	3	2
White, both sexes	55	4	1	3	4	4	4	8	4	4	4	10	5
Male	30	-	-	2	3	3	2	4	1	2	2	7	4
Female	25	4	1	1	1	1	2	4	3	2	2	3	1
Black, both sexes	11	-	-	-	2	2	2	-	-	3	1	-	1
Male	5	-	-	-	1	-	1	-	-	3	-	-	-
Female	6	-	-	-	1	2	1	-	-	-	1	-	1
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	10	1	1	-	-	1	3	1	-	1	1	1	-
Male	5	-	-	-	-	-	2	-	-	1	1	1	-
Female	5	1	1	-	-	1	1	1	-	-	-	-	-
Sigmoid colon (C18.7)													
All races, both sexes	446	41	36	39	31	48	30	38	41	33	33	41	35
Male	202	15	13	17	12	26	13	18	18	15	18	24	13
Female	244	26	23	22	19	22	17	20	23	18	15	17	22
White, both sexes	385	37	31	33	26	46	26	32	35	30	26	36	27
Male	183	14	13	16	12	24	10	15	16	14	14	23	12
Female	202	23	18	17	14	22	16	17	19	16	12	13	15
Black, both sexes	37	4	3	6	4	-	3	2	5	2	3	2	3
Male	8	1	-	1	-	-	2	-	2	1	1	-	-
Female	29	3	3	5	4	-	1	2	3	1	2	2	3
American Indian 1/, both sexes	4	-	1	-	-	-	-	-	1	-	2	-	-
Male	2	-	-	-	-	-	-	-	-	-	2	-	-
Female	2	-	1	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes	20	-	1	-	1	2	1	4	-	1	2	3	5
Male	9	-	-	-	-	2	1	3	-	-	1	1	1
Female	11	-	1	-	1	-	-	1	-	1	1	2	4

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Colon, unspecified (C18.9)													
All races, both sexes	45,309	3,817	3,607	3,806	3,765	3,754	3,620	3,770	3,931	3,734	3,835	3,667	4,003
Male	22,386	1,885	1,751	1,892	1,843	1,837	1,824	1,889	1,915	1,865	1,916	1,787	1,982
Female	22,923	1,932	1,856	1,914	1,922	1,917	1,796	1,881	2,016	1,869	1,919	1,880	2,021
White, both sexes	38,537	3,274	3,062	3,230	3,175	3,195	3,105	3,181	3,345	3,153	3,304	3,092	3,421
Male	19,140	1,617	1,485	1,637	1,559	1,565	1,581	1,613	1,623	1,590	1,658	1,527	1,685
Female	19,397	1,657	1,577	1,593	1,616	1,630	1,524	1,568	1,722	1,563	1,646	1,565	1,736
Black, both sexes	5,779	470	466	492	500	472	435	504	512	497	446	491	494
Male	2,746	227	222	217	235	223	207	238	258	230	207	231	251
Female	3,033	243	244	275	265	249	228	266	254	267	239	260	243
American Indian 1/, both sexes	157	14	9	14	10	10	12	21	4	14	16	17	16
Male	86	7	6	8	6	7	3	11	3	10	10	5	10
Female	71	7	3	6	4	3	9	10	1	4	6	12	6
Asian or Pacific Islander 2/, both sexes	836	59	70	70	80	77	68	64	70	70	69	67	72
Male	414	34	38	30	43	42	33	27	31	35	41	24	36
Female	422	25	32	40	37	35	35	37	39	35	28	43	36
Malignant neoplasm of rectosigmoid junction (C19)													
All races, both sexes	2,257	162	164	188	195	200	193	178	183	200	210	194	190
Male	1,227	100	89	91	111	104	101	95	101	104	111	109	111
Female	1,030	62	75	97	84	96	92	83	82	96	99	85	79
White, both sexes	1,950	139	144	169	169	172	157	148	164	170	178	171	169
Male	1,072	83	82	81	96	93	83	79	93	94	93	97	98
Female	878	56	62	88	73	79	74	69	71	76	85	74	71
Black, both sexes	238	17	15	14	17	21	26	26	14	27	26	15	20
Male	114	11	4	7	10	5	15	13	5	9	15	7	13
Female	124	6	11	7	7	16	11	13	9	18	11	8	7
American Indian 1/, both sexes	14	-	2	1	1	2	4	1	-	1	-	2	-
Male	8	-	1	1	-	2	2	1	-	-	-	1	-
Female	6	-	1	-	1	-	2	-	-	1	-	1	-
Asian or Pacific Islander 2/, both sexes	55	6	3	4	8	5	6	3	5	2	6	6	1
Male	33	6	2	2	5	4	1	2	3	1	3	4	-
Female	22	-	1	2	3	1	5	1	2	1	3	2	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Malignant neoplasm of rectum (C20)													
All races, both sexes	6,278	539	476	536	515	484	541	520	576	495	537	512	547
Male	3,513	292	254	291	287	282	305	275	333	298	307	294	295
Female	2,765	247	222	245	228	202	236	245	243	197	230	218	252
White, both sexes	5,414	465	407	472	442	420	467	460	492	420	455	445	469
Male	3,034	253	216	260	246	248	268	244	286	252	261	251	249
Female	2,380	212	191	212	196	172	199	216	206	168	194	194	220
Black, both sexes	692	54	62	50	54	54	55	49	69	61	65	55	64
Male	388	30	32	26	32	29	25	27	37	37	38	37	38
Female	304	24	30	24	22	25	30	22	32	24	27	18	26
American Indian 1/, both sexes	24	3	-	2	4	-	3	1	2	2	2	1	4
Male	12	1	-	2	1	-	2	1	1	2	-	-	2
Female	12	2	-	-	3	-	1	-	1	-	2	1	2
Asian or Pacific Islander 2/, both sexes	148	17	7	12	15	10	16	10	13	12	15	11	10
Male	79	8	6	3	8	5	10	3	9	7	8	6	6
Female	69	9	1	9	7	5	6	7	4	5	7	5	4
Malignant neoplasm of anus and anal canal (C21)													
All races, both sexes	555	51	38	43	39	60	41	43	55	45	32	50	58
Male	186	20	12	13	9	23	11	14	19	14	12	20	19
Female	369	31	26	30	30	37	30	29	36	31	20	30	39
White, both sexes	480	46	34	38	36	53	38	35	47	40	28	38	47
Male	154	17	10	10	8	21	10	10	15	12	8	17	16
Female	326	29	24	28	28	32	28	25	32	28	20	21	31
Black, both sexes	62	5	3	4	3	7	3	6	7	5	3	9	7
Male	29	3	2	2	1	2	1	4	4	2	3	2	3
Female	33	2	1	2	2	5	2	2	3	3	-	7	4
American Indian 1/, both sexes	3	-	1	-	-	-	-	-	-	-	1	-	1
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	2	-	1	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes	10	-	-	1	-	-	-	2	1	-	-	3	3
Male	2	-	-	1	-	-	-	-	-	-	-	1	-
Female	8	-	-	-	-	-	-	2	1	-	-	2	3

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Anus, unspecified (C21.0)													
All races, both sexes	443	42	31	37	28	49	33	33	43	39	23	37	48
Male	150	15	10	11	5	21	10	10	13	13	11	14	17
Female	293	27	21	26	23	28	23	23	30	26	12	23	31
White, both sexes	384	37	27	32	26	45	30	28	36	34	19	29	41
Male	124	12	8	8	5	20	9	7	10	11	7	12	15
Female	260	25	19	24	21	25	21	21	26	23	12	17	26
Black, both sexes	51	5	3	4	2	4	3	4	6	5	3	7	5
Male	24	3	2	2	-	1	1	3	3	2	3	2	2
Female	27	2	1	2	2	3	2	1	3	3	-	5	3
American Indian 1/, both sexes	2	-	1	-	-	-	-	-	-	-	1	-	-
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	1	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	6	-	-	1	-	-	-	1	1	-	-	1	2
Male	1	-	-	1	-	-	-	-	-	-	-	-	-
Female	5	-	-	-	-	-	-	1	1	-	-	1	2
Anal canal (C21.1)													
All races, both sexes	34	3	3	3	3	3	3	2	2	3	3	2	4
Male	9	2	2	-	1	1	-	1	1	-	-	1	-
Female	25	1	1	3	2	2	3	1	1	3	3	1	4
White, both sexes	31	3	3	3	3	1	3	2	2	3	3	2	3
Male	8	2	2	-	1	-	-	1	1	-	-	1	-
Female	23	1	1	3	2	1	3	1	1	3	3	1	3
Black, both sexes	2	-	-	-	-	2	-	-	-	-	-	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Cloacogenic zone (C21.2)													
All races, both sexes	10	-	-	1	1	3	-	-	1	-	1	2	1
Male	2	-	-	-	1	-	-	-	1	-	-	-	-
Female	8	-	-	1	-	3	-	-	-	-	1	2	1
White, both sexes	9	-	-	1	-	3	-	-	1	-	1	2	1
Male	1	-	-	-	-	-	-	-	1	-	-	-	-
Female	8	-	-	1	-	3	-	-	-	-	1	2	1
Black, both sexes	1	-	-	-	1	-	-	-	-	-	-	-	-
Male	1	-	-	-	1	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Overlapping lesion of rectum, anus, and anal canal (C21.8)													
All races, both sexes	68	6	4	2	7	5	5	8	9	3	5	9	5
Male	25	3	-	2	2	1	1	3	4	1	1	5	2
Female	43	3	4	-	5	4	4	5	5	2	4	4	3
White, both sexes	56	6	4	2	7	4	5	5	8	3	5	5	2
Male	21	3	-	2	2	1	1	2	3	1	1	4	1
Female	35	3	4	-	5	3	4	3	5	2	4	1	1
Black, both sexes	8	-	-	-	-	1	-	2	1	-	-	2	2
Male	3	-	-	-	-	-	-	1	1	-	-	-	1
Female	5	-	-	-	-	1	-	1	-	-	-	2	1
American Indian 1/, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes	3	-	-	-	-	-	-	1	-	-	-	2	-
Male	1	-	-	-	-	-	-	-	-	-	-	1	-
Female	2	-	-	-	-	-	-	1	-	-	-	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Malignant neoplasm of liver and intrahepatic bile ducts (C22)													
All races, both sexes	14,706	1,223	1,089	1,256	1,252	1,257	1,204	1,248	1,273	1,191	1,219	1,242	1,252
Male	9,482	764	694	821	817	832	748	805	819	777	811	801	793
Female	5,224	459	395	435	435	425	456	443	454	414	408	441	459
White, both sexes	11,660	971	884	1,016	991	982	926	1,005	1,015	945	973	972	980
Male	7,489	610	564	662	643	657	576	643	645	603	642	627	617
Female	4,171	361	320	354	348	325	350	362	370	342	331	345	363
Black, both sexes	1,877	159	124	140	159	168	174	147	154	159	168	163	162
Male	1,234	103	80	88	103	103	111	90	100	112	124	110	110
Female	643	56	44	52	56	65	63	57	54	47	44	53	52
American Indian 1/, both sexes	105	7	7	13	14	8	9	8	10	7	2	13	7
Male	71	3	4	11	8	5	8	5	6	4	1	10	6
Female	34	4	3	2	6	3	1	3	4	3	1	3	1
Asian or Pacific Islander 2/, both sexes	1,064	86	74	87	88	99	95	88	94	80	76	94	103
Male	688	48	46	60	63	67	53	67	68	58	44	54	60
Female	376	38	28	27	25	32	42	21	26	22	32	40	43
Liver cell carcinoma (C22.0)													
All races, both sexes	6,137	516	453	524	516	557	490	537	502	496	501	524	521
Male	4,588	376	336	403	389	423	358	402	382	365	384	386	384
Female	1,549	140	117	121	127	134	132	135	120	131	117	138	137
White, both sexes	4,565	382	344	387	368	418	358	403	381	373	376	387	388
Male	3,441	287	261	301	284	319	260	298	293	271	292	293	282
Female	1,124	95	83	86	84	99	98	105	88	102	84	94	106
Black, both sexes	870	72	61	70	83	74	75	73	63	74	75	78	72
Male	668	53	46	52	62	58	60	53	47	56	63	57	61
Female	202	19	15	18	21	16	15	20	16	18	12	21	11
American Indian 1/, both sexes	51	5	5	11	8	4	3	4	2	-	1	6	2
Male	39	2	4	10	5	3	3	4	2	-	-	4	2
Female	12	3	1	1	3	1	-	-	-	-	1	2	-
Asian or Pacific Islander 2/, both sexes	651	57	43	56	57	61	54	57	56	49	49	53	59
Male	440	34	25	40	38	43	35	47	40	38	29	32	39
Female	211	23	18	16	19	18	19	10	16	11	20	21	20

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Intrahepatic bile duct carcinoma (C22.1)													
All races, both sexes	3,283	274	253	270	280	285	287	278	282	261	277	245	291
Male	1,659	131	126	121	143	149	140	142	136	143	149	127	152
Female	1,624	143	127	149	137	136	147	136	146	118	128	118	139
White, both sexes	2,836	245	218	240	243	237	245	246	239	226	243	208	246
Male	1,436	122	107	107	123	128	125	126	114	121	130	106	127
Female	1,400	123	111	133	120	109	120	120	125	105	113	102	119
Black, both sexes	279	19	23	16	20	31	27	21	27	25	24	22	24
Male	134	8	12	7	9	11	11	11	11	17	13	12	12
Female	145	11	11	9	11	20	16	10	16	8	11	10	12
American Indian 1/, both sexes	22	-	1	2	4	2	1	2	3	2	1	1	3
Male	11	-	-	1	1	-	1	1	1	1	1	1	3
Female	11	-	1	1	3	2	-	1	2	1	-	-	-
Asian or Pacific Islander 2/, both sexes	146	10	11	12	13	15	14	9	13	8	9	14	18
Male	78	1	7	6	10	10	3	4	10	4	5	8	10
Female	68	9	4	6	3	5	11	5	3	4	4	6	8
Hepatoblastoma (C22.2)													
All races, both sexes	35	2	-	1	6	2	6	2	6	2	2	3	3
Male	23	1	-	1	4	1	3	1	4	1	2	3	2
Female	12	1	-	-	2	1	3	1	2	1	-	-	1
White, both sexes	28	2	-	1	5	1	4	1	5	2	2	2	3
Male	20	1	-	1	4	-	2	1	4	1	2	2	2
Female	8	1	-	-	1	1	2	-	1	1	-	-	1
Black, both sexes	3	-	-	-	1	-	1	1	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	3	-	-	-	1	-	1	1	-	-	-	-	-
American Indian 1/, both sexes	3	-	-	-	-	-	1	-	1	-	-	1	-
Male	2	-	-	-	-	-	1	-	-	-	-	1	-
Female	1	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Angiosarcoma of liver (C22.3)													
All races, both sexes	20	2	2	1	-	2	1	2	2	3	2	2	1
Male	13	1	1	1	-	2	1	1	2	1	1	1	1
Female	7	1	1	-	-	-	-	1	-	2	1	1	-
White, both sexes	18	1	2	1	-	2	1	2	2	3	1	2	1
Male	12	-	1	1	-	2	1	1	2	1	1	1	1
Female	6	1	1	-	-	-	-	1	-	2	-	1	-
Black, both sexes	2	1	-	-	-	-	-	-	-	-	1	-	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Liver, unspecified (C22.9)													
All races, both sexes	5,231	429	381	460	450	411	420	429	481	429	437	468	436
Male	3,199	255	231	295	281	257	246	259	295	267	275	284	254
Female	2,032	174	150	165	169	154	174	170	186	162	162	184	182
White, both sexes	4,213	341	320	387	375	324	318	353	388	341	351	373	342
Male	2,580	200	195	252	232	208	188	217	232	209	217	225	205
Female	1,633	141	125	135	143	116	130	136	156	132	134	148	137
Black, both sexes	723	67	40	54	55	63	71	52	64	60	68	63	66
Male	431	41	22	29	32	34	40	26	42	39	48	41	37
Female	292	26	18	25	23	29	31	26	22	21	20	22	29
American Indian 1/, both sexes	29	2	1	-	2	2	4	2	4	5	-	5	2
Male	19	1	-	-	2	2	3	-	3	3	-	4	1
Female	10	1	1	-	-	-	1	2	1	2	-	1	1
Asian or Pacific Islander 2/, both sexes	266	19	20	19	18	22	27	22	25	23	18	27	26
Male	169	13	14	14	15	13	15	16	18	16	10	14	11
Female	97	6	6	5	3	9	12	6	7	7	8	13	15

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Malignant neoplasm of gallbladder (C23)													
All races, both sexes	1,915	142	140	168	146	180	150	152	171	154	172	164	176
Male	597	42	37	51	53	55	54	50	48	53	48	55	51
Female	1,318	100	103	117	93	125	96	102	123	101	124	109	125
White, both sexes	1,650	119	117	139	134	162	127	137	147	138	148	137	145
Male	520	39	30	41	50	51	47	47	43	44	42	44	42
Female	1,130	80	87	98	84	111	80	90	104	94	106	93	103
Black, both sexes	177	17	15	17	7	12	16	12	16	13	16	18	18
Male	44	3	3	4	2	3	4	1	4	7	3	5	5
Female	133	14	12	13	5	9	12	11	12	6	13	13	13
American Indian 1/, both sexes	23	2	3	4	2	2	-	1	2	-	1	2	4
Male	8	-	2	1	1	1	-	1	-	-	-	1	1
Female	15	2	1	3	1	1	-	-	2	-	1	1	3
Asian or Pacific Islander 2/, both sexes	65	4	5	8	3	4	7	2	6	3	7	7	9
Male	25	-	2	5	-	-	3	1	1	2	3	5	3
Female	40	4	3	3	3	4	4	1	5	1	4	2	6
Malignant neoplasm of other and unspecified parts of biliary tract (C24)													
All races, both sexes	1,491	156	103	128	110	114	112	136	135	127	140	110	120
Male	709	69	55	59	59	49	48	63	69	62	66	51	59
Female	782	87	48	69	51	65	64	73	66	65	74	59	61
White, both sexes	1,319	132	90	111	100	107	98	122	113	117	121	100	108
Male	629	63	45	54	53	47	40	56	57	60	57	44	53
Female	690	69	45	57	47	60	58	66	56	57	64	56	55
Black, both sexes	108	15	8	13	5	4	10	7	17	6	10	4	9
Male	46	2	7	4	3	2	5	2	9	2	3	2	5
Female	62	13	1	9	2	2	5	5	8	4	7	2	4
American Indian 1/, both sexes	5	2	-	-	1	-	-	-	-	1	1	-	-
Male	3	1	-	-	1	-	-	-	-	-	1	-	-
Female	2	1	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes	59	7	5	4	4	3	4	7	5	3	8	6	3
Male	31	3	3	1	2	-	3	5	3	-	5	5	1
Female	28	4	2	3	2	3	1	2	2	3	3	1	2

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Extrahepatic bile duct (C24.0)													
All races, both sexes	683	68	49	60	58	40	42	67	70	51	73	56	49
Male	325	35	26	29	33	19	16	31	34	20	35	26	21
Female	358	33	23	31	25	21	26	36	36	31	38	30	28
White, both sexes	608	57	42	52	52	38	39	63	59	47	63	50	46
Male	292	33	22	26	29	19	14	29	29	19	30	22	20
Female	316	24	20	26	23	19	25	34	30	28	33	28	26
Black, both sexes	46	7	4	5	4	-	1	3	9	3	6	1	3
Male	17	1	3	2	2	-	-	1	4	1	2	-	1
Female	29	6	1	3	2	-	1	2	5	2	4	1	2
American Indian 1/, both sexes	2	-	-	-	1	-	-	-	-	-	1	-	-
Male	2	-	-	-	1	-	-	-	-	-	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	27	4	3	3	1	2	2	1	2	1	3	5	-
Male	14	1	1	1	1	-	2	1	1	-	2	4	-
Female	13	3	2	2	-	2	-	-	1	1	1	1	-
Ampulla of Vater (C24.1)													
All races, both sexes	164	11	12	16	11	19	15	16	15	13	13	13	10
Male	93	5	7	10	8	10	6	11	8	8	8	6	6
Female	71	6	5	6	3	9	9	5	7	5	5	7	4
White, both sexes	143	10	11	13	9	17	12	15	14	13	9	11	9
Male	83	5	6	10	7	9	5	10	7	8	5	5	6
Female	60	5	5	3	2	8	7	5	7	5	4	6	3
Black, both sexes	12	-	-	2	1	2	2	-	1	-	2	2	-
Male	6	-	-	-	1	1	1	-	1	-	1	1	-
Female	6	-	-	2	-	1	1	-	-	-	1	1	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	9	1	1	1	1	-	1	1	-	-	2	-	1
Male	4	-	1	-	-	-	-	1	-	-	2	-	-
Female	5	1	-	1	1	-	1	-	-	-	-	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Overlapping lesion of biliary tract (C24.8)													
All races, both sexes	1	-	1	-	-	-	-	-	-	-	-	-	-
Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	1	-	-	-	-	-	-	-	-	-	-
Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Biliary tract, unspecified (C24.9)													
All races, both sexes	643	77	41	52	41	55	55	53	50	63	54	41	61
Male	290	29	21	20	18	20	26	21	27	34	23	19	32
Female	353	48	20	32	23	35	29	32	23	29	31	22	29
White, both sexes	567	65	36	46	39	52	47	44	40	57	49	39	53
Male	253	25	16	18	17	19	21	17	21	33	22	17	27
Female	314	40	20	28	22	33	26	27	19	24	27	22	26
Black, both sexes	50	8	4	6	-	2	7	4	7	3	2	1	6
Male	23	1	4	2	-	1	4	1	4	1	-	1	4
Female	27	7	-	4	-	1	3	3	3	2	2	-	2
American Indian 1/, both sexes	3	2	-	-	-	-	-	-	-	1	-	-	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	2	1	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes	23	2	1	-	2	1	1	5	3	2	3	1	2
Male	13	2	1	-	1	-	1	3	2	-	1	1	1
Female	10	-	-	-	1	1	-	2	1	2	2	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Malignant neoplasm of pancreas (C25)													
All races, both sexes	30,777	2,663	2,313	2,625	2,426	2,583	2,486	2,550	2,693	2,598	2,647	2,484	2,709
Male	15,060	1,278	1,110	1,304	1,213	1,239	1,224	1,276	1,317	1,244	1,304	1,220	1,331
Female	15,717	1,385	1,203	1,321	1,213	1,344	1,262	1,274	1,376	1,354	1,343	1,264	1,378
White, both sexes	26,418	2,270	1,977	2,256	2,062	2,248	2,165	2,174	2,323	2,210	2,271	2,141	2,321
Male	13,033	1,115	954	1,146	1,026	1,072	1,065	1,088	1,156	1,072	1,128	1,077	1,134
Female	13,385	1,155	1,023	1,110	1,036	1,176	1,100	1,086	1,167	1,138	1,143	1,064	1,187
Black, both sexes	3,616	333	277	299	305	275	270	319	303	322	320	279	314
Male	1,675	145	129	125	159	130	134	162	135	148	143	115	150
Female	1,941	188	148	174	146	145	136	157	168	174	177	164	164
American Indian 1/, both sexes	103	8	8	10	11	6	7	8	10	10	5	9	11
Male	51	4	3	5	8	3	3	4	6	2	3	4	6
Female	52	4	5	5	3	3	4	4	4	8	2	5	5
Asian or Pacific Islander 2/, both sexes	640	52	51	60	48	54	44	49	57	56	51	55	63
Male	301	14	24	28	20	34	22	22	20	22	30	24	41
Female	339	38	27	32	28	20	22	27	37	34	21	31	22
Head of pancreas (C25.0)													
All races, both sexes	144	12	11	17	17	12	8	14	12	13	12	7	9
Male	66	5	4	6	7	5	5	7	5	6	6	4	6
Female	78	7	7	11	10	7	3	7	7	7	6	3	3
White, both sexes	126	10	11	16	16	11	8	12	10	10	9	5	8
Male	58	5	4	6	6	4	5	6	5	6	4	2	5
Female	68	5	7	10	10	7	3	6	5	4	5	3	3
Black, both sexes	16	1	-	1	1	1	-	2	2	3	2	2	1
Male	7	-	-	-	1	1	-	1	-	-	1	2	1
Female	9	1	-	1	-	-	-	1	2	3	1	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	2	1	-	-	-	-	-	-	-	-	1	-	-
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Body of pancreas (C25.1)													
All races, both sexes	7	1	-	-	1	1	2	1	1	-	-	-	-
Male	5	1	-	-	1	-	2	1	-	-	-	-	-
Female	2	-	-	-	-	1	-	-	1	-	-	-	-
White, both sexes	7	1	-	-	1	1	2	1	1	-	-	-	-
Male	5	1	-	-	1	-	2	1	-	-	-	-	-
Female	2	-	-	-	-	1	-	-	1	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Tail of pancreas (C25.2)													
All races, both sexes	11	-	1	1	1	2	2	-	1	1	1	1	-
Male	7	-	1	1	1	1	1	-	-	1	1	-	-
Female	4	-	-	-	-	1	1	-	1	-	-	1	-
White, both sexes	10	-	1	1	1	2	2	-	1	1	-	1	-
Male	6	-	1	1	1	1	1	-	-	1	-	-	-
Female	4	-	-	-	-	1	1	-	1	-	-	1	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Pancreatic duct (C25.3)													
All races, both sexes	13	-	1	2	2	2	1	1	2	-	1	1	-
Male	4	-	-	2	1	-	-	1	-	-	-	-	-
Female	9	-	1	-	1	2	1	-	2	-	1	1	-
White, both sexes	11	-	-	2	2	2	1	1	1	-	1	1	-
Male	4	-	-	2	1	-	-	1	-	-	-	-	-
Female	7	-	-	-	1	2	1	-	1	-	1	1	-
Black, both sexes	1	-	1	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	-	1	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	1	-	-	-	-
Endocrine pancreas (C25.4)													
All races, both sexes	133	22	14	10	7	17	12	12	8	8	6	8	9
Male	76	14	8	7	4	8	6	9	3	2	2	5	8
Female	57	8	6	3	3	9	6	3	5	6	4	3	1
White, both sexes	118	20	12	8	6	14	11	12	8	7	5	7	8
Male	69	13	6	5	4	8	5	9	3	2	1	5	8
Female	49	7	6	3	2	6	6	3	5	5	4	2	-
Black, both sexes	12	2	1	2	1	3	1	-	-	-	1	-	1
Male	6	1	1	2	-	-	1	-	-	-	1	-	-
Female	6	1	-	-	1	3	-	-	-	-	-	-	1
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	3	-	1	-	-	-	-	-	-	1	-	1	-
Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	-	1	-	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other parts of pancreas (C25.7)													
All races, both sexes	1	-	-	-	-	-	-	-	-	-	-	1	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-
White, both sexes	1	-	-	-	-	-	-	-	-	-	-	1	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Pancreas, unspecified (C25.9)													
All races, both sexes	30,468	2,628	2,286	2,595	2,398	2,549	2,461	2,522	2,669	2,576	2,627	2,466	2,691
Male	14,902	1,258	1,097	1,288	1,199	1,225	1,210	1,258	1,309	1,235	1,295	1,211	1,317
Female	15,566	1,370	1,189	1,307	1,199	1,324	1,251	1,264	1,360	1,341	1,332	1,255	1,374
White, both sexes	26,145	2,239	1,953	2,229	2,036	2,218	2,141	2,148	2,302	2,192	2,256	2,126	2,305
Male	12,891	1,096	943	1,132	1,013	1,059	1,052	1,071	1,148	1,063	1,123	1,070	1,121
Female	13,254	1,143	1,010	1,097	1,023	1,159	1,089	1,077	1,154	1,129	1,133	1,056	1,184
Black, both sexes	3,587	330	275	296	303	271	269	317	301	319	317	277	312
Male	1,662	144	128	123	158	129	133	161	135	148	141	113	149
Female	1,925	186	147	173	145	142	136	156	166	171	176	164	163
American Indian 1/, both sexes	103	8	8	10	11	6	7	8	10	10	5	9	11
Male	51	4	3	5	8	3	3	4	6	2	3	4	6
Female	52	4	5	5	3	3	4	4	4	8	2	5	5
Asian or Pacific Islander 2/, both sexes	633	51	50	60	48	54	44	49	56	55	49	54	63
Male	298	14	23	28	20	34	22	22	20	22	28	24	41
Female	335	37	27	32	28	20	22	27	36	33	21	30	22

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Malignant neoplasm of other and ill-defined digestive organs (C26)													
All races, both sexes	1,347	126	98	116	101	113	116	109	133	103	106	123	103
Male	664	62	49	57	51	51	54	55	61	59	56	61	48
Female	683	64	49	59	50	62	62	54	72	44	50	62	55
White, both sexes	1,163	113	89	104	87	94	99	94	113	87	93	109	81
Male	570	54	42	50	43	46	50	49	52	50	47	50	37
Female	593	59	47	54	44	48	49	45	61	37	46	59	44
Black, both sexes	151	10	9	11	10	14	13	14	16	14	11	11	18
Male	79	6	7	6	6	4	4	6	7	9	7	8	9
Female	72	4	2	5	4	10	9	8	9	5	4	3	9
American Indian 1/, both sexes	5	1	-	-	1	1	-	-	1	-	1	-	-
Male	3	1	-	-	1	-	-	-	-	-	1	-	-
Female	2	-	-	-	-	1	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes	28	2	-	1	3	4	4	1	3	2	1	3	4
Male	12	1	-	1	1	1	-	-	2	-	1	3	2
Female	16	1	-	-	2	3	4	1	1	2	-	-	2
Intestinal tract, part unspecified (C26.0)													
All races, both sexes	381	43	21	32	28	32	37	29	34	24	28	41	32
Male	170	19	6	12	13	15	16	13	18	14	15	15	14
Female	211	24	15	20	15	17	21	16	16	10	13	26	18
White, both sexes	342	38	21	28	24	29	34	26	30	22	24	37	29
Male	151	16	6	11	11	15	15	12	15	13	12	12	13
Female	191	22	15	17	13	14	19	14	15	9	12	25	16
Black, both sexes	30	4	-	4	2	2	2	2	3	2	3	3	3
Male	15	2	-	1	1	-	1	1	3	1	2	2	1
Female	15	2	-	3	1	2	1	1	-	1	1	1	2
American Indian 1/, both sexes	1	-	-	-	-	-	-	-	1	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes	8	1	-	-	2	1	1	1	-	-	1	1	-
Male	4	1	-	-	1	-	-	-	-	-	1	1	-
Female	4	-	-	-	1	1	1	1	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Spleen (C26.1)													
All races, both sexes	16	2	2	1	1	3	3	1	-	1	1	-	1
Male	7	1	2	-	1	1	-	1	-	-	1	-	-
Female	9	1	-	1	-	2	3	-	-	1	-	-	1
White, both sexes	12	1	2	1	-	2	3	-	-	1	1	-	1
Male	5	1	2	-	-	1	-	-	-	-	1	-	-
Female	7	-	-	1	-	1	3	-	-	1	-	-	1
Black, both sexes	3	1	-	-	-	1	-	1	-	-	-	-	-
Male	1	-	-	-	-	-	-	1	-	-	-	-	-
Female	2	1	-	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes	1	-	-	-	1	-	-	-	-	-	-	-	-
Male	1	-	-	-	1	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Ill-defined sites within the digestive system (C26.9)													
All races, both sexes	950	81	75	83	72	78	76	79	99	78	77	82	70
Male	487	42	41	45	37	35	38	41	43	45	40	46	34
Female	463	39	34	38	35	43	38	38	56	33	37	36	36
White, both sexes	809	74	66	75	63	63	62	68	83	64	68	72	51
Male	414	37	34	39	32	30	35	37	37	37	34	38	24
Female	395	37	32	36	31	33	27	31	46	27	34	34	27
Black, both sexes	118	5	9	7	8	11	11	11	13	12	8	8	15
Male	63	4	7	5	5	4	3	4	4	8	5	6	8
Female	55	1	2	2	3	7	8	7	9	4	3	2	7
American Indian 1/, both sexes	3	1	-	-	-	1	-	-	-	-	1	-	-
Male	2	1	-	-	-	-	-	-	-	-	1	-	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	20	1	-	1	1	3	3	-	3	2	-	2	4
Male	8	-	-	1	-	1	-	-	2	-	-	2	2
Female	12	1	-	-	1	2	3	-	1	2	-	-	2

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Malignant neoplasm of nasal cavity and middle ear (C30)													
All races, both sexes	48	8	3	4	1	5	5	4	3	5	5	3	2
Male	32	5	2	3	-	3	3	4	3	3	3	2	1
Female	16	3	1	1	1	2	2	-	-	2	2	1	1
White, both sexes	41	8	3	4	1	4	2	4	2	4	4	3	2
Male	26	5	2	3	-	2	1	4	2	2	2	2	1
Female	15	3	1	1	1	2	1	-	-	2	2	1	1
Black, both sexes	4	-	-	-	-	1	1	-	1	1	-	-	-
Male	3	-	-	-	-	1	-	-	1	1	-	-	-
Female	1	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	3	-	-	-	-	-	2	-	-	-	1	-	-
Male	3	-	-	-	-	-	2	-	-	-	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Nasal cavity (C30.0)													
All races, both sexes	35	6	2	4	1	2	3	2	1	4	5	3	2
Male	24	4	2	3	-	2	2	2	1	2	3	2	1
Female	11	2	-	1	1	-	1	-	-	2	2	1	1
White, both sexes	30	6	2	4	1	1	2	2	-	3	4	3	2
Male	19	4	2	3	-	1	1	2	-	1	2	2	1
Female	11	2	-	1	1	-	1	-	-	2	2	1	1
Black, both sexes	3	-	-	-	-	1	-	-	1	1	-	-	-
Male	3	-	-	-	-	1	-	-	1	1	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	2	-	-	-	-	-	1	-	-	-	1	-	-
Male	2	-	-	-	-	-	1	-	-	-	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Middle ear (C30.1)													
All races, both sexes	13	2	1	-	-	3	2	2	2	1	-	-	-
Male	8	1	-	-	-	1	1	2	2	1	-	-	-
Female	5	1	1	-	-	2	1	-	-	-	-	-	-
White, both sexes	11	2	1	-	-	3	-	2	2	1	-	-	-
Male	7	1	-	-	-	1	-	2	2	1	-	-	-
Female	4	1	1	-	-	2	-	-	-	-	-	-	-
Black, both sexes	1	-	-	-	-	-	1	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	1	-	-	-	-	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of accessory sinuses (C31)													
All races, both sexes	409	31	37	43	29	35	39	32	26	34	41	31	31
Male	250	18	24	18	17	26	25	21	19	20	24	20	18
Female	159	13	13	25	12	9	14	11	7	14	17	11	13
White, both sexes	358	26	37	39	23	31	33	28	25	29	34	25	28
Male	214	15	24	17	13	23	20	18	18	17	18	16	15
Female	144	11	13	22	10	8	13	10	7	12	16	9	13
Black, both sexes	43	4	-	3	6	3	4	4	1	5	5	5	3
Male	31	2	-	-	4	3	4	3	1	3	4	4	3
Female	12	2	-	3	2	-	-	1	-	2	1	1	-
American Indian 1/, both sexes	2	-	-	1	-	-	-	-	-	-	1	-	-
Male	2	-	-	1	-	-	-	-	-	-	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	6	1	-	-	-	1	2	-	-	-	1	1	-
Male	3	1	-	-	-	-	1	-	-	-	1	-	-
Female	3	-	-	-	-	1	1	-	-	-	-	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Maxillary sinus (C31.0)													
All races, both sexes	165	17	9	13	8	21	17	13	10	12	18	15	12
Male	107	11	7	6	5	16	12	8	8	7	8	10	9
Female	58	6	2	7	3	5	5	5	2	5	10	5	3
White, both sexes	143	13	9	11	7	20	15	12	9	10	16	11	10
Male	91	8	7	5	4	15	11	7	7	6	6	8	7
Female	52	5	2	6	3	5	4	5	2	4	10	3	3
Black, both sexes	17	3	-	1	1	1	1	1	1	2	1	3	2
Male	13	2	-	-	1	1	1	1	1	1	1	2	2
Female	4	1	-	1	-	-	-	-	-	1	-	1	-
American Indian 1/, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	1	-	-	1	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	4	1	-	-	-	-	1	-	-	-	1	1	-
Male	2	1	-	-	-	-	-	-	-	-	1	-	-
Female	2	-	-	-	-	-	1	-	-	-	-	1	-
Ethmoidal sinus (C31.1)													
All races, both sexes	23	2	2	4	-	1	-	2	2	4	3	3	-
Male	13	-	2	2	-	1	-	1	2	3	1	1	-
Female	10	2	-	2	-	-	-	1	-	1	2	2	-
White, both sexes	23	2	2	4	-	1	-	2	2	4	3	3	-
Male	13	-	2	2	-	1	-	1	2	3	1	1	-
Female	10	2	-	2	-	-	-	1	-	1	2	2	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Frontal sinus (C31.2)													
All races, both sexes	2	-	1	-	-	-	-	-	-	-	-	1	-
Male	2	-	1	-	-	-	-	-	-	-	-	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	2	-	1	-	-	-	-	-	-	-	-	1	-
Male	2	-	1	-	-	-	-	-	-	-	-	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Sphenoidal sinus (C31.3)													
All races, both sexes	11	2	-	2	1	-	1	1	-	1	1	-	2
Male	7	2	-	2	1	-	1	-	-	-	-	-	1
Female	4	-	-	-	-	-	-	1	-	1	1	-	1
White, both sexes	11	2	-	2	1	-	1	1	-	1	1	-	2
Male	7	2	-	2	1	-	1	-	-	-	-	-	1
Female	4	-	-	-	-	-	-	1	-	1	1	-	1
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Accessory sinus, unspecified (C31.9)													
All races, both sexes	208	10	25	24	20	13	21	16	14	17	19	12	17
Male	121	5	14	8	11	9	12	12	9	10	15	8	8
Female	87	5	11	16	9	4	9	4	5	7	4	4	9
White, both sexes	179	9	25	22	15	10	17	13	14	14	14	10	16
Male	101	5	14	8	8	7	8	10	9	8	11	6	7
Female	78	4	11	14	7	3	9	3	5	6	3	4	9
Black, both sexes	26	1	-	2	5	2	3	3	-	3	4	2	1
Male	18	-	-	-	3	2	3	2	-	2	3	2	1
Female	8	1	-	2	2	-	-	1	-	1	1	-	-
American Indian 1/, both sexes	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	2	-	-	-	-	1	1	-	-	-	-	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-
Malignant neoplasm of larynx (C32)													
All races, both sexes	3,792	328	314	302	317	304	283	319	311	302	347	311	354
Male	3,020	267	246	236	242	244	228	258	258	242	274	253	272
Female	772	61	68	66	75	60	55	61	53	60	73	58	82
White, both sexes	3,052	254	255	243	254	244	238	247	240	250	283	256	288
Male	2,410	201	198	190	198	192	191	194	201	199	222	202	222
Female	642	53	57	53	56	52	47	53	39	51	61	54	66
Black, both sexes	693	73	55	54	59	57	41	68	66	46	59	53	62
Male	571	65	44	43	40	49	33	61	53	38	48	49	48
Female	122	8	11	11	19	8	8	7	13	8	11	4	14
American Indian 1/, both sexes	14	-	2	1	-	2	-	1	1	2	2	1	2
Male	11	-	2	-	-	2	-	1	1	1	2	1	1
Female	3	-	-	1	-	-	-	-	-	1	-	-	1
Asian or Pacific Islander 2/, both sexes	33	1	2	4	4	1	4	3	4	4	3	1	2
Male	28	1	2	3	4	1	4	2	3	4	2	1	1
Female	5	-	-	1	-	-	-	1	1	-	1	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Glottis (C32.0)													
All races, both sexes	93	7	9	6	4	6	13	6	3	9	11	10	9
Male	79	5	8	5	3	6	9	6	2	8	10	8	9
Female	14	2	1	1	1	-	4	-	1	1	1	2	-
White, both sexes	77	6	6	4	4	6	12	4	2	7	9	9	8
Male	66	5	5	4	3	6	8	4	1	6	8	8	8
Female	11	1	1	-	1	-	4	-	1	1	1	1	-
Black, both sexes	15	1	3	2	-	-	1	2	1	1	2	1	1
Male	12	-	3	1	-	-	1	2	1	1	2	-	1
Female	3	1	-	1	-	-	-	-	-	-	-	1	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	-	-	1	-	-	-
Male	1	-	-	-	-	-	-	-	-	1	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Supraglottis (C32.1)													
All races, both sexes	188	18	15	8	17	21	20	18	16	14	19	9	13
Male	139	12	11	6	14	14	14	14	13	9	14	9	9
Female	49	6	4	2	3	7	6	4	3	5	5	-	4
White, both sexes	159	12	14	7	15	18	17	12	16	12	18	7	11
Male	113	7	10	5	12	11	12	8	13	8	13	7	7
Female	46	5	4	2	3	7	5	4	3	4	5	-	4
Black, both sexes	28	6	1	1	2	3	3	6	-	1	1	2	2
Male	25	5	1	1	2	3	2	6	-	-	1	2	2
Female	3	1	-	-	-	-	1	-	-	1	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	-	-	1	-	-	-
Male	1	-	-	-	-	-	-	-	-	1	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Subglottis (C32.2)													
All races, both sexes	9	1	-	-	-	-	-	2	1	1	1	1	2
Male	8	1	-	-	-	-	-	1	1	1	1	1	2
Female	1	-	-	-	-	-	-	1	-	-	-	-	-
White, both sexes	8	-	-	-	-	-	-	2	1	1	1	1	2
Male	7	-	-	-	-	-	-	1	1	1	1	1	2
Female	1	-	-	-	-	-	-	1	-	-	-	-	-
Black, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Laryngeal cartilage (C32.3)													
All races, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	1
White, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	1
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Larynx, unspecified (C32.9)													
All races, both sexes	3,501	302	290	288	296	277	250	293	291	278	316	291	329
Male	2,794	249	227	225	225	224	205	237	242	224	249	235	252
Female	707	53	63	63	71	53	45	56	49	54	67	56	77
White, both sexes	2,807	236	235	232	235	220	209	229	221	230	255	239	266
Male	2,224	189	183	181	183	175	171	181	186	184	200	186	205
Female	583	47	52	51	52	45	38	48	35	46	55	53	61
Black, both sexes	649	65	51	51	57	54	37	60	65	44	56	50	59
Male	533	59	40	41	38	46	30	53	52	37	45	47	45
Female	116	6	11	10	19	8	7	7	13	7	11	3	14
American Indian 1/, both sexes	14	-	2	1	-	2	-	1	1	2	2	1	2
Male	11	-	2	-	-	2	-	1	1	1	2	1	1
Female	3	-	-	1	-	-	-	-	-	1	-	-	1
Asian or Pacific Islander 2/, both sexes	31	1	2	4	4	1	4	3	4	2	3	1	2
Male	26	1	2	3	4	1	4	2	3	2	2	1	1
Female	5	-	-	1	-	-	-	1	1	-	1	-	1
Malignant neoplasm of trachea (C33)													
All races, both sexes	94	5	4	10	10	8	2	8	10	9	9	9	10
Male	56	4	2	7	7	5	1	1	3	6	6	6	8
Female	38	1	2	3	3	3	1	7	7	3	3	3	2
White, both sexes	87	4	3	7	10	8	2	8	10	9	9	8	9
Male	51	3	2	5	7	5	1	1	3	6	6	5	7
Female	36	1	1	2	3	3	1	7	7	3	3	3	2
Black, both sexes	5	-	1	2	-	-	-	-	-	-	-	1	1
Male	3	-	-	1	-	-	-	-	-	-	-	1	1
Female	2	-	1	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	2	1	-	1	-	-	-	-	-	-	-	-	-
Male	2	1	-	1	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Malignant neoplasm of bronchus and lung (C34)													
All races, both sexes	157,992	13,516	12,228	13,626	12,833	13,090	12,829	12,938	13,224	12,853	13,708	13,108	14,039
Male	89,908	7,689	6,936	7,835	7,285	7,415	7,320	7,390	7,566	7,400	7,776	7,391	7,905
Female	68,084	5,827	5,292	5,791	5,548	5,675	5,509	5,548	5,658	5,453	5,932	5,717	6,134
White, both sexes	138,656	11,955	10,736	11,966	11,305	11,491	11,236	11,377	11,633	11,227	12,008	11,465	12,257
Male	78,164	6,740	6,042	6,796	6,370	6,444	6,356	6,462	6,563	6,401	6,752	6,383	6,855
Female	60,492	5,215	4,694	5,170	4,935	5,047	4,880	4,915	5,070	4,826	5,256	5,082	5,402
Black, both sexes	16,367	1,333	1,276	1,393	1,295	1,321	1,373	1,330	1,339	1,395	1,433	1,382	1,497
Male	9,985	822	769	882	793	802	830	799	844	854	871	840	879
Female	6,382	511	507	511	502	519	543	531	495	541	562	542	618
American Indian 1/, both sexes	556	56	44	48	54	48	36	46	45	31	44	48	56
Male	301	28	25	30	22	27	17	25	29	15	20	28	35
Female	255	28	19	18	32	21	19	21	16	16	24	20	21
Asian or Pacific Islander 2/, both sexes	2,413	172	172	219	179	230	184	185	207	200	223	213	229
Male	1,458	99	100	127	100	142	117	104	130	130	133	140	136
Female	955	73	72	92	79	88	67	81	77	70	90	73	93
Main bronchus (C34.0)													
All races, both sexes	57	9	3	6	3	2	7	7	2	4	9	3	2
Male	32	4	2	2	1	2	3	5	2	2	5	3	1
Female	25	5	1	4	2	-	4	2	-	2	4	-	1
White, both sexes	53	7	3	5	3	2	7	6	2	4	9	3	2
Male	29	3	2	1	1	2	3	4	2	2	5	3	1
Female	24	4	1	4	2	-	4	2	-	2	4	-	1
Black, both sexes	3	2	-	1	-	-	-	-	-	-	-	-	-
Male	2	1	-	1	-	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	1	-	-	-	-	-	-	1	-	-	-	-	-
Male	1	-	-	-	-	-	-	1	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Upper lobe, bronchus or lung (C34.1)													
All races, both sexes	627	55	51	51	51	56	56	62	50	53	51	50	41
Male	373	33	31	32	29	30	32	40	28	34	35	30	19
Female	254	22	20	19	22	26	24	22	22	19	16	20	22
White, both sexes	556	50	45	44	44	49	46	57	44	50	47	45	35
Male	334	29	26	30	25	26	27	37	25	33	33	27	16
Female	222	21	19	14	19	23	19	20	19	17	14	18	19
Black, both sexes	57	4	6	5	6	5	8	3	4	2	3	5	6
Male	35	3	5	2	3	3	5	3	3	-	2	3	3
Female	22	1	1	3	3	2	3	-	1	2	1	2	3
American Indian 1/, both sexes	3	-	-	-	-	-	1	1	1	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	3	-	-	-	-	-	1	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes	11	1	-	2	1	2	1	1	1	1	1	-	-
Male	4	1	-	-	1	1	-	-	-	1	-	-	-
Female	7	-	-	2	-	1	1	1	1	-	1	-	-
Middle lobe, bronchus or lung (C34.2)													
All races, both sexes	40	2	2	3	4	3	1	3	2	4	5	7	4
Male	19	2	-	1	4	2	-	1	2	1	3	2	1
Female	21	-	2	2	-	1	1	2	-	3	2	5	3
White, both sexes	34	2	2	2	3	3	1	3	2	4	3	5	4
Male	16	2	-	1	3	2	-	1	2	1	2	1	1
Female	18	-	2	1	-	1	1	2	-	3	1	4	3
Black, both sexes	5	-	-	-	1	-	-	-	-	-	2	2	-
Male	3	-	-	-	1	-	-	-	-	-	1	1	-
Female	2	-	-	-	-	-	-	-	-	-	1	1	-
American Indian 1/, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Lower lobe, bronchus or lung (C34.3)													
All races, both sexes	215	16	15	20	29	15	13	22	9	19	15	19	23
Male	135	11	11	15	16	12	8	11	8	10	8	11	14
Female	80	5	4	5	13	3	5	11	1	9	7	8	9
White, both sexes	192	14	14	18	27	13	12	19	7	17	13	17	21
Male	121	9	11	15	14	11	7	11	6	9	6	9	13
Female	71	5	3	3	13	2	5	8	1	8	7	8	8
Black, both sexes	15	1	1	2	2	-	-	2	1	2	2	1	1
Male	9	1	-	-	2	-	-	-	1	1	2	1	1
Female	6	-	1	2	-	-	-	2	-	1	-	-	-
American Indian 1/, both sexes	1	-	-	-	-	-	-	-	1	-	-	-	-
Male	1	-	-	-	-	-	-	-	1	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	7	1	-	-	-	2	1	1	-	-	-	1	1
Male	4	1	-	-	-	1	1	-	-	-	-	1	-
Female	3	-	-	-	-	1	-	1	-	-	-	-	1
Overlapping lesion of bronchus and lung (C34.8)													
All races, both sexes	3	1	1	-	-	-	-	-	-	-	-	-	1
Male	2	1	1	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	1
White, both sexes	3	1	1	-	-	-	-	-	-	-	-	-	1
Male	2	1	1	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	1
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Bronchus or lung, unspecified (C34.9)													
All races, both sexes	157,050	13,433	12,156	13,546	12,746	13,014	12,752	12,844	13,161	12,773	13,628	13,029	13,968
Male	89,347	7,638	6,891	7,785	7,235	7,369	7,277	7,333	7,526	7,353	7,725	7,345	7,870
Female	67,703	5,795	5,265	5,761	5,511	5,645	5,475	5,511	5,635	5,420	5,903	5,684	6,098
White, both sexes	137,818	11,881	10,671	11,897	11,228	11,424	11,170	11,292	11,578	11,152	11,936	11,395	12,194
Male	77,662	6,696	6,002	6,749	6,327	6,403	6,319	6,409	6,528	6,356	6,706	6,343	6,824
Female	60,156	5,185	4,669	5,148	4,901	5,021	4,851	4,883	5,050	4,796	5,230	5,052	5,370
Black, both sexes	16,287	1,326	1,269	1,385	1,286	1,316	1,365	1,325	1,334	1,391	1,426	1,374	1,490
Male	9,936	817	764	879	787	799	825	796	840	853	866	835	875
Female	6,351	509	505	506	499	517	540	529	494	538	560	539	615
American Indian 1/, both sexes	550	56	44	47	54	48	35	44	43	31	44	48	56
Male	299	28	25	30	22	27	17	24	28	15	20	28	35
Female	251	28	19	17	32	21	18	20	15	16	24	20	21
Asian or Pacific Islander 2/, both sexes	2,395	170	172	217	178	226	182	183	206	199	222	212	228
Male	1,450	97	100	127	99	140	116	104	130	129	133	139	136
Female	945	73	72	90	79	86	66	79	76	70	89	73	92
Malignant neoplasm of thymus (C37)													
All races, both sexes	185	15	18	21	18	17	10	13	11	10	17	15	20
Male	103	5	8	14	11	12	7	6	8	2	9	9	12
Female	82	10	10	7	7	5	3	7	3	8	8	6	8
White, both sexes	147	13	15	17	12	15	8	10	8	10	12	12	15
Male	81	4	6	12	8	11	6	5	6	2	6	7	8
Female	66	9	9	5	4	4	2	5	2	8	6	5	7
Black, both sexes	27	2	-	4	5	1	2	2	2	-	3	3	3
Male	15	1	-	2	2	1	1	-	2	-	2	2	2
Female	12	1	-	2	3	-	1	2	-	-	1	1	1
American Indian 1/, both sexes	3	-	2	-	-	-	-	-	-	-	1	-	-
Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	2	-	1	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes	8	-	1	-	1	1	-	1	1	-	1	-	2
Male	6	-	1	-	1	-	-	1	-	-	1	-	2
Female	2	-	-	-	-	1	-	-	1	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Malignant neoplasm of heart, mediastinum, and pleura (C38)													
All races, both sexes	267	31	26	19	17	22	20	23	18	29	22	15	25
Male	142	18	13	11	8	11	11	12	12	13	14	10	9
Female	125	13	13	8	9	11	9	11	6	16	8	5	16
White, both sexes	237	26	22	18	17	18	17	21	17	26	19	12	24
Male	125	15	11	10	8	9	8	12	11	13	12	7	9
Female	112	11	11	8	9	9	9	9	6	13	7	5	15
Black, both sexes	24	5	1	1	-	4	3	2	-	2	3	2	1
Male	13	3	-	1	-	2	3	-	-	-	2	2	-
Female	11	2	1	-	-	2	-	2	-	2	1	-	1
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	6	-	3	-	-	-	-	-	1	1	-	1	-
Male	4	-	2	-	-	-	-	-	1	-	-	1	-
Female	2	-	1	-	-	-	-	-	-	1	-	-	-
Heart (C38.0)													
All races, both sexes	64	10	3	3	5	8	6	5	3	9	5	1	6
Male	17	4	-	1	-	2	2	2	1	1	3	1	-
Female	47	6	3	2	5	6	4	3	2	8	2	-	6
White, both sexes	54	7	3	3	5	6	5	4	3	7	4	1	6
Male	14	3	-	1	-	2	1	2	1	1	2	1	-
Female	40	4	3	2	5	4	4	2	2	6	2	-	6
Black, both sexes	10	3	-	-	-	2	1	1	-	2	1	-	-
Male	3	1	-	-	-	-	1	-	-	-	1	-	-
Female	7	2	-	-	-	2	-	1	-	2	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Anterior mediastinum (C38.1)													
All races, both sexes	3	-	1	-	-	-	-	-	1	1	-	-	-
Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	1	1	-	-	-
White, both sexes	3	-	1	-	-	-	-	-	1	1	-	-	-
Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	1	1	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Posterior mediastinum (C38.2)													
All races, both sexes	2	-	-	-	1	-	-	1	-	-	-	-	-
Male	2	-	-	-	1	-	-	1	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	2	-	-	-	1	-	-	1	-	-	-	-	-
Male	2	-	-	-	1	-	-	1	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Mediastinum, part unspecified (C38.3)													
All races, both sexes	122	13	12	10	8	7	8	13	11	10	10	10	10
Male	71	9	7	5	4	3	7	6	9	7	6	5	3
Female	51	4	5	5	4	4	1	7	2	3	4	5	7
White, both sexes	106	11	9	10	8	6	6	12	10	9	8	8	9
Male	60	7	5	5	4	2	5	6	8	7	5	3	3
Female	46	4	4	5	4	4	1	6	2	2	3	5	6
Black, both sexes	11	2	-	-	-	1	2	1	-	-	2	2	1
Male	8	2	-	-	-	1	2	-	-	-	1	2	-
Female	3	-	-	-	-	-	-	1	-	-	1	-	1
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	5	-	3	-	-	-	-	-	1	1	-	-	-
Male	3	-	2	-	-	-	-	-	1	-	-	-	-
Female	2	-	1	-	-	-	-	-	-	1	-	-	-
Pleura (C38.4)													
All races, both sexes	76	8	10	6	3	7	6	4	3	9	7	4	9
Male	51	5	5	5	3	6	2	3	2	5	5	4	6
Female	25	3	5	1	-	1	4	1	1	4	2	-	3
White, both sexes	72	8	9	5	3	6	6	4	3	9	7	3	9
Male	48	5	5	4	3	5	2	3	2	5	5	3	6
Female	24	3	4	1	-	1	4	1	1	4	2	-	3
Black, both sexes	3	-	1	1	-	1	-	-	-	-	-	-	-
Male	2	-	-	1	-	1	-	-	-	-	-	-	-
Female	1	-	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	-	-	-	-	1	-
Male	1	-	-	-	-	-	-	-	-	-	-	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Malignant neoplasm of other and ill-defined sites in the respiratory system and intrathoracic organs (C39)													
All races, both sexes	54	5	4	6	4	1	3	5	4	9	2	9	2
Male	33	3	1	3	2	1	2	4	3	5	2	5	2
Female	21	2	3	3	2	-	1	1	1	4	-	4	-
White, both sexes	48	5	3	5	4	1	2	4	3	8	2	9	2
Male	30	3	1	3	2	1	1	3	2	5	2	5	2
Female	18	2	2	2	2	-	1	1	1	3	-	4	-
Black, both sexes	6	-	1	1	-	-	1	1	1	1	-	-	-
Male	3	-	-	-	-	-	1	1	1	-	-	-	-
Female	3	-	1	1	-	-	-	-	-	1	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Upper respiratory tract, part unspecified (C39.0)													
All races, both sexes	2	-	-	-	-	-	1	-	-	-	-	1	-
Male	2	-	-	-	-	-	1	-	-	-	-	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	-	-	-	-	-	-	-	1	-
Male	1	-	-	-	-	-	-	-	-	-	-	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	1	-	-	-	-	-	1	-	-	-	-	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Ill-defined sites within the respiratory system (C39.9)													
All races, both sexes	52	5	4	6	4	1	2	5	4	9	2	8	2
Male	31	3	1	3	2	1	1	4	3	5	2	4	2
Female	21	2	3	3	2	-	1	1	1	4	-	4	-
White, both sexes	47	5	3	5	4	1	2	4	3	8	2	8	2
Male	29	3	1	3	2	1	1	3	2	5	2	4	2
Female	18	2	2	2	2	-	1	1	1	3	-	4	-
Black, both sexes	5	-	1	1	-	-	-	1	1	1	-	-	-
Male	2	-	-	-	-	-	-	1	1	-	-	-	-
Female	3	-	1	1	-	-	-	-	-	1	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of bone and articular cartilage of limbs (C40)													
All races, both sexes	70	10	4	5	3	7	11	4	7	4	5	4	6
Male	40	4	4	3	1	5	5	2	4	3	4	1	4
Female	30	6	-	2	2	2	6	2	3	1	1	3	2
White, both sexes	61	9	4	3	3	7	10	4	6	3	4	3	5
Male	36	4	4	2	1	5	5	2	3	2	3	1	4
Female	25	5	-	1	2	2	5	2	3	1	1	2	1
Black, both sexes	7	1	-	1	-	-	1	-	1	-	1	1	1
Male	2	-	-	-	-	-	-	-	1	-	1	-	-
Female	5	1	-	1	-	-	1	-	-	-	-	1	1
American Indian 1/, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	1	-	-	1	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	-	-	1	-	-	-
Male	1	-	-	-	-	-	-	-	-	1	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Scapula and long bones of upper limb (C40.0)													
All races, both sexes	17	5	-	-	1	1	3	-	2	-	1	3	1
Male	11	2	-	-	1	1	3	-	2	-	-	1	1
Female	6	3	-	-	-	-	-	-	-	-	1	2	-
White, both sexes	14	4	-	-	1	1	3	-	1	-	1	2	1
Male	10	2	-	-	1	1	3	-	1	-	-	1	1
Female	4	2	-	-	-	-	-	-	-	-	1	1	-
Black, both sexes	3	1	-	-	-	-	-	-	1	-	-	1	-
Male	1	-	-	-	-	-	-	-	1	-	-	-	-
Female	2	1	-	-	-	-	-	-	-	-	-	1	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Short bones of upper limb (C40.1)													
All races, both sexes	1	-	-	-	-	-	1	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	1	-	-	-	-	-	-
White, both sexes	1	-	-	-	-	-	1	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	1	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Long bones of lower limb (C40.2)													
All races, both sexes	52	5	4	5	2	6	7	4	5	4	4	1	5
Male	29	2	4	3	-	4	2	2	2	3	4	-	3
Female	23	3	-	2	2	2	5	2	3	1	-	1	2
White, both sexes	46	5	4	3	2	6	6	4	5	3	3	1	4
Male	26	2	4	2	-	4	2	2	2	2	3	-	3
Female	20	3	-	1	2	2	4	2	3	1	-	1	1
Black, both sexes	4	-	-	1	-	-	1	-	-	-	1	-	1
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	3	-	-	1	-	-	1	-	-	-	-	-	1
American Indian 1/, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	1	-	-	1	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	-	-	1	-	-	-
Male	1	-	-	-	-	-	-	-	-	1	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of bone and articular cartilage of other and unspecified sites (C41)													
All races, both sexes	1,192	81	89	109	107	101	92	99	103	94	93	108	116
Male	683	44	50	70	60	62	48	63	61	52	50	60	63
Female	509	37	39	39	47	39	44	36	42	42	43	48	53
White, both sexes	1,026	59	83	96	93	88	79	83	89	80	78	96	102
Male	588	33	45	62	52	54	42	51	54	46	40	54	55
Female	438	26	38	34	41	34	37	32	35	34	38	42	47
Black, both sexes	130	19	6	9	12	6	9	13	11	10	14	10	11
Male	76	10	5	5	6	4	5	10	7	4	9	4	7
Female	54	9	1	4	6	2	4	3	4	6	5	6	4
American Indian 1/, both sexes	8	2	-	1	-	-	-	1	2	-	1	-	1
Male	4	1	-	1	-	-	-	-	-	-	1	-	1
Female	4	1	-	-	-	-	-	1	2	-	-	-	-
Asian or Pacific Islander 2/, both sexes	28	1	-	3	2	7	4	2	1	4	-	2	2
Male	15	-	-	2	2	4	1	2	-	2	-	2	-
Female	13	1	-	1	-	3	3	-	1	2	-	-	2

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Bones of skull and face (C41.0)													
All races, both sexes	37	2	5	5	3	4	2	1	3	3	1	1	7
Male	19	1	2	2	1	2	2	1	1	2	1	1	3
Female	18	1	3	3	2	2	-	-	2	1	-	-	4
White, both sexes	30	2	5	3	3	2	2	1	3	3	1	-	5
Male	16	1	2	2	1	1	2	1	1	2	1	-	2
Female	14	1	3	1	2	1	-	-	2	1	-	-	3
Black, both sexes	4	-	-	1	-	1	-	-	-	-	-	1	1
Male	3	-	-	-	-	1	-	-	-	-	-	1	1
Female	1	-	-	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	3	-	-	1	-	1	-	-	-	-	-	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	3	-	-	1	-	1	-	-	-	-	-	-	1
Mandible (C41.1)													
All races, both sexes	136	11	9	13	9	12	8	14	15	9	14	9	13
Male	69	6	4	6	4	8	-	10	8	4	7	4	8
Female	67	5	5	7	5	4	8	4	7	5	7	5	5
White, both sexes	122	10	9	13	9	9	8	11	13	7	14	8	11
Male	60	5	4	6	4	5	-	7	8	4	7	4	6
Female	62	5	5	7	5	4	8	4	5	3	7	4	5
Black, both sexes	13	1	-	-	-	2	-	3	2	2	-	1	2
Male	8	1	-	-	-	2	-	3	-	-	-	-	2
Female	5	-	-	-	-	-	-	-	2	2	-	1	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Vertebral column (C41.2)													
All races, both sexes	81	8	6	7	8	3	6	9	5	5	6	9	9
Male	44	6	3	4	4	2	4	3	4	3	2	4	5
Female	37	2	3	3	4	1	2	6	1	2	4	5	4
White, both sexes	72	6	6	7	6	3	5	9	5	5	4	8	8
Male	38	4	3	4	3	2	3	3	4	3	1	4	4
Female	34	2	3	3	3	1	2	6	1	2	3	4	4
Black, both sexes	6	1	-	-	1	-	1	-	-	-	2	1	-
Male	3	1	-	-	-	-	1	-	-	-	1	-	-
Female	3	-	-	-	1	-	-	-	-	-	1	1	-
American Indian 1/, both sexes	2	1	-	-	-	-	-	-	-	-	-	-	1
Male	2	1	-	-	-	-	-	-	-	-	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	1	-	-	-	-	-	-	-	-
Male	1	-	-	-	1	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Ribs, sternum, and clavicle (C41.3)													
All races, both sexes	10	1	1	-	1	2	-	1	-	-	-	1	3
Male	6	1	1	-	-	2	-	-	-	-	-	1	1
Female	4	-	-	-	1	-	-	1	-	-	-	-	2
White, both sexes	10	1	1	-	1	2	-	1	-	-	-	1	3
Male	6	1	1	-	-	2	-	-	-	-	-	1	1
Female	4	-	-	-	1	-	-	1	-	-	-	-	2
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Pelvic bones, sacrum, and coccyx (C41.4)													
All races, both sexes	53	3	3	11	5	2	4	8	6	4	4	3	-
Male	32	2	2	8	3	2	1	5	3	3	2	1	-
Female	21	1	1	3	2	-	3	3	3	1	2	2	-
White, both sexes	50	3	2	10	5	2	4	8	5	4	4	3	-
Male	30	2	1	7	3	2	1	5	3	3	2	1	-
Female	20	1	1	3	2	-	3	3	2	1	2	2	-
Black, both sexes	1	-	1	-	-	-	-	-	-	-	-	-	-
Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	2	-	-	1	-	-	-	-	1	-	-	-	-
Male	1	-	-	1	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	1	-	-	-	-
Bone and articular cartilage, unspecified (C41.9)													
All races, both sexes	875	56	65	73	81	78	72	66	74	73	68	85	84
Male	513	28	38	50	48	46	41	44	45	40	38	49	46
Female	362	28	27	23	33	32	31	22	29	33	30	36	38
White, both sexes	742	37	60	63	69	70	60	53	63	61	55	76	75
Male	438	20	34	43	41	42	36	35	38	34	29	44	42
Female	304	17	26	20	28	28	24	18	25	27	26	32	33
Black, both sexes	106	17	5	8	11	3	8	10	9	8	12	7	8
Male	61	8	4	5	6	1	4	7	7	4	8	3	4
Female	45	9	1	3	5	2	4	3	2	4	4	4	4
American Indian 1/, both sexes	6	1	-	1	-	-	-	1	2	-	1	-	-
Male	2	-	-	1	-	-	-	-	-	-	1	-	-
Female	4	1	-	-	-	-	-	1	2	-	-	-	-
Asian or Pacific Islander 2/, both sexes	21	1	-	1	1	5	4	2	-	4	-	2	1
Male	12	-	-	1	1	3	1	2	-	2	-	2	-
Female	9	1	-	-	-	2	3	-	-	2	-	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Malignant melanoma of skin (C43)													
All races, both sexes	7,818	640	595	677	583	717	654	668	661	666	657	620	680
Male	4,963	410	384	436	363	446	408	414	422	435	420	388	437
Female	2,855	230	211	241	220	271	246	254	239	231	237	232	243
White, both sexes	7,648	629	581	663	571	709	640	649	652	650	646	605	653
Male	4,887	407	377	430	360	441	402	405	417	430	414	380	424
Female	2,761	222	204	233	211	268	238	244	235	220	232	225	229
Black, both sexes	121	11	10	10	6	4	9	15	7	10	8	12	19
Male	50	3	5	4	1	3	3	7	4	1	4	7	8
Female	71	8	5	6	5	1	6	8	3	9	4	5	11
American Indian 1/, both sexes	14	-	1	-	2	3	-	1	-	1	1	3	2
Male	5	-	-	-	1	1	-	-	-	1	1	1	-
Female	9	-	1	-	1	2	-	1	-	-	-	2	2
Asian or Pacific Islander 2/, both sexes	35	-	3	4	4	1	5	3	2	5	2	-	6
Male	21	-	2	2	1	1	3	2	1	3	1	-	5
Female	14	-	1	2	3	-	2	1	1	2	1	-	1
Malignant melanoma of eyelid, including canthus (C43.1)													
All races, both sexes	3	-	-	-	-	1	-	-	-	-	-	2	-
Male	3	-	-	-	-	1	-	-	-	-	-	2	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	3	-	-	-	-	1	-	-	-	-	-	2	-
Male	3	-	-	-	-	1	-	-	-	-	-	2	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Malignant melanoma of ear and external auricular canal (C43.2)													
All races, both sexes	16	3	1	-	1	3	1	-	1	2	1	2	1
Male	12	3	1	-	1	1	-	-	1	2	1	2	-
Female	4	-	-	-	-	2	1	-	-	-	-	-	1
White, both sexes	15	3	1	-	1	3	1	-	1	2	1	2	-
Male	12	3	1	-	1	1	-	-	1	2	1	2	-
Female	3	-	-	-	-	2	1	-	-	-	-	-	-
Black, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant melanoma of other and unspecified parts of face (C43.3)													
All races, both sexes	73	9	3	5	6	6	4	8	7	2	8	8	7
Male	51	7	2	4	4	3	4	6	3	1	7	6	4
Female	22	2	1	1	2	3	-	2	4	1	1	2	3
White, both sexes	70	9	3	5	6	6	3	8	6	2	8	8	6
Male	49	7	2	4	4	3	3	6	3	1	7	6	3
Female	21	2	1	1	2	3	-	2	3	1	1	2	3
Black, both sexes	2	-	-	-	-	-	-	-	1	-	-	-	1
Male	1	-	-	-	-	-	-	-	-	-	-	-	1
Female	1	-	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	1	-	-	-	-	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Malignant melanoma of scalp and neck (C43.4)													
All races, both sexes	112	11	6	8	7	13	8	14	10	9	10	8	8
Male	89	10	6	8	6	8	5	11	7	7	8	7	6
Female	23	1	-	-	1	5	3	3	3	2	2	1	2
White, both sexes	112	11	6	8	7	13	8	14	10	9	10	8	8
Male	89	10	6	8	6	8	5	11	7	7	8	7	6
Female	23	1	-	-	1	5	3	3	3	2	2	1	2
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant melanoma of trunk (C43.5)													
All races, both sexes	179	23	15	14	22	15	16	12	10	17	5	13	17
Male	130	14	12	8	16	13	11	10	6	15	4	10	11
Female	49	9	3	6	6	2	5	2	4	2	1	3	6
White, both sexes	176	23	15	14	20	15	16	12	10	17	5	13	16
Male	128	14	12	8	15	13	11	10	6	15	4	10	10
Female	48	9	3	6	5	2	5	2	4	2	1	3	6
Black, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	1	-	-	-	-	-	-	-	-	-	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	2	-	-	-	2	-	-	-	-	-	-	-	-
Male	1	-	-	-	1	-	-	-	-	-	-	-	-
Female	1	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Malignant melanoma of upper limb, including shoulder (C43.6)													
All races, both sexes	122	11	8	13	5	13	7	10	16	9	10	11	9
Male	80	4	7	9	3	9	2	3	12	6	7	10	8
Female	42	7	1	4	2	4	5	7	4	3	3	1	1
White, both sexes	121	11	7	13	5	13	7	10	16	9	10	11	9
Male	79	4	6	9	3	9	2	3	12	6	7	10	8
Female	42	7	1	4	2	4	5	7	4	3	3	1	1
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	1	-	-	-	-	-	-	-	-	-	-
Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant melanoma of lower limb, including hip (C43.7)													
All races, both sexes	141	17	11	15	9	16	9	14	13	10	14	5	8
Male	60	8	4	8	2	8	2	6	6	5	7	3	1
Female	81	9	7	7	7	8	7	8	7	5	7	2	7
White, both sexes	136	17	11	15	8	15	9	14	13	9	12	5	8
Male	59	8	4	8	2	8	2	6	6	4	7	3	1
Female	77	9	7	7	6	7	7	8	7	5	5	2	7
Black, both sexes	2	-	-	-	-	-	-	-	-	-	2	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	-	-	2	-	-
American Indian 1/, both sexes	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	2	-	-	-	1	-	-	-	-	1	-	-	-
Male	1	-	-	-	-	-	-	-	-	1	-	-	-
Female	1	-	-	-	1	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Malignant melanoma of skin, unspecified (C43.9)													
All races, both sexes	7,172	566	551	622	533	650	609	610	604	617	609	571	630
Male	4,538	364	352	399	331	403	384	378	387	399	386	348	407
Female	2,634	202	199	223	202	247	225	232	217	218	223	223	223
White, both sexes	7,015	555	538	608	524	643	596	591	596	602	600	556	606
Male	4,468	361	346	393	329	398	379	369	382	395	380	340	396
Female	2,547	194	192	215	195	245	217	222	214	207	220	216	210
Black, both sexes	115	11	10	10	6	4	9	15	6	10	6	12	16
Male	48	3	5	4	1	3	3	7	4	1	4	7	6
Female	67	8	5	6	5	1	6	8	2	9	2	5	10
American Indian 1/, both sexes	11	-	1	-	-	2	-	1	-	1	1	3	2
Male	4	-	-	-	-	1	-	-	-	1	1	1	-
Female	7	-	1	-	-	1	-	1	-	-	-	2	2
Asian or Pacific Islander 2/, both sexes	31	-	2	4	3	1	4	3	2	4	2	-	6
Male	18	-	1	2	1	1	2	2	1	2	1	-	5
Female	13	-	1	2	2	-	2	1	1	2	1	-	1
Other malignant neoplasms of skin (C44)													
All races, both sexes	2,397	210	182	193	206	210	196	209	177	197	210	192	215
Male	1,649	146	121	132	143	150	150	148	119	130	129	132	149
Female	748	64	61	61	63	60	46	61	58	67	81	60	66
White, both sexes	2,242	193	167	183	190	198	183	195	162	184	200	177	210
Male	1,542	131	109	128	132	139	139	142	111	122	126	118	145
Female	700	62	58	55	58	59	44	53	51	62	74	59	65
Black, both sexes	127	14	11	10	13	9	12	10	11	12	9	11	5
Male	88	12	9	4	10	9	10	5	5	7	3	10	4
Female	39	2	2	6	3	-	2	5	6	5	6	1	1
American Indian 1/, both sexes	9	2	1	-	1	1	-	1	-	-	1	2	-
Male	6	2	-	-	-	1	-	1	-	-	-	2	-
Female	3	-	1	-	1	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes	19	1	3	-	2	2	1	3	4	1	-	2	-
Male	13	1	3	-	1	1	1	-	3	1	-	2	-
Female	6	-	-	-	1	1	-	3	1	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Skin of lip (C44.0)													
All races, both sexes	2	-	-	-	-	1	-	1	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	1	-	1	-	-	-	-	-
White, both sexes	2	-	-	-	-	1	-	1	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	1	-	1	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Skin of eyelid, including canthus (C44.1)													
All races, both sexes	6	-	1	-	1	-	1	1	1	-	1	-	-
Male	3	-	-	-	-	-	1	1	-	-	1	-	-
Female	3	-	1	-	1	-	-	-	1	-	-	-	-
White, both sexes	6	-	1	-	1	-	1	1	1	-	1	-	-
Male	3	-	-	-	-	-	1	1	-	-	1	-	-
Female	3	-	1	-	1	-	-	-	1	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Skin of ear and external auricular canal (C44.2)													
All races, both sexes	119	10	5	10	7	10	5	15	7	16	14	11	9
Male	94	8	4	10	7	7	4	12	6	11	8	8	9
Female	25	2	1	-	-	3	1	3	1	5	6	3	-
White, both sexes	115	10	5	10	7	9	5	15	7	13	14	11	9
Male	93	8	4	10	7	7	4	12	6	10	8	8	9
Female	22	2	1	-	-	2	1	3	1	3	6	3	-
Black, both sexes	3	-	-	-	-	-	-	-	-	3	-	-	-
Male	1	-	-	-	-	-	-	-	-	1	-	-	-
Female	2	-	-	-	-	-	-	-	-	2	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-
Skin of other and unspecified parts of face (C44.3)													
All races, both sexes	205	19	17	14	19	20	15	15	16	22	20	14	14
Male	121	11	10	8	13	13	13	9	8	11	10	6	9
Female	84	8	7	6	6	7	2	6	8	11	10	8	5
White, both sexes	203	19	17	14	18	19	15	15	16	22	20	14	14
Male	119	11	10	8	12	12	13	9	8	11	10	6	9
Female	84	8	7	6	6	7	2	6	8	11	10	8	5
Black, both sexes	2	-	-	-	1	1	-	-	-	-	-	-	-
Male	2	-	-	-	1	1	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Skin of scalp and neck (C44.4)													
All races, both sexes	981	92	81	85	69	80	81	92	70	74	88	85	84
Male	726	70	58	60	48	59	68	65	50	60	55	68	65
Female	255	22	23	25	21	21	13	27	20	14	33	17	19
White, both sexes	872	77	69	79	62	72	73	81	61	67	82	70	79
Male	642	57	48	56	42	51	60	60	45	55	53	54	61
Female	230	20	21	23	20	21	13	21	16	12	29	16	18
Black, both sexes	90	12	10	6	6	7	8	8	6	6	5	11	5
Male	70	10	8	4	6	7	8	4	3	4	2	10	4
Female	20	2	2	2	-	-	-	4	3	2	3	1	1
American Indian 1/, both sexes	8	2	-	-	1	1	-	1	-	-	1	2	-
Male	6	2	-	-	-	1	-	1	-	-	-	2	-
Female	2	-	-	-	1	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes	11	1	2	-	-	-	-	2	3	1	-	2	-
Male	8	1	2	-	-	-	-	-	2	1	-	2	-
Female	3	-	-	-	-	-	-	2	1	-	-	-	-
Skin of trunk (C44.5)													
All races, both sexes	64	4	6	9	7	8	5	6	3	8	3	3	2
Male	35	3	4	4	2	6	3	4	-	5	1	1	2
Female	29	1	2	5	5	2	2	2	3	3	2	2	-
White, both sexes	57	3	6	8	5	8	5	5	2	7	3	3	2
Male	33	2	4	4	2	6	3	3	-	5	1	1	2
Female	24	1	2	4	3	2	2	2	2	2	2	2	-
Black, both sexes	7	1	-	1	2	-	-	1	1	1	-	-	-
Male	2	1	-	-	-	-	-	1	-	-	-	-	-
Female	5	-	-	1	2	-	-	-	1	1	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Skin of upper limb, including shoulder (C44.6)													
All races, both sexes	43	5	4	-	4	3	4	2	4	4	4	5	4
Male	24	4	3	-	2	1	4	2	2	1	2	2	1
Female	19	1	1	-	2	2	-	-	2	3	2	3	3
White, both sexes	41	5	3	-	4	3	4	2	3	4	4	5	4
Male	23	4	3	-	2	1	4	2	1	1	2	2	1
Female	18	1	-	-	2	2	-	-	2	3	2	3	3
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	1	-	1	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	-	1	-	-	-	-
Male	1	-	-	-	-	-	-	-	1	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Skin of lower limb, including hip (C44.7)													
All races, both sexes	55	4	3	2	6	3	8	2	7	5	7	3	5
Male	17	1	-	-	4	1	3	-	3	1	2	-	2
Female	38	3	3	2	2	2	5	2	4	4	5	3	3
White, both sexes	49	4	3	2	4	3	6	2	6	5	6	3	5
Male	14	1	-	-	3	1	2	-	2	1	2	-	2
Female	35	3	3	2	1	2	4	2	4	4	4	3	3
Black, both sexes	5	-	-	-	2	-	1	-	1	-	1	-	-
Male	2	-	-	-	1	-	-	-	1	-	-	-	-
Female	3	-	-	-	1	-	1	-	-	-	1	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	1	-	-	-	-	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Malignant neoplasm of skin, unspecified (C44.9)													
All races, both sexes	922	76	65	73	93	85	77	75	69	68	73	71	97
Male	629	49	42	50	67	63	54	55	50	41	50	47	61
Female	293	27	23	23	26	22	23	20	19	27	23	24	36
White, both sexes	897	75	63	70	89	83	74	73	66	66	70	71	97
Male	615	48	40	50	64	61	52	55	49	39	49	47	61
Female	282	27	23	20	25	22	22	18	17	27	21	24	36
Black, both sexes	20	1	1	3	2	1	3	1	3	2	3	-	-
Male	11	1	1	-	2	1	2	-	1	2	1	-	-
Female	9	-	-	3	-	-	1	1	2	-	2	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	5	-	1	-	2	1	-	1	-	-	-	-	-
Male	3	-	1	-	1	1	-	-	-	-	-	-	-
Female	2	-	-	-	1	-	-	1	-	-	-	-	-
Mesothelioma (C45)													
All races, both sexes	2,476	223	168	212	174	227	203	214	198	210	207	206	234
Male	2,007	183	140	170	138	193	163	177	162	169	174	156	182
Female	469	40	28	42	36	34	40	37	36	41	33	50	52
White, both sexes	2,345	213	157	201	165	209	198	204	188	200	190	196	224
Male	1,896	175	130	163	131	178	158	168	152	160	159	148	174
Female	449	38	27	38	34	31	40	36	36	40	31	48	50
Black, both sexes	102	8	11	7	7	15	5	7	9	7	14	4	8
Male	89	7	10	5	6	13	5	7	9	6	12	3	6
Female	13	1	1	2	1	2	-	-	-	1	2	1	2
American Indian 1/, both sexes	4	-	-	-	-	-	-	1	-	-	1	2	-
Male	2	-	-	-	-	-	-	-	-	-	1	1	-
Female	2	-	-	-	-	-	-	1	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes	25	2	-	4	2	3	-	2	1	3	2	4	2
Male	20	1	-	2	1	2	-	2	1	3	2	4	2
Female	5	1	-	2	1	1	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Mesothelioma of pleura (C45.0)													
All races, both sexes	181	10	17	10	17	17	14	17	11	20	13	16	19
Male	149	8	16	9	14	15	12	12	7	17	10	14	15
Female	32	2	1	1	3	2	2	5	4	3	3	2	4
White, both sexes	172	10	16	10	16	14	14	17	11	18	13	16	17
Male	142	8	15	9	13	13	12	12	7	16	10	14	13
Female	30	2	1	1	3	1	2	5	4	2	3	2	4
Black, both sexes	7	-	1	-	-	2	-	-	-	2	-	-	2
Male	5	-	1	-	-	1	-	-	-	1	-	-	2
Female	2	-	-	-	-	1	-	-	-	1	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	2	-	-	-	1	1	-	-	-	-	-	-	-
Male	2	-	-	-	1	1	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Mesothelioma of peritoneum (C45.1)													
All races, both sexes	89	9	3	7	4	14	12	5	7	6	7	3	12
Male	56	6	1	4	3	7	8	4	6	4	4	2	7
Female	33	3	2	3	1	7	4	1	1	2	3	1	5
White, both sexes	85	9	2	7	4	12	12	5	7	6	7	2	12
Male	52	6	-	4	3	5	8	4	6	4	4	1	7
Female	33	3	2	3	1	7	4	1	1	2	3	1	5
Black, both sexes	2	-	1	-	-	1	-	-	-	-	-	-	-
Male	2	-	1	-	-	1	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	2	-	-	-	-	1	-	-	-	-	-	1	-
Male	2	-	-	-	-	1	-	-	-	-	-	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Mesothelioma of pericardium (C45.2)													
All races, both sexes	3	-	-	-	-	-	1	-	-	-	-	1	1
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	-	-	-	1	1
White, both sexes	2	-	-	-	-	-	-	-	-	-	-	1	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	-	-	-	1	1
Black, both sexes	1	-	-	-	-	-	1	-	-	-	-	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Mesothelioma of other sites (C45.7)													
All races, both sexes	295	41	18	30	22	30	18	23	25	26	18	23	21
Male	247	35	16	24	17	28	15	23	23	20	13	14	19
Female	48	6	2	6	5	2	3	-	2	6	5	9	2
White, both sexes	279	36	16	27	22	28	18	23	24	25	17	22	21
Male	234	31	14	22	17	26	15	23	22	19	13	13	19
Female	45	5	2	5	5	2	3	-	2	6	4	9	2
Black, both sexes	12	3	2	2	-	2	-	-	1	-	1	1	-
Male	11	3	2	2	-	2	-	-	1	-	-	1	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	4	2	-	1	-	-	-	-	-	1	-	-	-
Male	2	1	-	-	-	-	-	-	-	1	-	-	-
Female	2	1	-	1	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Mesothelioma, unspecified (C45.9)													
All races, both sexes	1,908	163	130	165	131	166	158	169	155	158	169	163	181
Male	1,554	134	107	133	104	143	127	138	126	128	147	126	141
Female	354	29	23	32	27	23	31	31	29	30	22	37	40
White, both sexes	1,807	158	123	157	123	155	154	159	146	151	153	155	173
Male	1,468	130	101	128	98	134	123	129	117	121	132	120	135
Female	339	28	22	29	25	21	31	30	29	30	21	35	38
Black, both sexes	80	5	7	5	7	10	4	7	8	5	13	3	6
Male	70	4	6	3	6	9	4	7	8	5	12	2	4
Female	10	1	1	2	1	1	-	-	-	-	1	1	2
American Indian 1/, both sexes	4	-	-	-	-	-	-	1	-	-	1	2	-
Male	2	-	-	-	-	-	-	-	-	-	1	1	-
Female	2	-	-	-	-	-	-	1	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes	17	-	-	3	1	1	-	2	1	2	2	3	2
Male	14	-	-	2	-	-	-	2	1	2	2	3	2
Female	3	-	-	1	1	1	-	-	-	-	-	-	-
Kaposi's sarcoma (C46)													
All races, both sexes	55	2	7	5	3	6	2	5	7	2	7	4	5
Male	34	2	6	2	2	4	1	4	5	1	4	2	1
Female	21	-	1	3	1	2	1	1	2	1	3	2	4
White, both sexes	48	1	7	5	3	5	2	5	6	2	5	4	3
Male	28	1	6	2	2	3	1	4	4	1	2	2	-
Female	20	-	1	3	1	2	1	1	2	1	3	2	3
Black, both sexes	7	1	-	-	-	1	-	-	1	-	2	-	2
Male	6	1	-	-	-	1	-	-	1	-	2	-	1
Female	1	-	-	-	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Kaposi's sarcoma of skin (C46.0)													
All races, both sexes	1	-	1	-	-	-	-	-	-	-	-	-	-
Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	1	-	-	-	-	-	-	-	-	-	-
Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Kaposi's sarcoma of other sites (C46.7)													
All races, both sexes	5	2	1	-	-	-	-	-	-	-	1	1	-
Male	5	2	1	-	-	-	-	-	-	-	1	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	3	1	1	-	-	-	-	-	-	-	-	1	-
Male	3	1	1	-	-	-	-	-	-	-	-	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	2	1	-	-	-	-	-	-	-	-	1	-	-
Male	2	1	-	-	-	-	-	-	-	-	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Kaposi's sarcoma, unspecified (C46.9)													
All races, both sexes	49	-	5	5	3	6	2	5	7	2	6	3	5
Male	28	-	4	2	2	4	1	4	5	1	3	1	1
Female	21	-	1	3	1	2	1	1	2	1	3	2	4
White, both sexes	44	-	5	5	3	5	2	5	6	2	5	3	3
Male	24	-	4	2	2	3	1	4	4	1	2	1	-
Female	20	-	1	3	1	2	1	1	2	1	3	2	3
Black, both sexes	5	-	-	-	-	1	-	-	1	-	1	-	2
Male	4	-	-	-	-	1	-	-	1	-	1	-	1
Female	1	-	-	-	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of peripheral nerves and autonomic nervous system (C47)													
All races, both sexes	111	10	7	9	3	12	10	11	12	12	13	5	7
Male	57	4	5	6	2	7	5	5	8	5	5	2	3
Female	54	6	2	3	1	5	5	6	4	7	8	3	4
White, both sexes	91	8	6	8	3	8	10	9	10	7	10	5	7
Male	47	3	4	5	2	7	5	3	6	4	3	2	3
Female	44	5	2	3	1	1	5	6	4	3	7	3	4
Black, both sexes	20	2	1	1	-	4	-	2	2	5	3	-	-
Male	10	1	1	1	-	-	-	2	2	1	2	-	-
Female	10	1	-	-	-	4	-	-	-	4	1	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Peripheral nerves of head, face, and neck (C47.0)													
All races, both sexes	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Peripheral nerves of upper limb, including shoulder (C47.1)													
All races, both sexes	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
White, both sexes	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Peripheral nerves of lower limb, including hip (C47.2)													
All races, both sexes	1	-	-	-	-	-	1	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	1	-	-	-	-	-	-
White, both sexes	1	-	-	-	-	-	1	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	1	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Peripheral nerves of thorax (C47.3)													
All races, both sexes	2	-	-	-	-	1	1	-	-	-	-	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-
White, both sexes	2	-	-	-	-	1	1	-	-	-	-	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Peripheral nerves of abdomen (C47.4)													
All races, both sexes	3	-	-	-	1	-	-	-	-	2	-	-	-
Male	1	-	-	-	-	-	-	-	-	1	-	-	-
Female	2	-	-	-	1	-	-	-	-	1	-	-	-
White, both sexes	3	-	-	-	1	-	-	-	-	2	-	-	-
Male	1	-	-	-	-	-	-	-	-	1	-	-	-
Female	2	-	-	-	1	-	-	-	-	1	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Peripheral nerves of pelvis (C47.5)													
All races, both sexes	3	-	-	-	-	-	-	1	1	1	-	-	-
Male	1	-	-	-	-	-	-	1	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	1	1	-	-	-
White, both sexes	2	-	-	-	-	-	-	1	1	-	-	-	-
Male	1	-	-	-	-	-	-	1	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	1	-	-	-	-
Black, both sexes	1	-	-	-	-	-	-	-	-	1	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	1	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Peripheral nerves and autonomic nervous system, unspecified (C47.9)													
All races, both sexes	100	10	7	9	2	10	8	10	11	9	12	5	7
Male	53	4	5	6	2	6	4	4	8	4	5	2	3
Female	47	6	2	3	-	4	4	6	3	5	7	3	4
White, both sexes	81	8	6	8	2	6	8	8	9	5	9	5	7
Male	43	3	4	5	2	6	4	2	6	3	3	2	3
Female	38	5	2	3	-	-	4	6	3	2	6	3	4
Black, both sexes	19	2	1	1	-	4	-	2	2	4	3	-	-
Male	10	1	1	1	-	-	-	2	2	1	2	-	-
Female	9	1	-	-	-	4	-	-	-	3	1	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of retroperitoneum and peritoneum (C48)													
All races, both sexes	793	66	63	65	65	70	72	66	73	78	65	54	56
Male	152	13	14	12	12	13	17	11	14	13	9	14	10
Female	641	53	49	53	53	57	55	55	59	65	56	40	46
White, both sexes	715	54	57	60	59	64	64	62	69	67	61	52	46
Male	136	10	13	11	11	12	15	9	13	13	9	12	8
Female	579	44	44	49	48	52	49	53	56	54	52	40	38
Black, both sexes	61	9	6	5	4	4	7	3	4	7	4	-	8
Male	12	2	1	1	1	1	2	1	1	-	-	-	2
Female	49	7	5	4	3	3	5	2	3	7	4	-	6
American Indian 1/, both sexes	4	1	-	-	1	-	-	-	-	1	-	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	4	1	-	-	1	-	-	-	-	1	-	-	1
Asian or Pacific Islander 2/, both sexes	13	2	-	-	1	2	1	1	-	3	-	2	1
Male	4	1	-	-	-	-	-	1	-	-	-	2	-
Female	9	1	-	-	1	2	1	-	-	3	-	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Retroperitoneum (C48.0)													
All races, both sexes	191	17	16	17	19	18	23	14	14	14	12	14	13
Male	101	9	10	9	10	7	11	8	8	6	5	11	7
Female	90	8	6	8	9	11	12	6	6	8	7	3	6
White, both sexes	169	15	15	15	16	16	19	12	14	14	11	12	10
Male	92	8	9	9	9	7	9	7	8	6	5	9	6
Female	77	7	6	6	7	9	10	5	6	8	6	3	4
Black, both sexes	17	2	1	2	3	-	4	2	-	-	1	-	2
Male	7	1	1	-	1	-	2	1	-	-	-	-	1
Female	10	1	-	2	2	-	2	1	-	-	1	-	1
American Indian 1/, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes	4	-	-	-	-	2	-	-	-	-	-	2	-
Male	2	-	-	-	-	-	-	-	-	-	-	2	-
Female	2	-	-	-	-	2	-	-	-	-	-	-	-
Specified parts of peritoneum (C48.1)													
All races, both sexes	39	4	3	2	2	4	3	4	4	5	3	2	3
Male	13	1	2	-	-	2	2	1	1	2	-	1	1
Female	26	3	1	2	2	2	1	3	3	3	3	1	2
White, both sexes	32	3	3	2	2	2	3	3	2	4	3	2	3
Male	10	1	2	-	-	1	2	-	-	2	-	1	1
Female	22	2	1	2	2	1	1	3	2	2	3	1	2
Black, both sexes	5	-	-	-	-	2	-	-	2	1	-	-	-
Male	2	-	-	-	-	1	-	-	1	-	-	-	-
Female	3	-	-	-	-	1	-	-	1	1	-	-	-
American Indian 1/, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	1	-	-	-	-	-
Male	1	-	-	-	-	-	-	1	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Peritoneum, unspecified (C48.2)													
All races, both sexes	563	45	44	46	44	48	46	48	55	59	50	38	40
Male	38	3	2	3	2	4	4	2	5	5	4	2	2
Female	525	42	42	43	42	44	42	46	50	54	46	36	38
White, both sexes	514	36	39	43	41	46	42	47	53	49	47	38	33
Male	34	1	2	2	2	4	4	2	5	5	4	2	1
Female	480	35	37	41	39	42	38	45	48	44	43	36	32
Black, both sexes	39	7	5	3	1	2	3	1	2	6	3	-	6
Male	3	1	-	1	-	-	-	-	-	-	-	-	1
Female	36	6	5	2	1	2	3	1	2	6	3	-	5
American Indian 1/, both sexes	2	-	-	-	1	-	-	-	-	1	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	1	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes	8	2	-	-	1	-	1	-	-	3	-	-	1
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	7	1	-	-	1	-	1	-	-	3	-	-	1
Malignant neoplasm of other connective and soft tissue (C49)													
All races, both sexes	3,476	294	264	277	282	278	267	292	294	297	351	287	293
Male	1,736	146	139	145	131	147	126	160	145	151	159	150	137
Female	1,740	148	125	132	151	131	141	132	149	146	192	137	156
White, both sexes	2,996	251	224	238	235	239	224	257	258	255	313	247	255
Male	1,510	129	121	125	117	122	107	137	125	131	143	131	122
Female	1,486	122	103	113	118	117	117	120	133	124	170	116	133
Black, both sexes	404	37	36	32	39	33	36	27	29	34	35	37	29
Male	188	14	18	16	13	23	15	16	16	14	16	18	9
Female	216	23	18	16	26	10	21	11	13	20	19	19	20
American Indian 1/, both sexes	20	3	1	-	1	1	3	-	3	2	2	2	2
Male	10	2	-	-	-	1	1	-	2	2	-	-	2
Female	10	1	1	-	1	-	2	-	1	-	2	2	-
Asian or Pacific Islander 2/, both sexes	56	3	3	7	7	5	4	8	4	6	1	1	7
Male	28	1	-	4	1	1	3	7	2	4	-	1	4
Female	28	2	3	3	6	4	1	1	2	2	1	-	3

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Connective and soft tissue of head, face, and neck (C49.0)													
All races, both sexes	72	5	4	3	7	6	4	7	6	5	7	12	6
Male	43	3	3	2	4	5	2	4	5	1	3	7	4
Female	29	2	1	1	3	1	2	3	1	4	4	5	2
White, both sexes	65	5	4	3	7	6	3	7	4	4	6	11	5
Male	39	3	3	2	4	5	2	4	3	1	2	7	3
Female	26	2	1	1	3	1	1	3	1	3	4	4	2
Black, both sexes	5	-	-	-	-	-	1	-	1	1	1	1	-
Male	2	-	-	-	-	-	-	-	1	-	1	-	-
Female	3	-	-	-	-	-	1	-	-	1	-	1	-
American Indian 1/, both sexes	1	-	-	-	-	-	-	-	1	-	-	-	-
Male	1	-	-	-	-	-	-	-	1	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	1	-	-	-	-	-	-	-	-	-	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Connective and soft tissue of upper limb, including shoulder (C49.1)													
All races, both sexes	50	4	5	3	4	8	1	5	6	4	7	2	1
Male	37	3	5	2	3	5	1	4	3	3	6	1	1
Female	13	1	-	1	1	3	-	1	3	1	1	1	-
White, both sexes	44	3	4	3	3	8	1	5	5	3	6	2	1
Male	32	3	4	2	2	5	1	4	2	2	5	1	1
Female	12	-	-	1	1	3	-	1	3	1	1	1	-
Black, both sexes	5	1	1	-	1	-	-	-	1	-	1	-	-
Male	4	-	1	-	1	-	-	-	1	-	1	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	-	-	1	-	-	-
Male	1	-	-	-	-	-	-	-	-	1	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Connective and soft tissue of lower limb, including hip (C49.2)													
All races, both sexes	228	21	18	19	13	25	20	21	25	19	21	11	15
Male	117	11	6	8	7	12	13	10	17	9	11	5	8
Female	111	10	12	11	6	13	7	11	8	10	10	6	7
White, both sexes	197	19	15	16	10	22	18	16	22	18	19	10	12
Male	97	9	4	5	6	10	12	6	14	9	10	4	8
Female	100	10	11	11	4	12	6	10	8	9	9	6	4
Black, both sexes	29	2	3	3	3	1	2	5	3	1	2	1	3
Male	19	2	2	3	1	1	1	4	3	-	1	1	-
Female	10	-	1	-	2	-	1	1	-	1	1	-	3
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	2	-	-	-	-	2	-	-	-	-	-	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-
Connective and soft tissue of thorax (C49.3)													
All races, both sexes	76	6	7	8	8	9	8	6	5	7	3	4	5
Male	39	3	2	4	5	5	6	2	1	4	1	3	3
Female	37	3	5	4	3	4	2	4	4	3	2	1	2
White, both sexes	66	6	5	6	8	6	5	6	5	7	3	4	5
Male	33	3	2	3	5	2	4	2	1	4	1	3	3
Female	33	3	3	3	3	4	1	4	4	3	2	1	2
Black, both sexes	7	-	1	2	-	2	2	-	-	-	-	-	-
Male	5	-	-	1	-	2	2	-	-	-	-	-	-
Female	2	-	1	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	2	-	1	-	-	-	1	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	1	-	-	-	1	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Connective and soft tissue of abdomen (C49.4)													
All races, both sexes	154	13	14	8	16	15	13	9	12	7	24	9	14
Male	78	8	7	4	7	7	5	3	5	4	16	7	5
Female	76	5	7	4	9	8	8	6	7	3	8	2	9
White, both sexes	138	13	12	8	15	13	10	7	11	6	23	9	11
Male	71	8	5	4	7	5	4	3	5	3	15	7	5
Female	67	5	7	4	8	8	6	4	6	3	8	2	6
Black, both sexes	14	-	2	-	1	2	2	2	1	-	1	-	3
Male	5	-	2	-	-	2	-	-	-	-	1	-	-
Female	9	-	-	-	1	-	2	2	1	-	-	-	3
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	2	-	-	-	-	-	1	-	-	1	-	-	-
Male	2	-	-	-	-	-	1	-	-	1	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Connective and soft tissue of pelvis (C49.5)													
All races, both sexes	106	4	12	10	5	9	10	13	6	8	12	7	10
Male	44	1	6	6	2	5	3	3	1	4	3	5	5
Female	62	3	6	4	3	4	7	10	5	4	9	2	5
White, both sexes	93	4	10	9	4	8	9	13	4	7	12	6	7
Male	39	1	5	6	2	4	3	3	-	4	3	5	3
Female	54	3	5	3	2	4	6	10	4	3	9	1	4
Black, both sexes	11	-	2	1	1	1	1	-	2	1	-	1	1
Male	3	-	1	-	-	1	-	-	1	-	-	-	-
Female	8	-	1	1	1	-	1	-	1	1	-	1	1
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	2	-	-	-	-	-	-	-	-	-	-	-	2
Male	2	-	-	-	-	-	-	-	-	-	-	-	2
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Connective and soft tissue of trunk, unspecified (C49.6)													
All races, both sexes	6	-	-	1	1	-	1	3	-	-	-	-	-
Male	4	-	-	1	-	-	1	2	-	-	-	-	-
Female	2	-	-	-	1	-	-	1	-	-	-	-	-
White, both sexes	5	-	-	1	-	-	1	3	-	-	-	-	-
Male	4	-	-	1	-	-	1	2	-	-	-	-	-
Female	1	-	-	-	-	-	-	1	-	-	-	-	-
Black, both sexes	1	-	-	-	1	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Overlapping lesion of connective and soft tissue (C49.8)													
All races, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Connective and soft tissue, unspecified (C49.9)													
All races, both sexes	2,783	240	204	225	228	206	210	228	234	247	277	242	242
Male	1,374	117	110	118	103	108	95	132	113	126	119	122	111
Female	1,409	123	94	107	125	98	115	96	121	121	158	120	131
White, both sexes	2,387	200	174	192	188	176	177	200	207	210	244	205	214
Male	1,195	102	98	102	91	91	80	113	100	108	107	104	99
Female	1,192	98	76	90	97	85	97	87	107	102	137	101	115
Black, both sexes	332	34	27	26	32	27	28	20	21	31	30	34	22
Male	150	12	12	12	11	17	12	12	10	14	12	17	9
Female	182	22	15	14	21	10	16	8	11	17	18	17	13
American Indian 1/, both sexes	18	3	1	-	1	-	3	-	2	2	2	2	2
Male	8	2	-	-	-	-	1	-	1	2	-	-	2
Female	10	1	1	-	1	-	2	-	1	-	2	2	-
Asian or Pacific Islander 2/, both sexes	46	3	2	7	7	3	2	8	4	4	1	1	4
Male	21	1	-	4	1	-	2	7	2	2	-	1	1
Female	25	2	2	3	6	3	-	1	2	2	1	-	3
Malignant neoplasm of breast (C50)													
All races, both sexes	42,000	3,789	3,220	3,486	3,353	3,422	3,406	3,455	3,499	3,325	3,700	3,546	3,799
Male	380	30	32	27	30	33	35	26	29	31	37	35	35
Female	41,620	3,759	3,188	3,459	3,323	3,389	3,371	3,429	3,470	3,294	3,663	3,511	3,764
White, both sexes	35,358	3,202	2,691	2,960	2,820	2,877	2,877	2,908	2,904	2,818	3,081	2,997	3,223
Male	326	28	27	26	25	32	32	21	23	24	28	32	28
Female	35,032	3,174	2,664	2,934	2,795	2,845	2,845	2,887	2,881	2,794	3,053	2,965	3,195
Black, both sexes	5,746	497	460	460	457	467	454	463	525	443	535	489	496
Male	51	2	5	1	5	1	3	5	4	6	9	3	7
Female	5,695	495	455	459	452	466	451	458	521	437	526	486	489
American Indian 1/, both sexes	148	13	7	14	10	13	12	22	12	7	19	10	9
Male	1	-	-	-	-	-	-	-	1	-	-	-	-
Female	147	13	7	14	10	13	12	22	11	7	19	10	9
Asian or Pacific Islander 2/, both sexes	748	77	62	52	66	65	63	62	58	57	65	50	71
Male	2	-	-	-	-	-	-	-	1	1	-	-	-
Female	746	77	62	52	66	65	63	62	57	56	65	50	71

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Nipple and areola (C50.0)													
All races, both sexes	8	2	-	-	1	-	1	-	1	1	1	-	1
Male	3	1	-	-	-	-	-	-	1	-	-	-	1
Female	5	1	-	-	1	-	1	-	-	1	1	-	-
White, both sexes	8	2	-	-	1	-	1	-	1	1	1	-	1
Male	3	1	-	-	-	-	-	-	1	-	-	-	1
Female	5	1	-	-	1	-	1	-	-	1	1	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Upper-inner quadrant of breast (C50.2)													
All races, both sexes	1	-	-	-	-	-	-	-	-	-	-	1	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-
White, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	1	-	-	-	-	-	-	-	-	-	-	1	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Upper-outer quadrant of breast (C50.4)													
All races, both sexes	1	-	1	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	1	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	1	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	1	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Lower-outer quadrant of breast (C50.5)													
All races, both sexes	1	-	-	-	1	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	1	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	1	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	1	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Overlapping lesion of breast (C50.8)													
All races, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	1	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	1	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Breast, unspecified (C50.9)													
All races, both sexes	41,988	3,787	3,219	3,485	3,351	3,422	3,405	3,455	3,498	3,324	3,699	3,545	3,798
Male	377	29	32	27	30	33	35	26	28	31	37	35	34
Female	41,611	3,758	3,187	3,458	3,321	3,389	3,370	3,429	3,470	3,293	3,662	3,510	3,764
White, both sexes	35,347	3,200	2,690	2,959	2,818	2,877	2,876	2,908	2,903	2,817	3,080	2,997	3,222
Male	323	27	27	26	25	32	32	21	22	24	28	32	27
Female	35,024	3,173	2,663	2,933	2,793	2,845	2,844	2,887	2,881	2,793	3,052	2,965	3,195
Black, both sexes	5,746	497	460	460	457	467	454	463	525	443	535	489	496
Male	51	2	5	1	5	1	3	5	4	6	9	3	7
Female	5,695	495	455	459	452	466	451	458	521	437	526	486	489
American Indian 1/, both sexes	147	13	7	14	10	13	12	22	12	7	19	9	9
Male	1	-	-	-	-	-	-	-	1	-	-	-	-
Female	146	13	7	14	10	13	12	22	11	7	19	9	9
Asian or Pacific Islander 2/, both sexes	748	77	62	52	66	65	63	62	58	57	65	50	71
Male	2	-	-	-	-	-	-	-	1	1	-	-	-
Female	746	77	62	52	66	65	63	62	57	56	65	50	71

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Malignant neoplasm of vulva (C51)													
All races, both sexes	775	65	60	59	75	66	52	72	62	60	71	68	65
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	775	65	60	59	75	66	52	72	62	60	71	68	65
White, both sexes	729	63	55	56	73	62	45	71	57	58	67	61	61
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	729	63	55	56	73	62	45	71	57	58	67	61	61
Black, both sexes	40	1	5	3	2	3	7	-	4	2	3	6	4
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	40	1	5	3	2	3	7	-	4	2	3	6	4
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	6	1	-	-	-	1	-	1	1	-	1	1	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	6	1	-	-	-	1	-	1	1	-	1	1	-
Labium majus (C51.0)													
All races, both sexes	17	-	-	-	4	2	-	1	3	2	2	2	1
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	17	-	-	-	4	2	-	1	3	2	2	2	1
White, both sexes	15	-	-	-	4	2	-	1	3	2	2	1	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	15	-	-	-	4	2	-	1	3	2	2	1	-
Black, both sexes	2	-	-	-	-	-	-	-	-	-	-	1	1
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	2	-	-	-	-	-	-	-	-	-	-	1	1
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Clitoris (C51.2)													
All races, both sexes	3	-	-	-	1	-	-	-	-	-	1	-	1
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	3	-	-	-	1	-	-	-	-	-	1	-	1
White, both sexes	3	-	-	-	1	-	-	-	-	-	1	-	1
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	3	-	-	-	1	-	-	-	-	-	1	-	1
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Vulva, unspecified (C51.9)													
All races, both sexes	755	65	60	59	70	64	52	71	59	58	68	66	63
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	755	65	60	59	70	64	52	71	59	58	68	66	63
White, both sexes	711	63	55	56	68	60	45	70	54	56	64	60	60
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	711	63	55	56	68	60	45	70	54	56	64	60	60
Black, both sexes	38	1	5	3	2	3	7	-	4	2	3	5	3
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	38	1	5	3	2	3	7	-	4	2	3	5	3
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	6	1	-	-	-	1	-	1	1	-	1	1	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	6	1	-	-	-	1	-	1	1	-	1	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Malignant neoplasm of vagina (C52)													
All races, both sexes	391	31	25	20	44	29	36	31	34	32	32	38	39
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	391	31	25	20	44	29	36	31	34	32	32	38	39
White, both sexes	322	30	24	16	36	19	28	25	29	28	23	35	29
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	322	30	24	16	36	19	28	25	29	28	23	35	29
Black, both sexes	62	-	1	2	7	9	8	5	5	4	8	3	10
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	62	-	1	2	7	9	8	5	5	4	8	3	10
American Indian 1/, both sexes	1	-	-	-	1	-	-	-	-	-	-	-	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	1	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	6	1	-	2	-	1	-	1	-	-	1	-	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	6	1	-	2	-	1	-	1	-	-	1	-	-
Malignant neoplasm of cervix uteri (C53)													
All races, both sexes	3,919	330	306	317	320	348	318	316	339	311	382	305	327
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	3,919	330	306	317	320	348	318	316	339	311	382	305	327
White, both sexes	2,953	255	230	237	245	269	234	226	255	239	274	236	253
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	2,953	255	230	237	245	269	234	226	255	239	274	236	253
Black, both sexes	794	63	60	66	66	63	76	73	68	59	83	51	66
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	794	63	60	66	66	63	76	73	68	59	83	51	66
American Indian 1/, both sexes	31	1	1	-	2	4	2	3	2	4	5	6	1
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	31	1	1	-	2	4	2	3	2	4	5	6	1
Asian or Pacific Islander 2/, both sexes	141	11	15	14	7	12	6	14	14	9	20	12	7
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	141	11	15	14	7	12	6	14	14	9	20	12	7

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Endocervix (C53.0)													
All races, both sexes	27	3	4	-	1	2	3	7	1	-	3	1	2
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	27	3	4	-	1	2	3	7	1	-	3	1	2
White, both sexes	23	3	3	-	-	2	3	6	1	-	3	1	1
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	23	3	3	-	-	2	3	6	1	-	3	1	1
Black, both sexes	4	-	1	-	1	-	-	1	-	-	-	-	1
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	4	-	1	-	1	-	-	1	-	-	-	-	1
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Overlapping lesion of cervix uteri (C53.8)													
All races, both sexes	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	1	-	-	-	-	1	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	1	-	-	-	-	1	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Cervix uteri, unspecified (C53.9)													
All races, both sexes	3,891	327	302	317	319	345	315	309	338	311	379	304	325
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	3,891	327	302	317	319	345	315	309	338	311	379	304	325
White, both sexes	2,929	252	227	237	245	266	231	220	254	239	271	235	252
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	2,929	252	227	237	245	266	231	220	254	239	271	235	252
Black, both sexes	790	63	59	66	65	63	76	72	68	59	83	51	65
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	790	63	59	66	65	63	76	72	68	59	83	51	65
American Indian 1/, both sexes	31	1	1	-	2	4	2	3	2	4	5	6	1
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	31	1	1	-	2	4	2	3	2	4	5	6	1
Asian or Pacific Islander 2/, both sexes	141	11	15	14	7	12	6	14	14	9	20	12	7
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	141	11	15	14	7	12	6	14	14	9	20	12	7
Malignant neoplasm of corpus uteri (C54)													
All races, both sexes	3,261	291	233	284	285	258	274	279	290	237	297	272	261
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	3,261	291	233	284	285	258	274	279	290	237	297	272	261
White, both sexes	2,705	239	197	243	239	210	222	228	238	205	243	222	219
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	2,705	239	197	243	239	210	222	228	238	205	243	222	219
Black, both sexes	507	49	35	37	42	44	46	45	48	27	48	46	40
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	507	49	35	37	42	44	46	45	48	27	48	46	40
American Indian 1/, both sexes	5	-	-	1	-	-	1	1	-	1	1	-	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	5	-	-	1	-	-	1	1	-	1	1	-	-
Asian or Pacific Islander 2/, both sexes	44	3	1	3	4	4	5	5	4	4	5	4	2
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	44	3	1	3	4	4	5	5	4	4	5	4	2

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Isthmus uteri (C54.0)													
All races, both sexes	1	-	1	-	-	-	-	-	-	-	-	-	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	1	-	1	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	1	-	-	-	-	-	-	-	-	-	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	1	-	1	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Endometrium (C54.1)													
All races, both sexes	3,227	289	230	282	280	255	273	276	287	233	295	271	256
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	3,227	289	230	282	280	255	273	276	287	233	295	271	256
White, both sexes	2,679	239	195	241	235	207	221	226	235	203	241	221	215
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	2,679	239	195	241	235	207	221	226	235	203	241	221	215
Black, both sexes	500	47	34	37	41	44	46	45	48	25	48	46	39
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	500	47	34	37	41	44	46	45	48	25	48	46	39
American Indian 1/, both sexes	5	-	-	1	-	-	1	1	-	1	1	-	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	5	-	-	1	-	-	1	1	-	1	1	-	-
Asian or Pacific Islander 2/, both sexes	43	3	1	3	4	4	5	4	4	4	5	4	2
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	43	3	1	3	4	4	5	4	4	4	5	4	2

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Myometrium (C54.2)													
All races, both sexes	1	-	-	-	1	-	-	-	-	-	-	-	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	1	-	-	-	1	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	1	-	-	-	-	-	-	-	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	1	-	-	-	1	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Fundus uteri (C54.3)													
All races, both sexes	1	-	-	-	-	-	-	-	1	-	-	-	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	1	-	-	-	-	-	-	-	1	-	-	-	-
White, both sexes	1	-	-	-	-	-	-	-	1	-	-	-	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	1	-	-	-	-	-	-	-	1	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Corpus uteri, unspecified (C54.9)													
All races, both sexes	31	2	2	2	4	3	1	3	2	4	2	1	5
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	31	2	2	2	4	3	1	3	2	4	2	1	5
White, both sexes	23	-	1	2	3	3	1	2	2	2	2	1	4
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	23	-	1	2	3	3	1	2	2	2	2	1	4
Black, both sexes	7	2	1	-	1	-	-	-	-	2	-	-	1
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	7	2	1	-	1	-	-	-	-	2	-	-	1
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	1	-	-	-	-	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	1	-	-	-	-	-	-	1	-	-	-	-	-
Malignant neoplasm of uterus, part unspecified (C55)													
All races, both sexes	3,638	285	258	303	308	290	284	298	307	311	334	327	333
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	3,638	285	258	303	308	290	284	298	307	311	334	327	333
White, both sexes	2,936	235	213	245	248	237	234	237	248	242	268	268	261
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	2,936	235	213	245	248	237	234	237	248	242	268	268	261
Black, both sexes	600	43	40	47	56	48	41	54	46	60	55	47	63
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	600	43	40	47	56	48	41	54	46	60	55	47	63
American Indian 1/, both sexes	6	-	-	-	-	-	1	1	1	-	-	1	2
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	6	-	-	-	-	-	1	1	1	-	-	1	2
Asian or Pacific Islander 2/, both sexes	96	7	5	11	4	5	8	6	12	9	11	11	7
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	96	7	5	11	4	5	8	6	12	9	11	11	7

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Malignant neoplasm of ovary (C56)													
All races, both sexes	14,657	1,246	1,160	1,184	1,223	1,244	1,189	1,217	1,265	1,156	1,266	1,262	1,245
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	14,657	1,246	1,160	1,184	1,223	1,244	1,189	1,217	1,265	1,156	1,266	1,262	1,245
White, both sexes	13,123	1,120	1,039	1,082	1,094	1,123	1,070	1,083	1,130	1,031	1,118	1,118	1,115
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	13,123	1,120	1,039	1,082	1,094	1,123	1,070	1,083	1,130	1,031	1,118	1,118	1,115
Black, both sexes	1,196	100	94	79	104	96	92	105	106	95	117	109	99
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	1,196	100	94	79	104	96	92	105	106	95	117	109	99
American Indian 1/, both sexes	62	4	3	6	4	3	6	7	6	2	8	8	5
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	62	4	3	6	4	3	6	7	6	2	8	8	5
Asian or Pacific Islander 2/, both sexes	276	22	24	17	21	22	21	22	23	28	23	27	26
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	276	22	24	17	21	22	21	22	23	28	23	27	26
Malignant neoplasm of other and unspecified female genital organs (C57)													
All races, both sexes	355	43	34	28	24	37	25	30	21	26	30	25	32
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	355	43	34	28	24	37	25	30	21	26	30	25	32
White, both sexes	311	36	31	26	24	32	22	24	17	25	26	22	26
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	311	36	31	26	24	32	22	24	17	25	26	22	26
Black, both sexes	40	7	3	2	-	5	2	4	3	1	4	3	6
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	40	7	3	2	-	5	2	4	3	1	4	3	6
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	4	-	-	-	-	-	1	2	1	-	-	-	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	4	-	-	-	-	-	1	2	1	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Fallopian tube (C57.0)													
All races, both sexes	154	15	16	13	17	18	14	12	8	9	15	7	10
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	154	15	16	13	17	18	14	12	8	9	15	7	10
White, both sexes	142	15	16	13	17	15	12	9	8	9	14	5	9
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	142	15	16	13	17	15	12	9	8	9	14	5	9
Black, both sexes	10	-	-	-	-	3	1	2	-	-	1	2	1
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	10	-	-	-	-	3	1	2	-	-	1	2	1
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	2	-	-	-	-	-	1	1	-	-	-	-	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	2	-	-	-	-	-	1	1	-	-	-	-	-
Broad ligament (C57.1)													
All races, both sexes	1	-	-	-	-	-	-	-	-	1	-	-	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	1	-	-	-	-	-	-	-	-	1	-	-	-
White, both sexes	1	-	-	-	-	-	-	-	-	1	-	-	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	1	-	-	-	-	-	-	-	-	1	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Uterine adnexa, unspecified (C57.4)													
All races, both sexes	3	1	-	-	-	-	-	1	-	-	-	-	1
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	3	1	-	-	-	-	-	1	-	-	-	-	1
White, both sexes	2	1	-	-	-	-	-	-	-	-	-	-	1
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	2	1	-	-	-	-	-	-	-	-	-	-	1
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	1	-	-	-	-	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	1	-	-	-	-	-	-	1	-	-	-	-	-
Other specified female genital organs (C57.7)													
All races, both sexes	15	2	2	1	2	2	-	1	1	2	-	1	1
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	15	2	2	1	2	2	-	1	1	2	-	1	1
White, both sexes	13	2	1	1	2	2	-	1	-	2	-	1	1
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	13	2	1	1	2	2	-	1	-	2	-	1	1
Black, both sexes	2	-	1	-	-	-	-	-	1	-	-	-	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	2	-	1	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Overlapping lesion of female genital organs (C57.8)													
All races, both sexes	7	-	1	1	-	-	-	-	2	1	-	2	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	7	-	1	1	-	-	-	-	2	1	-	2	-
White, both sexes	7	-	1	1	-	-	-	-	2	1	-	2	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	7	-	1	1	-	-	-	-	2	1	-	2	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Female genital organ, unspecified (C57.9)													
All races, both sexes	175	25	15	13	5	17	11	16	10	13	15	15	20
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	175	25	15	13	5	17	11	16	10	13	15	15	20
White, both sexes	146	18	13	11	5	15	10	14	7	12	12	14	15
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	146	18	13	11	5	15	10	14	7	12	12	14	15
Black, both sexes	28	7	2	2	-	2	1	2	2	1	3	1	5
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	28	7	2	2	-	2	1	2	2	1	3	1	5
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	-	1	-	-	-	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	1	-	-	-	-	-	-	-	1	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Malignant neoplasm of placenta (C58)													
All races, both sexes	15	-	-	1	1	3	2	-	2	1	2	2	1
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	15	-	-	1	1	3	2	-	2	1	2	2	1
White, both sexes	8	-	-	-	1	2	2	-	1	-	1	-	1
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	8	-	-	-	1	2	2	-	1	-	1	-	1
Black, both sexes	5	-	-	-	-	1	-	-	1	1	1	1	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	5	-	-	-	-	1	-	-	1	1	1	1	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	2	-	-	1	-	-	-	-	-	-	-	1	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	2	-	-	1	-	-	-	-	-	-	-	1	-
Malignant neoplasm of penis (C60)													
All races, both sexes	250	17	24	24	18	24	24	17	15	17	28	18	24
Male	250	17	24	24	18	24	24	17	15	17	28	18	24
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
White, both sexes	212	16	23	17	16	21	19	14	11	15	23	15	22
Male	212	16	23	17	16	21	19	14	11	15	23	15	22
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
Black, both sexes	32	1	-	4	2	3	5	3	4	1	5	2	2
Male	32	1	-	4	2	3	5	3	4	1	5	2	2
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
American Indian 1/, both sexes	1	-	-	-	-	-	-	-	-	1	-	-	-
Male	1	-	-	-	-	-	-	-	-	1	-	-	-
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
Asian or Pacific Islander 2/, both sexes	5	-	1	3	-	-	-	-	-	-	-	1	-
Male	5	-	1	3	-	-	-	-	-	-	-	1	-
Female	...	...	...	...	...	...	...	...	...	...	...	...	...

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Glans penis (C60.1)													
All races, both sexes	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
White, both sexes	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
Penis, unspecified (C60.9)													
All races, both sexes	249	17	24	24	18	23	24	17	15	17	28	18	24
Male	249	17	24	24	18	23	24	17	15	17	28	18	24
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
White, both sexes	211	16	23	17	16	20	19	14	11	15	23	15	22
Male	211	16	23	17	16	20	19	14	11	15	23	15	22
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
Black, both sexes	32	1	-	4	2	3	5	3	4	1	5	2	2
Male	32	1	-	4	2	3	5	3	4	1	5	2	2
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
American Indian 1/, both sexes	1	-	-	-	-	-	-	-	-	1	-	-	-
Male	1	-	-	-	-	-	-	-	-	1	-	-	-
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
Asian or Pacific Islander 2/, both sexes	5	-	1	3	-	-	-	-	-	-	-	1	-
Male	5	-	1	3	-	-	-	-	-	-	-	1	-
Female	...	...	...	...	...	...	...	...	...	...	...	...	...

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Malignant neoplasm of prostate (C61)													
All races, both sexes	29,554	2,729	2,378	2,485	2,372	2,431	2,286	2,475	2,390	2,380	2,501	2,488	2,639
Male	29,554	2,729	2,378	2,485	2,372	2,431	2,286	2,475	2,390	2,380	2,501	2,488	2,639
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
White, both sexes	24,232	2,211	1,960	2,027	1,940	2,036	1,855	2,040	1,977	1,961	2,029	2,023	2,173
Male	24,232	2,211	1,960	2,027	1,940	2,036	1,855	2,040	1,977	1,961	2,029	2,023	2,173
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
Black, both sexes	4,894	476	385	429	395	363	394	405	367	376	441	433	430
Male	4,894	476	385	429	395	363	394	405	367	376	441	433	430
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
American Indian 1/, both sexes	100	10	10	7	9	11	8	8	8	10	6	7	6
Male	100	10	10	7	9	11	8	8	8	10	6	7	6
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
Asian or Pacific Islander 2/, both sexes	328	32	23	22	28	21	29	22	38	33	25	25	30
Male	328	32	23	22	28	21	29	22	38	33	25	25	30
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
Malignant neoplasm of testis (C62)													
All races, both sexes	344	34	25	31	26	30	28	32	22	32	24	34	26
Male	344	34	25	31	26	30	28	32	22	32	24	34	26
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
White, both sexes	312	29	24	28	23	28	24	31	20	30	21	30	24
Male	312	29	24	28	23	28	24	31	20	30	21	30	24
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
Black, both sexes	24	4	-	-	2	2	4	1	1	2	3	3	2
Male	24	4	-	-	2	2	4	1	1	2	3	3	2
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
American Indian 1/, both sexes	3	-	1	-	-	-	-	-	1	-	-	1	-
Male	3	-	1	-	-	-	-	-	1	-	-	1	-
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
Asian or Pacific Islander 2/, both sexes	5	1	-	3	1	-	-	-	-	-	-	-	-
Male	5	1	-	3	1	-	-	-	-	-	-	-	-
Female	...	...	...	...	...	...	...	...	...	...	...	...	...

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Undescended testis (C62.0)													
All races, both sexes	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
White, both sexes	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
Testis, unspecified (C62.9)													
All races, both sexes	343	34	25	31	26	29	28	32	22	32	24	34	26
Male	343	34	25	31	26	29	28	32	22	32	24	34	26
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
White, both sexes	311	29	24	28	23	27	24	31	20	30	21	30	24
Male	311	29	24	28	23	27	24	31	20	30	21	30	24
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
Black, both sexes	24	4	-	-	2	2	4	1	1	2	3	3	2
Male	24	4	-	-	2	2	4	1	1	2	3	3	2
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
American Indian 1/, both sexes	3	-	1	-	-	-	-	-	1	-	-	1	-
Male	3	-	1	-	-	-	-	-	1	-	-	1	-
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
Asian or Pacific Islander 2/, both sexes	5	1	-	3	1	-	-	-	-	-	-	-	-
Male	5	1	-	3	1	-	-	-	-	-	-	-	-
Female	...	...	...	...	...	...	...	...	...	...	...	...	...

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Malignant neoplasm of other and unspecified male genital organs (C63)													
All races, both sexes	28	1	5	1	2	-	1	1	5	2	4	3	3
Male	28	1	5	1	2	-	1	1	5	2	4	3	3
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
White, both sexes	25	1	5	1	2	-	1	1	5	2	3	3	1
Male	25	1	5	1	2	-	1	1	5	2	3	3	1
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
Black, both sexes	2	-	-	-	-	-	-	-	-	-	1	-	1
Male	2	-	-	-	-	-	-	-	-	-	1	-	1
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	1	-	-	-	-	-	-	-	-	-	-	-	1
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
Epididymis (C63.0)													
All races, both sexes	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
White, both sexes	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	...	...	...	...	...	...	...	...	...	...	...	...	...

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Spermatic cord (C63.1)													
All races, both sexes	2	-	1	-	-	-	-	-	-	1	-	-	-
Male	2	-	1	-	-	-	-	-	-	1	-	-	-
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
White, both sexes	2	-	1	-	-	-	-	-	-	1	-	-	-
Male	2	-	1	-	-	-	-	-	-	1	-	-	-
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
Scrotum (C63.2)													
All races, both sexes	6	-	1	1	1	-	-	-	1	-	1	-	1
Male	6	-	1	1	1	-	-	-	1	-	1	-	1
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
White, both sexes	4	-	1	1	1	-	-	-	1	-	-	-	-
Male	4	-	1	1	1	-	-	-	1	-	-	-	-
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
Black, both sexes	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	1	-	-	-	-	-	-	-	-	-	-	-	1
Female	...	...	...	...	...	...	...	...	...	...	...	...	...

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other specified male genital organs (C63.7)													
All races, both sexes	2	-	1	-	-	-	-	-	1	-	-	-	-
Male	2	-	1	-	-	-	-	-	1	-	-	-	-
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
White, both sexes	2	-	1	-	-	-	-	-	1	-	-	-	-
Male	2	-	1	-	-	-	-	-	1	-	-	-	-
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
Male genital organ, unspecified (C63.9)													
All races, both sexes	17	1	2	-	1	-	1	1	3	1	2	3	2
Male	17	1	2	-	1	-	1	1	3	1	2	3	2
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
White, both sexes	16	1	2	-	1	-	1	1	3	1	2	3	1
Male	16	1	2	-	1	-	1	1	3	1	2	3	1
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
Black, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	1	-	-	-	-	-	-	-	-	-	-	-	1
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	...	...	...	...	...	...	...	...	...	...	...	...	...

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Malignant neoplasm of kidney, except renal pelvis (C64)													
All races, both sexes	12,117	1,050	965	1,052	922	984	950	989	1,039	1,017	999	1,071	1,079
Male	7,567	657	598	665	583	630	593	637	647	623	594	682	658
Female	4,550	393	367	387	339	354	357	352	392	394	405	389	421
White, both sexes	10,768	922	861	956	822	878	833	887	917	909	888	940	955
Male	6,744	584	532	608	512	558	521	574	573	570	525	603	584
Female	4,024	338	329	348	310	320	312	313	344	339	363	337	371
Black, both sexes	1,113	111	89	81	88	84	97	83	98	81	94	106	101
Male	675	63	56	45	61	56	61	53	61	38	57	64	60
Female	438	48	33	36	27	28	36	30	37	43	37	42	41
American Indian 1/, both sexes	79	9	3	4	3	7	7	4	11	6	6	10	9
Male	48	5	2	3	3	5	4	3	5	2	5	6	5
Female	31	4	1	1	-	2	3	1	6	4	1	4	4
Asian or Pacific Islander 2/, both sexes	157	8	12	11	9	15	13	15	13	21	11	15	14
Male	100	5	8	9	7	11	7	7	8	13	7	9	9
Female	57	3	4	2	2	4	6	8	5	8	4	6	5
Malignant neoplasm of renal pelvis (C65)													
All races, both sexes	169	23	17	20	11	20	7	15	11	12	12	10	11
Male	100	13	10	11	6	13	3	10	6	8	7	7	6
Female	69	10	7	9	5	7	4	5	5	4	5	3	5
White, both sexes	162	23	17	19	11	18	7	15	10	12	11	9	10
Male	96	13	10	11	6	11	3	10	5	8	7	6	6
Female	66	10	7	8	5	7	4	5	5	4	4	3	4
Black, both sexes	3	-	-	1	-	1	-	-	1	-	-	-	-
Male	2	-	-	-	-	1	-	-	1	-	-	-	-
Female	1	-	-	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	4	-	-	-	-	1	-	-	-	-	1	1	1
Male	2	-	-	-	-	1	-	-	-	-	-	1	-
Female	2	-	-	-	-	-	-	-	-	-	1	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Malignant neoplasm of ureter (C66)													
All races, both sexes	323	28	23	20	30	35	18	22	25	29	41	28	24
Male	149	17	10	6	18	14	8	10	13	12	20	11	10
Female	174	11	13	14	12	21	10	12	12	17	21	17	14
White, both sexes	305	28	22	18	27	34	17	21	24	25	38	28	23
Male	142	17	10	5	16	14	8	9	12	11	19	11	10
Female	163	11	12	13	11	20	9	12	12	14	19	17	13
Black, both sexes	12	-	1	1	2	1	1	-	1	2	2	-	1
Male	2	-	-	-	1	-	-	-	1	-	-	-	-
Female	10	-	1	1	1	1	1	-	-	2	2	-	1
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	6	-	-	1	1	-	-	1	-	2	1	-	-
Male	5	-	-	1	1	-	-	1	-	1	1	-	-
Female	1	-	-	-	-	-	-	-	-	1	-	-	-
Malignant neoplasm of bladder (C67)													
All races, both sexes	12,483	1,088	965	1,009	991	1,044	1,042	1,072	1,052	1,039	1,066	1,054	1,061
Male	8,576	748	667	690	689	729	693	736	722	719	726	713	744
Female	3,907	340	298	319	302	315	349	336	330	320	340	341	317
White, both sexes	11,409	988	878	921	908	955	937	977	946	967	970	987	975
Male	7,965	690	622	640	637	673	639	686	666	680	671	673	688
Female	3,444	298	256	281	271	282	298	291	280	287	299	314	287
Black, both sexes	914	82	77	76	62	81	88	86	91	65	82	57	67
Male	502	48	39	39	32	51	41	45	48	34	48	34	43
Female	412	34	38	37	30	30	47	41	43	31	34	23	24
American Indian 1/, both sexes	30	5	2	1	2	3	3	2	4	-	2	2	4
Male	16	3	-	1	2	2	2	-	1	-	1	1	3
Female	14	2	2	-	-	1	1	2	3	-	1	1	1
Asian or Pacific Islander 2/, both sexes	130	13	8	11	19	5	14	7	11	7	12	8	15
Male	93	7	6	10	18	3	11	5	7	5	6	5	10
Female	37	6	2	1	1	2	3	2	4	2	6	3	5

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Anterior wall of bladder (C67.3)													
All races, both sexes	1	-	-	-	-	-	-	-	-	-	-	1	-
Male	1	-	-	-	-	-	-	-	-	-	-	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	-	-	-	-	-	-	-	1	-
Male	1	-	-	-	-	-	-	-	-	-	-	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Bladder neck (C67.5)													
All races, both sexes	2	-	-	-	-	-	-	-	-	-	1	-	1
Male	2	-	-	-	-	-	-	-	-	-	1	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	2	-	-	-	-	-	-	-	-	-	1	-	1
Male	2	-	-	-	-	-	-	-	-	-	1	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Urachus (C67.7)													
All races, both sexes	16	-	-	1	3	-	1	2	2	1	2	1	3
Male	12	-	-	-	3	-	1	1	2	1	1	1	2
Female	4	-	-	1	-	-	-	1	-	-	1	-	1
White, both sexes	10	-	-	1	-	-	1	2	2	-	1	-	3
Male	6	-	-	-	-	-	1	1	2	-	-	-	2
Female	4	-	-	1	-	-	-	1	-	-	1	-	1
Black, both sexes	4	-	-	-	2	-	-	-	-	1	-	1	-
Male	4	-	-	-	2	-	-	-	-	1	-	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	2	-	-	-	1	-	-	-	-	-	1	-	-
Male	2	-	-	-	1	-	-	-	-	-	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Overlapping lesion of bladder (C67.8)													
All races, both sexes	2	-	-	1	-	1	-	-	-	-	-	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	1	-	-	1	-	-	-	-	-	-	-	-	-
White, both sexes	2	-	-	1	-	1	-	-	-	-	-	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	1	-	-	1	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Bladder, unspecified (C67.9)													
All races, both sexes	12,462	1,088	965	1,007	988	1,043	1,041	1,070	1,050	1,038	1,063	1,052	1,057
Male	8,560	748	667	690	686	728	692	735	720	718	724	711	741
Female	3,902	340	298	317	302	315	349	335	330	320	339	341	316
White, both sexes	11,394	988	878	919	908	954	936	975	944	967	968	986	971
Male	7,955	690	622	640	637	672	638	685	664	680	670	672	685
Female	3,439	298	256	279	271	282	298	290	280	287	298	314	286
Black, both sexes	910	82	77	76	60	81	88	86	91	64	82	56	67
Male	498	48	39	39	30	51	41	45	48	33	48	33	43
Female	412	34	38	37	30	30	47	41	43	31	34	23	24
American Indian 1/, both sexes	30	5	2	1	2	3	3	2	4	-	2	2	4
Male	16	3	-	1	2	2	2	-	1	-	1	1	3
Female	14	2	2	-	-	1	1	2	3	-	1	1	1
Asian or Pacific Islander 2/, both sexes	128	13	8	11	18	5	14	7	11	7	11	8	15
Male	91	7	6	10	17	3	11	5	7	5	5	5	10
Female	37	6	2	1	1	2	3	2	4	2	6	3	5
Malignant neoplasm of other and unspecified urinary organs (C68)													
All races, both sexes	330	27	21	26	28	21	27	31	29	30	31	29	30
Male	177	15	5	14	19	15	17	15	14	15	18	14	16
Female	153	12	16	12	9	6	10	16	15	15	13	15	14
White, both sexes	283	23	18	24	21	13	24	28	26	30	26	24	26
Male	158	13	5	14	17	10	15	15	11	15	16	11	16
Female	125	10	13	10	4	3	9	13	15	15	10	13	10
Black, both sexes	42	4	3	2	6	8	2	3	3	-	4	3	4
Male	15	2	-	-	1	5	1	-	3	-	1	2	-
Female	27	2	3	2	5	3	1	3	-	-	3	1	4
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	5	-	-	-	1	-	1	-	-	-	1	2	-
Male	4	-	-	-	1	-	1	-	-	-	1	1	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Urethra (C68.0)													
All races, both sexes	134	9	10	7	10	10	10	9	14	14	14	15	12
Male	61	6	2	2	5	8	6	2	7	5	7	6	5
Female	73	3	8	5	5	2	4	7	7	9	7	9	7
White, both sexes	98	7	7	5	5	4	9	6	12	14	10	11	8
Male	48	5	2	2	3	4	6	2	5	5	6	3	5
Female	50	2	5	3	2	-	3	4	7	9	4	8	3
Black, both sexes	32	2	3	2	4	6	1	3	2	-	3	2	4
Male	10	1	-	-	1	4	-	-	2	-	-	2	-
Female	22	1	3	2	3	2	1	3	-	-	3	-	4
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	4	-	-	-	1	-	-	-	-	-	1	2	-
Male	3	-	-	-	1	-	-	-	-	-	1	1	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-
Urinary organ, unspecified (C68.9)													
All races, both sexes	196	18	11	19	18	11	17	22	15	16	17	14	18
Male	116	9	3	12	14	7	11	13	7	10	11	8	11
Female	80	9	8	7	4	4	6	9	8	6	6	6	7
White, both sexes	185	16	11	19	16	9	15	22	14	16	16	13	18
Male	110	8	3	12	14	6	9	13	6	10	10	8	11
Female	75	8	8	7	2	3	6	9	8	6	6	5	7
Black, both sexes	10	2	-	-	2	2	1	-	1	-	1	1	-
Male	5	1	-	-	-	1	1	-	1	-	1	-	-
Female	5	1	-	-	2	1	-	-	-	-	-	1	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	1	-	-	-	-	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Malignant neoplasm of eye and adnexa (C69)													
All races, both sexes	231	19	19	17	18	20	20	23	22	20	22	10	21
Male	122	11	9	8	11	12	9	11	13	10	13	3	12
Female	109	8	10	9	7	8	11	12	9	10	9	7	9
White, both sexes	220	19	18	17	18	18	19	22	20	19	20	10	20
Male	115	11	8	8	11	11	9	10	11	9	12	3	12
Female	105	8	10	9	7	7	10	12	9	10	8	7	8
Black, both sexes	10	-	-	-	-	2	1	1	2	1	2	-	1
Male	6	-	-	-	-	1	-	1	2	1	1	-	-
Female	4	-	-	-	-	1	1	-	-	-	1	-	1
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	1	-	-	-	-	-	-	-	-	-	-
Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Conjunctiva (C69.0)													
All races, both sexes	2	-	-	-	-	1	-	-	-	-	1	-	-
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-
White, both sexes	2	-	-	-	-	1	-	-	-	-	1	-	-
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Retina (C69.2)													
All races, both sexes	16	1	2	2	-	3	-	-	2	2	1	1	2
Male	10	-	1	1	-	1	-	-	2	2	-	1	2
Female	6	1	1	1	-	2	-	-	-	-	1	-	-
White, both sexes	11	1	1	2	-	1	-	-	1	1	1	1	2
Male	6	-	-	1	-	-	-	-	1	1	-	1	2
Female	5	1	1	1	-	1	-	-	-	-	1	-	-
Black, both sexes	4	-	-	-	-	2	-	-	1	1	-	-	-
Male	3	-	-	-	-	1	-	-	1	1	-	-	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	1	-	-	-	-	-	-	-	-	-	-
Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Choroid (C69.3)													
All races, both sexes	12	-	-	2	2	1	1	1	2	1	1	-	1
Male	9	-	-	2	2	1	-	-	2	-	1	-	1
Female	3	-	-	-	-	-	1	1	-	1	-	-	-
White, both sexes	12	-	-	2	2	1	1	1	2	1	1	-	1
Male	9	-	-	2	2	1	-	-	2	-	1	-	1
Female	3	-	-	-	-	-	1	1	-	1	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Ciliary body (C69.4)													
All races, both sexes	5	1	-	1	-	1	1	-	-	-	-	-	1
Male	2	-	-	-	-	1	-	-	-	-	-	-	1
Female	3	1	-	1	-	-	1	-	-	-	-	-	-
White, both sexes	4	1	-	1	-	1	-	-	-	-	-	-	1
Male	2	-	-	-	-	1	-	-	-	-	-	-	1
Female	2	1	-	1	-	-	-	-	-	-	-	-	-
Black, both sexes	1	-	-	-	-	-	1	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Lacrimal gland and duct (C69.5)													
All races, both sexes	6	-	-	1	-	-	1	1	1	-	1	-	1
Male	6	-	-	1	-	-	1	1	1	-	1	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	6	-	-	1	-	-	1	1	1	-	1	-	1
Male	6	-	-	1	-	-	1	1	1	-	1	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Orbit (C69.6)													
All races, both sexes	42	2	3	3	4	1	2	6	3	5	7	2	4
Male	20	1	2	1	1	1	-	2	3	2	4	1	2
Female	22	1	1	2	3	-	2	4	-	3	3	1	2
White, both sexes	39	2	3	3	4	1	2	6	3	5	5	2	3
Male	19	1	2	1	1	1	-	2	3	2	3	1	2
Female	20	1	1	2	3	-	2	4	-	3	2	1	1
Black, both sexes	3	-	-	-	-	-	-	-	-	-	2	-	1
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	2	-	-	-	-	-	-	-	-	-	1	-	1
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Eye, unspecified (C69.9)													
All races, both sexes	148	15	14	8	12	13	15	15	14	12	11	7	12
Male	74	10	6	3	8	8	8	8	5	6	6	1	5
Female	74	5	8	5	4	5	7	7	9	6	5	6	7
White, both sexes	146	15	14	8	12	13	15	14	13	12	11	7	12
Male	72	10	6	3	8	8	8	7	4	6	6	1	5
Female	74	5	8	5	4	5	7	7	9	6	5	6	7
Black, both sexes	2	-	-	-	-	-	-	1	1	-	-	-	-
Male	2	-	-	-	-	-	-	1	1	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Malignant neoplasm of meninges (C70)													
All races, both sexes	106	15	7	6	11	5	10	14	11	7	6	4	10
Male	44	5	3	1	7	3	1	5	7	5	3	3	1
Female	62	10	4	5	4	2	9	9	4	2	3	1	9
White, both sexes	93	14	6	4	11	5	9	13	8	5	6	3	9
Male	38	4	3	-	7	3	1	5	5	4	3	2	1
Female	55	10	3	4	4	2	8	8	3	1	3	1	8
Black, both sexes	10	1	1	2	-	-	1	1	1	1	-	1	1
Male	4	1	-	1	-	-	-	-	-	1	-	1	-
Female	6	-	1	1	-	-	1	1	1	-	-	-	1
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	3	-	-	-	-	-	-	-	2	1	-	-	-
Male	2	-	-	-	-	-	-	-	2	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	1	-	-	-
Cerebral meninges (C70.0)													
All races, both sexes	16	3	-	-	5	-	-	2	3	1	1	-	1
Male	11	2	-	-	4	-	-	1	2	1	-	-	1
Female	5	1	-	-	1	-	-	1	1	-	1	-	-
White, both sexes	15	2	-	-	5	-	-	2	3	1	1	-	1
Male	10	1	-	-	4	-	-	1	2	1	-	-	1
Female	5	1	-	-	1	-	-	1	1	-	1	-	-
Black, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Spinal meninges (C70.1)													
All races, both sexes.....	2	-	1	-	-	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	2	-	1	-	-	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Meninges, unspecified (C70.9)													
All races, both sexes.....	88	12	6	6	6	4	10	12	8	6	5	4	9
Male.....	32	3	3	1	3	2	1	4	5	4	3	3	-
Female.....	56	9	3	5	3	2	9	8	3	2	2	1	9
White, both sexes.....	76	12	5	4	6	4	9	11	5	4	5	3	8
Male.....	27	3	3	-	3	2	1	4	3	3	3	2	-
Female.....	49	9	2	4	3	2	8	7	2	1	2	1	8
Black, both sexes.....	9	-	1	2	-	-	1	1	1	1	-	1	1
Male.....	3	-	-	1	-	-	-	-	-	1	-	1	-
Female.....	6	-	1	1	-	-	1	1	1	-	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.	3	-	-	-	-	-	-	-	2	1	-	-	-
Male.....	2	-	-	-	-	-	-	-	2	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Malignant neoplasm of brain (C71)													
All races, both sexes	12,663	1,078	985	1,038	1,077	1,026	965	1,085	1,054	1,035	1,136	1,041	1,143
Male	7,015	596	528	579	590	585	538	604	596	573	620	568	638
Female	5,648	482	457	459	487	441	427	481	458	462	516	473	505
White, both sexes	11,638	986	908	956	993	939	868	1,000	954	957	1,048	961	1,068
Male	6,448	547	492	537	544	540	485	555	536	526	567	524	595
Female	5,190	439	416	419	449	399	383	445	418	431	481	437	473
Black, both sexes	788	66	65	66	59	66	82	63	76	60	66	72	47
Male	437	34	31	35	31	34	41	34	49	35	45	40	28
Female	351	32	34	31	28	32	41	29	27	25	21	32	19
American Indian 1/, both sexes	44	3	3	5	6	2	4	3	4	4	2	-	8
Male	26	1	2	2	4	1	3	3	2	4	2	-	2
Female	18	2	1	3	2	1	1	-	2	-	-	-	6
Asian or Pacific Islander 2/, both sexes	193	23	9	11	19	19	11	19	20	14	20	8	20
Male	104	14	3	5	11	10	9	12	9	8	6	4	13
Female	89	9	6	6	8	9	2	7	11	6	14	4	7
Cerebrum, except lobes and ventricles (C71.0)													
All races, both sexes	196	15	24	12	15	18	4	15	20	20	19	20	14
Male	110	5	14	9	9	10	2	9	11	12	8	10	11
Female	86	10	10	3	6	8	2	6	9	8	11	10	3
White, both sexes	182	14	22	12	12	17	4	14	18	18	17	20	14
Male	103	4	13	9	7	10	2	9	10	11	7	10	11
Female	79	10	9	3	5	7	2	5	8	7	10	10	3
Black, both sexes	9	-	1	-	2	1	-	1	1	2	1	-	-
Male	5	-	-	-	2	-	-	-	1	1	1	-	-
Female	4	-	1	-	-	1	-	1	-	1	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	5	1	1	-	1	-	-	-	1	-	1	-	-
Male	2	1	1	-	-	-	-	-	-	-	-	-	-
Female	3	-	-	-	1	-	-	-	1	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Frontal lobe (C71.1)													
All races, both sexes	80	8	5	10	11	5	8	2	2	7	7	6	9
Male	48	4	4	5	8	3	6	-	1	4	2	5	6
Female	32	4	1	5	3	2	2	2	1	3	5	1	3
White, both sexes	73	7	5	10	10	4	8	1	2	6	7	5	8
Male	45	4	4	5	7	3	6	-	1	3	2	4	6
Female	28	3	1	5	3	1	2	1	1	3	5	1	2
Black, both sexes	2	-	-	-	-	1	-	-	-	-	-	1	-
Male	1	-	-	-	-	-	-	-	-	-	-	1	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes	2	1	-	-	-	-	-	-	-	-	-	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	1	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes	3	-	-	-	1	-	-	1	-	1	-	-	-
Male	2	-	-	-	1	-	-	-	-	1	-	-	-
Female	1	-	-	-	-	-	-	1	-	-	-	-	-
Temporal lobe (C71.2)													
All races, both sexes	93	5	5	9	5	5	7	9	7	10	15	3	13
Male	54	2	2	6	2	3	5	2	6	5	8	3	10
Female	39	3	3	3	3	2	2	7	1	5	7	-	3
White, both sexes	84	4	4	7	4	5	7	9	6	9	14	3	12
Male	49	2	1	4	2	3	5	2	5	5	8	3	9
Female	35	2	3	3	2	2	2	7	1	4	6	-	3
Black, both sexes	8	1	1	2	1	-	-	-	1	1	-	-	1
Male	5	-	1	2	-	-	-	-	1	-	-	-	1
Female	3	1	-	-	1	-	-	-	-	1	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Parietal lobe (C71.3)													
All races, both sexes	43	5	4	2	4	1	3	3	4	3	3	7	4
Male	22	1	1	1	2	1	1	2	2	2	2	5	2
Female	21	4	3	1	2	-	2	1	2	1	1	2	2
White, both sexes	42	5	4	2	4	1	3	3	3	3	3	7	4
Male	21	1	1	1	2	1	1	2	1	2	2	5	2
Female	21	4	3	1	2	-	2	1	2	1	1	2	2
Black, both sexes	1	-	-	-	-	-	-	-	1	-	-	-	-
Male	1	-	-	-	-	-	-	-	1	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Occipital lobe (C71.4)													
All races, both sexes	14	-	1	1	3	1	-	1	2	1	3	-	1
Male	9	-	1	-	2	1	-	-	2	1	2	-	-
Female	5	-	-	1	1	-	-	1	-	-	1	-	1
White, both sexes	14	-	1	1	3	1	-	1	2	1	3	-	1
Male	9	-	1	-	2	1	-	-	2	1	2	-	-
Female	5	-	-	1	1	-	-	1	-	-	1	-	1
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Cerebral ventricle (C71.5)													
All races, both sexes	9	-	-	2	1	1	1	-	1	1	1	1	-
Male	4	-	-	1	1	-	1	-	1	-	-	-	-
Female	5	-	-	1	-	1	-	-	-	1	1	1	-
White, both sexes	6	-	-	2	1	-	1	-	-	1	-	1	-
Male	3	-	-	1	1	-	1	-	-	-	-	-	-
Female	3	-	-	1	-	-	-	-	-	1	-	1	-
Black, both sexes	3	-	-	-	-	1	-	-	1	-	1	-	-
Male	1	-	-	-	-	-	-	-	1	-	-	-	-
Female	2	-	-	-	-	1	-	-	-	-	1	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebellum (C71.6)													
All races, both sexes	183	15	15	12	8	24	14	14	20	17	11	16	17
Male	110	10	9	10	6	15	8	6	14	7	6	11	8
Female	73	5	6	2	2	9	6	8	6	10	5	5	9
White, both sexes	160	13	13	10	8	22	12	11	17	13	11	15	15
Male	97	8	9	9	6	13	6	5	14	4	6	10	7
Female	63	5	4	1	2	9	6	6	3	9	5	5	8
Black, both sexes	19	2	2	2	-	2	2	3	2	2	-	1	1
Male	12	2	-	1	-	2	2	1	-	2	-	1	1
Female	7	-	2	1	-	-	-	2	2	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	4	-	-	-	-	-	-	-	1	2	-	-	1
Male	1	-	-	-	-	-	-	-	-	1	-	-	-
Female	3	-	-	-	-	-	-	-	1	1	-	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Brain stem (C71.7)													
All races, both sexes	256	30	19	22	30	14	18	21	19	24	19	25	15
Male	126	15	5	12	17	5	12	13	11	9	9	12	6
Female	130	15	14	10	13	9	6	8	8	15	10	13	9
White, both sexes	213	24	15	21	26	11	14	17	17	18	17	20	13
Male	108	13	4	11	15	3	10	9	11	6	9	11	6
Female	105	11	11	10	11	8	4	8	6	12	8	9	7
Black, both sexes	34	4	4	1	2	3	3	3	2	5	1	4	2
Male	13	1	1	1	2	2	1	3	-	2	-	-	-
Female	21	3	3	-	-	1	2	-	2	3	1	4	2
American Indian 1/, both sexes	4	2	-	-	1	-	-	-	-	1	-	-	-
Male	2	1	-	-	-	-	-	-	-	1	-	-	-
Female	2	1	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	5	-	-	-	1	-	1	1	-	-	1	1	-
Male	3	-	-	-	-	-	1	1	-	-	-	1	-
Female	2	-	-	-	1	-	-	-	-	-	1	-	-
Overlapping lesion of brain (C71.8)													
All races, both sexes	18	2	3	2	-	1	-	1	1	3	3	-	2
Male	7	1	1	-	-	1	-	1	-	3	-	-	-
Female	11	1	2	2	-	-	-	-	1	-	3	-	2
White, both sexes	17	2	3	1	-	1	-	1	1	3	3	-	2
Male	7	1	1	-	-	1	-	1	-	3	-	-	-
Female	10	1	2	1	-	-	-	-	1	-	3	-	2
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	1	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Brain, unspecified (C71.9)													
All races, both sexes	11,771	998	909	966	1,000	956	910	1,019	978	949	1,055	963	1,068
Male	6,525	558	491	535	543	546	503	571	548	530	583	522	595
Female	5,246	440	418	431	457	410	407	448	430	419	472	441	473
White, both sexes	10,847	917	841	890	925	877	819	943	888	885	973	890	999
Male	6,006	514	458	497	502	505	454	527	492	491	531	481	554
Female	4,841	403	383	393	423	372	365	416	396	394	442	409	445
Black, both sexes	712	59	57	61	54	58	77	56	68	50	63	66	43
Male	399	31	29	31	27	30	38	30	45	30	44	38	26
Female	313	28	28	30	27	28	39	26	23	20	19	28	17
American Indian 1/, both sexes	38	-	3	5	5	2	4	3	4	3	2	-	7
Male	24	-	2	2	4	1	3	3	2	3	2	-	2
Female	14	-	1	3	1	1	1	-	2	-	-	-	5
Asian or Pacific Islander 2/, both sexes	174	22	8	10	16	19	10	17	18	11	17	7	19
Male	96	13	2	5	10	10	8	11	9	6	6	3	13
Female	78	9	6	5	6	9	2	6	9	5	11	4	6
Malignant neoplasm of spinal cord, cranial nerves, and other parts of central nervous system (C72)													
All races, both sexes	132	12	11	9	6	9	10	12	12	11	17	11	12
Male	63	6	3	6	3	4	5	8	6	4	6	7	5
Female	69	6	8	3	3	5	5	4	6	7	11	4	7
White, both sexes	118	11	11	8	4	9	8	11	11	11	12	11	11
Male	57	6	3	5	2	4	4	8	5	4	5	7	4
Female	61	5	8	3	2	5	4	3	6	7	7	4	7
Black, both sexes	13	-	-	1	2	-	2	1	1	-	5	-	1
Male	6	-	-	1	1	-	1	-	1	-	1	-	1
Female	7	-	-	-	1	-	1	1	-	-	4	-	-
American Indian 1/, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Spinal cord (C72.0)													
All races, both sexes	51	8	4	3	2	6	2	2	4	4	10	1	5
Male	19	3	-	2	1	2	-	1	2	2	4	-	2
Female	32	5	4	1	1	4	2	1	2	2	6	1	3
White, both sexes	45	7	4	2	1	6	2	2	4	4	8	1	4
Male	15	3	-	1	-	2	-	1	2	2	3	-	1
Female	30	4	4	1	1	4	2	1	2	2	5	1	3
Black, both sexes	5	-	-	1	1	-	-	-	-	-	2	-	1
Male	4	-	-	1	1	-	-	-	-	-	1	-	1
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Optic nerve (C72.3)													
All races, both sexes	6	-	-	-	2	1	1	1	-	-	-	1	-
Male	2	-	-	-	-	1	1	-	-	-	-	-	-
Female	4	-	-	-	2	-	-	1	-	-	-	1	-
White, both sexes	5	-	-	-	1	1	1	1	-	-	-	1	-
Male	2	-	-	-	-	1	1	-	-	-	-	-	-
Female	3	-	-	-	1	-	-	1	-	-	-	1	-
Black, both sexes	1	-	-	-	1	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other and unspecified cranial nerves (C72.5)													
All races, both sexes	4	1	-	-	-	-	-	2	-	-	1	-	-
Male	3	1	-	-	-	-	-	2	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
White, both sexes	4	1	-	-	-	-	-	2	-	-	1	-	-
Male	3	1	-	-	-	-	-	2	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Central nervous system, unspecified (C72.9)													
All races, both sexes	71	3	7	6	2	2	7	7	8	7	6	9	7
Male	39	2	3	4	2	1	4	5	4	2	2	7	3
Female	32	1	4	2	-	1	3	2	4	5	4	2	4
White, both sexes	64	3	7	6	2	2	5	6	7	7	3	9	7
Male	37	2	3	4	2	1	3	5	3	2	2	7	3
Female	27	1	4	2	-	1	2	1	4	5	1	2	4
Black, both sexes	7	-	-	-	-	-	2	1	1	-	3	-	-
Male	2	-	-	-	-	-	1	-	1	-	-	-	-
Female	5	-	-	-	-	-	1	1	-	-	3	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Malignant neoplasm of thyroid gland (C73)													
All races, both sexes	1,312	126	100	112	105	123	89	108	113	102	112	99	123
Male	533	59	41	40	42	55	33	38	44	39	49	46	47
Female	779	67	59	72	63	68	56	70	69	63	63	53	76
White, both sexes	1,169	115	89	106	90	110	74	96	100	84	100	94	111
Male	491	55	37	38	38	51	29	35	43	35	46	44	40
Female	678	60	52	68	52	59	45	61	57	49	54	50	71
Black, both sexes	94	4	8	4	11	7	6	8	9	16	9	4	8
Male	27	2	3	1	3	2	2	2	1	3	3	2	3
Female	67	2	5	3	8	5	4	6	8	13	6	2	5
American Indian 1/, both sexes	6	-	-	-	2	1	-	-	1	-	-	-	2
Male	3	-	-	-	1	-	-	-	-	-	-	-	2
Female	3	-	-	-	1	1	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes	43	7	3	2	2	5	9	4	3	2	3	1	2
Male	12	2	1	1	-	2	2	1	-	1	-	-	2
Female	31	5	2	1	2	3	7	3	3	1	3	1	-
Malignant neoplasm of adrenal gland (C74)													
All races, both sexes	541	48	37	45	45	33	53	49	54	52	25	48	52
Male	273	25	14	25	20	18	27	22	25	25	15	30	27
Female	268	23	23	20	25	15	26	27	29	27	10	18	25
White, both sexes	471	44	32	40	38	26	45	42	48	44	23	43	46
Male	234	23	12	22	17	14	22	17	21	21	14	27	24
Female	237	21	20	18	21	12	23	25	27	23	9	16	22
Black, both sexes	56	4	5	5	4	4	8	6	6	4	2	4	4
Male	32	2	2	3	2	3	5	4	4	3	1	2	1
Female	24	2	3	2	2	1	3	2	2	1	1	2	3
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	14	-	-	-	3	3	-	1	-	4	-	1	2
Male	7	-	-	-	1	1	-	1	-	1	-	1	2
Female	7	-	-	-	2	2	-	-	-	3	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Cortex of adrenal gland (C74.0)													
All races, both sexes	79	6	4	5	10	6	5	6	8	8	7	8	6
Male	28	3	-	2	3	2	2	3	4	2	2	4	1
Female	51	3	4	3	7	4	3	3	4	6	5	4	5
White, both sexes	73	5	3	5	9	5	5	6	8	7	6	8	6
Male	27	3	-	2	3	2	2	3	4	2	1	4	1
Female	46	2	3	3	6	3	3	3	4	5	5	4	5
Black, both sexes	5	1	1	-	1	1	-	-	-	-	1	-	-
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	4	1	1	-	1	1	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	-	-	1	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	1	-	-	-
Medulla of adrenal gland (C74.1)													
All races, both sexes	21	2	1	2	1	1	4	1	2	1	-	2	4
Male	8	1	-	1	-	-	2	1	1	-	-	-	2
Female	13	1	1	1	1	1	2	-	1	1	-	2	2
White, both sexes	20	2	1	2	1	1	3	1	2	1	-	2	4
Male	8	1	-	1	-	-	2	1	1	-	-	-	2
Female	12	1	1	1	1	1	1	-	1	1	-	2	2
Black, both sexes	1	-	-	-	-	-	1	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Adrenal gland, unspecified (C74.9)													
All races, both sexes	441	40	32	38	34	26	44	42	44	43	18	38	42
Male	237	21	14	22	17	16	23	18	20	23	13	26	24
Female	204	19	18	16	17	10	21	24	24	20	5	12	18
White, both sexes	378	37	28	33	28	20	37	35	38	36	17	33	36
Male	199	19	12	19	14	12	18	13	16	19	13	23	21
Female	179	18	16	14	14	8	19	22	22	17	4	10	15
Black, both sexes	50	3	4	5	3	3	7	6	6	4	1	4	4
Male	31	2	2	3	2	3	5	4	4	3	-	2	1
Female	19	1	2	2	1	-	2	2	2	1	1	2	3
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	13	-	-	-	3	3	-	1	-	3	-	1	2
Male	7	-	-	-	1	1	-	1	-	1	-	1	2
Female	6	-	-	-	2	2	-	-	-	2	-	-	-
Malignant neoplasm of other endocrine glands and related structures (C75)													
All races, both sexes	117	7	7	6	11	9	11	11	10	11	11	15	8
Male	58	4	3	5	6	6	7	3	2	5	6	7	4
Female	59	3	4	1	5	3	4	8	8	6	5	8	4
White, both sexes	97	7	6	5	9	7	7	10	6	9	11	13	7
Male	52	4	3	4	6	5	5	3	2	5	6	5	4
Female	45	3	3	1	3	2	2	7	4	4	5	8	3
Black, both sexes	19	-	1	1	2	2	4	1	3	2	-	2	1
Male	6	-	-	1	-	1	2	-	-	-	-	2	-
Female	13	-	1	-	2	1	2	1	3	2	-	-	1
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	-	1	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	1	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Parathyroid gland (C75.0)													
All races, both sexes	13	1	2	-	-	1	2	-	1	2	-	3	1
Male	8	-	1	-	-	1	2	-	-	1	-	3	-
Female	5	1	1	-	-	-	-	-	1	1	-	-	1
White, both sexes	11	1	2	-	-	1	2	-	1	2	-	2	-
Male	7	-	1	-	-	1	2	-	-	1	-	2	-
Female	4	1	1	-	-	-	-	-	1	1	-	-	-
Black, both sexes	2	-	-	-	-	-	-	-	-	-	-	1	1
Male	1	-	-	-	-	-	-	-	-	-	-	1	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Pituitary gland (C75.1)													
All races, both sexes	35	4	2	2	6	3	1	3	5	3	3	3	-
Male	16	2	1	2	3	2	-	-	1	2	1	2	-
Female	19	2	1	-	3	1	1	3	4	1	2	1	-
White, both sexes	29	4	2	2	4	3	-	3	2	3	3	3	-
Male	16	2	1	2	3	2	-	-	1	2	1	2	-
Female	13	2	1	-	1	1	-	3	1	1	2	1	-
Black, both sexes	5	-	-	-	2	-	1	-	2	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	5	-	-	-	2	-	1	-	2	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	-	1	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	1	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Pineal gland (C75.3)													
All races, both sexes	21	-	1	-	2	-	1	3	2	5	1	4	2
Male	7	-	-	-	2	-	1	-	-	1	1	-	2
Female	14	-	1	-	-	-	-	3	2	4	-	4	-
White, both sexes	15	-	-	-	2	-	-	2	1	3	1	4	2
Male	6	-	-	-	2	-	-	-	-	1	1	-	2
Female	9	-	-	-	-	-	-	2	1	2	-	4	-
Black, both sexes	6	-	1	-	-	-	1	1	1	2	-	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	5	-	1	-	-	-	-	1	1	2	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Carotid body (C75.4)													
All races, both sexes	1	-	-	-	-	-	-	1	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	1	-	-	-	-	-
White, both sexes	1	-	-	-	-	-	-	1	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	1	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Aortic body and other paraganglia (C75.5)													
All races, both sexes	19	-	1	1	-	3	4	-	-	-	4	4	2
Male	11	-	1	1	-	2	2	-	-	-	2	2	1
Female	8	-	-	-	-	1	2	-	-	-	2	2	1
White, both sexes	15	-	1	1	-	2	2	-	-	-	4	3	2
Male	9	-	1	1	-	2	1	-	-	-	2	1	1
Female	6	-	-	-	-	-	1	-	-	-	2	2	1
Black, both sexes	4	-	-	-	-	1	2	-	-	-	-	1	-
Male	2	-	-	-	-	-	1	-	-	-	-	1	-
Female	2	-	-	-	-	1	1	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Endocrine gland, unspecified (C75.9)													
All races, both sexes	28	2	1	3	3	2	3	4	2	1	3	1	3
Male	16	2	-	2	1	1	2	3	1	1	2	-	1
Female	12	-	1	1	2	1	1	1	1	-	1	1	2
White, both sexes	26	2	1	2	3	1	3	4	2	1	3	1	3
Male	14	2	-	1	1	-	2	3	1	1	2	-	1
Female	12	-	1	1	2	1	1	1	1	-	1	1	2
Black, both sexes	2	-	-	1	-	1	-	-	-	-	-	-	-
Male	2	-	-	1	-	1	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Malignant neoplasm of other and ill-defined sites (C76)													
All races, both sexes	2,096	158	153	165	182	168	170	184	198	174	192	175	177
Male	920	71	66	78	88	69	65	73	89	85	85	78	73
Female	1,176	87	87	87	94	99	105	111	109	89	107	97	104
White, both sexes	1,822	141	125	148	160	149	146	153	178	145	167	154	156
Male	799	67	51	70	78	61	52	57	80	73	76	70	64
Female	1,023	74	74	78	82	88	94	96	98	72	91	84	92
Black, both sexes	237	16	24	16	15	17	20	25	16	24	24	19	21
Male	103	4	13	8	7	6	11	12	8	10	8	7	9
Female	134	12	11	8	8	11	9	13	8	14	16	12	12
American Indian 1/, both sexes	7	-	-	-	3	1	2	-	1	-	-	-	-
Male	4	-	-	-	1	1	1	-	1	-	-	-	-
Female	3	-	-	-	2	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	30	1	4	1	4	1	2	6	3	5	1	2	-
Male	14	-	2	-	2	1	1	4	-	2	1	1	-
Female	16	1	2	1	2	-	1	2	3	3	-	1	-
Head, face, and neck (C76.0)													
All races, both sexes	669	53	55	56	62	53	51	60	48	64	65	53	49
Male	447	38	39	39	44	32	29	37	32	46	42	37	32
Female	222	15	16	17	18	21	22	23	16	18	23	16	17
White, both sexes	571	47	43	52	53	45	43	46	44	52	54	48	44
Male	379	36	29	35	38	27	24	27	29	38	35	32	29
Female	192	11	14	17	15	18	19	19	15	14	19	16	15
Black, both sexes	86	6	10	4	7	7	6	12	3	11	10	5	5
Male	57	2	8	4	4	4	3	8	2	8	6	5	3
Female	29	4	2	-	3	3	3	4	1	3	4	-	2
American Indian 1/, both sexes	4	-	-	-	1	1	1	-	1	-	-	-	-
Male	4	-	-	-	1	1	1	-	1	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	8	-	2	-	1	-	1	2	-	1	1	-	-
Male	7	-	2	-	1	-	1	2	-	-	1	-	-
Female	1	-	-	-	-	-	-	-	-	1	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Thorax (C76.1)													
All races, both sexes	109	9	4	10	6	10	9	8	16	9	8	15	5
Male	59	4	3	5	2	4	5	5	9	5	3	10	4
Female	50	5	1	5	4	6	4	3	7	4	5	5	1
White, both sexes	101	8	4	10	6	9	8	6	16	7	8	14	5
Male	55	3	3	5	2	4	4	4	9	5	3	9	4
Female	46	5	1	5	4	5	4	2	7	2	5	5	1
Black, both sexes	8	1	-	-	-	1	1	2	-	2	-	1	-
Male	4	1	-	-	-	-	1	1	-	-	-	1	-
Female	4	-	-	-	-	1	-	1	-	2	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdomen (C76.2)													
All races, both sexes	865	69	58	69	74	71	84	76	85	61	82	60	76
Male	273	18	15	25	28	24	25	16	26	22	29	22	23
Female	592	51	43	44	46	47	59	60	59	39	53	38	53
White, both sexes	746	61	48	59	64	63	71	63	72	54	74	51	66
Male	234	17	11	22	24	21	18	12	21	21	27	21	19
Female	512	44	37	37	40	42	53	51	51	33	47	30	47
Black, both sexes	102	7	8	9	7	7	13	9	11	6	8	7	10
Male	34	1	4	3	3	2	7	2	5	1	2	-	4
Female	68	6	4	6	4	5	6	7	6	5	6	7	6
American Indian 1/, both sexes	1	-	-	-	1	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	16	1	2	1	2	1	-	4	2	1	-	2	-
Male	5	-	-	-	1	1	-	2	-	-	-	1	-
Female	11	1	2	1	1	-	-	2	2	1	-	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Pelvis (C76.3)													
All races, both sexes	260	14	21	18	21	19	13	20	28	25	19	31	31
Male	40	2	2	2	5	2	1	5	6	6	2	3	4
Female	220	12	19	16	16	17	12	15	22	19	17	28	27
White, both sexes	224	12	17	16	18	18	12	19	26	18	14	27	27
Male	35	2	2	2	5	2	1	4	6	4	2	2	3
Female	189	10	15	14	13	16	11	15	20	14	12	25	24
Black, both sexes	30	2	4	2	1	1	-	1	1	5	5	4	4
Male	4	-	-	-	-	-	-	1	-	1	-	1	1
Female	26	2	4	2	1	1	-	-	1	4	5	3	3
American Indian 1/, both sexes	1	-	-	-	1	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	5	-	-	-	1	-	1	-	1	2	-	-	-
Male	1	-	-	-	-	-	-	-	-	1	-	-	-
Female	4	-	-	-	1	-	1	-	1	1	-	-	-
Upper limb (C76.4)													
All races, both sexes	8	-	1	1	-	1	-	-	1	1	2	1	-
Male	4	-	1	1	-	1	-	-	-	-	1	-	-
Female	4	-	-	-	-	-	-	-	1	1	1	1	-
White, both sexes	7	-	1	-	-	1	-	-	1	1	2	1	-
Male	3	-	1	-	-	1	-	-	-	-	1	-	-
Female	4	-	-	-	-	-	-	-	1	1	1	1	-
Black, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	1	-	-	1	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Lower limb (C76.5)													
All races, both sexes	44	2	5	2	2	3	5	7	8	1	6	2	1
Male	22	2	2	1	1	2	2	3	6	-	3	-	-
Female	22	-	3	1	1	1	3	4	2	1	3	2	1
White, both sexes	40	2	4	2	2	3	5	6	7	1	6	1	1
Male	21	2	2	1	1	2	2	3	5	-	3	-	-
Female	19	-	2	1	1	1	3	3	2	1	3	1	1
Black, both sexes	4	-	1	-	-	-	-	1	1	-	-	1	-
Male	1	-	-	-	-	-	-	-	1	-	-	-	-
Female	3	-	1	-	-	-	-	1	-	-	-	1	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other ill-defined sites (C76.7)													
All races, both sexes	138	10	9	9	17	11	8	13	12	13	9	12	15
Male	75	7	4	5	8	4	3	7	10	6	5	6	10
Female	63	3	5	4	9	7	5	6	2	7	4	6	5
White, both sexes	131	10	8	9	17	10	7	13	12	12	8	12	13
Male	72	7	3	5	8	4	3	7	10	5	5	6	9
Female	59	3	5	4	9	6	4	6	2	7	3	6	4
Black, both sexes	5	-	1	-	-	1	-	-	-	-	1	-	2
Male	2	-	1	-	-	-	-	-	-	-	-	-	1
Female	3	-	-	-	-	1	-	-	-	-	1	-	1
American Indian 1/, both sexes	1	-	-	-	-	-	1	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	-	-	1	-	-	-
Male	1	-	-	-	-	-	-	-	-	1	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Overlapping lesion of other and ill-defined sites (C76.8)													
All races, both sexes	3	1	-	-	-	-	-	-	-	-	1	1	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	3	1	-	-	-	-	-	-	-	-	1	1	-
White, both sexes	2	1	-	-	-	-	-	-	-	-	1	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	1	-	-	-	-	-	-	-	-	1	-	-
Black, both sexes	1	-	-	-	-	-	-	-	-	-	-	1	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Secondary and unspecified malignant neoplasm of lymph nodes (C77)													
All races, both sexes	29	1	4	4	-	3	1	2	2	5	3	1	3
Male	15	-	1	4	-	1	-	2	-	2	2	-	3
Female	14	1	3	-	-	2	1	-	2	3	1	1	-
White, both sexes	28	1	4	3	-	3	1	2	2	5	3	1	3
Male	14	-	1	3	-	1	-	2	-	2	2	-	3
Female	14	1	3	-	-	2	1	-	2	3	1	1	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	1	-	-	1	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Lymph nodes of head, face, and neck (C77.0)													
All races, both sexes	4	-	-	2	-	-	-	-	-	1	-	-	1
Male	4	-	-	2	-	-	-	-	-	1	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	3	-	-	1	-	-	-	-	-	1	-	-	1
Male	3	-	-	1	-	-	-	-	-	1	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	1	-	-	1	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Intrathoracic lymph nodes (C77.1)													
All races, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Intra-abdominal lymph nodes (C77.2)													
All races, both sexes	5	-	-	-	-	-	-	-	-	1	2	-	2
Male	3	-	-	-	-	-	-	-	-	-	1	-	2
Female	2	-	-	-	-	-	-	-	-	1	1	-	-
White, both sexes	5	-	-	-	-	-	-	-	-	1	2	-	2
Male	3	-	-	-	-	-	-	-	-	-	1	-	2
Female	2	-	-	-	-	-	-	-	-	1	1	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Axillary and upper limb lymph nodes (C77.3)													
All races, both sexes	1	-	1	-	-	-	-	-	-	-	-	-	-
Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	1	-	-	-	-	-	-	-	-	-	-
Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Inguinal and lower limb lymph nodes (C77.4)													
All races, both sexes	1	-	-	-	-	-	-	-	-	-	-	1	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-
White, both sexes	1	-	-	-	-	-	-	-	-	-	-	1	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Lymph node, unspecified (C77.9)													
All races, both sexes	17	-	3	2	-	3	1	2	2	3	1	-	-
Male	7	-	-	2	-	1	-	2	-	1	1	-	-
Female	10	-	3	-	-	2	1	-	2	2	-	-	-
White, both sexes	17	-	3	2	-	3	1	2	2	3	1	-	-
Male	7	-	-	2	-	1	-	2	-	1	1	-	-
Female	10	-	3	-	-	2	1	-	2	2	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Secondary malignant neoplasm of respiratory and digestive organs (C78)													
All races, both sexes	3,149	262	262	269	289	244	271	276	256	244	280	236	260
Male	1,469	123	119	116	142	118	132	116	114	111	142	116	120
Female	1,680	139	143	153	147	126	139	160	142	133	138	120	140
White, both sexes	2,724	220	225	229	245	206	240	242	226	203	244	213	231
Male	1,258	104	107	98	116	96	116	99	95	90	126	103	108
Female	1,466	116	118	131	129	110	124	143	131	113	118	110	123
Black, both sexes	331	34	27	29	30	29	25	30	24	30	30	18	25
Male	156	16	9	13	15	15	11	14	15	13	14	10	11
Female	175	18	18	16	15	14	14	16	9	17	16	8	14
American Indian 1/, both sexes	6	1	1	1	-	1	-	-	-	2	-	-	-
Male	2	-	-	-	-	1	-	-	-	1	-	-	-
Female	4	1	1	1	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes	88	7	9	10	14	8	6	4	6	9	6	5	4
Male	53	3	3	5	11	6	5	3	4	7	2	3	1
Female	35	4	6	5	3	2	1	1	2	2	4	2	3
Secondary malignant neoplasm of lung (C78.0)													
All races, both sexes	281	20	26	26	31	22	22	21	24	15	35	14	25
Male	138	12	11	12	16	13	11	8	10	8	22	5	10
Female	143	8	15	14	15	9	11	13	14	7	13	9	15
White, both sexes	249	17	23	24	28	18	22	18	21	13	29	14	22
Male	128	10	10	12	16	12	11	8	8	7	20	5	9
Female	121	7	13	12	12	6	11	10	13	6	9	9	13
Black, both sexes	25	3	2	1	2	3	-	3	1	2	5	-	3
Male	8	2	1	-	-	-	-	-	1	1	2	-	1
Female	17	1	1	1	2	3	-	3	-	1	3	-	2
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	7	-	1	1	1	1	-	-	2	-	1	-	-
Male	2	-	-	-	-	1	-	-	1	-	-	-	-
Female	5	-	1	1	1	-	-	-	1	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Secondary malignant neoplasm of mediastinum (C78.1)													
All races, both sexes	12	1	2	-	-	1	-	1	-	4	2	-	1
Male	6	-	2	-	-	-	-	1	-	1	1	-	1
Female	6	1	-	-	-	1	-	-	-	3	1	-	-
White, both sexes	10	1	1	-	-	1	-	1	-	3	2	-	1
Male	5	-	1	-	-	-	-	1	-	1	1	-	1
Female	5	1	-	-	-	1	-	-	-	2	1	-	-
Black, both sexes	2	-	1	-	-	-	-	-	-	1	-	-	-
Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	1	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Secondary malignant neoplasm of pleura (C78.2)													
All races, both sexes	155	11	11	13	13	7	18	16	9	14	15	11	17
Male	66	5	5	6	7	2	6	7	3	6	9	3	7
Female	89	6	6	7	6	5	12	9	6	8	6	8	10
White, both sexes	141	11	10	12	9	7	17	16	8	12	14	9	16
Male	59	5	5	5	5	2	5	7	2	5	8	3	7
Female	82	6	5	7	4	5	12	9	6	7	6	6	9
Black, both sexes	11	-	-	1	2	-	1	-	1	2	1	2	1
Male	5	-	-	1	-	-	1	-	1	1	1	-	-
Female	6	-	-	-	2	-	-	-	-	1	-	2	1
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	3	-	1	-	2	-	-	-	-	-	-	-	-
Male	2	-	-	-	2	-	-	-	-	-	-	-	-
Female	1	-	1	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Secondary malignant neoplasm of other and unspecified respiratory organs (C78.3)													
All races, both sexes	2	-	-	-	-	-	-	-	-	1	-	-	1
Male	1	-	-	-	-	-	-	-	-	1	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	1
White, both sexes	2	-	-	-	-	-	-	-	-	1	-	-	1
Male	1	-	-	-	-	-	-	-	-	1	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	1
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Secondary malignant neoplasm of large intestine and rectum (C78.5)													
All races, both sexes	8	1	-	1	-	2	-	1	-	1	1	-	1
Male	6	1	-	1	-	2	-	-	-	1	-	-	1
Female	2	-	-	-	-	-	-	1	-	-	1	-	-
White, both sexes	8	1	-	1	-	2	-	1	-	1	1	-	1
Male	6	1	-	1	-	2	-	-	-	1	-	-	1
Female	2	-	-	-	-	-	-	1	-	-	1	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Secondary malignant neoplasm of retroperitoneum and peritoneum (C78.6)													
All races, both sexes	389	27	31	33	31	33	32	37	35	23	36	33	38
Male	96	6	11	6	8	8	7	7	10	6	10	8	9
Female	293	21	20	27	23	25	25	30	25	17	26	25	29
White, both sexes	356	27	28	31	29	30	27	35	34	21	31	29	34
Male	88	6	10	6	6	7	6	6	10	6	10	7	8
Female	268	21	18	25	23	23	21	29	24	15	21	22	26
Black, both sexes	30	-	3	2	2	3	5	2	1	2	4	3	3
Male	8	-	1	-	2	1	1	1	-	-	-	1	1
Female	22	-	2	2	-	2	4	1	1	2	4	2	2
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	3	-	-	-	-	-	-	-	-	-	1	1	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	3	-	-	-	-	-	-	-	-	-	1	1	1
Secondary malignant neoplasm of liver (C78.7)													
All races, both sexes	2,286	201	189	194	212	176	199	200	187	185	191	177	175
Male	1,149	99	88	90	110	92	108	93	91	88	100	99	91
Female	1,137	102	101	104	102	84	91	107	96	97	91	78	84
White, both sexes	1,943	162	160	159	177	145	174	171	162	152	167	160	154
Male	964	82	79	73	88	72	94	77	75	69	87	87	81
Female	979	80	81	86	89	73	80	94	87	83	80	73	73
Black, both sexes	263	31	21	25	24	23	19	25	21	23	20	13	18
Male	134	14	6	12	13	14	9	13	13	11	11	9	9
Female	129	17	15	13	11	9	10	12	8	12	9	4	9
American Indian 1/, both sexes	5	1	1	1	-	1	-	-	-	1	-	-	-
Male	2	-	-	-	-	1	-	-	-	1	-	-	-
Female	3	1	1	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	75	7	7	9	11	7	6	4	4	9	4	4	3
Male	49	3	3	5	9	5	5	3	3	7	2	3	1
Female	26	4	4	4	2	2	1	1	1	2	2	1	2

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Secondary malignant neoplasm of other and unspecified digestive organs (C78.8)													
All races, both sexes	16	1	3	2	2	3	-	-	1	1	-	1	2
Male	7	-	2	1	1	1	-	-	-	-	-	1	1
Female	9	1	1	1	1	2	-	-	1	1	-	-	1
White, both sexes	15	1	3	2	2	3	-	-	1	-	-	1	2
Male	7	-	2	1	1	1	-	-	-	-	-	1	1
Female	8	1	1	1	1	2	-	-	1	-	-	-	1
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	1	-	-	-	-	-	-	-	-	1	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Secondary malignant neoplasm of other sites (C79)													
All races, both sexes	4,192	348	302	351	338	363	391	324	373	341	355	338	368
Male	2,586	202	173	205	207	208	244	215	242	222	234	195	239
Female	1,606	146	129	146	131	155	147	109	131	119	121	143	129
White, both sexes	3,521	290	258	302	285	305	325	270	314	287	293	279	313
Male	2,138	166	144	173	169	171	201	178	203	181	192	160	200
Female	1,383	124	114	129	116	134	124	92	111	106	101	119	113
Black, both sexes	601	51	36	47	46	53	58	48	55	46	56	56	49
Male	399	29	23	30	33	34	39	34	35	34	39	34	35
Female	202	22	13	17	13	19	19	14	20	12	17	22	14
American Indian 1/, both sexes	16	1	3	-	1	1	2	1	2	2	1	-	2
Male	13	1	3	-	1	1	1	1	2	2	-	-	1
Female	3	-	-	-	-	-	1	-	-	-	1	-	1
Asian or Pacific Islander 2/, both sexes	54	6	5	2	6	4	6	5	2	6	5	3	4
Male	36	6	3	2	4	2	3	2	2	5	3	1	3
Female	18	-	2	-	2	2	3	3	-	1	2	2	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Secondary malignant neoplasm of kidney and renal pelvis (C79.0)													
All races, both sexes	2	-	-	-	-	-	-	1	-	-	1	-	-
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	1	-	-	-	-	-	-	1	-	-	-	-	-
White, both sexes	2	-	-	-	-	-	-	1	-	-	1	-	-
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	1	-	-	-	-	-	-	1	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Secondary malignant neoplasm of bladder and other and unspecified urinary organs (C79.1)													
All races, both sexes	7	-	-	-	-	-	1	-	2	2	1	1	-
Male	4	-	-	-	-	-	-	-	2	1	1	-	-
Female	3	-	-	-	-	-	1	-	-	1	-	1	-
White, both sexes	6	-	-	-	-	-	-	-	2	2	1	1	-
Male	4	-	-	-	-	-	-	-	2	1	1	-	-
Female	2	-	-	-	-	-	-	-	-	1	-	1	-
Black, both sexes	1	-	-	-	-	-	1	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Secondary malignant neoplasm of skin (C79.2)													
All races, both sexes	61	4	4	5	3	5	6	7	5	5	7	3	7
Male	36	1	1	3	2	3	4	5	3	2	4	3	5
Female	25	3	3	2	1	2	2	2	2	3	3	-	2
White, both sexes	61	4	4	5	3	5	6	7	5	5	7	3	7
Male	36	1	1	3	2	3	4	5	3	2	4	3	5
Female	25	3	3	2	1	2	2	2	2	3	3	-	2
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Secondary malignant neoplasm of brain and cerebral meninges (C79.3)													
All races, both sexes	758	59	54	52	64	72	80	64	66	75	56	50	66
Male	368	29	26	21	30	28	38	33	38	37	31	18	39
Female	390	30	28	31	34	44	42	31	28	38	25	32	27
White, both sexes	680	51	49	49	60	65	70	56	58	69	49	47	57
Male	330	25	23	19	28	25	34	29	33	34	29	18	33
Female	350	26	26	30	32	40	36	27	25	35	20	29	24
Black, both sexes	71	8	4	3	4	6	9	7	8	5	5	3	9
Male	34	4	2	2	2	2	4	3	5	3	1	-	6
Female	37	4	2	1	2	4	5	4	3	2	4	3	3
American Indian 1/, both sexes	2	-	1	-	-	-	-	-	-	-	1	-	-
Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes	5	-	-	-	-	1	1	1	-	1	1	-	-
Male	3	-	-	-	-	1	-	1	-	-	1	-	-
Female	2	-	-	-	-	-	1	-	-	1	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Secondary malignant neoplasm of other and unspecified parts of nervous system (C79.4)													
All races, both sexes	16	3	1	1	1	-	3	2	1	3	1	-	-
Male	6	-	-	1	-	-	1	1	1	2	-	-	-
Female	10	3	1	-	1	-	2	1	-	1	1	-	-
White, both sexes	14	3	1	1	1	-	2	2	1	2	1	-	-
Male	5	-	-	1	-	-	1	1	1	1	-	-	-
Female	9	3	1	-	1	-	1	1	-	1	1	-	-
Black, both sexes	2	-	-	-	-	-	1	-	-	1	-	-	-
Male	1	-	-	-	-	-	-	-	-	1	-	-	-
Female	1	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Secondary malignant neoplasm of bone and bone marrow (C79.5)													
All races, both sexes	478	42	36	48	32	37	46	37	46	36	44	37	37
Male	237	23	15	23	16	18	29	18	26	14	22	13	20
Female	241	19	21	25	16	19	17	19	20	22	22	24	17
White, both sexes	418	34	32	44	25	33	41	35	39	30	39	32	34
Male	208	19	13	21	13	16	26	18	23	11	20	11	17
Female	210	15	19	23	12	17	15	17	16	19	19	21	17
Black, both sexes	49	7	1	4	6	4	3	1	6	6	3	5	3
Male	22	3	-	2	2	2	2	-	2	3	1	2	3
Female	27	4	1	2	4	2	1	1	4	3	2	3	-
American Indian 1/, both sexes	2	-	1	-	-	-	1	-	-	-	-	-	-
Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	9	1	2	-	1	-	1	1	1	-	2	-	-
Male	6	1	1	-	1	-	1	-	1	-	1	-	-
Female	3	-	1	-	-	-	-	1	-	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Secondary malignant neoplasm of ovary (C79.6)													
All races, both sexes	4	-	1	-	-	-	1	-	1	-	-	1	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	4	-	1	-	-	-	1	-	1	-	-	1	-
White, both sexes	4	-	1	-	-	-	1	-	1	-	-	1	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	4	-	1	-	-	-	1	-	1	-	-	1	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Secondary malignant neoplasm of adrenal gland (C79.7)													
All races, both sexes	3	-	-	1	-	-	-	-	-	-	-	1	1
Male	1	-	-	-	-	-	-	-	-	-	-	1	-
Female	2	-	-	1	-	-	-	-	-	-	-	-	1
White, both sexes	3	-	-	1	-	-	-	-	-	-	-	1	1
Male	1	-	-	-	-	-	-	-	-	-	-	1	-
Female	2	-	-	1	-	-	-	-	-	-	-	-	1
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Secondary malignant neoplasm of other specified sites (C79.8)													
All races, both sexes	2,863	240	206	244	238	249	254	213	252	220	245	245	257
Male	1,933	149	131	157	159	159	172	158	172	166	175	160	175
Female	930	91	75	87	79	90	82	55	80	54	70	85	82
White, both sexes	2,333	198	171	202	196	202	205	169	208	179	195	194	214
Male	1,553	121	107	129	126	127	136	125	141	132	137	127	145
Female	780	77	64	73	70	75	69	44	67	47	58	67	69
Black, both sexes	478	36	31	40	36	43	44	40	41	34	48	48	37
Male	342	22	21	26	29	30	33	31	28	27	37	32	26
Female	136	14	10	14	7	13	11	9	13	7	11	16	11
American Indian 1/, both sexes	12	1	1	-	1	1	1	1	2	2	-	-	2
Male	11	1	1	-	1	1	1	1	2	2	-	-	1
Female	1	-	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes	40	5	3	2	5	3	4	3	1	5	2	3	4
Male	27	5	2	2	3	1	2	1	1	5	1	1	3
Female	13	-	1	-	2	2	2	2	-	-	1	2	1
Malignant neoplasm without specification of site (C80)													
All races, both sexes	26,661	2,353	2,019	2,235	2,200	2,282	2,232	2,249	2,249	2,196	2,223	2,168	2,255
Male	13,150	1,166	1,019	1,082	1,102	1,138	1,103	1,092	1,088	1,077	1,083	1,096	1,104
Female	13,511	1,187	1,000	1,153	1,098	1,144	1,129	1,157	1,161	1,119	1,140	1,072	1,151
White, both sexes	23,077	2,035	1,759	1,924	1,887	1,979	1,944	1,917	1,947	1,933	1,917	1,893	1,942
Male	11,417	997	892	929	951	985	974	936	941	959	933	964	956
Female	11,660	1,038	867	995	936	994	970	981	1,006	974	984	929	986
Black, both sexes	3,008	268	213	265	267	250	233	281	260	219	250	236	266
Male	1,458	142	105	130	126	127	102	130	128	100	123	117	128
Female	1,550	126	108	135	141	123	131	151	132	119	127	119	138
American Indian 1/, both sexes	129	8	9	15	10	10	10	14	9	9	17	7	11
Male	66	5	5	10	4	6	4	8	5	5	7	2	5
Female	63	3	4	5	6	4	6	6	4	4	10	5	6
Asian or Pacific Islander 2/, both sexes	447	42	38	31	36	43	45	37	33	35	39	32	36
Male	209	22	17	13	21	20	23	18	14	13	20	13	15
Female	238	20	21	18	15	23	22	19	19	22	19	19	21

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Hodgkin's disease (C81)													
All races, both sexes	1,347	109	89	116	113	126	117	121	101	126	124	95	110
Male	725	60	49	55	63	64	69	63	60	63	71	48	60
Female	622	49	40	61	50	62	48	58	41	63	53	47	50
White, both sexes	1,192	99	79	107	106	112	106	100	85	114	107	78	99
Male	638	55	44	49	58	57	64	52	49	56	61	40	53
Female	554	44	35	58	48	55	42	48	36	58	46	38	46
Black, both sexes	120	9	9	6	4	11	8	15	10	10	13	15	10
Male	68	5	5	3	2	4	3	7	9	6	9	8	7
Female	52	4	4	3	2	7	5	8	1	4	4	7	3
American Indian 1/, both sexes	9	1	1	1	1	1	1	2	1	-	-	-	-
Male	4	-	-	1	1	1	-	1	-	-	-	-	-
Female	5	1	1	-	-	-	1	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes	26	-	-	2	2	2	2	4	5	2	4	2	1
Male	15	-	-	2	2	2	2	3	2	1	1	-	-
Female	11	-	-	-	-	-	-	1	3	1	3	2	1
Nodular sclerosis (C81.1)													
All races, both sexes	18	3	1	4	1	2	-	-	1	1	2	2	1
Male	11	1	-	4	-	2	-	-	1	1	1	-	1
Female	7	2	1	-	1	-	-	-	-	-	1	2	-
White, both sexes	16	3	1	3	1	2	-	-	-	1	2	2	1
Male	9	1	-	3	-	2	-	-	-	1	1	-	1
Female	7	2	1	-	1	-	-	-	-	-	1	2	-
Black, both sexes	2	-	-	1	-	-	-	-	1	-	-	-	-
Male	2	-	-	1	-	-	-	-	1	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Mixed cellularity (C81.2)													
All races, both sexes	6	2	1	-	-	1	1	-	-	-	-	-	1
Male	4	1	1	-	-	1	-	-	-	-	-	-	1
Female	2	1	-	-	-	-	1	-	-	-	-	-	-
White, both sexes	4	2	-	-	-	1	-	-	-	-	-	-	1
Male	3	1	-	-	-	1	-	-	-	-	-	-	1
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	2	-	1	-	-	-	1	-	-	-	-	-	-
Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Lymphocytic depletion (C81.3)													
All races, both sexes	2	-	-	-	-	-	-	1	-	1	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	1	-	1	-	-	-
White, both sexes	2	-	-	-	-	-	-	1	-	1	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	1	-	1	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other Hodgkin's disease (C81.7)													
All races, both sexes	3	-	-	-	1	-	-	-	1	1	-	-	-
Male	2	-	-	-	1	-	-	-	1	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	1	-	-	-
White, both sexes	3	-	-	-	1	-	-	-	1	1	-	-	-
Male	2	-	-	-	1	-	-	-	1	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	1	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Hodgkin's disease, unspecified (C81.9)													
All races, both sexes	1,318	104	87	112	111	123	116	120	99	123	122	93	108
Male	708	58	48	51	62	61	69	63	58	62	70	48	58
Female	610	46	39	61	49	62	47	57	41	61	52	45	50
White, both sexes	1,167	94	78	104	104	109	106	99	84	111	105	76	97
Male	624	53	44	46	57	54	64	52	48	55	60	40	51
Female	543	41	34	58	47	55	42	47	36	56	45	36	46
Black, both sexes	116	9	8	5	4	11	7	15	9	10	13	15	10
Male	65	5	4	2	2	4	3	7	8	6	9	8	7
Female	51	4	4	3	2	7	4	8	1	4	4	7	3
American Indian 1/, both sexes	9	1	1	1	1	1	1	2	1	-	-	-	-
Male	4	-	-	1	1	1	-	1	-	-	-	-	-
Female	5	1	1	-	-	-	1	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes	26	-	-	2	2	2	2	4	5	2	4	2	1
Male	15	-	-	2	2	2	2	3	2	1	1	-	-
Female	11	-	-	-	-	-	-	1	3	1	3	2	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Follicular [nodular] non-Hodgkin's lymphoma (C82)													
All races, both sexes	200	20	14	19	16	19	12	13	11	22	17	18	19
Male	104	10	8	13	11	11	2	6	5	13	7	11	7
Female	96	10	6	6	5	8	10	7	6	9	10	7	12
White, both sexes	188	20	13	18	15	18	12	11	9	22	16	17	17
Male	98	10	7	13	11	10	2	4	4	13	7	10	7
Female	90	10	6	5	4	8	10	7	5	9	9	7	10
Black, both sexes	9	-	1	1	1	1	-	1	1	-	-	1	2
Male	5	-	1	-	-	1	-	1	1	-	-	1	-
Female	4	-	-	1	1	-	-	-	-	-	-	-	2
American Indian 1/, both sexes	2	-	-	-	-	-	-	1	-	-	1	-	-
Male	1	-	-	-	-	-	-	1	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	-	1	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	1	-	-	-	-
Small cleaved cell, follicular (C82.0)													
All races, both sexes	19	3	2	2	1	4	1	1	1	1	2	-	1
Male	11	1	2	1	1	4	-	-	-	1	1	-	-
Female	8	2	-	1	-	-	1	1	1	-	1	-	1
White, both sexes	19	3	2	2	1	4	1	1	1	1	2	-	1
Male	11	1	2	1	1	4	-	-	-	1	1	-	-
Female	8	2	-	1	-	-	1	1	1	-	1	-	1
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Mixed small cleaved and large cell, follicular (C82.1)													
All races, both sexes	10	2	1	1	1	-	1	-	1	1	2	-	-
Male	5	1	-	1	1	-	-	-	-	1	1	-	-
Female	5	1	1	-	-	-	1	-	1	-	1	-	-
White, both sexes	10	2	1	1	1	-	1	-	1	1	2	-	-
Male	5	1	-	1	1	-	-	-	-	1	1	-	-
Female	5	1	1	-	-	-	1	-	1	-	1	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Large cell, follicular (C82.2)													
All races, both sexes	12	3	-	-	1	-	1	2	3	1	1	-	-
Male	8	1	-	-	1	-	-	2	2	1	1	-	-
Female	4	2	-	-	-	-	1	-	1	-	-	-	-
White, both sexes	12	3	-	-	1	-	1	2	3	1	1	-	-
Male	8	1	-	-	1	-	-	2	2	1	1	-	-
Female	4	2	-	-	-	-	1	-	1	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other types of follicular non-Hodgkin's lymphoma (C82.7)													
All races, both sexes	4	-	1	-	1	-	-	-	-	-	1	1	-
Male	2	-	-	-	1	-	-	-	-	-	-	1	-
Female	2	-	1	-	-	-	-	-	-	-	1	-	-
White, both sexes	4	-	1	-	1	-	-	-	-	-	1	1	-
Male	2	-	-	-	1	-	-	-	-	-	-	1	-
Female	2	-	1	-	-	-	-	-	-	-	1	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Follicular non-Hodgkin's lymphoma, unspecified (C82.9)													
All races, both sexes	155	12	10	16	12	15	9	10	6	19	11	17	18
Male	78	7	6	11	7	7	2	4	3	10	4	10	7
Female	77	5	4	5	5	8	7	6	3	9	7	7	11
White, both sexes	143	12	9	15	11	14	9	8	4	19	10	16	16
Male	72	7	5	11	7	6	2	2	2	10	4	9	7
Female	71	5	4	4	4	8	7	6	2	9	6	7	9
Black, both sexes	9	-	1	1	1	1	-	1	1	-	-	1	2
Male	5	-	1	-	-	1	-	1	1	-	-	1	-
Female	4	-	-	1	1	-	-	-	-	-	-	-	2
American Indian 1/, both sexes	2	-	-	-	-	-	-	1	-	-	1	-	-
Male	1	-	-	-	-	-	-	1	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	-	1	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	1	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Diffuse non-Hodgkin's lymphoma (C83)													
All races, both sexes	2,356	207	186	194	215	223	173	204	202	203	186	176	187
Male	1,435	135	102	122	130	143	87	124	135	121	113	107	116
Female	921	72	84	72	85	80	86	80	67	82	73	69	71
White, both sexes	2,189	194	179	180	199	211	161	193	181	179	176	164	172
Male	1,342	128	100	114	124	133	78	117	123	109	109	100	107
Female	847	66	79	66	75	78	83	76	58	70	67	64	65
Black, both sexes	129	11	5	13	11	7	10	10	16	18	9	7	12
Male	71	5	2	8	3	5	7	6	10	10	4	4	7
Female	58	6	3	5	8	2	3	4	6	8	5	3	5
American Indian 1/, both sexes	6	-	1	-	1	1	1	-	1	-	-	1	-
Male	2	-	-	-	-	1	1	-	-	-	-	-	-
Female	4	-	1	-	1	-	-	-	1	-	-	1	-
Asian or Pacific Islander 2/, both sexes	32	2	1	1	4	4	1	1	4	6	1	4	3
Male	20	2	-	-	3	4	1	1	2	2	-	3	2
Female	12	-	1	1	1	-	-	-	2	4	1	1	1
Small cell (diffuse) (C83.0)													
All races, both sexes	244	19	19	19	27	16	21	18	22	21	13	25	24
Male	143	12	9	9	14	9	13	11	14	15	8	13	16
Female	101	7	10	10	13	7	8	7	8	6	5	12	8
White, both sexes	219	15	19	15	25	16	20	17	18	18	10	23	23
Male	132	9	9	8	14	9	13	10	12	12	7	13	16
Female	87	6	10	7	11	7	7	7	6	6	3	10	7
Black, both sexes	23	3	-	4	2	-	1	1	4	3	3	1	1
Male	10	2	-	1	-	-	-	1	2	3	1	-	-
Female	13	1	-	3	2	-	1	-	2	-	2	1	1
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	2	1	-	-	-	-	-	-	-	-	-	1	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Small cleaved cell (diffuse) (C83.1)													
All races, both sexes	580	47	37	47	48	48	37	58	49	55	59	42	53
Male	443	40	28	32	42	33	22	46	39	46	44	30	41
Female	137	7	9	15	6	15	15	12	10	9	15	12	12
White, both sexes	561	47	35	45	47	48	33	58	48	54	58	41	47
Male	428	40	26	31	41	33	18	46	38	45	44	29	37
Female	133	7	9	14	6	15	15	12	10	9	14	12	10
Black, both sexes	14	-	2	2	1	-	3	-	1	-	1	-	4
Male	11	-	2	1	1	-	3	-	1	-	-	-	3
Female	3	-	-	1	-	-	-	-	-	-	1	-	1
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	5	-	-	-	-	-	1	-	-	1	-	1	2
Male	4	-	-	-	-	-	1	-	-	1	-	1	1
Female	1	-	-	-	-	-	-	-	-	-	-	-	1
Mixed small and large cell (diffuse) (C83.2)													
All races, both sexes	30	3	3	3	3	5	1	1	2	-	3	3	3
Male	15	1	1	-	2	3	1	-	2	-	1	3	1
Female	15	2	2	3	1	2	-	1	-	-	2	-	2
White, both sexes	27	3	2	3	3	5	1	1	1	-	3	3	2
Male	14	1	1	-	2	3	1	-	1	-	1	3	1
Female	13	2	1	3	1	2	-	1	-	-	2	-	1
Black, both sexes	2	-	1	-	-	-	-	-	-	-	-	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	1	-	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	-	1	-	-	-	-
Male	1	-	-	-	-	-	-	-	1	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Large cell (diffuse) (C83.3)													
All races, both sexes	1,104	102	85	88	109	111	85	97	97	93	80	77	80
Male	570	58	39	50	50	64	36	48	59	41	42	41	42
Female	534	44	46	38	59	47	49	49	38	52	38	36	38
White, both sexes	1,025	96	82	83	101	105	79	90	88	80	76	71	74
Male	531	55	39	47	48	58	32	44	56	35	41	38	38
Female	494	41	43	36	53	47	47	46	32	45	35	33	36
Black, both sexes	63	5	2	4	7	3	5	6	6	11	3	5	6
Male	32	2	-	3	2	3	3	3	3	5	1	3	4
Female	31	3	2	1	5	-	2	3	3	6	2	2	2
American Indian 1/, both sexes	6	-	1	-	1	1	1	-	1	-	-	1	-
Male	2	-	-	-	-	1	1	-	-	-	-	-	-
Female	4	-	1	-	1	-	-	-	1	-	-	1	-
Asian or Pacific Islander 2/, both sexes	10	1	-	1	-	2	-	1	2	2	1	-	-
Male	5	1	-	-	-	2	-	1	-	1	-	-	-
Female	5	-	-	1	-	-	-	-	2	1	1	-	-
Immunoblastic (diffuse) (C83.4)													
All races, both sexes	34	2	2	2	1	5	1	2	1	8	3	3	4
Male	18	1	1	2	-	2	1	1	-	5	2	2	1
Female	16	1	1	-	1	3	-	1	1	3	1	1	3
White, both sexes	30	2	2	1	-	4	1	2	1	7	3	3	4
Male	17	1	1	1	-	2	1	1	-	5	2	2	1
Female	13	1	1	-	-	2	-	1	1	2	1	1	3
Black, both sexes	4	-	-	1	1	1	-	-	-	1	-	-	-
Male	1	-	-	1	-	-	-	-	-	-	-	-	-
Female	3	-	-	-	1	1	-	-	-	1	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Lymphoblastic (diffuse) (C83.5)													
All races, both sexes	54	4	6	2	3	6	2	4	7	7	2	5	6
Male	40	2	5	2	3	6	1	3	6	2	1	5	4
Female	14	2	1	-	-	-	1	1	1	5	1	-	2
White, both sexes	48	3	6	2	3	6	2	4	4	5	2	5	6
Male	37	2	5	2	3	6	1	3	4	1	1	5	4
Female	11	1	1	-	-	-	1	1	-	4	1	-	2
Black, both sexes	5	1	-	-	-	-	-	-	2	2	-	-	-
Male	2	-	-	-	-	-	-	-	1	1	-	-	-
Female	3	1	-	-	-	-	-	-	1	1	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	-	1	-	-	-	-
Male	1	-	-	-	-	-	-	-	1	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Undifferentiated (diffuse) (C83.6)													
All races, both sexes	4	1	-	-	-	1	-	-	1	1	-	-	-
Male	2	1	-	-	-	-	-	-	1	-	-	-	-
Female	2	-	-	-	-	1	-	-	-	1	-	-	-
White, both sexes	4	1	-	-	-	1	-	-	1	1	-	-	-
Male	2	1	-	-	-	-	-	-	1	-	-	-	-
Female	2	-	-	-	-	1	-	-	-	1	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Burkitt's tumor (C83.7)													
All races, both sexes	218	23	26	24	13	18	17	17	17	14	19	18	12
Male	148	17	15	22	10	16	9	12	11	8	10	11	7
Female	70	6	11	2	3	2	8	5	6	6	9	7	5
White, both sexes	195	22	26	23	11	15	16	14	14	10	18	15	11
Male	131	17	15	21	9	13	8	10	8	7	9	8	6
Female	64	5	11	2	2	2	8	4	6	3	9	7	5
Black, both sexes	14	1	-	1	-	2	1	3	3	1	1	1	-
Male	12	-	-	1	-	2	1	2	3	1	1	1	-
Female	2	1	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	9	-	-	-	2	1	-	-	-	3	-	2	1
Male	5	-	-	-	1	1	-	-	-	-	-	2	1
Female	4	-	-	-	1	-	-	-	-	3	-	-	-
Other types of diffuse non-Hodgkin's lymphoma (C83.8)													
All races, both sexes	50	2	4	6	7	10	5	4	2	2	4	1	3
Male	35	-	3	4	7	8	2	2	1	2	3	1	2
Female	15	2	1	2	-	2	3	2	1	-	1	-	1
White, both sexes	47	2	4	6	6	9	5	4	2	2	3	1	3
Male	32	-	3	4	6	7	2	2	1	2	2	1	2
Female	15	2	1	2	-	2	3	2	1	-	1	-	1
Black, both sexes	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	2	-	-	-	1	1	-	-	-	-	-	-	-
Male	2	-	-	-	1	1	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Diffuse non-Hodgkin's lymphoma, unspecified (C83.9)													
All races, both sexes	38	4	4	3	4	3	4	3	4	2	3	2	2
Male	21	3	1	1	2	2	2	1	2	2	2	1	2
Female	17	1	3	2	2	1	2	2	2	-	1	1	-
White, both sexes	33	3	3	2	3	2	4	3	4	2	3	2	2
Male	18	2	1	-	1	2	2	1	2	2	2	1	2
Female	15	1	2	2	2	-	2	2	2	-	1	1	-
Black, both sexes	3	1	-	1	-	1	-	-	-	-	-	-	-
Male	2	1	-	1	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	2	-	1	-	1	-	-	-	-	-	-	-	-
Male	1	-	-	-	1	-	-	-	-	-	-	-	-
Female	1	-	1	-	-	-	-	-	-	-	-	-	-
Peripheral and cutaneous T-cell lymphomas (C84)													
All races, both sexes	849	74	56	79	77	80	59	71	62	64	77	65	85
Male	493	44	26	47	41	49	39	37	40	40	46	38	46
Female	356	30	30	32	36	31	20	34	22	24	31	27	39
White, both sexes	681	59	45	62	62	67	42	61	47	51	63	48	74
Male	415	37	23	42	36	43	28	31	31	32	41	30	41
Female	266	22	22	20	26	24	14	30	16	19	22	18	33
Black, both sexes	139	13	8	16	14	13	16	7	12	8	10	13	9
Male	65	7	2	4	5	6	10	4	6	5	4	7	5
Female	74	6	6	12	9	7	6	3	6	3	6	6	4
American Indian 1/, both sexes	5	-	1	-	-	-	-	1	-	2	1	-	-
Male	1	-	-	-	-	-	-	-	-	1	-	-	-
Female	4	-	1	-	-	-	-	1	-	1	1	-	-
Asian or Pacific Islander 2/, both sexes	24	2	2	1	1	-	1	2	3	3	3	4	2
Male	12	-	1	1	-	-	1	2	3	2	1	1	-
Female	12	2	1	-	1	-	-	-	-	1	2	3	2

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Mycosis fungoides (C84.0)													
All races, both sexes	112	8	12	17	13	17	6	5	7	6	3	4	14
Male	61	7	4	7	8	10	4	2	4	3	-	2	10
Female	51	1	8	10	5	7	2	3	3	3	3	2	4
White, both sexes	85	7	9	14	10	13	2	5	7	4	2	1	11
Male	50	6	4	7	7	8	2	2	4	2	-	1	7
Female	35	1	5	7	3	5	-	3	3	2	2	-	4
Black, both sexes	25	1	2	3	3	4	4	-	-	2	1	2	3
Male	11	1	-	-	1	2	2	-	-	1	-	1	3
Female	14	-	2	3	2	2	2	-	-	1	1	1	-
American Indian 1/, both sexes	1	-	1	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	-	-	-	-	1	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-
Sezary's disease (C84.1)													
All races, both sexes	11	1	2	3	-	-	-	1	-	-	3	-	1
Male	6	1	1	2	-	-	-	-	-	-	2	-	-
Female	5	-	1	1	-	-	-	1	-	-	1	-	1
White, both sexes	9	1	1	2	-	-	-	1	-	-	3	-	1
Male	6	1	1	2	-	-	-	-	-	-	2	-	-
Female	3	-	-	-	-	-	-	1	-	-	1	-	1
Black, both sexes	2	-	1	1	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	1	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
T-zone lymphoma (C84.2)													
All races, both sexes	1	-	-	-	1	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	1	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	1	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	1	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Lymphoepithelioid lymphoma (C84.3)													
All races, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	1	-	-	1	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	1	-	-	1	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Peripheral T-cell lymphoma (C84.4)													
All races, both sexes	65	6	3	7	9	6	4	8	2	1	8	6	5
Male	40	4	1	3	6	4	1	6	2	-	6	3	4
Female	25	2	2	4	3	2	3	2	-	1	2	3	1
White, both sexes	60	6	3	5	8	6	4	8	2	1	7	6	4
Male	39	4	1	3	6	4	1	6	2	-	5	3	4
Female	21	2	2	2	2	2	3	2	-	1	2	3	-
Black, both sexes	4	-	-	2	1	-	-	-	-	-	1	-	-
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	3	-	-	2	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	1
Other and unspecified T-cell lymphomas (C84.5)													
All races, both sexes	659	59	39	51	54	57	49	57	53	57	63	55	65
Male	385	32	20	34	27	35	34	29	34	37	38	33	32
Female	274	27	19	17	27	22	15	28	19	20	25	22	33
White, both sexes	525	45	32	40	43	48	36	47	38	46	51	41	58
Male	319	26	17	29	23	31	25	23	25	30	34	26	30
Female	206	19	15	11	20	17	11	24	13	16	17	15	28
Black, both sexes	108	12	5	10	10	9	12	7	12	6	8	11	6
Male	53	6	2	4	4	4	8	4	6	4	3	6	2
Female	55	6	3	6	6	5	4	3	6	2	5	5	4
American Indian 1/, both sexes	4	-	-	-	-	-	-	1	-	2	1	-	-
Male	1	-	-	-	-	-	-	-	-	1	-	-	-
Female	3	-	-	-	-	-	-	1	-	1	1	-	-
Asian or Pacific Islander 2/, both sexes	22	2	2	1	1	-	1	2	3	3	3	3	1
Male	12	-	1	1	-	-	1	2	3	2	1	1	-
Female	10	2	1	-	1	-	-	-	-	1	2	2	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other and unspecified types of non-Hodgkin's lymphoma (C85)													
All races, both sexes	18,070	1,618	1,370	1,538	1,463	1,498	1,441	1,471	1,506	1,455	1,553	1,497	1,660
Male	9,367	864	697	780	763	802	732	759	763	752	783	790	882
Female	8,703	754	673	758	700	696	709	712	743	703	770	707	778
White, both sexes	16,540	1,473	1,261	1,420	1,334	1,354	1,329	1,343	1,386	1,338	1,421	1,368	1,513
Male	8,592	794	647	715	698	724	673	702	704	691	716	720	808
Female	7,948	679	614	705	636	630	656	641	682	647	705	648	705
Black, both sexes	1,094	92	84	82	89	105	78	92	87	85	85	99	116
Male	546	41	37	48	42	58	43	38	40	44	44	52	59
Female	548	51	47	34	47	47	35	54	47	41	41	47	57
American Indian 1/, both sexes	56	10	1	5	6	-	4	5	5	6	3	5	6
Male	30	6	1	2	2	-	3	5	3	1	2	2	3
Female	26	4	-	3	4	-	1	-	2	5	1	3	3
Asian or Pacific Islander 2/, both sexes	380	43	24	31	34	39	30	31	28	26	44	25	25
Male	199	23	12	15	21	20	13	14	16	16	21	16	12
Female	181	20	12	16	13	19	17	17	12	10	23	9	13
Lymphosarcoma (C85.0)													
All races, both sexes	32	7	3	3	4	1	3	2	-	1	-	5	3
Male	17	3	2	1	-	1	2	1	-	-	-	5	2
Female	15	4	1	2	4	-	1	1	-	1	-	-	1
White, both sexes	27	7	3	1	4	-	2	1	-	1	-	5	3
Male	14	3	2	1	-	-	1	-	-	-	-	5	2
Female	13	4	1	-	4	-	1	1	-	1	-	-	1
Black, both sexes	3	-	-	2	-	-	-	1	-	-	-	-	-
Male	1	-	-	-	-	-	-	1	-	-	-	-	-
Female	2	-	-	2	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	2	-	-	-	-	1	1	-	-	-	-	-	-
Male	2	-	-	-	-	1	1	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
B-cell lymphoma, unspecified (C85.1)													
All races, both sexes	1,058	77	88	88	79	93	101	81	81	89	82	98	101
Male	540	46	50	41	41	44	49	41	35	45	43	55	50
Female	518	31	38	47	38	49	52	40	46	44	39	43	51
White, both sexes	966	70	82	86	73	82	92	73	73	80	70	87	98
Male	484	41	48	39	37	39	43	38	32	37	34	48	48
Female	482	29	34	47	36	43	49	35	41	43	36	39	50
Black, both sexes	66	4	5	1	3	10	6	7	6	7	9	7	1
Male	38	2	2	1	1	4	4	3	3	7	6	4	1
Female	28	2	3	-	2	6	2	4	3	-	3	3	-
American Indian 1/, both sexes	5	1	-	-	1	-	1	-	-	1	-	1	-
Male	4	1	-	-	1	-	1	-	-	-	-	1	-
Female	1	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes	21	2	1	1	2	1	2	1	2	1	3	3	2
Male	14	2	-	1	2	1	1	-	-	1	3	2	1
Female	7	-	1	-	-	-	1	1	2	-	-	1	1
Other specified types of non-Hodgkin's lymphoma (C85.7)													
All races, both sexes	7	-	1	-	2	2	-	-	-	1	-	1	-
Male	2	-	1	-	-	-	-	-	-	1	-	-	-
Female	5	-	-	-	2	2	-	-	-	-	-	1	-
White, both sexes	7	-	1	-	2	2	-	-	-	1	-	1	-
Male	2	-	1	-	-	-	-	-	-	1	-	-	-
Female	5	-	-	-	2	2	-	-	-	-	-	1	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Non-Hodgkin's lymphoma, unspecified type (C85.9)													
All races, both sexes	16,973	1,534	1,278	1,447	1,378	1,402	1,337	1,388	1,425	1,364	1,471	1,393	1,556
Male	8,808	815	644	738	722	757	681	717	728	706	740	730	830
Female	8,165	719	634	709	656	645	656	671	697	658	731	663	726
White, both sexes	15,540	1,396	1,175	1,333	1,255	1,270	1,235	1,269	1,313	1,256	1,351	1,275	1,412
Male	8,092	750	596	675	661	685	629	664	672	653	682	667	758
Female	7,448	646	579	658	594	585	606	605	641	603	669	608	654
Black, both sexes	1,025	88	79	79	86	95	72	84	81	78	76	92	115
Male	507	39	35	47	41	54	39	34	37	37	38	48	58
Female	518	49	44	32	45	41	33	50	44	41	38	44	57
American Indian 1/, both sexes	51	9	1	5	5	-	3	5	5	5	3	4	6
Male	26	5	1	2	1	-	2	5	3	1	2	1	3
Female	25	4	-	3	4	-	1	-	2	4	1	3	3
Asian or Pacific Islander 2/, both sexes	357	41	23	30	32	37	27	30	26	25	41	22	23
Male	183	21	12	14	19	18	11	14	16	15	18	14	11
Female	174	20	11	16	13	19	16	16	10	10	23	8	12
Malignant immunoproliferative diseases (C88)													
All races, both sexes	385	36	30	30	42	40	33	34	42	17	34	22	25
Male	229	20	18	18	27	27	21	25	21	11	17	11	13
Female	156	16	12	12	15	13	12	9	21	6	17	11	12
White, both sexes	366	34	28	28	41	36	32	33	39	17	33	20	25
Male	221	19	17	17	27	25	20	25	21	11	16	10	13
Female	145	15	11	11	14	11	12	8	18	6	17	10	12
Black, both sexes	18	2	2	2	1	4	1	1	2	-	1	2	-
Male	8	1	1	1	-	2	1	-	-	-	1	1	-
Female	10	1	1	1	1	2	-	1	2	-	-	1	-
American Indian 1/, both sexes	1	-	-	-	-	-	-	-	1	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Waldenstrom's macroglobulinemia (C88.0)													
All races, both sexes	375	35	30	30	42	39	33	33	42	16	31	20	24
Male	223	20	18	18	27	26	21	24	21	11	15	10	12
Female	152	15	12	12	15	13	12	9	21	5	16	10	12
White, both sexes	358	33	28	28	41	36	32	32	39	16	30	19	24
Male	216	19	17	17	27	25	20	24	21	11	14	9	12
Female	142	14	11	11	14	11	12	8	18	5	16	10	12
Black, both sexes	16	2	2	2	1	3	1	1	2	-	1	1	-
Male	7	1	1	1	-	1	1	-	-	-	1	1	-
Female	9	1	1	1	1	2	-	1	2	-	-	-	-
American Indian 1/, both sexes	1	-	-	-	-	-	-	-	1	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Alpha heavy chain disease (C88.1)													
All races, both sexes	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Gamma heavy chain disease (C88.2)													
All races, both sexes	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
White, both sexes	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant immunoproliferative disease, unspecified (C88.9)													
All races, both sexes	8	1	-	-	-	-	-	1	-	1	2	2	1
Male	5	-	-	-	-	-	-	1	-	-	2	1	1
Female	3	1	-	-	-	-	-	-	-	1	-	1	-
White, both sexes	7	1	-	-	-	-	-	1	-	1	2	1	1
Male	5	-	-	-	-	-	-	1	-	-	2	1	1
Female	2	1	-	-	-	-	-	-	-	1	-	-	-
Black, both sexes	1	-	-	-	-	-	-	-	-	-	-	1	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Multiple myeloma and malignant plasma cell neoplasms (C90)													
All races, both sexes	10,882	959	900	975	866	908	828	877	958	834	878	918	981
Male	5,619	477	465	512	446	469	437	434	496	423	440	486	534
Female	5,263	482	435	463	420	439	391	443	462	411	438	432	447
White, both sexes	8,861	782	737	785	703	744	668	708	770	690	732	753	789
Male	4,671	399	382	419	368	391	358	363	406	363	376	404	442
Female	4,190	383	355	366	335	353	310	345	364	327	356	349	347
Black, both sexes	1,829	161	149	171	141	152	142	153	174	126	136	148	176
Male	855	73	78	81	68	73	69	63	81	50	60	75	84
Female	974	88	71	90	73	79	73	90	93	76	76	73	92
American Indian 1/, both sexes	54	5	7	4	5	2	4	3	4	4	6	7	3
Male	23	2	2	3	3	-	2	2	2	1	2	2	2
Female	31	3	5	1	2	2	2	1	2	3	4	5	1
Asian or Pacific Islander 2/, both sexes	138	11	7	15	17	10	14	13	10	14	4	10	13
Male	70	3	3	9	7	5	8	6	7	9	2	5	6
Female	68	8	4	6	10	5	6	7	3	5	2	5	7
Multiple myeloma (C90.0)													
All races, both sexes	10,699	937	885	964	857	892	810	864	939	825	865	898	963
Male	5,526	465	456	504	441	460	431	429	487	418	435	477	523
Female	5,173	472	429	460	416	432	379	435	452	407	430	421	440
White, both sexes	8,697	761	723	774	696	730	651	697	751	682	722	736	774
Male	4,587	388	374	411	364	384	352	358	397	358	373	395	433
Female	4,110	373	349	363	332	346	299	339	354	324	349	341	341
Black, both sexes	1,814	160	148	171	139	150	141	152	174	126	134	145	174
Male	846	72	77	81	67	71	69	63	81	50	58	75	82
Female	968	88	71	90	72	79	72	89	93	76	76	70	92
American Indian 1/, both sexes	53	5	7	4	5	2	4	3	4	4	5	7	3
Male	23	2	2	3	3	-	2	2	2	1	2	2	2
Female	30	3	5	1	2	2	2	1	2	3	3	5	1
Asian or Pacific Islander 2/, both sexes	135	11	7	15	17	10	14	12	10	13	4	10	12
Male	70	3	3	9	7	5	8	6	7	9	2	5	6
Female	65	8	4	6	10	5	6	6	3	4	2	5	6

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Plasma cell leukemia (C90.1)													
All races, both sexes	73	9	4	3	3	9	4	5	12	4	7	10	3
Male	31	4	1	2	2	6	1	2	3	3	2	4	1
Female	42	5	3	1	1	3	3	3	9	1	5	6	2
White, both sexes	61	8	4	3	2	8	3	3	12	3	5	8	2
Male	27	3	1	2	2	5	1	2	3	3	-	4	1
Female	34	5	3	1	-	3	2	1	9	-	5	4	1
Black, both sexes	9	1	-	-	1	1	1	1	-	-	2	2	-
Male	4	1	-	-	-	1	-	-	-	-	2	-	-
Female	5	-	-	-	1	-	1	1	-	-	-	2	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	3	-	-	-	-	-	-	1	-	1	-	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	3	-	-	-	-	-	-	1	-	1	-	-	1
Plasmacytoma, extramedullary (C90.2)													
All races, both sexes	110	13	11	8	6	7	14	8	7	5	6	10	15
Male	62	8	8	6	3	3	5	3	6	2	3	5	10
Female	48	5	3	2	3	4	9	5	1	3	3	5	5
White, both sexes	103	13	10	8	5	6	14	8	7	5	5	9	13
Male	57	8	7	6	2	2	5	3	6	2	3	5	8
Female	46	5	3	2	3	4	9	5	1	3	2	4	5
Black, both sexes	6	-	1	-	1	1	-	-	-	-	-	1	2
Male	5	-	1	-	1	1	-	-	-	-	-	-	2
Female	1	-	-	-	-	-	-	-	-	-	-	1	-
American Indian 1/, both sexes	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Lymphoid leukemia (C91)													
All races, both sexes	6,301	547	480	514	535	509	502	526	525	491	543	526	603
Male	3,713	298	270	304	331	302	297	318	336	298	337	285	337
Female	2,588	249	210	210	204	207	205	208	189	193	206	241	266
White, both sexes	5,714	497	443	467	490	466	461	476	456	455	495	461	547
Male	3,380	273	248	282	303	277	274	288	296	270	305	256	308
Female	2,334	224	195	185	187	189	187	188	160	185	190	205	239
Black, both sexes	497	47	30	37	35	38	31	48	53	33	41	53	51
Male	282	24	18	18	24	23	17	29	29	26	26	22	26
Female	215	23	12	19	11	15	14	19	24	7	15	31	25
American Indian 1/, both sexes	25	1	2	3	2	1	4	1	7	-	2	2	-
Male	16	1	1	2	1	-	2	1	4	-	2	2	-
Female	9	-	1	1	1	1	2	-	3	-	-	-	-
Asian or Pacific Islander 2/, both sexes	65	2	5	7	8	4	6	1	9	3	5	10	5
Male	35	-	3	2	3	2	4	-	7	2	4	5	3
Female	30	2	2	5	5	2	2	1	2	1	1	5	2
Acute lymphoblastic leukemia (C91.0)													
All races, both sexes	1,429	126	91	112	134	120	112	131	116	105	139	102	141
Male	855	74	54	70	81	66	72	78	72	65	95	55	73
Female	574	52	37	42	53	54	40	53	44	40	44	47	68
White, both sexes	1,240	110	81	96	115	106	95	120	97	94	119	81	126
Male	741	66	47	63	70	57	62	70	60	55	79	44	68
Female	499	44	34	33	45	49	33	50	37	39	40	37	58
Black, both sexes	133	15	7	11	13	9	11	9	11	9	14	12	12
Male	87	8	5	6	9	7	8	7	6	9	11	7	4
Female	46	7	2	5	4	2	3	2	5	-	3	5	8
American Indian 1/, both sexes	15	-	-	1	2	1	3	1	4	-	2	1	-
Male	10	-	-	1	1	-	1	1	3	-	2	1	-
Female	5	-	-	-	1	1	2	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes	41	1	3	4	4	4	3	1	4	2	4	8	3
Male	17	-	2	-	1	2	1	-	3	1	3	3	1
Female	24	1	1	4	3	2	2	1	1	1	1	5	2

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Chronic lymphocytic leukemia (C91.1)													
All races, both sexes	4,476	391	351	372	364	357	364	364	367	353	382	393	418
Male	2,605	203	187	213	228	216	209	221	237	213	231	214	233
Female	1,871	188	164	159	136	141	155	143	130	140	151	179	185
White, both sexes	4,114	359	326	345	344	328	342	328	321	331	355	352	383
Male	2,406	187	174	201	215	200	198	200	210	198	216	196	211
Female	1,708	172	152	144	129	128	144	128	111	133	139	156	172
Black, both sexes	333	30	21	25	17	29	18	36	39	21	26	38	33
Male	177	15	11	11	11	16	7	21	22	14	14	15	20
Female	156	15	10	14	6	13	11	15	17	7	12	23	13
American Indian 1/, both sexes	9	1	2	2	-	-	1	-	2	-	-	1	-
Male	6	1	1	1	-	-	1	-	1	-	-	1	-
Female	3	-	1	1	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes	20	1	2	-	3	-	3	-	5	1	1	2	2
Male	16	-	1	-	2	-	3	-	4	1	1	2	2
Female	4	1	1	-	1	-	-	-	1	-	-	-	-
Prolymphocytic leukemia (C91.3)													
All races, both sexes	75	5	7	5	7	6	6	6	6	5	5	7	10
Male	47	4	6	4	4	3	4	4	3	2	1	5	7
Female	28	1	1	1	3	3	2	2	3	3	4	2	3
White, both sexes	66	4	6	5	6	6	5	6	5	5	5	7	6
Male	41	3	5	4	3	3	3	4	2	2	1	5	6
Female	25	1	1	1	3	3	2	2	3	3	4	2	-
Black, both sexes	9	1	1	-	1	-	1	-	1	-	-	-	4
Male	6	1	1	-	1	-	1	-	1	-	-	-	1
Female	3	-	-	-	-	-	-	-	-	-	-	-	3
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Hairy-cell leukemia (C91.4)													
All races, both sexes	99	10	8	10	9	7	10	9	13	4	4	8	7
Male	77	8	7	9	7	5	6	6	10	3	4	6	6
Female	22	2	1	1	2	2	4	3	3	1	-	2	1
White, both sexes	94	9	8	9	8	7	9	9	13	3	4	8	7
Male	74	8	7	8	7	5	5	6	10	2	4	6	6
Female	20	1	1	1	1	2	4	3	3	1	-	2	1
Black, both sexes	3	1	-	-	-	-	1	-	-	1	-	-	-
Male	2	-	-	-	-	-	1	-	-	1	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	2	-	-	1	1	-	-	-	-	-	-	-	-
Male	1	-	-	1	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	1	-	-	-	-	-	-	-	-
Adult T-cell leukemia (C91.5)													
All races, both sexes	25	1	7	-	2	4	1	3	-	1	4	-	2
Male	16	1	6	-	1	2	-	2	-	1	2	-	1
Female	9	-	1	-	1	2	1	1	-	-	2	-	1
White, both sexes	20	1	6	-	1	4	1	1	-	1	3	-	2
Male	13	1	5	-	1	2	-	1	-	1	1	-	1
Female	7	-	1	-	-	2	1	-	-	-	2	-	1
Black, both sexes	5	-	1	-	1	-	-	2	-	-	1	-	-
Male	3	-	1	-	-	-	-	1	-	-	1	-	-
Female	2	-	-	-	1	-	-	1	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other lymphoid leukemia (C91.7)													
All races, both sexes	1	-	-	-	-	-	-	-	1	-	-	-	-
Male	1	-	-	-	-	-	-	-	1	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	-	-	-	-	1	-	-	-	-
Male	1	-	-	-	-	-	-	-	1	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Lymphoid leukemia, unspecified (C91.9)													
All races, both sexes	196	14	16	15	19	15	9	13	22	23	9	16	25
Male	112	8	10	8	10	10	6	7	13	14	4	5	17
Female	84	6	6	7	9	5	3	6	9	9	5	11	8
White, both sexes	179	14	16	12	16	15	9	12	19	21	9	13	23
Male	104	8	10	6	7	10	6	7	13	12	4	5	16
Female	75	6	6	6	9	5	3	5	6	9	5	8	7
Black, both sexes	14	-	-	1	3	-	-	1	2	2	-	3	2
Male	7	-	-	1	3	-	-	-	-	2	-	-	1
Female	7	-	-	-	-	-	-	1	2	-	-	3	1
American Indian 1/, both sexes	1	-	-	-	-	-	-	-	1	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes	2	-	-	2	-	-	-	-	-	-	-	-	-
Male	1	-	-	1	-	-	-	-	-	-	-	-	-
Female	1	-	-	1	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Myeloid leukemia (C92)													
All races, both sexes	9,893	863	770	873	841	829	821	768	833	809	823	788	875
Male	5,502	479	411	484	470	458	463	410	482	462	475	425	483
Female	4,391	384	359	389	371	371	358	358	351	347	348	363	392
White, both sexes	8,854	777	685	784	763	752	740	681	754	709	728	691	790
Male	4,971	435	369	436	431	414	426	366	433	415	423	380	443
Female	3,883	342	316	348	332	338	314	315	321	294	305	311	347
Black, both sexes	815	69	57	66	65	62	63	70	60	76	74	78	75
Male	422	38	31	37	32	38	26	37	36	36	40	36	35
Female	393	31	26	29	33	24	37	33	24	40	34	42	40
American Indian 1/, both sexes	37	2	4	5	3	2	4	4	1	3	3	5	1
Male	18	1	1	4	2	1	2	2	-	-	2	3	-
Female	19	1	3	1	1	1	2	2	1	3	1	2	1
Asian or Pacific Islander 2/, both sexes	187	15	24	18	10	13	14	13	18	21	18	14	9
Male	91	5	10	7	5	5	9	5	13	11	10	6	5
Female	96	10	14	11	5	8	5	8	5	10	8	8	4
Acute myeloid leukemia (C92.0)													
All races, both sexes	7,739	689	574	671	632	645	648	602	643	665	659	633	678
Male	4,286	379	311	372	355	340	360	323	372	373	386	342	373
Female	3,453	310	263	299	277	305	288	279	271	292	273	291	305
White, both sexes	6,945	620	502	603	573	589	590	539	578	590	586	565	610
Male	3,890	345	274	336	326	309	337	290	335	340	345	311	342
Female	3,055	275	228	267	247	280	253	249	243	250	241	254	268
Black, both sexes	613	53	46	50	49	44	44	50	48	59	57	55	58
Male	309	28	26	28	22	26	16	27	26	28	30	26	26
Female	304	25	20	22	27	18	28	23	22	31	27	29	32
American Indian 1/, both sexes	29	2	4	3	3	2	3	2	1	3	2	3	1
Male	14	1	1	3	2	1	1	2	-	-	2	1	-
Female	15	1	3	-	1	1	2	-	1	3	-	2	1
Asian or Pacific Islander 2/, both sexes	152	14	22	15	7	10	11	11	16	13	14	10	9
Male	73	5	10	5	5	4	6	4	11	5	9	4	5
Female	79	9	12	10	2	6	5	7	5	8	5	6	4

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Chronic myeloid leukemia (C92.1)													
All races, both sexes	1,233	104	105	117	118	106	107	88	119	71	100	86	112
Male	686	59	49	66	63	68	64	41	72	45	57	44	58
Female	547	45	56	51	55	38	43	47	47	26	43	42	54
White, both sexes	1,064	92	99	100	104	92	89	73	109	56	83	67	100
Male	586	52	46	55	54	60	54	33	64	36	48	33	51
Female	478	40	53	45	50	32	35	40	45	20	35	34	49
Black, both sexes	145	12	6	14	11	12	17	14	9	11	13	14	12
Male	88	7	3	9	9	7	9	8	7	6	8	8	7
Female	57	5	3	5	2	5	8	6	2	5	5	6	5
American Indian 1/, both sexes	5	-	-	2	-	-	-	1	-	-	-	2	-
Male	3	-	-	1	-	-	-	-	-	-	-	2	-
Female	2	-	-	1	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	19	-	-	1	3	2	1	-	1	4	4	3	-
Male	9	-	-	1	-	1	1	-	1	3	1	1	-
Female	10	-	-	-	3	1	-	-	-	1	3	2	-
Myeloid sarcoma (C92.3)													
All races, both sexes	29	4	3	5	1	2	3	7	1	-	-	3	-
Male	15	2	2	1	-	1	3	4	-	-	-	2	-
Female	14	2	1	4	1	1	-	3	1	-	-	1	-
White, both sexes	26	3	1	5	1	2	3	7	1	-	-	3	-
Male	14	2	1	1	-	1	3	4	-	-	-	2	-
Female	12	1	-	4	1	1	-	3	1	-	-	1	-
Black, both sexes	3	1	2	-	-	-	-	-	-	-	-	-	-
Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	2	1	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Acute promyelocytic leukemia (C92.4)													
All races, both sexes	137	13	10	8	11	9	12	10	16	9	16	9	14
Male	70	4	4	5	7	5	6	5	10	4	10	6	4
Female	67	9	6	3	4	4	6	5	6	5	6	3	10
White, both sexes	120	12	9	7	11	8	11	9	14	5	15	6	13
Male	61	3	3	4	7	5	5	5	8	3	10	4	4
Female	59	9	6	3	4	3	6	4	6	2	5	2	9
Black, both sexes	13	1	1	-	-	1	1	1	1	3	1	2	1
Male	6	1	1	-	-	-	1	-	1	1	-	1	-
Female	7	-	-	-	-	1	-	1	-	2	1	1	1
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	4	-	-	1	-	-	-	-	1	1	-	1	-
Male	3	-	-	1	-	-	-	-	1	-	-	1	-
Female	1	-	-	-	-	-	-	-	-	1	-	-	-
Acute myelomonocytic leukemia (C92.5)													
All races, both sexes	213	8	19	14	21	12	13	22	16	23	18	25	22
Male	128	7	14	8	10	6	9	14	8	14	9	14	15
Female	85	1	5	6	11	6	4	8	8	9	9	11	7
White, both sexes	203	7	19	14	21	12	12	20	16	23	15	22	22
Male	123	6	14	8	10	6	8	14	8	14	7	13	15
Female	80	1	5	6	11	6	4	6	8	9	8	9	7
Black, both sexes	9	1	-	-	-	-	-	2	-	-	3	3	-
Male	4	1	-	-	-	-	-	-	-	-	2	1	-
Female	5	-	-	-	-	-	-	2	-	-	1	2	-
American Indian 1/, both sexes	1	-	-	-	-	-	1	-	-	-	-	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other myeloid leukemia (C92.7)													
All races, both sexes	349	31	41	41	39	36	22	21	29	23	19	21	26
Male	213	21	24	25	25	25	12	14	14	14	9	11	19
Female	136	10	17	16	14	11	10	7	15	9	10	10	7
White, both sexes	325	29	39	38	38	31	21	19	27	20	19	19	25
Male	201	20	24	25	25	21	11	12	12	12	9	11	19
Female	124	9	15	13	13	10	10	7	15	8	10	8	6
Black, both sexes	17	1	-	2	1	4	-	2	2	2	-	2	1
Male	10	1	-	-	-	4	-	2	2	1	-	-	-
Female	7	-	-	2	1	-	-	-	-	1	-	2	1
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	7	1	2	1	-	1	1	-	-	1	-	-	-
Male	2	-	-	-	-	-	1	-	-	1	-	-	-
Female	5	1	2	1	-	1	-	-	-	-	-	-	-
Myeloid leukemia, unspecified (C92.9)													
All races, both sexes	193	14	18	17	19	19	16	18	9	18	11	11	23
Male	104	7	7	7	10	13	9	9	6	12	4	6	14
Female	89	7	11	10	9	6	7	9	3	6	7	5	9
White, both sexes	171	14	16	17	15	18	14	14	9	15	10	9	20
Male	96	7	7	7	9	12	8	8	6	10	4	6	12
Female	75	7	9	10	6	6	6	6	3	5	6	3	8
Black, both sexes	15	-	2	-	4	1	1	1	-	1	-	2	3
Male	4	-	-	-	1	1	-	-	-	-	-	-	2
Female	11	-	2	-	3	-	1	1	-	1	-	2	1
American Indian 1/, both sexes	2	-	-	-	-	-	-	1	-	-	1	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	1	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes	5	-	-	-	-	-	1	2	-	2	-	-	-
Male	4	-	-	-	-	-	1	1	-	2	-	-	-
Female	1	-	-	-	-	-	-	1	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Monocytic leukemia (C93)													
All races, both sexes	144	14	13	13	7	15	10	6	7	17	15	13	14
Male	82	10	6	9	5	7	5	3	2	12	8	6	9
Female	62	4	7	4	2	8	5	3	5	5	7	7	5
White, both sexes	138	14	13	13	7	15	9	6	6	16	13	13	13
Male	80	10	6	9	5	7	4	3	2	11	8	6	9
Female	58	4	7	4	2	8	5	3	4	5	5	7	4
Black, both sexes	6	-	-	-	-	-	1	-	1	1	2	-	1
Male	2	-	-	-	-	-	1	-	-	1	-	-	-
Female	4	-	-	-	-	-	-	-	1	-	2	-	1
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute monocytic leukemia (C93.0)													
All races, both sexes	122	13	10	12	7	10	9	6	6	15	13	10	11
Male	73	9	4	9	5	6	5	3	2	11	7	5	7
Female	49	4	6	3	2	4	4	3	4	4	6	5	4
White, both sexes	116	13	10	12	7	10	8	6	5	14	11	10	10
Male	71	9	4	9	5	6	4	3	2	10	7	5	7
Female	45	4	6	3	2	4	4	3	3	4	4	5	3
Black, both sexes	6	-	-	-	-	-	1	-	1	1	2	-	1
Male	2	-	-	-	-	-	1	-	-	1	-	-	-
Female	4	-	-	-	-	-	-	-	1	-	2	-	1
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Chronic monocytic leukemia (C93.1)													
All races, both sexes	8	-	2	-	-	1	-	-	-	1	1	2	1
Male	4	-	1	-	-	-	-	-	-	1	1	-	1
Female	4	-	1	-	-	1	-	-	-	-	-	2	-
White, both sexes	8	-	2	-	-	1	-	-	-	1	1	2	1
Male	4	-	1	-	-	-	-	-	-	1	1	-	1
Female	4	-	1	-	-	1	-	-	-	-	-	2	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Monocytic leukemia, unspecified (C93.9)													
All races, both sexes	14	1	1	1	-	4	1	-	1	1	1	1	2
Male	5	1	1	-	-	1	-	-	-	-	-	1	1
Female	9	-	-	1	-	3	1	-	1	1	1	-	1
White, both sexes	14	1	1	1	-	4	1	-	1	1	1	1	2
Male	5	1	1	-	-	1	-	-	-	-	-	1	1
Female	9	-	-	1	-	3	1	-	1	1	1	-	1
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other leukemias of specified cell type (C94)													
All races, both sexes	100	9	10	9	7	12	6	6	12	7	5	7	10
Male	70	9	9	6	3	10	4	5	6	5	1	5	7
Female	30	-	1	3	4	2	2	1	6	2	4	2	3
White, both sexes	79	6	9	7	3	9	6	6	10	6	5	3	9
Male	58	6	8	5	2	8	4	5	5	4	1	3	7
Female	21	-	1	2	1	1	2	1	5	2	4	-	2
Black, both sexes	15	2	1	1	3	3	-	-	2	-	-	2	1
Male	8	2	1	1	1	2	-	-	1	-	-	-	-
Female	7	-	-	-	2	1	-	-	1	-	-	2	1
American Indian 1/, both sexes	1	-	-	-	1	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	5	1	-	1	-	-	-	-	-	1	-	2	-
Male	4	1	-	-	-	-	-	-	-	1	-	2	-
Female	1	-	-	1	-	-	-	-	-	-	-	-	-
Acute erythremia and erythroleukemia (C94.0)													
All races, both sexes	27	3	3	3	1	4	2	1	3	2	1	2	2
Male	19	3	3	2	1	4	1	-	1	2	-	1	1
Female	8	-	-	1	-	-	1	1	2	-	1	1	1
White, both sexes	24	2	3	3	-	4	2	1	3	2	1	1	2
Male	17	2	3	2	-	4	1	-	1	2	-	1	1
Female	7	-	-	1	-	-	1	1	2	-	1	-	1
Black, both sexes	2	-	-	-	1	-	-	-	-	-	-	1	-
Male	1	-	-	-	1	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Chronic erythremia (C94.1)													
All races, both sexes	4	2	-	-	-	-	-	-	-	-	-	2	-
Male	4	2	-	-	-	-	-	-	-	-	-	2	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	3	2	-	-	-	-	-	-	-	-	-	1	-
Male	3	2	-	-	-	-	-	-	-	-	-	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	-	-	-	-	1	-
Male	1	-	-	-	-	-	-	-	-	-	-	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute megakaryoblastic leukemia (C94.2)													
All races, both sexes	10	-	2	1	2	-	1	-	1	1	1	-	1
Male	6	-	2	-	1	-	1	-	-	1	-	-	1
Female	4	-	-	1	1	-	-	-	1	-	1	-	-
White, both sexes	9	-	1	1	2	-	1	-	1	1	1	-	1
Male	5	-	1	-	1	-	1	-	-	1	-	-	1
Female	4	-	-	1	1	-	-	-	1	-	1	-	-
Black, both sexes	1	-	1	-	-	-	-	-	-	-	-	-	-
Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Mast cell leukemia (C94.3)													
All races, both sexes	4	-	1	-	-	-	-	1	-	-	2	-	-
Male	2	-	1	-	-	-	-	1	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	-	-	2	-	-
White, both sexes	4	-	1	-	-	-	-	1	-	-	2	-	-
Male	2	-	1	-	-	-	-	1	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	-	-	2	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute myelofibrosis (C94.5)													
All races, both sexes	3	-	-	-	-	-	-	2	1	-	-	-	-
Male	3	-	-	-	-	-	-	2	1	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	3	-	-	-	-	-	-	2	1	-	-	-	-
Male	3	-	-	-	-	-	-	2	1	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other specified leukemias (C94.7)													
All races, both sexes.....	52	4	4	5	4	8	3	2	7	4	1	3	7
Male.....	36	4	3	4	1	6	2	2	4	2	1	2	5
Female.....	16	-	1	1	3	2	1	-	3	2	-	1	2
White, both sexes.....	36	2	4	3	1	5	3	2	5	3	1	1	6
Male.....	28	2	3	3	1	4	2	2	3	1	1	1	5
Female.....	8	-	1	-	-	1	1	-	2	2	-	-	1
Black, both sexes.....	12	2	-	1	2	3	-	-	2	-	-	1	1
Male.....	6	2	-	1	-	2	-	-	1	-	-	-	-
Female.....	6	-	-	-	2	1	-	-	1	-	-	1	1
American Indian 1/, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.	3	-	-	1	-	-	-	-	-	1	-	1	-
Male.....	2	-	-	-	-	-	-	-	-	1	-	1	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Leukemia of unspecified cell type (C95)													
All races, both sexes.....	5,097	444	394	406	380	404	410	469	443	422	423	418	484
Male.....	2,706	226	219	217	200	224	216	245	231	232	218	208	270
Female.....	2,391	218	175	189	180	180	194	224	212	190	205	210	214
White, both sexes.....	4,568	403	359	371	342	355	367	424	395	375	365	374	438
Male.....	2,449	207	202	197	180	206	196	228	207	206	190	186	244
Female.....	2,119	196	157	174	162	149	171	196	188	169	175	188	194
Black, both sexes.....	429	38	26	29	32	35	33	38	36	33	53	38	38
Male.....	204	16	12	16	17	12	15	14	17	19	26	18	22
Female.....	225	22	14	13	15	23	18	24	19	14	27	20	16
American Indian 1/, both sexes.....	14	-	2	1	-	1	2	1	2	4	-	-	1
Male.....	4	-	1	-	-	-	1	-	-	2	-	-	-
Female.....	10	-	1	1	-	1	1	1	2	2	-	-	1
Asian or Pacific Islander 2/, both sexes.	86	3	7	5	6	13	8	6	10	10	5	6	7
Male.....	49	3	4	4	3	6	4	3	7	5	2	4	4
Female.....	37	-	3	1	3	7	4	3	3	5	3	2	3

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Acute leukemia of unspecified cell type (C95.0)													
All races, both sexes	2,280	202	174	182	169	179	195	206	193	188	172	196	224
Male	1,228	100	102	94	92	104	108	116	101	102	89	102	118
Female	1,052	102	72	88	77	75	87	90	92	86	83	94	106
White, both sexes	2,069	186	164	162	149	163	176	185	179	171	152	174	208
Male	1,125	93	98	84	80	100	100	106	94	92	80	90	108
Female	944	93	66	78	69	63	76	79	85	79	72	84	100
Black, both sexes	162	16	5	15	17	10	14	17	9	11	18	17	13
Male	78	7	2	7	10	2	6	8	5	6	8	9	8
Female	84	9	3	8	7	8	8	9	4	5	10	8	5
American Indian 1/, both sexes	6	-	2	1	-	1	-	-	-	2	-	-	-
Male	3	-	1	-	-	-	-	-	-	2	-	-	-
Female	3	-	1	1	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	43	-	3	4	3	5	5	4	5	4	2	5	3
Male	22	-	1	3	2	2	2	2	2	2	1	3	2
Female	21	-	2	1	1	3	3	2	3	2	1	2	1
Chronic leukemia of unspecified cell type (C95.1)													
All races, both sexes	170	19	10	14	11	8	16	14	12	14	19	18	15
Male	90	12	7	6	6	5	9	7	4	7	8	9	10
Female	80	7	3	8	5	3	7	7	8	7	11	9	5
White, both sexes	155	18	9	13	10	8	14	14	10	11	18	15	15
Male	85	12	6	6	6	5	9	7	3	6	8	7	10
Female	70	6	3	7	4	3	5	7	7	5	10	8	5
Black, both sexes	13	1	1	1	1	-	1	-	2	2	1	3	-
Male	5	-	1	-	-	-	-	-	1	1	-	2	-
Female	8	1	-	1	1	-	1	-	1	1	1	1	-
American Indian 1/, both sexes	1	-	-	-	-	-	1	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	-	-	1	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	1	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Subacute leukemia of unspecified cell type (C95.2)													
All races, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	1	-	-	-	-	-	-	-	-	-	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	1	-	-	-	-	-	-	-	-	-	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other leukemia of unspecified cell type (C95.7)													
All races, both sexes	7	2	-	-	1	1	-	-	1	-	1	-	1
Male	3	1	-	-	1	-	-	-	-	-	1	-	-
Female	4	1	-	-	-	1	-	-	1	-	-	-	1
White, both sexes	6	2	-	-	1	1	-	-	1	-	-	-	1
Male	2	1	-	-	1	-	-	-	-	-	-	-	-
Female	4	1	-	-	-	1	-	-	1	-	-	-	1
Black, both sexes	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Leukemia, unspecified (C95.9)													
All races, both sexes	2,639	221	210	210	199	216	199	249	237	220	231	204	243
Male	1,384	113	110	117	101	115	99	122	126	123	120	97	141
Female	1,255	108	100	93	98	101	100	127	111	97	111	107	102
White, both sexes	2,337	197	186	196	182	183	177	225	205	193	195	185	213
Male	1,236	101	98	107	93	101	87	115	110	108	102	89	125
Female	1,101	96	88	89	89	82	90	110	95	85	93	96	88
Black, both sexes	253	21	20	13	14	25	18	21	25	20	33	18	25
Male	120	9	9	9	7	10	9	6	11	12	17	7	14
Female	133	12	11	4	7	15	9	15	14	8	16	11	11
American Indian 1/, both sexes	7	-	-	-	-	-	1	1	2	2	-	-	1
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	6	-	-	-	-	-	-	1	2	2	-	-	1
Asian or Pacific Islander 2/, both sexes	42	3	4	1	3	8	3	2	5	5	3	1	4
Male	27	3	3	1	1	4	2	1	5	3	1	1	2
Female	15	-	1	-	2	4	1	1	-	2	2	-	2
Other and unspecified malignant neoplasms of lymphoid, hematopoietic, and related tissue (C96)													
All races, both sexes	55	5	3	3	3	6	3	5	7	6	7	2	5
Male	31	3	2	1	2	3	1	-	5	5	4	2	3
Female	24	2	1	2	1	3	2	5	2	1	3	-	2
White, both sexes	50	4	3	3	3	6	2	5	6	5	7	2	4
Male	28	3	2	1	2	3	1	-	4	4	4	2	2
Female	22	1	1	2	1	3	1	5	2	1	3	-	2
Black, both sexes	3	1	-	-	-	-	1	-	1	-	-	-	-
Male	1	-	-	-	-	-	-	-	1	-	-	-	-
Female	2	1	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	2	-	-	-	-	-	-	-	-	1	-	-	1
Male	2	-	-	-	-	-	-	-	-	1	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Malignant histiocytosis (C96.1)													
All races, both sexes	5	-	-	-	-	1	-	-	1	-	1	-	2
Male	4	-	-	-	-	1	-	-	1	-	-	-	2
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
White, both sexes	5	-	-	-	-	1	-	-	1	-	1	-	2
Male	4	-	-	-	-	1	-	-	1	-	-	-	2
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant mast cell tumor (C96.2)													
All races, both sexes	1	-	-	-	-	-	-	-	1	-	-	-	-
Male	1	-	-	-	-	-	-	-	1	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	-	-	-	-	1	-	-	-	-
Male	1	-	-	-	-	-	-	-	1	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other specified malignant neoplasms of lymphoid, hematopoietic, and related tissue (C96.7)													
All races, both sexes	2	-	1	-	-	-	-	-	1	-	-	-	-
Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	1	-	-	-	-
White, both sexes	2	-	1	-	-	-	-	-	1	-	-	-	-
Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	1	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of lymphoid, hematopoietic, and related tissue, unspecified (C96.9)													
All races, both sexes	47	5	2	3	3	5	3	5	4	6	6	2	3
Male	25	3	1	1	2	2	1	-	3	5	4	2	1
Female	22	2	1	2	1	3	2	5	1	1	2	-	2
White, both sexes	42	4	2	3	3	5	2	5	3	5	6	2	2
Male	22	3	1	1	2	2	1	-	2	4	4	2	-
Female	20	1	1	2	1	3	1	5	1	1	2	-	2
Black, both sexes	3	1	-	-	-	-	1	-	1	-	-	-	-
Male	1	-	-	-	-	-	-	-	1	-	-	-	-
Female	2	1	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	2	-	-	-	-	-	-	-	-	1	-	-	1
Male	2	-	-	-	-	-	-	-	-	1	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Malignant neoplasms of independent (primary) multiple sites (C97)													
All races, both sexes	4,144	366	315	344	366	320	343	370	340	327	367	351	335
Male	2,344	187	171	207	210	193	195	195	169	193	219	200	205
Female	1,800	179	144	137	156	127	148	175	171	134	148	151	130
White, both sexes	3,648	333	273	305	328	269	308	325	304	287	315	305	296
Male	2,042	169	145	179	185	157	176	170	149	167	188	178	179
Female	1,606	164	128	126	143	112	132	155	155	120	127	127	117
Black, both sexes	451	32	39	36	35	47	29	41	33	39	44	41	35
Male	277	17	24	25	23	33	17	22	18	25	29	20	24
Female	174	15	15	11	12	14	12	19	15	14	15	21	11
American Indian 1/, both sexes	12	1	2	-	-	1	1	1	1	-	3	-	2
Male	9	1	1	-	-	1	1	1	1	-	2	-	1
Female	3	-	1	-	-	-	-	-	-	-	1	-	1
Asian or Pacific Islander 2/, both sexes	33	-	1	3	3	3	5	3	2	1	5	5	2
Male	16	-	1	3	2	2	1	2	1	1	-	2	1
Female	17	-	-	-	1	1	4	1	1	-	5	3	1
Carcinoma in situ of oral cavity, esophagus, and stomach (D00)													
All races, both sexes	1	-	1	-	-	-	-	-	-	-	-	-	-
Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	1	-	-	-	-	-	-	-	-	-	-
Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Esophagus (D00.1)													
All races, both sexes	1	-	1	-	-	-	-	-	-	-	-	-	-
Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	1	-	-	-	-	-	-	-	-	-	-
Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Carcinoma in situ of other and unspecified digestive organs (D01)													
All races, both sexes	5	-	-	2	-	-	-	-	1	-	1	-	1
Male	3	-	-	2	-	-	-	-	-	-	-	-	1
Female	2	-	-	-	-	-	-	-	1	-	1	-	-
White, both sexes	2	-	-	1	-	-	-	-	-	-	1	-	-
Male	1	-	-	1	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
Black, both sexes	3	-	-	1	-	-	-	-	1	-	-	-	1
Male	2	-	-	1	-	-	-	-	-	-	-	-	1
Female	1	-	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Colon (D01.0)													
All races, both sexes	2	-	-	1	-	-	-	-	-	-	1	-	-
Male	1	-	-	1	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
White, both sexes	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
Black, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	1	-	-	1	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Rectum (D01.2)													
All races, both sexes	2	-	-	-	-	-	-	-	1	-	-	-	1
Male	1	-	-	-	-	-	-	-	-	-	-	-	1
Female	1	-	-	-	-	-	-	-	1	-	-	-	-
White, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	2	-	-	-	-	-	-	-	1	-	-	-	1
Male	1	-	-	-	-	-	-	-	-	-	-	-	1
Female	1	-	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Digestive organ, unspecified (D01.9)													
All races, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	1	-	-	1	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	1	-	-	1	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Carcinoma in situ of middle ear and respiratory system (D02)													
All races, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	1	-	-	1	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	1	-	-	1	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Bronchus and lung (D02.2)													
All races, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	1	-	-	1	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	1	-	-	1	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Melanoma in situ (D03)													
All races, both sexes	2	-	-	-	-	-	1	-	-	-	1	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
White, both sexes	2	-	-	-	-	-	1	-	-	-	1	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Melanoma in situ of other and unspecified parts of face (D03.3)													
All races, both sexes	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
White, both sexes	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Melanoma in situ of other sites (D03.8)													
All races, both sexes	1	-	-	-	-	-	1	-	-	-	-	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	-	-	1	-	-	-	-	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Carcinoma in situ of cervix uteri (D06)													
All races, both sexes	1	-	-	-	-	-	-	-	1	-	-	-	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	1	-	-	-	-	-	-	-	1	-	-	-	-
White, both sexes	1	-	-	-	-	-	-	-	1	-	-	-	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	1	-	-	-	-	-	-	-	1	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Cervix, unspecified (D06.9)													
All races, both sexes	1	-	-	-	-	-	-	-	1	-	-	-	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	1	-	-	-	-	-	-	-	1	-	-	-	-
White, both sexes	1	-	-	-	-	-	-	-	1	-	-	-	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	1	-	-	-	-	-	-	-	1	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Carcinoma in situ of other and unspecified genital organs (D07)													
All races, both sexes	2	1	-	-	-	-	-	-	-	-	-	-	1
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	1
White, both sexes	2	1	-	-	-	-	-	-	-	-	-	-	1
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	1
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Vulva (D07.1)													
All races, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	1	-	-	-	-	-	-	-	-	-	-	-	1
White, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	1	-	-	-	-	-	-	-	-	-	-	-	1
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Prostate (D07.5)													
All races, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
White, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
Carcinoma in situ of other and unspecified sites (D09)													
All races, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	1	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	1	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Bladder (D09.0)													
All races, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	1	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	1	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Benign neoplasm of mouth and pharynx (D10)													
All races, both sexes	1	-	1	-	-	-	-	-	-	-	-	-	-
Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	1	-	-	-	-	-	-	-	-	-	-
Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other and unspecified parts of mouth (D10.3)													
All races, both sexes	1	-	1	-	-	-	-	-	-	-	-	-	-
Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	1	-	-	-	-	-	-	-	-	-	-
Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Benign neoplasm of major salivary glands (D11)													
All races, both sexes	2	-	1	-	-	-	-	-	-	-	-	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	1	-	-	-	-	-	-	-	-	-	1
White, both sexes	2	-	1	-	-	-	-	-	-	-	-	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	1	-	-	-	-	-	-	-	-	-	1
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Parotid gland (D11.0)													
All races, both sexes	1	-	1	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	1	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	1	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	1	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other major salivary glands (D11.7)													
All races, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	1
White, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	1
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Benign neoplasm of colon, rectum, anus, and anal canal (D12)													
All races, both sexes	36	3	2	3	2	3	4	2	3	3	6	1	4
Male	19	1	1	1	1	2	3	-	1	2	4	1	2
Female	17	2	1	2	1	1	1	2	2	1	2	-	2
White, both sexes	31	2	2	3	2	2	4	1	3	3	5	1	3
Male	16	1	1	1	1	1	3	-	1	2	3	1	1
Female	15	1	1	2	1	1	1	1	2	1	2	-	2
Black, both sexes	4	-	-	-	-	1	-	1	-	-	1	-	1
Male	3	-	-	-	-	1	-	-	-	-	1	-	1
Female	1	-	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
Cecum (D12.0)													
All races, both sexes	2	-	-	-	-	-	1	-	-	-	1	-	-
Male	2	-	-	-	-	-	1	-	-	-	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	-	-	1	-	-	-	-	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Sigmoid colon (D12.5)													
All races, both sexes	1	-	-	-	-	-	-	-	1	-	-	-	-
Male	1	-	-	-	-	-	-	-	1	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	-	-	-	-	1	-	-	-	-
Male	1	-	-	-	-	-	-	-	1	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Colon, unspecified (D12.6)													
All races, both sexes	32	3	2	3	2	3	2	2	2	3	5	1	4
Male	15	1	1	1	1	2	1	-	-	2	3	1	2
Female	17	2	1	2	1	1	1	2	2	1	2	-	2
White, both sexes	28	2	2	3	2	2	2	1	2	3	5	1	3
Male	13	1	1	1	1	1	1	-	-	2	3	1	1
Female	15	1	1	2	1	1	1	1	2	1	2	-	2
Black, both sexes	3	-	-	-	-	1	-	1	-	-	-	-	1
Male	2	-	-	-	-	1	-	-	-	-	-	-	1
Female	1	-	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Rectum (D12.8)													
All races, both sexes	1	-	-	-	-	-	1	-	-	-	-	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	-	-	1	-	-	-	-	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Benign neoplasm of other and ill-defined parts of digestive system (D13)													
All races, both sexes	72	6	1	14	6	6	3	6	6	6	3	10	5
Male	34	3	-	6	3	2	2	3	4	4	1	4	2
Female	38	3	1	8	3	4	1	3	2	2	2	6	3
White, both sexes	64	6	1	12	4	5	3	5	5	6	3	9	5
Male	30	3	-	5	1	2	2	2	4	4	1	4	2
Female	34	3	1	7	3	3	1	3	1	2	2	5	3
Black, both sexes	6	-	-	1	2	1	-	-	1	-	-	1	-
Male	3	-	-	1	2	-	-	-	-	-	-	-	-
Female	3	-	-	-	-	1	-	-	1	-	-	1	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	2	-	-	1	-	-	-	1	-	-	-	-	-
Male	1	-	-	-	-	-	-	1	-	-	-	-	-
Female	1	-	-	1	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Esophagus (D13.0)													
All races, both sexes	1	-	-	-	-	-	-	1	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	1	-	-	-	-	-
White, both sexes	1	-	-	-	-	-	-	1	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	1	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Stomach (D13.1)													
All races, both sexes	7	1	-	2	1	1	-	-	-	-	1	1	-
Male	3	-	-	2	-	1	-	-	-	-	-	-	-
Female	4	1	-	-	1	-	-	-	-	-	1	1	-
White, both sexes	6	1	-	1	1	1	-	-	-	-	1	1	-
Male	2	-	-	1	-	1	-	-	-	-	-	-	-
Female	4	1	-	-	1	-	-	-	-	-	1	1	-
Black, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	1	-	-	1	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Duodenum (D13.2)													
All races, both sexes	5	1	-	-	1	-	1	-	-	-	-	1	1
Male	5	1	-	-	1	-	1	-	-	-	-	1	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	4	1	-	-	-	-	1	-	-	-	-	1	1
Male	4	1	-	-	-	-	1	-	-	-	-	1	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	1	-	-	-	1	-	-	-	-	-	-	-	-
Male	1	-	-	-	1	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other and unspecified parts of small intestine (D13.3)													
All races, both sexes	4	-	-	1	-	-	-	1	-	-	-	2	-
Male	2	-	-	-	-	-	-	-	-	-	-	2	-
Female	2	-	-	1	-	-	-	1	-	-	-	-	-
White, both sexes	3	-	-	-	-	-	-	1	-	-	-	2	-
Male	2	-	-	-	-	-	-	-	-	-	-	2	-
Female	1	-	-	-	-	-	-	1	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	1	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Liver (D13.4)													
All races, both sexes	8	-	-	1	-	1	1	-	2	-	-	2	1
Male	2	-	-	-	-	-	-	-	1	-	-	-	1
Female	6	-	-	1	-	1	1	-	1	-	-	2	-
White, both sexes	6	-	-	1	-	1	1	-	1	-	-	1	1
Male	2	-	-	-	-	-	-	-	1	-	-	-	1
Female	4	-	-	1	-	1	1	-	-	-	-	1	-
Black, both sexes	2	-	-	-	-	-	-	-	1	-	-	1	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	1	-	-	1	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Extrahepatic bile ducts (D13.5)													
All races, both sexes	2	-	-	1	-	1	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	1	-	1	-	-	-	-	-	-	-
White, both sexes	2	-	-	1	-	1	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	1	-	1	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Pancreas (D13.6)													
All races, both sexes	11	-	1	5	1	-	-	1	1	-	-	1	1
Male	3	-	-	2	-	-	-	1	-	-	-	-	-
Female	8	-	1	3	1	-	-	-	1	-	-	1	1
White, both sexes	11	-	1	5	1	-	-	1	1	-	-	1	1
Male	3	-	-	2	-	-	-	1	-	-	-	-	-
Female	8	-	1	3	1	-	-	-	1	-	-	1	1
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Endocrine pancreas (D13.7)													
All races, both sexes	32	4	-	4	3	2	1	3	3	5	2	3	2
Male	18	2	-	2	2	1	1	2	3	3	1	1	-
Female	14	2	-	2	1	1	-	1	-	2	1	2	2
White, both sexes	30	4	-	4	2	2	1	2	3	5	2	3	2
Male	16	2	-	2	1	1	1	1	3	3	1	1	-
Female	14	2	-	2	1	1	-	1	-	2	1	2	2
Black, both sexes	1	-	-	-	1	-	-	-	-	-	-	-	-
Male	1	-	-	-	1	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	1	-	-	-	-	-
Male	1	-	-	-	-	-	-	1	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Ill-defined sites within the digestive system (D13.9)													
All races, both sexes	2	-	-	-	-	1	-	-	-	1	-	-	-
Male	1	-	-	-	-	-	-	-	-	1	-	-	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	-	-	-	-	-	1	-	-	-
Male	1	-	-	-	-	-	-	-	-	1	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Benign neoplasm of middle ear and respiratory system (D14)													
All races, both sexes	12	2	1	1	1	4	-	1	1	-	1	-	-
Male	6	1	-	1	1	3	-	-	-	-	-	-	-
Female	6	1	1	-	-	1	-	1	1	-	1	-	-
White, both sexes	10	2	1	1	1	2	-	1	1	-	1	-	-
Male	4	1	-	1	1	1	-	-	-	-	-	-	-
Female	6	1	1	-	-	1	-	1	1	-	1	-	-
Black, both sexes	2	-	-	-	-	2	-	-	-	-	-	-	-
Male	2	-	-	-	-	2	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Middle ear, nasal cavity, and accessory sinuses (D14.0)													
All races, both sexes	2	-	-	-	-	2	-	-	-	-	-	-	-
Male	2	-	-	-	-	2	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Larynx (D14.1)													
All races, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	1	-	-	1	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	1	-	-	1	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Trachea (D14.2)													
All races, both sexes	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchus and lung (D14.3)													
All races, both sexes	7	2	1	-	-	1	-	1	1	-	1	-	-
Male	2	1	-	-	-	1	-	-	-	-	-	-	-
Female	5	1	1	-	-	-	-	1	1	-	1	-	-
White, both sexes	6	2	1	-	-	-	-	1	1	-	1	-	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	5	1	1	-	-	-	-	1	1	-	1	-	-
Black, both sexes	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Respiratory system, unspecified (D14.4)													
All races, both sexes	1	-	-	-	1	-	-	-	-	-	-	-	-
Male	1	-	-	-	1	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	1	-	-	-	-	-	-	-	-
Male	1	-	-	-	1	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Benign neoplasm of other and unspecified intrathoracic organs (D15)													
All races, both sexes	75	5	9	6	11	4	8	6	3	4	4	7	8
Male	30	3	3	3	3	2	3	2	1	2	1	1	6
Female	45	2	6	3	8	2	5	4	2	2	3	6	2
White, both sexes	59	5	7	5	10	4	6	6	2	1	3	5	5
Male	20	3	1	2	3	2	2	2	1	-	1	-	3
Female	39	2	6	3	7	2	4	4	1	1	2	5	2
Black, both sexes	14	-	1	1	1	-	2	-	1	3	1	2	2
Male	8	-	1	1	-	-	1	-	-	2	-	1	2
Female	6	-	-	-	1	-	1	-	1	1	1	1	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	2	-	1	-	-	-	-	-	-	-	-	-	1
Male	2	-	1	-	-	-	-	-	-	-	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Thymus (D15.0)													
All races, both sexes	34	2	4	3	6	1	3	3	1	2	2	2	5
Male	18	2	1	2	2	1	1	1	-	2	1	1	4
Female	16	-	3	1	4	-	2	2	1	-	1	1	1
White, both sexes	25	2	3	2	6	1	3	3	-	-	1	1	3
Male	11	2	-	1	2	1	1	1	-	-	1	-	2
Female	14	-	3	1	4	-	2	2	-	-	-	1	1
Black, both sexes	8	-	-	1	-	-	-	-	1	2	1	1	2
Male	6	-	-	1	-	-	-	-	-	2	-	1	2
Female	2	-	-	-	-	-	-	-	1	-	1	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	1	-	-	-	-	-	-	-	-	-	-
Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Heart (D15.1)													
All races, both sexes	37	3	5	3	5	3	4	3	2	2	-	4	3
Male	11	1	2	1	1	1	1	1	1	-	-	-	2
Female	26	2	3	2	4	2	3	2	1	2	-	4	1
White, both sexes	31	3	4	3	4	3	2	3	2	1	-	4	2
Male	8	1	1	1	1	1	-	1	1	-	-	-	1
Female	23	2	3	2	3	2	2	2	1	1	-	4	1
Black, both sexes	5	-	1	-	1	-	2	-	-	1	-	-	-
Male	2	-	1	-	-	-	1	-	-	-	-	-	-
Female	3	-	-	-	1	-	1	-	-	1	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	1	-	-	-	-	-	-	-	-	-	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Mediastinum (D15.2)													
All races, both sexes	3	-	-	-	-	-	1	-	-	-	1	1	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	-	-	1	1	-
White, both sexes	2	-	-	-	-	-	1	-	-	-	1	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
Black, both sexes	1	-	-	-	-	-	-	-	-	-	-	1	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other specified intrathoracic organs (D15.7)													
All races, both sexes	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
White, both sexes	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Benign neoplasm of bone and articular cartilage (D16)													
All races, both sexes	9	2	-	1	-	-	-	-	1	3	1	1	-
Male	6	2	-	1	-	-	-	-	-	2	1	-	-
Female	3	-	-	-	-	-	-	-	1	1	-	1	-
White, both sexes	6	2	-	-	-	-	-	-	1	2	-	1	-
Male	3	2	-	-	-	-	-	-	-	1	-	-	-
Female	3	-	-	-	-	-	-	-	1	1	-	1	-
Black, both sexes	2	-	-	1	-	-	-	-	-	1	-	-	-
Male	2	-	-	1	-	-	-	-	-	1	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Bones of skull and face (D16.4)													
All races, both sexes	1	-	-	-	-	-	-	-	-	1	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	1	-	-	-
White, both sexes	1	-	-	-	-	-	-	-	-	1	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	1	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Lower jaw bone (D16.5)													
All races, both sexes	4	1	-	1	-	-	-	-	-	1	-	1	-
Male	3	1	-	1	-	-	-	-	-	1	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-
White, both sexes	2	1	-	-	-	-	-	-	-	-	-	1	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-
Black, both sexes	2	-	-	1	-	-	-	-	-	1	-	-	-
Male	2	-	-	1	-	-	-	-	-	1	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Bone and articular cartilage, unspecified (D16.9)													
All races, both sexes	4	1	-	-	-	-	-	-	1	1	1	-	-
Male	3	1	-	-	-	-	-	-	-	1	1	-	-
Female	1	-	-	-	-	-	-	-	1	-	-	-	-
White, both sexes	3	1	-	-	-	-	-	-	1	1	-	-	-
Male	2	1	-	-	-	-	-	-	-	1	-	-	-
Female	1	-	-	-	-	-	-	-	1	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Benign lipomatous neoplasm (D17)													
All races, both sexes	12	4	3	1	1	-	-	-	-	1	1	-	1
Male	3	-	1	-	1	-	-	-	-	-	-	-	1
Female	9	4	2	1	-	-	-	-	-	1	1	-	-
White, both sexes	11	4	3	1	1	-	-	-	-	1	1	-	-
Male	2	-	1	-	1	-	-	-	-	-	-	-	-
Female	9	4	2	1	-	-	-	-	-	1	1	-	-
Black, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	1	-	-	-	-	-	-	-	-	-	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Benign lipomatous neoplasm of other sites (D17.7)													
All races, both sexes	8	2	2	1	1	-	-	-	-	1	-	-	1
Male	2	-	-	-	1	-	-	-	-	-	-	-	1
Female	6	2	2	1	-	-	-	-	-	1	-	-	-
White, both sexes	7	2	2	1	1	-	-	-	-	1	-	-	-
Male	1	-	-	-	1	-	-	-	-	-	-	-	-
Female	6	2	2	1	-	-	-	-	-	1	-	-	-
Black, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	1	-	-	-	-	-	-	-	-	-	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Benign lipomatous neoplasm, unspecified (D17.9)													
All races, both sexes	4	2	1	-	-	-	-	-	-	-	1	-	-
Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	3	2	-	-	-	-	-	-	-	-	1	-	-
White, both sexes	4	2	1	-	-	-	-	-	-	-	1	-	-
Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	3	2	-	-	-	-	-	-	-	-	1	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemangioma and lymphangioma, any site (D18)													
All races, both sexes	82	9	5	8	5	5	7	6	11	14	5	3	4
Male	43	3	2	4	2	4	5	5	7	5	2	1	3
Female	39	6	3	4	3	1	2	1	4	9	3	2	1
White, both sexes	70	6	5	8	5	4	6	5	10	10	4	3	4
Male	38	2	2	4	2	4	4	4	6	4	2	1	3
Female	32	4	3	4	3	-	2	1	4	6	2	2	1
Black, both sexes	9	2	-	-	-	1	-	1	1	3	1	-	-
Male	4	1	-	-	-	-	-	1	1	1	-	-	-
Female	5	1	-	-	-	1	-	-	-	2	1	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	3	1	-	-	-	-	1	-	-	1	-	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	2	1	-	-	-	-	-	-	-	1	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Hemangioma, any site (D18.0)													
All races, both sexes	51	6	3	3	4	4	4	4	5	10	3	2	3
Male	22	1	1	2	2	3	3	3	3	1	1	-	2
Female	29	5	2	1	2	1	1	1	2	9	2	2	1
White, both sexes	43	4	3	3	4	3	3	4	5	7	2	2	3
Male	21	1	1	2	2	3	2	3	3	1	1	-	2
Female	22	3	2	1	2	-	1	1	2	6	1	2	1
Black, both sexes	5	1	-	-	-	1	-	-	-	2	1	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	5	1	-	-	-	1	-	-	-	2	1	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	3	1	-	-	-	-	1	-	-	1	-	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	2	1	-	-	-	-	-	-	-	1	-	-	-
Lymphangioma, any site (D18.1)													
All races, both sexes	31	3	2	5	1	1	3	2	6	4	2	1	1
Male	21	2	1	2	-	1	2	2	4	4	1	1	1
Female	10	1	1	3	1	-	1	-	2	-	1	-	-
White, both sexes	27	2	2	5	1	1	3	1	5	3	2	1	1
Male	17	1	1	2	-	1	2	1	3	3	1	1	1
Female	10	1	1	3	1	-	1	-	2	-	1	-	-
Black, both sexes	4	1	-	-	-	-	-	1	1	1	-	-	-
Male	4	1	-	-	-	-	-	1	1	1	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Benign neoplasm of mesothelial tissue (D19)													
All races, both sexes	1	-	1	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	1	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	1	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	1	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Mesothelial tissue, unspecified (D19.9)													
All races, both sexes	1	-	1	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	1	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	1	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	1	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Benign neoplasm of soft tissue of retroperitoneum and peritoneum (D20)													
All races, both sexes	1	-	-	-	-	-	-	-	-	-	-	1	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-
White, both sexes	1	-	-	-	-	-	-	-	-	-	-	1	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Peritoneum (D20.1)													
All races, both sexes	1	-	-	-	-	-	-	-	-	-	-	1	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-
White, both sexes	1	-	-	-	-	-	-	-	-	-	-	1	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other benign neoplasms of connective and other soft tissue (D21)													
All races, both sexes	24	3	-	3	5	2	2	-	1	-	3	4	1
Male	5	1	-	1	1	-	1	-	-	-	-	1	-
Female	19	2	-	2	4	2	1	-	1	-	3	3	1
White, both sexes	23	3	-	3	4	2	2	-	1	-	3	4	1
Male	5	1	-	1	1	-	1	-	-	-	-	1	-
Female	18	2	-	2	3	2	1	-	1	-	3	3	1
Black, both sexes	1	-	-	-	1	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Connective and other soft tissue of head, face, and neck (D21.0)													
All races, both sexes	2	1	-	-	1	-	-	-	-	-	-	-	-
Male	1	-	-	-	1	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	2	1	-	-	1	-	-	-	-	-	-	-	-
Male	1	-	-	-	1	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Connective and other soft tissue of abdomen (D21.4)													
All races, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Connective and other soft tissue, unspecified (D21.9)													
All races, both sexes	21	1	-	3	4	2	2	-	1	-	3	4	1
Male	4	1	-	1	-	-	1	-	-	-	-	1	-
Female	17	-	-	2	4	2	1	-	1	-	3	3	1
White, both sexes	20	1	-	3	3	2	2	-	1	-	3	4	1
Male	4	1	-	1	-	-	1	-	-	-	-	1	-
Female	16	-	-	2	3	2	1	-	1	-	3	3	1
Black, both sexes	1	-	-	-	1	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Melanocytic nevi (D22)													
All races, both sexes	1	-	-	-	-	-	-	1	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	1	-	-	-	-	-
White, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	1	-	-	-	-	-	-	1	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Melanocytic nevi of other and unspecified parts of face (D22.3)													
All races, both sexes	1	-	-	-	-	-	-	1	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	1	-	-	-	-	-
White, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	1	-	-	-	-	-	-	1	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other benign neoplasms of skin (D23)													
All races, both sexes	32	3	2	2	4	2	4	1	4	2	6	1	1
Male	20	2	2	2	2	-	4	-	2	2	3	1	-
Female	12	1	-	-	2	2	-	1	2	-	3	-	1
White, both sexes	25	3	1	2	3	2	2	1	4	1	4	1	1
Male	14	2	1	2	1	-	2	-	2	1	2	1	-
Female	11	1	-	-	2	2	-	1	2	-	2	-	1
Black, both sexes	5	-	1	-	1	-	1	-	-	1	1	-	-
Male	4	-	1	-	1	-	1	-	-	1	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	2	-	-	-	-	-	1	-	-	-	1	-	-
Male	2	-	-	-	-	-	1	-	-	-	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Skin of ear and external auricular canal (D23.2)													
All races, both sexes	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
White, both sexes	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Skin of trunk (D23.5)													
All races, both sexes	5	-	-	-	1	1	2	-	1	-	-	-	-
Male	3	-	-	-	1	-	2	-	-	-	-	-	-
Female	2	-	-	-	-	1	-	-	1	-	-	-	-
White, both sexes	4	-	-	-	-	1	2	-	1	-	-	-	-
Male	2	-	-	-	-	-	2	-	-	-	-	-	-
Female	2	-	-	-	-	1	-	-	1	-	-	-	-
Black, both sexes	1	-	-	-	1	-	-	-	-	-	-	-	-
Male	1	-	-	-	1	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Skin of upper limb, including shoulder (D23.6)													
All races, both sexes	1	-	-	-	1	-	-	-	-	-	-	-	-
Male	1	-	-	-	1	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	1	-	-	-	-	-	-	-	-
Male	1	-	-	-	1	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Skin of lower limb, including hip (D23.7)													
All races, both sexes	2	1	-	-	-	-	-	-	-	1	-	-	-
Male	2	1	-	-	-	-	-	-	-	1	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	2	1	-	-	-	-	-	-	-	1	-	-	-
Male	2	1	-	-	-	-	-	-	-	1	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Skin, unspecified (D23.9)													
All races, both sexes	23	2	2	2	2	1	2	1	3	1	5	1	1
Male	14	1	2	2	-	-	2	-	2	1	3	1	-
Female	9	1	-	-	2	1	-	1	1	-	2	-	1
White, both sexes	17	2	1	2	2	1	-	1	3	-	3	1	1
Male	9	1	1	2	-	-	-	-	2	-	2	1	-
Female	8	1	-	-	2	1	-	1	1	-	1	-	1
Black, both sexes	4	-	1	-	-	-	1	-	-	1	1	-	-
Male	3	-	1	-	-	-	1	-	-	1	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	2	-	-	-	-	-	1	-	-	-	1	-	-
Male	2	-	-	-	-	-	1	-	-	-	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Benign neoplasm of breast (D24)													
All races, both sexes	2	1	-	1	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	1	-	1	-	-	-	-	-	-	-	-	-
White, both sexes	2	1	-	1	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	1	-	1	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Leiomyoma of uterus (D25)													
All races, both sexes	23	3	4	3	1	2	2	1	-	-	4	2	1
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	23	3	4	3	1	2	2	1	-	-	4	2	1
White, both sexes	9	1	1	2	-	1	-	-	-	-	4	-	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	9	1	1	2	-	1	-	-	-	-	4	-	-
Black, both sexes	13	2	3	1	-	1	2	1	-	-	-	2	1
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	13	2	3	1	-	1	2	1	-	-	-	2	1
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	1	-	-	-	-	-	-	-	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	1	-	-	-	1	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Leiomyoma of uterus, unspecified (D25.9)													
All races, both sexes	23	3	4	3	1	2	2	1	-	-	4	2	1
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	23	3	4	3	1	2	2	1	-	-	4	2	1
White, both sexes	9	1	1	2	-	1	-	-	-	-	4	-	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	9	1	1	2	-	1	-	-	-	-	4	-	-
Black, both sexes	13	2	3	1	-	1	2	1	-	-	-	2	1
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	13	2	3	1	-	1	2	1	-	-	-	2	1
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	1	-	-	-	-	-	-	-	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	1	-	-	-	1	-	-	-	-	-	-	-	-
Other benign neoplasms of uterus (D26)													
All races, both sexes	3	2	-	-	-	-	-	-	-	-	-	-	1
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	3	2	-	-	-	-	-	-	-	-	-	-	1
White, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	2	1	-	-	-	-	-	-	-	-	-	-	1
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	2	1	-	-	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Uterus, unspecified (D26.9)													
All races, both sexes	3	2	-	-	-	-	-	-	-	-	-	-	1
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	3	2	-	-	-	-	-	-	-	-	-	-	1
White, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	2	1	-	-	-	-	-	-	-	-	-	-	1
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	2	1	-	-	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Benign neoplasm of ovary (D27)													
All races, both sexes	14	1	-	1	2	1	1	3	-	2	1	-	2
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	14	1	-	1	2	1	1	3	-	2	1	-	2
White, both sexes	12	1	-	-	1	1	1	3	-	2	1	-	2
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	12	1	-	-	1	1	1	3	-	2	1	-	2
Black, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	1	-	-	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	1	-	-	-	-	-	-	-	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	1	-	-	-	1	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Benign neoplasm of other and unspecified female genital organs (D28)													
All races, both sexes	1	-	-	-	1	-	-	-	-	-	-	-	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	1	-	-	-	1	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	1	-	-	-	-	-	-	-	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	1	-	-	-	1	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other specified female genital organs (D28.7)													
All races, both sexes	1	-	-	-	1	-	-	-	-	-	-	-	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	1	-	-	-	1	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	1	-	-	-	-	-	-	-	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	1	-	-	-	1	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Benign neoplasm of male genital organs (D29)													
All races, both sexes	3	1	1	-	-	-	-	-	-	-	1	-	-
Male	3	1	1	-	-	-	-	-	-	-	1	-	-
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
White, both sexes	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
Black, both sexes	2	1	1	-	-	-	-	-	-	-	-	-	-
Male	2	1	1	-	-	-	-	-	-	-	-	-	-
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
Testis (D29.2)													
All races, both sexes	1	-	1	-	-	-	-	-	-	-	-	-	-
Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
White, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
Black, both sexes	1	-	1	-	-	-	-	-	-	-	-	-	-
Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	...	...	...	...	...	...	...	...	...	...	...	...	...

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Scrotum (D29.4)													
All races, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
White, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
Black, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
Male genital organ, unspecified (D29.9)													
All races, both sexes	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
White, both sexes	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	...	...	...	...	...	...	...	...	...	...	...	...	...

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Benign neoplasm of urinary organs (D30)													
All races, both sexes	3	-	-	-	-	1	-	1	-	-	-	1	-
Male	2	-	-	-	-	-	-	1	-	-	-	1	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-
White, both sexes	3	-	-	-	-	1	-	1	-	-	-	1	-
Male	2	-	-	-	-	-	-	1	-	-	-	1	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Kidney (D30.0)													
All races, both sexes	3	-	-	-	-	1	-	1	-	-	-	1	-
Male	2	-	-	-	-	-	-	1	-	-	-	1	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-
White, both sexes	3	-	-	-	-	1	-	1	-	-	-	1	-
Male	2	-	-	-	-	-	-	1	-	-	-	1	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Benign neoplasm of eye and adnexa (D31)													
All races, both sexes	2	-	-	-	1	-	-	-	-	1	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	1	-	-	-	-	1	-	-	-
White, both sexes	2	-	-	-	1	-	-	-	-	1	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	1	-	-	-	-	1	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Ciliary body (D31.4)													
All races, both sexes	1	-	-	-	1	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	1	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	1	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	1	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Orbit, unspecified (D31.6)													
All races, both sexes	1	-	-	-	-	-	-	-	-	1	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	1	-	-	-
White, both sexes	1	-	-	-	-	-	-	-	-	1	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	1	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Benign neoplasm of meninges (D32)													
All races, both sexes	828	61	62	78	65	76	75	59	63	59	89	70	71
Male	300	16	22	29	20	32	26	19	19	19	31	31	36
Female	528	45	40	49	45	44	49	40	44	40	58	39	35
White, both sexes	701	50	52	64	54	64	65	54	52	53	81	57	55
Male	252	14	17	24	16	29	23	16	14	18	26	27	28
Female	449	36	35	40	38	35	42	38	38	35	55	30	27
Black, both sexes	107	8	8	11	10	11	8	4	8	6	7	12	14
Male	40	2	4	5	3	2	3	2	3	1	4	3	8
Female	67	6	4	6	7	9	5	2	5	5	3	9	6
American Indian 1/, both sexes	5	2	-	1	-	-	-	1	1	-	-	-	-
Male	1	-	-	-	-	-	-	1	-	-	-	-	-
Female	4	2	-	1	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes	15	1	2	2	1	1	2	-	2	-	1	1	2
Male	7	-	1	-	1	1	-	-	2	-	1	1	-
Female	8	1	1	2	-	-	2	-	-	-	-	-	2

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Cerebral meninges (D32.0)													
All races, both sexes	221	15	17	20	22	12	20	16	17	13	25	24	20
Male	78	2	4	8	6	5	5	8	4	6	5	10	15
Female	143	13	13	12	16	7	15	8	13	7	20	14	5
White, both sexes	192	14	14	19	19	9	16	16	13	12	24	21	15
Male	64	2	2	8	4	5	3	8	2	6	5	9	10
Female	128	12	12	11	15	4	13	8	11	6	19	12	5
Black, both sexes	26	1	2	-	3	3	4	-	3	1	1	3	5
Male	13	-	2	-	2	-	2	-	1	-	-	1	5
Female	13	1	-	-	1	3	2	-	2	1	1	2	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	3	-	1	1	-	-	-	-	1	-	-	-	-
Male	1	-	-	-	-	-	-	-	1	-	-	-	-
Female	2	-	1	1	-	-	-	-	-	-	-	-	-
Spinal meninges (D32.1)													
All races, both sexes	3	-	-	-	-	-	-	-	-	-	2	1	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	3	-	-	-	-	-	-	-	-	-	2	1	-
White, both sexes	3	-	-	-	-	-	-	-	-	-	2	1	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	3	-	-	-	-	-	-	-	-	-	2	1	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Meninges, unspecified (D32.9)													
All races, both sexes	604	46	45	58	43	64	55	43	46	46	62	45	51
Male	222	14	18	21	14	27	21	11	15	13	26	21	21
Female	382	32	27	37	29	37	34	32	31	33	36	24	30
White, both sexes	506	36	38	45	35	55	49	38	39	41	55	35	40
Male	188	12	15	16	12	24	20	8	12	12	21	18	18
Female	318	24	23	29	23	31	29	30	27	29	34	17	22
Black, both sexes	81	7	6	11	7	8	4	4	5	5	6	9	9
Male	27	2	2	5	1	2	1	2	2	1	4	2	3
Female	54	5	4	6	6	6	3	2	3	4	2	7	6
American Indian 1/, both sexes	5	2	-	1	-	-	-	1	1	-	-	-	-
Male	1	-	-	-	-	-	-	1	-	-	-	-	-
Female	4	2	-	1	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes	12	1	1	1	1	1	2	-	1	-	1	1	2
Male	6	-	1	-	1	1	-	-	1	-	1	1	-
Female	6	1	-	1	-	-	2	-	-	-	-	-	2
Benign neoplasm of brain and other parts of central nervous system (D33)													
All races, both sexes	125	16	11	12	8	11	12	12	12	7	9	8	7
Male	65	6	5	5	4	8	5	6	9	5	4	5	3
Female	60	10	6	7	4	3	7	6	3	2	5	3	4
White, both sexes	112	16	10	10	7	11	11	11	11	6	7	7	5
Male	60	6	4	5	3	8	5	6	9	4	3	4	3
Female	52	10	6	5	4	3	6	5	2	2	4	3	2
Black, both sexes	10	-	1	2	1	-	1	-	1	1	1	1	1
Male	5	-	1	-	1	-	-	-	-	1	1	1	-
Female	5	-	-	2	-	-	1	-	1	-	-	-	1
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	3	-	-	-	-	-	-	1	-	-	1	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	3	-	-	-	-	-	-	1	-	-	1	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Brain, supratentorial (D33.0)													
All races, both sexes	15	2	1	1	1	-	-	2	2	1	1	2	2
Male	8	1	-	1	-	-	-	1	1	1	1	2	-
Female	7	1	1	-	1	-	-	1	1	-	-	-	2
White, both sexes	14	2	1	1	1	-	-	2	2	1	-	2	2
Male	7	1	-	1	-	-	-	1	1	1	-	2	-
Female	7	1	1	-	1	-	-	1	1	-	-	-	2
Black, both sexes	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Brain, infratentorial (D33.1)													
All races, both sexes	3	-	1	-	-	-	-	-	1	-	1	-	-
Male	2	-	1	-	-	-	-	-	1	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
White, both sexes	3	-	1	-	-	-	-	-	1	-	1	-	-
Male	2	-	1	-	-	-	-	-	1	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Brain, unspecified (D33.2)													
All races, both sexes	68	12	4	6	6	7	6	8	5	5	3	2	4
Male	33	4	2	3	3	6	2	3	3	4	-	1	2
Female	35	8	2	3	3	1	4	5	2	1	3	1	2
White, both sexes	59	12	3	4	6	7	6	7	4	4	2	2	2
Male	31	4	1	3	3	6	2	3	3	3	-	1	2
Female	28	8	2	1	3	1	4	4	1	1	2	1	-
Black, both sexes	6	-	1	2	-	-	-	-	1	1	-	-	1
Male	2	-	1	-	-	-	-	-	-	1	-	-	-
Female	4	-	-	2	-	-	-	-	1	-	-	-	1
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	3	-	-	-	-	-	-	1	-	-	1	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	3	-	-	-	-	-	-	1	-	-	1	-	1
Cranial nerves (D33.3)													
All races, both sexes	34	1	5	5	1	4	6	1	2	1	4	3	1
Male	17	-	2	1	1	2	3	1	2	-	3	1	1
Female	17	1	3	4	-	2	3	-	-	1	1	2	-
White, both sexes	32	1	5	5	-	4	5	1	2	1	4	3	1
Male	16	-	2	1	-	2	3	1	2	-	3	1	1
Female	16	1	3	4	-	2	2	-	-	1	1	2	-
Black, both sexes	2	-	-	-	1	-	1	-	-	-	-	-	-
Male	1	-	-	-	1	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Spinal cord (D33.4)													
All races, both sexes	4	-	-	-	-	-	-	1	2	-	-	1	-
Male	4	-	-	-	-	-	-	1	2	-	-	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	3	-	-	-	-	-	-	1	2	-	-	-	-
Male	3	-	-	-	-	-	-	1	2	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	1	-	-	-	-	-	-	-	-	-	-	1	-
Male	1	-	-	-	-	-	-	-	-	-	-	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Central nervous system, unspecified (D33.9)													
All races, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Benign neoplasm of thyroid gland (D34)													
All races, both sexes	4	-	-	-	-	-	-	1	1	-	2	-	-
Male	1	-	-	-	-	-	-	1	-	-	-	-	-
Female	3	-	-	-	-	-	-	-	1	-	2	-	-
White, both sexes	3	-	-	-	-	-	-	1	1	-	1	-	-
Male	1	-	-	-	-	-	-	1	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	1	-	1	-	-
Black, both sexes	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Benign neoplasm of other and unspecified endocrine glands (D35)													
All races, both sexes	124	8	11	19	8	7	13	10	15	5	15	3	10
Male	64	3	5	11	3	2	10	6	8	3	7	1	5
Female	60	5	6	8	5	5	3	4	7	2	8	2	5
White, both sexes	95	6	8	15	8	4	8	8	12	4	11	3	8
Male	45	1	3	8	3	1	5	5	6	3	6	1	3
Female	50	5	5	7	5	3	3	3	6	1	5	2	5
Black, both sexes	27	2	3	4	-	3	5	2	2	1	3	-	2
Male	17	2	2	3	-	1	5	1	1	-	-	-	2
Female	10	-	1	1	-	2	-	1	1	1	3	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	2	-	-	-	-	-	-	-	1	-	1	-	-
Male	2	-	-	-	-	-	-	-	1	-	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Adrenal gland (D35.0)													
All races, both sexes	29	2	5	-	2	4	-	5	1	1	4	2	3
Male	13	1	3	-	-	1	-	4	-	1	-	1	2
Female	16	1	2	-	2	3	-	1	1	-	4	1	1
White, both sexes	20	1	4	-	2	1	-	4	1	1	2	2	2
Male	8	-	2	-	-	-	-	3	-	1	-	1	1
Female	12	1	2	-	2	1	-	1	1	-	2	1	1
Black, both sexes	9	1	1	-	-	3	-	1	-	-	2	-	1
Male	5	1	1	-	-	1	-	1	-	-	-	-	1
Female	4	-	-	-	-	2	-	-	-	-	2	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Parathyroid gland (D35.1)													
All races, both sexes	4	-	-	1	-	-	-	1	1	-	-	-	1
Male	2	-	-	1	-	-	-	1	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	1	-	-	-	1
White, both sexes	4	-	-	1	-	-	-	1	1	-	-	-	1
Male	2	-	-	1	-	-	-	1	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	1	-	-	-	1
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Pituitary gland (D35.2)													
All races, both sexes	89	6	5	18	6	3	12	4	13	4	11	1	6
Male	48	2	2	10	3	1	9	1	8	2	7	-	3
Female	41	4	3	8	3	2	3	3	5	2	4	1	3
White, both sexes	70	5	4	14	6	3	7	3	10	3	9	1	5
Male	34	1	1	7	3	1	4	1	6	2	6	-	2
Female	36	4	3	7	3	2	3	2	4	1	3	1	3
Black, both sexes	17	1	1	4	-	-	5	1	2	1	1	-	1
Male	12	1	1	3	-	-	5	-	1	-	-	-	1
Female	5	-	-	1	-	-	-	1	1	1	1	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	2	-	-	-	-	-	-	-	1	-	1	-	-
Male	2	-	-	-	-	-	-	-	1	-	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Craniopharyngeal duct (D35.3)													
All races, both sexes	1	-	-	-	-	-	1	-	-	-	-	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	-	-	1	-	-	-	-	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Endocrine gland, unspecified (D35.9)													
All races, both sexes	1	-	1	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	1	-	-	-	-	-	-	-	-	-	-
White, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	1	-	1	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Benign neoplasm of other and unspecified sites (D36)													
All races, both sexes	49	3	2	2	4	4	4	5	8	5	4	3	5
Male	22	1	-	1	3	2	2	1	3	4	2	1	2
Female	27	2	2	1	1	2	2	4	5	1	2	2	3
White, both sexes	46	2	2	2	4	4	3	5	8	4	4	3	5
Male	20	1	-	1	3	2	1	1	3	3	2	1	2
Female	26	1	2	1	1	2	2	4	5	1	2	2	3
Black, both sexes	3	1	-	-	-	-	1	-	-	1	-	-	-
Male	2	-	-	-	-	-	1	-	-	1	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Peripheral nerves and autonomic nervous system (D36.1)													
All races, both sexes	21	1	2	1	1	2	1	3	3	1	3	1	2
Male	8	-	-	1	1	1	-	1	1	-	2	-	1
Female	13	1	2	-	-	1	1	2	2	1	1	1	1
White, both sexes	20	-	2	1	1	2	1	3	3	1	3	1	2
Male	8	-	-	1	1	1	-	1	1	-	2	-	1
Female	12	-	2	-	-	1	1	2	2	1	1	1	1
Black, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other specified sites (D36.7)													
All races, both sexes	3	-	-	-	-	-	1	-	1	-	-	-	1
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	1	-	-	-	1
White, both sexes	3	-	-	-	-	-	1	-	1	-	-	-	1
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	1	-	-	-	1
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Benign neoplasm of unspecified site (D36.9)													
All races, both sexes	25	2	-	1	3	2	2	2	4	4	1	2	2
Male	13	1	-	-	2	1	1	-	2	4	-	1	1
Female	12	1	-	1	1	1	1	2	2	-	1	1	1
White, both sexes	23	2	-	1	3	2	1	2	4	3	1	2	2
Male	11	1	-	-	2	1	-	-	2	3	-	1	1
Female	12	1	-	1	1	1	1	2	2	-	1	1	1
Black, both sexes	2	-	-	-	-	-	1	-	-	1	-	-	-
Male	2	-	-	-	-	-	1	-	-	1	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Neoplasm of uncertain or unknown behavior of oral cavity and digestive organs (D37)													
All races, both sexes	731	72	52	80	59	65	55	57	51	55	64	60	61
Male	313	27	21	36	33	26	25	21	23	25	29	23	24
Female	418	45	31	44	26	39	30	36	28	30	35	37	37
White, both sexes	644	67	45	74	51	54	46	52	49	48	54	47	57
Male	275	22	19	32	29	22	23	18	22	23	24	19	22
Female	369	45	26	42	22	32	23	34	27	25	30	28	35
Black, both sexes	71	4	6	5	6	9	8	4	1	6	9	10	3
Male	32	4	2	4	4	4	1	2	1	1	4	3	2
Female	39	-	4	1	2	5	7	2	-	5	5	7	1
American Indian 1/, both sexes	4	-	-	-	1	-	-	-	1	1	-	1	-
Male	2	-	-	-	-	-	-	-	-	1	-	1	-
Female	2	-	-	-	1	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes	12	1	1	1	1	2	1	1	-	-	1	2	1
Male	4	1	-	-	-	-	1	1	-	-	1	-	-
Female	8	-	1	1	1	2	-	-	-	-	-	2	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Lip, oral cavity, and pharynx (D37.0)													
All races, both sexes	47	8	3	5	5	2	3	4	2	5	2	2	6
Male	33	7	2	4	2	1	3	2	2	2	2	1	5
Female	14	1	1	1	3	1	-	2	-	3	-	1	1
White, both sexes	40	8	3	4	4	1	3	3	2	4	1	1	6
Male	28	7	2	3	2	-	3	1	2	2	1	-	5
Female	12	1	1	1	2	1	-	2	-	2	-	1	1
Black, both sexes	5	-	-	1	-	1	-	-	-	1	1	1	-
Male	4	-	-	1	-	1	-	-	-	-	1	1	-
Female	1	-	-	-	-	-	-	-	-	1	-	-	-
American Indian 1/, both sexes	1	-	-	-	1	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	1	-	-	-	-	-
Male	1	-	-	-	-	-	-	1	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Stomach (D37.1)													
All races, both sexes	78	9	3	10	7	5	4	7	8	7	6	8	4
Male	33	2	1	5	4	1	1	2	4	5	2	6	-
Female	45	7	2	5	3	4	3	5	4	2	4	2	4
White, both sexes	68	8	3	8	5	5	4	7	7	6	5	7	3
Male	28	1	1	4	3	1	1	2	4	4	2	5	-
Female	40	7	2	4	2	4	3	5	3	2	3	2	3
Black, both sexes	7	1	-	2	2	-	-	-	-	-	1	1	-
Male	4	1	-	1	1	-	-	-	-	-	-	1	-
Female	3	-	-	1	1	-	-	-	-	-	1	-	-
American Indian 1/, both sexes	2	-	-	-	-	-	-	-	1	1	-	-	-
Male	1	-	-	-	-	-	-	-	-	1	-	-	-
Female	1	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Small intestine (D37.2)													
All races, both sexes	32	2	1	3	3	3	3	-	2	1	2	9	3
Male	13	-	1	1	2	3	-	-	1	-	-	3	2
Female	19	2	-	2	1	-	3	-	1	1	2	6	1
White, both sexes	26	2	1	3	3	3	2	-	1	1	1	6	3
Male	12	-	1	1	2	3	-	-	-	-	-	3	2
Female	14	2	-	2	1	-	2	-	1	1	1	3	1
Black, both sexes	5	-	-	-	-	-	1	-	1	-	1	2	-
Male	1	-	-	-	-	-	-	-	1	-	-	-	-
Female	4	-	-	-	-	-	1	-	-	-	1	2	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	-	-	-	-	1	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-
Appendix (D37.3)													
All races, both sexes	13	-	-	4	1	-	-	2	2	1	1	-	2
Male	6	-	-	1	-	-	-	-	2	-	1	-	2
Female	7	-	-	3	1	-	-	2	-	1	-	-	-
White, both sexes	11	-	-	4	1	-	-	1	2	-	1	-	2
Male	6	-	-	1	-	-	-	-	2	-	1	-	2
Female	5	-	-	3	1	-	-	1	-	-	-	-	-
Black, both sexes	2	-	-	-	-	-	-	1	-	1	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	1	-	1	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Colon (D37.4)													
All races, both sexes	87	8	7	9	7	7	4	4	8	8	9	7	9
Male	33	1	4	3	6	2	3	1	3	3	2	2	3
Female	54	7	3	6	1	5	1	3	5	5	7	5	6
White, both sexes	80	7	7	8	5	6	4	4	8	8	9	6	8
Male	29	-	4	2	5	2	3	1	3	3	2	2	2
Female	51	7	3	6	-	4	1	3	5	5	7	4	6
Black, both sexes	6	1	-	1	2	-	-	-	-	-	-	1	1
Male	4	1	-	1	1	-	-	-	-	-	-	-	1
Female	2	-	-	-	1	-	-	-	-	-	-	1	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-
Rectum (D37.5)													
All races, both sexes	21	1	5	3	3	2	3	-	1	1	-	1	1
Male	8	1	1	-	1	1	-	-	1	1	-	1	1
Female	13	-	4	3	2	1	3	-	-	-	-	-	-
White, both sexes	18	1	4	3	2	2	2	-	1	1	-	1	1
Male	7	1	1	-	-	1	-	-	1	1	-	1	1
Female	11	-	3	3	2	1	2	-	-	-	-	-	-
Black, both sexes	3	-	1	-	1	-	1	-	-	-	-	-	-
Male	1	-	-	-	1	-	-	-	-	-	-	-	-
Female	2	-	1	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Liver, gallbladder, and bile ducts (D37.6)													
All races, both sexes	168	19	11	19	13	16	12	14	7	10	14	19	14
Male	67	9	4	8	6	7	5	6	2	4	4	7	5
Female	101	10	7	11	7	9	7	8	5	6	10	12	9
White, both sexes	154	17	11	17	13	14	12	14	7	8	13	14	14
Male	62	7	4	7	6	7	5	6	2	4	4	5	5
Female	92	10	7	10	7	7	7	8	5	4	9	9	9
Black, both sexes	9	1	-	1	-	1	-	-	-	2	1	3	-
Male	3	1	-	1	-	-	-	-	-	-	-	1	-
Female	6	-	-	-	-	1	-	-	-	2	1	2	-
American Indian 1/, both sexes	1	-	-	-	-	-	-	-	-	-	-	1	-
Male	1	-	-	-	-	-	-	-	-	-	-	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	4	1	-	1	-	1	-	-	-	-	-	1	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	3	-	-	1	-	1	-	-	-	-	-	1	-
Other digestive organs (D37.7)													
All races, both sexes	176	14	12	22	10	21	15	18	13	8	19	8	16
Male	64	3	2	10	7	7	4	6	5	2	11	1	6
Female	112	11	10	12	3	14	11	12	8	6	8	7	10
White, both sexes	150	14	10	22	9	15	11	15	13	7	14	6	14
Male	55	3	2	10	6	5	4	4	5	2	8	1	5
Female	95	11	8	12	3	10	7	11	8	5	6	5	9
Black, both sexes	26	-	2	-	1	6	4	3	-	1	5	2	2
Male	9	-	-	-	1	2	-	2	-	-	3	-	1
Female	17	-	2	-	-	4	4	1	-	1	2	2	1
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Digestive organ, unspecified (D37.9)													
All races, both sexes	109	11	10	5	10	9	11	8	8	14	11	6	6
Male	56	4	6	4	5	4	9	4	3	8	7	2	-
Female	53	7	4	1	5	5	2	4	5	6	4	4	6
White, both sexes	97	10	6	5	9	8	8	8	8	13	10	6	6
Male	48	3	4	4	5	3	7	4	3	7	6	2	-
Female	49	7	2	1	4	5	1	4	5	6	4	4	6
Black, both sexes	8	1	3	-	-	1	2	-	-	1	-	-	-
Male	6	1	2	-	-	1	1	-	-	1	-	-	-
Female	2	-	1	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	4	-	1	-	1	-	1	-	-	-	1	-	-
Male	2	-	-	-	-	-	1	-	-	-	1	-	-
Female	2	-	1	-	1	-	-	-	-	-	-	-	-
Neoplasm of uncertain or unknown behavior of middle ear and respiratory and intrathoracic organs (D38)													
All races, both sexes	568	57	53	43	46	51	46	34	54	43	53	30	58
Male	271	27	25	23	26	19	18	15	25	24	29	14	26
Female	297	30	28	20	20	32	28	19	29	19	24	16	32
White, both sexes	512	51	45	40	44	47	44	31	48	39	43	29	51
Male	242	24	21	22	26	18	16	14	22	22	22	13	22
Female	270	27	24	18	18	29	28	17	26	17	21	16	29
Black, both sexes	49	4	7	3	2	4	2	3	6	3	8	1	6
Male	26	1	4	1	-	1	2	1	3	2	6	1	4
Female	23	3	3	2	2	3	-	2	3	1	2	-	2
American Indian 1/, both sexes	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes	6	2	1	-	-	-	-	-	-	1	1	-	1
Male	3	2	-	-	-	-	-	-	-	-	1	-	-
Female	3	-	1	-	-	-	-	-	-	1	-	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Larynx (D38.0)													
All races, both sexes	19	1	-	1	3	1	1	-	5	2	1	2	2
Male	15	1	-	-	3	1	1	-	3	2	1	2	1
Female	4	-	-	1	-	-	-	-	2	-	-	-	1
White, both sexes	18	1	-	1	3	1	1	-	5	2	1	1	2
Male	14	1	-	-	3	1	1	-	3	2	1	1	1
Female	4	-	-	1	-	-	-	-	2	-	-	-	1
Black, both sexes	1	-	-	-	-	-	-	-	-	-	-	1	-
Male	1	-	-	-	-	-	-	-	-	-	-	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Trachea, bronchus, and lung (D38.1)													
All races, both sexes	489	54	44	41	36	49	38	29	43	37	43	24	51
Male	224	25	21	22	19	17	14	14	18	20	21	11	22
Female	265	29	23	19	17	32	24	15	25	17	22	13	29
White, both sexes	440	48	38	38	34	45	36	26	37	34	36	24	44
Male	200	22	18	21	19	16	12	13	15	19	16	11	18
Female	240	26	20	17	15	29	24	13	22	15	20	13	26
Black, both sexes	43	4	5	3	2	4	2	3	6	2	6	-	6
Male	22	1	3	1	-	1	2	1	3	1	5	-	4
Female	21	3	2	2	2	3	-	2	3	1	1	-	2
American Indian 1/, both sexes	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes	5	2	1	-	-	-	-	-	-	1	-	-	1
Male	2	2	-	-	-	-	-	-	-	-	-	-	-
Female	3	-	1	-	-	-	-	-	-	1	-	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Pleura (D38.2)													
All races, both sexes	6	-	1	-	3	-	-	-	1	-	1	-	-
Male	5	-	-	-	3	-	-	-	1	-	1	-	-
Female	1	-	1	-	-	-	-	-	-	-	-	-	-
White, both sexes	6	-	1	-	3	-	-	-	1	-	1	-	-
Male	5	-	-	-	3	-	-	-	1	-	1	-	-
Female	1	-	1	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Mediastinum (D38.3)													
All races, both sexes	40	2	6	-	3	1	4	4	3	3	5	4	5
Male	19	1	2	-	1	1	2	1	2	2	3	1	3
Female	21	1	4	-	2	-	2	3	1	1	2	3	2
White, both sexes	35	2	5	-	3	1	4	4	3	2	2	4	5
Male	16	1	2	-	1	1	2	1	2	1	1	1	3
Female	19	1	3	-	2	-	2	3	1	1	1	3	2
Black, both sexes	4	-	1	-	-	-	-	-	-	1	2	-	-
Male	2	-	-	-	-	-	-	-	-	1	1	-	-
Female	2	-	1	-	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other respiratory organs (D38.5)													
All races, both sexes	12	-	-	1	1	-	3	1	2	1	3	-	-
Male	6	-	-	1	-	-	1	-	1	-	3	-	-
Female	6	-	-	-	1	-	2	1	1	1	-	-	-
White, both sexes	12	-	-	1	1	-	3	1	2	1	3	-	-
Male	6	-	-	1	-	-	1	-	1	-	3	-	-
Female	6	-	-	-	1	-	2	1	1	1	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Respiratory organ, unspecified (D38.6)													
All races, both sexes	2	-	2	-	-	-	-	-	-	-	-	-	-
Male	2	-	2	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	1	-	-	-	-	-	-	-	-	-	-
Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	1	-	1	-	-	-	-	-	-	-	-	-	-
Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Neoplasm of uncertain or unknown behavior of female genital organs (D39)													
All races, both sexes	78	7	7	5	7	3	10	5	2	6	7	7	12
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	78	7	7	5	7	3	10	5	2	6	7	7	12
White, both sexes	66	7	4	4	7	3	10	4	2	3	6	5	11
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	66	7	4	4	7	3	10	4	2	3	6	5	11
Black, both sexes	11	-	3	1	-	-	-	1	-	3	1	2	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	11	-	3	1	-	-	-	1	-	3	1	2	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	1	-	-	-	-	-	-	-	-	-	-	-	1
Uterus (D39.0)													
All races, both sexes	14	2	1	1	1	-	-	1	1	-	3	3	1
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	14	2	1	1	1	-	-	1	1	-	3	3	1
White, both sexes	12	2	1	1	1	-	-	1	1	-	2	2	1
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	12	2	1	1	1	-	-	1	1	-	2	2	1
Black, both sexes	2	-	-	-	-	-	-	-	-	-	1	1	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	2	-	-	-	-	-	-	-	-	-	1	1	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Ovary (D39.1)													
All races, both sexes	54	5	4	2	6	3	9	3	1	6	3	3	9
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	54	5	4	2	6	3	9	3	1	6	3	3	9
White, both sexes	45	5	1	2	6	3	9	2	1	3	3	2	8
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	45	5	1	2	6	3	9	2	1	3	3	2	8
Black, both sexes	8	-	3	-	-	-	-	1	-	3	-	1	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	8	-	3	-	-	-	-	1	-	3	-	1	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	1	-	-	-	-	-	-	-	-	-	-	-	1
Placenta (D39.2)													
All races, both sexes	1	-	-	-	-	-	-	1	-	-	-	-	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	1	-	-	-	-	-	-	1	-	-	-	-	-
White, both sexes	1	-	-	-	-	-	-	1	-	-	-	-	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	1	-	-	-	-	-	-	1	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other female genital organs (D39.7)													
All races, both sexes	6	-	2	2	-	-	-	-	-	-	-	1	1
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	6	-	2	2	-	-	-	-	-	-	-	1	1
White, both sexes	5	-	2	1	-	-	-	-	-	-	-	1	1
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	5	-	2	1	-	-	-	-	-	-	-	1	1
Black, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	1	-	-	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Female genital organ, unspecified (D39.9)													
All races, both sexes	3	-	-	-	-	-	1	-	-	-	1	-	1
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	3	-	-	-	-	-	1	-	-	-	1	-	1
White, both sexes	3	-	-	-	-	-	1	-	-	-	1	-	1
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	3	-	-	-	-	-	1	-	-	-	1	-	1
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Neoplasm of uncertain or unknown behavior of male genital organs (D40)													
All races, both sexes	22	2	3	-	1	1	3	1	3	2	3	1	2
Male	22	2	3	-	1	1	3	1	3	2	3	1	2
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
White, both sexes	17	2	3	-	1	1	3	1	1	-	2	1	2
Male	17	2	3	-	1	1	3	1	1	-	2	1	2
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
Black, both sexes	5	-	-	-	-	-	-	-	2	2	1	-	-
Male	5	-	-	-	-	-	-	-	2	2	1	-	-
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
Prostate (D40.0)													
All races, both sexes	19	2	3	-	1	-	2	1	3	2	3	1	1
Male	19	2	3	-	1	-	2	1	3	2	3	1	1
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
White, both sexes	14	2	3	-	1	-	2	1	1	-	2	1	1
Male	14	2	3	-	1	-	2	1	1	-	2	1	1
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
Black, both sexes	5	-	-	-	-	-	-	-	2	2	1	-	-
Male	5	-	-	-	-	-	-	-	2	2	1	-	-
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	...	...	...	...	...	...	...	...	...	...	...	...	...

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Testis (D40.1)													
All races, both sexes	2	-	-	-	-	1	-	-	-	-	-	-	1
Male	2	-	-	-	-	1	-	-	-	-	-	-	1
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
White, both sexes	2	-	-	-	-	1	-	-	-	-	-	-	1
Male	2	-	-	-	-	1	-	-	-	-	-	-	1
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
Other male genital organs (D40.7)													
All races, both sexes	1	-	-	-	-	-	1	-	-	-	-	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
White, both sexes	1	-	-	-	-	-	1	-	-	-	-	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	...	...	...	...	...	...	...	...	...	...	...	...	...

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Neoplasm of uncertain or unknown behavior of urinary organs (D41)													
All races, both sexes	165	17	20	11	14	8	14	19	19	12	9	11	11
Male	84	10	10	9	9	3	7	9	6	6	4	5	6
Female	81	7	10	2	5	5	7	10	13	6	5	6	5
White, both sexes	145	15	20	9	12	6	14	16	16	11	7	9	10
Male	77	9	10	7	9	3	7	7	6	6	4	3	6
Female	68	6	10	2	3	3	7	9	10	5	3	6	4
Black, both sexes	15	2	-	1	1	1	-	2	2	1	2	2	1
Male	6	1	-	1	-	-	-	2	-	-	-	2	-
Female	9	1	-	-	1	1	-	-	2	1	2	-	1
American Indian 1/, both sexes	2	-	-	1	-	-	-	-	1	-	-	-	-
Male	1	-	-	1	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes	3	-	-	-	1	1	-	1	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	3	-	-	-	1	1	-	1	-	-	-	-	-
Kidney (D41.0)													
All races, both sexes	79	8	12	6	4	6	5	7	11	6	4	6	4
Male	39	2	8	4	2	1	1	4	4	3	3	4	3
Female	40	6	4	2	2	5	4	3	7	3	1	2	1
White, both sexes	69	7	12	4	4	4	5	6	10	6	3	4	4
Male	34	2	8	2	2	1	1	3	4	3	3	2	3
Female	35	5	4	2	2	3	4	3	6	3	-	2	1
Black, both sexes	8	1	-	1	-	1	-	1	1	-	1	2	-
Male	4	-	-	1	-	-	-	1	-	-	-	2	-
Female	4	1	-	-	-	1	-	-	1	-	1	-	-
American Indian 1/, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	1	-	-	1	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Renal pelvis (D41.1)													
All races, both sexes	1	-	1	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	1	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	1	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	1	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Ureter (D41.2)													
All races, both sexes	4	2	-	-	-	-	1	-	-	-	-	1	-
Male	2	2	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	1	-	-	-	-	1	-
White, both sexes	4	2	-	-	-	-	1	-	-	-	-	1	-
Male	2	2	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	1	-	-	-	-	1	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Urethra (D41.3)													
All races, both sexes	1	-	-	-	-	-	-	1	-	-	-	-	-
Male	1	-	-	-	-	-	-	1	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	-	-	-	1	-	-	-	-	-
Male	1	-	-	-	-	-	-	1	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Bladder (D41.4)													
All races, both sexes	80	7	7	5	10	2	8	11	8	6	5	4	7
Male	42	6	2	5	7	2	6	4	2	3	1	1	3
Female	38	1	5	-	3	-	2	7	6	3	4	3	4
White, both sexes	70	6	7	5	8	2	8	9	6	5	4	4	6
Male	40	5	2	5	7	2	6	3	2	3	1	1	3
Female	30	1	5	-	1	-	2	6	4	2	3	3	3
Black, both sexes	7	1	-	-	1	-	-	1	1	1	1	-	1
Male	2	1	-	-	-	-	-	1	-	-	-	-	-
Female	5	-	-	-	1	-	-	-	1	1	1	-	1
American Indian 1/, both sexes	1	-	-	-	-	-	-	-	1	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes	2	-	-	-	1	-	-	1	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	1	-	-	1	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Neoplasm of uncertain or unknown behavior of meninges (D42)													
All races, both sexes	8	1	1	1	1	-	-	-	-	1	-	2	1
Male	3	1	-	-	1	-	-	-	-	-	-	-	1
Female	5	-	1	1	-	-	-	-	-	1	-	2	-
White, both sexes	7	1	1	-	1	-	-	-	-	1	-	2	1
Male	3	1	-	-	1	-	-	-	-	-	-	-	1
Female	4	-	1	-	-	-	-	-	-	1	-	2	-
Black, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral meninges (D42.0)													
All races, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	1	-	-	-	-	-	-	-	-	-	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	1	-	-	-	-	-	-	-	-	-	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Meninges, unspecified (D42.9)													
All races, both sexes	7	1	1	1	1	-	-	-	-	1	-	2	-
Male	2	1	-	-	1	-	-	-	-	-	-	-	-
Female	5	-	1	1	-	-	-	-	-	1	-	2	-
White, both sexes	6	1	1	-	1	-	-	-	-	1	-	2	-
Male	2	1	-	-	1	-	-	-	-	-	-	-	-
Female	4	-	1	-	-	-	-	-	-	1	-	2	-
Black, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Neoplasm of uncertain or unknown behavior of brain and central nervous system (D43)													
All races, both sexes	3,000	249	250	233	247	242	290	251	253	229	245	236	275
Male	1,421	111	126	112	111	114	139	113	127	118	118	107	125
Female	1,579	138	124	121	136	128	151	138	126	111	127	129	150
White, both sexes	2,652	219	223	215	221	212	249	220	231	200	215	208	239
Male	1,254	98	112	108	101	100	114	97	113	102	103	95	111
Female	1,398	121	111	107	120	112	135	123	118	98	112	113	128
Black, both sexes	294	24	23	15	23	26	36	25	15	25	23	26	33
Male	142	12	12	3	10	13	24	13	8	13	10	11	13
Female	152	12	11	12	13	13	12	12	7	12	13	15	20
American Indian 1/, both sexes	4	1	-	-	-	1	-	1	1	-	-	-	-
Male	2	-	-	-	-	-	-	1	1	-	-	-	-
Female	2	1	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	50	5	4	3	3	3	5	5	6	4	7	2	3
Male	23	1	2	1	-	1	1	2	5	3	5	1	1
Female	27	4	2	2	3	2	4	3	1	1	2	1	2

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Brain, supratentorial (D43.0)													
All races, both sexes	180	25	18	17	13	13	15	19	18	10	11	11	10
Male	81	9	9	5	5	8	9	10	7	4	5	6	4
Female	99	16	9	12	8	5	6	9	11	6	6	5	6
White, both sexes	162	21	17	16	11	13	11	16	18	10	11	9	9
Male	73	9	9	5	3	8	5	8	7	4	5	6	4
Female	89	12	8	11	8	5	6	8	11	6	6	3	5
Black, both sexes	16	3	1	1	2	-	3	3	-	-	-	2	1
Male	7	-	-	-	2	-	3	2	-	-	-	-	-
Female	9	3	1	1	-	-	-	1	-	-	-	2	1
American Indian 1/, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	1	-	-	-	-	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Brain, infratentorial (D43.1)													
All races, both sexes	99	6	12	5	5	11	11	11	10	5	6	8	9
Male	54	2	6	2	4	5	11	3	7	3	2	4	5
Female	45	4	6	3	1	6	-	8	3	2	4	4	4
White, both sexes	89	6	10	5	4	11	10	10	8	5	6	5	9
Male	48	2	5	2	3	5	10	3	6	3	2	2	5
Female	41	4	5	3	1	6	-	7	2	2	4	3	4
Black, both sexes	9	-	2	-	1	-	1	1	1	-	-	3	-
Male	5	-	1	-	1	-	1	-	-	-	-	2	-
Female	4	-	1	-	-	-	-	1	1	-	-	1	-
American Indian 1/, both sexes	1	-	-	-	-	-	-	-	1	-	-	-	-
Male	1	-	-	-	-	-	-	-	1	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Brain, unspecified (D43.2)													
All races, both sexes	2,669	213	219	207	227	211	258	217	219	209	223	214	252
Male	1,260	100	110	102	101	98	115	97	111	106	108	96	116
Female	1,409	113	109	105	126	113	143	120	108	103	115	118	136
White, both sexes	2,355	187	195	191	204	182	224	190	199	181	194	191	217
Male	1,111	87	97	98	94	84	97	83	98	91	94	86	102
Female	1,244	100	98	93	110	98	127	107	101	90	100	105	115
Black, both sexes	265	21	20	13	20	26	30	21	14	24	23	21	32
Male	127	12	11	3	7	13	18	11	8	12	10	9	13
Female	138	9	9	10	13	13	12	10	6	12	13	12	19
American Indian 1/, both sexes	1	-	-	-	-	-	-	1	-	-	-	-	-
Male	1	-	-	-	-	-	-	1	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	48	5	4	3	3	3	4	5	6	4	6	2	3
Male	21	1	2	1	-	1	-	2	5	3	4	1	1
Female	27	4	2	2	3	2	4	3	1	1	2	1	2
Cranial nerves (D43.3)													
All races, both sexes	1	-	-	-	-	-	1	-	-	-	-	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	1	-	-	-	-	-	1	-	-	-	-	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Spinal cord (D43.4)													
All races, both sexes	35	4	1	2	2	4	2	4	3	3	4	3	3
Male	17	-	1	2	1	2	1	3	1	3	2	1	-
Female	18	4	-	-	1	2	1	1	2	-	2	2	3
White, both sexes	32	4	1	2	2	3	1	4	3	3	3	3	3
Male	15	-	1	2	1	2	-	3	1	3	1	1	-
Female	17	4	-	-	1	1	1	1	2	-	2	2	3
Black, both sexes	1	-	-	-	-	-	1	-	-	-	-	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Central nervous system, unspecified (D43.9)													
All races, both sexes	16	1	-	2	-	3	3	-	3	2	1	-	1
Male	8	-	-	1	-	1	2	-	1	2	1	-	-
Female	8	1	-	1	-	2	1	-	2	-	-	-	1
White, both sexes	14	1	-	1	-	3	3	-	3	1	1	-	1
Male	7	-	-	1	-	1	2	-	1	1	1	-	-
Female	7	1	-	-	-	2	1	-	2	-	-	-	1
Black, both sexes	2	-	-	1	-	-	-	-	-	1	-	-	-
Male	1	-	-	-	-	-	-	-	-	1	-	-	-
Female	1	-	-	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Neoplasm of uncertain or unknown behavior of endocrine glands (D44)													
All races, both sexes	177	14	20	16	10	9	19	14	14	14	9	16	22
Male	84	6	9	5	5	5	9	7	10	6	4	7	11
Female	93	8	11	11	5	4	10	7	4	8	5	9	11
White, both sexes	122	10	15	9	9	5	12	11	10	7	8	12	14
Male	59	5	7	4	5	2	6	4	7	3	3	6	7
Female	63	5	8	5	4	3	6	7	3	4	5	6	7
Black, both sexes	45	3	5	3	1	4	6	3	3	6	1	3	7
Male	21	1	2	-	-	3	3	3	2	3	1	-	3
Female	24	2	3	3	1	1	3	-	1	3	-	3	4
American Indian 1/, both sexes	2	1	-	1	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	1	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	8	-	-	3	-	-	1	-	1	1	-	1	1
Male	4	-	-	1	-	-	-	-	1	-	-	1	1
Female	4	-	-	2	-	-	1	-	-	1	-	-	-
Thyroid gland (D44.0)													
All races, both sexes	4	-	-	1	1	-	-	-	1	-	-	-	1
Male	2	-	-	1	1	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	1	-	-	-	1
White, both sexes	3	-	-	-	1	-	-	-	1	-	-	-	1
Male	1	-	-	-	1	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	1	-	-	-	1
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	1	-	-	1	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Adrenal gland (D44.1)													
All races, both sexes	19	2	3	2	1	-	1	3	1	1	2	-	3
Male	10	2	3	-	1	-	1	1	-	-	-	-	2
Female	9	-	-	2	-	-	-	2	1	1	2	-	1
White, both sexes	15	2	2	1	1	-	-	3	1	-	2	-	3
Male	8	2	2	-	1	-	-	1	-	-	-	-	2
Female	7	-	-	1	-	-	-	2	1	-	2	-	1
Black, both sexes	4	-	1	1	-	-	1	-	-	1	-	-	-
Male	2	-	1	-	-	-	1	-	-	-	-	-	-
Female	2	-	-	1	-	-	-	-	-	1	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Parathyroid gland (D44.2)													
All races, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	1	-	-	-	-	-	-	-	-	-	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	1	-	-	-	-	-	-	-	-	-	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Pituitary gland (D44.3)													
All races, both sexes	68	2	6	5	5	6	7	8	5	5	3	6	10
Male	31	1	1	2	3	3	4	6	4	1	1	2	3
Female	37	1	5	3	2	3	3	2	1	4	2	4	7
White, both sexes	45	1	4	3	4	3	5	5	3	3	3	5	6
Male	21	-	1	2	3	1	3	3	3	-	1	2	2
Female	24	1	3	1	1	2	2	2	-	3	2	3	4
Black, both sexes	22	1	2	2	1	3	2	3	1	2	-	1	4
Male	9	1	-	-	-	2	1	3	-	1	-	-	1
Female	13	-	2	2	1	1	1	-	1	1	-	1	3
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	-	1	-	-	-	-
Male	1	-	-	-	-	-	-	-	1	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Craniopharyngeal duct (D44.4)													
All races, both sexes	51	9	6	6	1	1	6	1	5	5	1	6	4
Male	27	3	3	1	-	1	3	-	5	4	1	3	3
Female	24	6	3	5	1	-	3	1	-	1	-	3	1
White, both sexes	29	6	4	3	1	-	3	1	3	2	1	4	1
Male	17	3	2	1	-	-	2	-	3	2	1	2	1
Female	12	3	2	2	1	-	1	1	-	-	-	2	-
Black, both sexes	15	2	2	-	-	1	2	-	2	3	-	1	2
Male	8	-	1	-	-	1	1	-	2	2	-	-	1
Female	7	2	1	-	-	-	1	-	-	1	-	1	1
American Indian 1/, both sexes	2	1	-	1	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	1	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	5	-	-	2	-	-	1	-	-	-	-	1	1
Male	2	-	-	-	-	-	-	-	-	-	-	1	1
Female	3	-	-	2	-	-	1	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Pineal gland (D44.5)													
All races, both sexes	9	-	2	-	-	1	3	-	-	1	-	-	2
Male	4	-	1	-	-	-	1	-	-	-	-	-	2
Female	5	-	1	-	-	1	2	-	-	1	-	-	-
White, both sexes	6	-	2	-	-	1	2	-	-	-	-	-	1
Male	3	-	1	-	-	-	1	-	-	-	-	-	1
Female	3	-	1	-	-	1	1	-	-	-	-	-	-
Black, both sexes	2	-	-	-	-	-	1	-	-	-	-	-	1
Male	1	-	-	-	-	-	-	-	-	-	-	-	1
Female	1	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	-	-	1	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	1	-	-	-
Carotid body (D44.6)													
All races, both sexes	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Aortic body and other paraganglia (D44.7)													
All races, both sexes	16	-	2	2	2	-	1	1	2	1	2	3	-
Male	5	-	1	1	-	-	-	-	1	-	1	1	-
Female	11	-	1	1	2	-	1	1	1	1	1	2	-
White, both sexes	14	-	2	2	2	-	1	1	2	1	1	2	-
Male	4	-	1	1	-	-	-	-	1	-	-	1	-
Female	10	-	1	1	2	-	1	1	1	1	1	1	-
Black, both sexes	2	-	-	-	-	-	-	-	-	-	1	1	-
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Pluriglandular involvement (D44.8)													
All races, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Endocrine gland, unspecified (D44.9)													
All races, both sexes	7	-	1	-	-	1	1	1	-	1	-	1	1
Male	3	-	-	-	-	1	-	-	-	1	-	1	-
Female	4	-	1	-	-	-	1	1	-	-	-	-	1
White, both sexes	7	-	1	-	-	1	1	1	-	1	-	1	1
Male	3	-	-	-	-	1	-	-	-	1	-	1	-
Female	4	-	1	-	-	-	1	1	-	-	-	-	1
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Polycythemia vera (D45)													
All races, both sexes	309	26	29	34	26	25	21	22	26	29	24	13	34
Male	145	9	13	17	11	12	11	8	18	14	10	7	15
Female	164	17	16	17	15	13	10	14	8	15	14	6	19
White, both sexes	290	26	28	32	22	24	20	20	24	26	22	13	33
Male	137	9	12	17	8	12	11	8	17	14	8	7	14
Female	153	17	16	15	14	12	9	12	7	12	14	6	19
Black, both sexes	13	-	-	2	2	1	-	2	1	2	2	-	1
Male	5	-	-	-	1	-	-	-	1	-	2	-	1
Female	8	-	-	2	1	1	-	2	-	2	-	-	-
American Indian 1/, both sexes	3	-	-	-	2	-	-	-	1	-	-	-	-
Male	2	-	-	-	2	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes	3	-	1	-	-	-	1	-	-	1	-	-	-
Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	1	-	-	1	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Myelodysplastic syndromes (D46)													
All races, both sexes	4,683	406	337	384	377	367	355	380	399	418	419	419	422
Male	2,594	206	193	213	206	209	209	205	226	240	228	243	216
Female	2,089	200	144	171	171	158	146	175	173	178	191	176	206
White, both sexes	4,358	380	315	354	354	346	332	347	369	391	384	393	393
Male	2,426	193	182	195	192	198	195	191	213	226	208	231	202
Female	1,932	187	133	159	162	148	137	156	156	165	176	162	191
Black, both sexes	241	21	16	21	16	18	17	27	21	22	25	16	21
Male	121	10	8	14	7	8	10	11	10	12	14	6	11
Female	120	11	8	7	9	10	7	16	11	10	11	10	10
American Indian 1/, both sexes	12	1	-	2	1	1	1	2	2	-	1	-	1
Male	8	-	-	2	1	1	1	2	-	-	1	-	-
Female	4	1	-	-	-	-	-	-	2	-	-	-	1
Asian or Pacific Islander 2/, both sexes	72	4	6	7	6	2	5	4	7	5	9	10	7
Male	39	3	3	2	6	2	3	1	3	2	5	6	3
Female	33	1	3	5	-	-	2	3	4	3	4	4	4
Refractory anemia with sideroblasts (D46.1)													
All races, both sexes	5	-	-	1	-	1	-	-	1	-	1	1	-
Male	2	-	-	-	-	1	-	-	-	-	-	1	-
Female	3	-	-	1	-	-	-	-	1	-	1	-	-
White, both sexes	5	-	-	1	-	1	-	-	1	-	1	1	-
Male	2	-	-	-	-	1	-	-	-	-	-	1	-
Female	3	-	-	1	-	-	-	-	1	-	1	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Refractory anemia with excess of blasts (D46.2)													
All races, both sexes	16	2	1	-	2	1	-	2	1	4	1	-	2
Male	11	-	-	-	1	1	-	2	1	3	1	-	2
Female	5	2	1	-	1	-	-	-	-	1	-	-	-
White, both sexes	14	2	1	-	2	1	-	1	1	3	1	-	2
Male	9	-	-	-	1	1	-	1	1	2	1	-	2
Female	5	2	1	-	1	-	-	-	-	1	-	-	-
Black, both sexes	2	-	-	-	-	-	-	1	-	1	-	-	-
Male	2	-	-	-	-	-	-	1	-	1	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Refractory anemia with excess of blasts with transformation (D46.3)													
All races, both sexes	3	2	1	-	-	-	-	-	-	-	-	-	-
Male	3	2	1	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	3	2	1	-	-	-	-	-	-	-	-	-	-
Male	3	2	1	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Refractory anemia, unspecified (D46.4)													
All races, both sexes	161	16	8	14	12	13	13	14	15	10	16	16	14
Male	80	7	6	7	5	7	5	7	10	1	11	8	6
Female	81	9	2	7	7	6	8	7	5	9	5	8	8
White, both sexes	152	16	6	14	12	12	13	13	15	9	13	16	13
Male	77	7	5	7	5	7	5	7	10	1	9	8	6
Female	75	9	1	7	7	5	8	6	5	8	4	8	7
Black, both sexes	6	-	2	-	-	1	-	1	-	1	1	-	-
Male	2	-	1	-	-	-	-	-	-	-	1	-	-
Female	4	-	1	-	-	1	-	1	-	1	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	3	-	-	-	-	-	-	-	-	-	2	-	1
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	2	-	-	-	-	-	-	-	-	-	1	-	1
Other myelodysplastic syndromes (D46.7)													
All races, both sexes	13	2	-	2	1	2	1	-	2	1	1	-	1
Male	5	-	-	1	1	-	1	-	1	1	-	-	-
Female	8	2	-	1	-	2	-	-	1	-	1	-	1
White, both sexes	13	2	-	2	1	2	1	-	2	1	1	-	1
Male	5	-	-	1	1	-	1	-	1	1	-	-	-
Female	8	2	-	1	-	2	-	-	1	-	1	-	1
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Myelodysplastic syndrome, unspecified (D46.9)													
All races, both sexes	4,485	384	327	367	362	350	341	364	380	403	400	402	405
Male	2,493	197	186	205	199	200	203	196	214	235	216	234	208
Female	1,992	187	141	162	163	150	138	168	166	168	184	168	197
White, both sexes	4,171	358	307	337	339	330	318	333	350	378	368	376	377
Male	2,330	184	176	187	185	189	189	183	201	222	198	222	194
Female	1,841	174	131	150	154	141	129	150	149	156	170	154	183
Black, both sexes	233	21	14	21	16	17	17	25	21	20	24	16	21
Male	117	10	7	14	7	8	10	10	10	11	13	6	11
Female	116	11	7	7	9	9	7	15	11	9	11	10	10
American Indian 1/, both sexes	12	1	-	2	1	1	1	2	2	-	1	-	1
Male	8	-	-	2	1	1	1	2	-	-	1	-	-
Female	4	1	-	-	-	-	-	-	2	-	-	-	1
Asian or Pacific Islander 2/, both sexes	69	4	6	7	6	2	5	4	7	5	7	10	6
Male	38	3	3	2	6	2	3	1	3	2	4	6	3
Female	31	1	3	5	-	-	2	3	4	3	3	4	3
Other neoplasms of uncertain or unknown behavior of lymphoid, hematopoietic, and related tissue (D47)													
All races, both sexes	1,682	154	136	148	143	163	121	131	131	142	140	128	145
Male	877	87	62	75	77	84	64	69	72	67	69	72	79
Female	805	67	74	73	66	79	57	62	59	75	71	56	66
White, both sexes	1,547	136	126	135	132	153	114	120	120	134	126	118	133
Male	813	77	56	71	72	80	63	65	66	63	61	67	72
Female	734	59	70	64	60	73	51	55	54	71	65	51	61
Black, both sexes	107	16	8	9	9	6	6	9	8	8	9	8	11
Male	49	8	4	3	4	3	1	3	4	4	4	4	7
Female	58	8	4	6	5	3	5	6	4	4	5	4	4
American Indian 1/, both sexes	3	1	-	-	-	1	-	1	-	-	-	-	-
Male	2	1	-	-	-	1	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	25	1	2	4	2	3	1	1	3	-	5	2	1
Male	13	1	2	1	1	-	-	1	2	-	4	1	-
Female	12	-	-	3	1	3	1	-	1	-	1	1	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Chronic myeloproliferative disease (D47.1)													
All races, both sexes	1,479	133	119	125	126	147	109	109	125	123	122	112	129
Male	780	75	53	67	65	75	60	58	69	61	65	62	70
Female	699	58	66	58	61	72	49	51	56	62	57	50	59
White, both sexes	1,369	120	110	115	117	140	103	100	114	116	111	104	119
Male	729	67	48	63	62	73	59	55	63	58	58	58	65
Female	640	53	62	52	55	67	44	45	51	58	53	46	54
Black, both sexes	85	11	8	7	7	4	5	7	8	7	6	6	9
Male	37	6	4	3	2	1	1	2	4	3	3	3	5
Female	48	5	4	4	5	3	4	5	4	4	3	3	4
American Indian 1/, both sexes	3	1	-	-	-	1	-	1	-	-	-	-	-
Male	2	1	-	-	-	1	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	22	1	1	3	2	2	1	1	3	-	5	2	1
Male	12	1	1	1	1	-	-	1	2	-	4	1	-
Female	10	-	-	2	1	2	1	-	1	-	1	1	1
Monoclonal gammopathy (D47.2)													
All races, both sexes	74	6	4	12	7	6	2	5	1	8	6	7	10
Male	32	4	-	4	3	4	-	5	-	2	-	4	6
Female	42	2	4	8	4	2	2	-	1	6	6	3	4
White, both sexes	63	4	4	11	6	5	2	5	1	7	4	5	9
Male	26	3	-	4	2	3	-	5	-	1	-	3	5
Female	37	1	4	7	4	2	2	-	1	6	4	2	4
Black, both sexes	11	2	-	1	1	1	-	-	-	1	2	2	1
Male	6	1	-	-	1	1	-	-	-	1	-	1	1
Female	5	1	-	1	-	-	-	-	-	-	2	1	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Essential (hemorrhagic) thrombocythemia (D47.3)													
All races, both sexes	14	2	1	1	-	3	-	1	-	2	2	1	1
Male	1	-	-	-	-	-	-	-	-	-	-	-	1
Female	13	2	1	1	-	3	-	1	-	2	2	1	-
White, both sexes	13	2	1	1	-	2	-	1	-	2	2	1	1
Male	1	-	-	-	-	-	-	-	-	-	-	-	1
Female	12	2	1	1	-	2	-	1	-	2	2	1	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-
Other specified neoplasms of uncertain or unknown behavior of lymphoid, hematopoietic, and related tissue (D47.7)													
All races, both sexes	10	1	2	1	1	-	1	2	-	1	1	-	-
Male	7	1	1	1	1	-	1	1	-	-	1	-	-
Female	3	-	1	-	-	-	-	1	-	1	-	-	-
White, both sexes	8	1	2	1	-	-	1	2	-	1	-	-	-
Male	5	1	1	1	-	-	1	1	-	-	-	-	-
Female	3	-	1	-	-	-	-	1	-	1	-	-	-
Black, both sexes	2	-	-	-	1	-	-	-	-	-	1	-	-
Male	2	-	-	-	1	-	-	-	-	-	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Neoplasm of uncertain or unknown behavior of lymphoid, hematopoietic, and related tissue, unspecified (D47.9)													
All races, both sexes	105	12	10	9	9	7	9	14	5	8	9	8	5
Male	57	7	8	3	8	5	3	5	3	4	3	6	2
Female	48	5	2	6	1	2	6	9	2	4	6	2	3
White, both sexes	94	9	9	7	9	6	8	12	5	8	9	8	4
Male	52	6	7	3	8	4	3	4	3	4	3	6	1
Female	42	3	2	4	1	2	5	8	2	4	6	2	3
Black, both sexes	9	3	-	1	-	1	1	2	-	-	-	-	1
Male	4	1	-	-	-	1	-	1	-	-	-	-	1
Female	5	2	-	1	-	-	1	1	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	2	-	1	1	-	-	-	-	-	-	-	-	-
Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	1	-	-	-	-	-	-	-	-	-
Neoplasm of uncertain or unknown behavior of other and unspecified sites (D48)													
All races, both sexes	586	51	35	46	50	54	42	43	54	39	63	48	61
Male	242	23	15	17	16	23	21	15	24	16	24	23	25
Female	344	28	20	29	34	31	21	28	30	23	39	25	36
White, both sexes	519	47	33	42	44	49	38	35	50	35	51	40	55
Male	214	23	15	14	15	21	18	11	22	16	19	18	22
Female	305	24	18	28	29	28	20	24	28	19	32	22	33
Black, both sexes	57	2	2	1	5	5	3	7	3	4	11	8	6
Male	23	-	-	-	-	2	3	4	1	-	5	5	3
Female	34	2	2	1	5	3	-	3	2	4	6	3	3
American Indian 1/, both sexes	2	-	-	-	-	-	1	-	1	-	-	-	-
Male	1	-	-	-	-	-	-	-	1	-	-	-	-
Female	1	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	8	2	-	3	1	-	-	1	-	-	1	-	-
Male	4	-	-	3	1	-	-	-	-	-	-	-	-
Female	4	2	-	-	-	-	-	1	-	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Bone and articular cartilage (D48.0)													
All races, both sexes	33	6	2	5	3	3	2	1	2	2	3	1	3
Male	11	2	-	1	1	2	2	1	2	-	-	-	-
Female	22	4	2	4	2	1	-	-	-	2	3	1	3
White, both sexes	32	5	2	5	3	3	2	1	2	2	3	1	3
Male	11	2	-	1	1	2	2	1	2	-	-	-	-
Female	21	3	2	4	2	1	-	-	-	2	3	1	3
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
Connective and other soft tissue (D48.1)													
All races, both sexes	51	2	1	4	7	6	1	6	2	3	9	6	4
Male	22	1	-	1	3	2	1	3	1	2	5	-	3
Female	29	1	1	3	4	4	-	3	1	1	4	6	1
White, both sexes	45	2	1	3	5	5	1	5	2	3	8	6	4
Male	20	1	-	1	2	1	1	3	1	2	5	-	3
Female	25	1	1	2	3	4	-	2	1	1	3	6	1
Black, both sexes	4	-	-	1	1	1	-	1	-	-	-	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	3	-	-	1	1	-	-	1	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	2	-	-	-	1	-	-	-	-	-	1	-	-
Male	1	-	-	-	1	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Peripheral nerves and autonomic nervous system (D48.2)													
All races, both sexes	15	1	2	-	3	1	-	1	3	2	-	2	-
Male	7	-	2	-	-	1	-	-	1	1	-	2	-
Female	8	1	-	-	3	-	-	1	2	1	-	-	-
White, both sexes	14	1	2	-	3	1	-	1	2	2	-	2	-
Male	7	-	2	-	-	1	-	-	1	1	-	2	-
Female	7	1	-	-	3	-	-	1	1	1	-	-	-
Black, both sexes	1	-	-	-	-	-	-	-	1	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Retroperitoneum (D48.3)													
All races, both sexes	14	-	2	-	1	2	1	-	2	-	4	1	1
Male	9	-	2	-	1	2	1	-	1	-	1	-	1
Female	5	-	-	-	-	-	-	-	1	-	3	1	-
White, both sexes	14	-	2	-	1	2	1	-	2	-	4	1	1
Male	9	-	2	-	1	2	1	-	1	-	1	-	1
Female	5	-	-	-	-	-	-	-	1	-	3	1	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Peritoneum (D48.4)													
All races, both sexes	14	1	-	1	1	1	2	2	2	-	2	-	2
Male	7	-	-	-	1	-	-	2	1	-	2	-	1
Female	7	1	-	1	-	1	2	-	1	-	-	-	1
White, both sexes	11	1	-	1	1	1	2	2	2	-	-	-	1
Male	4	-	-	-	1	-	-	2	1	-	-	-	-
Female	7	1	-	1	-	1	2	-	1	-	-	-	1
Black, both sexes	3	-	-	-	-	-	-	-	-	-	2	-	1
Male	3	-	-	-	-	-	-	-	-	-	2	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Skin (D48.5)													
All races, both sexes	5	-	-	1	-	-	-	-	2	-	2	-	-
Male	4	-	-	-	-	-	-	-	2	-	2	-	-
Female	1	-	-	1	-	-	-	-	-	-	-	-	-
White, both sexes	5	-	-	1	-	-	-	-	2	-	2	-	-
Male	4	-	-	-	-	-	-	-	2	-	2	-	-
Female	1	-	-	1	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Breast (D48.6)													
All races, both sexes	28	3	4	1	3	1	2	2	2	3	2	2	3
Male	3	-	1	1	1	-	-	-	-	-	-	-	-
Female	25	3	3	-	2	1	2	2	2	3	2	2	3
White, both sexes	22	3	3	1	3	1	2	2	2	1	-	1	3
Male	3	-	1	1	1	-	-	-	-	-	-	-	-
Female	19	3	2	-	2	1	2	2	2	1	-	1	3
Black, both sexes	6	-	1	-	-	-	-	-	-	2	2	1	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	6	-	1	-	-	-	-	-	-	2	2	1	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other specified sites (D48.7)													
All races, both sexes	240	19	15	19	14	23	18	17	24	18	26	23	24
Male	86	7	6	7	4	8	6	5	9	7	7	11	9
Female	154	12	9	12	10	15	12	12	15	11	19	12	15
White, both sexes	214	18	15	17	13	20	17	12	22	18	22	19	21
Male	77	7	6	5	4	8	6	2	8	7	7	9	8
Female	137	11	9	12	9	12	11	10	14	11	15	10	13
Black, both sexes	22	-	-	-	1	3	-	5	2	-	4	4	3
Male	7	-	-	-	-	-	-	3	1	-	-	2	1
Female	15	-	-	-	1	3	-	2	1	-	4	2	2
American Indian 1/, both sexes	1	-	-	-	-	-	1	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	3	1	-	2	-	-	-	-	-	-	-	-	-
Male	2	-	-	2	-	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Neoplasms of uncertain or unknown behavior, unspecified (D48.9)													
All races, both sexes	186	19	9	15	18	17	16	14	15	11	15	13	24
Male	93	13	4	7	5	8	11	4	7	6	7	10	11
Female	93	6	5	8	13	9	5	10	8	5	8	3	13
White, both sexes	162	17	8	14	15	16	13	12	14	9	12	10	22
Male	79	13	4	6	5	7	8	3	6	6	4	7	10
Female	83	4	4	8	10	9	5	9	8	3	8	3	12
Black, both sexes	21	2	1	-	3	1	3	1	-	2	3	3	2
Male	12	-	-	-	-	1	3	1	-	-	3	3	1
Female	9	2	1	-	3	-	-	-	-	2	-	-	1
American Indian 1/, both sexes	1	-	-	-	-	-	-	-	1	-	-	-	-
Male	1	-	-	-	-	-	-	-	1	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	2	-	-	1	-	-	-	1	-	-	-	-	-
Male	1	-	-	1	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	1	-	-	-	-	-
Iron deficiency anemia (D50)													
All races, both sexes	163	17	14	19	14	15	13	12	14	10	10	16	9
Male	61	7	6	12	3	4	4	4	8	2	3	7	1
Female	102	10	8	7	11	11	9	8	6	8	7	9	8
White, both sexes	138	14	10	14	12	14	12	11	11	8	9	16	7
Male	54	7	4	9	3	4	4	4	7	1	3	7	1
Female	84	7	6	5	9	10	8	7	4	7	6	9	6
Black, both sexes	23	3	4	5	2	-	1	1	3	1	1	-	2
Male	7	-	2	3	-	-	-	-	1	1	-	-	-
Female	16	3	2	2	2	-	1	1	2	-	1	-	2
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	2	-	-	-	-	1	-	-	-	1	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	1	-	-	-	1	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Iron deficiency anemia secondary to blood loss (chronic) (D50.0)													
All races, both sexes	87	8	11	11	5	8	9	3	9	3	5	9	6
Male	38	3	5	7	2	2	3	1	7	-	3	4	1
Female	49	5	6	4	3	6	6	2	2	3	2	5	5
White, both sexes	72	5	7	7	5	7	8	3	8	3	4	9	6
Male	33	3	3	5	2	2	3	1	6	-	3	4	1
Female	39	2	4	2	3	5	5	2	2	3	1	5	5
Black, both sexes	14	3	4	4	-	-	1	-	1	-	1	-	-
Male	5	-	2	2	-	-	-	-	1	-	-	-	-
Female	9	3	2	2	-	-	1	-	-	-	1	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-
Other iron deficiency anemias (D50.8)													
All races, both sexes	13	-	2	1	1	1	1	2	-	-	3	-	2
Male	5	-	1	-	1	1	1	1	-	-	-	-	-
Female	8	-	1	1	-	-	-	1	-	-	3	-	2
White, both sexes	12	-	2	1	1	1	1	2	-	-	3	-	1
Male	5	-	1	-	1	1	1	1	-	-	-	-	-
Female	7	-	1	1	-	-	-	1	-	-	3	-	1
Black, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Iron deficiency anemia, unspecified (D50.9)													
All races, both sexes	63	9	1	7	8	6	3	7	5	7	2	7	1
Male	18	4	-	5	-	1	-	2	1	2	-	3	-
Female	45	5	1	2	8	5	3	5	4	5	2	4	1
White, both sexes	54	9	1	6	6	6	3	6	3	5	2	7	-
Male	16	4	-	4	-	1	-	2	1	1	-	3	-
Female	38	5	1	2	6	5	3	4	2	4	2	4	-
Black, both sexes	8	-	-	1	2	-	-	1	2	1	-	-	1
Male	2	-	-	1	-	-	-	-	-	1	-	-	-
Female	6	-	-	-	2	-	-	1	2	-	-	-	1
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	-	-	1	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	1	-	-	-
Vitamin B-12 deficiency anemia (D51)													
All races, both sexes	69	7	4	5	4	6	6	5	9	2	9	1	11
Male	20	2	-	2	1	2	1	1	3	-	3	1	4
Female	49	5	4	3	3	4	5	4	6	2	6	-	7
White, both sexes	63	6	4	4	4	6	6	5	9	2	8	-	9
Male	15	1	-	1	1	2	1	1	3	-	2	-	3
Female	48	5	4	3	3	4	5	4	6	2	6	-	6
Black, both sexes	3	-	-	1	-	-	-	-	-	-	-	1	1
Male	3	-	-	1	-	-	-	-	-	-	-	1	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	3	1	-	-	-	-	-	-	-	-	1	-	1
Male	2	1	-	-	-	-	-	-	-	-	1	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Vitamin B-12 deficiency anemia due to intrinsic factor deficiency (D51.0)													
All races, both sexes	67	7	4	5	4	6	6	5	8	2	9	1	10
Male	19	2	-	2	1	2	1	1	3	-	3	1	3
Female	48	5	4	3	3	4	5	4	5	2	6	-	7
White, both sexes	62	6	4	4	4	6	6	5	8	2	8	-	9
Male	15	1	-	1	1	2	1	1	3	-	2	-	3
Female	47	5	4	3	3	4	5	4	5	2	6	-	6
Black, both sexes	2	-	-	1	-	-	-	-	-	-	-	1	-
Male	2	-	-	1	-	-	-	-	-	-	-	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	3	1	-	-	-	-	-	-	-	-	1	-	1
Male	2	1	-	-	-	-	-	-	-	-	1	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	1
Vitamin B-12 deficiency anemia, unspecified (D51.9)													
All races, both sexes	2	-	-	-	-	-	-	-	1	-	-	-	1
Male	1	-	-	-	-	-	-	-	-	-	-	-	1
Female	1	-	-	-	-	-	-	-	1	-	-	-	-
White, both sexes	1	-	-	-	-	-	-	-	1	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	1	-	-	-	-
Black, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	1	-	-	-	-	-	-	-	-	-	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Folate deficiency anemia (D52)													
All races, both sexes	7	-	-	-	-	2	-	1	1	-	1	1	1
Male	5	-	-	-	-	1	-	1	1	-	-	1	1
Female	2	-	-	-	-	1	-	-	-	-	1	-	-
White, both sexes	6	-	-	-	-	1	-	1	1	-	1	1	1
Male	5	-	-	-	-	1	-	1	1	-	-	1	1
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-
Folate deficiency anemia, unspecified (D52.9)													
All races, both sexes	7	-	-	-	-	2	-	1	1	-	1	1	1
Male	5	-	-	-	-	1	-	1	1	-	-	1	1
Female	2	-	-	-	-	1	-	-	-	-	1	-	-
White, both sexes	6	-	-	-	-	1	-	1	1	-	1	1	1
Male	5	-	-	-	-	1	-	1	1	-	-	1	1
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other nutritional anemias (D53)													
All races, both sexes	53	3	6	3	6	7	3	2	5	2	3	5	8
Male	21	1	2	-	2	3	1	1	3	-	2	1	5
Female	32	2	4	3	4	4	2	1	2	2	1	4	3
White, both sexes	41	2	6	2	5	6	2	1	3	2	3	4	5
Male	14	-	2	-	2	2	-	-	2	-	2	1	3
Female	27	2	4	2	3	4	2	1	1	2	1	3	2
Black, both sexes	11	1	-	1	1	1	1	1	2	-	-	1	2
Male	7	1	-	-	-	1	1	1	1	-	-	-	2
Female	4	-	-	1	1	-	-	-	1	-	-	1	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	1
Protein deficiency anemia (D53.0)													
All races, both sexes	15	1	1	2	-	3	1	1	2	-	1	1	2
Male	4	1	-	-	-	1	-	1	-	-	-	-	1
Female	11	-	1	2	-	2	1	-	2	-	1	1	1
White, both sexes	10	-	1	2	-	2	1	-	1	-	1	-	2
Male	1	-	-	-	-	-	-	-	-	-	-	-	1
Female	9	-	1	2	-	2	1	-	1	-	1	-	1
Black, both sexes	5	1	-	-	-	1	-	1	1	-	-	1	-
Male	3	1	-	-	-	1	-	1	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	1	-	-	1	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other megaloblastic anemias, not elsewhere classified (D53.1)													
All races, both sexes	4	-	1	-	-	2	-	-	-	-	-	-	1
Male	2	-	-	-	-	1	-	-	-	-	-	-	1
Female	2	-	1	-	-	1	-	-	-	-	-	-	-
White, both sexes	4	-	1	-	-	2	-	-	-	-	-	-	1
Male	2	-	-	-	-	1	-	-	-	-	-	-	1
Female	2	-	1	-	-	1	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Nutritional anemia, unspecified (D53.9)													
All races, both sexes	34	2	4	1	6	2	2	1	3	2	2	4	5
Male	15	-	2	-	2	1	1	-	3	-	2	1	3
Female	19	2	2	1	4	1	1	1	-	2	-	3	2
White, both sexes	27	2	4	-	5	2	1	1	2	2	2	4	2
Male	11	-	2	-	2	1	-	-	2	-	2	1	1
Female	16	2	2	-	3	1	1	1	-	2	-	3	1
Black, both sexes	6	-	-	1	1	-	1	-	1	-	-	-	2
Male	4	-	-	-	-	-	1	-	1	-	-	-	2
Female	2	-	-	1	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Thalassemia (D56)													
All races, both sexes	32	2	1	7	3	1	2	1	-	6	4	1	4
Male	12	-	-	2	2	-	-	-	-	4	1	-	3
Female	20	2	1	5	1	1	2	1	-	2	3	1	1
White, both sexes	19	1	1	4	1	1	1	-	-	5	1	1	3
Male	5	-	-	-	-	-	-	-	-	3	-	-	2
Female	14	1	1	4	1	1	1	-	-	2	1	1	1
Black, both sexes	6	1	-	2	1	-	-	-	-	1	1	-	-
Male	4	-	-	2	1	-	-	-	-	1	-	-	-
Female	2	1	-	-	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	7	-	-	1	1	-	1	1	-	-	2	-	1
Male	3	-	-	-	1	-	-	-	-	-	1	-	1
Female	4	-	-	1	-	-	1	1	-	-	1	-	-
Alpha thalassemia (D56.0)													
All races, both sexes	7	-	-	2	1	-	1	-	-	-	2	-	1
Male	3	-	-	-	1	-	-	-	-	-	1	-	1
Female	4	-	-	2	-	-	1	-	-	-	1	-	-
White, both sexes	2	-	-	2	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	2	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	5	-	-	-	1	-	1	-	-	-	2	-	1
Male	3	-	-	-	1	-	-	-	-	-	1	-	1
Female	2	-	-	-	-	-	1	-	-	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Beta thalassemia (D56.1)													
All races, both sexes	8	-	1	2	1	1	-	-	-	3	-	-	-
Male	3	-	-	1	-	-	-	-	-	2	-	-	-
Female	5	-	1	1	1	1	-	-	-	1	-	-	-
White, both sexes	6	-	1	-	1	1	-	-	-	3	-	-	-
Male	2	-	-	-	-	-	-	-	-	2	-	-	-
Female	4	-	1	-	1	1	-	-	-	1	-	-	-
Black, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	1	-	-	1	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	1	-	-	-	-	-	-	-	-	-
Other thalassemias (D56.8)													
All races, both sexes	5	1	-	1	1	-	-	-	-	1	1	-	-
Male	3	-	-	1	1	-	-	-	-	1	-	-	-
Female	2	1	-	-	-	-	-	-	-	-	1	-	-
White, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	5	1	-	1	1	-	-	-	-	1	1	-	-
Male	3	-	-	1	1	-	-	-	-	1	-	-	-
Female	2	1	-	-	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Thalassemia, unspecified (D56.9)													
All races, both sexes	12	1	-	2	-	-	1	1	-	2	1	1	3
Male	3	-	-	-	-	-	-	-	-	1	-	-	2
Female	9	1	-	2	-	-	1	1	-	1	1	1	1
White, both sexes	11	1	-	2	-	-	1	-	-	2	1	1	3
Male	3	-	-	-	-	-	-	-	-	1	-	-	2
Female	8	1	-	2	-	-	1	-	-	1	1	1	1
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	1	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	1	-	-	-	-	-
Sickle-cell disorders (D57)													
All races, both sexes	482	31	45	41	43	45	32	43	34	45	37	30	56
Male	237	14	31	21	24	22	11	17	19	22	13	16	27
Female	245	17	14	20	19	23	21	26	15	23	24	14	29
White, both sexes	10	1	-	2	1	-	1	-	-	2	2	1	-
Male	3	-	-	-	1	-	1	-	-	1	-	-	-
Female	7	1	-	2	-	-	-	-	-	1	2	1	-
Black, both sexes	472	30	45	39	42	45	31	43	34	43	35	29	56
Male	234	14	31	21	23	22	10	17	19	21	13	16	27
Female	238	16	14	18	19	23	21	26	15	22	22	13	29
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Sickle-cell anemia with crisis (D57.0)													
All races, both sexes	92	10	12	8	9	8	5	6	6	12	5	2	9
Male	49	5	10	4	5	4	2	3	3	7	1	1	4
Female	43	5	2	4	4	4	3	3	3	5	4	1	5
White, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	92	10	12	8	9	8	5	6	6	12	5	2	9
Male	49	5	10	4	5	4	2	3	3	7	1	1	4
Female	43	5	2	4	4	4	3	3	3	5	4	1	5
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Sickle-cell anemia without crisis (D57.1)													
All races, both sexes	383	20	33	33	33	36	27	36	28	33	32	26	46
Male	184	8	21	17	18	18	9	14	16	15	12	14	22
Female	199	12	12	16	15	18	18	22	12	18	20	12	24
White, both sexes	10	1	-	2	1	-	1	-	-	2	2	1	-
Male	3	-	-	-	1	-	1	-	-	1	-	-	-
Female	7	1	-	2	-	-	-	-	-	1	2	1	-
Black, both sexes	373	19	33	31	32	36	26	36	28	31	30	25	46
Male	181	8	21	17	17	18	8	14	16	14	12	14	22
Female	192	11	12	14	15	18	18	22	12	17	18	11	24
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Double heterozygous sickling disorders (D57.2)													
All races, both sexes	2	-	-	-	1	-	-	-	-	-	-	1	-
Male	2	-	-	-	1	-	-	-	-	-	-	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	2	-	-	-	1	-	-	-	-	-	-	1	-
Male	2	-	-	-	1	-	-	-	-	-	-	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Sickle-cell trait (D57.3)													
All races, both sexes	4	1	-	-	-	1	-	-	-	-	-	1	1
Male	2	1	-	-	-	-	-	-	-	-	-	-	1
Female	2	-	-	-	-	1	-	-	-	-	-	1	-
White, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	4	1	-	-	-	1	-	-	-	-	-	1	1
Male	2	1	-	-	-	-	-	-	-	-	-	-	1
Female	2	-	-	-	-	1	-	-	-	-	-	1	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other sickle-cell disorders (D57.8)													
All races, both sexes	1	-	-	-	-	-	-	1	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	1	-	-	-	-	-
White, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	1	-	-	-	-	-	-	1	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other hereditary hemolytic anemias (D58)													
All races, both sexes	154	17	12	13	17	7	11	10	13	16	15	10	13
Male	69	7	3	6	10	4	7	2	4	8	7	4	7
Female	85	10	9	7	7	3	4	8	9	8	8	6	6
White, both sexes	131	12	11	12	17	6	10	9	12	9	12	10	11
Male	56	6	3	5	10	3	6	2	4	3	5	4	5
Female	75	6	8	7	7	3	4	7	8	6	7	6	6
Black, both sexes	22	5	1	1	-	-	1	1	1	7	3	-	2
Male	12	1	-	1	-	-	1	-	-	5	2	-	2
Female	10	4	1	-	-	-	-	1	1	2	1	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Hereditary spherocytosis (D58.0)													
All races, both sexes	6	1	-	2	1	-	-	-	-	1	1	-	-
Male	4	-	-	2	1	-	-	-	-	1	-	-	-
Female	2	1	-	-	-	-	-	-	-	-	1	-	-
White, both sexes	4	1	-	1	1	-	-	-	-	-	1	-	-
Male	2	-	-	1	1	-	-	-	-	-	-	-	-
Female	2	1	-	-	-	-	-	-	-	-	1	-	-
Black, both sexes	2	-	-	1	-	-	-	-	-	1	-	-	-
Male	2	-	-	1	-	-	-	-	-	1	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Hereditary elliptocytosis (D58.1)													
All races, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	1
White, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	1
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other hemoglobinopathies (D58.2)													
All races, both sexes	4	2	-	-	-	-	1	-	-	-	-	1	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	3	2	-	-	-	-	-	-	-	-	-	1	-
White, both sexes	1	-	-	-	-	-	-	-	-	-	-	1	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-
Black, both sexes	3	2	-	-	-	-	1	-	-	-	-	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	2	2	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Hereditary hemolytic anemia, unspecified (D58.9)													
All races, both sexes	143	14	12	11	16	7	10	10	13	15	14	9	12
Male	64	7	3	4	9	4	6	2	4	7	7	4	7
Female	79	7	9	7	7	3	4	8	9	8	7	5	5
White, both sexes	125	11	11	11	16	6	10	9	12	9	11	9	10
Male	54	6	3	4	9	3	6	2	4	3	5	4	5
Female	71	5	8	7	7	3	4	7	8	6	6	5	5
Black, both sexes	17	3	1	-	-	-	-	1	1	6	3	-	2
Male	9	1	-	-	-	-	-	-	-	4	2	-	2
Female	8	2	1	-	-	-	-	1	1	2	1	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Acquired hemolytic anemia (D59)													
All races, both sexes	154	15	9	13	15	7	9	15	16	6	13	19	17
Male	59	3	3	6	6	4	3	6	6	2	3	8	9
Female	95	12	6	7	9	3	6	9	10	4	10	11	8
White, both sexes	140	12	9	12	14	7	7	14	16	4	13	17	15
Male	52	3	3	6	5	4	1	5	6	1	3	6	9
Female	88	9	6	6	9	3	6	9	10	3	10	11	6
Black, both sexes	12	2	-	1	1	-	2	1	-	1	-	2	2
Male	6	-	-	-	1	-	2	1	-	-	-	2	-
Female	6	2	-	1	-	-	-	-	-	1	-	-	2
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	2	1	-	-	-	-	-	-	-	1	-	-	-
Male	1	-	-	-	-	-	-	-	-	1	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
Drug-induced autoimmune hemolytic anemia (D59.0)													
All races, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other autoimmune hemolytic anemias (D59.1)													
All races, both sexes	98	9	5	9	10	3	5	10	11	3	12	11	10
Male	34	3	2	3	4	2	1	3	3	-	3	3	7
Female	64	6	3	6	6	1	4	7	8	3	9	8	3
White, both sexes	94	9	5	8	9	3	4	10	11	3	12	10	10
Male	31	3	2	3	3	2	-	3	3	-	3	2	7
Female	63	6	3	5	6	1	4	7	8	3	9	8	3
Black, both sexes	4	-	-	1	1	-	1	-	-	-	-	1	-
Male	3	-	-	-	1	-	1	-	-	-	-	1	-
Female	1	-	-	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemolytic-uremic syndrome (D59.3)													
All races, both sexes	29	4	3	2	1	3	-	1	3	1	-	7	4
Male	14	-	1	2	1	2	-	1	1	1	-	4	1
Female	15	4	2	-	-	1	-	-	2	-	-	3	3
White, both sexes	23	2	3	2	1	3	-	-	3	-	-	6	3
Male	11	-	1	2	1	2	-	-	1	-	-	3	1
Female	12	2	2	-	-	1	-	-	2	-	-	3	2
Black, both sexes	4	1	-	-	-	-	-	1	-	-	-	1	1
Male	2	-	-	-	-	-	-	1	-	-	-	1	-
Female	2	1	-	-	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	2	1	-	-	-	-	-	-	-	1	-	-	-
Male	1	-	-	-	-	-	-	-	-	1	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other nonautoimmune hemolytic anemias (D59.4)													
All races, both sexes	2	-	-	-	-	-	1	-	-	-	-	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	1	-	-	-	-	-	1
White, both sexes	1	-	-	-	-	-	1	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	1	-	-	-	-	-	-
Black, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Paroxysmal nocturnal hemoglobinuria [Marchiafava-Micheli] (D59.5)													
All races, both sexes	8	1	-	-	1	-	1	1	1	1	1	-	1
Male	3	-	-	-	-	-	1	-	1	1	-	-	-
Female	5	1	-	-	1	-	-	1	-	-	1	-	1
White, both sexes	7	1	-	-	1	-	-	1	1	1	1	-	1
Male	2	-	-	-	-	-	-	-	1	1	-	-	-
Female	5	1	-	-	1	-	-	1	-	-	1	-	1
Black, both sexes	1	-	-	-	-	-	1	-	-	-	-	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Acquired hemolytic anemia, unspecified (D59.9)													
All races, both sexes	16	-	1	2	3	1	2	3	1	1	-	1	1
Male	8	-	-	1	1	-	1	2	1	-	-	1	1
Female	8	-	1	1	2	1	1	1	-	1	-	-	-
White, both sexes	15	-	1	2	3	1	2	3	1	-	-	1	1
Male	8	-	-	1	1	-	1	2	1	-	-	1	1
Female	7	-	1	1	2	1	1	1	-	-	-	-	-
Black, both sexes	1	-	-	-	-	-	-	-	-	1	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	1	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Acquired pure red cell aplasia [erythroblastopenia] (D60)													
All races, both sexes	5	-	-	-	-	1	-	3	-	-	1	-	-
Male	5	-	-	-	-	1	-	3	-	-	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	5	-	-	-	-	1	-	3	-	-	1	-	-
Male	5	-	-	-	-	1	-	3	-	-	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Acquired pure red cell aplasia, unspecified (D60.9)													
All races, both sexes	5	-	-	-	-	1	-	3	-	-	1	-	-
Male	5	-	-	-	-	1	-	3	-	-	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	5	-	-	-	-	1	-	3	-	-	1	-	-
Male	5	-	-	-	-	1	-	3	-	-	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other aplastic anemias (D61)													
All races, both sexes	947	80	71	75	78	71	88	91	65	86	79	74	89
Male	452	30	31	34	47	32	41	47	32	40	39	35	44
Female	495	50	40	41	31	39	47	44	33	46	40	39	45
White, both sexes	805	66	57	64	62	62	79	77	62	69	66	66	75
Male	390	23	23	31	39	28	37	43	31	34	33	32	36
Female	415	43	34	33	23	34	42	34	31	35	33	34	39
Black, both sexes	113	13	11	7	11	7	7	13	3	14	12	7	8
Male	50	7	8	1	6	3	3	4	1	4	6	2	5
Female	63	6	3	6	5	4	4	9	2	10	6	5	3
American Indian 1/, both sexes	5	-	1	-	2	1	-	-	-	-	-	-	1
Male	3	-	-	-	1	1	-	-	-	-	-	-	1
Female	2	-	1	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	24	1	2	4	3	1	2	1	-	3	1	1	5
Male	9	-	-	2	1	-	1	-	-	2	-	1	2
Female	15	1	2	2	2	1	1	1	-	1	1	-	3

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Constitutional aplastic anemia (D61.0)													
All races, both sexes	33	4	3	4	1	2	1	4	2	1	5	2	4
Male	15	1	2	-	-	1	1	3	1	1	1	2	2
Female	18	3	1	4	1	1	-	1	1	-	4	-	2
White, both sexes	27	4	2	3	1	1	1	3	1	1	4	2	4
Male	12	1	1	-	-	-	1	2	1	1	1	2	2
Female	15	3	1	3	1	1	-	1	-	-	3	-	2
Black, both sexes	6	-	1	1	-	1	-	1	1	-	1	-	-
Male	3	-	1	-	-	1	-	1	-	-	-	-	-
Female	3	-	-	1	-	-	-	-	1	-	1	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Idiopathic aplastic anemia (D61.3)													
All races, both sexes	7	1	-	1	1	-	1	1	-	1	1	-	-
Male	4	1	-	1	-	-	1	-	-	1	-	-	-
Female	3	-	-	-	1	-	-	1	-	-	1	-	-
White, both sexes	4	-	-	1	1	-	-	1	-	-	1	-	-
Male	1	-	-	1	-	-	-	-	-	-	-	-	-
Female	3	-	-	-	1	-	-	1	-	-	1	-	-
Black, both sexes	3	1	-	-	-	-	1	-	-	1	-	-	-
Male	3	1	-	-	-	-	1	-	-	1	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other specified aplastic anemias (D61.8)													
All races, both sexes	2	-	-	-	-	1	-	-	-	-	-	1	-
Male	1	-	-	-	-	-	-	-	-	-	-	1	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-
White, both sexes	2	-	-	-	-	1	-	-	-	-	-	1	-
Male	1	-	-	-	-	-	-	-	-	-	-	1	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Aplastic anemia, unspecified (D61.9)													
All races, both sexes	905	75	68	70	76	68	86	86	63	84	73	71	85
Male	432	28	29	33	47	31	39	44	31	38	38	32	42
Female	473	47	39	37	29	37	47	42	32	46	35	39	43
White, both sexes	772	62	55	60	60	60	78	73	61	68	61	63	71
Male	376	22	22	30	39	28	36	41	30	33	32	29	34
Female	396	40	33	30	21	32	42	32	31	35	29	34	37
Black, both sexes	104	12	10	6	11	6	6	12	2	13	11	7	8
Male	44	6	7	1	6	2	2	3	1	3	6	2	5
Female	60	6	3	5	5	4	4	9	1	10	5	5	3
American Indian 1/, both sexes	5	-	1	-	2	1	-	-	-	-	-	-	1
Male	3	-	-	-	1	1	-	-	-	-	-	-	1
Female	2	-	1	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	24	1	2	4	3	1	2	1	-	3	1	1	5
Male	9	-	-	2	1	-	1	-	-	2	-	1	2
Female	15	1	2	2	2	1	1	1	-	1	1	-	3

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Acute posthemorrhagic anemia (D62)													
All races, both sexes	21	3	2	2	1	2	1	2	2	-	1	4	1
Male	8	1	1	-	1	1	1	-	1	-	-	2	-
Female	13	2	1	2	-	1	-	2	1	-	1	2	1
White, both sexes	17	3	1	1	1	2	1	2	1	-	1	3	1
Male	5	1	-	-	1	1	1	-	-	-	-	1	-
Female	12	2	1	1	-	1	-	2	1	-	1	2	1
Black, both sexes	4	-	1	1	-	-	-	-	1	-	-	1	-
Male	3	-	1	-	-	-	-	-	1	-	-	1	-
Female	1	-	-	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other anemias (D64)													
All races, both sexes	2,507	240	205	244	209	194	184	216	174	202	187	202	250
Male	883	90	66	75	78	72	77	83	68	70	60	62	82
Female	1,624	150	139	169	131	122	107	133	106	132	127	140	168
White, both sexes	2,101	204	179	205	178	159	158	176	141	166	150	179	206
Male	715	78	57	56	67	62	68	61	50	56	45	53	62
Female	1,386	126	122	149	111	97	90	115	91	110	105	126	144
Black, both sexes	371	33	24	35	30	29	23	38	32	34	31	22	40
Male	161	12	9	18	11	9	9	22	18	13	11	9	20
Female	210	21	15	17	19	20	14	16	14	21	20	13	20
American Indian 1/, both sexes	10	-	1	1	-	3	2	-	-	-	1	-	2
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	9	-	1	1	-	3	2	-	-	-	-	-	2
Asian or Pacific Islander 2/, both sexes	25	3	1	3	1	3	1	2	1	2	5	1	2
Male	6	-	-	1	-	1	-	-	-	1	3	-	-
Female	19	3	1	2	1	2	1	2	1	1	2	1	2

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other sideroblastic anemias (D64.3)													
All races, both sexes	43	4	6	1	7	3	4	2	4	5	3	2	2
Male	15	2	-	-	1	1	3	2	2	1	2	1	-
Female	28	2	6	1	6	2	1	-	2	4	1	1	2
White, both sexes	43	4	6	1	7	3	4	2	4	5	3	2	2
Male	15	2	-	-	1	1	3	2	2	1	2	1	-
Female	28	2	6	1	6	2	1	-	2	4	1	1	2
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital dyserythropoietic anemia (D64.4)													
All races, both sexes	1	-	-	-	-	-	-	-	-	-	-	1	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-
White, both sexes	1	-	-	-	-	-	-	-	-	-	-	1	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other specified anemias (D64.8)													
All races, both sexes	42	4	4	3	7	2	1	3	2	3	1	4	8
Male	20	2	2	-	6	-	1	2	1	1	-	1	4
Female	22	2	2	3	1	2	-	1	1	2	1	3	4
White, both sexes	35	4	4	3	5	1	1	2	2	2	-	3	8
Male	16	2	2	-	4	-	1	1	1	-	-	1	4
Female	19	2	2	3	1	1	-	1	1	2	-	2	4
Black, both sexes	6	-	-	-	2	1	-	1	-	1	-	1	-
Male	4	-	-	-	2	-	-	1	-	1	-	-	-
Female	2	-	-	-	-	1	-	-	-	-	-	1	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
Anemia, unspecified (D64.9)													
All races, both sexes	2,421	232	195	240	195	189	179	211	168	194	183	195	240
Male	848	86	64	75	71	71	73	79	65	68	58	60	78
Female	1,573	146	131	165	124	118	106	132	103	126	125	135	162
White, both sexes	2,022	196	169	201	166	155	153	172	135	159	147	173	196
Male	684	74	55	56	62	61	64	58	47	55	43	51	58
Female	1,338	122	114	145	104	94	89	114	88	104	104	122	138
Black, both sexes	365	33	24	35	28	28	23	37	32	33	31	21	40
Male	157	12	9	18	9	9	9	21	18	12	11	9	20
Female	208	21	15	17	19	19	14	16	14	21	20	12	20
American Indian 1/, both sexes	10	-	1	1	-	3	2	-	-	-	1	-	2
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	9	-	1	1	-	3	2	-	-	-	-	-	2
Asian or Pacific Islander 2/, both sexes	24	3	1	3	1	3	1	2	1	2	4	1	2
Male	6	-	-	1	-	1	-	-	-	1	3	-	-
Female	18	3	1	2	1	2	1	2	1	1	1	1	2

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Disseminated intravascular coagulation [defibrination syndrome] (D65)													
All races, both sexes	565	52	53	39	49	46	42	56	32	41	47	45	63
Male	227	26	27	9	26	9	13	22	12	17	23	19	24
Female	338	26	26	30	23	37	29	34	20	24	24	26	39
White, both sexes	424	36	38	31	36	35	35	43	27	30	32	37	44
Male	164	19	16	6	19	8	11	16	11	13	15	15	15
Female	260	17	22	25	17	27	24	27	16	17	17	22	29
Black, both sexes	121	13	11	6	12	10	7	12	5	11	12	5	17
Male	54	5	8	3	6	1	2	6	1	4	7	2	9
Female	67	8	3	3	6	9	5	6	4	7	5	3	8
American Indian 1/, both sexes	4	1	1	-	-	-	-	-	-	-	1	-	1
Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	3	1	-	-	-	-	-	-	-	-	1	-	1
Asian or Pacific Islander 2/, both sexes	16	2	3	2	1	1	-	1	-	-	2	3	1
Male	8	2	2	-	1	-	-	-	-	-	1	2	-
Female	8	-	1	2	-	1	-	1	-	-	1	1	1
Hereditary factor VIII deficiency (D66)													
All races, both sexes	82	7	9	7	8	4	6	12	6	8	3	4	8
Male	52	3	8	3	6	3	3	8	4	4	3	3	4
Female	30	4	1	4	2	1	3	4	2	4	-	1	4
White, both sexes	65	4	8	5	7	3	6	10	6	5	3	3	5
Male	43	2	7	2	5	3	3	7	4	3	3	2	2
Female	22	2	1	3	2	-	3	3	2	2	-	1	3
Black, both sexes	13	3	1	1	1	-	-	2	-	2	-	1	2
Male	6	1	1	-	1	-	-	1	-	-	-	1	1
Female	7	2	-	1	-	-	-	1	-	2	-	-	1
American Indian 1/, both sexes	1	-	-	-	-	-	-	-	-	1	-	-	-
Male	1	-	-	-	-	-	-	-	-	1	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	3	-	-	1	-	1	-	-	-	-	-	-	1
Male	2	-	-	1	-	-	-	-	-	-	-	-	1
Female	1	-	-	-	-	1	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Hereditary factor IX deficiency (D67)													
All races, both sexes	4	-	-	-	-	-	1	-	-	1	2	-	-
Male	4	-	-	-	-	-	1	-	-	1	2	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	4	-	-	-	-	-	1	-	-	1	2	-	-
Male	4	-	-	-	-	-	1	-	-	1	2	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other coagulation defects (D68)													
All races, both sexes	1,082	117	80	90	87	95	95	73	93	94	79	84	95
Male	520	55	35	43	42	47	47	41	39	46	35	46	44
Female	562	62	45	47	45	48	48	32	54	48	44	38	51
White, both sexes	893	96	63	79	71	75	72	64	79	79	68	75	72
Male	435	46	30	40	34	39	33	33	31	40	32	42	35
Female	458	50	33	39	37	36	39	31	48	39	36	33	37
Black, both sexes	153	16	14	9	10	14	17	7	12	13	11	8	22
Male	66	8	5	2	4	5	10	6	8	4	3	3	8
Female	87	8	9	7	6	9	7	1	4	9	8	5	14
American Indian 1/, both sexes	7	3	-	-	1	2	-	-	-	1	-	-	-
Male	3	1	-	-	-	1	-	-	-	1	-	-	-
Female	4	2	-	-	1	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	29	2	3	2	5	4	6	2	2	1	-	1	1
Male	16	-	-	1	4	2	4	2	-	1	-	1	1
Female	13	2	3	1	1	2	2	-	2	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Von Willebrand's disease (D68.0)													
All races, both sexes.....	9	-	1	-	1	4	-	1	-	1	1	-	-
Male.....	3	-	1	-	-	1	-	1	-	-	-	-	-
Female.....	6	-	-	-	1	3	-	-	-	1	1	-	-
White, both sexes.....	8	-	1	-	1	3	-	1	-	1	1	-	-
Male.....	2	-	1	-	-	-	-	1	-	-	-	-	-
Female.....	6	-	-	-	1	3	-	-	-	1	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Hereditary deficiency of other clotting factors (D68.2)													
All races, both sexes.....	54	4	3	6	4	4	3	4	1	3	7	11	4
Male.....	24	2	-	3	-	4	2	2	-	-	4	6	1
Female.....	30	2	3	3	4	-	1	2	1	3	3	5	3
White, both sexes.....	49	4	2	6	4	3	3	4	1	2	5	11	4
Male.....	22	2	-	3	-	3	2	2	-	-	3	6	1
Female.....	27	2	2	3	4	-	1	2	1	2	2	5	3
Black, both sexes.....	3	-	-	-	-	-	-	-	-	1	2	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	2	-	-	-	-	-	-	-	-	1	1	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.	1	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Hemorrhagic disorder due to circulating anticoagulants (D68.3)													
All races, both sexes	1	-	-	-	-	-	-	-	-	-	-	1	-
Male	1	-	-	-	-	-	-	-	-	-	-	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	-	-	-	-	-	-	-	1	-
Male	1	-	-	-	-	-	-	-	-	-	-	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Acquired coagulation factor deficiency (D68.4)													
All races, both sexes	15	1	3	2	2	-	-	-	3	1	-	2	1
Male	6	-	2	-	1	-	-	-	2	-	-	-	1
Female	9	1	1	2	1	-	-	-	1	1	-	2	-
White, both sexes	11	1	3	1	-	-	-	-	2	1	-	2	1
Male	4	-	2	-	-	-	-	-	1	-	-	-	1
Female	7	1	1	1	-	-	-	-	1	1	-	2	-
Black, both sexes	4	-	-	1	2	-	-	-	1	-	-	-	-
Male	2	-	-	-	1	-	-	-	1	-	-	-	-
Female	2	-	-	1	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other specified coagulation defects (D68.8)													
All races, both sexes	90	12	5	8	5	10	10	7	5	8	6	6	8
Male	38	6	1	4	1	5	6	3	2	3	3	3	1
Female	52	6	4	4	4	5	4	4	3	5	3	3	7
White, both sexes	79	10	3	8	4	9	8	7	5	8	5	5	7
Male	35	6	-	4	1	5	5	3	2	3	3	2	1
Female	44	4	3	4	3	4	3	4	3	5	2	3	6
Black, both sexes	9	1	1	-	1	1	2	-	-	-	1	1	1
Male	3	-	1	-	-	-	1	-	-	-	-	1	-
Female	6	1	-	-	1	1	1	-	-	-	1	-	1
American Indian 1/, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	1	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	1	-	-	-	-	-	-	-	-	-	-
Coagulation defect, unspecified (D68.9)													
All races, both sexes	913	100	68	74	75	77	82	61	84	81	65	64	82
Male	448	47	31	36	40	37	39	35	35	43	28	36	41
Female	465	53	37	38	35	40	43	26	49	38	37	28	41
White, both sexes	745	81	54	64	62	60	61	52	71	67	57	56	60
Male	371	38	27	33	33	31	26	27	28	37	26	33	32
Female	374	43	27	31	29	29	35	25	43	30	31	23	28
Black, both sexes	137	15	13	8	7	13	15	7	11	12	8	7	21
Male	60	8	4	2	3	5	9	6	7	4	2	2	8
Female	77	7	9	6	4	8	6	1	4	8	6	5	13
American Indian 1/, both sexes	5	2	-	-	1	1	-	-	-	1	-	-	-
Male	2	1	-	-	-	-	-	-	-	1	-	-	-
Female	3	1	-	-	1	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	26	2	1	2	5	3	6	2	2	1	-	1	1
Male	15	-	-	1	4	1	4	2	-	1	-	1	1
Female	11	2	1	1	1	2	2	-	2	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Purpura and other hemorrhagic conditions (D69)													
All races, both sexes	924	84	68	73	69	74	76	75	83	76	78	70	98
Male	401	40	31	30	29	34	30	30	42	39	31	25	40
Female	523	44	37	43	40	40	46	45	41	37	47	45	58
White, both sexes	773	72	58	59	63	66	65	66	64	64	62	55	79
Male	338	35	26	26	26	30	25	26	31	33	25	21	34
Female	435	37	32	33	37	36	40	40	33	31	37	34	45
Black, both sexes	125	12	9	11	5	8	11	6	16	12	8	13	14
Male	52	5	4	2	2	4	5	2	10	6	4	3	5
Female	73	7	5	9	3	4	6	4	6	6	4	10	9
American Indian 1/, both sexes	5	-	-	1	-	-	-	1	-	-	2	-	1
Male	2	-	-	1	-	-	-	1	-	-	-	-	-
Female	3	-	-	-	-	-	-	-	-	-	2	-	1
Asian or Pacific Islander 2/, both sexes	21	-	1	2	1	-	-	2	3	-	6	2	4
Male	9	-	1	1	1	-	-	1	1	-	2	1	1
Female	12	-	-	1	-	-	-	1	2	-	4	1	3
Allergic purpura (D69.0)													
All races, both sexes	12	-	2	-	1	1	1	-	1	1	2	1	2
Male	8	-	2	-	-	1	1	-	-	1	1	1	1
Female	4	-	-	-	1	-	-	-	1	-	1	-	1
White, both sexes	12	-	2	-	1	1	1	-	1	1	2	1	2
Male	8	-	2	-	-	1	1	-	-	1	1	1	1
Female	4	-	-	-	1	-	-	-	1	-	1	-	1
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Qualitative platelet defects (D69.1)													
All races, both sexes	3	-	-	1	-	-	1	-	1	-	-	-	-
Male	1	-	-	-	-	-	-	-	1	-	-	-	-
Female	2	-	-	1	-	-	1	-	-	-	-	-	-
White, both sexes	3	-	-	1	-	-	1	-	1	-	-	-	-
Male	1	-	-	-	-	-	-	-	1	-	-	-	-
Female	2	-	-	1	-	-	1	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other nonthrombocytopenic purpura (D69.2)													
All races, both sexes	3	-	-	1	-	-	-	-	-	-	1	1	-
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	2	-	-	1	-	-	-	-	-	-	-	1	-
White, both sexes	2	-	-	1	-	-	-	-	-	-	-	1	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	1	-	-	-	-	-	-	-	1	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Idiopathic thrombocytopenic purpura (D69.3)													
All races, both sexes	291	21	28	23	22	18	16	22	28	22	30	29	32
Male	124	11	12	12	7	5	7	8	15	13	8	11	15
Female	167	10	16	11	15	13	9	14	13	9	22	18	17
White, both sexes	251	19	24	20	22	15	13	20	26	18	23	23	28
Male	106	10	10	12	7	4	5	8	14	9	6	9	12
Female	145	9	14	8	15	11	8	12	12	9	17	14	16
Black, both sexes	36	2	4	2	-	3	3	2	2	4	4	6	4
Male	17	1	2	-	-	1	2	-	1	4	1	2	3
Female	19	1	2	2	-	2	1	2	1	-	3	4	1
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	4	-	-	1	-	-	-	-	-	-	3	-	-
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	3	-	-	1	-	-	-	-	-	-	2	-	-
Other primary thrombocytopenia (D69.4)													
All races, both sexes	42	7	3	6	2	1	2	5	3	4	2	1	6
Male	19	4	1	1	2	-	1	3	1	1	2	-	3
Female	23	3	2	5	-	1	1	2	2	3	-	1	3
White, both sexes	38	6	3	6	1	1	2	5	2	4	2	1	5
Male	17	4	1	1	1	-	1	3	1	1	2	-	2
Female	21	2	2	5	-	1	1	2	1	3	-	1	3
Black, both sexes	3	1	-	-	-	-	-	-	1	-	-	-	1
Male	1	-	-	-	-	-	-	-	-	-	-	-	1
Female	2	1	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	1	-	-	-	-	-	-	-	-
Male	1	-	-	-	1	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Secondary thrombocytopenia (D69.5)													
All races, both sexes	24	4	1	1	4	3	3	3	1	-	1	3	-
Male	8	3	-	-	1	2	1	-	-	-	-	1	-
Female	16	1	1	1	3	1	2	3	1	-	1	2	-
White, both sexes	20	4	1	1	3	3	2	3	-	-	1	2	-
Male	8	3	-	-	1	2	1	-	-	-	-	1	-
Female	12	1	1	1	2	1	1	3	-	-	1	1	-
Black, both sexes	4	-	-	-	1	-	1	-	1	-	-	1	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	4	-	-	-	1	-	1	-	1	-	-	1	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Thrombocytopenia, unspecified (D69.6)													
All races, both sexes	517	49	32	38	38	49	48	43	45	47	41	32	55
Male	231	22	16	17	18	26	16	19	23	24	18	11	21
Female	286	27	16	21	20	23	32	24	22	23	23	21	34
White, both sexes	422	41	26	28	34	45	42	36	31	39	33	26	41
Male	192	18	13	13	16	23	14	15	14	22	15	10	19
Female	230	23	13	15	18	22	28	21	17	17	18	16	22
Black, both sexes	75	8	5	8	4	4	6	4	11	8	4	4	9
Male	31	4	2	2	2	3	2	2	8	2	3	-	1
Female	44	4	3	6	2	1	4	2	3	6	1	4	8
American Indian 1/, both sexes	5	-	-	1	-	-	-	1	-	-	2	-	1
Male	2	-	-	1	-	-	-	1	-	-	-	-	-
Female	3	-	-	-	-	-	-	-	-	-	2	-	1
Asian or Pacific Islander 2/, both sexes	15	-	1	1	-	-	-	2	3	-	2	2	4
Male	6	-	1	1	-	-	-	1	1	-	-	1	1
Female	9	-	-	-	-	-	-	1	2	-	2	1	3

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Hemorrhagic condition, unspecified (D69.9)													
All races, both sexes	32	3	2	3	2	2	5	2	4	2	1	3	3
Male	9	-	-	-	1	-	4	-	2	-	1	1	-
Female	23	3	2	3	1	2	1	2	2	2	-	2	3
White, both sexes	25	2	2	2	2	1	4	2	3	2	1	1	3
Male	6	-	-	-	1	-	3	-	1	-	1	-	-
Female	19	2	2	2	1	1	1	2	2	2	-	1	3
Black, both sexes	7	1	-	1	-	1	1	-	1	-	-	2	-
Male	3	-	-	-	-	-	1	-	1	-	-	1	-
Female	4	1	-	1	-	1	-	-	-	-	-	1	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Agranulocytosis (D70)													
All races, both sexes	359	35	25	23	24	28	32	32	38	32	23	28	39
Male	168	18	13	12	11	13	7	15	23	17	5	15	19
Female	191	17	12	11	13	15	25	17	15	15	18	13	20
White, both sexes	320	30	22	21	22	24	27	31	33	28	22	24	36
Male	149	15	10	11	10	11	6	15	20	13	5	15	18
Female	171	15	12	10	12	13	21	16	13	15	17	9	18
Black, both sexes	31	4	2	1	2	4	3	1	4	4	1	3	2
Male	15	2	2	-	1	2	-	-	3	4	-	-	1
Female	16	2	-	1	1	2	3	1	1	-	1	3	1
American Indian 1/, both sexes	3	1	-	-	-	-	-	-	-	-	-	1	1
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	-	-	-	1	1
Asian or Pacific Islander 2/, both sexes	5	-	1	1	-	-	2	-	1	-	-	-	-
Male	3	-	1	1	-	-	1	-	-	-	-	-	-
Female	2	-	-	-	-	-	1	-	1	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Functional disorders of polymorphonuclear neutrophils (D71)													
All races, both sexes	14	2	1	1	1	1	1	2	-	-	1	-	4
Male	9	1	1	1	-	-	-	2	-	-	1	-	3
Female	5	1	-	-	1	1	1	-	-	-	-	-	1
White, both sexes	12	-	1	1	1	1	1	2	-	-	1	-	4
Male	8	-	1	1	-	-	-	2	-	-	1	-	3
Female	4	-	-	-	1	1	1	-	-	-	-	-	1
Black, both sexes	2	2	-	-	-	-	-	-	-	-	-	-	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other disorders of white blood cells (D72)													
All races, both sexes	92	11	4	7	6	11	8	9	6	6	7	7	10
Male	37	1	1	3	4	5	4	5	2	2	4	4	2
Female	55	10	3	4	2	6	4	4	4	4	3	3	8
White, both sexes	82	11	4	5	5	11	8	9	5	6	6	5	7
Male	29	1	1	1	3	5	4	5	1	2	4	2	-
Female	53	10	3	4	2	6	4	4	4	4	2	3	7
Black, both sexes	8	-	-	2	-	-	-	-	-	-	1	2	3
Male	6	-	-	2	-	-	-	-	-	-	-	2	2
Female	2	-	-	-	-	-	-	-	-	-	1	-	1
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	2	-	-	-	1	-	-	-	1	-	-	-	-
Male	2	-	-	-	1	-	-	-	1	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Eosinophilia (D72.1)													
All races, both sexes	23	1	1	3	1	1	2	4	3	-	3	2	2
Male	16	-	1	3	1	1	1	2	2	-	2	2	1
Female	7	1	-	-	-	-	1	2	1	-	1	-	1
White, both sexes	18	1	1	1	1	1	2	4	2	-	3	1	1
Male	11	-	1	1	1	1	1	2	1	-	2	1	-
Female	7	1	-	-	-	-	1	2	1	-	1	-	1
Black, both sexes	4	-	-	2	-	-	-	-	-	-	-	1	1
Male	4	-	-	2	-	-	-	-	-	-	-	1	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	-	1	-	-	-	-
Male	1	-	-	-	-	-	-	-	1	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other specified disorders of white blood cells (D72.8)													
All races, both sexes	69	10	3	4	5	10	6	5	3	6	4	5	8
Male	21	1	-	-	3	4	3	3	-	2	2	2	1
Female	48	9	3	4	2	6	3	2	3	4	2	3	7
White, both sexes	64	10	3	4	4	10	6	5	3	6	3	4	6
Male	18	1	-	-	2	4	3	3	-	2	2	1	-
Female	46	9	3	4	2	6	3	2	3	4	1	3	6
Black, both sexes	4	-	-	-	-	-	-	-	-	-	1	1	2
Male	2	-	-	-	-	-	-	-	-	-	-	1	1
Female	2	-	-	-	-	-	-	-	-	-	1	-	1
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	1	-	-	-	-	-	-	-	-
Male	1	-	-	-	1	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Diseases of spleen (D73)													
All races, both sexes	158	16	17	13	11	17	11	12	16	13	8	7	17
Male	85	6	9	9	8	12	3	5	10	7	4	2	10
Female	73	10	8	4	3	5	8	7	6	6	4	5	7
White, both sexes	141	16	16	11	11	15	9	11	14	12	7	5	14
Male	79	6	8	9	8	11	3	5	10	6	4	1	8
Female	62	10	8	2	3	4	6	6	4	6	3	4	6
Black, both sexes	13	-	1	1	-	1	2	1	2	1	-	2	2
Male	4	-	1	-	-	-	-	-	-	1	-	1	1
Female	9	-	-	1	-	1	2	1	2	-	-	1	1
American Indian 1/, both sexes	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes	3	-	-	1	-	1	-	-	-	-	-	-	1
Male	2	-	-	-	-	1	-	-	-	-	-	-	1
Female	1	-	-	1	-	-	-	-	-	-	-	-	-
Hyposplenism (D73.0)													
All races, both sexes	1	-	1	-	-	-	-	-	-	-	-	-	-
Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	1	-	-	-	-	-	-	-	-	-	-
Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Hypersplenism (D73.1)													
All races, both sexes	66	8	9	6	6	7	1	2	5	7	3	3	9
Male	42	4	3	5	5	5	-	1	4	6	2	2	5
Female	24	4	6	1	1	2	1	1	1	1	1	1	4
White, both sexes	62	8	9	6	6	6	1	2	5	6	3	2	8
Male	38	4	3	5	5	4	-	1	4	5	2	1	4
Female	24	4	6	1	1	2	1	1	1	1	1	1	4
Black, both sexes	2	-	-	-	-	-	-	-	-	1	-	1	-
Male	2	-	-	-	-	-	-	-	-	1	-	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	2	-	-	-	-	1	-	-	-	-	-	-	1
Male	2	-	-	-	-	1	-	-	-	-	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Abscess of spleen (D73.3)													
All races, both sexes	11	1	-	1	-	1	2	-	2	-	2	1	1
Male	6	-	-	1	-	-	1	-	2	-	1	-	1
Female	5	1	-	-	-	1	1	-	-	-	1	1	-
White, both sexes	8	1	-	1	-	-	2	-	2	-	1	1	-
Male	5	-	-	1	-	-	1	-	2	-	1	-	-
Female	3	1	-	-	-	-	1	-	-	-	-	1	-
Black, both sexes	2	-	-	-	-	1	-	-	-	-	-	-	1
Male	1	-	-	-	-	-	-	-	-	-	-	-	1
Female	1	-	-	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Cyst of spleen (D73.4)													
All races, both sexes	1	-	-	-	-	-	-	-	-	1	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	1	-	-	-
White, both sexes	1	-	-	-	-	-	-	-	-	1	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	1	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Infarction of spleen (D73.5)													
All races, both sexes	42	4	4	2	4	3	6	7	4	3	1	1	3
Male	17	1	3	-	2	2	1	3	2	1	-	-	2
Female	25	3	1	2	2	1	5	4	2	2	1	1	1
White, both sexes	36	4	3	1	4	3	5	6	3	3	1	-	3
Male	16	1	2	-	2	2	1	3	2	1	-	-	2
Female	20	3	1	1	2	1	4	3	1	2	1	-	1
Black, both sexes	5	-	1	-	-	-	1	1	1	-	-	1	-
Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	4	-	-	-	-	-	1	1	1	-	-	1	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	1	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other diseases of spleen (D73.8)													
All races, both sexes	5	1	-	-	-	3	-	-	-	-	1	-	-
Male	3	1	-	-	-	2	-	-	-	-	-	-	-
Female	2	-	-	-	-	1	-	-	-	-	1	-	-
White, both sexes	5	1	-	-	-	3	-	-	-	-	1	-	-
Male	3	1	-	-	-	2	-	-	-	-	-	-	-
Female	2	-	-	-	-	1	-	-	-	-	1	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Disease of spleen, unspecified (D73.9)													
All races, both sexes	32	2	3	4	1	3	2	3	5	2	1	2	4
Male	16	-	2	3	1	3	1	1	2	-	1	-	2
Female	16	2	1	1	-	-	1	2	3	2	-	2	2
White, both sexes	28	2	3	3	1	3	1	3	4	2	1	2	3
Male	16	-	2	3	1	3	1	1	2	-	1	-	2
Female	12	2	1	-	-	-	-	2	2	2	-	2	1
Black, both sexes	4	-	-	1	-	-	1	-	1	-	-	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	4	-	-	1	-	-	1	-	1	-	-	-	1
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Methemoglobinemia (D74)													
All races, both sexes	2	-	-	-	-	1	-	-	-	-	-	1	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-
White, both sexes	2	-	-	-	-	1	-	-	-	-	-	1	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Methemoglobinemia, unspecified (D74.9)													
All races, both sexes	2	-	-	-	-	1	-	-	-	-	-	1	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-
White, both sexes	2	-	-	-	-	1	-	-	-	-	-	1	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other diseases of blood and blood-forming organs (D75)													
All races, both sexes	152	20	12	8	10	11	10	12	10	13	24	7	15
Male	61	9	3	4	5	6	3	4	2	5	8	4	8
Female	91	11	9	4	5	5	7	8	8	8	16	3	7
White, both sexes	133	17	9	6	7	11	9	10	10	13	21	6	14
Male	55	7	2	3	5	6	3	4	2	5	7	4	7
Female	78	10	7	3	2	5	6	6	8	8	14	2	7
Black, both sexes	18	3	3	2	2	-	1	2	-	-	3	1	1
Male	6	2	1	1	-	-	-	-	-	-	1	-	1
Female	12	1	2	1	2	-	1	2	-	-	2	1	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	1	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	1	-	-	-	-	-	-	-	-
Secondary polycythemia (D75.1)													
All races, both sexes	1	-	-	-	-	-	-	1	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	1	-	-	-	-	-
White, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	1	-	-	-	-	-	-	1	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Essential thrombocytosis (D75.2)													
All races, both sexes	39	5	5	1	2	3	3	3	3	2	5	1	6
Male	14	4	2	-	1	1	-	2	-	1	-	-	3
Female	25	1	3	1	1	2	3	1	3	1	5	1	3
White, both sexes	36	5	4	1	2	3	2	2	3	2	5	1	6
Male	14	4	2	-	1	1	-	2	-	1	-	-	3
Female	22	1	2	1	1	2	2	-	3	1	5	1	3
Black, both sexes	3	-	1	-	-	-	1	1	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	3	-	1	-	-	-	1	1	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other specified diseases of blood and blood-forming organs (D75.8)													
All races, both sexes	70	15	4	2	6	4	4	5	4	7	13	4	2
Male	24	5	1	1	3	2	1	2	1	-	5	3	-
Female	46	10	3	1	3	2	3	3	3	7	8	1	2
White, both sexes	60	12	3	2	3	4	4	5	4	7	10	4	2
Male	20	3	-	1	3	2	1	2	1	-	4	3	-
Female	40	9	3	1	-	2	3	3	3	7	6	1	2
Black, both sexes	9	3	1	-	2	-	-	-	-	-	3	-	-
Male	4	2	1	-	-	-	-	-	-	-	1	-	-
Female	5	1	-	-	2	-	-	-	-	-	2	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	1	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	1	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Disease of blood and blood-forming organs, unspecified (D75.9)													
All races, both sexes	42	-	3	5	2	4	3	3	3	4	6	2	7
Male	23	-	-	3	1	3	2	-	1	4	3	1	5
Female	19	-	3	2	1	1	1	3	2	-	3	1	2
White, both sexes	37	-	2	3	2	4	3	3	3	4	6	1	6
Male	21	-	-	2	1	3	2	-	1	4	3	1	4
Female	16	-	2	1	1	1	1	3	2	-	3	-	2
Black, both sexes	5	-	1	2	-	-	-	-	-	-	-	1	1
Male	2	-	-	1	-	-	-	-	-	-	-	-	1
Female	3	-	1	1	-	-	-	-	-	-	-	1	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain diseases involving lymphoreticular tissue and reticulohistiocytic system (D76)													
All races, both sexes	83	8	6	8	2	7	6	4	6	6	7	9	14
Male	41	3	3	5	1	4	2	2	4	3	2	7	5
Female	42	5	3	3	1	3	4	2	2	3	5	2	9
White, both sexes	70	6	4	7	2	5	6	3	5	5	7	8	12
Male	35	3	2	4	1	3	2	2	3	3	2	6	4
Female	35	3	2	3	1	2	4	1	2	2	5	2	8
Black, both sexes	8	-	-	1	-	2	-	1	1	1	-	-	2
Male	4	-	-	1	-	1	-	-	1	-	-	-	1
Female	4	-	-	-	-	1	-	1	-	1	-	-	1
American Indian 1/, both sexes	1	-	1	-	-	-	-	-	-	-	-	-	-
Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	4	2	1	-	-	-	-	-	-	-	-	1	-
Male	1	-	-	-	-	-	-	-	-	-	-	1	-
Female	3	2	1	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Langerhans' cell histiocytosis, not elsewhere classified (D76.0)													
All races, both sexes	22	2	1	2	-	3	2	-	1	2	3	1	5
Male	8	1	1	1	-	2	-	-	-	1	1	1	-
Female	14	1	-	1	-	1	2	-	1	1	2	-	5
White, both sexes	21	2	1	2	-	2	2	-	1	2	3	1	5
Male	7	1	1	1	-	1	-	-	-	1	1	1	-
Female	14	1	-	1	-	1	2	-	1	1	2	-	5
Black, both sexes	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemophagocytic lymphohistiocytosis (D76.1)													
All races, both sexes	28	3	2	3	1	3	3	3	3	1	-	4	2
Male	14	-	-	2	-	2	1	1	2	1	-	4	1
Female	14	3	2	1	1	1	2	2	1	-	-	-	1
White, both sexes	22	1	1	3	1	2	3	2	3	1	-	3	2
Male	13	-	-	2	-	2	1	1	2	1	-	3	1
Female	9	1	1	1	1	-	2	1	1	-	-	-	1
Black, both sexes	2	-	-	-	-	1	-	1	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	1	-	1	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	4	2	1	-	-	-	-	-	-	-	-	1	-
Male	1	-	-	-	-	-	-	-	-	-	-	1	-
Female	3	2	1	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Hemophagocytic syndrome, infection-associated (D76.2)													
All races, both sexes	3	-	-	1	-	-	-	-	-	-	1	1	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	3	-	-	1	-	-	-	-	-	-	1	1	-
White, both sexes	3	-	-	1	-	-	-	-	-	-	1	1	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	3	-	-	1	-	-	-	-	-	-	1	1	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other histiocytosis syndromes (D76.3)													
All races, both sexes	30	3	3	2	1	1	1	1	2	3	3	3	7
Male	19	2	2	2	1	-	1	1	2	1	1	2	4
Female	11	1	1	-	-	1	-	-	-	2	2	1	3
White, both sexes	24	3	2	1	1	1	1	1	1	2	3	3	5
Male	15	2	1	1	1	-	1	1	1	1	1	2	3
Female	9	1	1	-	-	1	-	-	-	1	2	1	2
Black, both sexes	5	-	-	1	-	-	-	-	1	1	-	-	2
Male	3	-	-	1	-	-	-	-	1	-	-	-	1
Female	2	-	-	-	-	-	-	-	-	1	-	-	1
American Indian 1/, both sexes	1	-	1	-	-	-	-	-	-	-	-	-	-
Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Immunodeficiency with predominantly antibody defects (D80)													
All races, both sexes	30	3	2	2	2	4	1	3	4	5	1	2	1
Male	16	1	2	1	2	4	1	1	1	2	-	1	-
Female	14	2	-	1	-	-	-	2	3	3	1	1	1
White, both sexes	29	2	2	2	2	4	1	3	4	5	1	2	1
Male	15	-	2	1	2	4	1	1	1	2	-	1	-
Female	14	2	-	1	-	-	-	2	3	3	1	1	1
Black, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Hereditary hypogammaglobulinemia (D80.0)													
All races, both sexes	3	-	-	-	1	2	-	-	-	-	-	-	-
Male	3	-	-	-	1	2	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	3	-	-	-	1	2	-	-	-	-	-	-	-
Male	3	-	-	-	1	2	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Nonfamilial hypogammaglobulinemia (D80.1)													
All races, both sexes	15	2	1	2	1	1	1	2	-	3	-	2	-
Male	8	1	1	1	1	1	1	-	-	1	-	1	-
Female	7	1	-	1	-	-	-	2	-	2	-	1	-
White, both sexes	14	1	1	2	1	1	1	2	-	3	-	2	-
Male	7	-	1	1	1	1	1	-	-	1	-	1	-
Female	7	1	-	1	-	-	-	2	-	2	-	1	-
Black, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Selective deficiency of immunoglobulin A [IgA] (D80.2)													
All races, both sexes	4	1	-	-	-	-	-	-	1	1	-	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	4	1	-	-	-	-	-	-	1	1	-	-	1
White, both sexes	4	1	-	-	-	-	-	-	1	1	-	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	4	1	-	-	-	-	-	-	1	1	-	-	1
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Selective deficiency of immunoglobulin G [IgG] subclasses (D80.3)													
All races, both sexes	4	-	1	-	-	-	-	1	1	1	-	-	-
Male	3	-	1	-	-	-	-	1	-	1	-	-	-
Female	1	-	-	-	-	-	-	-	1	-	-	-	-
White, both sexes	4	-	1	-	-	-	-	1	1	1	-	-	-
Male	3	-	1	-	-	-	-	1	-	1	-	-	-
Female	1	-	-	-	-	-	-	-	1	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Selective deficiency of immunoglobulin M [IgM] (D80.4)													
All races, both sexes	1	-	-	-	-	-	-	-	1	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	1	-	-	-	-
White, both sexes	1	-	-	-	-	-	-	-	1	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	1	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other immunodeficiencies with predominantly antibody defects (D80.8)													
All races, both sexes	2	-	-	-	-	1	-	-	-	-	1	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
White, both sexes	2	-	-	-	-	1	-	-	-	-	1	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Immunodeficiency with predominantly antibody defects, unspecified (D80.9)													
All races, both sexes	1	-	-	-	-	-	-	-	1	-	-	-	-
Male	1	-	-	-	-	-	-	-	1	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	-	-	-	-	1	-	-	-	-
Male	1	-	-	-	-	-	-	-	1	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Combined immunodeficiencies (D81)													
All races, both sexes	19	3	1	2	-	1	-	1	3	2	1	2	3
Male	12	2	1	2	-	1	-	-	3	-	-	2	1
Female	7	1	-	-	-	-	-	1	-	2	1	-	2
White, both sexes	17	2	1	1	-	1	-	1	3	2	1	2	3
Male	10	1	1	1	-	1	-	-	3	-	-	2	1
Female	7	1	-	-	-	-	-	1	-	2	1	-	2
Black, both sexes	2	1	-	1	-	-	-	-	-	-	-	-	-
Male	2	1	-	1	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Combined immunodeficiency, unspecified (D81.9)													
All races, both sexes	19	3	1	2	-	1	-	1	3	2	1	2	3
Male	12	2	1	2	-	1	-	-	3	-	-	2	1
Female	7	1	-	-	-	-	-	1	-	2	1	-	2
White, both sexes	17	2	1	1	-	1	-	1	3	2	1	2	3
Male	10	1	1	1	-	1	-	-	3	-	-	2	1
Female	7	1	-	-	-	-	-	1	-	2	1	-	2
Black, both sexes	2	1	-	1	-	-	-	-	-	-	-	-	-
Male	2	1	-	1	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Immunodeficiency associated with other major defects (D82)													
All races, both sexes	23	4	1	2	1	-	2	4	2	1	2	1	3
Male	13	1	1	2	1	-	1	3	1	-	2	-	1
Female	10	3	-	-	-	-	1	1	1	1	-	1	2
White, both sexes	18	3	1	2	-	-	2	3	2	1	1	-	3
Male	9	-	1	2	-	-	1	2	1	-	1	-	1
Female	9	3	-	-	-	-	1	1	1	1	-	-	2
Black, both sexes	4	1	-	-	1	-	-	-	-	-	1	1	-
Male	3	1	-	-	1	-	-	-	-	-	1	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-
American Indian 1/, both sexes	1	-	-	-	-	-	-	1	-	-	-	-	-
Male	1	-	-	-	-	-	-	1	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Wiskott-Aldrich syndrome (D82.0)													
All races, both sexes	7	2	-	-	-	-	-	1	1	-	1	1	1
Male	3	1	-	-	-	-	-	1	-	-	1	-	-
Female	4	1	-	-	-	-	-	-	1	-	-	1	1
White, both sexes	4	1	-	-	-	-	-	-	1	-	1	-	1
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	3	1	-	-	-	-	-	-	1	-	-	-	1
Black, both sexes	2	1	-	-	-	-	-	-	-	-	-	1	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-
American Indian 1/, both sexes	1	-	-	-	-	-	-	1	-	-	-	-	-
Male	1	-	-	-	-	-	-	1	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Di George's syndrome (D82.1)													
All races, both sexes	8	1	-	2	1	-	-	1	-	1	1	-	1
Male	5	-	-	2	1	-	-	-	-	-	1	-	1
Female	3	1	-	-	-	-	-	1	-	1	-	-	-
White, both sexes	6	1	-	2	-	-	-	1	-	1	-	-	1
Male	3	-	-	2	-	-	-	-	-	-	-	-	1
Female	3	1	-	-	-	-	-	1	-	1	-	-	-
Black, both sexes	2	-	-	-	1	-	-	-	-	-	1	-	-
Male	2	-	-	-	1	-	-	-	-	-	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Immunodeficiency following hereditary defective response to Epstein-Barr virus (D82.3)													
All races, both sexes	5	-	-	-	-	-	1	2	1	-	-	-	1
Male	4	-	-	-	-	-	1	2	1	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	1
White, both sexes	5	-	-	-	-	-	1	2	1	-	-	-	1
Male	4	-	-	-	-	-	1	2	1	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	1
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Hyperimmunoglobulin E [IgE] syndrome (D82.4)													
All races, both sexes	3	1	1	-	-	-	1	-	-	-	-	-	-
Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	2	1	-	-	-	-	1	-	-	-	-	-	-
White, both sexes	3	1	1	-	-	-	1	-	-	-	-	-	-
Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	2	1	-	-	-	-	1	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Common variable immunodeficiency (D83)													
All races, both sexes	9	-	1	-	-	1	2	-	1	2	2	-	-
Male	2	-	1	-	-	-	-	-	1	-	-	-	-
Female	7	-	-	-	-	1	2	-	-	2	2	-	-
White, both sexes	9	-	1	-	-	1	2	-	1	2	2	-	-
Male	2	-	1	-	-	-	-	-	1	-	-	-	-
Female	7	-	-	-	-	1	2	-	-	2	2	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Common variable immunodeficiency, unspecified (D83.9)													
All races, both sexes	9	-	1	-	-	1	2	-	1	2	2	-	-
Male	2	-	1	-	-	-	-	-	1	-	-	-	-
Female	7	-	-	-	-	1	2	-	-	2	2	-	-
White, both sexes	9	-	1	-	-	1	2	-	1	2	2	-	-
Male	2	-	1	-	-	-	-	-	1	-	-	-	-
Female	7	-	-	-	-	1	2	-	-	2	2	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other immunodeficiencies (D84)													
All races, both sexes	454	40	34	35	34	39	40	48	34	31	37	38	44
Male	263	19	21	14	20	28	21	27	22	19	24	26	22
Female	191	21	13	21	14	11	19	21	12	12	13	12	22
White, both sexes	295	28	25	24	18	27	27	29	23	25	22	25	22
Male	164	14	15	9	9	20	11	16	14	14	15	18	9
Female	131	14	10	15	9	7	16	13	9	11	7	7	13
Black, both sexes	149	12	8	10	15	12	13	18	10	6	14	12	19
Male	93	5	5	5	10	8	10	10	8	5	8	7	12
Female	56	7	3	5	5	4	3	8	2	1	6	5	7
American Indian 1/, both sexes	4	-	-	-	1	-	-	-	-	-	1	-	2
Male	3	-	-	-	1	-	-	-	-	-	1	-	1
Female	1	-	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes	6	-	1	1	-	-	-	1	1	-	-	1	1
Male	3	-	1	-	-	-	-	1	-	-	-	1	-
Female	3	-	-	1	-	-	-	-	1	-	-	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Defects in the complement system (D84.1)													
All races, both sexes	40	5	2	5	2	4	4	2	3	3	1	2	7
Male	24	3	1	2	2	4	1	1	2	2	1	2	3
Female	16	2	1	3	-	-	3	1	1	1	-	-	4
White, both sexes	36	5	2	5	2	3	3	1	3	3	1	2	6
Male	23	3	1	2	2	3	1	1	2	2	1	2	3
Female	13	2	1	3	-	-	2	-	1	1	-	-	3
Black, both sexes	4	-	-	-	-	1	1	1	-	-	-	-	1
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	3	-	-	-	-	-	1	1	-	-	-	-	1
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other specified immunodeficiencies (D84.8)													
All races, both sexes	2	-	-	-	-	1	-	-	-	1	-	-	-
Male	2	-	-	-	-	1	-	-	-	1	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	1	-	-	-	-	-	-	-	-	1	-	-	-
Male	1	-	-	-	-	-	-	-	-	1	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Immunodeficiency, unspecified (D84.9)													
All races, both sexes	412	35	32	30	32	34	36	46	31	27	36	36	37
Male	237	16	20	12	18	23	20	26	20	16	23	24	19
Female	175	19	12	18	14	11	16	20	11	11	13	12	18
White, both sexes	258	23	23	19	16	23	24	28	20	22	21	23	16
Male	140	11	14	7	7	16	10	15	12	12	14	16	6
Female	118	12	9	12	9	7	14	13	8	10	7	7	10
Black, both sexes	144	12	8	10	15	11	12	17	10	5	14	12	18
Male	91	5	5	5	10	7	10	10	8	4	8	7	12
Female	53	7	3	5	5	4	2	7	2	1	6	5	6
American Indian 1/, both sexes	4	-	-	-	1	-	-	-	-	-	1	-	2
Male	3	-	-	-	1	-	-	-	-	-	1	-	1
Female	1	-	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes	6	-	1	1	-	-	-	1	1	-	-	1	1
Male	3	-	1	-	-	-	-	1	-	-	-	1	-
Female	3	-	-	1	-	-	-	-	1	-	-	-	1
Sarcoidosis (D86)													
All races, both sexes	880	74	66	76	73	77	68	67	58	86	61	85	89
Male	315	27	27	20	25	28	29	22	20	30	17	33	37
Female	565	47	39	56	48	49	39	45	38	56	44	52	52
White, both sexes	295	29	26	24	25	32	24	20	24	23	18	31	19
Male	107	10	11	5	10	10	10	8	7	7	8	13	8
Female	188	19	15	19	15	22	14	12	17	16	10	18	11
Black, both sexes	577	44	40	52	47	44	44	47	33	62	43	52	69
Male	204	17	16	15	14	17	19	14	12	22	9	20	29
Female	373	27	24	37	33	27	25	33	21	40	34	32	40
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	8	1	-	-	1	1	-	-	1	1	-	2	1
Male	4	-	-	-	1	1	-	-	1	1	-	-	-
Female	4	1	-	-	-	-	-	-	-	-	-	2	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Sarcoidosis of lung (D86.0)													
All races, both sexes	138	14	7	15	17	7	10	11	13	7	6	19	12
Male	42	5	2	3	3	1	3	3	6	5	-	8	3
Female	96	9	5	12	14	6	7	8	7	2	6	11	9
White, both sexes	50	8	3	4	7	2	1	5	5	3	2	8	2
Male	14	1	1	-	1	1	1	1	1	2	-	4	1
Female	36	7	2	4	6	1	-	4	4	1	2	4	1
Black, both sexes	87	6	4	11	10	5	9	6	8	4	4	11	9
Male	28	4	1	3	2	-	2	2	5	3	-	4	2
Female	59	2	3	8	8	5	7	4	3	1	4	7	7
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	1
Sarcoidosis of lymph nodes (D86.1)													
All races, both sexes	1	-	-	-	1	-	-	-	-	-	-	-	-
Male	1	-	-	-	1	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	1	-	-	-	1	-	-	-	-	-	-	-	-
Male	1	-	-	-	1	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Sarcoidosis of skin (D86.3)													
All races, both sexes	1	-	-	-	-	-	-	-	-	1	-	-	-
Male	1	-	-	-	-	-	-	-	-	1	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	-	-	1	-	-	-
Male	1	-	-	-	-	-	-	-	-	1	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Sarcoidosis of other and combined sites (D86.8)													
All races, both sexes	87	10	8	11	4	12	7	3	6	10	3	8	5
Male	43	4	4	7	3	5	4	-	1	3	2	5	5
Female	44	6	4	4	1	7	3	3	5	7	1	3	-
White, both sexes	29	2	5	2	3	3	3	1	3	2	-	3	2
Male	14	1	3	1	2	1	1	-	1	-	-	2	2
Female	15	1	2	1	1	2	2	1	2	2	-	1	-
Black, both sexes	57	8	3	9	1	8	4	2	3	8	3	5	3
Male	28	3	1	6	1	3	3	-	-	3	2	3	3
Female	29	5	2	3	-	5	1	2	3	5	1	2	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Sarcoidosis, unspecified (D86.9)													
All races, both sexes	653	50	51	50	51	58	51	53	39	68	52	58	72
Male	228	18	21	10	18	22	22	19	13	21	15	20	29
Female	425	32	30	40	33	36	29	34	26	47	37	38	43
White, both sexes	216	19	18	18	15	27	20	14	16	18	16	20	15
Male	79	8	7	4	7	8	8	7	5	5	8	7	5
Female	137	11	11	14	8	19	12	7	11	13	8	13	10
Black, both sexes	432	30	33	32	35	31	31	39	22	50	36	36	57
Male	147	10	14	6	10	14	14	12	7	16	7	13	24
Female	285	20	19	26	25	17	17	27	15	34	29	23	33
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	5	1	-	-	1	-	-	-	1	-	-	2	-
Male	2	-	-	-	1	-	-	-	1	-	-	-	-
Female	3	1	-	-	-	-	-	-	-	-	-	2	-
Other disorders involving the immune mechanism, not elsewhere classified (D89)													
All races, both sexes	59	9	3	8	7	6	6	8	2	1	3	3	3
Male	26	4	-	4	3	1	4	3	2	-	1	3	1
Female	33	5	3	4	4	5	2	5	-	1	2	-	2
White, both sexes	50	8	2	7	4	6	6	7	1	1	3	3	2
Male	20	3	-	3	2	1	4	2	1	-	1	3	-
Female	30	5	2	4	2	5	2	5	-	1	2	-	2
Black, both sexes	9	1	1	1	3	-	-	1	1	-	-	-	1
Male	6	1	-	1	1	-	-	1	1	-	-	-	1
Female	3	-	1	-	2	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Polyclonal hypergammaglobulinemia (D89.0)													
All races, both sexes	4	-	-	1	-	-	1	1	-	1	-	-	-
Male	1	-	-	1	-	-	-	-	-	-	-	-	-
Female	3	-	-	-	-	-	1	1	-	1	-	-	-
White, both sexes	3	-	-	-	-	-	1	1	-	1	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	3	-	-	-	-	-	1	1	-	1	-	-	-
Black, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	1	-	-	1	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Cryoglobulinemia (D89.1)													
All races, both sexes	30	6	3	3	3	2	3	5	-	-	1	3	1
Male	13	2	-	2	2	-	2	2	-	-	-	3	-
Female	17	4	3	1	1	2	1	3	-	-	1	-	1
White, both sexes	27	6	2	3	2	2	3	4	-	-	1	3	1
Male	11	2	-	2	1	-	2	1	-	-	-	3	-
Female	16	4	2	1	1	2	1	3	-	-	1	-	1
Black, both sexes	3	-	1	-	1	-	-	1	-	-	-	-	-
Male	2	-	-	-	1	-	-	1	-	-	-	-	-
Female	1	-	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Hypergammaglobulinemia, unspecified (D89.2)													
All races, both sexes	4	1	-	1	1	1	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	4	1	-	1	1	1	-	-	-	-	-	-	-
White, both sexes	3	1	-	1	-	1	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	3	1	-	1	-	1	-	-	-	-	-	-	-
Black, both sexes	1	-	-	-	1	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other specified disorders involving the immune mechanism, not elsewhere classified (D89.8)													
All races, both sexes	2	-	-	1	1	-	-	-	-	-	-	-	-
Male	2	-	-	1	1	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	2	-	-	1	1	-	-	-	-	-	-	-	-
Male	2	-	-	1	1	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Disorder involving the immune mechanism, unspecified (D89.9)													
All races, both sexes	19	2	-	2	2	3	2	2	2	-	2	-	2
Male	10	2	-	-	-	1	2	1	2	-	1	-	1
Female	9	-	-	2	2	2	-	1	-	-	1	-	1
White, both sexes	15	1	-	2	1	3	2	2	1	-	2	-	1
Male	7	1	-	-	-	1	2	1	1	-	1	-	-
Female	8	-	-	2	1	2	-	1	-	-	1	-	1
Black, both sexes	4	1	-	-	1	-	-	-	1	-	-	-	1
Male	3	1	-	-	-	-	-	-	1	-	-	-	1
Female	1	-	-	-	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital iodine-deficiency syndrome (E00)													
All races, both sexes	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
White, both sexes	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Congenital iodine-deficiency syndrome, unspecified (E00.9)													
All races, both sexes	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
White, both sexes	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other hypothyroidism (E03)													
All races, both sexes	1,513	175	117	141	135	111	105	113	115	95	122	128	156
Male	288	37	23	30	22	21	18	19	21	21	28	22	26
Female	1,225	138	94	111	113	90	87	94	94	74	94	106	130
White, both sexes	1,391	160	108	128	124	103	96	106	107	85	113	118	143
Male	260	33	22	27	21	19	17	17	18	17	26	19	24
Female	1,131	127	86	101	103	84	79	89	89	68	87	99	119
Black, both sexes	107	14	8	11	11	8	7	4	7	10	7	9	11
Male	26	4	1	3	1	2	1	1	3	4	1	3	2
Female	81	10	7	8	10	6	6	3	4	6	6	6	9
American Indian 1/, both sexes	2	-	-	1	-	-	-	-	-	-	-	1	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	1	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes	13	1	1	1	-	-	2	3	1	-	2	-	2
Male	2	-	-	-	-	-	-	1	-	-	1	-	-
Female	11	1	1	1	-	-	2	2	1	-	1	-	2

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Congenital hypothyroidism without goiter (E03.1)													
All races, both sexes.....	6	1	2	-	-	-	1	-	1	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	5	1	2	-	-	-	1	-	-	-	-	1	-
White, both sexes.....	5	1	2	-	-	-	-	-	1	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	4	1	2	-	-	-	-	-	-	-	-	1	-
Black, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Atrophy of thyroid (acquired) (E03.4)													
All races, both sexes.....	2	-	1	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	2	-	1	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Myxedema coma (E03.5)													
All races, both sexes	9	3	2	1	-	1	1	-	-	-	-	-	1
Male	5	2	1	1	-	1	-	-	-	-	-	-	-
Female	4	1	1	-	-	-	1	-	-	-	-	-	1
White, both sexes	7	2	1	1	-	1	1	-	-	-	-	-	1
Male	5	2	1	1	-	1	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	1	-	-	-	-	-	1
Black, both sexes	2	1	1	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	1	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other specified hypothyroidism (E03.8)													
All races, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	1	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	1	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Hypothyroidism, unspecified (E03.9)													
All races, both sexes	1,495	171	112	139	135	110	103	112	114	95	122	127	155
Male	281	35	22	29	22	20	18	18	20	21	28	22	26
Female	1,214	136	90	110	113	90	85	94	94	74	94	105	129
White, both sexes	1,376	157	104	126	124	102	95	105	106	85	113	117	142
Male	253	31	21	26	21	18	17	16	17	17	26	19	24
Female	1,123	126	83	100	103	84	78	89	89	68	87	98	118
Black, both sexes	104	13	7	11	11	8	6	4	7	10	7	9	11
Male	26	4	1	3	1	2	1	1	3	4	1	3	2
Female	78	9	6	8	10	6	5	3	4	6	6	6	9
American Indian 1/, both sexes	2	-	-	1	-	-	-	-	-	-	-	1	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	1	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes	13	1	1	1	-	-	2	3	1	-	2	-	2
Male	2	-	-	-	-	-	-	1	-	-	1	-	-
Female	11	1	1	1	-	-	2	2	1	-	1	-	2
Other nontoxic goiter (E04)													
All races, both sexes	51	6	2	5	7	-	6	4	3	2	3	7	6
Male	6	-	-	1	-	-	2	1	-	-	1	-	1
Female	45	6	2	4	7	-	4	3	3	2	2	7	5
White, both sexes	36	2	1	5	5	-	4	1	3	2	2	5	6
Male	4	-	-	1	-	-	1	-	-	-	1	-	1
Female	32	2	1	4	5	-	3	1	3	2	1	5	5
Black, both sexes	14	4	1	-	1	-	2	3	-	-	1	2	-
Male	2	-	-	-	-	-	1	1	-	-	-	-	-
Female	12	4	1	-	1	-	1	2	-	-	1	2	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	1	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	1	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Nontoxic single thyroid nodule (E04.1)													
All races, both sexes	2	-	-	1	-	-	1	-	-	-	-	-	-
Male	1	-	-	1	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	1	-	-	-	-	-	-
White, both sexes	2	-	-	1	-	-	1	-	-	-	-	-	-
Male	1	-	-	1	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	1	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Nontoxic multinodular goiter (E04.2)													
All races, both sexes	4	2	1	-	-	-	1	-	-	-	-	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	3	2	1	-	-	-	-	-	-	-	-	-	-
White, both sexes	2	-	1	-	-	-	1	-	-	-	-	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	1	-	1	-	-	-	-	-	-	-	-	-	-
Black, both sexes	2	2	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	2	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Nontoxic goiter, unspecified (E04.9)													
All races, both sexes	45	4	1	4	7	-	4	4	3	2	3	7	6
Male	4	-	-	-	-	-	1	1	-	-	1	-	1
Female	41	4	1	4	7	-	3	3	3	2	2	7	5
White, both sexes	32	2	-	4	5	-	2	1	3	2	2	5	6
Male	2	-	-	-	-	-	-	-	-	-	1	-	1
Female	30	2	-	4	5	-	2	1	3	2	1	5	5
Black, both sexes	12	2	1	-	1	-	2	3	-	-	1	2	-
Male	2	-	-	-	-	-	1	1	-	-	-	-	-
Female	10	2	1	-	1	-	1	2	-	-	1	2	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	1	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	1	-	-	-	-	-	-	-	-
Thyrotoxicosis [hyperthyroidism] (E05)													
All races, both sexes	326	36	24	24	35	21	38	21	25	20	25	25	32
Male	79	8	5	7	7	5	7	5	4	6	10	7	8
Female	247	28	19	17	28	16	31	16	21	14	15	18	24
White, both sexes	256	29	18	18	29	10	27	19	20	16	23	19	28
Male	58	6	3	6	3	2	6	3	3	5	10	4	7
Female	198	23	15	12	26	8	21	16	17	11	13	15	21
Black, both sexes	63	6	5	6	6	9	8	2	5	4	2	6	4
Male	17	1	1	1	4	1	1	2	1	1	-	3	1
Female	46	5	4	5	2	8	7	-	4	3	2	3	3
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	7	1	1	-	-	2	3	-	-	-	-	-	-
Male	4	1	1	-	-	2	-	-	-	-	-	-	-
Female	3	-	-	-	-	-	3	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Thyrotoxicosis with diffuse goiter (E05.0)													
All races, both sexes	42	4	2	5	5	-	7	1	3	2	1	6	6
Male	8	-	-	1	1	-	2	-	-	-	-	3	1
Female	34	4	2	4	4	-	5	1	3	2	1	3	5
White, both sexes	28	3	1	3	5	-	4	1	2	1	1	2	5
Male	4	-	-	1	1	-	1	-	-	-	-	-	1
Female	24	3	1	2	4	-	3	1	2	1	1	2	4
Black, both sexes	14	1	1	2	-	-	3	-	1	1	-	4	1
Male	4	-	-	-	-	-	1	-	-	-	-	3	-
Female	10	1	1	2	-	-	2	-	1	1	-	1	1
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Thyrotoxicosis with toxic multinodular goiter (E05.2)													
All races, both sexes	6	-	1	-	1	-	-	1	1	-	-	1	1
Male	1	-	-	-	1	-	-	-	-	-	-	-	-
Female	5	-	1	-	-	-	-	1	1	-	-	1	1
White, both sexes	6	-	1	-	1	-	-	1	1	-	-	1	1
Male	1	-	-	-	1	-	-	-	-	-	-	-	-
Female	5	-	1	-	-	-	-	1	1	-	-	1	1
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Thyroid crisis or storm (E05.5)													
All races, both sexes	19	3	1	2	1	1	4	1	-	1	2	1	2
Male	6	1	-	-	-	-	1	-	-	1	1	1	1
Female	13	2	1	2	1	1	3	1	-	-	1	-	1
White, both sexes	14	3	-	-	1	1	3	1	-	1	2	1	1
Male	5	1	-	-	-	-	1	-	-	1	1	1	-
Female	9	2	-	-	1	1	2	1	-	-	1	-	1
Black, both sexes	5	-	1	2	-	-	1	-	-	-	-	-	1
Male	1	-	-	-	-	-	-	-	-	-	-	-	1
Female	4	-	1	2	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other thyrotoxicosis (E05.8)													
All races, both sexes	1	-	-	-	-	-	-	-	-	1	-	-	-
Male	1	-	-	-	-	-	-	-	-	1	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	-	-	-	-	-	1	-	-	-
Male	1	-	-	-	-	-	-	-	-	1	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Thyrotoxicosis, unspecified (E05.9)													
All races, both sexes	258	29	20	17	28	20	27	18	21	16	22	17	23
Male	63	7	5	6	5	5	4	5	4	4	9	3	6
Female	195	22	15	11	23	15	23	13	17	12	13	14	17
White, both sexes	207	23	16	15	22	9	20	16	17	13	20	15	21
Male	47	5	3	5	1	2	4	3	3	3	9	3	6
Female	160	18	13	10	21	7	16	13	14	10	11	12	15
Black, both sexes	44	5	3	2	6	9	4	2	4	3	2	2	2
Male	12	1	1	1	4	1	-	2	1	1	-	-	-
Female	32	4	2	1	2	8	4	-	3	2	2	2	2
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	7	1	1	-	-	2	3	-	-	-	-	-	-
Male	4	1	1	-	-	2	-	-	-	-	-	-	-
Female	3	-	-	-	-	-	3	-	-	-	-	-	-
Thyroiditis (E06)													
All races, both sexes	18	2	2	1	1	1	4	3	-	-	1	1	2
Male	6	-	1	-	1	-	2	2	-	-	-	-	-
Female	12	2	1	1	-	1	2	1	-	-	1	1	2
White, both sexes	16	2	2	1	1	1	4	2	-	-	1	1	1
Male	5	-	1	-	1	-	2	1	-	-	-	-	-
Female	11	2	1	1	-	1	2	1	-	-	1	1	1
Black, both sexes	1	-	-	-	-	-	-	1	-	-	-	-	-
Male	1	-	-	-	-	-	-	1	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Acute thyroiditis (E06.0)													
All races, both sexes	1	-	-	-	-	-	1	-	-	-	-	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	-	-	1	-	-	-	-	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Autoimmune thyroiditis (E06.3)													
All races, both sexes	12	2	2	1	-	1	2	1	-	-	1	1	1
Male	2	-	1	-	-	-	-	1	-	-	-	-	-
Female	10	2	1	1	-	1	2	-	-	-	1	1	1
White, both sexes	11	2	2	1	-	1	2	-	-	-	1	1	1
Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	10	2	1	1	-	1	2	-	-	-	1	1	1
Black, both sexes	1	-	-	-	-	-	-	1	-	-	-	-	-
Male	1	-	-	-	-	-	-	1	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other chronic thyroiditis (E06.5)													
All races, both sexes	1	-	-	-	-	-	-	1	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	1	-	-	-	-	-
White, both sexes	1	-	-	-	-	-	-	1	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	1	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Thyroiditis, unspecified (E06.9)													
All races, both sexes	4	-	-	-	1	-	1	1	-	-	-	-	1
Male	3	-	-	-	1	-	1	1	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	1
White, both sexes	3	-	-	-	1	-	1	1	-	-	-	-	-
Male	3	-	-	-	1	-	1	1	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other disorders of thyroid (E07)													
All races, both sexes	48	3	4	5	2	5	4	6	3	3	4	6	3
Male	11	1	2	1	1	-	-	1	-	-	2	1	2
Female	37	2	2	4	1	5	4	5	3	3	2	5	1
White, both sexes	40	2	4	4	1	4	3	6	3	2	4	4	3
Male	10	1	2	1	-	-	-	1	-	-	2	1	2
Female	30	1	2	3	1	4	3	5	3	2	2	3	1
Black, both sexes	7	1	-	1	1	1	1	-	-	1	-	1	-
Male	1	-	-	-	1	-	-	-	-	-	-	-	-
Female	6	1	-	1	-	1	1	-	-	1	-	1	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	-	-	-	-	1	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-
Other specified disorders of thyroid (E07.8)													
All races, both sexes	1	-	-	-	-	-	-	-	-	-	-	1	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-
White, both sexes	1	-	-	-	-	-	-	-	-	-	-	1	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Disorder of thyroid, unspecified (E07.9)													
All races, both sexes	47	3	4	5	2	5	4	6	3	3	4	5	3
Male	11	1	2	1	1	-	-	1	-	-	2	1	2
Female	36	2	2	4	1	5	4	5	3	3	2	4	1
White, both sexes	39	2	4	4	1	4	3	6	3	2	4	3	3
Male	10	1	2	1	-	-	-	1	-	-	2	1	2
Female	29	1	2	3	1	4	3	5	3	2	2	2	1
Black, both sexes	7	1	-	1	1	1	1	-	-	1	-	1	-
Male	1	-	-	-	1	-	-	-	-	-	-	-	-
Female	6	1	-	1	-	1	1	-	-	1	-	1	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	-	-	-	-	1	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-
Insulin-dependent diabetes mellitus (E10)													
All races, both sexes	6,246	601	527	574	536	488	492	506	495	481	498	460	588
Male	2,874	277	248	246	248	240	226	248	209	217	230	223	262
Female	3,372	324	279	328	288	248	266	258	286	264	268	237	326
White, both sexes	5,135	500	428	478	437	393	415	401	412	400	399	383	489
Male	2,390	234	205	208	202	204	192	197	176	180	188	179	225
Female	2,745	266	223	270	235	189	223	204	236	220	211	204	264
Black, both sexes	1,016	90	87	87	89	89	70	96	80	78	91	74	85
Male	434	37	39	34	37	31	30	47	31	35	39	42	32
Female	582	53	48	53	52	58	40	49	49	43	52	32	53
American Indian 1/, both sexes	42	6	6	3	2	2	5	2	2	-	6	1	7
Male	22	3	2	1	2	2	3	1	1	-	3	1	3
Female	20	3	4	2	-	-	2	1	1	-	3	-	4
Asian or Pacific Islander 2/, both sexes	53	5	6	6	8	4	2	7	1	3	2	2	7
Male	28	3	2	3	7	3	1	3	1	2	-	1	2
Female	25	2	4	3	1	1	1	4	-	1	2	1	5

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
With coma (E10.0)													
All races, both sexes	48	4	4	4	6	5	6	4	-	3	3	3	6
Male	25	3	1	3	4	2	4	1	-	3	1	2	1
Female	23	1	3	1	2	3	2	3	-	-	2	1	5
White, both sexes	37	3	4	3	5	5	4	3	-	3	3	-	4
Male	19	2	1	3	3	2	3	-	-	3	1	-	1
Female	18	1	3	-	2	3	1	3	-	-	2	-	3
Black, both sexes	8	1	-	1	-	-	2	1	-	-	-	3	-
Male	5	1	-	-	-	-	1	1	-	-	-	2	-
Female	3	-	-	1	-	-	1	-	-	-	-	1	-
American Indian 1/, both sexes	3	-	-	-	1	-	-	-	-	-	-	-	2
Male	1	-	-	-	1	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	-	-	-	-	2
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
With ketoacidosis (E10.1)													
All races, both sexes	181	13	15	16	8	14	12	16	19	11	14	14	29
Male	98	10	6	8	5	9	6	7	10	6	10	5	16
Female	83	3	9	8	3	5	6	9	9	5	4	9	13
White, both sexes	145	10	13	12	6	12	11	14	17	8	10	11	21
Male	79	9	5	6	4	9	6	6	9	4	7	3	11
Female	66	1	8	6	2	3	5	8	8	4	3	8	10
Black, both sexes	33	2	2	4	2	2	1	2	2	3	4	2	7
Male	17	1	1	2	1	-	-	1	1	2	3	1	4
Female	16	1	1	2	1	2	1	1	1	1	1	1	3
American Indian 1/, both sexes	2	1	-	-	-	-	-	-	-	-	-	-	1
Male	1	-	-	-	-	-	-	-	-	-	-	-	1
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	-	-	-	-	1	-
Male	1	-	-	-	-	-	-	-	-	-	-	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
With renal complications (E10.2)													
All races, both sexes	155	15	16	16	17	17	8	9	10	13	15	9	10
Male	71	6	9	5	8	10	4	4	2	4	9	5	5
Female	84	9	7	11	9	7	4	5	8	9	6	4	5
White, both sexes	133	15	12	14	15	14	6	6	9	11	13	9	9
Male	63	6	8	4	7	8	3	4	2	4	7	5	5
Female	70	9	4	10	8	6	3	2	7	7	6	4	4
Black, both sexes	20	-	3	2	2	3	2	2	1	2	2	-	1
Male	8	-	1	1	1	2	1	-	-	-	2	-	-
Female	12	-	2	1	1	1	1	2	1	2	-	-	1
American Indian 1/, both sexes	1	-	1	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	1	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	1	-	-	-	-	-
With ophthalmic complications (E10.3)													
All races, both sexes	13	-	3	2	-	2	1	3	-	1	-	-	1
Male	3	-	-	1	-	-	1	1	-	-	-	-	-
Female	10	-	3	1	-	2	-	2	-	1	-	-	1
White, both sexes	12	-	3	2	-	1	1	3	-	1	-	-	1
Male	3	-	-	1	-	-	1	1	-	-	-	-	-
Female	9	-	3	1	-	1	-	2	-	1	-	-	1
Black, both sexes	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
With neurological complications (E10.4)													
All races, both sexes	70	4	6	9	6	4	5	6	5	7	4	6	8
Male	33	2	2	5	4	1	3	3	3	1	2	3	4
Female	37	2	4	4	2	3	2	3	2	6	2	3	4
White, both sexes	64	4	6	9	5	1	5	6	5	7	3	6	7
Male	31	2	2	5	3	-	3	3	3	1	2	3	4
Female	33	2	4	4	2	1	2	3	2	6	1	3	3
Black, both sexes	6	-	-	-	1	3	-	-	-	-	1	-	1
Male	2	-	-	-	1	1	-	-	-	-	-	-	-
Female	4	-	-	-	-	2	-	-	-	-	1	-	1
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
With peripheral circulatory complications (E10.5)													
All races, both sexes	668	56	50	62	64	55	58	60	63	53	53	39	55
Male	322	25	24	19	34	30	31	33	29	21	28	20	28
Female	346	31	26	43	30	25	27	27	34	32	25	19	27
White, both sexes	512	44	36	47	54	37	45	46	51	42	37	29	44
Male	251	19	17	16	29	22	24	26	24	18	19	14	23
Female	261	25	19	31	25	15	21	20	27	24	18	15	21
Black, both sexes	144	10	13	14	10	16	12	12	12	10	15	9	11
Male	61	4	6	2	5	6	6	6	5	2	9	5	5
Female	83	6	7	12	5	10	6	6	7	8	6	4	6
American Indian 1/, both sexes	5	1	-	-	-	1	1	1	-	-	-	1	-
Male	5	1	-	-	-	1	1	1	-	-	-	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	7	1	1	1	-	1	-	1	-	1	1	-	-
Male	5	1	1	1	-	1	-	-	-	1	-	-	-
Female	2	-	-	-	-	-	-	1	-	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
With other specified complications (E10.6)													
All races, both sexes	36	1	4	7	6	1	2	-	3	5	2	4	1
Male	15	1	1	2	2	1	1	-	1	2	1	2	1
Female	21	-	3	5	4	-	1	-	2	3	1	2	-
White, both sexes	30	1	4	6	3	1	2	-	3	4	2	3	1
Male	15	1	1	2	2	1	1	-	1	2	1	2	1
Female	15	-	3	4	1	-	1	-	2	2	1	1	-
Black, both sexes	6	-	-	1	3	-	-	-	-	1	-	1	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	6	-	-	1	3	-	-	-	-	1	-	1	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
With multiple complications (E10.7)													
All races, both sexes	128	16	13	9	14	10	12	7	15	10	6	7	9
Male	62	10	9	2	10	3	5	1	8	5	5	2	2
Female	66	6	4	7	4	7	7	6	7	5	1	5	7
White, both sexes	106	11	12	8	10	8	11	5	14	9	6	5	7
Male	51	6	8	2	7	3	4	1	8	4	5	1	2
Female	55	5	4	6	3	5	7	4	6	5	1	4	5
Black, both sexes	21	5	1	1	4	2	1	2	1	1	-	2	1
Male	11	4	1	-	3	-	1	-	-	1	-	1	-
Female	10	1	-	1	1	2	-	2	1	-	-	1	1
American Indian 1/, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
With unspecified complications (E10.8)													
All races, both sexes	3	-	1	-	-	-	-	-	-	-	1	1	-
Male	3	-	1	-	-	-	-	-	-	-	1	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	3	-	1	-	-	-	-	-	-	-	1	1	-
Male	3	-	1	-	-	-	-	-	-	-	1	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Without complications (E10.9)													
All races, both sexes	4,944	492	415	449	415	380	388	401	380	378	400	377	469
Male	2,242	220	195	201	181	184	171	198	156	175	173	183	205
Female	2,702	272	220	248	234	196	217	203	224	203	227	194	264
White, both sexes	4,093	412	337	377	339	314	330	318	313	315	324	319	395
Male	1,875	189	162	169	147	159	147	156	129	144	145	150	178
Female	2,218	223	175	208	192	155	183	162	184	171	179	169	217
Black, both sexes	777	72	68	64	67	62	52	77	64	61	69	57	64
Male	330	27	30	29	26	22	21	39	25	30	25	33	23
Female	447	45	38	35	41	40	31	38	39	31	44	24	41
American Indian 1/, both sexes	30	4	5	3	1	1	4	1	2	-	6	-	3
Male	15	2	2	1	1	1	2	-	1	-	3	-	2
Female	15	2	3	2	-	-	2	1	1	-	3	-	1
Asian or Pacific Islander 2/, both sexes	44	4	5	5	8	3	2	5	1	2	1	1	7
Male	22	2	1	2	7	2	1	3	1	1	-	-	2
Female	22	2	4	3	1	1	1	2	-	1	1	1	5

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Noninsulin-dependent diabetes mellitus (E11)													
All races, both sexes	14,947	1,325	1,239	1,332	1,250	1,218	1,132	1,142	1,082	1,205	1,247	1,253	1,522
Male	6,936	631	586	630	540	561	487	520	515	566	600	606	694
Female	8,011	694	653	702	710	657	645	622	567	639	647	647	828
White, both sexes	12,654	1,112	1,048	1,155	1,043	1,037	959	950	910	1,026	1,052	1,071	1,291
Male	6,011	543	501	560	472	488	421	452	434	483	524	526	607
Female	6,643	569	547	595	571	549	538	498	476	543	528	545	684
Black, both sexes	1,849	177	148	144	165	143	136	156	136	142	160	147	195
Male	733	76	66	52	54	57	49	55	61	64	64	63	72
Female	1,116	101	82	92	111	86	87	101	75	78	96	84	123
American Indian 1/, both sexes	210	14	14	21	22	13	19	19	17	15	18	15	23
Male	92	3	7	13	8	4	9	6	10	9	6	9	8
Female	118	11	7	8	14	9	10	13	7	6	12	6	15
Asian or Pacific Islander 2/, both sexes	234	22	29	12	20	25	18	17	19	22	17	20	13
Male	100	9	12	5	6	12	8	7	10	10	6	8	7
Female	134	13	17	7	14	13	10	10	9	12	11	12	6
With coma (E11.0)													
All races, both sexes	81	6	10	5	7	7	7	4	7	7	8	6	7
Male	28	1	3	1	3	3	2	2	4	3	3	3	-
Female	53	5	7	4	4	4	5	2	3	4	5	3	7
White, both sexes	64	5	8	4	5	5	4	4	7	6	6	5	5
Male	25	1	2	1	3	2	2	2	4	2	3	3	-
Female	39	4	6	3	2	3	2	2	3	4	3	2	5
Black, both sexes	16	1	2	-	2	2	3	-	-	1	2	1	2
Male	3	-	1	-	-	1	-	-	-	1	-	-	-
Female	13	1	1	-	2	1	3	-	-	-	2	1	2
American Indian 1/, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
With ketoacidosis (E11.1)													
All races, both sexes	106	11	8	6	9	6	9	7	6	7	7	15	15
Male	50	4	4	1	5	2	5	2	3	2	5	7	10
Female	56	7	4	5	4	4	4	5	3	5	2	8	5
White, both sexes	80	10	8	4	8	3	6	5	5	7	6	10	8
Male	37	4	4	1	4	-	3	2	2	2	4	5	6
Female	43	6	4	3	4	3	3	3	3	5	2	5	2
Black, both sexes	18	1	-	1	-	3	2	2	1	-	-	4	4
Male	9	-	-	-	-	2	1	-	1	-	-	2	3
Female	9	1	-	1	-	1	1	2	-	-	-	2	1
American Indian 1/, both sexes	3	-	-	-	1	-	-	-	-	-	-	1	1
Male	1	-	-	-	1	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	-	-	-	1	1
Asian or Pacific Islander 2/, both sexes	5	-	-	1	-	-	1	-	-	-	1	-	2
Male	3	-	-	-	-	-	1	-	-	-	1	-	1
Female	2	-	-	1	-	-	-	-	-	-	-	-	1
With renal complications (E11.2)													
All races, both sexes	340	31	23	25	22	30	27	13	31	38	35	31	34
Male	166	9	12	18	11	12	10	5	11	19	22	17	20
Female	174	22	11	7	11	18	17	8	20	19	13	14	14
White, both sexes	290	28	20	19	17	25	26	11	26	29	31	27	31
Male	145	9	11	13	9	12	9	5	10	16	20	14	17
Female	145	19	9	6	8	13	17	6	16	13	11	13	14
Black, both sexes	39	3	2	3	4	4	-	2	4	7	4	4	2
Male	15	-	1	3	2	-	-	-	1	1	2	3	2
Female	24	3	1	-	2	4	-	2	3	6	2	1	-
American Indian 1/, both sexes	7	-	1	3	-	1	1	-	-	1	-	-	-
Male	4	-	-	2	-	-	1	-	-	1	-	-	-
Female	3	-	1	1	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	4	-	-	-	1	-	-	-	1	1	-	-	1
Male	2	-	-	-	-	-	-	-	-	1	-	-	1
Female	2	-	-	-	1	-	-	-	1	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
With ophthalmic complications (E11.3)													
All races, both sexes	15	3	1	-	1	-	4	2	-	2	1	-	1
Male	9	3	1	-	-	-	1	2	-	-	1	-	1
Female	6	-	-	-	1	-	3	-	-	2	-	-	-
White, both sexes	14	3	1	-	1	-	4	2	-	2	-	-	1
Male	8	3	1	-	-	-	1	2	-	-	-	-	1
Female	6	-	-	-	1	-	3	-	-	2	-	-	-
Black, both sexes	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
With neurological complications (E11.4)													
All races, both sexes	100	3	12	7	5	7	5	6	9	13	13	11	9
Male	48	3	5	4	2	4	2	-	6	7	6	6	3
Female	52	-	7	3	3	3	3	6	3	6	7	5	6
White, both sexes	93	3	11	6	5	7	4	5	8	12	13	10	9
Male	47	3	5	4	2	4	2	-	6	6	6	6	3
Female	46	-	6	2	3	3	2	5	2	6	7	4	6
Black, both sexes	6	-	1	1	-	-	1	1	1	-	-	1	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	6	-	1	1	-	-	1	1	1	-	-	1	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	-	-	1	-	-	-
Male	1	-	-	-	-	-	-	-	-	1	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
With peripheral circulatory complications (E11.5)													
All races, both sexes	1,663	147	154	147	135	142	134	144	138	125	110	148	139
Male	805	71	75	68	68	64	68	79	67	58	57	71	59
Female	858	76	79	79	67	78	66	65	71	67	53	77	80
White, both sexes	1,346	123	129	118	108	124	108	115	108	103	83	120	107
Male	675	62	65	57	53	57	55	71	54	47	46	56	52
Female	671	61	64	61	55	67	53	44	54	56	37	64	55
Black, both sexes	266	19	23	25	21	16	20	22	25	20	23	23	29
Male	106	8	8	8	12	6	11	6	11	10	10	11	5
Female	160	11	15	17	9	10	9	16	14	10	13	12	24
American Indian 1/, both sexes	28	3	-	2	3	1	2	2	5	-	2	5	3
Male	15	1	-	1	2	-	1	1	2	-	1	4	2
Female	13	2	-	1	1	1	1	1	3	-	1	1	1
Asian or Pacific Islander 2/, both sexes	23	2	2	2	3	1	4	5	-	2	2	-	-
Male	9	-	2	2	1	1	1	1	-	1	-	-	-
Female	14	2	-	-	2	-	3	4	-	1	2	-	-
With other specified complications (E11.6)													
All races, both sexes	61	1	6	5	7	10	3	3	1	7	5	6	7
Male	20	-	3	2	3	1	2	2	-	2	1	2	2
Female	41	1	3	3	4	9	1	1	1	5	4	4	5
White, both sexes	50	1	6	5	6	8	1	3	1	7	3	5	4
Male	18	-	3	2	3	-	1	2	-	2	1	2	2
Female	32	1	3	3	3	8	-	1	1	5	2	3	2
Black, both sexes	9	-	-	-	1	2	1	-	-	-	2	1	2
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	8	-	-	-	1	1	1	-	-	-	2	1	2
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	2	-	-	-	-	-	1	-	-	-	-	-	1
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
With multiple complications (E11.7)													
All races, both sexes	157	11	13	14	12	15	11	10	13	15	22	10	11
Male	85	6	8	9	7	8	6	5	8	11	11	3	3
Female	72	5	5	5	5	7	5	5	5	4	11	7	8
White, both sexes	129	11	10	10	9	13	11	7	9	13	20	7	9
Male	75	6	7	6	5	7	6	5	6	10	11	3	3
Female	54	5	3	4	4	6	5	2	3	3	9	4	6
Black, both sexes	23	-	2	2	3	2	-	2	3	2	2	3	2
Male	9	-	1	2	2	1	-	-	2	1	-	-	-
Female	14	-	1	-	1	1	-	2	1	1	2	3	2
American Indian 1/, both sexes	4	-	1	1	-	-	-	1	1	-	-	-	-
Male	1	-	-	1	-	-	-	-	-	-	-	-	-
Female	3	-	1	-	-	-	-	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	1	-	-	-	-	-	-	-	-	-
With unspecified complications (E11.8)													
All races, both sexes	5	-	2	1	1	-	-	-	-	-	-	1	-
Male	3	-	1	1	-	-	-	-	-	-	-	1	-
Female	2	-	1	-	1	-	-	-	-	-	-	-	-
White, both sexes	3	-	1	1	1	-	-	-	-	-	-	-	-
Male	2	-	1	1	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	1	-	-	-	-	-	-	-	-
Black, both sexes	2	-	1	-	-	-	-	-	-	-	-	1	-
Male	1	-	-	-	-	-	-	-	-	-	-	1	-
Female	1	-	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Without complications (E11.9)													
All races, both sexes	12,419	1,112	1,010	1,122	1,051	1,001	932	953	877	991	1,046	1,025	1,299
Male	5,722	534	474	526	441	467	391	423	416	464	494	496	596
Female	6,697	578	536	596	610	534	541	530	461	527	552	529	703
White, both sexes	10,585	928	854	988	883	852	795	798	746	847	890	887	1,117
Male	4,979	455	402	475	393	406	342	363	352	398	433	437	523
Female	5,606	473	452	513	490	446	453	435	394	449	457	450	594
Black, both sexes	1,469	153	117	112	134	114	109	127	102	112	126	109	154
Male	588	68	55	39	38	46	37	49	46	51	51	46	62
Female	881	85	62	73	96	68	72	78	56	61	75	63	92
American Indian 1/, both sexes	167	11	12	14	18	11	16	16	11	14	16	9	19
Male	71	2	7	9	5	4	7	5	8	8	5	5	6
Female	96	9	5	5	13	7	9	11	3	6	11	4	13
Asian or Pacific Islander 2/, both sexes	198	20	27	8	16	24	12	12	18	18	14	20	9
Male	84	9	10	3	5	11	5	6	10	7	5	8	5
Female	114	11	17	5	11	13	7	6	8	11	9	12	4
Malnutrition-related diabetes mellitus (E12)													
All races, both sexes	2	-	-	-	-	1	-	-	-	-	-	1	-
Male	1	-	-	-	-	-	-	-	-	-	-	1	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-
White, both sexes	2	-	-	-	-	1	-	-	-	-	-	1	-
Male	1	-	-	-	-	-	-	-	-	-	-	1	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
With multiple complications (E12.7)													
All races, both sexes	1	-	-	-	-	-	-	-	-	-	-	1	-
Male	1	-	-	-	-	-	-	-	-	-	-	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	-	-	-	-	-	-	-	1	-
Male	1	-	-	-	-	-	-	-	-	-	-	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Without complications (E12.9)													
All races, both sexes	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other specified diabetes mellitus (E13)													
All races, both sexes	8	2	-	3	-	-	1	2	-	-	-	-	-
Male	2	1	-	1	-	-	-	-	-	-	-	-	-
Female	6	1	-	2	-	-	1	2	-	-	-	-	-
White, both sexes	4	2	-	2	-	-	-	-	-	-	-	-	-
Male	2	1	-	1	-	-	-	-	-	-	-	-	-
Female	2	1	-	1	-	-	-	-	-	-	-	-	-
Black, both sexes	3	-	-	-	-	-	1	2	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	3	-	-	-	-	-	1	2	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	1	-	-	-	-	-	-	-	-	-
With coma (E13.0)													
All races, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	1	-	-	-	-	-	-	-	-	-
White, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	1	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
With ketoacidosis (E13.1)													
All races, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	1	-	-	1	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	1	-	-	1	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
With unspecified complications (E13.8)													
All races, both sexes	2	-	-	1	-	-	-	1	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	1	-	-	-	1	-	-	-	-	-
White, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	1	-	-	-	-	-	-	-	-	-
Black, both sexes	1	-	-	-	-	-	-	1	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Without complications (E13.9)													
All races, both sexes	4	2	-	-	-	-	1	1	-	-	-	-	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	3	1	-	-	-	-	1	1	-	-	-	-	-
White, both sexes	2	2	-	-	-	-	-	-	-	-	-	-	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	2	-	-	-	-	-	1	1	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	1	1	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Unspecified diabetes mellitus (E14)													
All races, both sexes	53,016	4,936	4,437	4,624	4,337	4,165	4,157	4,138	4,160	4,179	4,432	4,267	5,184
Male	25,625	2,397	2,131	2,241	2,060	1,994	1,977	2,018	2,050	2,072	2,152	2,063	2,470
Female	27,391	2,539	2,306	2,383	2,277	2,171	2,180	2,120	2,110	2,107	2,280	2,204	2,714
White, both sexes	41,304	3,881	3,472	3,618	3,371	3,183	3,207	3,168	3,248	3,297	3,487	3,328	4,044
Male	20,535	1,925	1,716	1,782	1,649	1,566	1,581	1,614	1,633	1,688	1,741	1,644	1,996
Female	20,769	1,956	1,756	1,836	1,722	1,617	1,626	1,554	1,615	1,609	1,746	1,684	2,048
Black, both sexes	10,024	920	835	883	835	835	812	837	776	741	816	798	936
Male	4,258	407	339	406	346	352	327	350	350	321	346	346	368
Female	5,766	513	496	477	489	483	485	487	426	420	470	452	568
American Indian 1/, both sexes	531	37	32	40	41	43	45	37	46	50	44	52	64
Male	253	18	20	17	19	18	24	9	23	23	24	23	35
Female	278	19	12	23	22	25	21	28	23	27	20	29	29
Asian or Pacific Islander 2/, both sexes	1,157	98	98	83	90	104	93	96	90	91	85	89	140
Male	579	47	56	36	46	58	45	45	44	40	41	50	71
Female	578	51	42	47	44	46	48	51	46	51	44	39	69

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
With coma (E14.0)													
All races, both sexes	467	49	32	54	34	41	31	33	29	36	45	37	46
Male	207	20	10	24	18	22	11	12	17	21	18	18	16
Female	260	29	22	30	16	19	20	21	12	15	27	19	30
White, both sexes	353	39	25	36	25	29	22	26	22	29	35	27	38
Male	155	15	8	16	13	15	7	6	15	17	16	13	14
Female	198	24	17	20	12	14	15	20	7	12	19	14	24
Black, both sexes	101	10	7	17	9	11	7	5	6	6	8	8	7
Male	46	5	2	7	5	7	3	5	2	3	1	4	2
Female	55	5	5	10	4	4	4	-	4	3	7	4	5
American Indian 1/, both sexes	6	-	-	-	-	-	1	1	-	1	1	1	1
Male	3	-	-	-	-	-	1	1	-	1	-	-	-
Female	3	-	-	-	-	-	-	-	-	-	1	1	1
Asian or Pacific Islander 2/, both sexes	7	-	-	1	-	1	1	1	1	-	1	1	-
Male	3	-	-	1	-	-	-	-	-	-	1	1	-
Female	4	-	-	-	-	1	1	1	1	-	-	-	-
With ketoacidosis (E14.1)													
All races, both sexes	1,647	145	167	140	134	107	143	130	136	111	128	140	166
Male	948	81	112	94	73	59	74	75	70	63	70	79	98
Female	699	64	55	46	61	48	69	55	66	48	58	61	68
White, both sexes	1,151	97	114	98	94	69	91	92	105	87	81	100	123
Male	667	54	77	66	54	37	47	54	53	49	43	58	75
Female	484	43	37	32	40	32	44	38	52	38	38	42	48
Black, both sexes	462	45	51	39	38	36	45	36	28	22	45	38	39
Male	259	24	33	27	18	21	21	19	16	13	25	20	22
Female	203	21	18	12	20	15	24	17	12	9	20	18	17
American Indian 1/, both sexes	9	2	1	-	-	-	1	2	-	-	-	1	2
Male	7	2	1	-	-	-	-	2	-	-	-	1	1
Female	2	-	-	-	-	-	1	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes	25	1	1	3	2	2	6	-	3	2	2	1	2
Male	15	1	1	1	1	1	6	-	1	1	2	-	-
Female	10	-	-	2	1	1	-	-	2	1	-	1	2

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
With renal complications (E14.2)													
All races, both sexes	1,216	91	94	99	100	87	91	110	128	100	107	108	101
Male	597	44	45	50	50	51	47	44	65	47	51	51	52
Female	619	47	49	49	50	36	44	66	63	53	56	57	49
White, both sexes	990	80	75	79	76	68	81	87	103	79	92	85	85
Male	481	35	37	36	40	40	41	33	51	37	43	42	46
Female	509	45	38	43	36	28	40	54	52	42	49	43	39
Black, both sexes	178	10	16	14	18	18	8	22	21	14	9	17	11
Male	85	8	7	9	7	10	5	10	10	6	4	5	4
Female	93	2	9	5	11	8	3	12	11	8	5	12	7
American Indian 1/, both sexes	11	-	-	1	2	-	1	-	2	1	2	1	1
Male	5	-	-	1	-	-	-	-	2	-	1	-	1
Female	6	-	-	-	2	-	1	-	-	1	1	1	-
Asian or Pacific Islander 2/, both sexes	37	1	3	5	4	1	1	1	2	6	4	5	4
Male	26	1	1	4	3	1	1	1	2	4	3	4	1
Female	11	-	2	1	1	-	-	-	-	2	1	1	3
With ophthalmic complications (E14.3)													
All races, both sexes	28	2	1	3	5	3	2	3	2	1	2	1	3
Male	13	-	-	2	2	1	-	2	1	1	1	1	2
Female	15	2	1	1	3	2	2	1	1	-	1	-	1
White, both sexes	22	2	1	2	4	2	2	2	1	1	1	1	3
Male	9	-	-	1	1	-	-	1	1	1	1	1	2
Female	13	2	1	1	3	2	2	1	-	-	-	-	1
Black, both sexes	6	-	-	1	1	1	-	1	1	-	1	-	-
Male	4	-	-	1	1	1	-	1	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	1	-	1	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
With neurological complications (E14.4)													
All races, both sexes	263	23	22	18	20	18	27	21	21	26	25	21	21
Male	147	12	10	11	14	10	11	15	12	15	14	12	11
Female	116	11	12	7	6	8	16	6	9	11	11	9	10
White, both sexes	235	21	19	17	18	17	26	16	18	22	23	19	19
Male	137	11	10	11	13	9	11	11	12	13	14	12	10
Female	98	10	9	6	5	8	15	5	6	9	9	7	9
Black, both sexes	24	2	3	1	2	1	1	4	3	4	2	-	1
Male	9	1	-	-	1	1	-	4	-	2	-	-	-
Female	15	1	3	1	1	-	1	-	3	2	2	-	1
American Indian 1/, both sexes	3	-	-	-	-	-	-	1	-	-	-	1	1
Male	1	-	-	-	-	-	-	-	-	-	-	-	1
Female	2	-	-	-	-	-	-	1	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	-	-	-	-	1	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-
With peripheral circulatory complications (E14.5)													
All races, both sexes	5,430	517	462	472	467	409	450	452	415	430	469	416	471
Male	2,660	255	214	215	231	197	218	225	197	218	231	212	247
Female	2,770	262	248	257	236	212	232	227	218	212	238	204	224
White, both sexes	4,055	403	341	353	340	297	305	352	297	343	354	315	355
Male	2,109	205	168	166	177	152	162	186	156	190	183	170	194
Female	1,946	198	173	187	163	145	143	166	141	153	171	145	161
Black, both sexes	1,207	103	105	105	112	103	125	90	98	79	102	90	95
Male	468	43	35	45	44	42	47	36	31	26	42	36	41
Female	739	60	70	60	68	61	78	54	67	53	60	54	54
American Indian 1/, both sexes	63	3	5	4	5	4	8	4	9	3	4	6	8
Male	28	2	2	2	3	1	4	-	4	1	1	4	4
Female	35	1	3	2	2	3	4	4	5	2	3	2	4
Asian or Pacific Islander 2/, both sexes	105	8	11	10	10	5	12	6	11	5	9	5	13
Male	55	5	9	2	7	2	5	3	6	1	5	2	8
Female	50	3	2	8	3	3	7	3	5	4	4	3	5

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
With other specified complications (E14.6)													
All races, both sexes	193	17	15	12	12	14	22	13	17	20	12	15	24
Male	78	9	4	3	7	5	5	8	3	10	5	8	11
Female	115	8	11	9	5	9	17	5	14	10	7	7	13
White, both sexes	155	16	13	9	11	11	19	10	12	13	10	11	20
Male	59	8	3	2	7	3	4	7	2	6	3	6	8
Female	96	8	10	7	4	8	15	3	10	7	7	5	12
Black, both sexes	31	1	2	3	1	3	2	3	4	5	2	2	3
Male	16	1	1	1	-	2	1	1	1	3	2	1	2
Female	15	-	1	2	1	1	1	2	3	2	-	1	1
American Indian 1/, both sexes	4	-	-	-	-	-	-	-	1	1	-	2	-
Male	2	-	-	-	-	-	-	-	-	1	-	1	-
Female	2	-	-	-	-	-	-	-	1	-	-	1	-
Asian or Pacific Islander 2/, both sexes	3	-	-	-	-	-	1	-	-	1	-	-	1
Male	1	-	-	-	-	-	-	-	-	-	-	-	1
Female	2	-	-	-	-	-	1	-	-	1	-	-	-
With multiple complications (E14.7)													
All races, both sexes	418	36	32	32	42	30	36	46	35	41	27	23	38
Male	211	18	15	20	22	14	17	23	16	22	13	12	19
Female	207	18	17	12	20	16	19	23	19	19	14	11	19
White, both sexes	309	28	27	23	31	22	29	30	26	34	19	14	26
Male	166	15	12	16	19	12	15	16	13	19	9	5	15
Female	143	13	15	7	12	10	14	14	13	15	10	9	11
Black, both sexes	95	8	3	9	11	6	7	13	7	7	8	6	10
Male	35	3	1	4	3	1	2	5	2	3	4	4	3
Female	60	5	2	5	8	5	5	8	5	4	4	2	7
American Indian 1/, both sexes	4	-	-	-	-	-	-	2	-	-	-	2	-
Male	4	-	-	-	-	-	-	2	-	-	-	2	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	10	-	2	-	-	2	-	1	2	-	-	1	2
Male	6	-	2	-	-	1	-	-	1	-	-	1	1
Female	4	-	-	-	-	1	-	1	1	-	-	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
With unspecified complications (E14.8)													
All races, both sexes	68	7	4	3	3	6	5	3	9	4	10	5	9
Male	31	3	1	1	2	-	3	2	7	2	2	5	3
Female	37	4	3	2	1	6	2	1	2	2	8	-	6
White, both sexes	55	5	3	3	3	4	5	2	6	3	9	4	8
Male	23	2	1	1	2	-	3	2	4	1	1	4	2
Female	32	3	2	2	1	4	2	-	2	2	8	-	6
Black, both sexes	13	2	1	-	-	2	-	1	3	1	1	1	1
Male	8	1	-	-	-	-	-	-	3	1	1	1	1
Female	5	1	1	-	-	2	-	1	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Without complications (E14.9)													
All races, both sexes	43,286	4,049	3,608	3,791	3,520	3,450	3,350	3,327	3,368	3,410	3,607	3,501	4,305
Male	20,733	1,955	1,720	1,821	1,641	1,635	1,591	1,612	1,662	1,673	1,747	1,665	2,011
Female	22,553	2,094	1,888	1,970	1,879	1,815	1,759	1,715	1,706	1,737	1,860	1,836	2,294
White, both sexes	33,979	3,190	2,854	2,998	2,769	2,664	2,627	2,551	2,658	2,686	2,863	2,752	3,367
Male	16,729	1,580	1,400	1,467	1,323	1,298	1,291	1,298	1,326	1,355	1,428	1,333	1,630
Female	17,250	1,610	1,454	1,531	1,446	1,366	1,336	1,253	1,332	1,331	1,435	1,419	1,737
Black, both sexes	7,907	739	647	694	643	654	617	662	605	603	638	636	769
Male	3,328	321	260	312	267	267	248	269	285	264	267	275	293
Female	4,579	418	387	382	376	387	369	393	320	339	371	361	476
American Indian 1/, both sexes	431	32	26	35	34	39	34	27	34	44	37	38	51
Male	203	14	17	14	16	17	19	4	17	20	22	15	28
Female	228	18	9	21	18	22	15	23	17	24	15	23	23
Asian or Pacific Islander 2/, both sexes	969	88	81	64	74	93	72	87	71	77	69	75	118
Male	473	40	43	28	35	53	33	41	34	34	30	42	60
Female	496	48	38	36	39	40	39	46	37	43	39	33	58

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Nondiabetic hypoglycemic coma (E15)													
All races, both sexes	36	6	1	2	3	2	3	1	2	5	3	3	5
Male	17	4	-	1	-	1	1	-	2	2	2	1	3
Female	19	2	1	1	3	1	2	1	-	3	1	2	2
White, both sexes	22	4	1	-	1	1	3	1	1	2	2	2	4
Male	11	3	-	-	-	1	1	-	1	1	1	1	2
Female	11	1	1	-	1	-	2	1	-	1	1	1	2
Black, both sexes	13	1	-	2	2	1	-	-	1	3	1	1	1
Male	5	-	-	1	-	-	-	-	1	1	1	-	1
Female	8	1	-	1	2	1	-	-	-	2	-	1	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other disorders of pancreatic internal secretion (E16)													
All races, both sexes	218	24	11	22	25	14	15	18	20	24	19	11	15
Male	113	14	5	8	15	8	8	10	12	12	12	4	5
Female	105	10	6	14	10	6	7	8	8	12	7	7	10
White, both sexes	160	19	7	15	16	12	9	10	19	20	11	10	12
Male	79	12	2	6	8	6	4	5	11	11	7	4	3
Female	81	7	5	9	8	6	5	5	8	9	4	6	9
Black, both sexes	55	4	4	6	9	2	6	8	-	4	8	1	3
Male	32	1	3	2	7	2	4	5	-	1	5	-	2
Female	23	3	1	4	2	-	2	3	-	3	3	1	1
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	3	1	-	1	-	-	-	-	1	-	-	-	-
Male	2	1	-	-	-	-	-	-	1	-	-	-	-
Female	1	-	-	1	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Drug-induced hypoglycemia without coma (E16.0)													
All races, both sexes	3	-	-	-	-	1	-	-	1	-	-	-	1
Male	2	-	-	-	-	-	-	-	1	-	-	-	1
Female	1	-	-	-	-	1	-	-	-	-	-	-	-
White, both sexes	3	-	-	-	-	1	-	-	1	-	-	-	1
Male	2	-	-	-	-	-	-	-	1	-	-	-	1
Female	1	-	-	-	-	1	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other hypoglycemia (E16.1)													
All races, both sexes	3	-	-	2	-	-	1	-	-	-	-	-	-
Male	2	-	-	1	-	-	1	-	-	-	-	-	-
Female	1	-	-	1	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	1	-	-	1	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	2	-	-	1	-	-	1	-	-	-	-	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	1	-	-	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Hypoglycemia, unspecified (E16.2)													
All races, both sexes	199	22	9	18	24	13	14	18	18	21	17	11	14
Male	104	14	4	7	14	8	7	10	11	11	10	4	4
Female	95	8	5	11	10	5	7	8	7	10	7	7	10
White, both sexes	146	18	6	12	16	11	9	10	17	17	9	10	11
Male	73	12	2	5	8	6	4	5	10	10	5	4	2
Female	73	6	4	7	8	5	5	5	7	7	4	6	9
Black, both sexes	50	3	3	5	8	2	5	8	-	4	8	1	3
Male	29	1	2	2	6	2	3	5	-	1	5	-	2
Female	21	2	1	3	2	-	2	3	-	3	3	1	1
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	3	1	-	1	-	-	-	-	1	-	-	-	-
Male	2	1	-	-	-	-	-	-	1	-	-	-	-
Female	1	-	-	1	-	-	-	-	-	-	-	-	-
Abnormal secretion of gastrin (E16.4)													
All races, both sexes	12	1	2	2	1	-	-	-	1	3	2	-	-
Male	5	-	1	-	1	-	-	-	-	1	2	-	-
Female	7	1	1	2	-	-	-	-	1	2	-	-	-
White, both sexes	10	1	1	2	-	-	-	-	1	3	2	-	-
Male	3	-	-	-	-	-	-	-	-	1	2	-	-
Female	7	1	1	2	-	-	-	-	1	2	-	-	-
Black, both sexes	2	-	1	-	1	-	-	-	-	-	-	-	-
Male	2	-	1	-	1	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other specified disorders of pancreatic internal secretion (E16.8)													
All races, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypoparathyroidism (E20)													
All races, both sexes	12	-	-	-	2	1	-	2	4	-	1	-	2
Male	6	-	-	-	2	-	-	1	1	-	-	-	2
Female	6	-	-	-	-	1	-	1	3	-	1	-	-
White, both sexes	10	-	-	-	1	1	-	2	4	-	1	-	1
Male	4	-	-	-	1	-	-	1	1	-	-	-	1
Female	6	-	-	-	-	1	-	1	3	-	1	-	-
Black, both sexes	2	-	-	-	1	-	-	-	-	-	-	-	1
Male	2	-	-	-	1	-	-	-	-	-	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Hypoparathyroidism, unspecified (E20.9)													
All races, both sexes	12	-	-	-	2	1	-	2	4	-	1	-	2
Male	6	-	-	-	2	-	-	1	1	-	-	-	2
Female	6	-	-	-	-	1	-	1	3	-	1	-	-
White, both sexes	10	-	-	-	1	1	-	2	4	-	1	-	1
Male	4	-	-	-	1	-	-	1	1	-	-	-	1
Female	6	-	-	-	-	1	-	1	3	-	1	-	-
Black, both sexes	2	-	-	-	1	-	-	-	-	-	-	-	1
Male	2	-	-	-	1	-	-	-	-	-	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperparathyroidism and other disorders of parathyroid gland (E21)													
All races, both sexes	93	9	4	9	6	2	4	13	4	9	12	12	9
Male	19	2	-	3	-	-	1	7	-	3	1	1	1
Female	74	7	4	6	6	2	3	6	4	6	11	11	8
White, both sexes	73	6	2	9	4	2	3	10	3	8	11	10	5
Male	16	1	-	3	-	-	1	5	-	3	1	1	1
Female	57	5	2	6	4	2	2	5	3	5	10	9	4
Black, both sexes	18	3	1	-	2	-	1	3	1	1	1	1	4
Male	3	1	-	-	-	-	-	2	-	-	-	-	-
Female	15	2	1	-	2	-	1	1	1	1	1	1	4
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	2	-	1	-	-	-	-	-	-	-	-	1	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	1	-	-	-	-	-	-	-	-	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Primary hyperparathyroidism (E21.0)													
All races, both sexes	1	-	-	-	-	-	-	-	-	-	-	1	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-
White, both sexes	1	-	-	-	-	-	-	-	-	-	-	1	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Secondary hyperparathyroidism, not elsewhere classified (E21.1)													
All races, both sexes	3	1	-	-	-	-	1	-	1	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	3	1	-	-	-	-	1	-	1	-	-	-	-
White, both sexes	2	1	-	-	-	-	1	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	1	-	-	-	-	1	-	-	-	-	-	-
Black, both sexes	1	-	-	-	-	-	-	-	1	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Hyperparathyroidism, unspecified (E21.3)													
All races, both sexes	88	8	4	8	6	2	3	13	3	9	12	11	9
Male	18	2	-	2	-	-	1	7	-	3	1	1	1
Female	70	6	4	6	6	2	2	6	3	6	11	10	8
White, both sexes	69	5	2	8	4	2	2	10	3	8	11	9	5
Male	15	1	-	2	-	-	1	5	-	3	1	1	1
Female	54	4	2	6	4	2	1	5	3	5	10	8	4
Black, both sexes	17	3	1	-	2	-	1	3	-	1	1	1	4
Male	3	1	-	-	-	-	-	2	-	-	-	-	-
Female	14	2	1	-	2	-	1	1	-	1	1	1	4
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	2	-	1	-	-	-	-	-	-	-	-	1	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	1	-	-	-	-	-	-	-	-	1	-
Disorder of parathyroid gland, unspecified (E21.5)													
All races, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	1	-	-	1	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	1	-	-	1	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Hyperfunction of pituitary gland (E22)													
All races, both sexes	56	5	3	5	4	3	4	5	5	4	8	4	6
Male	11	1	-	-	2	2	1	1	-	-	2	1	1
Female	45	4	3	5	2	1	3	4	5	4	6	3	5
White, both sexes	51	5	2	4	4	3	4	4	5	4	7	4	5
Male	9	1	-	-	2	2	1	-	-	-	2	1	-
Female	42	4	2	4	2	1	3	4	5	4	5	3	5
Black, both sexes	3	-	1	-	-	-	-	1	-	-	1	-	-
Male	1	-	-	-	-	-	-	1	-	-	-	-	-
Female	2	-	1	-	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	1	-	-	-	-	-	-	-	-	-	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	1	-	-	-	-	-	-	-	-	-
Acromegaly and pituitary gigantism (E22.0)													
All races, both sexes	10	2	-	2	1	2	-	1	-	-	1	-	1
Male	5	-	-	-	1	1	-	1	-	-	1	-	1
Female	5	2	-	2	-	1	-	-	-	-	-	-	-
White, both sexes	8	2	-	2	1	2	-	-	-	-	1	-	-
Male	3	-	-	-	1	1	-	-	-	-	1	-	-
Female	5	2	-	2	-	1	-	-	-	-	-	-	-
Black, both sexes	1	-	-	-	-	-	-	1	-	-	-	-	-
Male	1	-	-	-	-	-	-	1	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	1	-	-	-	-	-	-	-	-	-	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Syndrome of inappropriate secretion of antidiuretic hormone (E22.2)													
All races, both sexes	46	3	3	3	3	1	4	4	5	4	7	4	5
Male	6	1	-	-	1	1	1	-	-	-	1	1	-
Female	40	2	3	3	2	-	3	4	5	4	6	3	5
White, both sexes	43	3	2	2	3	1	4	4	5	4	6	4	5
Male	6	1	-	-	1	1	1	-	-	-	1	1	-
Female	37	2	2	2	2	-	3	4	5	4	5	3	5
Black, both sexes	2	-	1	-	-	-	-	-	-	-	1	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	1	-	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	1	-	-	-	-	-	-	-	-	-
Hypofunction and other disorders of the pituitary gland (E23)													
All races, both sexes	149	10	15	13	7	13	13	10	7	9	10	14	28
Male	83	8	6	9	3	8	4	7	4	3	5	8	18
Female	66	2	9	4	4	5	9	3	3	6	5	6	10
White, both sexes	117	9	10	11	6	7	10	10	6	7	10	12	19
Male	67	7	5	8	3	3	2	7	3	2	5	8	14
Female	50	2	5	3	3	4	8	3	3	5	5	4	5
Black, both sexes	25	1	4	1	1	4	2	-	1	2	-	2	7
Male	12	1	1	-	-	3	2	-	1	1	-	-	3
Female	13	-	3	1	1	1	-	-	-	1	-	2	4
American Indian 1/, both sexes	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	6	-	1	1	-	1	1	-	-	-	-	-	2
Male	3	-	-	1	-	1	-	-	-	-	-	-	1
Female	3	-	1	-	-	-	1	-	-	-	-	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Hypopituitarism (E23.0)													
All races, both sexes	77	5	8	6	5	9	7	3	5	5	5	5	14
Male	44	3	3	5	2	5	3	2	3	2	3	3	10
Female	33	2	5	1	3	4	4	1	2	3	2	2	4
White, both sexes	62	5	6	5	4	6	6	3	4	3	5	4	11
Male	36	3	3	4	2	3	2	2	2	1	3	3	8
Female	26	2	3	1	2	3	4	1	2	2	2	1	3
Black, both sexes	12	-	1	-	1	2	1	-	1	2	-	1	3
Male	6	-	-	-	-	1	1	-	1	1	-	-	2
Female	6	-	1	-	1	1	-	-	-	1	-	1	1
American Indian 1/, both sexes	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	2	-	1	1	-	-	-	-	-	-	-	-	-
Male	1	-	-	1	-	-	-	-	-	-	-	-	-
Female	1	-	1	-	-	-	-	-	-	-	-	-	-
Drug-induced hypopituitarism (E23.1)													
All races, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	1
White, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	1
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Diabetes insipidus (E23.2)													
All races, both sexes	51	3	4	5	2	2	4	6	2	3	4	7	9
Male	27	3	1	2	1	2	-	4	1	1	2	4	6
Female	24	-	3	3	1	-	4	2	1	2	2	3	3
White, both sexes	42	2	3	4	2	-	3	6	2	3	4	6	7
Male	24	2	1	2	1	-	-	4	1	1	2	4	6
Female	18	-	2	2	1	-	3	2	1	2	2	2	1
Black, both sexes	7	1	1	1	-	2	-	-	-	-	-	1	1
Male	3	1	-	-	-	2	-	-	-	-	-	-	-
Female	4	-	1	1	-	-	-	-	-	-	-	1	1
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	2	-	-	-	-	-	1	-	-	-	-	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	1	-	-	-	-	-	1
Hypothalamic dysfunction, not elsewhere classified (E23.3)													
All races, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	1	-	-	-	-	-	-	-	-	-	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	1	-	-	-	-	-	-	-	-	-	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other disorders of pituitary gland (E23.6)													
All races, both sexes.....	7	1	-	1	-	-	2	-	-	-	-	-	3
Male.....	4	1	-	1	-	-	1	-	-	-	-	-	1
Female.....	3	-	-	-	-	-	1	-	-	-	-	-	2
White, both sexes.....	3	1	-	1	-	-	1	-	-	-	-	-	-
Male.....	2	1	-	1	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Black, both sexes.....	3	-	-	-	-	-	1	-	-	-	-	-	2
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-	2
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.	1	-	-	-	-	-	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Disorder of pituitary gland, unspecified (E23.7)													
All races, both sexes.....	12	1	3	1	-	2	-	1	-	1	1	2	-
Male.....	7	1	2	1	-	1	-	1	-	-	-	1	-
Female.....	5	-	1	-	-	1	-	-	-	1	1	1	-
White, both sexes.....	9	1	1	1	-	1	-	1	-	1	1	2	-
Male.....	5	1	1	1	-	-	-	1	-	-	-	1	-
Female.....	4	-	-	-	-	1	-	-	-	1	1	1	-
Black, both sexes.....	2	-	2	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Cushing's syndrome (E24)													
All races, both sexes	34	2	5	4	2	6	4	3	3	1	1	2	1
Male	13	-	2	1	1	3	3	1	1	-	-	1	-
Female	21	2	3	3	1	3	1	2	2	1	1	1	1
White, both sexes	31	2	5	3	2	6	4	3	3	1	1	-	1
Male	12	-	2	1	1	3	3	1	1	-	-	-	-
Female	19	2	3	2	1	3	1	2	2	1	1	-	1
Black, both sexes	2	-	-	-	-	-	-	-	-	-	-	2	-
Male	1	-	-	-	-	-	-	-	-	-	-	1	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-
American Indian 1/, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Drug-induced Cushing's syndrome (E24.2)													
All races, both sexes	6	2	1	-	-	-	1	-	1	-	-	1	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	5	2	1	-	-	-	-	-	1	-	-	1	-
White, both sexes	5	2	1	-	-	-	1	-	1	-	-	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	4	2	1	-	-	-	-	-	1	-	-	-	-
Black, both sexes	1	-	-	-	-	-	-	-	-	-	-	1	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Cushing's syndrome, unspecified (E24.9)													
All races, both sexes	28	-	4	4	2	6	3	3	2	1	1	1	1
Male	12	-	2	1	1	3	2	1	1	-	-	1	-
Female	16	-	2	3	1	3	1	2	1	1	1	-	1
White, both sexes	26	-	4	3	2	6	3	3	2	1	1	-	1
Male	11	-	2	1	1	3	2	1	1	-	-	-	-
Female	15	-	2	2	1	3	1	2	1	1	1	-	1
Black, both sexes	1	-	-	-	-	-	-	-	-	-	-	1	-
Male	1	-	-	-	-	-	-	-	-	-	-	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Adrenogenital disorders (E25)													
All races, both sexes	3	1	-	1	-	-	-	1	-	-	-	-	-
Male	2	1	-	1	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	1	-	-	-	-	-
White, both sexes	2	-	-	1	-	-	-	1	-	-	-	-	-
Male	1	-	-	1	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	1	-	-	-	-	-
Black, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Congenital adrenogenital disorders associated with enzyme deficiency (E25.0)													
All races, both sexes	3	1	-	1	-	-	-	1	-	-	-	-	-
Male	2	1	-	1	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	1	-	-	-	-	-
White, both sexes	2	-	-	1	-	-	-	1	-	-	-	-	-
Male	1	-	-	1	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	1	-	-	-	-	-
Black, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperaldosteronism (E26)													
All races, both sexes	5	-	1	-	1	-	-	-	2	1	-	-	-
Male	5	-	1	-	1	-	-	-	2	1	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	3	-	1	-	1	-	-	-	1	-	-	-	-
Male	3	-	1	-	1	-	-	-	1	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	2	-	-	-	-	-	-	-	1	1	-	-	-
Male	2	-	-	-	-	-	-	-	1	1	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Primary hyperaldosteronism (E26.0)													
All races, both sexes	3	-	1	-	1	-	-	-	-	1	-	-	-
Male	3	-	1	-	1	-	-	-	-	1	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	2	-	1	-	1	-	-	-	-	-	-	-	-
Male	2	-	1	-	1	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	1	-	-	-	-	-	-	-	-	1	-	-	-
Male	1	-	-	-	-	-	-	-	-	1	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other hyperaldosteronism (E26.8)													
All races, both sexes	1	-	-	-	-	-	-	-	1	-	-	-	-
Male	1	-	-	-	-	-	-	-	1	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	-	-	-	-	1	-	-	-	-
Male	1	-	-	-	-	-	-	-	1	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Hyperaldosteronism, unspecified (E26.9)													
All races, both sexes	1	-	-	-	-	-	-	-	1	-	-	-	-
Male	1	-	-	-	-	-	-	-	1	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	1	-	-	-	-	-	-	-	1	-	-	-	-
Male	1	-	-	-	-	-	-	-	1	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other disorders of adrenal gland (E27)													
All races, both sexes	266	21	28	26	22	28	23	15	16	15	21	16	35
Male	96	6	9	7	10	11	9	7	7	6	7	6	11
Female	170	15	19	19	12	17	14	8	9	9	14	10	24
White, both sexes	230	20	26	23	18	25	20	13	14	13	18	12	28
Male	80	6	8	6	7	10	7	6	6	6	5	5	8
Female	150	14	18	17	11	15	13	7	8	7	13	7	20
Black, both sexes	31	1	1	2	4	3	3	1	1	2	2	4	7
Male	15	-	-	1	3	1	2	1	1	-	2	1	3
Female	16	1	1	1	1	2	1	-	-	2	-	3	4
American Indian 1/, both sexes	3	-	-	-	-	-	-	1	1	-	1	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	3	-	-	-	-	-	-	1	1	-	1	-	-
Asian or Pacific Islander 2/, both sexes	2	-	1	1	-	-	-	-	-	-	-	-	-
Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	1	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Primary adrenocortical insufficiency (E27.1)													
All races, both sexes	107	12	18	15	7	5	8	7	7	3	7	4	14
Male	34	3	5	5	4	1	2	2	5	1	3	1	2
Female	73	9	13	10	3	4	6	5	2	2	4	3	12
White, both sexes	99	11	18	13	7	5	8	6	6	3	7	3	12
Male	33	3	5	5	4	1	2	2	4	1	3	1	2
Female	66	8	13	8	3	4	6	4	2	2	4	2	10
Black, both sexes	6	1	-	1	-	-	-	-	1	-	-	1	2
Male	1	-	-	-	-	-	-	-	1	-	-	-	-
Female	5	1	-	1	-	-	-	-	-	-	-	1	2
American Indian 1/, both sexes	1	-	-	-	-	-	-	1	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	1	-	-	-	-	-	-	-	-	-
Addisonian crisis (E27.2)													
All races, both sexes	10	1	1	1	2	2	-	-	-	-	2	1	-
Male	4	-	1	1	1	1	-	-	-	-	-	-	-
Female	6	1	-	-	1	1	-	-	-	-	2	1	-
White, both sexes	9	1	1	1	2	2	-	-	-	-	1	1	-
Male	4	-	1	1	1	1	-	-	-	-	-	-	-
Female	5	1	-	-	1	1	-	-	-	-	1	1	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other and unspecified adrenocortical insufficiency (E27.4)													
All races, both sexes	119	6	7	7	12	17	9	6	7	9	9	9	21
Male	50	2	3	1	5	8	5	4	1	4	4	4	9
Female	69	4	4	6	7	9	4	2	6	5	5	5	12
White, both sexes	96	6	5	6	8	14	7	6	6	9	7	6	16
Male	36	2	2	-	2	7	3	4	1	4	2	3	6
Female	60	4	3	6	6	7	4	2	5	5	5	3	10
Black, both sexes	21	-	1	1	4	3	2	-	-	-	2	3	5
Male	13	-	-	1	3	1	2	-	-	-	2	1	3
Female	8	-	1	-	1	2	-	-	-	-	-	2	2
American Indian 1/, both sexes	1	-	-	-	-	-	-	-	1	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	1	-	-	-	-	-	-	-	-	-	-
Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other specified disorders of adrenal gland (E27.8)													
All races, both sexes	3	-	-	-	-	2	-	-	-	-	1	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	2	-	-	-	-	1	-	-	-	-	1	-	-
White, both sexes	3	-	-	-	-	2	-	-	-	-	1	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	2	-	-	-	-	1	-	-	-	-	1	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Disorder of adrenal gland, unspecified (E27.9)													
All races, both sexes	27	2	2	3	1	2	6	2	2	3	2	2	-
Male	7	1	-	-	-	-	2	1	1	1	-	1	-
Female	20	1	2	3	1	2	4	1	1	2	2	1	-
White, both sexes	23	2	2	3	1	2	5	1	2	1	2	2	-
Male	6	1	-	-	-	-	2	-	1	1	-	1	-
Female	17	1	2	3	1	2	3	1	1	-	2	1	-
Black, both sexes	4	-	-	-	-	-	1	1	-	2	-	-	-
Male	1	-	-	-	-	-	-	1	-	-	-	-	-
Female	3	-	-	-	-	-	1	-	-	2	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Ovarian dysfunction (E28)													
All races, both sexes	3	-	1	1	-	-	-	-	-	-	-	1	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	3	-	1	1	-	-	-	-	-	-	-	1	-
White, both sexes	3	-	1	1	-	-	-	-	-	-	-	1	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	3	-	1	1	-	-	-	-	-	-	-	1	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Polycystic ovarian syndrome (E28.2)													
All races, both sexes	3	-	1	1	-	-	-	-	-	-	-	1	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	3	-	1	1	-	-	-	-	-	-	-	1	-
White, both sexes	3	-	1	1	-	-	-	-	-	-	-	1	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	3	-	1	1	-	-	-	-	-	-	-	1	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Polyglandular dysfunction (E31)													
All races, both sexes	2	1	-	1	-	-	-	-	-	-	-	-	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	1	-	-	-	-	-	-	-	-	-
White, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	1	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Autoimmune polyglandular failure (E31.0)													
All races, both sexes	2	1	-	1	-	-	-	-	-	-	-	-	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	1	-	-	-	-	-	-	-	-	-
White, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	1	-	-	-	-	-	-	-	-	-
Diseases of thymus (E32)													
All races, both sexes	3	-	-	1	-	-	1	-	-	1	-	-	-
Male	1	-	-	-	-	-	-	-	-	1	-	-	-
Female	2	-	-	1	-	-	1	-	-	-	-	-	-
White, both sexes	3	-	-	1	-	-	1	-	-	1	-	-	-
Male	1	-	-	-	-	-	-	-	-	1	-	-	-
Female	2	-	-	1	-	-	1	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Persistent hyperplasia of thymus (E32.0)													
All races, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	1	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	1	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of thymus (E32.8)													
All races, both sexes	2	-	-	-	-	-	1	-	-	1	-	-	-
Male	1	-	-	-	-	-	-	-	-	1	-	-	-
Female	1	-	-	-	-	-	1	-	-	-	-	-	-
White, both sexes	2	-	-	-	-	-	1	-	-	1	-	-	-
Male	1	-	-	-	-	-	-	-	-	1	-	-	-
Female	1	-	-	-	-	-	1	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other endocrine disorders (E34)													
All races, both sexes	79	7	6	7	8	7	4	10	9	4	6	1	10
Male	39	3	3	4	3	5	2	5	5	1	2	1	5
Female	40	4	3	3	5	2	2	5	4	3	4	-	5
White, both sexes	65	5	5	7	4	7	4	9	8	4	5	1	6
Male	32	2	2	4	1	5	2	5	4	1	1	1	4
Female	33	3	3	3	3	2	2	4	4	3	4	-	2
Black, both sexes	11	2	1	-	2	-	-	1	1	-	1	-	3
Male	6	1	1	-	1	-	-	-	1	-	1	-	1
Female	5	1	-	-	1	-	-	1	-	-	-	-	2
American Indian 1/, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes	2	-	-	-	2	-	-	-	-	-	-	-	-
Male	1	-	-	-	1	-	-	-	-	-	-	-	-
Female	1	-	-	-	1	-	-	-	-	-	-	-	-
Carcinoid syndrome (E34.0)													
All races, both sexes	48	4	3	5	5	4	3	7	5	4	3	-	5
Male	21	1	1	3	2	2	1	4	3	1	1	-	2
Female	27	3	2	2	3	2	2	3	2	3	2	-	3
White, both sexes	44	3	3	5	3	4	3	7	5	4	3	-	4
Male	20	1	1	3	1	2	1	4	3	1	1	-	2
Female	24	2	2	2	2	2	2	3	2	3	2	-	2
Black, both sexes	3	1	-	-	2	-	-	-	-	-	-	-	-
Male	1	-	-	-	1	-	-	-	-	-	-	-	-
Female	2	1	-	-	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Short stature, not elsewhere classified (E34.3)													
All races, both sexes	21	1	2	1	2	2	1	1	3	-	3	1	4
Male	13	1	2	-	-	2	1	-	2	-	1	1	3
Female	8	-	-	1	2	-	-	1	1	-	2	-	1
White, both sexes	14	1	1	1	1	2	1	-	2	-	2	1	2
Male	9	1	1	-	-	2	1	-	1	-	-	1	2
Female	5	-	-	1	1	-	-	-	1	-	2	-	-
Black, both sexes	6	-	1	-	-	-	-	1	1	-	1	-	2
Male	4	-	1	-	-	-	-	-	1	-	1	-	1
Female	2	-	-	-	-	-	-	1	-	-	-	-	1
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	1	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	1	-	-	-	-	-	-	-	-
Androgen resistance syndrome (E34.5)													
All races, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	1	-	-	1	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	1	-	-	1	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other specified endocrine disorders (E34.8)													
All races, both sexes	5	1	-	-	-	-	-	2	1	-	-	-	1
Male	2	1	-	-	-	-	-	1	-	-	-	-	-
Female	3	-	-	-	-	-	-	1	1	-	-	-	1
White, both sexes	3	-	-	-	-	-	-	2	1	-	-	-	-
Male	1	-	-	-	-	-	-	1	-	-	-	-	-
Female	2	-	-	-	-	-	-	1	1	-	-	-	-
Black, both sexes	2	1	-	-	-	-	-	-	-	-	-	-	1
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Endocrine disorder, unspecified (E34.9)													
All races, both sexes	4	1	1	-	1	1	-	-	-	-	-	-	-
Male	2	-	-	-	1	1	-	-	-	-	-	-	-
Female	2	1	1	-	-	-	-	-	-	-	-	-	-
White, both sexes	3	1	1	-	-	1	-	-	-	-	-	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	2	1	1	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	1	-	-	-	-	-	-	-	-
Male	1	-	-	-	1	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Kwashiorkor (E40)													
All races, both sexes	12	-	2	1	2	-	1	1	2	1	-	2	-
Male	5	-	2	-	1	-	-	1	-	1	-	-	-
Female	7	-	-	1	1	-	1	-	2	-	-	2	-
White, both sexes	9	-	1	1	1	-	1	1	2	-	-	2	-
Male	2	-	1	-	-	-	-	1	-	-	-	-	-
Female	7	-	-	1	1	-	1	-	2	-	-	2	-
Black, both sexes	1	-	-	-	-	-	-	-	-	1	-	-	-
Male	1	-	-	-	-	-	-	-	-	1	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	2	-	1	-	1	-	-	-	-	-	-	-	-
Male	2	-	1	-	1	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Nutritional marasmus (E41)													
All races, both sexes	150	12	11	23	12	14	15	14	11	9	9	11	9
Male	51	4	1	13	6	4	3	6	1	4	3	2	4
Female	99	8	10	10	6	10	12	8	10	5	6	9	5
White, both sexes	126	10	9	19	11	12	14	11	10	8	7	8	7
Male	42	4	1	11	5	4	3	4	1	3	3	1	2
Female	84	6	8	8	6	8	11	7	9	5	4	7	5
Black, both sexes	19	2	2	2	1	2	1	3	-	1	1	2	2
Male	9	-	-	2	1	-	-	2	-	1	-	1	2
Female	10	2	2	-	-	2	1	1	-	-	1	1	-
American Indian 1/, both sexes	2	-	-	1	-	-	-	-	-	-	1	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	1	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes	3	-	-	1	-	-	-	-	1	-	-	1	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	3	-	-	1	-	-	-	-	1	-	-	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Marasmic kwashiorkor (E42)													
All races, both sexes	2	1	-	-	-	-	-	1	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	1	-	-	-	-	-	1	-	-	-	-	-
White, both sexes	2	1	-	-	-	-	-	1	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	1	-	-	-	-	-	1	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Unspecified severe protein-energy malnutrition (E43)													
All races, both sexes	345	37	29	37	23	19	24	38	21	25	36	22	34
Male	152	13	16	9	11	10	13	17	11	11	16	6	19
Female	193	24	13	28	12	9	11	21	10	14	20	16	15
White, both sexes	281	32	24	25	18	15	22	32	17	19	32	15	30
Male	120	10	14	4	9	7	11	13	9	9	14	5	15
Female	161	22	10	21	9	8	11	19	8	10	18	10	15
Black, both sexes	60	4	4	11	5	4	2	5	4	6	4	7	4
Male	31	3	2	5	2	3	2	3	2	2	2	1	4
Female	29	1	2	6	3	1	-	2	2	4	2	6	-
American Indian 1/, both sexes	2	1	-	1	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	1	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	2	-	1	-	-	-	-	1	-	-	-	-	-
Male	1	-	-	-	-	-	-	1	-	-	-	-	-
Female	1	-	1	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Protein-energy malnutrition of moderate and mild degree (E44)													
All races, both sexes	2	-	-	-	-	-	1	-	-	-	-	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	1	-	-	-	-	-	1
White, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	1
Black, both sexes	1	-	-	-	-	-	1	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Mild protein-energy malnutrition (E44.1)													
All races, both sexes	2	-	-	-	-	-	1	-	-	-	-	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	1	-	-	-	-	-	1
White, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	1
Black, both sexes	1	-	-	-	-	-	1	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Retarded development following protein-energy malnutrition (E45)													
All races, both sexes	133	13	12	11	9	18	14	5	13	7	12	7	12
Male	31	1	5	2	2	5	1	1	3	5	-	2	4
Female	102	12	7	9	7	13	13	4	10	2	12	5	8
White, both sexes	112	13	9	9	7	17	12	5	10	6	10	6	8
Male	26	1	3	2	1	5	1	1	2	4	-	2	4
Female	86	12	6	7	6	12	11	4	8	2	10	4	4
Black, both sexes	16	-	3	2	1	1	2	-	2	-	1	1	3
Male	3	-	2	-	-	-	-	-	1	-	-	-	-
Female	13	-	1	2	1	1	2	-	1	-	1	1	3
American Indian 1/, both sexes	2	-	-	-	-	-	-	-	1	-	1	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	1	-	1	-	-
Asian or Pacific Islander 2/, both sexes	3	-	-	-	1	-	-	-	-	1	-	-	1
Male	2	-	-	-	1	-	-	-	-	1	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	1
Unspecified protein-energy malnutrition (E46)													
All races, both sexes	2,509	268	204	235	195	194	216	169	164	184	211	202	267
Male	859	86	69	84	68	62	72	58	63	68	67	64	98
Female	1,650	182	135	151	127	132	144	111	101	116	144	138	169
White, both sexes	2,126	229	168	195	173	168	187	136	139	159	180	169	223
Male	709	74	49	68	61	58	63	42	53	57	56	49	79
Female	1,417	155	119	127	112	110	124	94	86	102	124	120	144
Black, both sexes	345	30	32	36	21	25	27	32	20	22	28	31	41
Male	135	11	18	13	6	4	8	15	6	10	10	15	19
Female	210	19	14	23	15	21	19	17	14	12	18	16	22
American Indian 1/, both sexes	14	3	-	2	1	1	-	-	-	1	2	2	2
Male	4	1	-	1	1	-	-	-	-	-	1	-	-
Female	10	2	-	1	-	1	-	-	-	1	1	2	2
Asian or Pacific Islander 2/, both sexes	24	6	4	2	-	-	2	1	5	2	1	-	1
Male	11	-	2	2	-	-	1	1	4	1	-	-	-
Female	13	6	2	-	-	-	1	-	1	1	1	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Thiamin deficiency (E51)													
All races, both sexes	17	1	3	1	-	3	1	2	1	1	2	-	2
Male	11	1	2	1	-	2	1	-	1	-	1	-	2
Female	6	-	1	-	-	1	-	2	-	1	1	-	-
White, both sexes	16	1	2	1	-	3	1	2	1	1	2	-	2
Male	10	1	1	1	-	2	1	-	1	-	1	-	2
Female	6	-	1	-	-	1	-	2	-	1	1	-	-
Black, both sexes	1	-	1	-	-	-	-	-	-	-	-	-	-
Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Beriberi (E51.1)													
All races, both sexes	1	-	-	-	-	-	-	-	-	1	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	1	-	-	-
White, both sexes	1	-	-	-	-	-	-	-	-	1	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	1	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Wernicke's encephalopathy (E51.2)													
All races, both sexes	16	1	3	1	-	3	1	2	1	-	2	-	2
Male	11	1	2	1	-	2	1	-	1	-	1	-	2
Female	5	-	1	-	-	1	-	2	-	-	1	-	-
White, both sexes	15	1	2	1	-	3	1	2	1	-	2	-	2
Male	10	1	1	1	-	2	1	-	1	-	1	-	2
Female	5	-	1	-	-	1	-	2	-	-	1	-	-
Black, both sexes	1	-	1	-	-	-	-	-	-	-	-	-	-
Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Deficiency of other B group vitamins (E53)													
All races, both sexes	27	2	2	4	1	1	4	1	1	2	2	5	2
Male	12	2	1	3	-	-	1	-	-	1	-	3	1
Female	15	-	1	1	1	1	3	1	1	1	2	2	1
White, both sexes	25	1	2	4	1	1	4	1	1	2	2	4	2
Male	11	1	1	3	-	-	1	-	-	1	-	3	1
Female	14	-	1	1	1	1	3	1	1	1	2	1	1
Black, both sexes	2	1	-	-	-	-	-	-	-	-	-	1	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Deficiency of other specified B group vitamins (E53.8)													
All races, both sexes	27	2	2	4	1	1	4	1	1	2	2	5	2
Male	12	2	1	3	-	-	1	-	-	1	-	3	1
Female	15	-	1	1	1	1	3	1	1	1	2	2	1
White, both sexes	25	1	2	4	1	1	4	1	1	2	2	4	2
Male	11	1	1	3	-	-	1	-	-	1	-	3	1
Female	14	-	1	1	1	1	3	1	1	1	2	1	1
Black, both sexes	2	1	-	-	-	-	-	-	-	-	-	1	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Ascorbic acid deficiency (E54)													
All races, both sexes	1	-	-	-	1	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	1	-	-	-	-	-	-	-	-
White, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	1	-	-	-	1	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Vitamin D deficiency (E55)													
All races, both sexes	3	-	1	-	-	1	-	-	-	-	-	1	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	2	-	1	-	-	-	-	-	-	-	-	1	-
White, both sexes	2	-	1	-	-	1	-	-	-	-	-	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	1	-	1	-	-	-	-	-	-	-	-	-	-
Black, both sexes	1	-	-	-	-	-	-	-	-	-	-	1	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Rickets, active (E55.0)													
All races, both sexes	3	-	1	-	-	1	-	-	-	-	-	1	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	2	-	1	-	-	-	-	-	-	-	-	1	-
White, both sexes	2	-	1	-	-	1	-	-	-	-	-	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	1	-	1	-	-	-	-	-	-	-	-	-	-
Black, both sexes	1	-	-	-	-	-	-	-	-	-	-	1	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Deficiency of other nutrient elements (E61)													
All races, both sexes	7	1	1	-	-	-	-	-	1	1	1	2	-
Male	3	1	-	-	-	-	-	-	-	1	-	1	-
Female	4	-	1	-	-	-	-	-	1	-	1	1	-
White, both sexes	7	1	1	-	-	-	-	-	1	1	1	2	-
Male	3	1	-	-	-	-	-	-	-	1	-	1	-
Female	4	-	1	-	-	-	-	-	1	-	1	1	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Iron deficiency (E61.1)													
All races, both sexes	6	1	1	-	-	-	-	-	1	-	1	2	-
Male	2	1	-	-	-	-	-	-	-	-	-	1	-
Female	4	-	1	-	-	-	-	-	1	-	1	1	-
White, both sexes	6	1	1	-	-	-	-	-	1	-	1	2	-
Male	2	1	-	-	-	-	-	-	-	-	-	1	-
Female	4	-	1	-	-	-	-	-	1	-	1	1	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Molybdenum deficiency (E61.5)													
All races, both sexes	1	-	-	-	-	-	-	-	-	1	-	-	-
Male	1	-	-	-	-	-	-	-	-	1	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	-	-	-	-	-	1	-	-	-
Male	1	-	-	-	-	-	-	-	-	1	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other nutritional deficiencies (E63)													
All races, both sexes	113	11	7	13	3	7	12	7	11	7	8	16	11
Male	43	3	2	5	-	3	5	5	4	3	2	6	5
Female	70	8	5	8	3	4	7	2	7	4	6	10	6
White, both sexes	104	11	7	11	3	6	12	6	9	7	7	16	9
Male	39	3	2	4	-	3	5	4	3	3	2	6	4
Female	65	8	5	7	3	3	7	2	6	4	5	10	5
Black, both sexes	8	-	-	2	-	1	-	1	1	-	1	-	2
Male	3	-	-	1	-	-	-	1	-	-	-	-	1
Female	5	-	-	1	-	1	-	-	1	-	1	-	1
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	-	1	-	-	-	-
Male	1	-	-	-	-	-	-	-	1	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other specified nutritional deficiencies (E63.8)													
All races, both sexes	3	-	-	-	1	-	1	-	-	-	-	-	1
Male	1	-	-	-	-	-	-	-	-	-	-	-	1
Female	2	-	-	-	1	-	1	-	-	-	-	-	-
White, both sexes	3	-	-	-	1	-	1	-	-	-	-	-	1
Male	1	-	-	-	-	-	-	-	-	-	-	-	1
Female	2	-	-	-	1	-	1	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Nutritional deficiency, unspecified (E63.9)													
All races, both sexes	110	11	7	13	2	7	11	7	11	7	8	16	10
Male	42	3	2	5	-	3	5	5	4	3	2	6	4
Female	68	8	5	8	2	4	6	2	7	4	6	10	6
White, both sexes	101	11	7	11	2	6	11	6	9	7	7	16	8
Male	38	3	2	4	-	3	5	4	3	3	2	6	3
Female	63	8	5	7	2	3	6	2	6	4	5	10	5
Black, both sexes	8	-	-	2	-	1	-	1	1	-	1	-	2
Male	3	-	-	1	-	-	-	1	-	-	-	-	1
Female	5	-	-	1	-	1	-	-	1	-	1	-	1
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	-	1	-	-	-	-
Male	1	-	-	-	-	-	-	-	1	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Sequelae of malnutrition and other nutritional deficiencies (E64)													
All races, both sexes	17	6	2	3	1	-	-	-	1	-	2	-	2
Male	8	4	-	2	1	-	-	-	-	-	1	-	-
Female	9	2	2	1	-	-	-	-	1	-	1	-	2
White, both sexes	15	6	2	2	1	-	-	-	1	-	1	-	2
Male	6	4	-	1	1	-	-	-	-	-	-	-	-
Female	9	2	2	1	-	-	-	-	1	-	1	-	2
Black, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	1	-	-	1	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Sequelae of protein-energy malnutrition (E64.0)													
All races, both sexes	16	6	2	2	1	-	-	-	1	-	2	-	2
Male	7	4	-	1	1	-	-	-	-	-	1	-	-
Female	9	2	2	1	-	-	-	-	1	-	1	-	2
White, both sexes	15	6	2	2	1	-	-	-	1	-	1	-	2
Male	6	4	-	1	1	-	-	-	-	-	-	-	-
Female	9	2	2	1	-	-	-	-	1	-	1	-	2
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Sequelae of rickets (E64.3)													
All races, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	1	-	-	1	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	1	-	-	1	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Obesity (E66)													
All races, both sexes	4,021	340	341	363	352	308	334	322	303	294	289	344	431
Male	1,872	164	171	174	168	152	143	137	133	133	133	155	209
Female	2,149	176	170	189	184	156	191	185	170	161	156	189	222
White, both sexes	3,254	270	285	297	283	240	275	256	244	236	231	279	358
Male	1,582	138	141	150	144	121	125	116	117	116	108	131	175
Female	1,672	132	144	147	139	119	150	140	127	120	123	148	183
Black, both sexes	706	67	52	60	65	57	54	58	49	57	55	64	68
Male	259	23	26	22	22	26	17	16	12	17	23	23	32
Female	447	44	26	38	43	31	37	42	37	40	32	41	36
American Indian 1/, both sexes	31	2	2	5	-	4	1	4	5	1	3	1	3
Male	17	2	2	1	-	1	-	3	3	-	2	1	2
Female	14	-	-	4	-	3	1	1	2	1	1	-	1
Asian or Pacific Islander 2/, both sexes	30	1	2	1	4	7	4	4	5	-	-	-	2
Male	14	1	2	1	2	4	1	2	1	-	-	-	-
Female	16	-	-	-	2	3	3	2	4	-	-	-	2

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Obesity due to excess calories (E66.0)													
All races, both sexes	52	2	5	10	3	5	2	1	5	5	3	5	6
Male	24	-	3	5	2	5	-	-	3	1	2	2	1
Female	28	2	2	5	1	-	2	1	2	4	1	3	5
White, both sexes	45	2	5	10	3	4	2	-	3	5	3	3	5
Male	22	-	3	5	2	4	-	-	2	1	2	2	1
Female	23	2	2	5	1	-	2	-	1	4	1	1	4
Black, both sexes	7	-	-	-	-	1	-	1	2	-	-	2	1
Male	2	-	-	-	-	1	-	-	1	-	-	-	-
Female	5	-	-	-	-	-	-	1	1	-	-	2	1
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Extreme obesity with alveolar hypoventilation (E66.2)													
All races, both sexes	106	8	6	16	7	10	11	5	13	13	3	10	4
Male	45	3	1	5	4	8	3	2	7	5	2	4	1
Female	61	5	5	11	3	2	8	3	6	8	1	6	3
White, both sexes	90	7	5	13	6	9	9	3	11	11	3	9	4
Male	40	3	1	5	3	7	2	1	6	5	2	4	1
Female	50	4	4	8	3	2	7	2	5	6	1	5	3
Black, both sexes	12	1	1	3	1	-	1	2	-	2	-	1	-
Male	2	-	-	-	1	-	-	1	-	-	-	-	-
Female	10	1	1	3	-	-	1	1	-	2	-	1	-
American Indian 1/, both sexes	1	-	-	-	-	-	-	-	1	-	-	-	-
Male	1	-	-	-	-	-	-	-	1	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	3	-	-	-	-	1	1	-	1	-	-	-	-
Male	2	-	-	-	-	1	1	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	1	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other obesity (E66.8)													
All races, both sexes	2,361	203	190	211	217	179	179	199	182	163	163	207	268
Male	1,115	100	95	103	106	91	76	88	79	79	73	99	126
Female	1,246	103	95	108	111	88	103	111	103	84	90	108	142
White, both sexes	1,887	156	151	175	183	131	142	163	151	131	122	160	222
Male	930	83	76	88	95	70	66	73	71	68	57	78	105
Female	957	73	75	87	88	61	76	90	80	63	65	82	117
Black, both sexes	438	46	36	33	32	41	33	31	26	32	38	46	44
Male	168	16	16	14	11	19	10	12	5	11	14	20	20
Female	270	30	20	19	21	22	23	19	21	21	24	26	24
American Indian 1/, both sexes	18	-	1	2	-	4	1	2	2	-	3	1	2
Male	10	-	1	-	-	1	-	2	2	-	2	1	1
Female	8	-	-	2	-	3	1	-	-	-	1	-	1
Asian or Pacific Islander 2/, both sexes	18	1	2	1	2	3	3	3	3	-	-	-	-
Male	7	1	2	1	-	1	-	1	1	-	-	-	-
Female	11	-	-	-	2	2	3	2	2	-	-	-	-
Obesity, unspecified (E66.9)													
All races, both sexes	1,502	127	140	126	125	114	142	117	103	113	120	122	153
Male	688	61	72	61	56	48	64	47	44	48	56	50	81
Female	814	66	68	65	69	66	78	70	59	65	64	72	72
White, both sexes	1,232	105	124	99	91	96	122	90	79	89	103	107	127
Male	590	52	61	52	44	40	57	42	38	42	47	47	68
Female	642	53	63	47	47	56	65	48	41	47	56	60	59
Black, both sexes	249	20	15	24	32	15	20	24	21	23	17	15	23
Male	87	7	10	8	10	6	7	3	6	6	9	3	12
Female	162	13	5	16	22	9	13	21	15	17	8	12	11
American Indian 1/, both sexes	12	2	1	3	-	-	-	2	2	1	-	-	1
Male	6	2	1	1	-	-	-	1	-	-	-	-	1
Female	6	-	-	2	-	-	-	1	2	1	-	-	-
Asian or Pacific Islander 2/, both sexes	9	-	-	-	2	3	-	1	1	-	-	-	2
Male	5	-	-	-	2	2	-	1	-	-	-	-	-
Female	4	-	-	-	-	1	-	-	1	-	-	-	2

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Disorders of aromatic amino-acid metabolism (E70)													
All races, both sexes	8	1	-	-	1	1	-	-	3	-	-	-	2
Male	4	1	-	-	1	-	-	-	2	-	-	-	-
Female	4	-	-	-	-	1	-	-	1	-	-	-	2
White, both sexes	8	1	-	-	1	1	-	-	3	-	-	-	2
Male	4	1	-	-	1	-	-	-	2	-	-	-	-
Female	4	-	-	-	-	1	-	-	1	-	-	-	2
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other hyperphenylalaninemias (E70.1)													
All races, both sexes	2	-	-	-	-	1	-	-	-	-	-	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	1	-	-	-	-	-	-	1
White, both sexes	2	-	-	-	-	1	-	-	-	-	-	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	1	-	-	-	-	-	-	1
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Disorders of tyrosine metabolism (E70.2)													
All races, both sexes	2	-	-	-	1	-	-	-	1	-	-	-	-
Male	1	-	-	-	1	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	1	-	-	-	-
White, both sexes	2	-	-	-	1	-	-	-	1	-	-	-	-
Male	1	-	-	-	1	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	1	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Albinism (E70.3)													
All races, both sexes	4	1	-	-	-	-	-	-	2	-	-	-	1
Male	3	1	-	-	-	-	-	-	2	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	1
White, both sexes	4	1	-	-	-	-	-	-	2	-	-	-	1
Male	3	1	-	-	-	-	-	-	2	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	1
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Disorders of branched-chain amino-acid metabolism and fatty-acid metabolism (E71)													
All races, both sexes	47	2	3	6	4	3	3	1	6	2	5	6	6
Male	31	2	3	5	2	2	1	-	4	2	3	3	4
Female	16	-	-	1	2	1	2	1	2	-	2	3	2
White, both sexes	39	2	3	3	4	2	1	1	5	2	5	6	5
Male	27	2	3	3	2	1	1	-	4	2	3	3	3
Female	12	-	-	-	2	1	-	1	1	-	2	3	2
Black, both sexes	6	-	-	2	-	1	2	-	1	-	-	-	-
Male	2	-	-	1	-	1	-	-	-	-	-	-	-
Female	4	-	-	1	-	-	2	-	1	-	-	-	-
American Indian 1/, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	1	-	-	-	-	-	-	-	-	-	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	1	-	-	1	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Maple-syrup-urine disease (E71.0)													
All races, both sexes	2	-	1	-	1	-	-	-	-	-	-	-	-
Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	1	-	-	-	-	-	-	-	-
White, both sexes	2	-	1	-	1	-	-	-	-	-	-	-	-
Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	1	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other disorders of branched-chain amino-acid metabolism (E71.1)													
All races, both sexes	7	1	-	1	1	2	-	-	1	-	-	1	-
Male	4	1	-	-	1	1	-	-	-	-	-	1	-
Female	3	-	-	1	-	1	-	-	1	-	-	-	-
White, both sexes	4	1	-	-	1	1	-	-	-	-	-	1	-
Male	3	1	-	-	1	-	-	-	-	-	-	1	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-
Black, both sexes	3	-	-	1	-	1	-	-	1	-	-	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	2	-	-	1	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Disorders of fatty-acid metabolism (E71.3)													
All races, both sexes	38	1	2	5	2	1	3	1	5	2	5	5	6
Male	26	1	2	5	1	1	1	-	4	2	3	2	4
Female	12	-	-	-	1	-	2	1	1	-	2	3	2
White, both sexes	33	1	2	3	2	1	1	1	5	2	5	5	5
Male	23	1	2	3	1	1	1	-	4	2	3	2	3
Female	10	-	-	-	1	-	-	1	1	-	2	3	2
Black, both sexes	3	-	-	1	-	-	2	-	-	-	-	-	-
Male	1	-	-	1	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	2	-	-	-	-	-	-
American Indian 1/, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	1	-	-	-	-	-	-	-	-	-	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	1	-	-	1	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other disorders of amino-acid metabolism (E72)													
All races, both sexes	98	13	5	9	5	8	8	14	6	9	8	6	7
Male	51	9	2	4	3	5	1	9	3	7	3	1	4
Female	47	4	3	5	2	3	7	5	3	2	5	5	3
White, both sexes	82	10	5	8	4	6	6	12	5	7	7	5	7
Male	43	8	2	4	2	4	-	8	2	6	2	1	4
Female	39	2	3	4	2	2	6	4	3	1	5	4	3
Black, both sexes	11	2	-	1	1	2	1	2	1	-	-	1	-
Male	5	-	-	-	1	1	1	1	1	-	-	-	-
Female	6	2	-	1	-	1	-	1	-	-	-	1	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	5	1	-	-	-	-	1	-	-	2	1	-	-
Male	3	1	-	-	-	-	-	-	-	1	1	-	-
Female	2	-	-	-	-	-	1	-	-	1	-	-	-
Disorders of amino-acid transport (E72.0)													
All races, both sexes	12	2	-	1	-	1	1	1	-	3	-	2	1
Male	10	2	-	1	-	1	-	1	-	3	-	1	1
Female	2	-	-	-	-	-	1	-	-	-	-	1	-
White, both sexes	12	2	-	1	-	1	1	1	-	3	-	2	1
Male	10	2	-	1	-	1	-	1	-	3	-	1	1
Female	2	-	-	-	-	-	1	-	-	-	-	1	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Disorders of sulphur-bearing amino-acid metabolism (E72.1)													
All races, both sexes	6	1	-	1	-	1	1	1	-	-	-	1	-
Male	2	1	-	-	-	1	-	-	-	-	-	-	-
Female	4	-	-	1	-	-	1	1	-	-	-	1	-
White, both sexes	6	1	-	1	-	1	1	1	-	-	-	1	-
Male	2	1	-	-	-	1	-	-	-	-	-	-	-
Female	4	-	-	1	-	-	1	1	-	-	-	1	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Disorders of urea cycle metabolism (E72.2)													
All races, both sexes	54	6	4	4	4	4	5	6	4	4	5	2	6
Male	26	3	2	3	2	2	1	4	1	3	2	-	3
Female	28	3	2	1	2	2	4	2	3	1	3	2	3
White, both sexes	44	4	4	4	4	3	4	4	4	2	4	1	6
Male	20	2	2	3	2	1	-	3	1	2	1	-	3
Female	24	2	2	1	2	2	4	1	3	-	3	1	3
Black, both sexes	6	1	-	-	-	1	1	2	-	-	-	1	-
Male	3	-	-	-	-	1	1	1	-	-	-	-	-
Female	3	1	-	-	-	-	-	1	-	-	-	1	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	4	1	-	-	-	-	-	-	-	2	1	-	-
Male	3	1	-	-	-	-	-	-	-	1	1	-	-
Female	1	-	-	-	-	-	-	-	-	1	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Disorders of lysine and hydroxylysine metabolism (E72.3)													
All races, both sexes	5	1	-	-	-	-	-	1	1	-	2	-	-
Male	3	1	-	-	-	-	-	-	1	-	1	-	-
Female	2	-	-	-	-	-	-	1	-	-	1	-	-
White, both sexes	5	1	-	-	-	-	-	1	1	-	2	-	-
Male	3	1	-	-	-	-	-	-	1	-	1	-	-
Female	2	-	-	-	-	-	-	1	-	-	1	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Disorders of ornithine metabolism (E72.4)													
All races, both sexes	3	1	-	-	-	-	1	1	-	-	-	-	-
Male	2	1	-	-	-	-	-	1	-	-	-	-	-
Female	1	-	-	-	-	-	1	-	-	-	-	-	-
White, both sexes	2	1	-	-	-	-	-	1	-	-	-	-	-
Male	2	1	-	-	-	-	-	1	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	1	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	1	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Disorders of glycine metabolism (E72.5)													
All races, both sexes	14	1	1	3	1	1	-	3	-	2	1	1	-
Male	5	-	-	-	1	1	-	2	-	1	-	-	-
Female	9	1	1	3	-	-	-	1	-	1	1	1	-
White, both sexes	11	-	1	2	-	1	-	3	-	2	1	1	-
Male	4	-	-	-	-	1	-	2	-	1	-	-	-
Female	7	-	1	2	-	-	-	1	-	1	1	1	-
Black, both sexes	3	1	-	1	1	-	-	-	-	-	-	-	-
Male	1	-	-	-	1	-	-	-	-	-	-	-	-
Female	2	1	-	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Disorder of amino-acid metabolism, unspecified (E72.9)													
All races, both sexes	4	1	-	-	-	1	-	1	1	-	-	-	-
Male	3	1	-	-	-	-	-	1	1	-	-	-	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-
White, both sexes	2	1	-	-	-	-	-	1	-	-	-	-	-
Male	2	1	-	-	-	-	-	1	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	2	-	-	-	-	1	-	-	1	-	-	-	-
Male	1	-	-	-	-	-	-	-	1	-	-	-	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Lactose intolerance (E73)													
All races, both sexes	3	-	-	-	-	-	1	-	-	1	-	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	3	-	-	-	-	-	1	-	-	1	-	-	1
White, both sexes	2	-	-	-	-	-	1	-	-	-	-	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	1	-	-	-	-	-	1
Black, both sexes	1	-	-	-	-	-	-	-	-	1	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	1	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital lactase deficiency (E73.0)													
All races, both sexes	2	-	-	-	-	-	1	-	-	-	-	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	1	-	-	-	-	-	1
White, both sexes	2	-	-	-	-	-	1	-	-	-	-	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	1	-	-	-	-	-	1
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Lactose intolerance, unspecified (E73.9)													
All races, both sexes	1	-	-	-	-	-	-	-	-	1	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	1	-	-	-
White, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	1	-	-	-	-	-	-	-	-	1	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	1	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other disorders of carbohydrate metabolism (E74)													
All races, both sexes	56	8	6	6	8	4	9	2	3	6	4	-	-
Male	30	4	-	4	5	3	5	1	2	3	3	-	-
Female	26	4	6	2	3	1	4	1	1	3	1	-	-
White, both sexes	44	7	6	2	7	3	8	1	2	6	2	-	-
Male	24	3	-	1	5	2	5	1	2	3	2	-	-
Female	20	4	6	1	2	1	3	-	-	3	-	-	-
Black, both sexes	12	1	-	4	1	1	1	1	1	-	2	-	-
Male	6	1	-	3	-	1	-	-	-	-	1	-	-
Female	6	-	-	1	1	-	1	1	1	-	1	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Glycogen storage disease (E74.0)													
All races, both sexes	23	3	2	3	4	2	3	1	3	2	-	-	-
Male	16	2	-	2	4	2	3	-	2	1	-	-	-
Female	7	1	2	1	-	-	-	1	1	1	-	-	-
White, both sexes	18	2	2	2	4	1	3	-	2	2	-	-	-
Male	13	1	-	1	4	1	3	-	2	1	-	-	-
Female	5	1	2	1	-	-	-	-	-	1	-	-	-
Black, both sexes	5	1	-	1	-	1	-	1	1	-	-	-	-
Male	3	1	-	1	-	1	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	1	1	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other disorders of intestinal carbohydrate absorption (E74.3)													
All races, both sexes	16	2	2	2	3	1	2	-	-	2	2	-	-
Male	8	2	-	2	1	-	1	-	-	-	2	-	-
Female	8	-	2	-	2	1	1	-	-	2	-	-	-
White, both sexes	12	2	2	-	2	1	2	-	-	2	1	-	-
Male	5	2	-	-	1	-	1	-	-	-	1	-	-
Female	7	-	2	-	1	1	1	-	-	2	-	-	-
Black, both sexes	4	-	-	2	1	-	-	-	-	-	1	-	-
Male	3	-	-	2	-	-	-	-	-	-	1	-	-
Female	1	-	-	-	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Disorders of pyruvate metabolism and gluconeogenesis (E74.4)													
All races, both sexes	7	-	-	1	-	1	2	-	-	2	1	-	-
Male	5	-	-	-	-	1	1	-	-	2	1	-	-
Female	2	-	-	1	-	-	1	-	-	-	-	-	-
White, both sexes	6	-	-	-	-	1	2	-	-	2	1	-	-
Male	5	-	-	-	-	1	1	-	-	2	1	-	-
Female	1	-	-	-	-	-	1	-	-	-	-	-	-
Black, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other specified disorders of carbohydrate metabolism (E74.8)													
All races, both sexes	9	2	2	-	1	-	2	1	-	-	1	-	-
Male	1	-	-	-	-	-	-	1	-	-	-	-	-
Female	8	2	2	-	1	-	2	-	-	-	1	-	-
White, both sexes	7	2	2	-	1	-	1	1	-	-	-	-	-
Male	1	-	-	-	-	-	-	1	-	-	-	-	-
Female	6	2	2	-	1	-	1	-	-	-	-	-	-
Black, both sexes	2	-	-	-	-	-	1	-	-	-	1	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	1	-	-	-	1	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Disorder of carbohydrate metabolism, unspecified (E74.9)													
All races, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Disorders of sphingolipid metabolism and other lipid storage disorders (E75)													
All races, both sexes	223	14	11	28	17	16	18	14	17	27	18	18	25
Male	130	4	6	20	8	9	10	7	11	15	12	11	17
Female	93	10	5	8	9	7	8	7	6	12	6	7	8
White, both sexes	203	11	10	28	15	15	16	10	17	23	18	16	24
Male	123	4	5	20	7	8	9	7	11	12	12	11	17
Female	80	7	5	8	8	7	7	3	6	11	6	5	7
Black, both sexes	12	2	-	-	2	1	1	2	-	3	-	-	1
Male	5	-	-	-	1	1	1	-	-	2	-	-	-
Female	7	2	-	-	1	-	-	2	-	1	-	-	1
American Indian 1/, both sexes	3	1	-	-	-	-	-	1	-	-	-	1	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	3	1	-	-	-	-	-	1	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes	5	-	1	-	-	-	1	1	-	1	-	1	-
Male	2	-	1	-	-	-	-	-	-	1	-	-	-
Female	3	-	-	-	-	-	1	1	-	-	-	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
GM2 gangliosidosis (E75.0)													
All races, both sexes	32	3	2	4	1	-	1	3	4	2	4	4	4
Male	20	1	1	3	1	-	-	1	2	1	3	3	4
Female	12	2	1	1	-	-	1	2	2	1	1	1	-
White, both sexes	31	3	2	4	1	-	1	2	4	2	4	4	4
Male	20	1	1	3	1	-	-	1	2	1	3	3	4
Female	11	2	1	1	-	-	1	1	2	1	1	1	-
Black, both sexes	1	-	-	-	-	-	-	1	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other gangliosidosis (E75.1)													
All races, both sexes	11	-	2	2	1	-	2	1	1	1	-	-	1
Male	5	-	-	1	-	-	1	-	1	1	-	-	1
Female	6	-	2	1	1	-	1	1	-	-	-	-	-
White, both sexes	9	-	2	2	1	-	1	-	1	1	-	-	1
Male	5	-	-	1	-	-	1	-	1	1	-	-	1
Female	4	-	2	1	1	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	2	-	-	-	-	-	1	1	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	1	1	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other sphingolipidosis (E75.2)													
All races, both sexes	136	10	6	18	9	11	10	7	8	20	12	10	15
Male	74	3	4	12	5	6	5	5	5	9	8	5	7
Female	62	7	2	6	4	5	5	2	3	11	4	5	8
White, both sexes	122	7	5	18	7	11	9	6	8	17	12	8	14
Male	69	3	3	12	4	6	4	5	5	7	8	5	7
Female	53	4	2	6	3	5	5	1	3	10	4	3	7
Black, both sexes	10	2	-	-	2	-	1	1	-	3	-	-	1
Male	4	-	-	-	1	-	1	-	-	2	-	-	-
Female	6	2	-	-	1	-	-	1	-	1	-	-	1
American Indian 1/, both sexes	2	1	-	-	-	-	-	-	-	-	-	1	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	1	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes	2	-	1	-	-	-	-	-	-	-	-	1	-
Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-
Neuronal ceroid lipofuscinosis (E75.4)													
All races, both sexes	36	1	1	2	5	4	5	2	3	4	1	3	5
Male	25	-	1	2	1	2	4	1	2	4	1	2	5
Female	11	1	-	-	4	2	1	1	1	-	-	1	-
White, both sexes	35	1	1	2	5	4	5	2	3	3	1	3	5
Male	24	-	1	2	1	2	4	1	2	3	1	2	5
Female	11	1	-	-	4	2	1	1	1	-	-	1	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	-	-	1	-	-	-
Male	1	-	-	-	-	-	-	-	-	1	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other lipid storage disorders (E75.5)													
All races, both sexes	2	-	-	2	-	-	-	-	-	-	-	-	-
Male	2	-	-	2	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	2	-	-	2	-	-	-	-	-	-	-	-	-
Male	2	-	-	2	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Lipid storage disorder, unspecified (E75.6)													
All races, both sexes	6	-	-	-	1	1	-	1	1	-	1	1	-
Male	4	-	-	-	1	1	-	-	1	-	-	1	-
Female	2	-	-	-	-	-	-	1	-	-	1	-	-
White, both sexes	4	-	-	-	1	-	-	-	1	-	1	1	-
Male	3	-	-	-	1	-	-	-	1	-	-	1	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
Black, both sexes	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	1	-	-	-	-	-	-	1	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Disorders of glycosaminoglycan metabolism (E76)													
All races, both sexes	56	5	3	8	3	5	4	7	5	1	8	5	2
Male	40	2	3	5	2	4	3	5	4	-	7	4	1
Female	16	3	-	3	1	1	1	2	1	1	1	1	1
White, both sexes	50	4	3	8	3	4	4	7	3	1	7	4	2
Male	36	2	3	5	2	3	3	5	3	-	6	3	1
Female	14	2	-	3	1	1	1	2	-	1	1	1	1
Black, both sexes	3	1	-	-	-	-	-	-	1	-	1	-	-
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	2	1	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	3	-	-	-	-	1	-	-	1	-	-	1	-
Male	3	-	-	-	-	1	-	-	1	-	-	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Mucopolysaccharidosis, type I (E76.0)													
All races, both sexes	14	2	-	3	1	1	-	3	1	-	-	2	1
Male	9	1	-	1	1	1	-	3	-	-	-	2	-
Female	5	1	-	2	-	-	-	-	1	-	-	-	1
White, both sexes	12	2	-	3	1	1	-	3	-	-	-	1	1
Male	8	1	-	1	1	1	-	3	-	-	-	1	-
Female	4	1	-	2	-	-	-	-	-	-	-	-	1
Black, both sexes	1	-	-	-	-	-	-	-	1	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	-	-	-	-	1	-
Male	1	-	-	-	-	-	-	-	-	-	-	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Mucopolysaccharidosis, type II (E76.1)													
All races, both sexes	16	1	1	2	-	1	1	1	4	-	4	-	1
Male	15	1	1	2	-	1	1	-	4	-	4	-	1
Female	1	-	-	-	-	-	-	1	-	-	-	-	-
White, both sexes	14	1	1	2	-	1	1	1	3	-	3	-	1
Male	13	1	1	2	-	1	1	-	3	-	3	-	1
Female	1	-	-	-	-	-	-	1	-	-	-	-	-
Black, both sexes	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	-	1	-	-	-	-
Male	1	-	-	-	-	-	-	-	1	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other mucopolysaccharidoses (E76.2)													
All races, both sexes	15	1	1	-	-	1	3	3	-	1	3	2	-
Male	9	-	1	-	-	1	2	2	-	-	2	1	-
Female	6	1	-	-	-	-	1	1	-	1	1	1	-
White, both sexes	15	1	1	-	-	1	3	3	-	1	3	2	-
Male	9	-	1	-	-	1	2	2	-	-	2	1	-
Female	6	1	-	-	-	-	1	1	-	1	1	1	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Mucopolysaccharidosis, unspecified (E76.3)													
All races, both sexes	9	1	1	3	1	1	-	-	-	-	1	1	-
Male	6	-	1	2	1	-	-	-	-	-	1	1	-
Female	3	1	-	1	-	1	-	-	-	-	-	-	-
White, both sexes	8	-	1	3	1	1	-	-	-	-	1	1	-
Male	6	-	1	2	1	-	-	-	-	-	1	1	-
Female	2	-	-	1	-	1	-	-	-	-	-	-	-
Black, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Disorder of glucosaminoglycan metabolism, unspecified (E76.9)													
All races, both sexes	2	-	-	-	1	1	-	-	-	-	-	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	1	-	-	-	1	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	1	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	1	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Disorders of glycoprotein metabolism (E77)													
All races, both sexes	27	5	2	3	4	3	4	-	1	1	2	2	-
Male	9	1	1	1	2	-	2	-	-	-	1	1	-
Female	18	4	1	2	2	3	2	-	1	1	1	1	-
White, both sexes	26	5	2	3	4	3	3	-	1	1	2	2	-
Male	8	1	1	1	2	-	1	-	-	-	1	1	-
Female	18	4	1	2	2	3	2	-	1	1	1	1	-
Black, both sexes	1	-	-	-	-	-	1	-	-	-	-	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Defects in posttranslational modification of lysosomal enzymes (E77.0)													
All races, both sexes	2	1	-	1	-	-	-	-	-	-	-	-	-
Male	2	1	-	1	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	2	1	-	1	-	-	-	-	-	-	-	-	-
Male	2	1	-	1	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Defects in glycoprotein degradation (E77.1)													
All races, both sexes	2	1	1	-	-	-	-	-	-	-	-	-	-
Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	2	1	1	-	-	-	-	-	-	-	-	-	-
Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other disorders of glycoprotein metabolism (E77.8)													
All races, both sexes	23	3	1	2	4	3	4	-	1	1	2	2	-
Male	6	-	-	-	2	-	2	-	-	-	1	1	-
Female	17	3	1	2	2	3	2	-	1	1	1	1	-
White, both sexes	22	3	1	2	4	3	3	-	1	1	2	2	-
Male	5	-	-	-	2	-	1	-	-	-	1	1	-
Female	17	3	1	2	2	3	2	-	1	1	1	1	-
Black, both sexes	1	-	-	-	-	-	1	-	-	-	-	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Disorders of lipoprotein metabolism and other lipidemias (E78)													
All races, both sexes	5,651	482	468	478	446	493	449	415	436	444	464	470	606
Male	3,129	269	258	254	249	289	248	222	237	251	251	257	344
Female	2,522	213	210	224	197	204	201	193	199	193	213	213	262
White, both sexes	5,078	439	425	429	396	450	406	367	390	389	421	424	542
Male	2,819	244	238	227	224	258	228	201	208	217	230	233	311
Female	2,259	195	187	202	172	192	178	166	182	172	191	191	231
Black, both sexes	438	35	31	33	43	32	32	36	35	44	33	33	51
Male	221	19	14	18	18	20	15	15	21	29	13	14	25
Female	217	16	17	15	25	12	17	21	14	15	20	19	26
American Indian 1/, both sexes	19	3	-	1	-	1	2	2	1	2	1	3	3
Male	13	2	-	1	-	1	-	2	-	1	1	3	2
Female	6	1	-	-	-	-	2	-	1	1	-	-	1
Asian or Pacific Islander 2/, both sexes	116	5	12	15	7	10	9	10	10	9	9	10	10
Male	76	4	6	8	7	10	5	4	8	4	7	7	6
Female	40	1	6	7	-	-	4	6	2	5	2	3	4
Pure hypercholesterolemia (E78.0)													
All races, both sexes	1,645	146	138	133	146	127	126	126	119	130	145	131	178
Male	902	76	78	70	76	82	71	73	62	69	79	73	93
Female	743	70	60	63	70	45	55	53	57	61	66	58	85
White, both sexes	1,451	132	123	118	121	116	114	110	102	113	134	114	154
Male	802	71	71	60	64	72	66	67	50	59	75	65	82
Female	649	61	52	58	57	44	48	43	52	54	59	49	72
Black, both sexes	150	12	11	12	19	6	9	13	15	14	7	14	18
Male	67	3	5	8	6	5	3	4	10	9	1	6	7
Female	83	9	6	4	13	1	6	9	5	5	6	8	11
American Indian 1/, both sexes	5	-	-	-	-	1	-	1	-	-	-	1	2
Male	5	-	-	-	-	1	-	1	-	-	-	1	2
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	39	2	4	3	6	4	3	2	2	3	4	2	4
Male	28	2	2	2	6	4	2	1	2	1	3	1	2
Female	11	-	2	1	-	-	1	1	-	2	1	1	2

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Pure hyperglyceridemia (E78.1)													
All races, both sexes	40	2	4	3	5	4	4	3	4	2	1	4	4
Male	23	-	3	1	2	4	3	2	2	1	-	1	4
Female	17	2	1	2	3	-	1	1	2	1	1	3	-
White, both sexes	34	2	4	2	5	3	3	3	2	2	1	4	3
Male	18	-	3	-	2	3	2	2	1	1	-	1	3
Female	16	2	1	2	3	-	1	1	1	1	1	3	-
Black, both sexes	4	-	-	-	-	1	1	-	1	-	-	-	1
Male	4	-	-	-	-	1	1	-	1	-	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	2	-	-	1	-	-	-	-	1	-	-	-	-
Male	1	-	-	1	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	1	-	-	-	-
Mixed hyperlipidemia (E78.2)													
All races, both sexes	28	-	4	2	3	3	2	1	2	5	2	1	3
Male	14	-	-	2	2	1	-	1	2	2	2	-	2
Female	14	-	4	-	1	2	2	-	-	3	-	1	1
White, both sexes	27	-	4	2	3	3	2	1	2	5	2	1	2
Male	13	-	-	2	2	1	-	1	2	2	2	-	1
Female	14	-	4	-	1	2	2	-	-	3	-	1	1
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	1	-	-	-	-	-	-	-	-	-	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Hyperchylomicronemia (E78.3)													
All races, both sexes	4	-	-	1	-	-	-	-	1	-	1	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	4	-	-	1	-	-	-	-	1	-	1	-	1
White, both sexes	4	-	-	1	-	-	-	-	1	-	1	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	4	-	-	1	-	-	-	-	1	-	1	-	1
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other hyperlipidemia (E78.4)													
All races, both sexes	6	2	-	-	1	-	-	-	-	2	-	-	1
Male	4	1	-	-	1	-	-	-	-	2	-	-	-
Female	2	1	-	-	-	-	-	-	-	-	-	-	1
White, both sexes	5	2	-	-	-	-	-	-	-	2	-	-	1
Male	3	1	-	-	-	-	-	-	-	2	-	-	-
Female	2	1	-	-	-	-	-	-	-	-	-	-	1
Black, both sexes	1	-	-	-	1	-	-	-	-	-	-	-	-
Male	1	-	-	-	1	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Hyperlipidemia, unspecified (E78.5)													
All races, both sexes	3,896	328	321	331	288	355	313	285	309	303	314	332	417
Male	2,163	189	177	178	165	199	170	146	170	176	169	181	243
Female	1,733	139	144	153	123	156	143	139	139	127	145	151	174
White, both sexes	3,525	299	293	298	264	324	283	253	282	265	282	303	379
Male	1,960	169	164	162	153	179	156	131	154	152	152	165	223
Female	1,565	130	129	136	111	145	127	122	128	113	130	138	156
Black, both sexes	283	23	20	21	23	25	22	23	19	30	26	19	32
Male	149	16	9	10	11	14	11	11	10	20	12	8	17
Female	134	7	11	11	12	11	11	12	9	10	14	11	15
American Indian 1/, both sexes	14	3	-	1	-	-	2	1	1	2	1	2	1
Male	8	2	-	1	-	-	-	1	-	1	1	2	-
Female	6	1	-	-	-	-	2	-	1	1	-	-	1
Asian or Pacific Islander 2/, both sexes	74	3	8	11	1	6	6	8	7	6	5	8	5
Male	46	2	4	5	1	6	3	3	6	3	4	6	3
Female	28	1	4	6	-	-	3	5	1	3	1	2	2
Lipoprotein deficiency (E78.6)													
All races, both sexes	7	1	1	1	1	1	-	-	-	1	-	1	-
Male	5	1	-	1	1	1	-	-	-	-	-	1	-
Female	2	-	1	-	-	-	-	-	-	1	-	-	-
White, both sexes	7	1	1	1	1	1	-	-	-	1	-	1	-
Male	5	1	-	1	1	1	-	-	-	-	-	1	-
Female	2	-	1	-	-	-	-	-	-	1	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other disorders of lipoprotein metabolism (E78.8)													
All races, both sexes	3	1	-	-	-	1	-	-	-	-	-	1	-
Male	1	-	-	-	-	-	-	-	-	-	-	1	-
Female	2	1	-	-	-	1	-	-	-	-	-	-	-
White, both sexes	3	1	-	-	-	1	-	-	-	-	-	1	-
Male	1	-	-	-	-	-	-	-	-	-	-	1	-
Female	2	1	-	-	-	1	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Disorder of lipoprotein metabolism, unspecified (E78.9)													
All races, both sexes	22	2	-	7	2	2	4	-	1	1	1	-	2
Male	17	2	-	2	2	2	4	-	1	1	1	-	2
Female	5	-	-	5	-	-	-	-	-	-	-	-	-
White, both sexes	22	2	-	7	2	2	4	-	1	1	1	-	2
Male	17	2	-	2	2	2	4	-	1	1	1	-	2
Female	5	-	-	5	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Disorders of purine and pyrimidine metabolism (E79)													
All races, both sexes	2	2	-	-	-	-	-	-	-	-	-	-	-
Male	2	2	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	2	2	-	-	-	-	-	-	-	-	-	-	-
Male	2	2	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperuricemia without signs of inflammatory arthritis and tophaceous disease (E79.0)													
All races, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Lesch-Nyhan syndrome (E79.1)													
All races, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Disorders of porphyrin and bilirubin metabolism (E80)													
All races, both sexes	10	2	2	-	-	-	2	-	1	-	1	1	1
Male	2	-	1	-	-	-	-	-	-	-	-	1	-
Female	8	2	1	-	-	-	2	-	1	-	1	-	1
White, both sexes	8	2	2	-	-	-	1	-	1	-	1	1	-
Male	2	-	1	-	-	-	-	-	-	-	-	1	-
Female	6	2	1	-	-	-	1	-	1	-	1	-	-
Black, both sexes	2	-	-	-	-	-	1	-	-	-	-	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	1	-	-	-	-	-	1
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Hereditary erythropoietic porphyria (E80.0)													
All races, both sexes	1	-	1	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	1	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	1	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	1	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other porphyria (E80.2)													
All races, both sexes	6	1	-	-	-	-	1	-	1	-	1	1	1
Male	1	-	-	-	-	-	-	-	-	-	-	1	-
Female	5	1	-	-	-	-	1	-	1	-	1	-	1
White, both sexes	5	1	-	-	-	-	1	-	1	-	1	1	-
Male	1	-	-	-	-	-	-	-	-	-	-	1	-
Female	4	1	-	-	-	-	1	-	1	-	1	-	-
Black, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Gilbert's syndrome (E80.4)													
All races, both sexes	1	-	1	-	-	-	-	-	-	-	-	-	-
Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	1	-	-	-	-	-	-	-	-	-	-
Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Crigler-Najjar syndrome (E80.5)													
All races, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other disorders of bilirubin metabolism (E80.6)													
All races, both sexes	1	-	-	-	-	-	1	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	1	-	-	-	-	-	-
White, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	1	-	-	-	-	-	1	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Disorders of mineral metabolism (E83)													
All races, both sexes	475	54	38	51	36	40	35	30	51	38	34	29	39
Male	226	20	15	26	19	18	14	10	33	20	16	15	20
Female	249	34	23	25	17	22	21	20	18	18	18	14	19
White, both sexes	399	47	28	41	30	35	30	25	47	33	28	22	33
Male	197	19	13	21	15	17	12	10	30	17	14	9	20
Female	202	28	15	20	15	18	18	15	17	16	14	13	13
Black, both sexes	59	6	6	7	6	5	3	3	4	4	4	6	5
Male	22	1	1	3	4	1	1	-	3	2	1	5	-
Female	37	5	5	4	2	4	2	3	1	2	3	1	5
American Indian 1/, both sexes	5	1	1	1	-	-	-	1	-	-	1	-	-
Male	2	-	-	1	-	-	-	-	-	-	1	-	-
Female	3	1	1	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	12	-	3	2	-	-	2	1	-	1	1	1	1
Male	5	-	1	1	-	-	1	-	-	1	-	1	-
Female	7	-	2	1	-	-	1	1	-	-	1	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Disorders of copper metabolism (E83.0)													
All races, both sexes	26	1	2	4	-	1	3	2	1	2	4	3	3
Male	20	-	1	3	-	-	3	-	1	2	4	3	3
Female	6	1	1	1	-	1	-	2	-	-	-	-	-
White, both sexes	19	1	1	1	-	1	3	1	1	2	3	2	3
Male	15	-	-	1	-	-	3	-	1	2	3	2	3
Female	4	1	1	-	-	1	-	1	-	-	-	-	-
Black, both sexes	3	-	1	1	-	-	-	-	-	-	-	1	-
Male	3	-	1	1	-	-	-	-	-	-	-	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	3	-	-	2	-	-	-	1	-	-	-	-	-
Male	1	-	-	1	-	-	-	-	-	-	-	-	-
Female	2	-	-	1	-	-	-	1	-	-	-	-	-
Disorders of iron metabolism (E83.1)													
All races, both sexes	198	20	18	22	15	14	15	11	25	14	15	10	19
Male	126	13	11	13	11	10	8	5	19	9	7	6	14
Female	72	7	7	9	4	4	7	6	6	5	8	4	5
White, both sexes	175	19	16	20	13	12	11	10	24	12	13	8	17
Male	114	13	10	12	9	9	6	5	18	7	7	4	14
Female	61	6	6	8	4	3	5	5	6	5	6	4	3
Black, both sexes	15	1	-	1	2	2	2	1	1	1	1	2	1
Male	8	-	-	-	2	1	1	-	1	1	-	2	-
Female	7	1	-	1	-	1	1	1	-	-	1	-	1
American Indian 1/, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	1	-	-	1	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	7	-	2	-	-	-	2	-	-	1	1	-	1
Male	3	-	1	-	-	-	1	-	-	1	-	-	-
Female	4	-	1	-	-	-	1	-	-	-	1	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Disorders of phosphorus metabolism (E83.3)													
All races, both sexes	9	-	1	2	-	-	1	1	1	-	2	-	1
Male	4	-	1	2	-	-	-	-	-	-	1	-	-
Female	5	-	-	-	-	-	1	1	1	-	1	-	1
White, both sexes	6	-	1	1	-	-	1	-	1	-	1	-	1
Male	3	-	1	1	-	-	-	-	-	-	1	-	-
Female	3	-	-	-	-	-	1	-	1	-	-	-	1
Black, both sexes	3	-	-	1	-	-	-	1	-	-	1	-	-
Male	1	-	-	1	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	1	-	-	1	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Disorders of magnesium metabolism (E83.4)													
All races, both sexes	7	-	-	1	1	2	-	-	2	-	-	1	-
Male	2	-	-	-	-	-	-	-	2	-	-	-	-
Female	5	-	-	1	1	2	-	-	-	-	-	1	-
White, both sexes	6	-	-	1	1	2	-	-	1	-	-	1	-
Male	1	-	-	-	-	-	-	-	1	-	-	-	-
Female	5	-	-	1	1	2	-	-	-	-	-	1	-
Black, both sexes	1	-	-	-	-	-	-	-	1	-	-	-	-
Male	1	-	-	-	-	-	-	-	1	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Disorders of calcium metabolism (E83.5)													
All races, both sexes	235	33	17	22	20	23	16	16	22	22	13	15	16
Male	74	7	2	8	8	8	3	5	11	9	4	6	3
Female	161	26	15	14	12	15	13	11	11	13	9	9	13
White, both sexes	193	27	10	18	16	20	15	14	20	19	11	11	12
Male	64	6	2	7	6	8	3	5	10	8	3	3	3
Female	129	21	8	11	10	12	12	9	10	11	8	8	9
Black, both sexes	37	5	5	4	4	3	1	1	2	3	2	3	4
Male	9	1	-	1	2	-	-	-	1	1	1	2	-
Female	28	4	5	3	2	3	1	1	1	2	1	1	4
American Indian 1/, both sexes	3	1	1	-	-	-	-	1	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	3	1	1	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	2	-	1	-	-	-	-	-	-	-	-	1	-
Male	1	-	-	-	-	-	-	-	-	-	-	1	-
Female	1	-	1	-	-	-	-	-	-	-	-	-	-
Cystic fibrosis (E84)													
All races, both sexes	451	56	37	26	33	46	37	26	39	30	40	27	54
Male	228	24	22	16	19	22	18	14	20	18	14	14	27
Female	223	32	15	10	14	24	19	12	19	12	26	13	27
White, both sexes	420	51	35	26	30	43	34	25	38	28	37	23	50
Male	215	23	21	16	17	21	17	14	20	16	12	12	26
Female	205	28	14	10	13	22	17	11	18	12	25	11	24
Black, both sexes	25	5	2	-	3	2	3	-	1	-	3	3	3
Male	11	1	1	-	2	1	1	-	-	-	2	2	1
Female	14	4	1	-	1	1	2	-	1	-	1	1	2
American Indian 1/, both sexes	3	-	-	-	-	1	-	1	-	1	-	-	-
Male	1	-	-	-	-	-	-	-	-	1	-	-	-
Female	2	-	-	-	-	1	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	3	-	-	-	-	-	-	-	-	1	-	1	1
Male	1	-	-	-	-	-	-	-	-	1	-	-	-
Female	2	-	-	-	-	-	-	-	-	-	-	1	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Cystic fibrosis with pulmonary manifestations (E84.0)													
All races, both sexes	211	26	16	15	11	24	19	11	18	16	21	15	19
Male	108	11	11	9	8	8	9	7	11	10	7	6	11
Female	103	15	5	6	3	16	10	4	7	6	14	9	8
White, both sexes	196	22	15	15	11	23	17	11	17	14	19	13	19
Male	102	10	10	9	8	8	8	7	11	8	6	6	11
Female	94	12	5	6	3	15	9	4	6	6	13	7	8
Black, both sexes	11	4	1	-	-	-	2	-	1	-	2	1	-
Male	4	1	1	-	-	-	1	-	-	-	1	-	-
Female	7	3	-	-	-	-	1	-	1	-	1	1	-
American Indian 1/, both sexes	2	-	-	-	-	1	-	-	-	1	-	-	-
Male	1	-	-	-	-	-	-	-	-	1	-	-	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	2	-	-	-	-	-	-	-	-	1	-	1	-
Male	1	-	-	-	-	-	-	-	-	1	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-
Cystic fibrosis with intestinal manifestations (E84.1)													
All races, both sexes	13	3	-	-	-	1	2	-	3	2	-	-	2
Male	8	2	-	-	-	1	1	-	2	2	-	-	-
Female	5	1	-	-	-	-	1	-	1	-	-	-	2
White, both sexes	13	3	-	-	-	1	2	-	3	2	-	-	2
Male	8	2	-	-	-	1	1	-	2	2	-	-	-
Female	5	1	-	-	-	-	1	-	1	-	-	-	2
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Cystic fibrosis with other manifestations (E84.8)													
All races, both sexes	32	4	4	3	2	3	2	-	2	3	3	2	4
Male	16	2	2	1	1	2	2	-	-	1	1	1	3
Female	16	2	2	2	1	1	-	-	2	2	2	1	1
White, both sexes	32	4	4	3	2	3	2	-	2	3	3	2	4
Male	16	2	2	1	1	2	2	-	-	1	1	1	3
Female	16	2	2	2	1	1	-	-	2	2	2	1	1
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Cystic fibrosis, unspecified (E84.9)													
All races, both sexes	195	23	17	8	20	18	14	15	16	9	16	10	29
Male	96	9	9	6	10	11	6	7	7	5	6	7	13
Female	99	14	8	2	10	7	8	8	9	4	10	3	16
White, both sexes	179	22	16	8	17	16	13	14	16	9	15	8	25
Male	89	9	9	6	8	10	6	7	7	5	5	5	12
Female	90	13	7	2	9	6	7	7	9	4	10	3	13
Black, both sexes	14	1	1	-	3	2	1	-	-	-	1	2	3
Male	7	-	-	-	2	1	-	-	-	-	1	2	1
Female	7	1	1	-	1	1	1	-	-	-	-	-	2
American Indian 1/, both sexes	1	-	-	-	-	-	-	1	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Amyloidosis (E85)													
All races, both sexes	942	77	72	88	72	82	65	88	65	76	91	68	98
Male	506	35	43	45	48	36	45	44	36	47	48	36	43
Female	436	42	29	43	24	46	20	44	29	29	43	32	55
White, both sexes	789	66	62	74	65	69	51	73	56	66	76	52	79
Male	422	33	37	38	43	29	35	37	32	41	40	22	35
Female	367	33	25	36	22	40	16	36	24	25	36	30	44
Black, both sexes	134	11	9	11	6	13	11	14	6	10	12	14	17
Male	74	2	6	6	5	7	8	6	2	6	6	12	8
Female	60	9	3	5	1	6	3	8	4	4	6	2	9
American Indian 1/, both sexes	1	-	-	-	-	-	1	-	-	-	-	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	18	-	1	3	1	-	2	1	3	-	3	2	2
Male	9	-	-	1	-	-	1	1	2	-	2	2	-
Female	9	-	1	2	1	-	1	-	1	-	1	-	2
Nonneuropathic heredofamilial amyloidosis (E85.0)													
All races, both sexes	1	-	-	-	1	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	1	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	1	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	1	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Neuropathic heredofamilial amyloidosis (E85.1)													
All races, both sexes	3	-	-	-	-	-	-	-	-	-	2	-	1
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	2	-	-	-	-	-	-	-	-	-	1	-	1
White, both sexes	3	-	-	-	-	-	-	-	-	-	2	-	1
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	2	-	-	-	-	-	-	-	-	-	1	-	1
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Heredofamilial amyloidosis, unspecified (E85.2)													
All races, both sexes	8	-	1	-	-	-	-	3	2	-	2	-	-
Male	6	-	1	-	-	-	-	2	1	-	2	-	-
Female	2	-	-	-	-	-	-	1	1	-	-	-	-
White, both sexes	7	-	1	-	-	-	-	2	2	-	2	-	-
Male	5	-	1	-	-	-	-	1	1	-	2	-	-
Female	2	-	-	-	-	-	-	1	1	-	-	-	-
Black, both sexes	1	-	-	-	-	-	-	1	-	-	-	-	-
Male	1	-	-	-	-	-	-	1	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Secondary systemic amyloidosis (E85.3)													
All races, both sexes	78	4	5	8	3	5	10	9	5	9	12	3	5
Male	44	3	2	3	3	2	8	5	2	8	6	1	1
Female	34	1	3	5	-	3	2	4	3	1	6	2	4
White, both sexes	59	3	5	5	2	3	5	8	4	8	10	3	3
Male	35	2	2	2	2	-	4	5	2	8	6	1	1
Female	24	1	3	3	-	3	1	3	2	-	4	2	2
Black, both sexes	18	1	-	3	1	2	5	1	1	1	1	-	2
Male	9	1	-	1	1	2	4	-	-	-	-	-	-
Female	9	-	-	2	-	-	1	1	1	1	1	-	2
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
Organ-limited amyloidosis (E85.4)													
All races, both sexes	420	40	29	39	37	33	28	35	23	35	43	30	48
Male	208	13	15	19	21	14	21	15	14	20	20	15	21
Female	212	27	14	20	16	19	7	20	9	15	23	15	27
White, both sexes	352	33	24	34	34	30	23	31	19	32	33	21	38
Male	167	12	12	16	19	12	16	12	11	19	14	7	17
Female	185	21	12	18	15	18	7	19	8	13	19	14	21
Black, both sexes	57	7	4	4	3	3	3	4	2	3	8	8	8
Male	35	1	3	3	2	2	3	3	2	1	4	7	4
Female	22	6	1	1	1	1	-	1	-	2	4	1	4
American Indian 1/, both sexes	1	-	-	-	-	-	1	-	-	-	-	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	10	-	1	1	-	-	1	-	2	-	2	1	2
Male	5	-	-	-	-	-	1	-	1	-	2	1	-
Female	5	-	1	1	-	-	-	-	1	-	-	-	2

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other amyloidosis (E85.8)													
All races, both sexes	5	-	-	1	2	1	1	-	-	-	-	-	-
Male	3	-	-	-	2	-	1	-	-	-	-	-	-
Female	2	-	-	1	-	1	-	-	-	-	-	-	-
White, both sexes	4	-	-	-	2	1	1	-	-	-	-	-	-
Male	3	-	-	-	2	-	1	-	-	-	-	-	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-
Black, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Amyloidosis, unspecified (E85.9)													
All races, both sexes	427	33	37	40	29	43	26	41	35	32	32	35	44
Male	244	19	25	23	22	20	15	22	19	19	19	20	21
Female	183	14	12	17	7	23	11	19	16	13	13	15	23
White, both sexes	363	30	32	35	26	35	22	32	31	26	29	28	37
Male	211	19	22	20	20	17	14	19	18	14	17	14	17
Female	152	11	10	15	6	18	8	13	13	12	12	14	20
Black, both sexes	57	3	5	3	2	8	3	8	3	6	3	6	7
Male	29	-	3	2	2	3	1	2	-	5	2	5	4
Female	28	3	2	1	-	5	2	6	3	1	1	1	3
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	7	-	-	2	1	-	1	1	1	-	-	1	-
Male	4	-	-	1	-	-	-	1	1	-	-	1	-
Female	3	-	-	1	1	-	1	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Volume depletion (E86)													
All races, both sexes	4,087	474	377	393	278	311	293	278	299	333	320	307	424
Male	1,301	152	113	126	83	95	97	93	79	107	104	107	145
Female	2,786	322	264	267	195	216	196	185	220	226	216	200	279
White, both sexes	3,603	413	325	353	251	266	250	240	265	294	292	279	375
Male	1,131	129	96	112	74	80	80	77	70	100	94	94	125
Female	2,472	284	229	241	177	186	170	163	195	194	198	185	250
Black, both sexes	431	51	47	36	23	38	40	34	32	32	28	27	43
Male	153	22	16	13	8	10	15	15	8	6	10	12	18
Female	278	29	31	23	15	28	25	19	24	26	18	15	25
American Indian 1/, both sexes	17	4	2	3	3	1	1	-	1	1	-	-	1
Male	1	-	-	-	1	-	-	-	-	-	-	-	-
Female	16	4	2	3	2	1	1	-	1	1	-	-	1
Asian or Pacific Islander 2/, both sexes	36	6	3	1	1	6	2	4	1	6	-	1	5
Male	16	1	1	1	-	5	2	1	1	1	-	1	2
Female	20	5	2	-	1	1	-	3	-	5	-	-	3
Other disorders of fluid, electrolyte, and acid-base balance (E87)													
All races, both sexes	2,938	295	243	275	227	237	188	237	222	223	220	250	321
Male	1,130	112	98	104	88	80	63	92	90	97	91	100	115
Female	1,808	183	145	171	139	157	125	145	132	126	129	150	206
White, both sexes	2,381	238	199	206	187	186	158	201	169	187	170	210	270
Male	899	88	80	73	71	61	51	80	66	81	61	88	99
Female	1,482	150	119	133	116	125	107	121	103	106	109	122	171
Black, both sexes	500	47	33	64	36	44	30	30	49	35	50	34	48
Male	210	22	12	29	14	17	12	10	24	15	30	9	16
Female	290	25	21	35	22	27	18	20	25	20	20	25	32
American Indian 1/, both sexes	19	2	4	1	2	2	-	4	-	1	-	2	1
Male	7	-	2	-	1	1	-	1	-	1	-	1	-
Female	12	2	2	1	1	1	-	3	-	-	-	1	1
Asian or Pacific Islander 2/, both sexes	38	8	7	4	2	5	-	2	4	-	-	4	2
Male	14	2	4	2	2	1	-	1	-	-	-	2	-
Female	24	6	3	2	-	4	-	1	4	-	-	2	2

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Hyperosmolality and hypernatremia (E87.0)													
All races, both sexes	547	69	67	54	48	26	23	33	29	36	40	49	73
Male	218	30	31	18	17	8	10	10	11	18	16	21	28
Female	329	39	36	36	31	18	13	23	18	18	24	28	45
White, both sexes	458	54	59	40	40	22	19	29	24	30	32	44	65
Male	181	24	28	13	15	7	8	10	9	15	10	18	24
Female	277	30	31	27	25	15	11	19	15	15	22	26	41
Black, both sexes	79	12	6	13	6	4	4	3	4	6	8	5	8
Male	34	5	2	5	1	1	2	-	2	3	6	3	4
Female	45	7	4	8	5	3	2	3	2	3	2	2	4
American Indian 1/, both sexes	3	-	-	-	2	-	-	1	-	-	-	-	-
Male	1	-	-	-	1	-	-	-	-	-	-	-	-
Female	2	-	-	-	1	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	7	3	2	1	-	-	-	-	1	-	-	-	-
Male	2	1	1	-	-	-	-	-	-	-	-	-	-
Female	5	2	1	1	-	-	-	-	1	-	-	-	-
Hypo-osmolality and hyponatremia (E87.1)													
All races, both sexes	282	21	13	23	19	31	27	33	27	26	22	20	20
Male	90	5	5	1	3	8	10	12	11	10	12	8	5
Female	192	16	8	22	16	23	17	21	16	16	10	12	15
White, both sexes	243	16	11	21	17	26	24	29	23	23	20	18	15
Male	77	2	4	1	3	5	9	12	10	8	11	8	4
Female	166	14	7	20	14	21	15	17	13	15	9	10	11
Black, both sexes	32	3	2	1	2	5	3	2	4	3	2	1	4
Male	12	2	1	-	-	3	1	-	1	2	1	-	1
Female	20	1	1	1	2	2	2	2	3	1	1	1	3
American Indian 1/, both sexes	3	-	-	-	-	-	-	2	-	-	-	1	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	3	-	-	-	-	-	-	2	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes	4	2	-	1	-	-	-	-	-	-	-	-	1
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	3	1	-	1	-	-	-	-	-	-	-	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Acidosis (E87.2)													
All races, both sexes	951	82	67	93	74	86	62	70	86	79	65	82	105
Male	400	33	26	49	33	37	21	28	35	41	28	35	34
Female	551	49	41	44	41	49	41	42	51	38	37	47	71
White, both sexes	719	69	47	64	61	60	46	53	55	64	48	68	84
Male	304	25	19	31	26	27	15	23	22	36	19	32	29
Female	415	44	28	33	35	33	31	30	33	28	29	36	55
Black, both sexes	211	9	15	27	12	22	16	16	29	15	17	12	21
Male	88	8	4	17	6	8	6	5	13	5	9	2	5
Female	123	1	11	10	6	14	10	11	16	10	8	10	16
American Indian 1/, both sexes	5	2	1	1	-	1	-	-	-	-	-	-	-
Male	2	-	1	-	-	1	-	-	-	-	-	-	-
Female	3	2	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	16	2	4	1	1	3	-	1	2	-	-	2	-
Male	6	-	2	1	1	1	-	-	-	-	-	1	-
Female	10	2	2	-	-	2	-	1	2	-	-	1	-
Alkalosis (E87.3)													
All races, both sexes	8	1	-	-	1	1	2	1	1	-	-	1	-
Male	2	-	-	-	1	-	-	-	-	-	-	1	-
Female	6	1	-	-	-	1	2	1	1	-	-	-	-
White, both sexes	8	1	-	-	1	1	2	1	1	-	-	1	-
Male	2	-	-	-	1	-	-	-	-	-	-	1	-
Female	6	1	-	-	-	1	2	1	1	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Mixed disorder of acid-base balance (E87.4)													
All races, both sexes	1	-	-	-	-	-	-	1	-	-	-	-	-
Male	1	-	-	-	-	-	-	1	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	-	-	-	1	-	-	-	-	-
Male	1	-	-	-	-	-	-	1	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperkalemia (E87.5)													
All races, both sexes	424	43	26	44	33	34	33	38	29	31	36	39	38
Male	194	23	13	14	20	14	10	19	14	10	18	16	23
Female	230	20	13	30	13	20	23	19	15	21	18	23	15
White, both sexes	324	32	22	35	22	27	28	29	23	26	22	28	30
Male	149	19	10	12	13	11	9	13	12	9	8	14	19
Female	175	13	12	23	9	16	19	16	11	17	14	14	11
Black, both sexes	93	10	4	9	10	7	5	7	5	5	14	10	7
Male	42	4	3	2	6	3	1	4	2	1	10	2	4
Female	51	6	1	7	4	4	4	3	3	4	4	8	3
American Indian 1/, both sexes	1	-	-	-	-	-	-	1	-	-	-	-	-
Male	1	-	-	-	-	-	-	1	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	6	1	-	-	1	-	-	1	1	-	-	1	1
Male	2	-	-	-	1	-	-	1	-	-	-	-	-
Female	4	1	-	-	-	-	-	-	1	-	-	1	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Hypokalemia (E87.6)													
All races, both sexes	137	14	10	9	10	13	11	15	13	7	9	7	19
Male	41	6	5	3	4	2	2	7	2	3	2	1	4
Female	96	8	5	6	6	11	9	8	11	4	7	6	15
White, both sexes	118	12	8	6	10	12	11	14	10	6	7	5	17
Male	33	5	4	2	4	2	2	6	-	3	1	-	4
Female	85	7	4	4	6	10	9	8	10	3	6	5	13
Black, both sexes	16	2	1	3	-	-	-	1	3	1	2	1	2
Male	6	1	-	1	-	-	-	1	2	-	1	-	-
Female	10	1	1	2	-	-	-	-	1	1	1	1	2
American Indian 1/, both sexes	3	-	1	-	-	1	-	-	-	-	-	1	-
Male	2	-	1	-	-	-	-	-	-	-	-	1	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Fluid overload (E87.7)													
All races, both sexes	66	3	5	5	6	5	4	7	5	7	3	8	8
Male	33	-	3	3	1	1	3	5	2	3	2	4	6
Female	33	3	2	2	5	4	1	2	3	4	1	4	2
White, both sexes	48	-	4	3	4	4	3	7	4	5	2	6	6
Male	24	-	2	2	1	1	2	5	1	2	1	2	5
Female	24	-	2	1	3	3	1	2	3	3	1	4	1
Black, both sexes	15	3	1	1	2	-	1	-	1	2	1	1	2
Male	7	-	1	-	-	-	1	-	1	1	1	1	1
Female	8	3	-	1	2	-	-	-	-	1	-	-	1
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	3	-	-	1	-	1	-	-	-	-	-	1	-
Male	2	-	-	1	-	-	-	-	-	-	-	1	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other disorders of electrolyte and fluid balance, not elsewhere classified (E87.8)													
All races, both sexes	522	62	55	47	36	41	26	39	32	37	45	44	58
Male	151	15	15	16	9	10	7	10	15	12	13	14	15
Female	371	47	40	31	27	31	19	29	17	25	32	30	43
White, both sexes	462	54	48	37	32	34	25	38	29	33	39	40	53
Male	128	13	13	12	8	8	6	10	12	8	11	13	14
Female	334	41	35	25	24	26	19	28	17	25	28	27	39
Black, both sexes	54	8	4	10	4	6	1	1	3	3	6	4	4
Male	21	2	1	4	1	2	1	-	3	3	2	1	1
Female	33	6	3	6	3	4	-	1	-	-	4	3	3
American Indian 1/, both sexes	4	-	2	-	-	-	-	-	-	1	-	-	1
Male	1	-	-	-	-	-	-	-	-	1	-	-	-
Female	3	-	2	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes	2	-	1	-	-	1	-	-	-	-	-	-	-
Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-
Other metabolic disorders (E88)													
All races, both sexes	875	74	86	82	67	83	63	67	60	48	66	77	102
Male	419	33	51	38	33	43	25	30	25	22	32	37	50
Female	456	41	35	44	34	40	38	37	35	26	34	40	52
White, both sexes	749	63	69	72	59	68	50	59	54	39	57	66	93
Male	361	30	45	34	29	34	21	26	22	20	27	28	45
Female	388	33	24	38	30	34	29	33	32	19	30	38	48
Black, both sexes	102	9	16	8	6	11	12	6	5	7	7	8	7
Male	48	2	5	3	3	7	4	4	3	2	5	7	3
Female	54	7	11	5	3	4	8	2	2	5	2	1	4
American Indian 1/, both sexes	6	1	1	-	-	-	-	2	-	-	1	-	1
Male	2	-	1	-	-	-	-	-	-	-	-	-	1
Female	4	1	-	-	-	-	-	2	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes	18	1	-	2	2	4	1	-	1	2	1	3	1
Male	8	1	-	1	1	2	-	-	-	-	-	2	1
Female	10	-	-	1	1	2	1	-	1	2	1	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Disorders of plasma-protein metabolism, not elsewhere classified (E88.0)													
All races, both sexes	257	16	33	23	23	25	20	20	11	16	21	23	26
Male	118	5	22	13	10	12	5	8	3	10	6	12	12
Female	139	11	11	10	13	13	15	12	8	6	15	11	14
White, both sexes	239	14	32	22	23	24	18	19	9	13	18	22	25
Male	114	5	21	12	10	12	5	8	3	10	6	11	11
Female	125	9	11	10	13	12	13	11	6	3	12	11	14
Black, both sexes	14	2	1	1	-	-	2	-	2	3	1	1	1
Male	4	-	1	1	-	-	-	-	-	-	-	1	1
Female	10	2	-	-	-	-	2	-	2	3	1	-	-
American Indian 1/, both sexes	2	-	-	-	-	-	-	1	-	-	1	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	1	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes	2	-	-	-	-	1	-	-	-	-	1	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	1	-	-	-	-	1	-	-
Lipodystrophy, not elsewhere classified (E88.1)													
All races, both sexes	2	1	-	-	-	-	-	-	1	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	1	-	-	-	-	-	-	1	-	-	-	-
White, both sexes	2	1	-	-	-	-	-	-	1	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	1	-	-	-	-	-	-	1	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Lipomatosis, not elsewhere classified (E88.2)													
All races, both sexes	2	-	-	-	-	-	1	-	-	-	-	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	1	-	-	-	-	-	1
White, both sexes	2	-	-	-	-	-	1	-	-	-	-	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	1	-	-	-	-	-	1
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other specified metabolic disorders (E88.8)													
All races, both sexes	17	1	-	3	1	3	-	4	2	-	-	-	3
Male	7	-	-	1	1	2	-	1	-	-	-	-	2
Female	10	1	-	2	-	1	-	3	2	-	-	-	1
White, both sexes	17	1	-	3	1	3	-	4	2	-	-	-	3
Male	7	-	-	1	1	2	-	1	-	-	-	-	2
Female	10	1	-	2	-	1	-	3	2	-	-	-	1
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Metabolic disorder, unspecified (E88.9)													
All races, both sexes	597	56	53	56	43	55	42	43	46	32	45	54	72
Male	294	28	29	24	22	29	20	21	22	12	26	25	36
Female	303	28	24	32	21	26	22	22	24	20	19	29	36
White, both sexes	489	47	37	47	35	41	31	36	42	26	39	44	64
Male	240	25	24	21	18	20	16	17	19	10	21	17	32
Female	249	22	13	26	17	21	15	19	23	16	18	27	32
Black, both sexes	88	7	15	7	6	11	10	6	3	4	6	7	6
Male	44	2	4	2	3	7	4	4	3	2	5	6	2
Female	44	5	11	5	3	4	6	2	-	2	1	1	4
American Indian 1/, both sexes	4	1	1	-	-	-	-	1	-	-	-	-	1
Male	2	-	1	-	-	-	-	-	-	-	-	-	1
Female	2	1	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	16	1	-	2	2	3	1	-	1	2	-	3	1
Male	8	1	-	1	1	2	-	-	-	-	-	2	1
Female	8	-	-	1	1	1	1	-	1	2	-	1	-
Vascular dementia (F01)													
All races, both sexes	19	4	2	3	2	2	-	-	1	2	1	-	2
Male	9	3	1	1	-	1	-	-	1	-	1	-	1
Female	10	1	1	2	2	1	-	-	-	2	-	-	1
White, both sexes	19	4	2	3	2	2	-	-	1	2	1	-	2
Male	9	3	1	1	-	1	-	-	1	-	1	-	1
Female	10	1	1	2	2	1	-	-	-	2	-	-	1
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Multi-infarct dementia (F01.1)													
All races, both sexes	8	3	-	1	1	1	-	-	-	1	1	-	-
Male	3	2	-	-	-	-	-	-	-	-	1	-	-
Female	5	1	-	1	1	1	-	-	-	1	-	-	-
White, both sexes	8	3	-	1	1	1	-	-	-	1	1	-	-
Male	3	2	-	-	-	-	-	-	-	-	1	-	-
Female	5	1	-	1	1	1	-	-	-	1	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Subcortical vascular dementia (F01.2)													
All races, both sexes	1	-	-	-	-	-	-	-	1	-	-	-	-
Male	1	-	-	-	-	-	-	-	1	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	-	-	-	-	1	-	-	-	-
Male	1	-	-	-	-	-	-	-	1	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other vascular dementia (F01.8)													
All races, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Vascular dementia, unspecified (F01.9)													
All races, both sexes	9	-	2	2	1	1	-	-	-	1	-	-	2
Male	4	-	1	1	-	1	-	-	-	-	-	-	1
Female	5	-	1	1	1	-	-	-	-	1	-	-	1
White, both sexes	9	-	2	2	1	1	-	-	-	1	-	-	2
Male	4	-	1	1	-	1	-	-	-	-	-	-	1
Female	5	-	1	1	1	-	-	-	-	1	-	-	1
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Unspecified dementia (F03)													
All races, both sexes	45,531	4,314	3,892	3,954	3,606	3,421	3,279	3,324	3,328	3,405	3,924	4,012	5,072
Male	13,233	1,275	1,126	1,177	1,031	980	942	973	977	996	1,139	1,181	1,436
Female	32,298	3,039	2,766	2,777	2,575	2,441	2,337	2,351	2,351	2,409	2,785	2,831	3,636
White, both sexes	41,637	3,987	3,573	3,624	3,303	3,147	3,013	3,009	3,011	3,116	3,557	3,667	4,630
Male	11,970	1,180	1,014	1,065	936	889	858	876	883	900	1,017	1,064	1,288
Female	29,667	2,807	2,559	2,559	2,367	2,258	2,155	2,133	2,128	2,216	2,540	2,603	3,342
Black, both sexes	3,354	286	279	280	262	236	231	269	275	245	315	299	377
Male	1,062	82	97	91	82	79	65	84	81	78	99	100	124
Female	2,292	204	182	189	180	157	166	185	194	167	216	199	253
American Indian 1/, both sexes	93	8	8	8	5	6	6	13	7	5	9	8	10
Male	30	2	1	3	2	2	2	4	3	2	2	3	4
Female	63	6	7	5	3	4	4	9	4	3	7	5	6
Asian or Pacific Islander 2/, both sexes	447	33	32	42	36	32	29	33	35	39	43	38	55
Male	171	11	14	18	11	10	17	9	10	16	21	14	20
Female	276	22	18	24	25	22	12	24	25	23	22	24	35
Delirium, not induced by alcohol and other psychoactive substances (F05)													
All races, both sexes	177	9	16	19	14	13	15	13	15	13	21	12	17
Male	99	6	10	8	8	8	9	5	10	8	12	5	10
Female	78	3	6	11	6	5	6	8	5	5	9	7	7
White, both sexes	161	8	16	18	13	10	14	12	13	11	19	11	16
Male	90	6	10	8	7	6	9	4	9	6	11	4	10
Female	71	2	6	10	6	4	5	8	4	5	8	7	6
Black, both sexes	12	-	-	1	1	1	1	1	2	2	2	1	-
Male	8	-	-	-	1	1	-	1	1	2	1	1	-
Female	4	-	-	1	-	-	1	-	1	-	1	-	-
American Indian 1/, both sexes	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	3	1	-	-	-	1	-	-	-	-	-	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	3	1	-	-	-	1	-	-	-	-	-	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Delirium superimposed on dementia (F05.1)													
All races, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	1
White, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	1
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other delirium (F05.8)													
All races, both sexes	2	-	-	-	-	2	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	2	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Delirium, unspecified (F05.9)													
All races, both sexes	174	9	16	19	14	11	15	13	15	13	21	12	16
Male	99	6	10	8	8	8	9	5	10	8	12	5	10
Female	75	3	6	11	6	3	6	8	5	5	9	7	6
White, both sexes	159	8	16	18	13	9	14	12	13	11	19	11	15
Male	90	6	10	8	7	6	9	4	9	6	11	4	10
Female	69	2	6	10	6	3	5	8	4	5	8	7	5
Black, both sexes	12	-	-	1	1	1	1	1	2	2	2	1	-
Male	8	-	-	-	1	1	-	1	1	2	1	1	-
Female	4	-	-	1	-	-	1	-	1	-	1	-	-
American Indian 1/, both sexes	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	2	1	-	-	-	-	-	-	-	-	-	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	1	-	-	-	-	-	-	-	-	-	-	1
Other mental disorders due to brain damage and dysfunction and to physical disease (F06)													
All races, both sexes	1,670	182	135	153	139	138	125	124	122	110	146	140	156
Male	540	57	46	49	53	46	37	40	42	37	41	39	53
Female	1,130	125	89	104	86	92	88	84	80	73	105	101	103
White, both sexes	1,518	167	122	132	130	129	112	115	112	98	132	126	143
Male	477	49	38	41	49	42	29	37	39	31	37	36	49
Female	1,041	118	84	91	81	87	83	78	73	67	95	90	94
Black, both sexes	133	15	11	19	8	8	12	8	8	11	12	9	12
Male	55	8	6	8	3	3	7	3	2	6	3	2	4
Female	78	7	5	11	5	5	5	5	6	5	9	7	8
American Indian 1/, both sexes	7	-	-	2	1	-	-	1	-	1	2	-	-
Male	2	-	-	-	1	-	-	-	-	-	1	-	-
Female	5	-	-	2	-	-	-	1	-	1	1	-	-
Asian or Pacific Islander 2/, both sexes	12	-	2	-	-	1	1	-	2	-	-	5	1
Male	6	-	2	-	-	1	1	-	1	-	-	1	-
Female	6	-	-	-	-	-	-	-	1	-	-	4	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other specified mental disorders due to brain damage and dysfunction and to physical disease (F06.8)													
All races, both sexes	1	-	-	-	-	-	1	-	-	-	-	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	-	-	1	-	-	-	-	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Unspecified mental disorder due to brain damage and dysfunction and to physical disease (F06.9)													
All races, both sexes	1,669	182	135	153	139	138	124	124	122	110	146	140	156
Male	539	57	46	49	53	46	36	40	42	37	41	39	53
Female	1,130	125	89	104	86	92	88	84	80	73	105	101	103
White, both sexes	1,517	167	122	132	130	129	111	115	112	98	132	126	143
Male	476	49	38	41	49	42	28	37	39	31	37	36	49
Female	1,041	118	84	91	81	87	83	78	73	67	95	90	94
Black, both sexes	133	15	11	19	8	8	12	8	8	11	12	9	12
Male	55	8	6	8	3	3	7	3	2	6	3	2	4
Female	78	7	5	11	5	5	5	5	6	5	9	7	8
American Indian 1/, both sexes	7	-	-	2	1	-	-	1	-	1	2	-	-
Male	2	-	-	-	1	-	-	-	-	-	1	-	-
Female	5	-	-	2	-	-	-	1	-	1	1	-	-
Asian or Pacific Islander 2/, both sexes	12	-	2	-	-	1	1	-	2	-	-	5	1
Male	6	-	2	-	-	1	1	-	1	-	-	1	-
Female	6	-	-	-	-	-	-	-	1	-	-	4	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Personality and behavioral disorders due to brain disease, damage, and dysfunction (F07)													
All races, both sexes	6	2	-	1	-	-	1	-	1	-	-	-	1
Male	4	-	-	1	-	-	1	-	1	-	-	-	1
Female	2	2	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	6	2	-	1	-	-	1	-	1	-	-	-	1
Male	4	-	-	1	-	-	1	-	1	-	-	-	1
Female	2	2	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic personality disorder (F07.0)													
All races, both sexes	1	-	-	-	-	-	-	-	1	-	-	-	-
Male	1	-	-	-	-	-	-	-	1	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	-	-	-	-	1	-	-	-	-
Male	1	-	-	-	-	-	-	-	1	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Postencephalitic syndrome (F07.1)													
All races, both sexes	1	-	-	-	-	-	1	-	-	-	-	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	-	-	1	-	-	-	-	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Postconcussional syndrome (F07.2)													
All races, both sexes	4	2	-	1	-	-	-	-	-	-	-	-	1
Male	2	-	-	1	-	-	-	-	-	-	-	-	1
Female	2	2	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	4	2	-	1	-	-	-	-	-	-	-	-	1
Male	2	-	-	1	-	-	-	-	-	-	-	-	1
Female	2	2	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Unspecified organic or symptomatic mental disorder (F09)													
All races, both sexes	22	1	-	2	3	3	3	3	-	1	2	1	3
Male	11	1	-	1	2	3	2	-	-	-	-	-	2
Female	11	-	-	1	1	-	1	3	-	1	2	1	1
White, both sexes	19	1	-	2	2	2	3	2	-	1	2	1	3
Male	9	1	-	1	1	2	2	-	-	-	-	-	2
Female	10	-	-	1	1	-	1	2	-	1	2	1	1
Black, both sexes	3	-	-	-	1	1	-	1	-	-	-	-	-
Male	2	-	-	-	1	1	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Mental and behavioral disorders due to use of alcohol (F10)													
All races, both sexes	7,023	692	535	618	544	555	578	578	543	527	571	587	695
Male	5,465	547	419	490	418	425	457	450	429	401	443	446	540
Female	1,558	145	116	128	126	130	121	128	114	126	128	141	155
White, both sexes	5,773	559	444	519	455	441	468	480	437	433	469	500	568
Male	4,472	441	347	405	345	344	371	367	346	328	359	376	443
Female	1,301	118	97	114	110	97	97	113	91	105	110	124	125
Black, both sexes	968	103	72	76	75	89	91	73	76	68	78	74	93
Male	780	83	57	65	64	67	71	58	61	54	66	60	74
Female	188	20	15	11	11	22	20	15	15	14	12	14	19
American Indian 1/, both sexes	229	25	15	16	14	21	16	22	27	21	16	11	25
Male	165	19	11	13	9	10	12	22	19	16	12	8	14
Female	64	6	4	3	5	11	4	-	8	5	4	3	11
Asian or Pacific Islander 2/, both sexes	53	5	4	7	-	4	3	3	3	5	8	2	9
Male	48	4	4	7	-	4	3	3	3	3	6	2	9
Female	5	1	-	-	-	-	-	-	-	2	2	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Acute intoxication (F10.0)													
All races, both sexes	651	81	38	58	51	35	53	48	48	49	54	61	75
Male	497	64	31	48	43	24	38	39	34	34	42	43	57
Female	154	17	7	10	8	11	15	9	14	15	12	18	18
White, both sexes	539	70	34	54	43	24	42	40	32	39	40	57	64
Male	407	55	28	44	37	14	28	32	24	27	31	39	48
Female	132	15	6	10	6	10	14	8	8	12	9	18	16
Black, both sexes	69	6	1	2	5	8	7	6	8	6	9	2	9
Male	58	6	1	2	3	8	6	5	5	5	8	2	7
Female	11	-	-	-	2	-	1	1	3	1	1	-	2
American Indian 1/, both sexes	36	5	3	2	3	3	4	2	7	4	-	1	2
Male	27	3	2	2	3	2	4	2	4	2	-	1	2
Female	9	2	1	-	-	1	-	-	3	2	-	-	-
Asian or Pacific Islander 2/, both sexes	7	-	-	-	-	-	-	-	1	-	5	1	-
Male	5	-	-	-	-	-	-	-	1	-	3	1	-
Female	2	-	-	-	-	-	-	-	-	-	2	-	-
Harmful use (F10.1)													
All races, both sexes	1,698	146	139	147	127	144	142	144	119	147	154	137	152
Male	1,358	120	107	115	97	121	113	111	92	115	132	113	122
Female	340	26	32	32	30	23	29	33	27	32	22	24	30
White, both sexes	1,361	108	113	119	104	115	107	123	90	122	127	119	114
Male	1,089	93	85	90	76	98	87	97	67	99	110	96	91
Female	272	15	28	29	28	17	20	26	23	23	17	23	23
Black, both sexes	298	37	22	28	21	23	32	18	27	18	25	15	32
Male	238	26	18	25	19	20	23	11	24	12	20	14	26
Female	60	11	4	3	2	3	9	7	3	6	5	1	6
American Indian 1/, both sexes	33	1	3	-	2	6	2	3	2	5	2	2	5
Male	27	1	3	-	2	3	2	3	1	4	2	2	4
Female	6	-	-	-	-	3	-	-	1	1	-	-	1
Asian or Pacific Islander 2/, both sexes	6	-	1	-	-	-	1	-	-	2	-	1	1
Male	4	-	1	-	-	-	1	-	-	-	-	1	1
Female	2	-	-	-	-	-	-	-	-	2	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Dependence syndrome (F10.2)													
All races, both sexes	3,941	386	304	351	309	329	326	322	316	269	306	337	386
Male	3,059	300	241	277	234	243	263	253	256	208	231	254	299
Female	882	86	63	74	75	86	63	69	60	61	75	83	87
White, both sexes	3,261	319	247	291	258	266	272	269	265	220	252	283	319
Male	2,517	243	197	228	194	201	220	205	216	166	185	211	251
Female	744	76	50	63	64	65	52	64	49	54	67	72	68
Black, both sexes	516	48	45	42	44	52	44	39	34	37	40	46	45
Male	416	42	35	34	37	34	36	34	26	31	35	38	34
Female	100	6	10	8	7	18	8	5	8	6	5	8	11
American Indian 1/, both sexes	124	14	9	11	7	7	8	11	15	9	11	8	14
Male	87	11	6	8	3	4	5	11	12	8	8	5	6
Female	37	3	3	3	4	3	3	-	3	1	3	3	8
Asian or Pacific Islander 2/, both sexes	40	5	3	7	-	4	2	3	2	3	3	-	8
Male	39	4	3	7	-	4	2	3	2	3	3	-	8
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
Withdrawal state (F10.3)													
All races, both sexes	71	6	6	5	4	5	6	5	7	8	5	8	6
Male	64	6	6	5	4	4	5	4	6	7	4	7	6
Female	7	-	-	-	-	1	1	1	1	1	1	1	-
White, both sexes	62	6	5	4	4	5	5	3	5	6	5	8	6
Male	55	6	5	4	4	4	4	2	4	5	4	7	6
Female	7	-	-	-	-	1	1	1	1	1	1	1	-
Black, both sexes	7	-	1	1	-	-	1	2	1	1	-	-	-
Male	7	-	1	1	-	-	1	2	1	1	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	2	-	-	-	-	-	-	-	1	1	-	-	-
Male	2	-	-	-	-	-	-	-	1	1	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Withdrawal state with delirium (F10.4)													
All races, both sexes	103	13	7	12	6	12	4	14	7	6	5	4	13
Male	88	11	6	12	5	11	4	11	6	5	4	2	11
Female	15	2	1	-	1	1	-	3	1	1	1	2	2
White, both sexes	87	11	7	11	5	9	4	10	7	6	3	2	12
Male	75	9	6	11	4	9	4	8	6	5	2	1	10
Female	12	2	1	-	1	-	-	2	1	1	1	1	2
Black, both sexes	14	1	-	1	1	2	-	4	-	-	2	2	1
Male	12	1	-	1	1	2	-	3	-	-	2	1	1
Female	2	-	-	-	-	-	-	1	-	-	-	1	-
American Indian 1/, both sexes	2	1	-	-	-	1	-	-	-	-	-	-	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Psychotic disorder (F10.5)													
All races, both sexes	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Amnesic syndrome (F10.6)													
All races, both sexes	18	3	5	1	1	1	1	-	3	2	-	-	1
Male	10	3	2	-	1	1	-	-	1	2	-	-	-
Female	8	-	3	1	-	-	1	-	2	-	-	-	1
White, both sexes	18	3	5	1	1	1	1	-	3	2	-	-	1
Male	10	3	2	-	1	1	-	-	1	2	-	-	-
Female	8	-	3	1	-	-	1	-	2	-	-	-	1
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual and late-onset psychotic disorder (F10.7)													
All races, both sexes	168	13	13	17	15	8	16	14	12	22	11	13	14
Male	117	12	8	11	7	8	13	9	11	12	7	10	9
Female	51	1	5	6	8	-	3	5	1	10	4	3	5
White, both sexes	147	13	13	16	15	5	14	11	11	17	11	9	12
Male	100	12	8	10	7	5	12	6	10	9	7	7	7
Female	47	1	5	6	8	-	2	5	1	8	4	2	5
Black, both sexes	19	-	-	1	-	3	2	2	1	4	-	4	2
Male	16	-	-	1	-	3	1	2	1	3	-	3	2
Female	3	-	-	-	-	-	1	-	-	1	-	1	-
American Indian 1/, both sexes	2	-	-	-	-	-	-	1	-	1	-	-	-
Male	1	-	-	-	-	-	-	1	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Unspecified mental and behavioral disorder (F10.9)													
All races, both sexes	372	44	23	27	31	21	30	31	31	24	35	27	48
Male	271	31	18	22	27	13	21	23	23	18	22	17	36
Female	101	13	5	5	4	8	9	8	8	6	13	10	12
White, both sexes	297	29	20	23	25	16	23	24	24	21	30	22	40
Male	218	20	16	18	22	12	16	17	18	15	19	15	30
Female	79	9	4	5	3	4	7	7	6	6	11	7	10
Black, both sexes	45	11	3	1	4	1	5	2	5	2	2	5	4
Male	33	8	2	1	4	-	4	1	4	2	1	2	4
Female	12	3	1	-	-	1	1	1	1	-	1	3	-
American Indian 1/, both sexes	30	4	-	3	2	4	2	5	2	1	3	-	4
Male	20	3	-	3	1	1	1	5	1	1	2	-	2
Female	10	1	-	-	1	3	1	-	1	-	1	-	2
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Mental and behavioral disorders due to use of opioids (F11)													
All races, both sexes	245	20	17	16	25	23	20	18	24	24	23	16	19
Male	179	12	13	12	16	17	17	15	13	19	19	12	14
Female	66	8	4	4	9	6	3	3	11	5	4	4	5
White, both sexes	198	16	14	13	18	21	16	15	21	20	19	12	13
Male	148	11	11	9	13	16	14	13	11	15	18	9	8
Female	50	5	3	4	5	5	2	2	10	5	1	3	5
Black, both sexes	42	4	3	3	7	2	3	2	2	4	3	4	5
Male	29	1	2	3	3	1	2	2	2	4	1	3	5
Female	13	3	1	-	4	1	1	-	-	-	2	1	-
American Indian 1/, both sexes	4	-	-	-	-	-	1	1	1	-	1	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	3	-	-	-	-	-	-	1	1	-	1	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	1	-	-	-	-	-	-	-	-	-	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Harmful use (F11.1)													
All races, both sexes	128	11	7	7	15	14	8	8	13	17	10	9	9
Male	93	7	6	5	10	9	7	7	8	12	8	8	6
Female	35	4	1	2	5	5	1	1	5	5	2	1	3
White, both sexes	103	8	6	7	11	13	6	6	12	14	8	6	6
Male	78	7	5	5	9	9	6	5	7	9	7	6	3
Female	25	1	1	2	2	4	-	1	5	5	1	-	3
Black, both sexes	24	3	1	-	4	1	2	2	1	3	2	3	2
Male	14	-	1	-	1	-	1	2	1	3	1	2	2
Female	10	3	-	-	3	1	1	-	-	-	1	1	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	1	-	-	-	-	-	-	-	-	-	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Dependence syndrome (F11.2)													
All races, both sexes	58	4	7	6	2	6	5	6	7	1	6	3	5
Male	43	3	6	5	1	5	4	6	3	1	4	1	4
Female	15	1	1	1	1	1	1	-	4	-	2	2	1
White, both sexes	48	3	7	5	1	6	3	6	5	1	4	3	4
Male	37	2	6	4	1	5	2	6	2	1	4	1	3
Female	11	1	1	1	-	1	1	-	3	-	-	2	1
Black, both sexes	7	1	-	1	1	-	1	-	1	-	1	-	1
Male	5	1	-	1	-	-	1	-	1	-	-	-	1
Female	2	-	-	-	1	-	-	-	-	-	1	-	-
American Indian 1/, both sexes	3	-	-	-	-	-	1	-	1	-	1	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	1	-	1	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Withdrawal state (F11.3)													
All races, both sexes	3	-	-	-	-	1	1	-	1	-	-	-	-
Male	2	-	-	-	-	1	1	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	1	-	-	-	-
White, both sexes	2	-	-	-	-	-	1	-	1	-	-	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	1	-	-	-	-
Black, both sexes	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Unspecified mental and behavioral disorder (F11.9)													
All races, both sexes	56	5	3	3	8	2	6	4	3	6	7	4	5
Male	41	2	1	2	5	2	5	2	2	6	7	3	4
Female	15	3	2	1	3	-	1	2	1	-	-	1	1
White, both sexes	45	5	1	1	6	2	6	3	3	5	7	3	3
Male	32	2	-	-	3	2	5	2	2	5	7	2	2
Female	13	3	1	1	3	-	1	1	1	-	-	1	1
Black, both sexes	10	-	2	2	2	-	-	-	-	1	-	1	2
Male	9	-	1	2	2	-	-	-	-	1	-	1	2
Female	1	-	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	1	-	-	-	-	-	-	1	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Mental and behavioral disorders due to use of cannabinoids (F12)													
All races, both sexes	2	-	-	-	-	-	-	-	1	-	-	1	-
Male	1	-	-	-	-	-	-	-	-	-	-	1	-
Female	1	-	-	-	-	-	-	-	1	-	-	-	-
White, both sexes	2	-	-	-	-	-	-	-	1	-	-	1	-
Male	1	-	-	-	-	-	-	-	-	-	-	1	-
Female	1	-	-	-	-	-	-	-	1	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Dependence syndrome (F12.2)													
All races, both sexes	2	-	-	-	-	-	-	-	1	-	-	1	-
Male	1	-	-	-	-	-	-	-	-	-	-	1	-
Female	1	-	-	-	-	-	-	-	1	-	-	-	-
White, both sexes	2	-	-	-	-	-	-	-	1	-	-	1	-
Male	1	-	-	-	-	-	-	-	-	-	-	1	-
Female	1	-	-	-	-	-	-	-	1	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Mental and behavioral disorders due to use of sedatives or hypnotics (F13)													
All races, both sexes	3	-	-	-	-	-	-	-	-	-	1	1	1
Male	2	-	-	-	-	-	-	-	-	-	-	1	1
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
White, both sexes	3	-	-	-	-	-	-	-	-	-	1	1	1
Male	2	-	-	-	-	-	-	-	-	-	-	1	1
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Dependence syndrome (F13.2)													
All races, both sexes	1	-	-	-	-	-	-	-	-	-	-	1	-
Male	1	-	-	-	-	-	-	-	-	-	-	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	-	-	-	-	-	-	-	1	-
Male	1	-	-	-	-	-	-	-	-	-	-	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Withdrawal state (F13.3)													
All races, both sexes	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
White, both sexes	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Unspecified mental and behavioral disorder (F13.9)													
All races, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	1	-	-	-	-	-	-	-	-	-	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	1	-	-	-	-	-	-	-	-	-	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Mental and behavioral disorders due to use of cocaine (F14)													
All races, both sexes	519	43	43	36	44	43	45	49	44	43	42	42	45
Male	391	38	34	23	37	31	25	38	37	38	31	30	29
Female	128	5	9	13	7	12	20	11	7	5	11	12	16
White, both sexes	232	13	23	13	18	27	17	27	21	25	17	16	15
Male	196	12	20	9	18	20	14	23	19	22	14	13	12
Female	36	1	3	4	-	7	3	4	2	3	3	3	3
Black, both sexes	279	28	19	23	26	16	28	20	23	17	25	24	30
Male	190	24	14	14	19	11	11	14	18	15	17	16	17
Female	89	4	5	9	7	5	17	6	5	2	8	8	13
American Indian 1/, both sexes	6	1	1	-	-	-	-	1	-	1	-	2	-
Male	3	1	-	-	-	-	-	-	-	1	-	1	-
Female	3	-	1	-	-	-	-	1	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes	2	1	-	-	-	-	-	1	-	-	-	-	-
Male	2	1	-	-	-	-	-	1	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute intoxication (F14.0)													
All races, both sexes	19	1	1	-	4	2	1	3	4	1	1	1	-
Male	18	1	1	-	4	2	1	3	3	1	1	1	-
Female	1	-	-	-	-	-	-	-	1	-	-	-	-
White, both sexes	11	-	1	-	3	1	-	1	2	1	1	1	-
Male	11	-	1	-	3	1	-	1	2	1	1	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	8	1	-	-	1	1	1	2	2	-	-	-	-
Male	7	1	-	-	1	1	1	2	1	-	-	-	-
Female	1	-	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Harmful use (F14.1)													
All races, both sexes	295	29	28	22	22	27	28	26	19	24	28	18	24
Male	220	24	20	13	20	19	13	21	17	20	21	15	17
Female	75	5	8	9	2	8	15	5	2	4	7	3	7
White, both sexes	122	9	15	6	8	17	7	12	8	17	10	8	5
Male	105	8	12	4	8	13	6	10	8	14	9	8	5
Female	17	1	3	2	-	4	1	2	-	3	1	-	-
Black, both sexes	170	19	12	16	14	10	21	14	11	6	18	10	19
Male	113	15	8	9	12	6	7	11	9	5	12	7	12
Female	57	4	4	7	2	4	14	3	2	1	6	3	7
American Indian 1/, both sexes	3	1	1	-	-	-	-	-	-	1	-	-	-
Male	2	1	-	-	-	-	-	-	-	1	-	-	-
Female	1	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Dependence syndrome (F14.2)													
All races, both sexes	43	6	5	4	3	5	2	4	7	3	-	4	-
Male	36	6	5	2	2	3	2	4	7	2	-	3	-
Female	7	-	-	2	1	2	-	-	-	1	-	1	-
White, both sexes	27	4	2	3	1	4	2	4	4	1	-	2	-
Male	24	4	2	2	1	2	2	4	4	1	-	2	-
Female	3	-	-	1	-	2	-	-	-	-	-	-	-
Black, both sexes	16	2	3	1	2	1	-	-	3	2	-	2	-
Male	12	2	3	-	1	1	-	-	3	1	-	1	-
Female	4	-	-	1	1	-	-	-	-	1	-	1	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Withdrawal state with delirium (F14.4)													
All races, both sexes	1	-	-	-	-	-	1	-	-	-	-	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	-	-	1	-	-	-	-	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Psychotic disorder (F14.5)													
All races, both sexes	6	1	1	1	1	-	-	1	-	-	1	-	-
Male	4	1	1	-	1	-	-	-	-	-	1	-	-
Female	2	-	-	1	-	-	-	1	-	-	-	-	-
White, both sexes	2	-	-	1	-	-	-	-	-	-	1	-	-
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	1	-	-	1	-	-	-	-	-	-	-	-	-
Black, both sexes	4	1	1	-	1	-	-	1	-	-	-	-	-
Male	3	1	1	-	1	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Unspecified mental and behavioral disorder (F14.9)													
All races, both sexes	155	6	8	9	14	9	13	15	14	15	12	19	21
Male	112	6	7	8	10	7	8	10	10	15	8	11	12
Female	43	-	1	1	4	2	5	5	4	-	4	8	9
White, both sexes	69	-	5	3	6	5	7	10	7	6	5	5	10
Male	54	-	5	3	6	4	5	8	5	6	3	2	7
Female	15	-	-	-	-	1	2	2	2	-	2	3	3
Black, both sexes	81	5	3	6	8	4	6	3	7	9	7	12	11
Male	55	5	2	5	4	3	3	1	5	9	5	8	5
Female	26	-	1	1	4	1	3	2	2	-	2	4	6
American Indian 1/, both sexes	3	-	-	-	-	-	-	1	-	-	-	2	-
Male	1	-	-	-	-	-	-	-	-	-	-	1	-
Female	2	-	-	-	-	-	-	1	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes	2	1	-	-	-	-	-	1	-	-	-	-	-
Male	2	1	-	-	-	-	-	1	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Mental and behavioral disorders due to use of other stimulants, including caffeine (F15)													
All races, both sexes	80	4	7	7	8	5	12	7	6	4	7	6	7
Male	55	4	6	5	5	3	8	5	3	3	5	4	4
Female	25	-	1	2	3	2	4	2	3	1	2	2	3
White, both sexes	71	4	5	5	7	5	11	7	5	4	7	5	6
Male	48	4	4	3	4	3	7	5	3	3	5	3	4
Female	23	-	1	2	3	2	4	2	2	1	2	2	2
Black, both sexes	3	-	1	-	1	-	-	-	-	-	-	1	-
Male	3	-	1	-	1	-	-	-	-	-	-	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	6	-	1	2	-	-	1	-	1	-	-	-	1
Male	4	-	1	2	-	-	1	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	1	-	-	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Acute intoxication (F15.0)													
All races, both sexes	1	-	-	-	-	-	-	1	-	-	-	-	-
Male	1	-	-	-	-	-	-	1	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	-	-	-	1	-	-	-	-	-
Male	1	-	-	-	-	-	-	1	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Harmful use (F15.1)													
All races, both sexes	39	2	4	3	6	2	9	2	2	1	1	2	5
Male	26	2	3	2	4	2	6	1	-	1	1	1	3
Female	13	-	1	1	2	-	3	1	2	-	-	1	2
White, both sexes	33	2	3	3	5	2	8	2	1	1	1	1	4
Male	22	2	2	2	3	2	5	1	-	1	1	-	3
Female	11	-	1	1	2	-	3	1	1	-	-	1	1
Black, both sexes	2	-	-	-	1	-	-	-	-	-	-	1	-
Male	2	-	-	-	1	-	-	-	-	-	-	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	4	-	1	-	-	-	1	-	1	-	-	-	1
Male	2	-	1	-	-	-	1	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	1	-	-	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Dependence syndrome (F15.2)													
All races, both sexes	13	-	2	1	1	-	-	-	2	1	4	1	1
Male	11	-	2	1	1	-	-	-	1	1	3	1	1
Female	2	-	-	-	-	-	-	-	1	-	1	-	-
White, both sexes	11	-	1	-	1	-	-	-	2	1	4	1	1
Male	9	-	1	-	1	-	-	-	1	1	3	1	1
Female	2	-	-	-	-	-	-	-	1	-	1	-	-
Black, both sexes	1	-	1	-	-	-	-	-	-	-	-	-	-
Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	1	-	-	1	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Psychotic disorder (F15.5)													
All races, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Unspecified mental and behavioral disorder (F15.9)													
All races, both sexes	26	1	1	3	1	3	3	4	2	2	2	3	1
Male	16	1	1	2	-	1	2	3	2	1	1	2	-
Female	10	-	-	1	1	2	1	1	-	1	1	1	1
White, both sexes	25	1	1	2	1	3	3	4	2	2	2	3	1
Male	15	1	1	1	-	1	2	3	2	1	1	2	-
Female	10	-	-	1	1	2	1	1	-	1	1	1	1
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	1	-	-	1	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Mental and behavioral disorders due to use of hallucinogens (F16)													
All races, both sexes	2	-	-	-	-	-	-	-	-	-	1	-	1
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	1
White, both sexes	2	-	-	-	-	-	-	-	-	-	1	-	1
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	1
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Harmful use (F16.1)													
All races, both sexes	2	-	-	-	-	-	-	-	-	-	1	-	1
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	1
White, both sexes	2	-	-	-	-	-	-	-	-	-	1	-	1
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	1
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Mental and behavioral disorders due to use of tobacco (F17)													
All races, both sexes	785	59	74	68	70	70	55	60	63	59	66	72	69
Male	470	29	43	33	38	43	35	38	40	43	36	50	42
Female	315	30	31	35	32	27	20	22	23	16	30	22	27
White, both sexes	736	55	70	62	66	64	50	59	63	54	64	67	62
Male	437	27	40	31	34	38	31	37	40	39	35	47	38
Female	299	28	30	31	32	26	19	22	23	15	29	20	24
Black, both sexes	42	3	4	6	4	6	3	-	-	3	2	4	7
Male	28	1	3	2	4	5	2	-	-	3	1	3	4
Female	14	2	1	4	-	1	1	-	-	-	1	1	3
American Indian 1/, both sexes	4	1	-	-	-	-	-	1	-	1	-	1	-
Male	2	1	-	-	-	-	-	1	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	-	1	-	1	-
Asian or Pacific Islander 2/, both sexes	3	-	-	-	-	-	2	-	-	1	-	-	-
Male	3	-	-	-	-	-	2	-	-	1	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Harmful use (F17.1)													
All races, both sexes	137	19	11	13	19	10	9	9	10	6	10	10	11
Male	77	10	6	5	13	6	7	5	7	3	3	5	7
Female	60	9	5	8	6	4	2	4	3	3	7	5	4
White, both sexes	123	18	9	11	17	8	8	9	10	4	10	10	9
Male	65	9	4	4	11	4	6	5	7	2	3	5	5
Female	58	9	5	7	6	4	2	4	3	2	7	5	4
Black, both sexes	12	1	2	2	2	2	-	-	-	1	-	-	2
Male	11	1	2	1	2	2	-	-	-	1	-	-	2
Female	1	-	-	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	1	-	-	-	-	-	-	-	-	1	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	1	-	-	-	-	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Dependence syndrome (F17.2)													
All races, both sexes	29	-	2	2	2	2	3	3	3	4	3	2	3
Male	18	-	1	1	1	2	1	2	3	4	-	1	2
Female	11	-	1	1	1	-	2	1	-	-	3	1	1
White, both sexes	28	-	2	2	2	1	3	3	3	4	3	2	3
Male	17	-	1	1	1	1	1	2	3	4	-	1	2
Female	11	-	1	1	1	-	2	1	-	-	3	1	1
Black, both sexes	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Residual and late-onset psychotic disorder (F17.7)													
All races, both sexes	2	-	-	1	1	-	-	-	-	-	-	-	-
Male	1	-	-	1	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	1	-	-	-	-	-	-	-	-
White, both sexes	2	-	-	1	1	-	-	-	-	-	-	-	-
Male	1	-	-	1	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	1	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Unspecified mental and behavioral disorder (F17.9)													
All races, both sexes	617	40	61	52	48	58	43	48	50	49	53	60	55
Male	374	19	36	26	24	35	27	31	30	36	33	44	33
Female	243	21	25	26	24	23	16	17	20	13	20	16	22
White, both sexes	583	37	59	48	46	55	39	47	50	46	51	55	50
Male	354	18	35	25	22	33	24	30	30	33	32	41	31
Female	229	19	24	23	24	22	15	17	20	13	19	14	19
Black, both sexes	29	2	2	4	2	3	3	-	-	2	2	4	5
Male	16	-	1	1	2	2	2	-	-	2	1	3	2
Female	13	2	1	3	-	1	1	-	-	-	1	1	3
American Indian 1/, both sexes	3	1	-	-	-	-	-	1	-	-	-	1	-
Male	2	1	-	-	-	-	-	1	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes	2	-	-	-	-	-	1	-	-	1	-	-	-
Male	2	-	-	-	-	-	1	-	-	1	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Mental and behavioral disorders due to use of volatile solvents (F18)													
All races, both sexes	2	-	1	1	-	-	-	-	-	-	-	-	-
Male	2	-	1	1	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	2	-	1	1	-	-	-	-	-	-	-	-	-
Male	2	-	1	1	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Harmful use (F18.1)													
All races, both sexes	2	-	1	1	-	-	-	-	-	-	-	-	-
Male	2	-	1	1	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	2	-	1	1	-	-	-	-	-	-	-	-	-
Male	2	-	1	1	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Mental and behavioral disorders due to multiple-drug use and use of other psychoactive substances (F19)													
All races, both sexes	1,443	115	97	111	107	93	145	122	134	138	130	107	144
Male	1,012	79	69	76	76	59	102	100	86	100	88	71	106
Female	431	36	28	35	31	34	43	22	48	38	42	36	38
White, both sexes	1,114	95	67	93	86	76	110	94	100	93	102	79	119
Male	797	66	49	64	63	49	82	78	68	67	72	53	86
Female	317	29	18	29	23	27	28	16	32	26	30	26	33
Black, both sexes	299	18	28	18	21	17	29	26	33	39	23	25	22
Male	194	12	19	12	13	10	16	20	17	29	13	15	18
Female	105	6	9	6	8	7	13	6	16	10	10	10	4
American Indian 1/, both sexes	19	2	1	-	-	-	4	1	1	4	4	1	1
Male	13	1	-	-	-	-	3	1	1	2	3	1	1
Female	6	1	1	-	-	-	1	-	-	2	1	-	-
Asian or Pacific Islander 2/, both sexes	11	-	1	-	-	-	2	1	-	2	1	2	2
Male	8	-	1	-	-	-	1	1	-	2	-	2	1
Female	3	-	-	-	-	-	1	-	-	-	1	-	1
Harmful use (F19.1)													
All races, both sexes	1,007	76	67	81	77	55	106	73	106	96	83	82	105
Male	709	53	50	55	53	36	74	60	65	72	62	52	77
Female	298	23	17	26	24	19	32	13	41	24	21	30	28
White, both sexes	753	60	48	68	58	44	77	53	76	64	62	58	85
Male	546	43	38	46	42	28	58	44	51	48	50	37	61
Female	207	17	10	22	16	16	19	9	25	16	12	21	24
Black, both sexes	236	15	17	13	19	11	26	20	29	29	17	22	18
Male	150	10	11	9	11	8	15	16	13	21	9	13	14
Female	86	5	6	4	8	3	11	4	16	8	8	9	4
American Indian 1/, both sexes	13	1	1	-	-	-	2	-	1	2	4	1	1
Male	9	-	-	-	-	-	1	-	1	2	3	1	1
Female	4	1	1	-	-	-	1	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes	5	-	1	-	-	-	1	-	-	1	-	1	1
Male	4	-	1	-	-	-	-	-	-	1	-	1	1
Female	1	-	-	-	-	-	1	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Dependence syndrome (F19.2)													
All races, both sexes	268	25	18	12	21	32	23	27	17	27	30	16	20
Male	193	19	10	10	16	20	18	23	12	18	20	14	13
Female	75	6	8	2	5	12	5	4	5	9	10	2	7
White, both sexes	226	23	12	9	19	26	20	23	17	21	26	13	17
Male	165	18	7	8	14	18	15	19	12	13	18	12	11
Female	61	5	5	1	5	8	5	4	5	8	8	1	6
Black, both sexes	33	1	6	3	2	6	1	2	-	5	3	2	2
Male	21	-	3	2	2	2	1	2	-	4	2	1	2
Female	12	1	3	1	-	4	-	-	-	1	1	1	-
American Indian 1/, both sexes	4	1	-	-	-	-	2	1	-	-	-	-	-
Male	4	1	-	-	-	-	2	1	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	5	-	-	-	-	-	-	1	-	1	1	1	1
Male	3	-	-	-	-	-	-	1	-	1	-	1	-
Female	2	-	-	-	-	-	-	-	-	-	1	-	1
Withdrawal state (F19.3)													
All races, both sexes	10	1	1	2	1	-	-	2	-	1	-	-	2
Male	7	1	-	1	1	-	-	2	-	1	-	-	1
Female	3	-	1	1	-	-	-	-	-	-	-	-	1
White, both sexes	9	1	1	1	1	-	-	2	-	1	-	-	2
Male	6	1	-	-	1	-	-	2	-	1	-	-	1
Female	3	-	1	1	-	-	-	-	-	-	-	-	1
Black, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	1	-	-	1	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Residual and late-onset psychotic disorder (F19.7)													
All races, both sexes	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
White, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Unspecified mental and behavioral disorder (F19.9)													
All races, both sexes	157	13	11	16	8	6	16	20	11	14	16	9	17
Male	103	6	9	10	6	3	10	15	9	9	6	5	15
Female	54	7	2	6	2	3	6	5	2	5	10	4	2
White, both sexes	126	11	6	15	8	6	13	16	7	7	14	8	15
Male	80	4	4	10	6	3	9	13	5	5	4	4	13
Female	46	7	2	5	2	3	4	3	2	2	10	4	2
Black, both sexes	28	2	5	1	-	-	2	4	4	5	2	1	2
Male	22	2	5	-	-	-	-	2	4	4	2	1	2
Female	6	-	-	1	-	-	2	2	-	1	-	-	-
American Indian 1/, both sexes	2	-	-	-	-	-	-	-	-	2	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	-	2	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	1	-	-	-	-	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Schizophrenia (F20)													
All races, both sexes	411	37	28	40	37	37	43	23	30	28	27	45	36
Male	157	13	11	20	16	6	14	14	11	8	12	18	14
Female	254	24	17	20	21	31	29	9	19	20	15	27	22
White, both sexes	354	34	24	36	30	29	40	17	25	23	26	39	31
Male	131	12	7	17	12	6	13	9	9	7	11	15	13
Female	223	22	17	19	18	23	27	8	16	16	15	24	18
Black, both sexes	48	3	4	4	6	7	3	3	4	4	1	4	5
Male	23	1	4	3	4	-	1	2	2	1	1	3	1
Female	25	2	-	1	2	7	2	1	2	3	-	1	4
American Indian 1/, both sexes	2	-	-	-	1	-	-	1	-	-	-	-	-
Male	1	-	-	-	-	-	-	1	-	-	-	-	-
Female	1	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	7	-	-	-	-	1	-	2	1	1	-	2	-
Male	2	-	-	-	-	-	-	2	-	-	-	-	-
Female	5	-	-	-	-	1	-	-	1	1	-	2	-
Paranoid schizophrenia (F20.0)													
All races, both sexes	39	3	5	7	4	2	5	3	2	-	3	3	2
Male	14	-	2	4	2	-	2	2	-	-	1	1	-
Female	25	3	3	3	2	2	3	1	2	-	2	2	2
White, both sexes	32	2	3	5	3	2	5	2	2	-	3	3	2
Male	9	-	-	2	2	-	2	1	-	-	1	1	-
Female	23	2	3	3	1	2	3	1	2	-	2	2	2
Black, both sexes	6	1	2	2	1	-	-	-	-	-	-	-	-
Male	4	-	2	2	-	-	-	-	-	-	-	-	-
Female	2	1	-	-	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	1	-	-	-	-	-
Male	1	-	-	-	-	-	-	1	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Hebephrenic schizophrenia (F20.1)													
All races, both sexes	1	-	-	-	-	-	-	-	1	-	-	-	-
Male	1	-	-	-	-	-	-	-	1	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	1	-	-	-	-	-	-	-	1	-	-	-	-
Male	1	-	-	-	-	-	-	-	1	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Catatonic schizophrenia (F20.2)													
All races, both sexes	18	2	1	-	-	3	4	-	1	1	1	1	4
Male	5	-	1	-	-	-	1	-	1	-	-	-	2
Female	13	2	-	-	-	3	3	-	-	1	1	1	2
White, both sexes	17	2	1	-	-	3	4	-	1	1	1	1	3
Male	5	-	1	-	-	-	1	-	1	-	-	-	2
Female	12	2	-	-	-	3	3	-	-	1	1	1	1
Black, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Undifferentiated schizophrenia (F20.3)													
All races, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	1
White, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	1
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Postschizophrenic depression (F20.4)													
All races, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	1	-	-	1	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	1	-	-	1	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Residual schizophrenia (F20.5)													
All races, both sexes	42	4	1	7	3	5	5	-	5	3	2	4	3
Male	21	3	1	5	-	-	2	-	4	1	1	3	1
Female	21	1	-	2	3	5	3	-	1	2	1	1	2
White, both sexes	35	4	-	7	3	3	5	-	3	1	2	4	3
Male	19	3	-	5	-	-	2	-	3	1	1	3	1
Female	16	1	-	2	3	3	3	-	-	-	1	1	2
Black, both sexes	7	-	1	-	-	2	-	-	2	2	-	-	-
Male	2	-	1	-	-	-	-	-	1	-	-	-	-
Female	5	-	-	-	-	2	-	-	1	2	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Schizophrenia, unspecified (F20.9)													
All races, both sexes	309	28	21	25	30	27	29	20	21	24	21	37	26
Male	115	10	7	10	14	6	9	12	5	7	10	14	11
Female	194	18	14	15	16	21	20	8	16	17	11	23	15
White, both sexes	268	26	20	23	24	21	26	15	19	21	20	31	22
Male	97	9	6	9	10	6	8	8	5	6	9	11	10
Female	171	17	14	14	14	15	18	7	14	15	11	20	12
Black, both sexes	33	2	1	2	5	5	3	3	1	2	1	4	4
Male	16	1	1	1	4	-	1	2	-	1	1	3	1
Female	17	1	-	1	1	5	2	1	1	1	-	1	3
American Indian 1/, both sexes	2	-	-	-	1	-	-	1	-	-	-	-	-
Male	1	-	-	-	-	-	-	1	-	-	-	-	-
Female	1	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	6	-	-	-	-	1	-	1	1	1	-	2	-
Male	1	-	-	-	-	-	-	1	-	-	-	-	-
Female	5	-	-	-	-	1	-	-	1	1	-	2	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Persistent delusional disorders (F22)													
All races, both sexes	13	2	-	1	2	1	-	3	-	-	2	1	1
Male	2	1	-	-	-	-	-	1	-	-	-	-	-
Female	11	1	-	1	2	1	-	2	-	-	2	1	1
White, both sexes	11	1	-	1	1	1	-	3	-	-	2	1	1
Male	1	-	-	-	-	-	-	1	-	-	-	-	-
Female	10	1	-	1	1	1	-	2	-	-	2	1	1
Black, both sexes	2	1	-	-	1	-	-	-	-	-	-	-	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Delusional disorder (F22.0)													
All races, both sexes	13	2	-	1	2	1	-	3	-	-	2	1	1
Male	2	1	-	-	-	-	-	1	-	-	-	-	-
Female	11	1	-	1	2	1	-	2	-	-	2	1	1
White, both sexes	11	1	-	1	1	1	-	3	-	-	2	1	1
Male	1	-	-	-	-	-	-	1	-	-	-	-	-
Female	10	1	-	1	1	1	-	2	-	-	2	1	1
Black, both sexes	2	1	-	-	1	-	-	-	-	-	-	-	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Acute and transient psychotic disorders (F23)													
All races, both sexes	8	-	1	-	2	-	-	1	1	-	1	1	1
Male	6	-	1	-	1	-	-	1	-	-	1	1	1
Female	2	-	-	-	1	-	-	-	1	-	-	-	-
White, both sexes	3	-	-	-	-	-	-	-	1	-	-	1	1
Male	2	-	-	-	-	-	-	-	-	-	-	1	1
Female	1	-	-	-	-	-	-	-	1	-	-	-	-
Black, both sexes	5	-	1	-	2	-	-	1	-	-	1	-	-
Male	4	-	1	-	1	-	-	1	-	-	1	-	-
Female	1	-	-	-	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other acute and transient psychotic disorders (F23.8)													
All races, both sexes	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Acute and transient psychotic disorder, unspecified (F23.9)													
All races, both sexes	7	-	1	-	2	-	-	1	1	-	-	1	1
Male	5	-	1	-	1	-	-	1	-	-	-	1	1
Female	2	-	-	-	1	-	-	-	1	-	-	-	-
White, both sexes	3	-	-	-	-	-	-	-	1	-	-	1	1
Male	2	-	-	-	-	-	-	-	-	-	-	1	1
Female	1	-	-	-	-	-	-	-	1	-	-	-	-
Black, both sexes	4	-	1	-	2	-	-	1	-	-	-	-	-
Male	3	-	1	-	1	-	-	1	-	-	-	-	-
Female	1	-	-	-	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Schizoaffective disorders (F25)													
All races, both sexes	21	1	2	2	2	1	1	3	1	2	1	1	4
Male	7	-	1	1	1	-	1	1	-	-	1	-	1
Female	14	1	1	1	1	1	-	2	1	2	-	1	3
White, both sexes	19	-	2	2	2	1	1	3	1	2	1	1	3
Male	7	-	1	1	1	-	1	1	-	-	1	-	1
Female	12	-	1	1	1	1	-	2	1	2	-	1	2
Black, both sexes	2	1	-	-	-	-	-	-	-	-	-	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	1	-	-	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Schizoaffective disorder, unspecified (F25.9)													
All races, both sexes	21	1	2	2	2	1	1	3	1	2	1	1	4
Male	7	-	1	1	1	-	1	1	-	-	1	-	1
Female	14	1	1	1	1	1	-	2	1	2	-	1	3
White, both sexes	19	-	2	2	2	1	1	3	1	2	1	1	3
Male	7	-	1	1	1	-	1	1	-	-	1	-	1
Female	12	-	1	1	1	1	-	2	1	2	-	1	2
Black, both sexes	2	1	-	-	-	-	-	-	-	-	-	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	1	-	-	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Unspecified nonorganic psychosis (F29)													
All races, both sexes	44	4	4	5	1	6	5	-	4	2	5	2	6
Male	9	1	1	-	1	-	2	-	1	1	1	-	1
Female	35	3	3	5	-	6	3	-	3	1	4	2	5
White, both sexes	41	4	4	4	1	4	5	-	4	2	5	2	6
Male	9	1	1	-	1	-	2	-	1	1	1	-	1
Female	32	3	3	4	-	4	3	-	3	1	4	2	5
Black, both sexes	3	-	-	1	-	2	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	3	-	-	1	-	2	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Manic episode (F30)													
All races, both sexes	4	-	1	-	-	-	-	1	-	1	-	1	-
Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	3	-	-	-	-	-	-	1	-	1	-	1	-
White, both sexes	4	-	1	-	-	-	-	1	-	1	-	1	-
Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	3	-	-	-	-	-	-	1	-	1	-	1	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypomania (F30.0)													
All races, both sexes	1	-	-	-	-	-	-	-	-	1	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	1	-	-	-
White, both sexes	1	-	-	-	-	-	-	-	-	1	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	1	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Mania with psychotic symptoms (F30.2)													
All races, both sexes	1	-	-	-	-	-	-	1	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	1	-	-	-	-	-
White, both sexes	1	-	-	-	-	-	-	1	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	1	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other manic episodes (F30.8)													
All races, both sexes	1	-	-	-	-	-	-	-	-	-	-	1	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-
White, both sexes	1	-	-	-	-	-	-	-	-	-	-	1	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Manic episode, unspecified (F30.9)													
All races, both sexes	1	-	1	-	-	-	-	-	-	-	-	-	-
Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	1	-	-	-	-	-	-	-	-	-	-
Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Bipolar affective disorder (F31)													
All races, both sexes	83	7	7	8	8	9	7	4	11	5	5	5	7
Male	30	2	-	2	4	4	1	3	5	3	1	1	4
Female	53	5	7	6	4	5	6	1	6	2	4	4	3
White, both sexes	81	6	7	8	8	9	7	4	10	5	5	5	7
Male	29	2	-	2	4	4	1	3	4	3	1	1	4
Female	52	4	7	6	4	5	6	1	6	2	4	4	3
Black, both sexes	2	1	-	-	-	-	-	-	1	-	-	-	-
Male	1	-	-	-	-	-	-	-	1	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Bipolar affective disorder, current episode manic without psychotic symptoms (F31.1)													
All races, both sexes	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other bipolar affective disorders (F31.8)													
All races, both sexes	1	-	-	-	1	-	-	-	-	-	-	-	-
Male	1	-	-	-	1	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	1	-	-	-	-	-	-	-	-
Male	1	-	-	-	1	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Bipolar affective disorder, unspecified (F31.9)													
All races, both sexes	81	7	7	8	7	8	7	4	11	5	5	5	7
Male	29	2	-	2	3	4	1	3	5	3	1	1	4
Female	52	5	7	6	4	4	6	1	6	2	4	4	3
White, both sexes	79	6	7	8	7	8	7	4	10	5	5	5	7
Male	28	2	-	2	3	4	1	3	4	3	1	1	4
Female	51	4	7	6	4	4	6	1	6	2	4	4	3
Black, both sexes	2	1	-	-	-	-	-	-	1	-	-	-	-
Male	1	-	-	-	-	-	-	-	1	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Depressive episode (F32)													
All races, both sexes	821	64	52	60	66	64	67	74	69	79	81	60	85
Male	245	12	15	24	15	15	26	19	19	23	35	20	22
Female	576	52	37	36	51	49	41	55	50	56	46	40	63
White, both sexes	779	61	51	58	63	58	62	69	65	77	76	59	80
Male	235	11	15	22	15	15	25	18	17	23	33	19	22
Female	544	50	36	36	48	43	37	51	48	54	43	40	58
Black, both sexes	33	2	1	2	3	6	3	4	2	1	3	1	5
Male	6	1	-	2	-	-	-	-	1	-	1	1	-
Female	27	1	1	-	3	6	3	4	1	1	2	-	5
American Indian 1/, both sexes	3	-	-	-	-	-	1	1	-	1	-	-	-
Male	2	-	-	-	-	-	1	1	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes	6	1	-	-	-	-	1	-	2	-	2	-	-
Male	2	-	-	-	-	-	-	-	1	-	1	-	-
Female	4	1	-	-	-	-	1	-	1	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Severe depressive episode without psychotic symptoms (F32.2)													
All races, both sexes	76	9	4	3	2	10	4	8	9	5	10	5	7
Male	25	3	-	2	-	2	3	2	5	2	2	2	2
Female	51	6	4	1	2	8	1	6	4	3	8	3	5
White, both sexes	70	9	4	3	2	7	3	8	8	5	9	5	7
Male	24	3	-	2	-	2	3	2	4	2	2	2	2
Female	46	6	4	1	2	5	-	6	4	3	7	3	5
Black, both sexes	5	-	-	-	-	3	1	-	-	-	1	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	5	-	-	-	-	3	1	-	-	-	1	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	-	1	-	-	-	-
Male	1	-	-	-	-	-	-	-	1	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Severe depressive episode with psychotic symptoms (F32.3)													
All races, both sexes	11	1	2	-	-	-	2	-	2	1	3	-	-
Male	3	1	-	-	-	-	-	-	-	-	2	-	-
Female	8	-	2	-	-	-	2	-	2	1	1	-	-
White, both sexes	9	1	2	-	-	-	2	-	2	1	1	-	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	8	-	2	-	-	-	2	-	2	1	1	-	-
Black, both sexes	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other depressive episodes (F32.8)													
All races, both sexes	4	-	-	-	2	-	-	-	1	-	1	-	-
Male	2	-	-	-	1	-	-	-	1	-	-	-	-
Female	2	-	-	-	1	-	-	-	-	-	1	-	-
White, both sexes	4	-	-	-	2	-	-	-	1	-	1	-	-
Male	2	-	-	-	1	-	-	-	1	-	-	-	-
Female	2	-	-	-	1	-	-	-	-	-	1	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Depressive episode, unspecified (F32.9)													
All races, both sexes	730	54	46	57	62	54	61	66	57	73	67	55	78
Male	215	8	15	22	14	13	23	17	13	21	31	18	20
Female	515	46	31	35	48	41	38	49	44	52	36	37	58
White, both sexes	696	51	45	55	59	51	57	61	54	71	65	54	73
Male	208	7	15	20	14	13	22	16	12	21	31	17	20
Female	488	44	30	35	45	38	35	45	42	50	34	37	53
Black, both sexes	27	2	1	2	3	3	2	4	2	1	1	1	5
Male	5	1	-	2	-	-	-	-	1	-	-	1	-
Female	22	1	1	-	3	3	2	4	1	1	1	-	5
American Indian 1/, both sexes	3	-	-	-	-	-	1	1	-	1	-	-	-
Male	2	-	-	-	-	-	1	1	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes	4	1	-	-	-	-	1	-	1	-	1	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	4	1	-	-	-	-	1	-	1	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Recurrent depressive disorder (F33)													
All races, both sexes	10	1	1	1	3	1	1	-	2	-	-	-	-
Male	2	-	-	1	1	-	-	-	-	-	-	-	-
Female	8	1	1	-	2	1	1	-	2	-	-	-	-
White, both sexes	8	-	1	-	3	1	1	-	2	-	-	-	-
Male	1	-	-	-	1	-	-	-	-	-	-	-	-
Female	7	-	1	-	2	1	1	-	2	-	-	-	-
Black, both sexes	2	1	-	1	-	-	-	-	-	-	-	-	-
Male	1	-	-	1	-	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Recurrent depressive disorder, current episode severe without psychotic symptoms (F33.2)													
All races, both sexes	3	-	1	1	1	-	-	-	-	-	-	-	-
Male	1	-	-	1	-	-	-	-	-	-	-	-	-
Female	2	-	1	-	1	-	-	-	-	-	-	-	-
White, both sexes	2	-	1	-	1	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	1	-	1	-	-	-	-	-	-	-	-
Black, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	1	-	-	1	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Recurrent depressive disorder, unspecified (F33.9)													
All races, both sexes	7	1	-	-	2	1	1	-	2	-	-	-	-
Male	1	-	-	-	1	-	-	-	-	-	-	-	-
Female	6	1	-	-	1	1	1	-	2	-	-	-	-
White, both sexes	6	-	-	-	2	1	1	-	2	-	-	-	-
Male	1	-	-	-	1	-	-	-	-	-	-	-	-
Female	5	-	-	-	1	1	1	-	2	-	-	-	-
Black, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Persistent mood [affective] disorders (F34)													
All races, both sexes	3	-	-	1	-	-	1	-	1	-	-	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	2	-	-	1	-	-	-	-	1	-	-	-	-
White, both sexes	3	-	-	1	-	-	1	-	1	-	-	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	2	-	-	1	-	-	-	-	1	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Cyclothymia (F34.0)													
All races, both sexes	1	-	-	-	-	-	-	-	1	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	1	-	-	-	-
White, both sexes	1	-	-	-	-	-	-	-	1	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	1	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysthymia (F34.1)													
All races, both sexes	2	-	-	1	-	-	1	-	-	-	-	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	1	-	-	1	-	-	-	-	-	-	-	-	-
White, both sexes	2	-	-	1	-	-	1	-	-	-	-	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	1	-	-	1	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Unspecified mood [affective] disorder (F39)													
All races, both sexes	5	-	-	-	-	-	-	-	1	1	2	1	-
Male	1	-	-	-	-	-	-	-	-	-	-	1	-
Female	4	-	-	-	-	-	-	-	1	1	2	-	-
White, both sexes	4	-	-	-	-	-	-	-	1	1	1	1	-
Male	1	-	-	-	-	-	-	-	-	-	-	1	-
Female	3	-	-	-	-	-	-	-	1	1	1	-	-
Black, both sexes	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other anxiety disorders (F41)													
All races, both sexes	42	3	2	1	1	3	5	2	5	6	4	4	6
Male	9	-	-	-	-	1	2	-	1	2	1	-	2
Female	33	3	2	1	1	2	3	2	4	4	3	4	4
White, both sexes	41	3	2	1	1	3	5	2	5	6	3	4	6
Male	8	-	-	-	-	1	2	-	1	2	-	-	2
Female	33	3	2	1	1	2	3	2	4	4	3	4	4
Black, both sexes	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Panic disorder [episodic paroxysmal anxiety] (F41.0)													
All races, both sexes	3	-	-	-	-	1	-	-	-	-	-	1	1
Male	1	-	-	-	-	-	-	-	-	-	-	-	1
Female	2	-	-	-	-	1	-	-	-	-	-	1	-
White, both sexes	3	-	-	-	-	1	-	-	-	-	-	1	1
Male	1	-	-	-	-	-	-	-	-	-	-	-	1
Female	2	-	-	-	-	1	-	-	-	-	-	1	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Mixed anxiety and depressive disorder (F41.2)													
All races, both sexes	17	-	1	-	1	-	2	2	3	3	3	-	2
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	17	-	1	-	1	-	2	2	3	3	3	-	2
White, both sexes	17	-	1	-	1	-	2	2	3	3	3	-	2
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	17	-	1	-	1	-	2	2	3	3	3	-	2
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Anxiety disorder, unspecified (F41.9)													
All races, both sexes	22	3	1	1	-	2	3	-	2	3	1	3	3
Male	8	-	-	-	-	1	2	-	1	2	1	-	1
Female	14	3	1	1	-	1	1	-	1	1	-	3	2
White, both sexes	21	3	1	1	-	2	3	-	2	3	-	3	3
Male	7	-	-	-	-	1	2	-	1	2	-	-	1
Female	14	3	1	1	-	1	1	-	1	1	-	3	2
Black, both sexes	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Obsessive-compulsive disorder (F42)													
All races, both sexes	2	-	-	-	1	1	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	1	1	-	-	-	-	-	-	-
White, both sexes	2	-	-	-	1	1	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	1	1	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Obsessive-compulsive disorder, unspecified (F42.9)													
All races, both sexes	2	-	-	-	1	1	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	1	1	-	-	-	-	-	-	-
White, both sexes	2	-	-	-	1	1	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	1	1	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Reaction to severe stress, and adjustment disorders (F43)													
All races, both sexes	51	5	3	7	6	3	4	3	9	4	1	2	4
Male	31	3	2	2	5	2	3	1	6	4	-	1	2
Female	20	2	1	5	1	1	1	2	3	-	1	1	2
White, both sexes	46	5	1	7	6	3	3	3	8	4	1	2	3
Male	28	3	1	2	5	2	2	1	5	4	-	1	2
Female	18	2	-	5	1	1	1	2	3	-	1	1	1
Black, both sexes	3	-	1	-	-	-	1	-	-	-	-	-	1
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	2	-	1	-	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes	1	-	-	-	-	-	-	-	1	-	-	-	-
Male	1	-	-	-	-	-	-	-	1	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	1	-	-	-	-	-	-	-	-	-	-
Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Posttraumatic stress disorder (F43.1)													
All races, both sexes	11	-	-	3	2	1	2	-	2	-	-	1	-
Male	9	-	-	1	2	1	2	-	2	-	-	1	-
Female	2	-	-	2	-	-	-	-	-	-	-	-	-
White, both sexes	9	-	-	3	2	1	1	-	1	-	-	1	-
Male	7	-	-	1	2	1	1	-	1	-	-	1	-
Female	2	-	-	2	-	-	-	-	-	-	-	-	-
Black, both sexes	1	-	-	-	-	-	1	-	-	-	-	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	1	-	-	-	-	-	-	-	1	-	-	-	-
Male	1	-	-	-	-	-	-	-	1	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Adjustment disorders (F43.2)													
All races, both sexes	4	-	-	-	1	-	-	-	2	-	-	-	1
Male	2	-	-	-	1	-	-	-	1	-	-	-	-
Female	2	-	-	-	-	-	-	-	1	-	-	-	1
White, both sexes	4	-	-	-	1	-	-	-	2	-	-	-	1
Male	2	-	-	-	1	-	-	-	1	-	-	-	-
Female	2	-	-	-	-	-	-	-	1	-	-	-	1
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Reaction to severe stress, unspecified (F43.9)													
All races, both sexes	36	5	3	4	3	2	2	3	5	4	1	1	3
Male	20	3	2	1	2	1	1	1	3	4	-	-	2
Female	16	2	1	3	1	1	1	2	2	-	1	1	1
White, both sexes	33	5	1	4	3	2	2	3	5	4	1	1	2
Male	19	3	1	1	2	1	1	1	3	4	-	-	2
Female	14	2	-	3	1	1	1	2	2	-	1	1	-
Black, both sexes	2	-	1	-	-	-	-	-	-	-	-	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	1	-	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	1	-	-	-	-	-	-	-	-	-	-
Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Dissociative [conversion] disorders (F44)													
All races, both sexes	3	-	-	1	-	-	-	1	-	-	-	-	1
Male	1	-	-	-	-	-	-	1	-	-	-	-	-
Female	2	-	-	1	-	-	-	-	-	-	-	-	1
White, both sexes	2	-	-	1	-	-	-	1	-	-	-	-	-
Male	1	-	-	-	-	-	-	1	-	-	-	-	-
Female	1	-	-	1	-	-	-	-	-	-	-	-	-
Black, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other dissociative [conversion] disorders (F44.8)													
All races, both sexes	3	-	-	1	-	-	-	1	-	-	-	-	1
Male	1	-	-	-	-	-	-	1	-	-	-	-	-
Female	2	-	-	1	-	-	-	-	-	-	-	-	1
White, both sexes	2	-	-	1	-	-	-	1	-	-	-	-	-
Male	1	-	-	-	-	-	-	1	-	-	-	-	-
Female	1	-	-	1	-	-	-	-	-	-	-	-	-
Black, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Somatoform disorders (F45)													
All races, both sexes	7	1	-	-	-	1	-	-	1	-	2	-	2
Male	2	-	-	-	-	-	-	-	-	-	2	-	-
Female	5	1	-	-	-	1	-	-	1	-	-	-	2
White, both sexes	7	1	-	-	-	1	-	-	1	-	2	-	2
Male	2	-	-	-	-	-	-	-	-	-	2	-	-
Female	5	1	-	-	-	1	-	-	1	-	-	-	2
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Somatoform autonomic dysfunction (F45.3)													
All races, both sexes	5	1	-	-	-	1	-	-	-	-	2	-	1
Male	2	-	-	-	-	-	-	-	-	-	2	-	-
Female	3	1	-	-	-	1	-	-	-	-	-	-	1
White, both sexes	5	1	-	-	-	1	-	-	-	-	2	-	1
Male	2	-	-	-	-	-	-	-	-	-	2	-	-
Female	3	1	-	-	-	1	-	-	-	-	-	-	1
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other somatoform disorders (F45.8)													
All races, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	1
White, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	1
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Somatoform disorder, unspecified (F45.9)													
All races, both sexes	1	-	-	-	-	-	-	-	1	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	1	-	-	-	-
White, both sexes	1	-	-	-	-	-	-	-	1	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	1	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other neurotic disorders (F48)													
All races, both sexes	6	-	-	1	-	-	1	3	-	1	-	-	-
Male	1	-	-	-	-	-	-	-	-	1	-	-	-
Female	5	-	-	1	-	-	1	3	-	-	-	-	-
White, both sexes	6	-	-	1	-	-	1	3	-	1	-	-	-
Male	1	-	-	-	-	-	-	-	-	1	-	-	-
Female	5	-	-	1	-	-	1	3	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Neurasthenia (F48.0)													
All races, both sexes	3	-	-	-	-	-	-	3	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	3	-	-	-	-	-	-	3	-	-	-	-	-
White, both sexes	3	-	-	-	-	-	-	3	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	3	-	-	-	-	-	-	3	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Neurotic disorder, unspecified (F48.9)													
All races, both sexes	3	-	-	1	-	-	1	-	-	1	-	-	-
Male	1	-	-	-	-	-	-	-	-	1	-	-	-
Female	2	-	-	1	-	-	1	-	-	-	-	-	-
White, both sexes	3	-	-	1	-	-	1	-	-	1	-	-	-
Male	1	-	-	-	-	-	-	-	-	1	-	-	-
Female	2	-	-	1	-	-	1	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Eating disorders (F50)													
All races, both sexes	262	26	22	29	20	23	17	23	17	20	18	18	29
Male	56	4	3	9	6	6	3	7	6	5	3	2	2
Female	206	22	19	20	14	17	14	16	11	15	15	16	27
White, both sexes	248	24	22	27	19	19	16	22	17	19	18	16	29
Male	54	4	3	9	6	5	3	6	6	5	3	2	2
Female	194	20	19	18	13	14	13	16	11	14	15	14	27
Black, both sexes	7	1	-	1	1	1	-	1	-	1	-	1	-
Male	2	-	-	-	-	1	-	1	-	-	-	-	-
Female	5	1	-	1	1	-	-	-	-	1	-	1	-
American Indian 1/, both sexes	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	6	1	-	1	-	2	1	-	-	-	-	1	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	6	1	-	1	-	2	1	-	-	-	-	1	-
Anorexia nervosa (F50.0)													
All races, both sexes	68	6	9	7	8	6	3	4	3	5	6	2	9
Male	2	-	-	1	1	-	-	-	-	-	-	-	-
Female	66	6	9	6	7	6	3	4	3	5	6	2	9
White, both sexes	63	5	9	6	7	5	2	4	3	5	6	2	9
Male	2	-	-	1	1	-	-	-	-	-	-	-	-
Female	61	5	9	5	6	5	2	4	3	5	6	2	9
Black, both sexes	2	-	-	1	1	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	1	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	3	1	-	-	-	1	1	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	3	1	-	-	-	1	1	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Bulimia nervosa (F50.2)													
All races, both sexes	10	2	-	1	1	-	2	-	1	1	-	2	-
Male	2	1	-	-	1	-	-	-	-	-	-	-	-
Female	8	1	-	1	-	-	2	-	1	1	-	2	-
White, both sexes	10	2	-	1	1	-	2	-	1	1	-	2	-
Male	2	1	-	-	1	-	-	-	-	-	-	-	-
Female	8	1	-	1	-	-	2	-	1	1	-	2	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other eating disorders (F50.8)													
All races, both sexes	179	17	13	21	10	17	11	19	13	14	11	14	19
Male	52	3	3	8	4	6	3	7	6	5	3	2	2
Female	127	14	10	13	6	11	8	12	7	9	8	12	17
White, both sexes	170	16	13	20	10	14	11	18	13	13	11	12	19
Male	50	3	3	8	4	5	3	6	6	5	3	2	2
Female	120	13	10	12	6	9	8	12	7	8	8	10	17
Black, both sexes	5	1	-	-	-	1	-	1	-	1	-	1	-
Male	2	-	-	-	-	1	-	1	-	-	-	-	-
Female	3	1	-	-	-	-	-	-	-	1	-	1	-
American Indian 1/, both sexes	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	3	-	-	1	-	1	-	-	-	-	-	1	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	3	-	-	1	-	1	-	-	-	-	-	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Eating disorder, unspecified (F50.9)													
All races, both sexes	5	1	-	-	1	-	1	-	-	-	1	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	5	1	-	-	1	-	1	-	-	-	1	-	1
White, both sexes	5	1	-	-	1	-	1	-	-	-	1	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	5	1	-	-	1	-	1	-	-	-	1	-	1
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Sexual dysfunction, not caused by organic disorder or disease (F52)													
All races, both sexes	4	-	-	-	1	1	-	-	-	-	1	-	1
Male	2	-	-	-	1	1	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	-	-	1	-	1
White, both sexes	4	-	-	-	1	1	-	-	-	-	1	-	1
Male	2	-	-	-	1	1	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	-	-	1	-	1
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Sexual aversion and lack of sexual enjoyment (F52.1)													
All races, both sexes	4	-	-	-	1	1	-	-	-	-	1	-	1
Male	2	-	-	-	1	1	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	-	-	1	-	1
White, both sexes	4	-	-	-	1	1	-	-	-	-	1	-	1
Male	2	-	-	-	1	1	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	-	-	1	-	1
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Psychological and behavioral factors associated with disorders or diseases classified elsewhere (F54)													
All races, both sexes	159	21	7	17	18	7	9	12	17	10	13	13	15
Male	72	10	5	8	8	4	6	6	6	3	4	5	7
Female	87	11	2	9	10	3	3	6	11	7	9	8	8
White, both sexes	134	19	3	16	16	6	9	11	15	6	11	9	13
Male	63	9	2	8	7	4	6	6	5	1	4	4	7
Female	71	10	1	8	9	2	3	5	10	5	7	5	6
Black, both sexes	21	2	3	-	2	1	-	1	-	4	2	4	2
Male	7	1	2	-	1	-	-	-	-	2	-	1	-
Female	14	1	1	-	1	1	-	1	-	2	2	3	2
American Indian 1/, both sexes	3	-	1	-	-	-	-	-	2	-	-	-	-
Male	2	-	1	-	-	-	-	-	1	-	-	-	-
Female	1	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	1	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Abuse of non-dependence-producing substances (F55)													
All races, both sexes	8	-	-	2	-	2	-	2	-	1	-	1	-
Male	3	-	-	1	-	1	-	-	-	1	-	-	-
Female	5	-	-	1	-	1	-	2	-	-	-	1	-
White, both sexes	8	-	-	2	-	2	-	2	-	1	-	1	-
Male	3	-	-	1	-	1	-	-	-	1	-	-	-
Female	5	-	-	1	-	1	-	2	-	-	-	1	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Specific personality disorders (F60)													
All races, both sexes	3	1	-	-	-	-	1	-	-	-	-	-	1
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	2	1	-	-	-	-	-	-	-	-	-	-	1
White, both sexes	3	1	-	-	-	-	1	-	-	-	-	-	1
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	2	1	-	-	-	-	-	-	-	-	-	-	1
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Emotionally unstable personality disorder (F60.3)													
All races, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	1
White, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	1
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Personality disorder, unspecified (F60.9)													
All races, both sexes	2	1	-	-	-	-	1	-	-	-	-	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	2	1	-	-	-	-	1	-	-	-	-	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Mild mental retardation (F70)													
All races, both sexes	3	-	-	-	-	1	-	-	1	-	-	-	1
Male	3	-	-	-	-	1	-	-	1	-	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	3	-	-	-	-	1	-	-	1	-	-	-	1
Male	3	-	-	-	-	1	-	-	1	-	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Severe mental retardation (F72)													
All races, both sexes	62	1	10	7	7	3	4	3	5	6	6	5	5
Male	37	-	8	4	1	2	2	3	3	5	4	4	1
Female	25	1	2	3	6	1	2	-	2	1	2	1	4
White, both sexes	51	1	7	6	7	2	3	3	5	6	5	3	3
Male	30	-	5	3	1	1	2	3	3	5	4	2	1
Female	21	1	2	3	6	1	1	-	2	1	1	1	2
Black, both sexes	9	-	1	1	-	1	1	-	-	-	1	2	2
Male	5	-	1	1	-	1	-	-	-	-	-	2	-
Female	4	-	-	-	-	-	1	-	-	-	1	-	2
American Indian 1/, both sexes	1	-	1	-	-	-	-	-	-	-	-	-	-
Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	1	-	-	-	-	-	-	-	-	-	-
Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Profound mental retardation (F73)													
All races, both sexes	52	5	3	7	3	2	6	4	4	1	3	9	5
Male	35	4	1	5	2	2	5	3	3	-	3	6	1
Female	17	1	2	2	1	-	1	1	1	1	-	3	4
White, both sexes	50	4	3	7	3	2	5	4	4	1	3	9	5
Male	35	4	1	5	2	2	5	3	3	-	3	6	1
Female	15	-	2	2	1	-	-	1	1	1	-	3	4
Black, both sexes	2	1	-	-	-	-	1	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	1	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Unspecified mental retardation (F79)													
All races, both sexes	370	43	35	30	39	21	22	30	33	27	30	27	33
Male	213	27	29	13	25	10	14	12	22	18	11	17	15
Female	157	16	6	17	14	11	8	18	11	9	19	10	18
White, both sexes	320	36	31	27	37	19	21	24	27	19	27	25	27
Male	183	23	25	13	25	8	13	10	16	13	10	15	12
Female	137	13	6	14	12	11	8	14	11	6	17	10	15
Black, both sexes	48	6	4	3	2	2	1	6	5	8	3	2	6
Male	28	3	4	-	-	2	1	2	5	5	1	2	3
Female	20	3	-	3	2	-	-	4	-	3	2	-	3
American Indian 1/, both sexes	1	-	-	-	-	-	-	-	1	-	-	-	-
Male	1	-	-	-	-	-	-	-	1	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Specific developmental disorder of motor function (F82)													
All races, both sexes	7	-	2	1	1	1	-	-	-	1	-	-	1
Male	3	-	1	1	1	-	-	-	-	-	-	-	-
Female	4	-	1	-	-	1	-	-	-	1	-	-	1
White, both sexes	3	-	1	-	-	-	-	-	-	1	-	-	1
Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	-	1	-	-	1
Black, both sexes	3	-	1	1	1	-	-	-	-	-	-	-	-
Male	2	-	-	1	1	-	-	-	-	-	-	-	-
Female	1	-	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Pervasive developmental disorders (F84)													
All races, both sexes	35	4	2	5	3	3	3	2	2	3	3	2	3
Male	8	1	1	-	-	-	-	1	1	1	2	1	-
Female	27	3	1	5	3	3	3	1	1	2	1	1	3
White, both sexes	27	3	2	2	3	2	3	2	-	3	2	2	3
Male	5	-	1	-	-	-	-	1	-	1	1	1	-
Female	22	3	1	2	3	2	3	1	-	2	1	1	3
Black, both sexes	6	1	-	2	-	1	-	-	1	-	1	-	-
Male	3	1	-	-	-	-	-	-	1	-	1	-	-
Female	3	-	-	2	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes	1	-	-	-	-	-	-	-	1	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	1	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Childhood autism (F84.0)													
All races, both sexes	7	1	1	-	-	-	-	1	1	1	1	1	-
Male	7	1	1	-	-	-	-	1	1	1	1	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	4	-	1	-	-	-	-	1	-	1	-	1	-
Male	4	-	1	-	-	-	-	1	-	1	-	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	3	1	-	-	-	-	-	-	1	-	1	-	-
Male	3	1	-	-	-	-	-	-	1	-	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Rett's syndrome (F84.2)													
All races, both sexes	27	3	1	5	3	2	3	1	1	2	2	1	3
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	26	3	1	5	3	2	3	1	1	2	1	1	3
White, both sexes	22	3	1	2	3	1	3	1	-	2	2	1	3
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	21	3	1	2	3	1	3	1	-	2	1	1	3
Black, both sexes	3	-	-	2	-	1	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	3	-	-	2	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes	1	-	-	-	-	-	-	-	1	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	1	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other childhood disintegrative disorder (F84.3)													
All races, both sexes	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Unspecified disorder of psychological development (F89)													
All races, both sexes	9	-	-	1	-	1	1	1	1	1	-	3	-
Male	4	-	-	-	-	-	1	-	1	1	-	1	-
Female	5	-	-	1	-	1	-	1	-	-	-	2	-
White, both sexes	6	-	-	1	-	1	-	1	1	1	-	1	-
Male	2	-	-	-	-	-	-	-	1	1	-	-	-
Female	4	-	-	1	-	1	-	1	-	-	-	1	-
Black, both sexes	3	-	-	-	-	-	1	-	-	-	-	2	-
Male	2	-	-	-	-	-	1	-	-	-	-	1	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Hyperkinetic disorders (F90)													
All races, both sexes	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Disturbance of activity and attention (F90.0)													
All races, both sexes	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Conduct disorders (F91)													
All races, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other conduct disorders (F91.8)													
All races, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Tic disorders (F95)													
All races, both sexes	1	-	-	-	-	-	-	1	-	-	-	-	-
Male	1	-	-	-	-	-	-	1	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	-	-	-	1	-	-	-	-	-
Male	1	-	-	-	-	-	-	1	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Combined vocal and multiple motor tic disorder [de la Tourette] (F95.2)													
All races, both sexes	1	-	-	-	-	-	-	1	-	-	-	-	-
Male	1	-	-	-	-	-	-	1	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	-	-	-	1	-	-	-	-	-
Male	1	-	-	-	-	-	-	1	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Mental disorder, not otherwise specified (F99)													
All races, both sexes	18	2	-	-	1	6	1	2	2	-	3	1	-
Male	5	1	-	-	-	3	1	-	-	-	-	-	-
Female	13	1	-	-	1	3	-	2	2	-	3	1	-
White, both sexes	13	1	-	-	-	4	1	2	2	-	2	1	-
Male	2	-	-	-	-	1	1	-	-	-	-	-	-
Female	11	1	-	-	-	3	-	2	2	-	2	1	-
Black, both sexes	5	1	-	-	1	2	-	-	-	-	1	-	-
Male	3	1	-	-	-	2	-	-	-	-	-	-	-
Female	2	-	-	-	1	-	-	-	-	-	1	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Bacterial meningitis, not elsewhere classified (G00)													
All races, both sexes	399	34	42	32	44	35	38	19	22	22	24	29	58
Male	208	21	27	17	31	18	17	7	12	7	11	14	26
Female	191	13	15	15	13	17	21	12	10	15	13	15	32
White, both sexes	287	23	28	20	30	24	34	13	15	16	14	21	49
Male	160	14	19	12	23	15	16	5	8	7	8	10	23
Female	127	9	9	8	7	9	18	8	7	9	6	11	26
Black, both sexes	102	10	13	12	12	10	4	4	7	6	8	7	9
Male	43	6	7	5	8	2	1	1	4	-	3	3	3
Female	59	4	6	7	4	8	3	3	3	6	5	4	6
American Indian 1/, both sexes	6	-	-	-	2	1	-	1	-	-	1	1	-
Male	3	-	-	-	-	1	-	1	-	-	-	1	-
Female	3	-	-	-	2	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes	4	1	1	-	-	-	-	1	-	-	1	-	-
Male	2	1	1	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	1	-	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Hemophilus meningitis (G00.0)													
All races, both sexes	3	-	1	-	-	-	-	-	-	-	-	2	-
Male	2	-	-	-	-	-	-	-	-	-	-	2	-
Female	1	-	1	-	-	-	-	-	-	-	-	-	-
White, both sexes	2	-	1	-	-	-	-	-	-	-	-	1	-
Male	1	-	-	-	-	-	-	-	-	-	-	1	-
Female	1	-	1	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	1	-	-	-	-	-	-	-	-	-	-	1	-
Male	1	-	-	-	-	-	-	-	-	-	-	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumococcal meningitis (G00.1)													
All races, both sexes	98	10	13	14	13	7	6	4	4	4	6	4	13
Male	58	7	10	10	8	2	3	2	4	2	2	-	8
Female	40	3	3	4	5	5	3	2	-	2	4	4	5
White, both sexes	71	6	10	11	9	3	6	4	2	4	3	3	10
Male	43	4	8	7	6	2	3	2	2	2	1	-	6
Female	28	2	2	4	3	1	3	2	-	2	2	3	4
Black, both sexes	26	4	3	3	4	4	-	-	2	-	2	1	3
Male	15	3	2	3	2	-	-	-	2	-	1	-	2
Female	11	1	1	-	2	4	-	-	-	-	1	1	1
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Streptococcal meningitis (G00.2)													
All races, both sexes.....	65	7	6	5	5	4	8	3	4	5	1	4	13
Male.....	30	3	4	1	5	2	3	3	-	2	1	-	6
Female.....	35	4	2	4	-	2	5	-	4	3	-	4	7
White, both sexes.....	48	4	5	2	3	2	8	2	4	4	-	3	11
Male.....	22	2	3	1	3	1	3	2	-	2	-	-	5
Female.....	26	2	2	1	-	1	5	-	4	2	-	3	6
Black, both sexes.....	15	2	1	3	2	1	-	1	-	1	1	1	2
Male.....	6	-	1	-	2	-	-	1	-	-	1	-	1
Female.....	9	2	-	3	-	1	-	-	-	1	-	1	1
American Indian 1/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.	1	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Staphylococcal meningitis (G00.3)													
All races, both sexes.....	12	2	-	-	4	2	1	1	1	-	-	1	-
Male.....	5	-	-	-	2	-	1	-	1	-	-	1	-
Female.....	7	2	-	-	2	2	-	1	-	-	-	-	-
White, both sexes.....	9	1	-	-	2	2	1	1	1	-	-	1	-
Male.....	4	-	-	-	1	-	1	-	1	-	-	1	-
Female.....	5	1	-	-	1	2	-	1	-	-	-	-	-
Black, both sexes.....	2	1	-	-	1	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other bacterial meningitis (G00.8)													
All races, both sexes	21	1	2	1	-	2	4	2	-	2	3	1	3
Male	13	1	1	-	-	2	2	1	-	2	2	1	1
Female	8	-	1	1	-	-	2	1	-	-	1	-	2
White, both sexes	15	1	-	-	-	2	4	2	-	2	2	-	2
Male	11	1	-	-	-	2	2	1	-	2	2	-	1
Female	4	-	-	-	-	-	2	1	-	-	-	-	1
Black, both sexes	6	-	2	1	-	-	-	-	-	-	1	1	1
Male	2	-	1	-	-	-	-	-	-	-	-	1	-
Female	4	-	1	1	-	-	-	-	-	-	1	-	1
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Bacterial meningitis, unspecified (G00.9)													
All races, both sexes	200	14	20	12	22	20	19	9	13	11	14	17	29
Male	100	10	12	6	16	12	8	1	7	1	6	10	11
Female	100	4	8	6	6	8	11	8	6	10	8	7	18
White, both sexes	142	11	12	7	16	15	15	4	8	6	9	13	26
Male	79	7	8	4	13	10	7	-	5	1	5	8	11
Female	63	4	4	3	3	5	8	4	3	5	4	5	15
Black, both sexes	53	3	7	5	5	5	4	3	5	5	4	4	3
Male	19	3	3	2	3	2	1	-	2	-	1	2	-
Female	34	-	4	3	2	3	3	3	3	5	3	2	3
American Indian 1/, both sexes	3	-	-	-	1	-	-	1	-	-	1	-	-
Male	1	-	-	-	-	-	-	1	-	-	-	-	-
Female	2	-	-	-	1	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes	2	-	1	-	-	-	-	1	-	-	-	-	-
Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	1	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Meningitis due to other and unspecified causes (G03)													
All races, both sexes	331	22	34	36	21	22	25	20	29	22	25	30	45
Male	179	13	18	16	11	13	13	13	19	18	10	17	18
Female	152	9	16	20	10	9	12	7	10	4	15	13	27
White, both sexes	237	14	25	23	18	17	16	17	20	17	17	19	34
Male	133	10	11	9	9	10	8	11	16	14	8	11	16
Female	104	4	14	14	9	7	8	6	4	3	9	8	18
Black, both sexes	85	8	9	11	3	3	9	2	8	5	7	9	11
Male	41	3	7	5	2	2	5	1	3	4	2	5	2
Female	44	5	2	6	1	1	4	1	5	1	5	4	9
American Indian 1/, both sexes	2	-	-	1	-	-	-	-	-	-	-	1	-
Male	2	-	-	1	-	-	-	-	-	-	-	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	7	-	-	1	-	2	-	1	1	-	1	1	-
Male	3	-	-	1	-	1	-	1	-	-	-	-	-
Female	4	-	-	-	-	1	-	-	1	-	1	1	-
Nonpyogenic meningitis (G03.0)													
All races, both sexes	12	1	1	3	1	-	-	1	2	1	-	1	1
Male	3	-	-	-	-	-	-	-	2	1	-	-	-
Female	9	1	1	3	1	-	-	1	-	-	-	1	1
White, both sexes	9	-	-	3	1	-	-	1	2	1	-	1	-
Male	3	-	-	-	-	-	-	-	2	1	-	-	-
Female	6	-	-	3	1	-	-	1	-	-	-	1	-
Black, both sexes	3	1	1	-	-	-	-	-	-	-	-	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	3	1	1	-	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Chronic meningitis (G03.1)													
All races, both sexes	11	1	-	2	-	1	1	-	1	-	2	1	2
Male	7	1	-	2	-	1	1	-	-	-	1	1	-
Female	4	-	-	-	-	-	-	-	1	-	1	-	2
White, both sexes	9	1	-	1	-	1	1	-	1	-	2	1	1
Male	6	1	-	1	-	1	1	-	-	-	1	1	-
Female	3	-	-	-	-	-	-	-	1	-	1	-	1
Black, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	1	-	-	1	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis, unspecified (G03.9)													
All races, both sexes	308	20	33	31	20	21	24	19	26	21	23	28	42
Male	169	12	18	14	11	12	12	13	17	17	9	16	18
Female	139	8	15	17	9	9	12	6	9	4	14	12	24
White, both sexes	219	13	25	19	17	16	15	16	17	16	15	17	33
Male	124	9	11	8	9	9	7	11	14	13	7	10	16
Female	95	4	14	11	8	7	8	5	3	3	8	7	17
Black, both sexes	81	7	8	11	3	3	9	2	8	5	7	9	9
Male	41	3	7	5	2	2	5	1	3	4	2	5	2
Female	40	4	1	6	1	1	4	1	5	1	5	4	7
American Indian 1/, both sexes	2	-	-	1	-	-	-	-	-	-	-	1	-
Male	2	-	-	1	-	-	-	-	-	-	-	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	6	-	-	-	-	2	-	1	1	-	1	1	-
Male	2	-	-	-	-	1	-	1	-	-	-	-	-
Female	4	-	-	-	-	1	-	-	1	-	1	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Encephalitis, myelitis, and encephalomyelitis (G04)													
All races, both sexes	334	24	15	23	26	24	21	27	36	54	32	23	29
Male	164	12	8	11	14	15	5	17	17	29	13	10	13
Female	170	12	7	12	12	9	16	10	19	25	19	13	16
White, both sexes	280	18	15	16	23	21	17	24	32	44	28	19	23
Male	142	9	8	8	13	14	5	16	16	23	11	8	11
Female	138	9	7	8	10	7	12	8	16	21	17	11	12
Black, both sexes	46	6	-	6	1	2	4	3	3	9	3	3	6
Male	18	3	-	2	-	1	-	1	1	6	1	1	2
Female	28	3	-	4	1	1	4	2	2	3	2	2	4
American Indian 1/, both sexes	2	-	-	-	-	-	-	-	1	1	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes	6	-	-	1	2	1	-	-	-	-	1	1	-
Male	4	-	-	1	1	-	-	-	-	-	1	1	-
Female	2	-	-	-	1	1	-	-	-	-	-	-	-
Acute disseminated encephalitis (G04.0)													
All races, both sexes	3	1	-	-	-	-	-	1	-	-	-	-	1
Male	2	1	-	-	-	-	-	1	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	1
White, both sexes	3	1	-	-	-	-	-	1	-	-	-	-	1
Male	2	1	-	-	-	-	-	1	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	1
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Tropical spastic paraplegia (G04.1)													
All races, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	1	-	-	-	-	-	-	-	-	-	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	1	-	-	-	-	-	-	-	-	-	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Bacterial meningoencephalitis and meningomyelitis, not elsewhere classified (G04.2)													
All races, both sexes	6	2	1	-	1	1	-	-	1	-	-	-	-
Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	5	2	-	-	1	1	-	-	1	-	-	-	-
White, both sexes	5	1	1	-	1	1	-	-	1	-	-	-	-
Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	4	1	-	-	1	1	-	-	1	-	-	-	-
Black, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other encephalitis, myelitis, and encephalomyelitis (G04.8)													
All races, both sexes	15	-	1	-	1	1	3	2	1	2	2	1	1
Male	9	-	1	-	1	1	1	1	1	1	1	1	-
Female	6	-	-	-	-	-	2	1	-	1	1	-	1
White, both sexes	15	-	1	-	1	1	3	2	1	2	2	1	1
Male	9	-	1	-	1	1	1	1	1	1	1	1	-
Female	6	-	-	-	-	-	2	1	-	1	1	-	1
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis, myelitis, and encephalomyelitis, unspecified (G04.9)													
All races, both sexes	309	21	13	23	24	22	18	24	34	52	30	22	26
Male	151	11	6	11	13	14	4	15	16	28	12	9	12
Female	158	10	7	12	11	8	14	9	18	24	18	13	14
White, both sexes	256	16	13	16	21	19	14	21	30	42	26	18	20
Male	129	8	6	8	12	13	4	14	15	22	10	7	10
Female	127	8	7	8	9	6	10	7	15	20	16	11	10
Black, both sexes	45	5	-	6	1	2	4	3	3	9	3	3	6
Male	18	3	-	2	-	1	-	1	1	6	1	1	2
Female	27	2	-	4	1	1	4	2	2	3	2	2	4
American Indian 1/, both sexes	2	-	-	-	-	-	-	-	1	1	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes	6	-	-	1	2	1	-	-	-	-	1	1	-
Male	4	-	-	1	1	-	-	-	-	-	1	1	-
Female	2	-	-	-	1	1	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Intracranial and intraspinal abscess and granuloma (G06)													
All races, both sexes	249	16	21	27	14	20	16	16	22	20	24	27	26
Male	150	7	8	19	10	13	10	10	10	13	17	16	17
Female	99	9	13	8	4	7	6	6	12	7	7	11	9
White, both sexes	202	13	15	18	11	17	13	13	19	18	22	22	21
Male	116	5	4	11	9	10	8	7	9	12	15	12	14
Female	86	8	11	7	2	7	5	6	10	6	7	10	7
Black, both sexes	34	1	5	7	2	2	2	2	3	1	2	4	3
Male	26	1	4	6	1	2	2	2	1	-	2	3	2
Female	8	-	1	1	1	-	-	-	2	1	-	1	1
American Indian 1/, both sexes	4	1	-	1	-	-	-	1	-	1	-	-	-
Male	3	-	-	1	-	-	-	1	-	1	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	9	1	1	1	1	1	1	-	-	-	-	1	2
Male	5	1	-	1	-	1	-	-	-	-	-	1	1
Female	4	-	1	-	1	-	1	-	-	-	-	-	1
Intracranial abscess and granuloma (G06.0)													
All races, both sexes	131	8	11	19	9	12	8	9	10	11	14	9	11
Male	81	5	5	12	7	9	6	5	5	7	8	5	7
Female	50	3	6	7	2	3	2	4	5	4	6	4	4
White, both sexes	107	7	8	13	8	10	6	7	8	11	13	8	8
Male	62	4	3	7	7	7	4	3	4	7	7	4	5
Female	45	3	5	6	1	3	2	4	4	4	6	4	3
Black, both sexes	18	-	2	4	-	2	2	2	2	-	1	1	2
Male	15	-	2	3	-	2	2	2	1	-	1	1	1
Female	3	-	-	1	-	-	-	-	1	-	-	-	1
American Indian 1/, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	1	-	-	1	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	5	1	1	1	1	-	-	-	-	-	-	-	1
Male	3	1	-	1	-	-	-	-	-	-	-	-	1
Female	2	-	1	-	1	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Intraspinal abscess and granuloma (G06.1)													
All races, both sexes	29	2	4	2	-	3	2	1	3	3	2	4	3
Male	18	-	2	2	-	1	1	1	1	2	2	4	2
Female	11	2	2	-	-	2	1	-	2	1	-	-	1
White, both sexes	26	2	3	2	-	2	2	1	2	3	2	4	3
Male	16	-	1	2	-	-	1	1	1	2	2	4	2
Female	10	2	2	-	-	2	1	-	1	1	-	-	1
Black, both sexes	2	-	1	-	-	-	-	-	1	-	-	-	-
Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Extradural and subdural abscess, unspecified (G06.2)													
All races, both sexes	89	6	6	6	5	5	6	6	9	6	8	14	12
Male	51	2	1	5	3	3	3	4	4	4	7	7	8
Female	38	4	5	1	2	2	3	2	5	2	1	7	4
White, both sexes	69	4	4	3	3	5	5	5	9	4	7	10	10
Male	38	1	-	2	2	3	3	3	4	3	6	4	7
Female	31	3	4	1	1	2	2	2	5	1	1	6	3
Black, both sexes	14	1	2	3	2	-	-	-	-	1	1	3	1
Male	10	1	1	3	1	-	-	-	-	-	1	2	1
Female	4	-	1	-	1	-	-	-	-	1	-	1	-
American Indian 1/, both sexes	3	1	-	-	-	-	-	1	-	1	-	-	-
Male	2	-	-	-	-	-	-	1	-	1	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	3	-	-	-	-	-	1	-	-	-	-	1	1
Male	1	-	-	-	-	-	-	-	-	-	-	1	-
Female	2	-	-	-	-	-	1	-	-	-	-	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Intracranial and intraspinal phlebitis and thrombophlebitis (G08)													
All races, both sexes	29	3	2	3	1	2	2	2	3	2	6	1	2
Male	7	-	-	2	-	1	1	-	-	-	1	1	1
Female	22	3	2	1	1	1	1	2	3	2	5	-	1
White, both sexes	21	1	2	2	-	2	1	1	3	1	6	1	1
Male	6	-	-	2	-	1	-	-	-	-	1	1	1
Female	15	1	2	-	-	1	1	1	3	1	5	-	-
Black, both sexes	8	2	-	1	1	-	1	1	-	1	-	-	1
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	7	2	-	1	1	-	-	1	-	1	-	-	1
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Sequelae of inflammatory diseases of central nervous system (G09)													
All races, both sexes	94	9	9	10	9	11	8	6	3	9	6	6	8
Male	58	5	4	7	6	6	6	3	3	5	3	5	5
Female	36	4	5	3	3	5	2	3	-	4	3	1	3
White, both sexes	72	8	7	9	8	6	8	2	1	8	3	5	7
Male	47	4	3	6	6	4	6	1	1	5	2	4	5
Female	25	4	4	3	2	2	2	1	-	3	1	1	2
Black, both sexes	22	1	2	1	1	5	-	4	2	1	3	1	1
Male	11	1	1	1	-	2	-	2	2	-	1	1	-
Female	11	-	1	-	1	3	-	2	-	1	2	-	1
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Huntington's disease (G10)													
All races, both sexes	761	75	70	57	58	66	47	70	57	50	73	59	79
Male	361	35	36	29	21	31	25	30	23	21	40	32	38
Female	400	40	34	28	37	35	22	40	34	29	33	27	41
White, both sexes	711	68	64	51	54	63	46	65	53	47	71	53	76
Male	339	32	33	27	18	29	24	29	22	20	40	29	36
Female	372	36	31	24	36	34	22	36	31	27	31	24	40
Black, both sexes	44	6	4	5	4	2	1	4	4	3	2	6	3
Male	20	3	3	1	3	1	1	1	1	1	-	3	2
Female	24	3	1	4	1	1	-	3	3	2	2	3	1
American Indian 1/, both sexes	3	1	1	1	-	-	-	-	-	-	-	-	-
Male	1	-	-	1	-	-	-	-	-	-	-	-	-
Female	2	1	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	3	-	1	-	-	1	-	1	-	-	-	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	2	-	1	-	-	-	-	1	-	-	-	-	-
Hereditary ataxia (G11)													
All races, both sexes	159	14	16	4	12	15	9	17	13	12	10	16	21
Male	84	5	11	4	8	6	4	8	7	6	5	6	14
Female	75	9	5	-	4	9	5	9	6	6	5	10	7
White, both sexes	141	14	14	4	8	12	9	16	11	10	8	15	20
Male	71	5	9	4	4	5	4	7	6	5	4	5	13
Female	70	9	5	-	4	7	5	9	5	5	4	10	7
Black, both sexes	15	-	2	-	3	3	-	1	1	1	2	1	1
Male	11	-	2	-	3	1	-	1	-	1	1	1	1
Female	4	-	-	-	-	2	-	-	1	-	1	-	-
American Indian 1/, both sexes	2	-	-	-	-	-	-	-	1	1	-	-	-
Male	1	-	-	-	-	-	-	-	1	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	1	-	-	-	-	-	-	-	-
Male	1	-	-	-	1	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Early-onset cerebellar ataxia (G11.1)													
All races, both sexes	75	3	7	1	5	7	5	10	9	6	4	9	9
Male	35	2	4	1	4	3	2	5	3	2	3	3	3
Female	40	1	3	-	1	4	3	5	6	4	1	6	6
White, both sexes	67	3	7	1	4	6	5	9	7	5	4	8	8
Male	30	2	4	1	3	3	2	4	2	2	3	2	2
Female	37	1	3	-	1	3	3	5	5	3	1	6	6
Black, both sexes	6	-	-	-	1	1	-	1	1	-	-	1	1
Male	4	-	-	-	1	-	-	1	-	-	-	1	1
Female	2	-	-	-	-	1	-	-	1	-	-	-	-
American Indian 1/, both sexes	2	-	-	-	-	-	-	-	1	1	-	-	-
Male	1	-	-	-	-	-	-	-	1	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Late-onset cerebellar ataxia (G11.2)													
All races, both sexes	2	-	-	-	1	-	-	-	1	-	-	-	-
Male	2	-	-	-	1	-	-	-	1	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	2	-	-	-	1	-	-	-	1	-	-	-	-
Male	2	-	-	-	1	-	-	-	1	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Cerebellar ataxia with defective DNA repair (G11.3)													
All races, both sexes	11	1	2	-	-	4	-	1	-	1	-	2	-
Male	3	-	1	-	-	1	-	-	-	1	-	-	-
Female	8	1	1	-	-	3	-	1	-	-	-	2	-
White, both sexes	10	1	2	-	-	3	-	1	-	1	-	2	-
Male	3	-	1	-	-	1	-	-	-	1	-	-	-
Female	7	1	1	-	-	2	-	1	-	-	-	2	-
Black, both sexes	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Hereditary spastic paraplegia (G11.4)													
All races, both sexes	5	1	-	-	-	-	-	1	-	1	-	-	2
Male	3	-	-	-	-	-	-	-	-	1	-	-	2
Female	2	1	-	-	-	-	-	1	-	-	-	-	-
White, both sexes	5	1	-	-	-	-	-	1	-	1	-	-	2
Male	3	-	-	-	-	-	-	-	-	1	-	-	2
Female	2	1	-	-	-	-	-	1	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Hereditary ataxia, unspecified (G11.9)													
All races, both sexes	66	9	7	3	6	4	4	5	3	4	6	5	10
Male	41	3	6	3	3	2	2	3	3	2	2	3	9
Female	25	6	1	-	3	2	2	2	-	2	4	2	1
White, both sexes	57	9	5	3	3	3	4	5	3	3	4	5	10
Male	33	3	4	3	-	1	2	3	3	1	1	3	9
Female	24	6	1	-	3	2	2	2	-	2	3	2	1
Black, both sexes	8	-	2	-	2	1	-	-	-	1	2	-	-
Male	7	-	2	-	2	1	-	-	-	1	1	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	1	-	-	-	-	-	-	-	-
Male	1	-	-	-	1	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Spinal muscular atrophy and related syndromes (G12)													
All races, both sexes	6,021	526	512	532	514	485	480	462	476	481	493	494	566
Male	3,196	284	284	281	267	279	246	248	233	261	271	249	293
Female	2,825	242	228	251	247	206	234	214	243	220	222	245	273
White, both sexes	5,580	484	476	492	480	440	445	420	439	455	465	452	532
Male	2,963	264	262	260	255	247	227	223	210	249	254	232	280
Female	2,617	220	214	232	225	193	218	197	229	206	211	220	252
Black, both sexes	329	29	31	30	28	36	27	29	26	17	17	32	27
Male	170	12	20	16	8	26	14	15	16	9	10	13	11
Female	159	17	11	14	20	10	13	14	10	8	7	19	16
American Indian 1/, both sexes	15	2	-	3	1	2	-	2	-	1	1	1	2
Male	8	1	-	2	1	1	-	1	-	-	-	1	1
Female	7	1	-	1	-	1	-	1	-	1	1	-	1
Asian or Pacific Islander 2/, both sexes	97	11	5	7	5	7	8	11	11	8	10	9	5
Male	55	7	2	3	3	5	5	9	7	3	7	3	1
Female	42	4	3	4	2	2	3	2	4	5	3	6	4

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Infantile spinal muscular atrophy, type I [Werdnig-Hoffman] (G12.0)													
All races, both sexes	33	4	3	4	1	6	5	1	3	1	3	2	-
Male	20	3	2	4	1	2	3	1	1	-	1	2	-
Female	13	1	1	-	-	4	2	-	2	1	2	-	-
White, both sexes	32	4	3	4	1	6	4	1	3	1	3	2	-
Male	20	3	2	4	1	2	3	1	1	-	1	2	-
Female	12	1	1	-	-	4	1	-	2	1	2	-	-
Black, both sexes	1	-	-	-	-	-	1	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other inherited spinal muscular atrophy (G12.1)													
All races, both sexes	5	2	-	-	-	-	-	1	-	2	-	-	-
Male	5	2	-	-	-	-	-	1	-	2	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	4	1	-	-	-	-	-	1	-	2	-	-	-
Male	4	1	-	-	-	-	-	1	-	2	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Motor neuron disease (G12.2)													
All races, both sexes	5,868	509	503	516	503	469	469	452	465	461	481	485	555
Male	3,110	274	279	271	259	270	238	239	228	253	266	245	288
Female	2,758	235	224	245	244	199	231	213	237	208	215	240	267
White, both sexes	5,452	470	468	479	471	426	436	412	430	437	455	447	521
Male	2,890	256	258	253	248	239	219	216	207	241	249	229	275
Female	2,562	214	210	226	223	187	217	196	223	196	206	218	246
Black, both sexes	311	28	30	28	26	35	25	27	25	16	16	28	27
Male	161	11	19	14	7	26	14	13	15	9	10	12	11
Female	150	17	11	14	19	9	11	14	10	7	6	16	16
American Indian 1/, both sexes	14	2	-	3	1	1	-	2	-	1	1	1	2
Male	7	1	-	2	1	-	-	1	-	-	-	1	1
Female	7	1	-	1	-	1	-	1	-	1	1	-	1
Asian or Pacific Islander 2/, both sexes	91	9	5	6	5	7	8	11	10	7	9	9	5
Male	52	6	2	2	3	5	5	9	6	3	7	3	1
Female	39	3	3	4	2	2	3	2	4	4	2	6	4
Spinal muscular atrophy, unspecified (G12.9)													
All races, both sexes	115	11	6	12	10	10	6	8	8	17	9	7	11
Male	61	5	3	6	7	7	5	7	4	6	4	2	5
Female	54	6	3	6	3	3	1	1	4	11	5	5	6
White, both sexes	92	9	5	9	8	8	5	6	6	15	7	3	11
Male	49	4	2	3	6	6	5	5	2	6	4	1	5
Female	43	5	3	6	2	2	-	1	4	9	3	2	6
Black, both sexes	16	-	1	2	2	1	1	2	1	1	1	4	-
Male	8	-	1	2	1	-	-	2	1	-	-	1	-
Female	8	-	-	-	1	1	1	-	-	1	1	3	-
American Indian 1/, both sexes	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	6	2	-	1	-	-	-	-	1	1	1	-	-
Male	3	1	-	1	-	-	-	-	1	-	-	-	-
Female	3	1	-	-	-	-	-	-	-	1	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Parkinson's disease (G20)													
All races, both sexes	17,890	1,732	1,537	1,535	1,359	1,386	1,321	1,324	1,320	1,366	1,630	1,509	1,871
Male	10,120	963	875	878	758	786	740	745	789	779	930	821	1,056
Female	7,770	769	662	657	601	600	581	579	531	587	700	688	815
White, both sexes	16,944	1,648	1,461	1,472	1,286	1,305	1,248	1,264	1,232	1,298	1,540	1,418	1,772
Male	9,574	909	829	836	715	746	705	711	740	736	878	769	1,000
Female	7,370	739	632	636	571	559	543	553	492	562	662	649	772
Black, both sexes	624	53	53	40	44	51	54	35	59	45	65	55	70
Male	349	37	30	23	26	23	26	16	32	24	38	32	42
Female	275	16	23	17	18	28	28	19	27	21	27	23	28
American Indian 1/, both sexes	59	11	2	1	9	3	3	2	4	4	5	10	5
Male	31	8	1	1	6	1	-	1	2	3	1	6	1
Female	28	3	1	-	3	2	3	1	2	1	4	4	4
Asian or Pacific Islander 2/, both sexes	263	20	21	22	20	27	16	23	25	19	20	26	24
Male	166	9	15	18	11	16	9	17	15	16	13	14	13
Female	97	11	6	4	9	11	7	6	10	3	7	12	11
Secondary parkinsonism (G21)													
All races, both sexes	107	5	8	7	11	10	6	2	7	12	19	12	8
Male	60	3	4	4	6	7	3	2	3	9	12	3	4
Female	47	2	4	3	5	3	3	-	4	3	7	9	4
White, both sexes	101	5	7	7	10	10	6	2	7	11	18	10	8
Male	56	3	4	4	5	7	3	2	3	8	11	2	4
Female	45	2	3	3	5	3	3	-	4	3	7	8	4
Black, both sexes	4	-	1	-	1	-	-	-	-	1	-	1	-
Male	2	-	-	-	1	-	-	-	-	1	-	-	-
Female	2	-	1	-	-	-	-	-	-	-	-	1	-
American Indian 1/, both sexes	1	-	-	-	-	-	-	-	-	-	-	1	-
Male	1	-	-	-	-	-	-	-	-	-	-	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Malignant neuroleptic syndrome (G21.0)													
All races, both sexes	16	-	3	2	1	1	-	-	3	1	3	1	1
Male	10	-	1	1	1	1	-	-	2	1	3	-	-
Female	6	-	2	1	-	-	-	-	1	-	-	1	1
White, both sexes	14	-	2	2	1	1	-	-	3	1	2	1	1
Male	9	-	1	1	1	1	-	-	2	1	2	-	-
Female	5	-	1	1	-	-	-	-	1	-	-	1	1
Black, both sexes	1	-	1	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other drug-induced secondary parkinsonism (G21.1)													
All races, both sexes	1	-	-	-	-	-	-	-	1	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	1	-	-	-	-
White, both sexes	1	-	-	-	-	-	-	-	1	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	1	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Secondary parkinsonism due to other external agents (G21.2)													
All races, both sexes	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
White, both sexes	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Postencephalitic parkinsonism (G21.3)													
All races, both sexes	1	-	-	-	-	-	-	-	-	-	-	1	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-
White, both sexes	1	-	-	-	-	-	-	-	-	-	-	1	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other secondary parkinsonism (G21.8)													
All races, both sexes	42	3	3	5	5	4	2	1	1	6	7	4	1
Male	25	3	2	3	3	3	1	1	-	4	3	2	-
Female	17	-	1	2	2	1	1	-	1	2	4	2	1
White, both sexes	39	3	3	5	4	4	2	1	1	5	7	3	1
Male	23	3	2	3	2	3	1	1	-	3	3	2	-
Female	16	-	1	2	2	1	1	-	1	2	4	1	1
Black, both sexes	3	-	-	-	1	-	-	-	-	1	-	1	-
Male	2	-	-	-	1	-	-	-	-	1	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Secondary parkinsonism, unspecified (G21.9)													
All races, both sexes	46	2	2	-	5	5	4	1	2	5	8	6	6
Male	25	-	1	-	2	3	2	1	1	4	6	1	4
Female	21	2	1	-	3	2	2	-	1	1	2	5	2
White, both sexes	45	2	2	-	5	5	4	1	2	5	8	5	6
Male	24	-	1	-	2	3	2	1	1	4	6	-	4
Female	21	2	1	-	3	2	2	-	1	1	2	5	2
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	1	-	-	-	-	-	-	-	-	-	-	1	-
Male	1	-	-	-	-	-	-	-	-	-	-	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other degenerative diseases of basal ganglia (G23)													
All races, both sexes	140	13	11	12	10	13	11	6	7	12	10	22	13
Male	66	6	7	4	3	10	2	3	6	6	2	11	6
Female	74	7	4	8	7	3	9	3	1	6	8	11	7
White, both sexes	124	12	11	10	9	10	11	5	7	10	8	18	13
Male	57	5	7	3	3	7	2	2	6	5	1	10	6
Female	67	7	4	7	6	3	9	3	1	5	7	8	7
Black, both sexes	13	1	-	2	1	3	-	-	-	2	1	3	-
Male	7	1	-	1	-	3	-	-	-	1	-	1	-
Female	6	-	-	1	1	-	-	-	-	1	1	2	-
American Indian 1/, both sexes	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	2	-	-	-	-	-	-	1	-	-	-	1	-
Male	1	-	-	-	-	-	-	1	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-
Hallervorden-Spatz disease (G23.0)													
All races, both sexes	7	1	-	1	-	-	-	1	1	-	-	2	1
Male	4	-	-	1	-	-	-	-	1	-	-	2	-
Female	3	1	-	-	-	-	-	1	-	-	-	-	1
White, both sexes	7	1	-	1	-	-	-	1	1	-	-	2	1
Male	4	-	-	1	-	-	-	-	1	-	-	2	-
Female	3	1	-	-	-	-	-	1	-	-	-	-	1
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Progressive supranuclear ophthalmoplegia [Steele-Richardson-Olszewski] (G23.1)													
All races, both sexes	4	1	-	-	-	1	1	-	1	-	-	-	-
Male	2	1	-	-	-	-	-	-	1	-	-	-	-
Female	2	-	-	-	-	1	1	-	-	-	-	-	-
White, both sexes	4	1	-	-	-	1	1	-	1	-	-	-	-
Male	2	1	-	-	-	-	-	-	1	-	-	-	-
Female	2	-	-	-	-	1	1	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Striatonigral degeneration (G23.2)													
All races, both sexes	10	2	2	2	-	2	-	1	-	-	-	-	1
Male	3	-	2	-	-	1	-	-	-	-	-	-	-
Female	7	2	-	2	-	1	-	1	-	-	-	-	1
White, both sexes	10	2	2	2	-	2	-	1	-	-	-	-	1
Male	3	-	2	-	-	1	-	-	-	-	-	-	-
Female	7	2	-	2	-	1	-	1	-	-	-	-	1
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other specified degenerative diseases of basal ganglia (G23.8)													
All races, both sexes	90	8	6	7	7	9	8	2	5	8	7	17	6
Male	45	5	3	2	2	8	2	1	4	4	2	7	5
Female	45	3	3	5	5	1	6	1	1	4	5	10	1
White, both sexes	76	7	6	6	6	6	8	2	5	6	5	13	6
Male	37	4	3	1	2	5	2	1	4	3	1	6	5
Female	39	3	3	5	4	1	6	1	1	3	4	7	1
Black, both sexes	12	1	-	1	1	3	-	-	-	2	1	3	-
Male	7	1	-	1	-	3	-	-	-	1	-	1	-
Female	5	-	-	-	1	-	-	-	-	1	1	2	-
American Indian 1/, both sexes	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	-	-	-	-	1	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-
Degenerative disease of basal ganglia, unspecified (G23.9)													
All races, both sexes	29	1	3	2	3	1	2	2	-	4	3	3	5
Male	12	-	2	1	1	1	-	2	-	2	-	2	1
Female	17	1	1	1	2	-	2	-	-	2	3	1	4
White, both sexes	27	1	3	1	3	1	2	1	-	4	3	3	5
Male	11	-	2	1	1	1	-	1	-	2	-	2	1
Female	16	1	1	-	2	-	2	-	-	2	3	1	4
Black, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	1	-	-	-	-	-
Male	1	-	-	-	-	-	-	1	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Dystonia (G24)													
All races, both sexes	42	9	5	4	3	2	3	2	2	5	3	2	2
Male	17	3	2	3	1	-	2	1	-	3	-	1	1
Female	25	6	3	1	2	2	1	1	2	2	3	1	1
White, both sexes	40	9	3	4	3	2	3	2	2	5	3	2	2
Male	16	3	1	3	1	-	2	1	-	3	-	1	1
Female	24	6	2	1	2	2	1	1	2	2	3	1	1
Black, both sexes	2	-	2	-	-	-	-	-	-	-	-	-	-
Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	1	-	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Drug-induced dystonia (G24.0)													
All races, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Idiopathic familial dystonia (G24.1)													
All races, both sexes	4	2	-	-	-	-	-	-	-	1	-	1	-
Male	4	2	-	-	-	-	-	-	-	1	-	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	4	2	-	-	-	-	-	-	-	1	-	1	-
Male	4	2	-	-	-	-	-	-	-	1	-	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Spasmodic torticollis (G24.3)													
All races, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Idiopathic orofacial dystonia (G24.4)													
All races, both sexes	10	-	2	2	2	-	-	1	1	-	2	-	-
Male	4	-	-	2	1	-	-	1	-	-	-	-	-
Female	6	-	2	-	1	-	-	-	1	-	2	-	-
White, both sexes	9	-	1	2	2	-	-	1	1	-	2	-	-
Male	4	-	-	2	1	-	-	1	-	-	-	-	-
Female	5	-	1	-	1	-	-	-	1	-	2	-	-
Black, both sexes	1	-	1	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other dystonia (G24.8)													
All races, both sexes	2	1	1	-	-	-	-	-	-	-	-	-	-
Male	2	1	1	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	1	-	1	-	-	-	-	-	-	-	-	-	-
Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Dystonia, unspecified (G24.9)													
All races, both sexes	24	4	2	2	1	2	3	1	1	4	1	1	2
Male	7	-	1	1	-	-	2	-	-	2	-	-	1
Female	17	4	1	1	1	2	1	1	1	2	1	1	1
White, both sexes	24	4	2	2	1	2	3	1	1	4	1	1	2
Male	7	-	1	1	-	-	2	-	-	2	-	-	1
Female	17	4	1	1	1	2	1	1	1	2	1	1	1
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other extrapyramidal and movement disorders (G25)													
All races, both sexes	63	7	2	6	6	9	6	5	5	3	5	2	7
Male	25	1	-	5	5	2	2	2	1	2	1	1	3
Female	38	6	2	1	1	7	4	3	4	1	4	1	4
White, both sexes	58	6	2	5	5	9	6	5	5	3	3	2	7
Male	21	-	-	4	4	2	2	2	1	2	-	1	3
Female	37	6	2	1	1	7	4	3	4	1	3	1	4
Black, both sexes	3	-	-	1	-	-	-	-	-	-	2	-	-
Male	2	-	-	1	-	-	-	-	-	-	1	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	2	1	-	-	1	-	-	-	-	-	-	-	-
Male	2	1	-	-	1	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Essential tremor (G25.0)													
All races, both sexes	6	1	-	-	-	2	-	-	2	-	1	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	6	1	-	-	-	2	-	-	2	-	1	-	-
White, both sexes	6	1	-	-	-	2	-	-	2	-	1	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	6	1	-	-	-	2	-	-	2	-	1	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other specified forms of tremor (G25.2)													
All races, both sexes	1	-	-	-	1	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	1	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	1	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	1	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Myoclonus (G25.3)													
All races, both sexes	12	-	-	2	-	2	1	3	-	-	1	1	2
Male	6	-	-	2	-	1	-	1	-	-	1	1	-
Female	6	-	-	-	-	1	1	2	-	-	-	-	2
White, both sexes	10	-	-	1	-	2	1	3	-	-	-	1	2
Male	4	-	-	1	-	1	-	1	-	-	-	1	-
Female	6	-	-	-	-	1	1	2	-	-	-	-	2
Black, both sexes	2	-	-	1	-	-	-	-	-	-	1	-	-
Male	2	-	-	1	-	-	-	-	-	-	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other chorea (G25.5)													
All races, both sexes	14	4	1	2	1	-	1	-	1	1	1	-	2
Male	7	1	-	1	1	-	1	-	-	1	-	-	2
Female	7	3	1	1	-	-	-	-	1	-	1	-	-
White, both sexes	13	3	1	2	1	-	1	-	1	1	1	-	2
Male	6	-	-	1	1	-	1	-	-	1	-	-	2
Female	7	3	1	1	-	-	-	-	1	-	1	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other specified extrapyramidal and movement disorders (G25.8)													
All races, both sexes	11	1	-	-	1	4	1	1	1	-	1	-	1
Male	3	-	-	-	1	1	-	-	1	-	-	-	-
Female	8	1	-	-	-	3	1	1	-	-	1	-	1
White, both sexes	10	1	-	-	1	4	1	1	1	-	-	-	1
Male	3	-	-	-	1	1	-	-	1	-	-	-	-
Female	7	1	-	-	-	3	1	1	-	-	-	-	1
Black, both sexes	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Extrapyramidal and movement disorder, unspecified (G25.9)													
All races, both sexes	19	1	1	2	3	1	3	1	1	2	1	1	2
Male	9	-	-	2	3	-	1	1	-	1	-	-	1
Female	10	1	1	-	-	1	2	-	1	1	1	1	1
White, both sexes	18	1	1	2	2	1	3	1	1	2	1	1	2
Male	8	-	-	2	2	-	1	1	-	1	-	-	1
Female	10	1	1	-	-	1	2	-	1	1	1	1	1
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	1	-	-	-	-	-	-	-	-
Male	1	-	-	-	1	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Alzheimer's disease (G30)													
All races, both sexes	63,457	6,197	5,458	5,491	4,927	4,718	4,523	4,691	4,715	4,777	5,547	5,572	6,841
Male	18,335	1,894	1,521	1,562	1,406	1,331	1,296	1,358	1,409	1,428	1,624	1,561	1,945
Female	45,122	4,303	3,937	3,929	3,521	3,387	3,227	3,333	3,306	3,349	3,923	4,011	4,896
White, both sexes	59,184	5,795	5,104	5,154	4,609	4,392	4,198	4,377	4,366	4,440	5,171	5,212	6,366
Male	17,086	1,770	1,412	1,459	1,313	1,245	1,207	1,278	1,305	1,316	1,515	1,464	1,802
Female	42,098	4,025	3,692	3,695	3,296	3,147	2,991	3,099	3,061	3,124	3,656	3,748	4,564
Black, both sexes	3,718	358	307	310	274	290	281	267	307	284	315	307	418
Male	1,087	113	93	95	79	76	81	67	91	93	87	82	130
Female	2,631	245	214	215	195	214	200	200	216	191	228	225	288
American Indian 1/, both sexes	122	9	11	7	11	7	10	9	11	10	11	9	17
Male	22	1	1	-	3	-	2	2	2	1	3	3	4
Female	100	8	10	7	8	7	8	7	9	9	8	6	13
Asian or Pacific Islander 2/, both sexes	433	35	36	20	33	29	34	38	31	43	50	44	40
Male	140	10	15	8	11	10	6	11	11	18	19	12	9
Female	293	25	21	12	22	19	28	27	20	25	31	32	31
Alzheimer's disease with early onset (G30.0)													
All races, both sexes	7	1	1	-	-	-	-	-	1	2	-	1	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	7	1	1	-	-	-	-	-	1	2	-	1	1
White, both sexes	7	1	1	-	-	-	-	-	1	2	-	1	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	7	1	1	-	-	-	-	-	1	2	-	1	1
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Alzheimer's disease with late onset (G30.1)													
All races, both sexes	2,348	268	213	237	214	182	165	172	163	161	194	139	240
Male	616	66	55	66	54	47	45	46	49	46	50	29	63
Female	1,732	202	158	171	160	135	120	126	114	115	144	110	177
White, both sexes	2,214	258	199	231	194	172	157	166	150	148	182	132	225
Male	584	64	54	64	50	43	43	45	45	40	48	28	60
Female	1,630	194	145	167	144	129	114	121	105	108	134	104	165
Black, both sexes	111	10	13	5	14	8	7	4	11	10	10	5	14
Male	24	2	1	1	2	3	2	-	3	5	2	-	3
Female	87	8	12	4	12	5	5	4	8	5	8	5	11
American Indian 1/, both sexes	7	-	-	-	1	1	-	-	1	1	1	1	1
Male	2	-	-	-	1	-	-	-	-	-	-	1	-
Female	5	-	-	-	-	1	-	-	1	1	1	-	1
Asian or Pacific Islander 2/, both sexes	16	-	1	1	5	1	1	2	1	2	1	1	-
Male	6	-	-	1	1	1	-	1	1	1	-	-	-
Female	10	-	1	-	4	-	1	1	-	1	1	1	-
Other Alzheimer's disease (G30.8)													
All races, both sexes	23	1	3	3	2	4	-	2	3	2	2	1	-
Male	7	-	2	-	1	-	-	1	1	-	2	-	-
Female	16	1	1	3	1	4	-	1	2	2	-	1	-
White, both sexes	23	1	3	3	2	4	-	2	3	2	2	1	-
Male	7	-	2	-	1	-	-	1	1	-	2	-	-
Female	16	1	1	3	1	4	-	1	2	2	-	1	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Alzheimer's disease, unspecified (G30.9)													
All races, both sexes	61,079	5,927	5,241	5,251	4,711	4,532	4,358	4,517	4,548	4,612	5,351	5,431	6,600
Male	17,712	1,828	1,464	1,496	1,351	1,284	1,251	1,311	1,359	1,382	1,572	1,532	1,882
Female	43,367	4,099	3,777	3,755	3,360	3,248	3,107	3,206	3,189	3,230	3,779	3,899	4,718
White, both sexes	56,940	5,535	4,901	4,920	4,413	4,216	4,041	4,209	4,212	4,288	4,987	5,078	6,140
Male	16,495	1,706	1,356	1,395	1,262	1,202	1,164	1,232	1,259	1,276	1,465	1,436	1,742
Female	40,445	3,829	3,545	3,525	3,151	3,014	2,877	2,977	2,953	3,012	3,522	3,642	4,398
Black, both sexes	3,607	348	294	305	260	282	274	263	296	274	305	302	404
Male	1,063	111	92	94	77	73	79	67	88	88	85	82	127
Female	2,544	237	202	211	183	209	195	196	208	186	220	220	277
American Indian 1/, both sexes	115	9	11	7	10	6	10	9	10	9	10	8	16
Male	20	1	1	-	2	-	2	2	2	1	3	2	4
Female	95	8	10	7	8	6	8	7	8	8	7	6	12
Asian or Pacific Islander 2/, both sexes	417	35	35	19	28	28	33	36	30	41	49	43	40
Male	134	10	15	7	10	9	6	10	10	17	19	12	9
Female	283	25	20	12	18	19	27	26	20	24	30	31	31
Other degenerative diseases of nervous system, not elsewhere classified (G31)													
All races, both sexes	1,562	130	143	134	113	126	107	89	125	132	144	141	178
Male	669	58	60	56	46	48	48	32	52	56	59	62	92
Female	893	72	83	78	67	78	59	57	73	76	85	79	86
White, both sexes	1,407	121	123	124	103	115	99	83	111	114	126	129	159
Male	601	54	53	51	42	43	44	30	44	47	53	60	80
Female	806	67	70	73	61	72	55	53	67	67	73	69	79
Black, both sexes	117	7	16	8	6	9	4	5	12	13	12	11	14
Male	51	3	6	5	3	4	1	1	8	6	4	2	8
Female	66	4	10	3	3	5	3	4	4	7	8	9	6
American Indian 1/, both sexes	3	-	-	-	-	-	-	-	-	-	2	-	1
Male	1	-	-	-	-	-	-	-	-	-	-	-	1
Female	2	-	-	-	-	-	-	-	-	-	2	-	-
Asian or Pacific Islander 2/, both sexes	35	2	4	2	4	2	4	1	2	5	4	1	4
Male	16	1	1	-	1	1	3	1	-	3	2	-	3
Female	19	1	3	2	3	1	1	-	2	2	2	1	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Circumscribed brain atrophy (G31.0)													
All races, both sexes	222	24	29	23	12	11	14	13	13	21	21	16	25
Male	102	10	16	9	6	4	4	6	7	12	9	8	11
Female	120	14	13	14	6	7	10	7	6	9	12	8	14
White, both sexes	217	24	28	23	12	11	14	13	12	20	21	16	23
Male	99	10	16	9	6	4	4	6	6	11	9	8	10
Female	118	14	12	14	6	7	10	7	6	9	12	8	13
Black, both sexes	4	-	1	-	-	-	-	-	1	1	-	-	1
Male	2	-	-	-	-	-	-	-	1	1	-	-	-
Female	2	-	1	-	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	1	-	-	-	-	-	-	-	-	-	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Senile degeneration of brain, not elsewhere classified (G31.1)													
All races, both sexes	16	-	-	1	3	2	1	-	1	1	4	2	1
Male	6	-	-	1	1	1	-	-	-	1	1	1	-
Female	10	-	-	-	2	1	1	-	1	-	3	1	1
White, both sexes	15	-	-	1	3	2	1	-	1	1	3	2	1
Male	6	-	-	1	1	1	-	-	-	1	1	1	-
Female	9	-	-	-	2	1	1	-	1	-	2	1	1
Black, both sexes	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Degeneration of nervous system due to alcohol (G31.2)													
All races, both sexes	93	8	6	12	7	10	9	5	6	6	5	6	13
Male	74	6	4	10	7	6	8	4	6	3	5	4	11
Female	19	2	2	2	-	4	1	1	-	3	-	2	2
White, both sexes	84	7	5	11	6	10	9	5	5	6	3	6	11
Male	66	5	4	9	6	6	8	4	5	3	3	4	9
Female	18	2	1	2	-	4	1	1	-	3	-	2	2
Black, both sexes	8	1	1	1	1	-	-	-	1	-	1	-	2
Male	7	1	-	1	1	-	-	-	1	-	1	-	2
Female	1	-	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other specified degenerative diseases of nervous system (G31.8)													
All races, both sexes	201	18	13	11	20	14	14	14	14	17	18	18	30
Male	92	11	6	5	7	3	7	3	6	8	8	10	18
Female	109	7	7	6	13	11	7	11	8	9	10	8	12
White, both sexes	179	16	12	9	17	14	12	14	11	15	16	16	27
Male	81	10	5	5	7	3	5	3	4	7	7	9	16
Female	98	6	7	4	10	11	7	11	7	8	9	7	11
Black, both sexes	12	2	1	1	1	-	-	-	2	1	2	2	-
Male	7	1	1	-	-	-	-	-	2	1	1	1	-
Female	5	1	-	1	1	-	-	-	-	-	1	1	-
American Indian 1/, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	1	-	-	-	-	-	-	-	-	-	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	9	-	-	1	2	-	2	-	1	1	-	-	2
Male	3	-	-	-	-	-	2	-	-	-	-	-	1
Female	6	-	-	1	2	-	-	-	1	1	-	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Degenerative disease of nervous system, unspecified (G31.9)													
All races, both sexes	1,030	80	95	87	71	89	69	57	91	87	96	99	109
Male	395	31	34	31	25	34	29	19	33	32	36	39	52
Female	635	49	61	56	46	55	40	38	58	55	60	60	57
White, both sexes	912	74	78	80	65	78	63	51	82	72	83	89	97
Male	349	29	28	27	22	29	27	17	29	25	33	38	45
Female	563	45	50	53	43	49	36	34	53	47	50	51	52
Black, both sexes	92	4	13	6	4	9	4	5	8	11	8	9	11
Male	35	1	5	4	2	4	1	1	4	4	2	1	6
Female	57	3	8	2	2	5	3	4	4	7	6	8	5
American Indian 1/, both sexes	2	-	-	-	-	-	-	-	-	-	2	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	-	-	2	-	-
Asian or Pacific Islander 2/, both sexes	24	2	4	1	2	2	2	1	1	4	3	1	1
Male	11	1	1	-	1	1	1	1	-	3	1	-	1
Female	13	1	3	1	1	1	1	-	1	1	2	1	-
Multiple sclerosis (G35)													
All races, both sexes	3,215	291	257	267	276	266	261	243	238	240	273	257	346
Male	1,126	115	78	89	103	85	83	80	99	90	100	87	117
Female	2,089	176	179	178	173	181	178	163	139	150	173	170	229
White, both sexes	2,849	257	232	239	245	237	234	207	212	219	238	222	307
Male	1,007	101	73	78	93	81	76	64	88	82	89	76	106
Female	1,842	156	159	161	152	156	158	143	124	137	149	146	201
Black, both sexes	352	32	23	28	29	28	27	35	24	21	32	35	38
Male	116	13	5	11	9	4	7	16	11	8	11	11	10
Female	236	19	18	17	20	24	20	19	13	13	21	24	28
American Indian 1/, both sexes	4	1	1	-	-	-	-	-	-	-	1	-	1
Male	2	1	-	-	-	-	-	-	-	-	-	-	1
Female	2	-	1	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes	10	1	1	-	2	1	-	1	2	-	2	-	-
Male	1	-	-	-	1	-	-	-	-	-	-	-	-
Female	9	1	1	-	1	1	-	1	2	-	2	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other acute disseminated demyelination (G36)													
All races, both sexes	10	-	3	2	-	1	1	1	-	2	-	-	-
Male	4	-	-	1	-	1	-	1	-	1	-	-	-
Female	6	-	3	1	-	-	1	-	-	1	-	-	-
White, both sexes	8	-	1	2	-	1	1	1	-	2	-	-	-
Male	4	-	-	1	-	1	-	1	-	1	-	-	-
Female	4	-	1	1	-	-	1	-	-	1	-	-	-
Black, both sexes	2	-	2	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	2	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Neuromyelitis optica [Devic] (G36.0)													
All races, both sexes	7	-	2	1	-	-	1	1	-	2	-	-	-
Male	2	-	-	-	-	-	-	1	-	1	-	-	-
Female	5	-	2	1	-	-	1	-	-	1	-	-	-
White, both sexes	6	-	1	1	-	-	1	1	-	2	-	-	-
Male	2	-	-	-	-	-	-	1	-	1	-	-	-
Female	4	-	1	1	-	-	1	-	-	1	-	-	-
Black, both sexes	1	-	1	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Acute and subacute hemorrhagic leukoencephalitis [Hurst] (G36.1)													
All races, both sexes	2	-	1	1	-	-	-	-	-	-	-	-	-
Male	1	-	-	1	-	-	-	-	-	-	-	-	-
Female	1	-	1	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	1	-	-	1	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	1	-	1	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other specified acute disseminated demyelination (G36.8)													
All races, both sexes	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other demyelinating diseases of central nervous system (G37)													
All races, both sexes	162	11	10	17	18	16	15	9	11	11	14	14	16
Male	74	4	4	4	5	9	7	3	8	9	8	7	6
Female	88	7	6	13	13	7	8	6	3	2	6	7	10
White, both sexes	133	7	10	14	13	15	11	7	11	11	12	11	11
Male	64	1	4	3	2	9	5	3	8	9	7	7	6
Female	69	6	6	11	11	6	6	4	3	2	5	4	5
Black, both sexes	24	2	-	2	4	1	3	2	-	-	2	3	5
Male	5	1	-	-	2	-	1	-	-	-	1	-	-
Female	19	1	-	2	2	1	2	2	-	-	1	3	5
American Indian 1/, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	1	-	-	1	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	4	2	-	-	1	-	1	-	-	-	-	-	-
Male	4	2	-	-	1	-	1	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Central demyelination of corpus callosum (G37.1)													
All races, both sexes	2	-	1	-	1	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	1	-	1	-	-	-	-	-	-	-	-
White, both sexes	2	-	1	-	1	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	1	-	1	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Central pontine myelinolysis (G37.2)													
All races, both sexes	21	-	1	4	1	3	3	-	1	3	1	2	2
Male	14	-	-	3	1	2	1	-	1	2	1	1	2
Female	7	-	1	1	-	1	2	-	-	1	-	1	-
White, both sexes	19	-	1	3	1	3	3	-	1	3	1	1	2
Male	13	-	-	2	1	2	1	-	1	2	1	1	2
Female	6	-	1	1	-	1	2	-	-	1	-	-	-
Black, both sexes	1	-	-	-	-	-	-	-	-	-	-	1	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-
American Indian 1/, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	1	-	-	1	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute transverse myelitis in demyelinating disease of central nervous system (G37.3)													
All races, both sexes	54	4	3	6	10	4	4	4	4	3	5	4	3
Male	23	2	1	1	3	2	2	1	2	3	3	2	1
Female	31	2	2	5	7	2	2	3	2	-	2	2	2
White, both sexes	41	2	3	5	6	3	3	3	4	3	5	3	1
Male	19	-	1	1	1	2	2	1	2	3	3	2	1
Female	22	2	2	4	5	1	1	2	2	-	2	1	-
Black, both sexes	11	1	-	1	3	1	1	1	-	-	-	1	2
Male	2	1	-	-	1	-	-	-	-	-	-	-	-
Female	9	-	-	1	2	1	1	1	-	-	-	1	2
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	2	1	-	-	1	-	-	-	-	-	-	-	-
Male	2	1	-	-	1	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other specified demyelinating diseases of central nervous system (G37.8)													
All races, both sexes	15	-	3	1	1	2	2	-	1	1	1	1	2
Male	6	-	2	-	-	1	1	-	-	1	-	1	-
Female	9	-	1	1	1	1	1	-	1	-	1	-	2
White, both sexes	12	-	3	1	1	2	1	-	1	1	-	1	1
Male	5	-	2	-	-	1	-	-	-	1	-	1	-
Female	7	-	1	1	1	1	1	-	1	-	-	-	1
Black, both sexes	2	-	-	-	-	-	-	-	-	-	1	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	-	-	1	-	1
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	1	-	-	-	-	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Demyelinating disease of central nervous system, unspecified (G37.9)													
All races, both sexes	70	7	2	6	5	7	6	5	5	4	7	7	9
Male	31	2	1	-	1	4	3	2	5	3	4	3	3
Female	39	5	1	6	4	3	3	3	-	1	3	4	6
White, both sexes	59	5	2	5	4	7	4	4	5	4	6	6	7
Male	27	1	1	-	-	4	2	2	5	3	3	3	3
Female	32	4	1	5	4	3	2	2	-	1	3	3	4
Black, both sexes	10	1	-	1	1	-	2	1	-	-	1	1	2
Male	3	-	-	-	1	-	1	-	-	-	1	-	-
Female	7	1	-	1	-	-	1	1	-	-	-	1	2
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Epilepsy (G40)													
All races, both sexes	925	91	82	86	75	96	81	70	74	60	70	68	72
Male	521	55	48	48	36	61	43	43	44	30	35	41	37
Female	404	36	34	38	39	35	38	27	30	30	35	27	35
White, both sexes	691	67	63	70	53	74	54	54	58	39	51	48	60
Male	377	40	36	37	25	42	26	31	36	23	26	27	28
Female	314	27	27	33	28	32	28	23	22	16	25	21	32
Black, both sexes	207	23	17	13	19	18	24	15	14	18	16	19	11
Male	129	14	12	10	8	16	15	11	7	6	9	13	8
Female	78	9	5	3	11	2	9	4	7	12	7	6	3
American Indian 1/, both sexes	10	1	-	-	1	2	1	-	1	2	2	-	-
Male	5	1	-	-	1	1	-	-	1	1	-	-	-
Female	5	-	-	-	-	1	1	-	-	1	2	-	-
Asian or Pacific Islander 2/, both sexes	17	-	2	3	2	2	2	1	1	1	1	1	1
Male	10	-	-	1	2	2	2	1	-	-	-	1	1
Female	7	-	2	2	-	-	-	-	1	1	1	-	-
Localization-related (focal) (partial) symptomatic epilepsy and epileptic syndromes with simple partial seizures (G40.1)													
All races, both sexes	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Localization-related (focal) (partial) symptomatic epilepsy and epileptic syndromes with complex partial seizures (G40.2)													
All races, both sexes	2	1	-	-	-	1	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	1	-	-	-	1	-	-	-	-	-	-	-
White, both sexes	2	1	-	-	-	1	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	1	-	-	-	1	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Generalized idiopathic epilepsy and epileptic syndromes (G40.3)													
All races, both sexes	40	3	4	6	5	4	3	5	2	2	-	2	4
Male	18	2	2	2	4	-	1	1	1	1	-	1	3
Female	22	1	2	4	1	4	2	4	1	1	-	1	1
White, both sexes	33	3	2	5	4	3	3	5	1	2	-	2	3
Male	13	2	-	1	3	-	1	1	1	1	-	1	2
Female	20	1	2	4	1	3	2	4	-	1	-	1	1
Black, both sexes	5	-	2	1	1	-	-	-	1	-	-	-	-
Male	4	-	2	1	1	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	1	-	-	-	-	-	-	-	-	-	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other generalized epilepsy and epileptic syndromes (G40.4)													
All races, both sexes	16	1	3	2	1	2	1	1	2	-	-	2	1
Male	9	1	2	1	-	1	-	1	1	-	-	1	1
Female	7	-	1	1	1	1	1	-	1	-	-	1	-
White, both sexes	13	1	2	2	1	2	-	1	1	-	-	2	1
Male	8	1	2	1	-	1	-	1	-	-	-	1	1
Female	5	-	-	1	1	1	-	-	1	-	-	1	-
Black, both sexes	1	-	-	-	-	-	-	-	1	-	-	-	-
Male	1	-	-	-	-	-	-	-	1	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	1	-	-	-	-	-	1	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	1	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	1	-	-	-	-	-	-	-	-	-	-
Special epileptic syndromes (G40.5)													
All races, both sexes	7	-	2	-	1	1	1	1	-	1	-	-	-
Male	4	-	2	-	-	-	1	1	-	-	-	-	-
Female	3	-	-	-	1	1	-	-	-	1	-	-	-
White, both sexes	4	-	1	-	1	1	-	1	-	-	-	-	-
Male	2	-	1	-	-	-	-	1	-	-	-	-	-
Female	2	-	-	-	1	1	-	-	-	-	-	-	-
Black, both sexes	3	-	1	-	-	-	1	-	-	1	-	-	-
Male	2	-	1	-	-	-	1	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	1	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Grand mal seizures, unspecified (with or without petit mal) (G40.6)													
All races, both sexes	155	10	12	16	13	15	18	7	11	13	15	11	14
Male	87	7	7	11	4	11	13	3	7	6	6	6	6
Female	68	3	5	5	9	4	5	4	4	7	9	5	8
White, both sexes	123	9	9	12	10	10	14	7	8	8	13	9	14
Male	64	7	4	8	2	6	9	3	5	4	6	4	6
Female	59	2	5	4	8	4	5	4	3	4	7	5	8
Black, both sexes	28	1	3	3	2	4	4	-	3	5	1	2	-
Male	21	-	3	3	1	4	4	-	2	2	-	2	-
Female	7	1	-	-	1	-	-	-	1	3	1	-	-
American Indian 1/, both sexes	1	-	-	-	1	-	-	-	-	-	-	-	-
Male	1	-	-	-	1	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	3	-	-	1	-	1	-	-	-	-	1	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	2	-	-	1	-	-	-	-	-	-	1	-	-
Epilepsy, unspecified (G40.9)													
All races, both sexes	704	76	61	62	55	72	58	56	59	44	55	53	53
Male	403	45	35	34	28	49	28	37	35	23	29	33	27
Female	301	31	26	28	27	23	30	19	24	21	26	20	26
White, both sexes	515	53	49	51	37	56	37	40	48	29	38	35	42
Male	290	30	29	27	20	35	16	25	30	18	20	21	19
Female	225	23	20	24	17	21	21	15	18	11	18	14	23
Black, both sexes	170	22	11	9	16	14	19	15	9	12	15	17	11
Male	101	14	6	6	6	12	10	11	4	4	9	11	8
Female	69	8	5	3	10	2	9	4	5	8	6	6	3
American Indian 1/, both sexes	7	1	-	-	-	1	-	-	1	2	2	-	-
Male	4	1	-	-	-	1	-	-	1	1	-	-	-
Female	3	-	-	-	-	-	-	-	-	1	2	-	-
Asian or Pacific Islander 2/, both sexes	12	-	1	2	2	1	2	1	1	1	-	1	-
Male	8	-	-	1	2	1	2	1	-	-	-	1	-
Female	4	-	1	1	-	-	-	-	1	1	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Status epilepticus (G41)													
All races, both sexes	491	52	22	40	44	45	38	32	49	30	61	36	42
Male	235	24	10	15	22	22	26	15	23	15	23	17	23
Female	256	28	12	25	22	23	12	17	26	15	38	19	19
White, both sexes	361	36	13	32	34	36	29	22	33	24	46	27	29
Male	170	17	6	12	18	16	20	11	16	13	15	12	14
Female	191	19	7	20	16	20	9	11	17	11	31	15	15
Black, both sexes	120	14	9	8	9	8	9	9	14	6	12	9	13
Male	60	6	4	3	3	6	6	3	7	2	6	5	9
Female	60	8	5	5	6	2	3	6	7	4	6	4	4
American Indian 1/, both sexes	4	1	-	-	-	1	-	1	-	-	1	-	-
Male	3	1	-	-	-	-	-	1	-	-	1	-	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	6	1	-	-	1	-	-	-	2	-	2	-	-
Male	2	-	-	-	1	-	-	-	-	-	1	-	-
Female	4	1	-	-	-	-	-	-	2	-	1	-	-
Other status epilepticus (G41.8)													
All races, both sexes	3	1	1	-	-	-	-	-	-	-	-	-	1
Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	2	1	-	-	-	-	-	-	-	-	-	-	1
White, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	3	1	1	-	-	-	-	-	-	-	-	-	1
Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	2	1	-	-	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Status epilepticus, unspecified (G41.9)													
All races, both sexes	488	51	21	40	44	45	38	32	49	30	61	36	41
Male	234	24	9	15	22	22	26	15	23	15	23	17	23
Female	254	27	12	25	22	23	12	17	26	15	38	19	18
White, both sexes	361	36	13	32	34	36	29	22	33	24	46	27	29
Male	170	17	6	12	18	16	20	11	16	13	15	12	14
Female	191	19	7	20	16	20	9	11	17	11	31	15	15
Black, both sexes	117	13	8	8	9	8	9	9	14	6	12	9	12
Male	59	6	3	3	3	6	6	3	7	2	6	5	9
Female	58	7	5	5	6	2	3	6	7	4	6	4	3
American Indian 1/, both sexes	4	1	-	-	-	1	-	1	-	-	1	-	-
Male	3	1	-	-	-	-	-	1	-	-	1	-	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	6	1	-	-	1	-	-	-	2	-	2	-	-
Male	2	-	-	-	1	-	-	-	-	-	1	-	-
Female	4	1	-	-	-	-	-	-	2	-	1	-	-
Migraine (G43)													
All races, both sexes	4	-	-	1	-	-	3	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	4	-	-	1	-	-	3	-	-	-	-	-	-
White, both sexes	3	-	-	-	-	-	3	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	3	-	-	-	-	-	3	-	-	-	-	-	-
Black, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other migraine (G43.8)													
All races, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	1	-	-	-	-	-	-	-	-	-
White, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Migraine, unspecified (G43.9)													
All races, both sexes	3	-	-	-	-	-	3	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	3	-	-	-	-	-	3	-	-	-	-	-	-
White, both sexes	3	-	-	-	-	-	3	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	3	-	-	-	-	-	3	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Transient cerebral ischemic attacks and related syndromes (G45)													
All races, both sexes	267	25	24	16	18	29	18	25	16	10	31	22	33
Male	75	5	9	2	5	5	5	4	3	2	12	9	14
Female	192	20	15	14	13	24	13	21	13	8	19	13	19
White, both sexes	250	23	23	16	17	26	17	25	16	9	28	21	29
Male	72	5	9	2	5	5	4	4	3	2	12	9	12
Female	178	18	14	14	12	21	13	21	13	7	16	12	17
Black, both sexes	15	2	1	-	1	3	1	-	-	-	3	1	3
Male	3	-	-	-	-	-	1	-	-	-	-	-	2
Female	12	2	1	-	1	3	-	-	-	-	3	1	1
American Indian 1/, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	-	-	1	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	1	-	-	-
Vertebro-basilar artery syndrome (G45.0)													
All races, both sexes	19	2	2	-	1	2	1	2	-	2	1	2	4
Male	8	2	2	-	-	-	-	-	-	-	1	1	2
Female	11	-	-	-	1	2	1	2	-	2	-	1	2
White, both sexes	16	2	2	-	1	2	1	2	-	1	1	1	3
Male	8	2	2	-	-	-	-	-	-	-	1	1	2
Female	8	-	-	-	1	2	1	2	-	1	-	-	1
Black, both sexes	2	-	-	-	-	-	-	-	-	-	-	1	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	-	-	-	1	1
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	-	-	1	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	1	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Carotid artery syndrome (hemispheric) (G45.1)													
All races, both sexes	3	-	-	1	-	1	-	-	-	-	1	-	-
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	2	-	-	1	-	1	-	-	-	-	-	-	-
White, both sexes	2	-	-	1	-	-	-	-	-	-	1	-	-
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	1	-	-	1	-	-	-	-	-	-	-	-	-
Black, both sexes	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Transient global amnesia (G45.4)													
All races, both sexes	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Transient cerebral ischemic attack, unspecified (G45.9)													
All races, both sexes	244	23	22	15	17	25	17	23	16	8	29	20	29
Male	66	3	7	2	5	5	5	4	3	2	10	8	12
Female	178	20	15	13	12	20	12	19	13	6	19	12	17
White, both sexes	231	21	21	15	16	23	16	23	16	8	26	20	26
Male	63	3	7	2	5	5	4	4	3	2	10	8	10
Female	168	18	14	13	11	18	12	19	13	6	16	12	16
Black, both sexes	12	2	1	-	1	2	1	-	-	-	3	-	2
Male	3	-	-	-	-	-	1	-	-	-	-	-	2
Female	9	2	1	-	1	2	-	-	-	-	3	-	-
American Indian 1/, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Sleep disorders (G47)													
All races, both sexes	483	33	34	41	47	37	42	38	32	45	31	40	63
Male	289	19	16	28	26	22	30	23	19	27	18	19	42
Female	194	14	18	13	21	15	12	15	13	18	13	21	21
White, both sexes	391	27	28	34	36	27	35	31	26	36	25	32	54
Male	245	16	14	25	20	16	24	21	18	22	15	18	36
Female	146	11	14	9	16	11	11	10	8	14	10	14	18
Black, both sexes	85	6	5	7	10	10	6	7	6	9	5	7	7
Male	39	3	1	3	5	6	5	2	1	5	3	1	4
Female	46	3	4	4	5	4	1	5	5	4	2	6	3
American Indian 1/, both sexes	2	-	-	-	-	-	1	-	-	-	1	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes	5	-	1	-	1	-	-	-	-	-	-	1	2
Male	4	-	1	-	1	-	-	-	-	-	-	-	2
Female	1	-	-	-	-	-	-	-	-	-	-	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Disorders of initiating and maintaining sleep [insomnias] (G47.0)													
All races, both sexes	3	-	-	-	-	-	-	1	-	1	-	1	-
Male	2	-	-	-	-	-	-	1	-	1	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-
White, both sexes	3	-	-	-	-	-	-	1	-	1	-	1	-
Male	2	-	-	-	-	-	-	1	-	1	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Sleep apnea (G47.3)													
All races, both sexes	474	32	34	40	47	37	42	37	32	43	30	37	63
Male	282	18	16	27	26	22	30	22	19	25	17	18	42
Female	192	14	18	13	21	15	12	15	13	18	13	19	21
White, both sexes	384	27	28	33	36	27	35	30	26	35	24	29	54
Male	240	16	14	24	20	16	24	20	18	21	14	17	36
Female	144	11	14	9	16	11	11	10	8	14	10	12	18
Black, both sexes	83	5	5	7	10	10	6	7	6	8	5	7	7
Male	37	2	1	3	5	6	5	2	1	4	3	1	4
Female	46	3	4	4	5	4	1	5	5	4	2	6	3
American Indian 1/, both sexes	2	-	-	-	-	-	1	-	-	-	1	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes	5	-	1	-	1	-	-	-	-	-	-	1	2
Male	4	-	1	-	1	-	-	-	-	-	-	-	2
Female	1	-	-	-	-	-	-	-	-	-	-	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Narcolepsy and cataplexy (G47.4)													
All races, both sexes	5	-	-	1	-	-	-	-	-	1	1	2	-
Male	4	-	-	1	-	-	-	-	-	1	1	1	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-
White, both sexes	4	-	-	1	-	-	-	-	-	-	1	2	-
Male	3	-	-	1	-	-	-	-	-	-	1	1	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-
Black, both sexes	1	-	-	-	-	-	-	-	-	1	-	-	-
Male	1	-	-	-	-	-	-	-	-	1	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Sleep disorder, unspecified (G47.9)													
All races, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Disorders of trigeminal nerve (G50)													
All races, both sexes	7	1	-	1	1	-	2	-	-	1	1	-	-
Male	2	1	-	-	-	-	1	-	-	-	-	-	-
Female	5	-	-	1	1	-	1	-	-	1	1	-	-
White, both sexes	7	1	-	1	1	-	2	-	-	1	1	-	-
Male	2	1	-	-	-	-	1	-	-	-	-	-	-
Female	5	-	-	1	1	-	1	-	-	1	1	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Trigeminal neuralgia (G50.0)													
All races, both sexes	7	1	-	1	1	-	2	-	-	1	1	-	-
Male	2	1	-	-	-	-	1	-	-	-	-	-	-
Female	5	-	-	1	1	-	1	-	-	1	1	-	-
White, both sexes	7	1	-	1	1	-	2	-	-	1	1	-	-
Male	2	1	-	-	-	-	1	-	-	-	-	-	-
Female	5	-	-	1	1	-	1	-	-	1	1	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Facial nerve disorders (G51)													
All races, both sexes	5	-	1	-	-	-	-	2	1	-	-	1	-
Male	1	-	-	-	-	-	-	1	-	-	-	-	-
Female	4	-	1	-	-	-	-	1	1	-	-	1	-
White, both sexes	5	-	1	-	-	-	-	2	1	-	-	1	-
Male	1	-	-	-	-	-	-	1	-	-	-	-	-
Female	4	-	1	-	-	-	-	1	1	-	-	1	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Bell's palsy (G51.0)													
All races, both sexes	2	-	1	-	-	-	-	1	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	1	-	-	-	-	1	-	-	-	-	-
White, both sexes	2	-	1	-	-	-	-	1	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	1	-	-	-	-	1	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other disorders of facial nerve (G51.8)													
All races, both sexes	1	-	-	-	-	-	-	1	-	-	-	-	-
Male	1	-	-	-	-	-	-	1	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	-	-	-	1	-	-	-	-	-
Male	1	-	-	-	-	-	-	1	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Disorder of facial nerve, unspecified (G51.9)													
All races, both sexes	2	-	-	-	-	-	-	-	1	-	-	1	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	1	-	-	1	-
White, both sexes	2	-	-	-	-	-	-	-	1	-	-	1	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	1	-	-	1	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Disorders of other cranial nerves (G52)													
All races, both sexes	9	1	1	1	-	4	-	-	-	-	1	1	-
Male	6	1	1	-	-	3	-	-	-	-	1	-	-
Female	3	-	-	1	-	1	-	-	-	-	-	1	-
White, both sexes	8	1	-	1	-	4	-	-	-	-	1	1	-
Male	5	1	-	-	-	3	-	-	-	-	1	-	-
Female	3	-	-	1	-	1	-	-	-	-	-	1	-
Black, both sexes	1	-	1	-	-	-	-	-	-	-	-	-	-
Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Disorders of multiple cranial nerves (G52.7)													
All races, both sexes	2	-	-	-	-	2	-	-	-	-	-	-	-
Male	2	-	-	-	-	2	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	2	-	-	-	-	2	-	-	-	-	-	-	-
Male	2	-	-	-	-	2	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Disorders of other specified cranial nerves (G52.8)													
All races, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Cranial nerve disorder, unspecified (G52.9)													
All races, both sexes	6	-	1	1	-	2	-	-	-	-	1	1	-
Male	3	-	1	-	-	1	-	-	-	-	1	-	-
Female	3	-	-	1	-	1	-	-	-	-	-	1	-
White, both sexes	5	-	-	1	-	2	-	-	-	-	1	1	-
Male	2	-	-	-	-	1	-	-	-	-	1	-	-
Female	3	-	-	1	-	1	-	-	-	-	-	1	-
Black, both sexes	1	-	1	-	-	-	-	-	-	-	-	-	-
Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Nerve root and plexus disorders (G54)													
All races, both sexes	2	-	-	-	-	-	1	-	1	-	-	-	-
Male	2	-	-	-	-	-	1	-	1	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	2	-	-	-	-	-	1	-	1	-	-	-	-
Male	2	-	-	-	-	-	1	-	1	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Cervical root disorders, not elsewhere classified (G54.2)													
All races, both sexes	1	-	-	-	-	-	-	-	1	-	-	-	-
Male	1	-	-	-	-	-	-	-	1	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	-	-	-	-	1	-	-	-	-
Male	1	-	-	-	-	-	-	-	1	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Nerve root and plexus disorder, unspecified (G54.9)													
All races, both sexes	1	-	-	-	-	-	1	-	-	-	-	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	-	-	1	-	-	-	-	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Mononeuropathies of lower limb (G57)													
All races, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	1
White, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	1
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Lesion of sciatic nerve (G57.0)													
All races, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	1
White, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	1
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other mononeuropathies (G58)													
All races, both sexes	35	-	3	5	3	2	2	6	5	3	3	3	-
Male	13	-	-	-	3	1	-	4	2	3	-	-	-
Female	22	-	3	5	-	1	2	2	3	-	3	3	-
White, both sexes	29	-	2	4	2	2	2	5	5	3	1	3	-
Male	11	-	-	-	2	1	-	3	2	3	-	-	-
Female	18	-	2	4	-	1	2	2	3	-	1	3	-
Black, both sexes	4	-	1	1	-	-	-	1	-	-	1	-	-
Male	1	-	-	-	-	-	-	1	-	-	-	-	-
Female	3	-	1	1	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	2	-	-	-	1	-	-	-	-	-	1	-	-
Male	1	-	-	-	1	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Mononeuritis multiplex (G58.7)													
All races, both sexes	2	-	-	-	-	-	-	-	-	1	1	-	-
Male	1	-	-	-	-	-	-	-	-	1	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
White, both sexes	1	-	-	-	-	-	-	-	-	1	-	-	-
Male	1	-	-	-	-	-	-	-	-	1	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other specified mononeuropathies (G58.8)													
All races, both sexes	7	-	2	-	2	-	-	-	1	1	-	1	-
Male	4	-	-	-	2	-	-	-	1	1	-	-	-
Female	3	-	2	-	-	-	-	-	-	-	-	1	-
White, both sexes	6	-	1	-	2	-	-	-	1	1	-	1	-
Male	4	-	-	-	2	-	-	-	1	1	-	-	-
Female	2	-	1	-	-	-	-	-	-	-	-	1	-
Black, both sexes	1	-	1	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Mononeuropathy, unspecified (G58.9)													
All races, both sexes	26	-	1	5	1	2	2	6	4	1	2	2	-
Male	8	-	-	-	1	1	-	4	1	1	-	-	-
Female	18	-	1	5	-	1	2	2	3	-	2	2	-
White, both sexes	22	-	1	4	-	2	2	5	4	1	1	2	-
Male	6	-	-	-	-	1	-	3	1	1	-	-	-
Female	16	-	1	4	-	1	2	2	3	-	1	2	-
Black, both sexes	2	-	-	1	-	-	-	1	-	-	-	-	-
Male	1	-	-	-	-	-	-	1	-	-	-	-	-
Female	1	-	-	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	2	-	-	-	1	-	-	-	-	-	1	-	-
Male	1	-	-	-	1	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
Hereditary and idiopathic neuropathy (G60)													
All races, both sexes	87	8	5	11	8	9	5	7	5	2	8	13	6
Male	51	7	3	4	7	5	2	6	3	1	5	6	2
Female	36	1	2	7	1	4	3	1	2	1	3	7	4
White, both sexes	84	7	5	10	8	9	5	7	5	2	8	13	5
Male	49	6	3	4	7	5	2	6	3	1	5	6	1
Female	35	1	2	6	1	4	3	1	2	1	3	7	4
Black, both sexes	2	-	-	1	-	-	-	-	-	-	-	-	1
Male	1	-	-	-	-	-	-	-	-	-	-	-	1
Female	1	-	-	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Hereditary motor and sensory neuropathy (G60.0)													
All races, both sexes	59	5	3	7	6	7	3	4	3	2	7	7	5
Male	33	4	1	2	5	4	1	3	2	1	4	4	2
Female	26	1	2	5	1	3	2	1	1	1	3	3	3
White, both sexes	57	4	3	7	6	7	3	4	3	2	7	7	4
Male	31	3	1	2	5	4	1	3	2	1	4	4	1
Female	26	1	2	5	1	3	2	1	1	1	3	3	3
Black, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	1	-	-	-	-	-	-	-	-	-	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Refsum's disease (G60.1)													
All races, both sexes	2	-	-	1	-	-	-	-	-	-	-	1	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	1	-	-	-	-	-	-	-	1	-
White, both sexes	1	-	-	-	-	-	-	-	-	-	-	1	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-
Black, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Idiopathic progressive neuropathy (G60.3)													
All races, both sexes	4	-	-	-	1	1	-	2	-	-	-	-	-
Male	4	-	-	-	1	1	-	2	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	4	-	-	-	1	1	-	2	-	-	-	-	-
Male	4	-	-	-	1	1	-	2	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other hereditary and idiopathic neuropathies (G60.8)													
All races, both sexes	4	-	-	1	1	-	1	-	-	-	-	1	-
Male	1	-	-	-	1	-	-	-	-	-	-	-	-
Female	3	-	-	1	-	-	1	-	-	-	-	1	-
White, both sexes	4	-	-	1	1	-	1	-	-	-	-	1	-
Male	1	-	-	-	1	-	-	-	-	-	-	-	-
Female	3	-	-	1	-	-	1	-	-	-	-	1	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Hereditary and idiopathic neuropathy, unspecified (G60.9)													
All races, both sexes	18	3	2	2	-	1	1	1	2	-	1	4	1
Male	13	3	2	2	-	-	1	1	1	-	1	2	-
Female	5	-	-	-	-	1	-	-	1	-	-	2	1
White, both sexes	18	3	2	2	-	1	1	1	2	-	1	4	1
Male	13	3	2	2	-	-	1	1	1	-	1	2	-
Female	5	-	-	-	-	1	-	-	1	-	-	2	1
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Inflammatory polyneuropathy (G61)													
All races, both sexes	247	20	19	22	24	17	22	24	23	18	23	17	18
Male	138	9	9	13	13	8	13	15	13	12	14	10	9
Female	109	11	10	9	11	9	9	9	10	6	9	7	9
White, both sexes	218	19	15	21	22	14	22	22	18	14	20	14	17
Male	125	9	7	13	12	8	13	14	10	9	12	9	9
Female	93	10	8	8	10	6	9	8	8	5	8	5	8
Black, both sexes	26	1	4	1	2	3	-	1	4	4	2	3	1
Male	10	-	2	-	1	-	-	-	2	3	1	1	-
Female	16	1	2	1	1	3	-	1	2	1	1	2	1
American Indian 1/, both sexes	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	2	-	-	-	-	-	-	1	1	-	-	-	-
Male	2	-	-	-	-	-	-	1	1	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Guillain-Barre syndrome (G61.0)													
All races, both sexes	241	18	19	21	24	16	22	24	23	17	23	16	18
Male	134	8	9	12	13	7	13	15	13	11	14	10	9
Female	107	10	10	9	11	9	9	9	10	6	9	6	9
White, both sexes	212	17	15	20	22	13	22	22	18	13	20	13	17
Male	121	8	7	12	12	7	13	14	10	8	12	9	9
Female	91	9	8	8	10	6	9	8	8	5	8	4	8
Black, both sexes	26	1	4	1	2	3	-	1	4	4	2	3	1
Male	10	-	2	-	1	-	-	-	2	3	1	1	-
Female	16	1	2	1	1	3	-	1	2	1	1	2	1
American Indian 1/, both sexes	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	2	-	-	-	-	-	-	1	1	-	-	-	-
Male	2	-	-	-	-	-	-	1	1	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other inflammatory polyneuropathies (G61.8)													
All races, both sexes	5	1	-	1	-	1	-	-	-	1	-	1	-
Male	3	-	-	1	-	1	-	-	-	1	-	-	-
Female	2	1	-	-	-	-	-	-	-	-	-	1	-
White, both sexes	5	1	-	1	-	1	-	-	-	1	-	1	-
Male	3	-	-	1	-	1	-	-	-	1	-	-	-
Female	2	1	-	-	-	-	-	-	-	-	-	1	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Inflammatory polyneuropathy, unspecified (G61.9)													
All races, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other polyneuropathies (G62)													
All races, both sexes	318	28	18	36	31	17	23	22	27	28	33	25	30
Male	160	17	10	17	11	10	11	10	10	14	21	11	18
Female	158	11	8	19	20	7	12	12	17	14	12	14	12
White, both sexes	289	24	18	34	27	13	22	20	24	28	27	24	28
Male	146	15	10	16	10	8	10	9	10	14	17	11	16
Female	143	9	8	18	17	5	12	11	14	14	10	13	12
Black, both sexes	26	3	-	2	4	3	1	2	3	-	5	1	2
Male	13	2	-	1	1	2	1	1	-	-	3	-	2
Female	13	1	-	1	3	1	-	1	3	-	2	1	-
American Indian 1/, both sexes	2	1	-	-	-	-	-	-	-	-	1	-	-
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Alcoholic polyneuropathy (G62.1)													
All races, both sexes	4	-	-	-	-	-	-	1	1	-	-	1	1
Male	2	-	-	-	-	-	-	-	-	-	-	1	1
Female	2	-	-	-	-	-	-	1	1	-	-	-	-
White, both sexes	4	-	-	-	-	-	-	1	1	-	-	1	1
Male	2	-	-	-	-	-	-	-	-	-	-	1	1
Female	2	-	-	-	-	-	-	1	1	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other specified polyneuropathies (G62.8)													
All races, both sexes	71	4	4	10	7	5	3	5	3	5	7	7	11
Male	37	2	3	6	4	1	2	2	1	2	6	3	5
Female	34	2	1	4	3	4	1	3	2	3	1	4	6
White, both sexes	69	4	4	10	7	5	3	5	3	5	6	6	11
Male	36	2	3	6	4	1	2	2	1	2	5	3	5
Female	33	2	1	4	3	4	1	3	2	3	1	3	6
Black, both sexes	2	-	-	-	-	-	-	-	-	-	1	1	-
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Polyneuropathy, unspecified (G62.9)													
All races, both sexes	243	24	14	26	24	12	20	16	23	23	26	17	18
Male	121	15	7	11	7	9	9	8	9	12	15	7	12
Female	122	9	7	15	17	3	11	8	14	11	11	10	6
White, both sexes	216	20	14	24	20	8	19	14	20	23	21	17	16
Male	108	13	7	10	6	7	8	7	9	12	12	7	10
Female	108	7	7	14	14	1	11	7	11	11	9	10	6
Black, both sexes	24	3	-	2	4	3	1	2	3	-	4	-	2
Male	12	2	-	1	1	2	1	1	-	-	2	-	2
Female	12	1	-	1	3	1	-	1	3	-	2	-	-
American Indian 1/, both sexes	2	1	-	-	-	-	-	-	-	-	1	-	-
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-
Myasthenia gravis and other myoneural disorders (G70)													
All races, both sexes	734	65	55	74	60	54	63	49	46	66	76	64	62
Male	379	28	29	37	33	25	35	29	20	30	37	41	35
Female	355	37	26	37	27	29	28	20	26	36	39	23	27
White, both sexes	670	62	49	67	51	51	58	44	44	62	67	57	58
Male	353	27	27	34	29	24	33	29	20	28	33	36	33
Female	317	35	22	33	22	27	25	15	24	34	34	21	25
Black, both sexes	54	2	5	5	9	3	3	4	2	3	8	7	3
Male	22	1	2	2	4	1	-	-	-	1	4	5	2
Female	32	1	3	3	5	2	3	4	2	2	4	2	1
American Indian 1/, both sexes	1	-	-	-	-	-	-	-	-	1	-	-	-
Male	1	-	-	-	-	-	-	-	-	1	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	9	1	1	2	-	-	2	1	-	-	1	-	1
Male	3	-	-	1	-	-	2	-	-	-	-	-	-
Female	6	1	1	1	-	-	-	1	-	-	1	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Myasthenia gravis (G70.0)													
All races, both sexes	513	45	36	50	38	36	45	42	35	50	52	48	36
Male	259	23	18	26	21	17	22	24	16	19	26	28	19
Female	254	22	18	24	17	19	23	18	19	31	26	20	17
White, both sexes	473	44	33	46	33	34	40	37	33	50	47	42	34
Male	245	23	17	23	19	17	20	24	16	19	24	24	19
Female	228	21	16	23	14	17	20	13	17	31	23	18	15
Black, both sexes	34	1	3	2	5	2	3	4	2	-	5	6	1
Male	11	-	1	2	2	-	-	-	-	-	2	4	-
Female	23	1	2	-	3	2	3	4	2	-	3	2	1
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	6	-	-	2	-	-	2	1	-	-	-	-	1
Male	3	-	-	1	-	-	2	-	-	-	-	-	-
Female	3	-	-	1	-	-	-	1	-	-	-	-	1
Congenital and developmental myasthenia (G70.2)													
All races, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	1
White, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	1
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other specified myoneural disorders (G70.8)													
All races, both sexes	7	1	1	-	2	-	-	-	-	1	2	-	-
Male	4	-	1	-	1	-	-	-	-	1	1	-	-
Female	3	1	-	-	1	-	-	-	-	-	1	-	-
White, both sexes	7	1	1	-	2	-	-	-	-	1	2	-	-
Male	4	-	1	-	1	-	-	-	-	1	1	-	-
Female	3	1	-	-	1	-	-	-	-	-	1	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Myoneural disorder, unspecified (G70.9)													
All races, both sexes	213	19	18	24	20	18	18	7	11	15	22	16	25
Male	116	5	10	11	11	8	13	5	4	10	10	13	16
Female	97	14	8	13	9	10	5	2	7	5	12	3	9
White, both sexes	189	17	15	21	16	17	18	7	11	11	18	15	23
Male	104	4	9	11	9	7	13	5	4	8	8	12	14
Female	85	13	6	10	7	10	5	2	7	3	10	3	9
Black, both sexes	20	1	2	3	4	1	-	-	-	3	3	1	2
Male	11	1	1	-	2	1	-	-	-	1	2	1	2
Female	9	-	1	3	2	-	-	-	-	2	1	-	-
American Indian 1/, both sexes	1	-	-	-	-	-	-	-	-	1	-	-	-
Male	1	-	-	-	-	-	-	-	-	1	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	3	1	1	-	-	-	-	-	-	-	1	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	3	1	1	-	-	-	-	-	-	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Primary disorders of muscles (G71)													
All races, both sexes	1,134	84	114	73	88	103	84	96	79	91	90	107	125
Male	746	54	74	45	58	74	48	64	54	55	63	71	86
Female	388	30	40	28	30	29	36	32	25	36	27	36	39
White, both sexes	1,027	75	105	68	80	91	78	88	71	81	82	93	115
Male	663	47	68	42	51	65	43	57	47	49	56	61	77
Female	364	28	37	26	29	26	35	31	24	32	26	32	38
Black, both sexes	83	5	6	3	8	10	6	6	8	8	4	11	8
Male	65	4	4	2	7	7	5	5	7	4	4	9	7
Female	18	1	2	1	1	3	1	1	1	4	-	2	1
American Indian 1/, both sexes	6	-	-	2	-	1	-	1	-	-	2	-	-
Male	5	-	-	1	-	1	-	1	-	-	2	-	-
Female	1	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	18	4	3	-	-	1	-	1	-	2	2	3	2
Male	13	3	2	-	-	1	-	1	-	2	1	1	2
Female	5	1	1	-	-	-	-	-	-	-	1	2	-
Muscular dystrophy (G71.0)													
All races, both sexes	719	52	82	46	56	61	49	56	47	56	60	70	84
Male	523	40	59	31	40	50	30	41	37	37	42	52	64
Female	196	12	23	15	16	11	19	15	10	19	18	18	20
White, both sexes	646	44	75	43	51	52	46	52	40	49	55	63	76
Male	460	33	53	29	35	43	27	37	31	33	37	45	57
Female	186	11	22	14	16	9	19	15	9	16	18	18	19
Black, both sexes	59	4	4	3	5	8	3	3	7	6	3	7	6
Male	51	4	4	2	5	6	3	3	6	3	3	7	5
Female	8	-	-	1	-	2	-	-	1	3	-	-	1
American Indian 1/, both sexes	2	-	-	-	-	1	-	-	-	-	1	-	-
Male	2	-	-	-	-	1	-	-	-	-	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	12	4	3	-	-	-	-	1	-	1	1	-	2
Male	10	3	2	-	-	-	-	1	-	1	1	-	2
Female	2	1	1	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Myotonic disorders (G71.1)													
All races, both sexes	233	17	18	14	21	26	18	22	14	19	21	20	23
Male	119	7	9	4	13	16	8	10	10	8	13	10	11
Female	114	10	9	10	8	10	10	12	4	11	8	10	12
White, both sexes	225	17	17	13	20	26	17	22	14	18	21	17	23
Male	116	7	9	4	12	16	8	10	10	7	13	9	11
Female	109	10	8	9	8	10	9	12	4	11	8	8	12
Black, both sexes	4	-	1	-	1	-	1	-	-	-	-	1	-
Male	2	-	-	-	1	-	-	-	-	-	-	1	-
Female	2	-	1	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	3	-	-	-	-	-	-	-	-	1	-	2	-
Male	1	-	-	-	-	-	-	-	-	1	-	-	-
Female	2	-	-	-	-	-	-	-	-	-	-	2	-
Congenital myopathies (G71.2)													
All races, both sexes	108	6	8	11	6	9	10	13	7	9	4	11	14
Male	83	4	4	9	5	6	8	12	5	7	4	8	11
Female	25	2	4	2	1	3	2	1	2	2	-	3	3
White, both sexes	91	6	7	10	5	7	9	10	7	7	3	8	12
Male	69	4	4	8	4	4	7	9	5	6	3	6	9
Female	22	2	3	2	1	3	2	1	2	1	-	2	3
Black, both sexes	12	-	1	-	1	1	1	2	-	2	-	2	2
Male	9	-	-	-	1	1	1	2	-	1	-	1	2
Female	3	-	1	-	-	-	-	-	-	1	-	1	-
American Indian 1/, both sexes	3	-	-	1	-	-	-	1	-	-	1	-	-
Male	3	-	-	1	-	-	-	1	-	-	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	2	-	-	-	-	1	-	-	-	-	-	1	-
Male	2	-	-	-	-	1	-	-	-	-	-	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Mitochondrial myopathy, not elsewhere classified (G71.3)													
All races, both sexes	21	3	2	1	1	1	-	-	4	2	3	3	1
Male	9	1	1	-	-	1	-	-	1	2	2	1	-
Female	12	2	1	1	1	-	-	-	3	-	1	2	1
White, both sexes	19	3	2	1	1	1	-	-	4	2	2	2	1
Male	9	1	1	-	-	1	-	-	1	2	2	1	-
Female	10	2	1	1	1	-	-	-	3	-	-	1	1
Black, both sexes	1	-	-	-	-	-	-	-	-	-	-	1	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
Other primary disorders of muscles (G71.8)													
All races, both sexes	53	6	4	1	4	6	7	5	7	5	2	3	3
Male	12	2	1	1	-	1	2	1	1	1	2	-	-
Female	41	4	3	-	4	5	5	4	6	4	-	3	3
White, both sexes	46	5	4	1	3	5	6	4	6	5	1	3	3
Male	9	2	1	1	-	1	1	1	-	1	1	-	-
Female	37	3	3	-	3	4	5	3	6	4	-	3	3
Black, both sexes	7	1	-	-	1	1	1	1	1	-	1	-	-
Male	3	-	-	-	-	-	1	-	1	-	1	-	-
Female	4	1	-	-	1	1	-	1	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other myopathies (G72)													
All races, both sexes	131	14	14	4	13	20	11	10	9	6	10	11	9
Male	70	10	4	4	7	10	4	6	3	4	8	5	5
Female	61	4	10	-	6	10	7	4	6	2	2	6	4
White, both sexes	111	9	12	4	13	16	11	6	7	5	10	10	8
Male	59	6	4	4	7	7	4	4	2	3	8	5	5
Female	52	3	8	-	6	9	7	2	5	2	2	5	3
Black, both sexes	17	4	2	-	-	4	-	3	1	1	-	1	1
Male	10	3	-	-	-	3	-	2	1	1	-	-	-
Female	7	1	2	-	-	1	-	1	-	-	-	1	1
American Indian 1/, both sexes	1	-	-	-	-	-	-	-	1	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes	2	1	-	-	-	-	-	1	-	-	-	-	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	1	-	-	-	-	-
Drug-induced myopathy (G72.0)													
All races, both sexes	3	-	-	-	-	1	1	-	-	-	-	-	1
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	1	-	-	-	-	-	1
White, both sexes	3	-	-	-	-	1	1	-	-	-	-	-	1
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	1	-	-	-	-	-	1
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Alcoholic myopathy (G72.1)													
All races, both sexes	2	-	1	-	-	1	-	-	-	-	-	-	-
Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-
White, both sexes	2	-	1	-	-	1	-	-	-	-	-	-	-
Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Myopathy due to other toxic agents (G72.2)													
All races, both sexes	1	-	-	-	-	-	-	1	-	-	-	-	-
Male	1	-	-	-	-	-	-	1	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	-	-	-	1	-	-	-	-	-
Male	1	-	-	-	-	-	-	1	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Periodic paralysis (G72.3)													
All races, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	1	-	-	1	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	1	-	-	1	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Inflammatory myopathy, not elsewhere classified (G72.4)													
All races, both sexes	7	-	-	-	1	1	1	1	-	1	-	-	2
Male	6	-	-	-	1	1	-	1	-	1	-	-	2
Female	1	-	-	-	-	-	1	-	-	-	-	-	-
White, both sexes	4	-	-	-	1	-	1	-	-	-	-	-	2
Male	3	-	-	-	1	-	-	-	-	-	-	-	2
Female	1	-	-	-	-	-	1	-	-	-	-	-	-
Black, both sexes	3	-	-	-	-	1	-	1	-	1	-	-	-
Male	3	-	-	-	-	1	-	1	-	1	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other specified myopathies (G72.8)													
All races, both sexes	32	1	6	1	4	6	2	1	3	1	4	2	1
Male	16	-	1	1	2	4	1	-	1	1	3	1	1
Female	16	1	5	-	2	2	1	1	2	-	1	1	-
White, both sexes	28	-	5	1	4	6	2	-	2	1	4	2	1
Male	15	-	1	1	2	4	1	-	-	1	3	1	1
Female	13	-	4	-	2	2	1	-	2	-	1	1	-
Black, both sexes	4	1	1	-	-	-	-	1	1	-	-	-	-
Male	1	-	-	-	-	-	-	-	1	-	-	-	-
Female	3	1	1	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Myopathy, unspecified (G72.9)													
All races, both sexes	85	13	7	2	8	11	7	7	6	4	6	9	5
Male	44	10	2	2	4	4	3	4	2	2	5	4	2
Female	41	3	5	-	4	7	4	3	4	2	1	5	3
White, both sexes	72	9	6	2	8	8	7	5	5	4	6	8	4
Male	37	6	2	2	4	2	3	3	2	2	5	4	2
Female	35	3	4	-	4	6	4	2	3	2	1	4	2
Black, both sexes	10	3	1	-	-	3	-	1	-	-	-	1	1
Male	6	3	-	-	-	2	-	1	-	-	-	-	-
Female	4	-	1	-	-	1	-	-	-	-	-	1	1
American Indian 1/, both sexes	1	-	-	-	-	-	-	-	1	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes	2	1	-	-	-	-	-	1	-	-	-	-	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	1	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Infantile cerebral palsy (G80)													
All races, both sexes	1,334	154	111	114	102	112	88	90	89	92	118	121	143
Male	761	90	57	68	57	72	50	56	44	45	58	73	91
Female	573	64	54	46	45	40	38	34	45	47	60	48	52
White, both sexes	1,035	124	83	83	82	92	65	64	74	77	93	89	109
Male	591	73	39	53	47	59	38	42	39	36	45	52	68
Female	444	51	44	30	35	33	27	22	35	41	48	37	41
Black, both sexes	268	27	25	28	18	16	22	24	13	12	24	30	29
Male	150	15	17	12	9	9	11	14	5	7	13	19	19
Female	118	12	8	16	9	7	11	10	8	5	11	11	10
American Indian 1/, both sexes	11	-	1	-	-	-	-	1	1	2	1	1	4
Male	7	-	1	-	-	-	-	-	-	2	-	1	3
Female	4	-	-	-	-	-	-	1	1	-	1	-	1
Asian or Pacific Islander 2/, both sexes	20	3	2	3	2	4	1	1	1	1	-	1	1
Male	13	2	-	3	1	4	1	-	-	-	-	1	1
Female	7	1	2	-	1	-	-	1	1	1	-	-	-
Spastic cerebral palsy (G80.0)													
All races, both sexes	11	-	-	2	-	2	-	2	1	1	2	1	-
Male	7	-	-	1	-	2	-	2	-	1	-	1	-
Female	4	-	-	1	-	-	-	-	1	-	2	-	-
White, both sexes	9	-	-	2	-	2	-	1	1	-	2	1	-
Male	5	-	-	1	-	2	-	1	-	-	-	1	-
Female	4	-	-	1	-	-	-	-	1	-	2	-	-
Black, both sexes	2	-	-	-	-	-	-	1	-	1	-	-	-
Male	2	-	-	-	-	-	-	1	-	1	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Spastic diplegia (G80.1)													
All races, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	1	-	-	1	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	1	-	-	1	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Infantile hemiplegia (G80.2)													
All races, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Dyskinetic cerebral palsy (G80.3)													
All races, both sexes	2	-	-	1	-	-	-	-	-	-	-	1	-
Male	1	-	-	-	-	-	-	-	-	-	-	1	-
Female	1	-	-	1	-	-	-	-	-	-	-	-	-
White, both sexes	2	-	-	1	-	-	-	-	-	-	-	1	-
Male	1	-	-	-	-	-	-	-	-	-	-	1	-
Female	1	-	-	1	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Ataxic cerebral palsy (G80.4)													
All races, both sexes	1	-	-	-	-	-	-	-	1	-	-	-	-
Male	1	-	-	-	-	-	-	-	1	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	-	-	-	-	1	-	-	-	-
Male	1	-	-	-	-	-	-	-	1	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other infantile cerebral palsy (G80.8)													
All races, both sexes	41	8	4	4	1	3	1	2	2	4	3	3	6
Male	24	5	2	1	1	2	1	2	-	3	-	3	4
Female	17	3	2	3	-	1	-	-	2	1	3	-	2
White, both sexes	34	7	3	3	1	3	1	1	2	4	2	3	4
Male	19	4	1	1	1	2	1	1	-	3	-	3	2
Female	15	3	2	2	-	1	-	-	2	1	2	-	2
Black, both sexes	5	1	-	1	-	-	-	1	-	-	1	-	1
Male	3	1	-	-	-	-	-	1	-	-	-	-	1
Female	2	-	-	1	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes	2	-	1	-	-	-	-	-	-	-	-	-	1
Male	2	-	1	-	-	-	-	-	-	-	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Infantile cerebral palsy, unspecified (G80.9)													
All races, both sexes	1,277	145	107	106	101	107	87	86	85	87	113	116	137
Male	726	84	55	65	56	68	49	52	43	41	58	68	87
Female	551	61	52	41	45	39	38	34	42	46	55	48	50
White, both sexes	987	116	80	76	81	87	64	62	70	73	89	84	105
Male	563	68	38	50	46	55	37	40	38	33	45	47	66
Female	424	48	42	26	35	32	27	22	32	40	44	37	39
Black, both sexes	261	26	25	27	18	16	22	22	13	11	23	30	28
Male	145	14	17	12	9	9	11	12	5	6	13	19	18
Female	116	12	8	15	9	7	11	10	8	5	10	11	10
American Indian 1/, both sexes	9	-	-	-	-	-	-	1	1	2	1	1	3
Male	5	-	-	-	-	-	-	-	-	2	-	1	2
Female	4	-	-	-	-	-	-	1	1	-	1	-	1
Asian or Pacific Islander 2/, both sexes	20	3	2	3	2	4	1	1	1	1	-	1	1
Male	13	2	-	3	1	4	1	-	-	-	-	1	1
Female	7	1	2	-	1	-	-	1	1	1	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Hemiplegia (G81)													
All races, both sexes	120	7	10	11	9	12	9	10	12	5	12	9	14
Male	49	3	2	7	6	4	3	4	5	2	3	5	5
Female	71	4	8	4	3	8	6	6	7	3	9	4	9
White, both sexes	100	6	8	10	9	11	3	8	10	4	10	8	13
Male	42	2	2	6	6	3	1	3	4	2	3	5	5
Female	58	4	6	4	3	8	2	5	6	2	7	3	8
Black, both sexes	16	1	2	-	-	-	5	2	2	1	1	1	1
Male	4	1	-	-	-	-	1	1	1	-	-	-	-
Female	12	-	2	-	-	-	4	1	1	1	1	1	1
American Indian 1/, both sexes	3	-	-	1	-	-	1	-	-	-	1	-	-
Male	2	-	-	1	-	-	1	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemiplegia, unspecified (G81.9)													
All races, both sexes	120	7	10	11	9	12	9	10	12	5	12	9	14
Male	49	3	2	7	6	4	3	4	5	2	3	5	5
Female	71	4	8	4	3	8	6	6	7	3	9	4	9
White, both sexes	100	6	8	10	9	11	3	8	10	4	10	8	13
Male	42	2	2	6	6	3	1	3	4	2	3	5	5
Female	58	4	6	4	3	8	2	5	6	2	7	3	8
Black, both sexes	16	1	2	-	-	-	5	2	2	1	1	1	1
Male	4	1	-	-	-	-	1	1	1	-	-	-	-
Female	12	-	2	-	-	-	4	1	1	1	1	1	1
American Indian 1/, both sexes	3	-	-	1	-	-	1	-	-	-	1	-	-
Male	2	-	-	1	-	-	1	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Paraplegia and tetraplegia (G82)													
All races, both sexes	698	62	63	59	56	60	57	49	59	50	53	54	76
Male	486	35	46	44	43	43	44	38	40	33	35	36	49
Female	212	27	17	15	13	17	13	11	19	17	18	18	27
White, both sexes	574	53	48	49	43	54	44	37	55	40	47	43	61
Male	403	29	38	35	33	39	33	31	37	27	31	30	40
Female	171	24	10	14	10	15	11	6	18	13	16	13	21
Black, both sexes	111	9	12	10	10	5	12	12	3	8	6	10	14
Male	75	6	6	9	8	3	10	7	3	4	4	6	9
Female	36	3	6	1	2	2	2	5	-	4	2	4	5
American Indian 1/, both sexes	9	-	3	-	1	1	-	-	1	2	-	-	1
Male	6	-	2	-	1	1	-	-	-	2	-	-	-
Female	3	-	1	-	-	-	-	-	1	-	-	-	1
Asian or Pacific Islander 2/, both sexes	4	-	-	-	2	-	1	-	-	-	-	1	-
Male	2	-	-	-	1	-	1	-	-	-	-	-	-
Female	2	-	-	-	1	-	-	-	-	-	-	1	-
Flaccid paraplegia (G82.0)													
All races, both sexes	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Spastic paraplegia (G82.1)													
All races, both sexes	9	1	-	1	1	2	1	-	-	-	1	-	2
Male	5	-	-	1	1	1	1	-	-	-	-	-	1
Female	4	1	-	-	-	1	-	-	-	-	1	-	1
White, both sexes	7	1	-	-	1	1	1	-	-	-	1	-	2
Male	3	-	-	-	1	-	1	-	-	-	-	-	1
Female	4	1	-	-	-	1	-	-	-	-	1	-	1
Black, both sexes	2	-	-	1	-	1	-	-	-	-	-	-	-
Male	2	-	-	1	-	1	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Paraplegia, unspecified (G82.2)													
All races, both sexes	278	22	27	16	25	20	21	20	30	24	19	25	29
Male	181	12	19	10	17	15	16	15	16	17	12	16	16
Female	97	10	8	6	8	5	5	5	14	7	7	9	13
White, both sexes	234	19	23	16	18	19	15	16	28	21	17	20	22
Male	156	9	18	10	13	14	10	14	15	15	10	14	14
Female	78	10	5	6	5	5	5	2	13	6	7	6	8
Black, both sexes	39	3	3	-	5	1	6	4	1	3	2	5	6
Male	23	3	-	-	3	1	6	1	1	2	2	2	2
Female	16	-	3	-	2	-	-	3	-	1	-	3	4
American Indian 1/, both sexes	4	-	1	-	1	-	-	-	1	-	-	-	1
Male	2	-	1	-	1	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	1	-	-	-	1
Asian or Pacific Islander 2/, both sexes	1	-	-	-	1	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	1	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Flaccid tetraplegia (G82.3)													
All races, both sexes	1	-	1	-	-	-	-	-	-	-	-	-	-
Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	1	-	-	-	-	-	-	-	-	-	-
Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Spastic tetraplegia (G82.4)													
All races, both sexes	48	5	2	1	3	7	5	3	2	5	3	6	6
Male	26	2	1	-	1	5	2	3	1	2	2	3	4
Female	22	3	1	1	2	2	3	-	1	3	1	3	2
White, both sexes	42	4	2	1	3	7	3	2	2	4	3	5	6
Male	22	1	1	-	1	5	1	2	1	2	2	2	4
Female	20	3	1	1	2	2	2	-	1	2	1	3	2
Black, both sexes	5	1	-	-	-	-	1	1	-	1	-	1	-
Male	3	1	-	-	-	-	-	1	-	-	-	1	-
Female	2	-	-	-	-	-	1	-	-	1	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	1	-	-	-	-	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Tetraplegia, unspecified (G82.5)													
All races, both sexes	361	34	33	41	27	30	30	26	27	21	30	23	39
Male	272	21	25	33	24	21	25	20	23	14	21	17	28
Female	89	13	8	8	3	9	5	6	4	7	9	6	11
White, both sexes	289	29	22	32	21	26	25	19	25	15	26	18	31
Male	220	19	18	25	18	19	21	15	21	10	19	14	21
Female	69	10	4	7	3	7	4	4	4	5	7	4	10
Black, both sexes	65	5	9	9	5	3	5	7	2	4	4	4	8
Male	47	2	6	8	5	1	4	5	2	2	2	3	7
Female	18	3	3	1	-	2	1	2	-	2	2	1	1
American Indian 1/, both sexes	5	-	2	-	-	1	-	-	-	2	-	-	-
Male	4	-	1	-	-	1	-	-	-	2	-	-	-
Female	1	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	2	-	-	-	1	-	-	-	-	-	-	1	-
Male	1	-	-	-	1	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-
Other paralytic syndromes (G83)													
All races, both sexes	244	29	18	26	24	14	19	15	18	19	14	27	21
Male	114	13	5	10	15	7	8	5	11	11	6	16	7
Female	130	16	13	16	9	7	11	10	7	8	8	11	14
White, both sexes	222	24	14	25	22	13	16	15	18	16	14	27	18
Male	105	10	3	10	14	6	7	5	11	11	6	16	6
Female	117	14	11	15	8	7	9	10	7	5	8	11	12
Black, both sexes	20	4	3	1	2	1	3	-	-	3	-	-	3
Male	8	3	1	-	1	1	1	-	-	-	-	-	1
Female	12	1	2	1	1	-	2	-	-	3	-	-	2
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	2	1	1	-	-	-	-	-	-	-	-	-	-
Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Monoplegia of lower limb (G83.1)													
All races, both sexes	5	2	-	-	-	1	1	-	1	-	-	-	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	4	1	-	-	-	1	1	-	1	-	-	-	-
White, both sexes	3	1	-	-	-	1	-	-	1	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	3	1	-	-	-	1	-	-	1	-	-	-	-
Black, both sexes	2	1	-	-	-	-	1	-	-	-	-	-	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Cauda equina syndrome (G83.4)													
All races, both sexes	2	-	-	1	1	-	-	-	-	-	-	-	-
Male	1	-	-	-	1	-	-	-	-	-	-	-	-
Female	1	-	-	1	-	-	-	-	-	-	-	-	-
White, both sexes	2	-	-	1	1	-	-	-	-	-	-	-	-
Male	1	-	-	-	1	-	-	-	-	-	-	-	-
Female	1	-	-	1	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other specified paralytic syndromes (G83.8)													
All races, both sexes	195	20	10	24	17	12	14	14	15	15	9	25	20
Male	92	10	3	10	11	6	7	4	10	9	2	14	6
Female	103	10	7	14	6	6	7	10	5	6	7	11	14
White, both sexes	185	17	10	24	16	11	14	14	15	13	9	25	17
Male	88	9	3	10	10	5	7	4	10	9	2	14	5
Female	97	8	7	14	6	6	7	10	5	4	7	11	12
Black, both sexes	9	2	-	-	1	1	-	-	-	2	-	-	3
Male	4	1	-	-	1	1	-	-	-	-	-	-	1
Female	5	1	-	-	-	-	-	-	-	2	-	-	2
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
Paralytic syndrome, unspecified (G83.9)													
All races, both sexes	42	7	8	1	6	1	4	1	2	4	5	2	1
Male	20	2	2	-	3	1	1	1	1	2	4	2	1
Female	22	5	6	1	3	-	3	-	1	2	1	-	-
White, both sexes	32	6	4	-	5	1	2	1	2	3	5	2	1
Male	16	1	-	-	3	1	-	1	1	2	4	2	1
Female	16	5	4	-	2	-	2	-	1	1	1	-	-
Black, both sexes	9	1	3	1	1	-	2	-	-	1	-	-	-
Male	3	1	1	-	-	-	1	-	-	-	-	-	-
Female	6	-	2	1	1	-	1	-	-	1	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	1	-	-	-	-	-	-	-	-	-	-
Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Disorders of autonomic nervous system (G90)													
All races, both sexes	265	30	24	14	13	23	25	23	17	30	17	18	31
Male	169	14	14	7	7	17	18	14	13	23	11	9	22
Female	96	16	10	7	6	6	7	9	4	7	6	9	9
White, both sexes	246	28	23	12	12	20	23	19	15	29	17	18	30
Male	157	13	14	6	7	15	16	11	12	22	11	9	21
Female	89	15	9	6	5	5	7	8	3	7	6	9	9
Black, both sexes	16	1	1	2	1	2	1	4	2	1	-	-	1
Male	9	-	-	1	-	1	1	3	1	1	-	-	1
Female	7	1	1	1	1	1	-	1	1	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	3	1	-	-	-	1	1	-	-	-	-	-	-
Male	3	1	-	-	-	1	1	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Idiopathic peripheral autonomic neuropathy (G90.0)													
All races, both sexes	1	-	-	-	-	-	1	-	-	-	-	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	-	-	1	-	-	-	-	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Familial dysautonomia [Riley-Day] (G90.1)													
All races, both sexes	13	1	-	1	-	-	-	1	4	2	1	-	3
Male	7	-	-	-	-	-	-	1	3	1	1	-	1
Female	6	1	-	1	-	-	-	-	1	1	-	-	2
White, both sexes	11	1	-	-	-	-	-	1	3	2	1	-	3
Male	6	-	-	-	-	-	-	1	2	1	1	-	1
Female	5	1	-	-	-	-	-	-	1	1	-	-	2
Black, both sexes	2	-	-	1	-	-	-	-	1	-	-	-	-
Male	1	-	-	-	-	-	-	-	1	-	-	-	-
Female	1	-	-	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Multisystem degeneration (G90.3)													
All races, both sexes	182	20	14	10	10	17	19	14	9	24	12	12	21
Male	125	10	10	6	5	14	15	9	7	19	9	6	15
Female	57	10	4	4	5	3	4	5	2	5	3	6	6
White, both sexes	173	19	13	10	10	16	17	12	8	23	12	12	21
Male	118	9	10	6	5	13	13	7	7	18	9	6	15
Female	55	10	3	4	5	3	4	5	1	5	3	6	6
Black, both sexes	7	-	1	-	-	1	1	2	1	1	-	-	-
Male	5	-	-	-	-	1	1	2	-	1	-	-	-
Female	2	-	1	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	2	1	-	-	-	-	1	-	-	-	-	-	-
Male	2	1	-	-	-	-	1	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other disorders of autonomic nervous system (G90.8)													
All races, both sexes	40	7	3	3	3	2	4	7	1	1	2	4	3
Male	21	3	1	1	2	1	2	3	1	1	1	2	3
Female	19	4	2	2	1	1	2	4	-	-	1	2	-
White, both sexes	32	6	3	2	2	-	4	5	1	1	2	4	2
Male	17	3	1	-	2	-	2	2	1	1	1	2	2
Female	15	3	2	2	-	-	2	3	-	-	1	2	-
Black, both sexes	7	1	-	1	1	1	-	2	-	-	-	-	1
Male	3	-	-	1	-	-	-	1	-	-	-	-	1
Female	4	1	-	-	1	1	-	1	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Disorder of autonomic nervous system, unspecified (G90.9)													
All races, both sexes	29	2	7	-	-	4	1	1	3	3	2	2	4
Male	15	1	3	-	-	2	-	1	2	2	-	1	3
Female	14	1	4	-	-	2	1	-	1	1	2	1	1
White, both sexes	29	2	7	-	-	4	1	1	3	3	2	2	4
Male	15	1	3	-	-	2	-	1	2	2	-	1	3
Female	14	1	4	-	-	2	1	-	1	1	2	1	1
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Hydrocephalus (G91)													
All races, both sexes	682	57	57	60	61	52	47	47	42	59	75	64	61
Male	356	26	27	27	38	28	26	26	23	32	41	33	29
Female	326	31	30	33	23	24	21	21	19	27	34	31	32
White, both sexes	596	49	48	53	54	44	40	41	36	51	65	59	56
Male	309	22	23	24	32	24	23	21	18	30	36	30	26
Female	287	27	25	29	22	20	17	20	18	21	29	29	30
Black, both sexes	81	7	7	7	7	7	7	6	6	8	9	5	5
Male	46	3	4	3	6	4	3	5	5	2	5	3	3
Female	35	4	3	4	1	3	4	1	1	6	4	2	2
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	5	1	2	-	-	1	-	-	-	-	1	-	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	4	-	2	-	-	1	-	-	-	-	1	-	-
Communicating hydrocephalus (G91.0)													
All races, both sexes	5	1	-	-	-	-	-	3	-	-	1	-	-
Male	2	-	-	-	-	-	-	2	-	-	-	-	-
Female	3	1	-	-	-	-	-	1	-	-	1	-	-
White, both sexes	4	1	-	-	-	-	-	2	-	-	1	-	-
Male	1	-	-	-	-	-	-	1	-	-	-	-	-
Female	3	1	-	-	-	-	-	1	-	-	1	-	-
Black, both sexes	1	-	-	-	-	-	-	1	-	-	-	-	-
Male	1	-	-	-	-	-	-	1	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Obstructive hydrocephalus (G91.1)													
All races, both sexes	39	4	2	5	1	4	2	6	2	4	5	1	3
Male	22	2	2	2	-	3	2	4	1	2	2	1	1
Female	17	2	-	3	1	1	-	2	1	2	3	-	2
White, both sexes	34	3	2	5	1	4	2	6	1	3	3	1	3
Male	20	2	2	2	-	3	2	4	-	2	1	1	1
Female	14	1	-	3	1	1	-	2	1	1	2	-	2
Black, both sexes	5	1	-	-	-	-	-	-	1	1	2	-	-
Male	2	-	-	-	-	-	-	-	1	-	1	-	-
Female	3	1	-	-	-	-	-	-	-	1	1	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Normal-pressure hydrocephalus (G91.2)													
All races, both sexes	256	22	23	27	22	21	22	9	12	25	27	24	22
Male	136	9	9	14	15	11	12	5	6	13	17	14	11
Female	120	13	14	13	7	10	10	4	6	12	10	10	11
White, both sexes	244	20	22	26	19	20	22	9	12	25	25	22	22
Male	126	8	9	13	12	10	12	5	6	13	15	12	11
Female	118	12	13	13	7	10	10	4	6	12	10	10	11
Black, both sexes	11	2	-	1	3	1	-	-	-	-	2	2	-
Male	10	1	-	1	3	1	-	-	-	-	2	2	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	1	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	1	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Posttraumatic hydrocephalus, unspecified (G91.3)													
All races, both sexes	1	-	1	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	1	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	1	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	1	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other hydrocephalus (G91.8)													
All races, both sexes	18	2	3	3	-	-	2	2	2	-	2	-	2
Male	11	2	1	2	-	-	1	-	1	-	2	-	2
Female	7	-	2	1	-	-	1	2	1	-	-	-	-
White, both sexes	18	2	3	3	-	-	2	2	2	-	2	-	2
Male	11	2	1	2	-	-	1	-	1	-	2	-	2
Female	7	-	2	1	-	-	1	2	1	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Hydrocephalus, unspecified (G91.9)													
All races, both sexes	363	28	28	25	38	27	21	27	26	30	40	39	34
Male	185	13	15	9	23	14	11	15	15	17	20	18	15
Female	178	15	13	16	15	13	10	12	11	13	20	21	19
White, both sexes	295	23	20	19	34	20	14	22	21	23	34	36	29
Male	151	10	11	7	20	11	8	11	11	15	18	17	12
Female	144	13	9	12	14	9	6	11	10	8	16	19	17
Black, both sexes	64	4	7	6	4	6	7	5	5	7	5	3	5
Male	33	2	4	2	3	3	3	4	4	2	2	1	3
Female	31	2	3	4	1	3	4	1	1	5	3	2	2
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	4	1	1	-	-	1	-	-	-	-	1	-	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	3	-	1	-	-	1	-	-	-	-	1	-	-
Toxic encephalopathy (G92)													
All races, both sexes	55	2	7	6	3	4	6	5	4	4	4	6	4
Male	35	1	5	4	2	1	5	4	2	2	3	5	1
Female	20	1	2	2	1	3	1	1	2	2	1	1	3
White, both sexes	45	2	6	4	3	4	5	4	3	3	2	5	4
Male	30	1	5	4	2	1	4	3	2	2	1	4	1
Female	15	1	1	-	1	3	1	1	1	1	1	1	3
Black, both sexes	8	-	-	2	-	-	-	1	1	1	2	1	-
Male	4	-	-	-	-	-	-	1	-	-	2	1	-
Female	4	-	-	2	-	-	-	-	1	1	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	2	-	1	-	-	-	1	-	-	-	-	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	1	-	1	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other disorders of brain (G93)													
All races, both sexes	5,965	538	487	576	469	442	454	473	491	461	505	459	610
Male	2,971	244	243	295	228	221	253	239	248	245	228	230	297
Female	2,994	294	244	281	241	221	201	234	243	216	277	229	313
White, both sexes	4,599	399	376	440	366	355	343	358	381	372	399	356	454
Male	2,347	196	194	224	182	184	189	185	199	199	180	181	234
Female	2,252	203	182	216	184	171	154	173	182	173	219	175	220
Black, both sexes	1,208	126	92	126	91	74	102	102	93	75	98	84	145
Male	544	41	38	66	39	28	58	51	41	37	45	41	59
Female	664	85	54	60	52	46	44	51	52	38	53	43	86
American Indian 1/, both sexes	38	1	9	4	2	3	3	4	-	3	3	2	4
Male	21	-	7	2	1	3	3	-	-	3	-	1	1
Female	17	1	2	2	1	-	-	4	-	-	3	1	3
Asian or Pacific Islander 2/, both sexes	120	12	10	6	10	10	6	9	17	11	5	17	7
Male	59	7	4	3	6	6	3	3	8	6	3	7	3
Female	61	5	6	3	4	4	3	6	9	5	2	10	4
Cerebral cysts (G93.0)													
All races, both sexes	24	2	3	1	1	-	2	4	1	7	2	-	1
Male	11	1	1	1	-	-	2	1	-	3	2	-	-
Female	13	1	2	-	1	-	-	3	1	4	-	-	1
White, both sexes	20	2	2	-	1	-	2	4	1	6	2	-	-
Male	10	1	1	-	-	-	2	1	-	3	2	-	-
Female	10	1	1	-	1	-	-	3	1	3	-	-	-
Black, both sexes	4	-	1	1	-	-	-	-	-	1	-	-	1
Male	1	-	-	1	-	-	-	-	-	-	-	-	-
Female	3	-	1	-	-	-	-	-	-	1	-	-	1
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Anoxic brain damage, not elsewhere classified (G93.1)													
All races, both sexes	4,194	374	364	396	318	305	328	336	343	319	359	325	427
Male	2,120	168	176	200	163	150	194	165	185	169	168	167	215
Female	2,074	206	188	196	155	155	134	171	158	150	191	158	212
White, both sexes	3,168	268	276	300	246	238	247	244	262	245	278	248	316
Male	1,666	131	140	153	131	125	149	124	149	131	130	133	170
Female	1,502	137	136	147	115	113	98	120	113	114	148	115	146
Black, both sexes	907	97	75	90	61	58	72	81	71	63	74	61	104
Male	396	31	30	45	25	20	39	38	30	32	35	28	43
Female	511	66	45	45	36	38	33	43	41	31	39	33	61
American Indian 1/, both sexes	28	-	6	2	1	2	3	4	-	3	2	2	3
Male	17	-	5	1	1	2	3	-	-	3	-	1	1
Female	11	-	1	1	-	-	-	4	-	-	2	1	2
Asian or Pacific Islander 2/, both sexes	91	9	7	4	10	7	6	7	10	8	5	14	4
Male	41	6	1	1	6	3	3	3	6	3	3	5	1
Female	50	3	6	3	4	4	3	4	4	5	2	9	3
Benign intracranial hypertension (G93.2)													
All races, both sexes	44	2	2	9	4	4	2	4	4	3	3	4	3
Male	24	1	2	6	1	1	-	4	2	1	1	3	2
Female	20	1	-	3	3	3	2	-	2	2	2	1	1
White, both sexes	36	1	2	7	4	3	1	4	3	3	3	2	3
Male	20	1	2	4	1	1	-	4	1	1	1	2	2
Female	16	-	-	3	3	2	1	-	2	2	2	-	1
Black, both sexes	8	1	-	2	-	1	1	-	1	-	-	2	-
Male	4	-	-	2	-	-	-	-	1	-	-	1	-
Female	4	1	-	-	-	1	1	-	-	-	-	1	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Postviral fatigue syndrome (G93.3)													
All races, both sexes	1	-	-	-	-	-	-	-	1	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	1	-	-	-	-
White, both sexes	1	-	-	-	-	-	-	-	1	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	1	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalopathy, unspecified (G93.4)													
All races, both sexes	851	77	68	72	75	74	62	70	63	63	65	68	94
Male	417	31	37	39	38	42	24	34	27	38	27	33	47
Female	434	46	31	33	37	32	38	36	36	25	38	35	47
White, both sexes	702	62	58	59	58	65	49	59	53	57	55	54	73
Male	340	25	32	32	30	35	15	28	23	34	24	23	39
Female	362	37	26	27	28	30	34	31	30	23	31	31	34
Black, both sexes	135	13	7	12	17	8	13	10	9	4	10	12	20
Male	69	6	3	6	8	6	9	6	3	2	3	9	8
Female	66	7	4	6	9	2	4	4	6	2	7	3	12
American Indian 1/, both sexes	3	1	1	-	-	-	-	-	-	-	-	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	3	1	1	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes	11	1	2	1	-	1	-	1	1	2	-	2	-
Male	8	-	2	1	-	1	-	-	1	2	-	1	-
Female	3	1	-	-	-	-	-	1	-	-	-	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Compression of brain (G93.5)													
All races, both sexes	165	17	6	13	12	15	11	10	21	15	14	11	20
Male	76	5	5	5	5	9	9	5	5	7	6	5	10
Female	89	12	1	8	7	6	2	5	16	8	8	6	10
White, both sexes	123	13	4	10	10	14	7	6	12	12	10	11	14
Male	53	3	3	4	4	8	5	3	3	5	4	5	6
Female	70	10	1	6	6	6	2	3	9	7	6	6	8
Black, both sexes	34	4	2	2	2	-	4	4	4	3	4	-	5
Male	22	2	2	1	1	-	4	2	2	2	2	-	4
Female	12	2	-	1	1	-	-	2	2	1	2	-	1
American Indian 1/, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	7	-	-	-	-	1	-	-	5	-	-	-	1
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	6	-	-	-	-	-	-	-	5	-	-	-	1
Cerebral edema (G93.6)													
All races, both sexes	196	9	15	33	23	6	18	16	13	15	23	11	14
Male	92	6	10	13	9	2	7	12	8	10	7	3	5
Female	104	3	5	20	14	4	11	4	5	5	16	8	9
White, both sexes	150	6	12	26	17	2	12	13	9	13	19	9	12
Male	71	5	8	9	7	2	4	10	6	8	5	3	4
Female	79	1	4	17	10	-	8	3	3	5	14	6	8
Black, both sexes	43	3	2	7	6	4	6	3	3	1	4	2	2
Male	18	1	1	4	2	-	3	2	1	1	2	-	1
Female	25	2	1	3	4	4	3	1	2	-	2	2	1
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	3	-	1	-	-	-	-	-	1	1	-	-	-
Male	3	-	1	-	-	-	-	-	1	1	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Reye's syndrome (G93.7)													
All races, both sexes	5	1	-	-	-	-	1	1	-	-	-	-	2
Male	3	1	-	-	-	-	-	1	-	-	-	-	1
Female	2	-	-	-	-	-	1	-	-	-	-	-	1
White, both sexes	3	-	-	-	-	-	-	1	-	-	-	-	2
Male	2	-	-	-	-	-	-	1	-	-	-	-	1
Female	1	-	-	-	-	-	-	-	-	-	-	-	1
Black, both sexes	2	1	-	-	-	-	1	-	-	-	-	-	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other specified disorders of brain (G93.8)													
All races, both sexes	184	20	12	18	10	21	9	12	17	18	16	14	17
Male	99	12	5	13	3	10	7	7	11	8	8	8	7
Female	85	8	7	5	7	11	2	5	6	10	8	6	10
White, both sexes	149	16	10	12	7	18	9	9	14	18	12	12	12
Male	80	11	3	8	1	8	7	4	9	8	6	8	7
Female	69	5	7	4	6	10	2	5	5	10	6	4	5
Black, both sexes	29	3	1	5	2	2	-	3	3	-	3	2	5
Male	15	-	1	4	2	1	-	3	2	-	2	-	-
Female	14	3	-	1	-	1	-	-	1	-	1	2	5
American Indian 1/, both sexes	5	-	1	1	1	1	-	-	-	-	1	-	-
Male	3	-	1	1	-	1	-	-	-	-	-	-	-
Female	2	-	-	-	1	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Disorder of brain, unspecified (G93.9)													
All races, both sexes	301	36	17	34	26	17	21	20	28	21	23	26	32
Male	129	19	7	18	9	7	10	10	10	9	9	11	10
Female	172	17	10	16	17	10	11	10	18	12	14	15	22
White, both sexes	247	31	12	26	23	15	16	18	26	18	20	20	22
Male	105	19	5	14	8	5	7	10	8	9	8	7	5
Female	142	12	7	12	15	10	9	8	18	9	12	13	17
Black, both sexes	46	4	4	7	3	1	5	1	2	3	3	5	8
Male	18	-	1	3	1	1	3	-	2	-	1	3	3
Female	28	4	3	4	2	-	2	1	-	3	2	2	5
American Indian 1/, both sexes	1	-	1	-	-	-	-	-	-	-	-	-	-
Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	7	1	-	1	-	1	-	1	-	-	-	1	2
Male	5	-	-	1	-	1	-	-	-	-	-	1	2
Female	2	1	-	-	-	-	-	1	-	-	-	-	-
Other diseases of spinal cord (G95)													
All races, both sexes	257	20	33	19	22	31	21	17	9	21	21	24	19
Male	146	10	17	13	14	19	12	8	7	10	10	15	11
Female	111	10	16	6	8	12	9	9	2	11	11	9	8
White, both sexes	224	20	28	18	19	27	19	15	8	16	17	22	15
Male	125	10	14	12	11	18	10	8	6	5	8	14	9
Female	99	10	14	6	8	9	9	7	2	11	9	8	6
Black, both sexes	26	-	3	1	2	4	1	1	1	5	3	2	3
Male	17	-	1	1	2	1	1	-	1	5	2	1	2
Female	9	-	2	-	-	3	-	1	-	-	1	1	1
American Indian 1/, both sexes	3	-	-	-	-	-	1	1	-	-	1	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	1	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes	4	-	2	-	1	-	-	-	-	-	-	-	1
Male	3	-	2	-	1	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Syringomyelia and syringobulbia (G95.0)													
All races, both sexes	38	3	4	3	4	3	4	1	1	1	5	6	3
Male	17	1	1	1	2	3	3	-	-	-	3	2	1
Female	21	2	3	2	2	-	1	1	1	1	2	4	2
White, both sexes	35	3	4	3	3	3	4	1	1	1	4	5	3
Male	15	1	1	1	1	3	3	-	-	-	2	2	1
Female	20	2	3	2	2	-	1	1	1	1	2	3	2
Black, both sexes	3	-	-	-	1	-	-	-	-	-	1	1	-
Male	2	-	-	-	1	-	-	-	-	-	1	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Vascular myelopathies (G95.1)													
All races, both sexes	55	3	3	1	8	8	7	6	2	4	2	7	4
Male	30	1	1	1	5	4	4	3	1	2	1	4	3
Female	25	2	2	-	3	4	3	3	1	2	1	3	1
White, both sexes	52	3	2	1	8	8	7	5	2	4	2	7	3
Male	29	1	1	1	5	4	4	3	1	2	1	4	2
Female	23	2	1	-	3	4	3	2	1	2	1	3	1
Black, both sexes	2	-	1	-	-	-	-	-	-	-	-	-	1
Male	1	-	-	-	-	-	-	-	-	-	-	-	1
Female	1	-	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	1	-	-	-	-	-	-	1	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Cord compression, unspecified (G95.2)													
All races, both sexes	50	4	11	3	3	11	1	4	1	3	3	3	3
Male	31	2	6	1	-	7	1	3	1	2	2	3	3
Female	19	2	5	2	3	4	-	1	-	1	1	-	-
White, both sexes	43	4	9	3	3	10	1	3	-	3	2	2	3
Male	26	2	5	1	-	6	1	3	-	2	1	2	3
Female	17	2	4	2	3	4	-	-	-	1	1	-	-
Black, both sexes	6	-	1	-	-	1	-	1	1	-	1	1	-
Male	4	-	-	-	-	1	-	-	1	-	1	1	-
Female	2	-	1	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	1	-	-	-	-	-	-	-	-	-	-
Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other specified diseases of spinal cord (G95.8)													
All races, both sexes	11	1	1	-	1	1	1	1	1	1	1	2	-
Male	5	1	1	-	1	-	-	-	1	-	-	1	-
Female	6	-	-	-	-	1	1	1	-	1	1	1	-
White, both sexes	8	1	1	-	-	-	1	1	1	1	-	2	-
Male	4	1	1	-	-	-	-	-	1	-	-	1	-
Female	4	-	-	-	-	-	1	1	-	1	-	1	-
Black, both sexes	2	-	-	-	-	1	-	-	-	-	1	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	1	-	-	-	-	1	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	1	-	-	-	-	-	-	-	-
Male	1	-	-	-	1	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Disease of spinal cord, unspecified (G95.9)													
All races, both sexes	103	9	14	12	6	8	8	5	4	12	10	6	9
Male	63	5	8	10	6	5	4	2	4	6	4	5	4
Female	40	4	6	2	-	3	4	3	-	6	6	1	5
White, both sexes	86	9	12	11	5	6	6	5	4	7	9	6	6
Male	51	5	6	9	5	5	2	2	4	1	4	5	3
Female	35	4	6	2	-	1	4	3	-	6	5	1	3
Black, both sexes	13	-	1	1	1	2	1	-	-	5	-	-	2
Male	10	-	1	1	1	-	1	-	-	5	-	-	1
Female	3	-	-	-	-	2	-	-	-	-	-	-	1
American Indian 1/, both sexes	2	-	-	-	-	-	1	-	-	-	1	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes	2	-	1	-	-	-	-	-	-	-	-	-	1
Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	1
Other disorders of central nervous system (G96)													
All races, both sexes	38	3	4	4	2	4	4	1	6	-	5	3	2
Male	21	-	2	3	2	2	3	-	3	-	2	2	2
Female	17	3	2	1	-	2	1	1	3	-	3	1	-
White, both sexes	34	2	3	4	2	4	4	1	6	-	4	3	1
Male	18	-	1	3	2	2	3	-	3	-	1	2	1
Female	16	2	2	1	-	2	1	1	3	-	3	1	-
Black, both sexes	3	1	1	-	-	-	-	-	-	-	1	-	-
Male	2	-	1	-	-	-	-	-	-	-	1	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	1	-	-	-	-	-	-	-	-	-	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Cerebrospinal fluid leak (G96.0)													
All races, both sexes	2	-	-	-	-	-	-	-	-	-	1	1	-
Male	2	-	-	-	-	-	-	-	-	-	1	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	2	-	-	-	-	-	-	-	-	-	1	1	-
Male	2	-	-	-	-	-	-	-	-	-	1	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Disorders of meninges, not elsewhere classified (G96.1)													
All races, both sexes	2	-	1	-	-	1	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	1	-	-	1	-	-	-	-	-	-	-
White, both sexes	2	-	1	-	-	1	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	1	-	-	1	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other specified disorders of central nervous system (G96.8)													
All races, both sexes	3	-	-	-	-	-	1	-	-	-	1	-	1
Male	2	-	-	-	-	-	1	-	-	-	-	-	1
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
White, both sexes	3	-	-	-	-	-	1	-	-	-	1	-	1
Male	2	-	-	-	-	-	1	-	-	-	-	-	1
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Disorder of central nervous system, unspecified (G96.9)													
All races, both sexes	31	3	3	4	2	3	3	1	6	-	3	2	1
Male	17	-	2	3	2	2	2	-	3	-	1	1	1
Female	14	3	1	1	-	1	1	1	3	-	2	1	-
White, both sexes	27	2	2	4	2	3	3	1	6	-	2	2	-
Male	14	-	1	3	2	2	2	-	3	-	-	1	-
Female	13	2	1	1	-	1	1	1	3	-	2	1	-
Black, both sexes	3	1	1	-	-	-	-	-	-	-	1	-	-
Male	2	-	1	-	-	-	-	-	-	-	1	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	1	-	-	-	-	-	-	-	-	-	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other disorders of nervous system, not elsewhere classified (G98)													
All races, both sexes	77	9	6	11	3	8	3	6	6	7	5	4	9
Male	37	6	4	3	3	1	3	4	2	3	1	3	4
Female	40	3	2	8	-	7	-	2	4	4	4	1	5
White, both sexes	66	9	5	9	2	8	2	6	5	4	4	4	8
Male	33	6	4	3	2	1	2	4	2	1	1	3	4
Female	33	3	1	6	-	7	-	2	3	3	3	1	4
Black, both sexes	10	-	1	2	1	-	1	-	1	3	1	-	-
Male	4	-	-	-	1	-	1	-	-	2	-	-	-
Female	6	-	1	2	-	-	-	-	1	1	1	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	1
Disorders of orbit (H05)													
All races, both sexes	5	1	-	1	-	-	2	-	-	-	-	1	-
Male	2	-	-	-	-	-	2	-	-	-	-	-	-
Female	3	1	-	1	-	-	-	-	-	-	-	1	-
White, both sexes	5	1	-	1	-	-	2	-	-	-	-	1	-
Male	2	-	-	-	-	-	2	-	-	-	-	-	-
Female	3	1	-	1	-	-	-	-	-	-	-	1	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Acute inflammation of orbit (H05.0)													
All races, both sexes	5	1	-	1	-	-	2	-	-	-	-	1	-
Male	2	-	-	-	-	-	2	-	-	-	-	-	-
Female	3	1	-	1	-	-	-	-	-	-	-	1	-
White, both sexes	5	1	-	1	-	-	2	-	-	-	-	1	-
Male	2	-	-	-	-	-	2	-	-	-	-	-	-
Female	3	1	-	1	-	-	-	-	-	-	-	1	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Conjunctivitis (H10)													
All races, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Conjunctivitis, unspecified (H10.9)													
All races, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Keratitis (H16)													
All races, both sexes	2	-	1	-	1	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	1	-	1	-	-	-	-	-	-	-	-
White, both sexes	2	-	1	-	1	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	1	-	1	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Corneal ulcer (H16.0)													
All races, both sexes	1	-	-	-	1	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	1	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	1	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	1	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Keratitis, unspecified (H16.9)													
All races, both sexes	1	-	1	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	1	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	1	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	1	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other disorders of cornea (H18)													
All races, both sexes	1	-	-	-	-	-	-	-	1	-	-	-	-
Male	1	-	-	-	-	-	-	-	1	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	-	-	-	-	1	-	-	-	-
Male	1	-	-	-	-	-	-	-	1	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Disorder of cornea, unspecified (H18.9)													
All races, both sexes	1	-	-	-	-	-	-	-	1	-	-	-	-
Male	1	-	-	-	-	-	-	-	1	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	-	-	-	-	1	-	-	-	-
Male	1	-	-	-	-	-	-	-	1	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other cataract (H26)													
All races, both sexes	2	-	-	1	-	-	-	-	-	-	-	1	-
Male	1	-	-	1	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-
White, both sexes	2	-	-	1	-	-	-	-	-	-	-	1	-
Male	1	-	-	1	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Cataract, unspecified (H26.9)													
All races, both sexes	2	-	-	1	-	-	-	-	-	-	-	1	-
Male	1	-	-	1	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-
White, both sexes	2	-	-	1	-	-	-	-	-	-	-	1	-
Male	1	-	-	1	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other retinal disorders (H35)													
All races, both sexes	3	1	-	1	-	-	-	-	-	1	-	-	-
Male	2	1	-	-	-	-	-	-	-	1	-	-	-
Female	1	-	-	1	-	-	-	-	-	-	-	-	-
White, both sexes	3	1	-	1	-	-	-	-	-	1	-	-	-
Male	2	1	-	-	-	-	-	-	-	1	-	-	-
Female	1	-	-	1	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Degeneration of macula and posterior pole (H35.3)													
All races, both sexes	3	1	-	1	-	-	-	-	-	1	-	-	-
Male	2	1	-	-	-	-	-	-	-	1	-	-	-
Female	1	-	-	1	-	-	-	-	-	-	-	-	-
White, both sexes	3	1	-	1	-	-	-	-	-	1	-	-	-
Male	2	1	-	-	-	-	-	-	-	1	-	-	-
Female	1	-	-	1	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Glaucoma (H40)													
All races, both sexes	5	-	1	1	-	1	1	-	-	-	-	-	1
Male	3	-	-	1	-	1	1	-	-	-	-	-	-
Female	2	-	1	-	-	-	-	-	-	-	-	-	1
White, both sexes	4	-	1	1	-	-	1	-	-	-	-	-	1
Male	2	-	-	1	-	-	1	-	-	-	-	-	-
Female	2	-	1	-	-	-	-	-	-	-	-	-	1
Black, both sexes	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Glaucoma suspect (H40.0)													
All races, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	1	-	-	1	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	1	-	-	1	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Glaucoma, unspecified (H40.9)													
All races, both sexes	4	-	1	-	-	1	1	-	-	-	-	-	1
Male	2	-	-	-	-	1	1	-	-	-	-	-	-
Female	2	-	1	-	-	-	-	-	-	-	-	-	1
White, both sexes	3	-	1	-	-	-	1	-	-	-	-	-	1
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	2	-	1	-	-	-	-	-	-	-	-	-	1
Black, both sexes	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Disorders of globe (H44)													
All races, both sexes	4	-	-	-	2	-	-	-	1	-	-	1	-
Male	4	-	-	-	2	-	-	-	1	-	-	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	4	-	-	-	2	-	-	-	1	-	-	1	-
Male	4	-	-	-	2	-	-	-	1	-	-	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Purulent endophthalmitis (H44.0)													
All races, both sexes	3	-	-	-	1	-	-	-	1	-	-	1	-
Male	3	-	-	-	1	-	-	-	1	-	-	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	3	-	-	-	1	-	-	-	1	-	-	1	-
Male	3	-	-	-	1	-	-	-	1	-	-	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Degenerated conditions of globe (H44.5)													
All races, both sexes	1	-	-	-	1	-	-	-	-	-	-	-	-
Male	1	-	-	-	1	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	1	-	-	-	-	-	-	-	-
Male	1	-	-	-	1	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Paralytic strabismus (H49)													
All races, both sexes	3	1	1	-	-	-	-	-	-	-	-	1	-
Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	2	1	-	-	-	-	-	-	-	-	-	1	-
White, both sexes	3	1	1	-	-	-	-	-	-	-	-	1	-
Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	2	1	-	-	-	-	-	-	-	-	-	1	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other paralytic strabismus (H49.8)													
All races, both sexes	2	1	-	-	-	-	-	-	-	-	-	1	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	1	-	-	-	-	-	-	-	-	-	1	-
White, both sexes	2	1	-	-	-	-	-	-	-	-	-	1	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	1	-	-	-	-	-	-	-	-	-	1	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Paralytic strabismus, unspecified (H49.9)													
All races, both sexes	1	-	1	-	-	-	-	-	-	-	-	-	-
Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	1	-	-	-	-	-	-	-	-	-	-
Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other strabismus (H50)													
All races, both sexes	1	-	1	-	-	-	-	-	-	-	-	-	-
Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	1	-	-	-	-	-	-	-	-	-	-
Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Strabismus, unspecified (H50.9)													
All races, both sexes	1	-	1	-	-	-	-	-	-	-	-	-	-
Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	1	-	-	-	-	-	-	-	-	-	-
Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Disorders of refraction and accommodation (H52)													
All races, both sexes	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Myopia (H52.1)													
All races, both sexes	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Blindness and low vision (H54)													
All races, both sexes	13	2	1	2	-	-	2	1	1	1	1	1	1
Male	2	1	-	-	-	-	1	-	-	-	-	-	-
Female	11	1	1	2	-	-	1	1	1	1	1	1	1
White, both sexes	13	2	1	2	-	-	2	1	1	1	1	1	1
Male	2	1	-	-	-	-	1	-	-	-	-	-	-
Female	11	1	1	2	-	-	1	1	1	1	1	1	1
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Blindness, both eyes (H54.0)													
All races, both sexes	13	2	1	2	-	-	2	1	1	1	1	1	1
Male	2	1	-	-	-	-	1	-	-	-	-	-	-
Female	11	1	1	2	-	-	1	1	1	1	1	1	1
White, both sexes	13	2	1	2	-	-	2	1	1	1	1	1	1
Male	2	1	-	-	-	-	1	-	-	-	-	-	-
Female	11	1	1	2	-	-	1	1	1	1	1	1	1
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Otitis externa (H60)													
All races, both sexes	3	-	2	-	-	-	-	-	-	-	-	-	1
Male	2	-	2	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	1
White, both sexes	3	-	2	-	-	-	-	-	-	-	-	-	1
Male	2	-	2	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	1
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Otitis externa, unspecified (H60.9)													
All races, both sexes	3	-	2	-	-	-	-	-	-	-	-	-	1
Male	2	-	2	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	1
White, both sexes	3	-	2	-	-	-	-	-	-	-	-	-	1
Male	2	-	2	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	1
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Suppurative and unspecified otitis media (H66)													
All races, both sexes	34	2	4	6	1	1	2	2	3	2	2	2	7
Male	18	-	3	4	-	-	1	-	2	2	-	1	5
Female	16	2	1	2	1	1	1	2	1	-	2	1	2
White, both sexes	27	2	3	5	1	-	1	2	2	1	2	1	7
Male	16	-	3	4	-	-	1	-	1	1	-	1	5
Female	11	2	-	1	1	-	-	2	1	-	2	-	2
Black, both sexes	7	-	1	1	-	1	1	-	1	1	-	1	-
Male	2	-	-	-	-	-	-	-	1	1	-	-	-
Female	5	-	1	1	-	1	1	-	-	-	-	1	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Otitis media, unspecified (H66.9)													
All races, both sexes	34	2	4	6	1	1	2	2	3	2	2	2	7
Male	18	-	3	4	-	-	1	-	2	2	-	1	5
Female	16	2	1	2	1	1	1	2	1	-	2	1	2
White, both sexes	27	2	3	5	1	-	1	2	2	1	2	1	7
Male	16	-	3	4	-	-	1	-	1	1	-	1	5
Female	11	2	-	1	1	-	-	2	1	-	2	-	2
Black, both sexes	7	-	1	1	-	1	1	-	1	1	-	1	-
Male	2	-	-	-	-	-	-	-	1	1	-	-	-
Female	5	-	1	1	-	1	1	-	-	-	-	1	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Mastoiditis and related conditions (H70)													
All races, both sexes	28	4	3	3	1	4	2	1	1	4	1	1	3
Male	8	2	-	-	-	2	-	-	1	2	-	-	1
Female	20	2	3	3	1	2	2	1	-	2	1	1	2
White, both sexes	19	2	3	2	1	2	2	1	1	1	1	1	2
Male	4	1	-	-	-	1	-	-	1	1	-	-	-
Female	15	1	3	2	1	1	2	1	-	-	1	1	2
Black, both sexes	9	2	-	1	-	2	-	-	-	3	-	-	1
Male	4	1	-	-	-	1	-	-	-	1	-	-	1
Female	5	1	-	1	-	1	-	-	-	2	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Acute mastoiditis (H70.0)													
All races, both sexes	1	-	-	-	-	-	-	-	-	1	-	-	-
Male	1	-	-	-	-	-	-	-	-	1	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	-	-	-	-	-	1	-	-	-
Male	1	-	-	-	-	-	-	-	-	1	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic mastoiditis (H70.1)													
All races, both sexes	2	-	-	-	-	1	-	-	-	-	-	-	1
Male	1	-	-	-	-	-	-	-	-	-	-	-	1
Female	1	-	-	-	-	1	-	-	-	-	-	-	-
White, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	2	-	-	-	-	1	-	-	-	-	-	-	1
Male	1	-	-	-	-	-	-	-	-	-	-	-	1
Female	1	-	-	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Mastoiditis, unspecified (H70.9)													
All races, both sexes	25	4	3	3	1	3	2	1	1	3	1	1	2
Male	6	2	-	-	-	2	-	-	1	1	-	-	-
Female	19	2	3	3	1	1	2	1	-	2	1	1	2
White, both sexes	18	2	3	2	1	2	2	1	1	-	1	1	2
Male	3	1	-	-	-	1	-	-	1	-	-	-	-
Female	15	1	3	2	1	1	2	1	-	-	1	1	2
Black, both sexes	7	2	-	1	-	1	-	-	-	3	-	-	-
Male	3	1	-	-	-	1	-	-	-	1	-	-	-
Female	4	1	-	1	-	-	-	-	-	2	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Perforation of tympanic membrane (H72)													
All races, both sexes	1	-	-	-	-	-	1	-	-	-	-	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	-	-	1	-	-	-	-	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Perforation of tympanic membrane, unspecified (H72.9)													
All races, both sexes	1	-	-	-	-	-	1	-	-	-	-	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	-	-	1	-	-	-	-	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of inner ear (H83)													
All races, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Labyrinthitis (H83.0)													
All races, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other hearing loss (H91)													
All races, both sexes	5	-	-	1	-	1	1	-	1	-	-	-	1
Male	2	-	-	-	-	-	1	-	-	-	-	-	1
Female	3	-	-	1	-	1	-	-	1	-	-	-	-
White, both sexes	5	-	-	1	-	1	1	-	1	-	-	-	1
Male	2	-	-	-	-	-	1	-	-	-	-	-	1
Female	3	-	-	1	-	1	-	-	1	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Deaf mutism, not elsewhere classified (H91.3)													
All races, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	1	-	-	-	-	-	-	-	-	-	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	1	-	-	-	-	-	-	-	-	-	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Hearing loss, unspecified (H91.9)													
All races, both sexes	4	-	-	1	-	1	1	-	1	-	-	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	3	-	-	1	-	1	-	-	1	-	-	-	-
White, both sexes	4	-	-	1	-	1	1	-	1	-	-	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	3	-	-	1	-	1	-	-	1	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Rheumatic fever without mention of heart involvement (I00)													
All races, both sexes	18	1	5	3	3	1	1	1	-	1	1	-	1
Male	8	-	3	2	1	-	1	-	-	-	1	-	-
Female	10	1	2	1	2	1	-	1	-	1	-	-	1
White, both sexes	15	1	2	3	3	1	1	1	-	1	1	-	1
Male	7	-	2	2	1	-	1	-	-	-	1	-	-
Female	8	1	-	1	2	1	-	1	-	1	-	-	1
Black, both sexes	2	-	2	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	2	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	1	-	-	-	-	-	-	-	-	-	-
Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic fever with heart involvement (I01)													
All races, both sexes	22	-	3	1	2	2	5	2	1	2	2	1	1
Male	11	-	-	-	2	-	3	-	1	1	2	1	1
Female	11	-	3	1	-	2	2	2	-	1	-	-	-
White, both sexes	15	-	1	1	1	1	3	2	1	1	2	1	1
Male	8	-	-	-	1	-	2	-	1	-	2	1	1
Female	7	-	1	1	-	1	1	2	-	1	-	-	-
Black, both sexes	7	-	2	-	1	1	2	-	-	1	-	-	-
Male	3	-	-	-	1	-	1	-	-	1	-	-	-
Female	4	-	2	-	-	1	1	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Acute rheumatic endocarditis (I01.1)													
All races, both sexes	11	-	3	1	1	-	-	2	1	-	1	1	1
Male	5	-	-	-	1	-	-	-	1	-	1	1	1
Female	6	-	3	1	-	-	-	2	-	-	-	-	-
White, both sexes	9	-	1	1	1	-	-	2	1	-	1	1	1
Male	5	-	-	-	1	-	-	-	1	-	1	1	1
Female	4	-	1	1	-	-	-	2	-	-	-	-	-
Black, both sexes	2	-	2	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	2	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other acute rheumatic heart disease (I01.8)													
All races, both sexes	9	-	-	-	1	2	3	-	-	2	1	-	-
Male	4	-	-	-	1	-	1	-	-	1	1	-	-
Female	5	-	-	-	-	2	2	-	-	1	-	-	-
White, both sexes	5	-	-	-	-	1	2	-	-	1	1	-	-
Male	2	-	-	-	-	-	1	-	-	-	1	-	-
Female	3	-	-	-	-	1	1	-	-	1	-	-	-
Black, both sexes	4	-	-	-	1	1	1	-	-	1	-	-	-
Male	2	-	-	-	1	-	-	-	-	1	-	-	-
Female	2	-	-	-	-	1	1	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Acute rheumatic heart disease, unspecified (I01.9)													
All races, both sexes	2	-	-	-	-	-	2	-	-	-	-	-	-
Male	2	-	-	-	-	-	2	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	-	-	1	-	-	-	-	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	1	-	-	-	-	-	1	-	-	-	-	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic chorea (I02)													
All races, both sexes	1	-	-	-	1	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	1	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	1	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	1	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Rheumatic chorea without heart involvement (I02.9)													
All races, both sexes	1	-	-	-	1	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	1	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	1	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	1	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic mitral valve diseases (I05)													
All races, both sexes	1,719	173	147	133	141	161	143	139	128	120	141	136	157
Male	552	58	42	43	43	53	51	39	44	37	50	46	46
Female	1,167	115	105	90	98	108	92	100	84	83	91	90	111
White, both sexes	1,512	143	133	119	119	144	128	126	114	103	124	121	138
Male	482	44	36	40	33	48	46	37	39	34	44	39	42
Female	1,030	99	97	79	86	96	82	89	75	69	80	82	96
Black, both sexes	158	27	9	8	15	15	13	10	12	13	12	12	12
Male	58	13	5	2	8	5	5	1	5	2	4	7	1
Female	100	14	4	6	7	10	8	9	7	11	8	5	11
American Indian 1/, both sexes	7	-	1	-	2	-	1	1	-	-	1	1	-
Male	3	-	1	-	1	-	-	-	-	-	1	-	-
Female	4	-	-	-	1	-	1	1	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes	42	3	4	6	5	2	1	2	2	4	4	2	7
Male	9	1	-	1	1	-	-	1	-	1	1	-	3
Female	33	2	4	5	4	2	1	1	2	3	3	2	4

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Mitral stenosis (I05.0)													
All races, both sexes	521	57	54	49	49	46	39	46	30	29	41	32	49
Male	97	15	9	6	8	4	8	11	6	6	9	4	11
Female	424	42	45	43	41	42	31	35	24	23	32	28	38
White, both sexes	467	51	50	43	44	39	35	45	27	27	35	31	40
Male	88	14	8	6	6	4	8	11	5	5	7	4	10
Female	379	37	42	37	38	35	27	34	22	22	28	27	30
Black, both sexes	31	5	2	2	1	6	3	1	2	1	2	1	5
Male	5	1	1	-	-	-	-	-	1	1	1	-	-
Female	26	4	1	2	1	6	3	1	1	-	1	1	5
American Indian 1/, both sexes	3	-	-	-	2	-	1	-	-	-	-	-	-
Male	1	-	-	-	1	-	-	-	-	-	-	-	-
Female	2	-	-	-	1	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	20	1	2	4	2	1	-	-	1	1	4	-	4
Male	3	-	-	-	1	-	-	-	-	-	1	-	1
Female	17	1	2	4	1	1	-	-	1	1	3	-	3
Rheumatic mitral insufficiency (I05.1)													
All races, both sexes	66	10	2	5	5	9	8	4	6	6	4	3	4
Male	18	2	-	1	1	3	5	-	1	2	2	1	-
Female	48	8	2	4	4	6	3	4	5	4	2	2	4
White, both sexes	60	10	1	4	5	9	7	2	6	6	4	2	4
Male	17	2	-	1	1	3	4	-	1	2	2	1	-
Female	43	8	1	3	4	6	3	2	5	4	2	1	4
Black, both sexes	4	-	1	1	-	-	1	1	-	-	-	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	3	-	1	1	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	2	-	-	-	-	-	-	1	-	-	-	1	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	1	-	-	-	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Mitral stenosis with insufficiency (I05.2)													
All races, both sexes	19	-	3	-	3	4	2	-	4	1	-	1	1
Male	1	-	-	-	-	-	-	-	-	-	-	-	1
Female	18	-	3	-	3	4	2	-	4	1	-	1	-
White, both sexes	18	-	2	-	3	4	2	-	4	1	-	1	1
Male	1	-	-	-	-	-	-	-	-	-	-	-	1
Female	17	-	2	-	3	4	2	-	4	1	-	1	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	1	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	1	-	-	-	-	-	-	-	-	-	-
Other mitral valve diseases (I05.8)													
All races, both sexes	14	2	1	1	2	1	1	1	-	-	2	2	1
Male	5	-	-	1	-	-	1	1	-	-	1	1	-
Female	9	2	1	-	2	1	-	-	-	-	1	1	1
White, both sexes	13	2	1	1	2	1	1	1	-	-	2	1	1
Male	4	-	-	1	-	-	1	1	-	-	1	-	-
Female	9	2	1	-	2	1	-	-	-	-	1	1	1
Black, both sexes	1	-	-	-	-	-	-	-	-	-	-	1	-
Male	1	-	-	-	-	-	-	-	-	-	-	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Mitral valve disease, unspecified (I05.9)													
All races, both sexes	1,099	104	87	78	82	101	93	88	88	84	94	98	102
Male	431	41	33	35	34	46	37	27	37	29	38	40	34
Female	668	63	54	43	48	55	56	61	51	55	56	58	68
White, both sexes	954	80	79	71	65	91	83	78	77	69	83	86	92
Male	372	28	28	32	26	41	33	25	33	27	34	34	31
Female	582	52	51	39	39	50	50	53	44	42	49	52	61
Black, both sexes	122	22	6	5	14	9	9	8	10	12	10	10	7
Male	51	12	4	2	8	5	4	1	4	1	3	6	1
Female	71	10	2	3	6	4	5	7	6	11	7	4	6
American Indian 1/, both sexes	4	-	1	-	-	-	-	1	-	-	1	1	-
Male	2	-	1	-	-	-	-	-	-	-	1	-	-
Female	2	-	-	-	-	-	-	1	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes	19	2	1	2	3	1	1	1	1	3	-	1	3
Male	6	1	-	1	-	-	-	1	-	1	-	-	2
Female	13	1	1	1	3	1	1	-	1	2	-	1	1
Rheumatic aortic valve diseases (I06)													
All races, both sexes	103	9	3	10	9	15	12	5	5	4	11	8	12
Male	36	2	1	5	4	5	4	2	1	1	5	3	3
Female	67	7	2	5	5	10	8	3	4	3	6	5	9
White, both sexes	96	9	3	9	8	15	11	5	4	4	9	7	12
Male	34	2	1	5	4	5	4	2	-	1	4	3	3
Female	62	7	2	4	4	10	7	3	4	3	5	4	9
Black, both sexes	5	-	-	1	-	-	-	-	1	-	2	1	-
Male	2	-	-	-	-	-	-	-	1	-	1	-	-
Female	3	-	-	1	-	-	-	-	-	-	1	1	-
American Indian 1/, both sexes	1	-	-	-	-	-	1	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	1	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	1	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Rheumatic aortic stenosis (I06.0)													
All races, both sexes	72	7	2	8	5	10	9	3	3	3	5	6	11
Male	23	2	-	4	2	1	3	1	1	1	3	3	2
Female	49	5	2	4	3	9	6	2	2	2	2	3	9
White, both sexes	69	7	2	8	5	10	9	3	2	3	4	5	11
Male	21	2	-	4	2	1	3	1	-	1	2	3	2
Female	48	5	2	4	3	9	6	2	2	2	2	2	9
Black, both sexes	3	-	-	-	-	-	-	-	1	-	1	1	-
Male	2	-	-	-	-	-	-	-	1	-	1	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic aortic insufficiency (I06.1)													
All races, both sexes	2	-	-	-	-	1	-	1	-	-	-	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	1	-	-	-	-	-
White, both sexes	2	-	-	-	-	1	-	1	-	-	-	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	1	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Rheumatic aortic stenosis with insufficiency (I06.2)													
All races, both sexes	2	-	-	1	-	-	1	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	1	-	-	1	-	-	-	-	-	-
White, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	1	-	-	-	-	-	1	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other rheumatic aortic valve diseases (I06.8)													
All races, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	1	-	-	1	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	1	-	-	1	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Rheumatic aortic valve disease, unspecified (I06.9)													
All races, both sexes	26	2	1	-	4	4	2	1	2	1	6	2	1
Male	11	-	1	-	2	3	1	1	-	-	2	-	1
Female	15	2	-	-	2	1	1	-	2	1	4	2	-
White, both sexes	24	2	1	-	3	4	2	1	2	1	5	2	1
Male	11	-	1	-	2	3	1	1	-	-	2	-	1
Female	13	2	-	-	1	1	1	-	2	1	3	2	-
Black, both sexes	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	1	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	1	-	-	-	-	-	-	-	-
Rheumatic tricuspid valve diseases (I07)													
All races, both sexes	208	15	18	18	16	16	22	20	18	11	20	15	19
Male	62	7	7	6	5	7	4	6	5	4	3	1	7
Female	146	8	11	12	11	9	18	14	13	7	17	14	12
White, both sexes	177	13	16	17	14	13	19	17	15	8	16	13	16
Male	54	6	7	6	4	5	4	6	3	3	3	1	6
Female	123	7	9	11	10	8	15	11	12	5	13	12	10
Black, both sexes	28	2	1	1	2	3	3	2	3	3	4	1	3
Male	8	1	-	-	1	2	-	-	2	1	-	-	1
Female	20	1	1	1	1	1	3	2	1	2	4	1	2
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	3	-	1	-	-	-	-	1	-	-	-	1	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	3	-	1	-	-	-	-	1	-	-	-	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Tricuspid stenosis (I07.0)													
All races, both sexes	1	-	-	-	-	-	-	1	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	1	-	-	-	-	-
White, both sexes	1	-	-	-	-	-	-	1	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	1	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Tricuspid insufficiency (I07.1)													
All races, both sexes	166	9	15	17	11	16	19	18	14	7	14	12	14
Male	42	2	5	6	2	7	4	5	3	1	1	1	5
Female	124	7	10	11	9	9	15	13	11	6	13	11	9
White, both sexes	144	8	13	16	10	13	17	15	12	6	11	11	12
Male	38	2	5	6	2	5	4	5	2	1	1	1	4
Female	106	6	8	10	8	8	13	10	10	5	10	10	8
Black, both sexes	20	1	1	1	1	3	2	2	2	1	3	1	2
Male	4	-	-	-	-	2	-	-	1	-	-	-	1
Female	16	1	1	1	1	1	2	2	1	1	3	1	1
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	2	-	1	-	-	-	-	1	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	1	-	-	-	-	1	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Tricuspid stenosis with insufficiency (I07.2)													
All races, both sexes	1	-	-	-	-	-	-	-	1	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	1	-	-	-	-
White, both sexes	1	-	-	-	-	-	-	-	1	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	1	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other tricuspid valve diseases (I07.8)													
All races, both sexes	17	4	2	-	3	-	-	1	1	1	2	1	2
Male	10	3	1	-	1	-	-	1	1	1	1	-	1
Female	7	1	1	-	2	-	-	-	-	-	1	1	1
White, both sexes	12	4	2	-	2	-	-	1	1	-	1	-	1
Male	8	3	1	-	-	-	-	1	1	-	1	-	1
Female	4	1	1	-	2	-	-	-	-	-	-	-	-
Black, both sexes	4	-	-	-	1	-	-	-	-	1	1	-	1
Male	2	-	-	-	1	-	-	-	-	1	-	-	-
Female	2	-	-	-	-	-	-	-	-	-	1	-	1
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	-	-	-	-	1	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Tricuspid valve disease, unspecified (I07.9)													
All races, both sexes	23	2	1	1	2	-	3	-	2	3	4	2	3
Male	10	2	1	-	2	-	-	-	1	2	1	-	1
Female	13	-	-	1	-	-	3	-	1	1	3	2	2
White, both sexes	19	1	1	1	2	-	2	-	1	2	4	2	3
Male	8	1	1	-	2	-	-	-	-	2	1	-	1
Female	11	-	-	1	-	-	2	-	1	-	3	2	2
Black, both sexes	4	1	-	-	-	-	1	-	1	1	-	-	-
Male	2	1	-	-	-	-	-	-	1	-	-	-	-
Female	2	-	-	-	-	-	1	-	-	1	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Multiple valve diseases (I08)													
All races, both sexes	935	80	73	78	95	93	79	80	65	59	93	69	71
Male	331	31	21	33	35	36	27	33	24	14	33	22	22
Female	604	49	52	45	60	57	52	47	41	45	60	47	49
White, both sexes	852	73	68	75	81	82	71	65	63	54	90	62	68
Male	300	28	18	31	32	32	26	22	24	13	33	20	21
Female	552	45	50	44	49	50	45	43	39	41	57	42	47
Black, both sexes	60	4	3	3	11	9	6	10	2	2	2	6	2
Male	25	3	2	2	3	3	1	8	-	-	-	2	1
Female	35	1	1	1	8	6	5	2	2	2	2	4	1
American Indian 1/, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes	22	3	2	-	3	2	2	5	-	3	1	1	-
Male	6	-	1	-	-	1	-	3	-	1	-	-	-
Female	16	3	1	-	3	1	2	2	-	2	1	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Disorders of both mitral and aortic valves (I08.0)													
All races, both sexes	775	61	64	63	79	76	67	71	51	52	76	58	57
Male	278	27	18	27	30	29	23	30	17	13	28	19	17
Female	497	34	46	36	49	47	44	41	34	39	48	39	40
White, both sexes	710	57	59	61	67	69	59	58	50	48	74	53	55
Male	253	25	15	26	27	27	22	20	17	12	28	18	16
Female	457	32	44	35	40	42	37	38	33	36	46	35	39
Black, both sexes	48	2	3	2	9	6	6	10	1	2	1	4	2
Male	21	2	2	1	3	2	1	8	-	-	-	1	1
Female	27	-	1	1	6	4	5	2	1	2	1	3	1
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	17	2	2	-	3	1	2	3	-	2	1	1	-
Male	4	-	1	-	-	-	-	2	-	1	-	-	-
Female	13	2	1	-	3	1	2	1	-	1	1	1	-
Disorders of both mitral and tricuspid valves (I08.1)													
All races, both sexes	89	8	5	9	7	10	4	6	8	5	10	5	12
Male	30	1	1	3	4	6	2	1	4	1	3	-	4
Female	59	7	4	6	3	4	2	5	4	4	7	5	8
White, both sexes	77	7	5	8	7	6	4	4	7	5	9	4	11
Male	26	1	1	2	4	4	2	-	4	1	3	-	4
Female	51	6	4	6	3	2	2	4	3	4	6	4	7
Black, both sexes	8	1	-	1	-	3	-	-	1	-	1	1	-
Male	2	-	-	1	-	1	-	-	-	-	-	-	-
Female	6	1	-	-	-	2	-	-	1	-	1	1	-
American Indian 1/, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes	3	-	-	-	-	1	-	2	-	-	-	-	-
Male	2	-	-	-	-	1	-	1	-	-	-	-	-
Female	1	-	-	-	-	-	-	1	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Disorders of both aortic and tricuspid valves (I08.2)													
All races, both sexes	11	1	-	1	2	3	-	2	1	-	1	-	-
Male	6	1	-	1	-	1	-	1	1	-	1	-	-
Female	5	-	-	-	2	2	-	1	-	-	-	-	-
White, both sexes	9	-	-	1	1	3	-	2	1	-	1	-	-
Male	5	-	-	1	-	1	-	1	1	-	1	-	-
Female	4	-	-	-	1	2	-	1	-	-	-	-	-
Black, both sexes	2	1	-	-	1	-	-	-	-	-	-	-	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Combined disorders of mitral, aortic, and tricuspid valves (I08.3)													
All races, both sexes	51	10	2	5	6	3	6	1	5	2	5	5	1
Male	13	2	1	2	1	-	1	1	2	-	-	2	1
Female	38	8	1	3	5	3	5	-	3	2	5	3	-
White, both sexes	48	9	2	5	5	3	6	1	5	1	5	5	1
Male	13	2	1	2	1	-	1	1	2	-	-	2	1
Female	35	7	1	3	4	3	5	-	3	1	5	3	-
Black, both sexes	1	-	-	-	1	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	2	1	-	-	-	-	-	-	-	1	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	1	-	-	-	-	-	-	-	1	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other multiple valve diseases (I08.8)													
All races, both sexes	4	-	1	-	-	-	-	-	-	-	1	1	1
Male	2	-	-	-	-	-	-	-	-	-	1	1	-
Female	2	-	1	-	-	-	-	-	-	-	-	-	1
White, both sexes	3	-	1	-	-	-	-	-	-	-	1	-	1
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	2	-	1	-	-	-	-	-	-	-	-	-	1
Black, both sexes	1	-	-	-	-	-	-	-	-	-	-	1	-
Male	1	-	-	-	-	-	-	-	-	-	-	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Multiple valve disease, unspecified (I08.9)													
All races, both sexes	5	-	1	-	1	1	2	-	-	-	-	-	-
Male	2	-	1	-	-	-	1	-	-	-	-	-	-
Female	3	-	-	-	1	1	1	-	-	-	-	-	-
White, both sexes	5	-	1	-	1	1	2	-	-	-	-	-	-
Male	2	-	1	-	-	-	1	-	-	-	-	-	-
Female	3	-	-	-	1	1	1	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other rheumatic heart diseases (I09)													
All races, both sexes	618	71	52	67	64	57	35	45	39	42	54	42	50
Male	153	18	5	17	21	21	14	8	12	8	10	7	12
Female	465	53	47	50	43	36	21	37	27	34	44	35	38
White, both sexes	558	67	47	64	56	52	30	44	33	37	46	39	43
Male	138	17	5	16	19	20	10	8	10	7	10	6	10
Female	420	50	42	48	37	32	20	36	23	30	36	33	33
Black, both sexes	48	4	4	3	8	4	4	1	4	3	6	3	4
Male	14	1	-	1	2	1	3	-	2	1	-	1	2
Female	34	3	4	2	6	3	1	1	2	2	6	2	2
American Indian 1/, both sexes	2	-	-	-	-	1	-	-	-	-	1	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	1	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes	10	-	1	-	-	-	1	-	2	2	1	-	3
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	9	-	1	-	-	-	-	-	2	2	1	-	3
Rheumatic myocarditis (I09.0)													
All races, both sexes	33	5	-	4	4	3	2	4	2	-	3	3	3
Male	11	2	-	1	2	2	1	1	1	-	1	-	-
Female	22	3	-	3	2	1	1	3	1	-	2	3	3
White, both sexes	30	5	-	4	4	2	2	3	2	-	3	3	2
Male	11	2	-	1	2	2	1	1	1	-	1	-	-
Female	19	3	-	3	2	-	1	2	1	-	2	3	2
Black, both sexes	1	-	-	-	-	-	-	1	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Rheumatic diseases of endocardium, valve unspecified (I09.1)													
All races, both sexes	159	25	14	16	20	12	5	11	9	10	14	11	12
Male	34	6	1	5	6	6	1	2	2	-	2	1	2
Female	125	19	13	11	14	6	4	9	7	10	12	10	10
White, both sexes	148	23	14	16	17	12	4	11	8	8	13	11	11
Male	32	5	1	5	6	6	1	2	1	-	2	1	2
Female	116	18	13	11	11	6	3	9	7	8	11	10	9
Black, both sexes	9	2	-	-	3	-	1	-	1	1	1	-	-
Male	2	1	-	-	-	-	-	-	1	-	-	-	-
Female	7	1	-	-	3	-	1	-	-	1	1	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	2	-	-	-	-	-	-	-	-	1	-	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	-	1	-	-	1
Other specified rheumatic heart diseases (I09.8)													
All races, both sexes	8	-	1	-	4	1	1	-	-	-	-	-	1
Male	5	-	-	-	2	1	1	-	-	-	-	-	1
Female	3	-	1	-	2	-	-	-	-	-	-	-	-
White, both sexes	8	-	1	-	4	1	1	-	-	-	-	-	1
Male	5	-	-	-	2	1	1	-	-	-	-	-	1
Female	3	-	1	-	2	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Rheumatic heart disease, unspecified (I09.9)													
All races, both sexes	418	41	37	47	36	41	27	30	28	32	37	28	34
Male	103	10	4	11	11	12	11	5	9	8	7	6	9
Female	315	31	33	36	25	29	16	25	19	24	30	22	25
White, both sexes	372	39	32	44	31	37	23	30	23	29	30	25	29
Male	90	10	4	10	9	11	7	5	8	7	7	5	7
Female	282	29	28	34	22	26	16	25	15	22	23	20	22
Black, both sexes	38	2	4	3	5	4	3	-	3	2	5	3	4
Male	12	-	-	1	2	1	3	-	1	1	-	1	2
Female	26	2	4	2	3	3	-	-	2	1	5	2	2
American Indian 1/, both sexes	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes	7	-	1	-	-	-	1	-	2	1	1	-	1
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	6	-	1	-	-	-	-	-	2	1	1	-	1
Essential (primary) hypertension (I10)													
All races, both sexes	12,913	1,190	1,036	1,074	1,073	1,045	909	950	1,035	1,006	1,107	1,133	1,355
Male	4,336	361	360	340	349	357	323	307	339	371	392	398	439
Female	8,577	829	676	734	724	688	586	643	696	635	715	735	916
White, both sexes	10,533	990	843	877	859	839	741	761	817	848	917	918	1,123
Male	3,378	286	276	260	270	271	255	236	256	297	300	313	358
Female	7,155	704	567	617	589	568	486	525	561	551	617	605	765
Black, both sexes	2,114	180	174	178	189	176	147	168	195	141	172	188	206
Male	853	67	77	70	66	75	60	62	76	65	85	77	73
Female	1,261	113	97	108	123	101	87	106	119	76	87	111	133
American Indian 1/, both sexes	47	2	2	6	8	5	2	4	2	2	4	6	4
Male	22	-	1	3	4	3	-	1	-	2	2	3	3
Female	25	2	1	3	4	2	2	3	2	-	2	3	1
Asian or Pacific Islander 2/, both sexes	219	18	17	13	17	25	19	17	21	15	14	21	22
Male	83	8	6	7	9	8	8	8	7	7	5	5	5
Female	136	10	11	6	8	17	11	9	14	8	9	16	17

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Hypertensive heart disease (I11)													
All races, both sexes	28,345	2,620	2,299	2,446	2,325	2,255	2,107	2,187	2,210	2,164	2,321	2,407	3,004
Male	12,536	1,121	1,008	1,040	1,055	1,017	944	973	994	1,002	1,031	1,062	1,289
Female	15,809	1,499	1,291	1,406	1,270	1,238	1,163	1,214	1,216	1,162	1,290	1,345	1,715
White, both sexes	20,904	1,887	1,694	1,804	1,742	1,660	1,541	1,639	1,616	1,590	1,697	1,801	2,233
Male	8,948	785	713	733	756	741	653	707	696	728	745	773	918
Female	11,956	1,102	981	1,071	986	919	888	932	920	862	952	1,028	1,315
Black, both sexes	6,843	667	547	595	538	548	519	501	547	530	577	553	721
Male	3,298	305	271	288	269	254	261	244	279	251	264	265	347
Female	3,545	362	276	307	269	294	258	257	268	279	313	288	374
American Indian 1/, both sexes	112	12	8	6	8	7	7	8	11	10	9	13	13
Male	54	7	4	3	5	3	5	3	4	4	3	7	6
Female	58	5	4	3	3	4	2	5	7	6	6	6	7
Asian or Pacific Islander 2/, both sexes	486	54	50	41	37	40	40	39	36	34	38	40	37
Male	236	24	20	16	25	19	25	19	15	19	19	17	18
Female	250	30	30	25	12	21	15	20	21	15	19	23	19
Hypertensive heart disease with (congestive) heart failure (I11.0)													
All races, both sexes	9,455	908	761	814	779	785	694	704	728	706	721	830	1,025
Male	2,893	265	241	236	257	272	198	204	207	230	220	251	312
Female	6,562	643	520	578	522	513	496	500	521	476	501	579	713
White, both sexes	7,688	727	627	658	643	632	557	571	594	582	586	682	829
Male	2,246	204	198	181	197	206	145	161	166	181	171	196	240
Female	5,442	523	429	477	446	426	412	410	428	401	415	486	589
Black, both sexes	1,596	163	115	143	124	138	121	118	126	109	122	135	182
Male	585	54	41	50	52	61	45	36	41	44	45	49	67
Female	1,011	109	74	93	72	77	76	82	85	65	77	86	115
American Indian 1/, both sexes	32	4	2	1	1	1	4	2	2	6	4	-	5
Male	14	2	-	1	1	1	2	2	-	2	1	-	2
Female	18	2	2	-	-	-	2	-	2	4	3	-	3
Asian or Pacific Islander 2/, both sexes	139	14	17	12	11	14	12	13	6	9	9	13	9
Male	48	5	2	4	7	4	6	5	-	3	3	6	3
Female	91	9	15	8	4	10	6	8	6	6	6	7	6

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Hypertensive heart disease without (congestive) heart failure (I11.9)													
All races, both sexes	18,890	1,712	1,538	1,632	1,546	1,470	1,413	1,483	1,482	1,458	1,600	1,577	1,979
Male	9,643	856	767	804	798	745	746	769	787	772	811	811	977
Female	9,247	856	771	828	748	725	667	714	695	686	789	766	1,002
White, both sexes	13,216	1,160	1,067	1,146	1,099	1,028	984	1,068	1,022	1,008	1,111	1,119	1,404
Male	6,702	581	515	552	559	535	508	546	530	547	574	577	678
Female	6,514	579	552	594	540	493	476	522	492	461	537	542	726
Black, both sexes	5,247	504	432	452	414	410	398	383	421	421	455	418	539
Male	2,713	251	230	238	217	193	216	208	238	207	219	216	280
Female	2,534	253	202	214	197	217	182	175	183	214	236	202	259
American Indian 1/, both sexes	80	8	6	5	7	6	3	6	9	4	5	13	8
Male	40	5	4	2	4	2	3	1	4	2	2	7	4
Female	40	3	2	3	3	4	-	5	5	2	3	6	4
Asian or Pacific Islander 2/, both sexes	347	40	33	29	26	26	28	26	30	25	29	27	28
Male	188	19	18	12	18	15	19	14	15	16	16	11	15
Female	159	21	15	17	8	11	9	12	15	9	13	16	13
Hypertensive renal disease (I12)													
All races, both sexes	9,027	789	726	730	698	754	687	759	751	711	762	812	848
Male	3,877	352	317	317	275	318	280	334	321	309	325	333	396
Female	5,150	437	409	413	423	436	407	425	430	402	437	479	452
White, both sexes	6,394	568	534	509	503	538	477	536	530	497	528	580	594
Male	2,730	252	238	217	194	227	194	228	232	205	222	239	282
Female	3,664	316	296	292	309	311	283	308	298	292	306	341	312
Black, both sexes	2,375	193	173	200	174	199	193	199	203	194	213	210	224
Male	1,042	89	76	93	71	82	76	95	79	95	95	87	104
Female	1,333	104	97	107	103	117	117	104	124	99	118	123	120
American Indian 1/, both sexes	41	3	1	3	1	-	3	6	3	4	5	5	7
Male	17	1	1	1	-	-	3	3	3	1	-	1	3
Female	24	2	-	2	1	-	-	3	-	3	5	4	4
Asian or Pacific Islander 2/, both sexes	217	25	18	18	20	17	14	18	15	16	16	17	23
Male	88	10	2	6	10	9	7	8	7	8	8	6	7
Female	129	15	16	12	10	8	7	10	8	8	8	11	16

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Hypertensive renal disease with renal failure (I12.0)													
All races, both sexes	8,732	764	703	713	672	727	659	738	730	688	731	785	822
Male	3,760	341	310	310	264	313	268	326	313	300	310	323	382
Female	4,972	423	393	403	408	414	391	412	417	388	421	462	440
White, both sexes	6,160	548	515	494	485	515	456	519	513	481	504	559	571
Male	2,638	241	231	211	187	223	185	221	225	200	211	233	270
Female	3,522	307	284	283	298	292	271	298	288	281	293	326	301
Black, both sexes	2,319	190	169	198	166	196	187	195	199	187	207	204	221
Male	1,018	89	76	92	67	81	74	94	78	91	91	83	102
Female	1,301	101	93	106	99	115	113	101	121	96	116	121	119
American Indian 1/, both sexes	40	3	1	3	1	-	3	6	3	4	4	5	7
Male	17	1	1	1	-	-	3	3	3	1	-	1	3
Female	23	2	-	2	1	-	-	3	-	3	4	4	4
Asian or Pacific Islander 2/, both sexes	213	23	18	18	20	16	13	18	15	16	16	17	23
Male	87	10	2	6	10	9	6	8	7	8	8	6	7
Female	126	13	16	12	10	7	7	10	8	8	8	11	16
Hypertensive renal disease without renal failure (I12.9)													
All races, both sexes	295	25	23	17	26	27	28	21	21	23	31	27	26
Male	117	11	7	7	11	5	12	8	8	9	15	10	14
Female	178	14	16	10	15	22	16	13	13	14	16	17	12
White, both sexes	234	20	19	15	18	23	21	17	17	16	24	21	23
Male	92	11	7	6	7	4	9	7	7	5	11	6	12
Female	142	9	12	9	11	19	12	10	10	11	13	15	11
Black, both sexes	56	3	4	2	8	3	6	4	4	7	6	6	3
Male	24	-	-	1	4	1	2	1	1	4	4	4	2
Female	32	3	4	1	4	2	4	3	3	3	2	2	1
American Indian 1/, both sexes	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes	4	2	-	-	-	1	1	-	-	-	-	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	3	2	-	-	-	1	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Hypertensive heart and renal disease (I13)													
All races, both sexes	3,108	291	257	281	258	257	257	212	235	239	259	245	317
Male	1,326	114	107	127	109	104	107	84	110	95	102	117	150
Female	1,782	177	150	154	149	153	150	128	125	144	157	128	167
White, both sexes	2,103	180	178	192	185	160	179	146	152	157	174	173	227
Male	865	61	73	79	75	60	77	62	60	64	71	87	96
Female	1,238	119	105	113	110	100	102	84	92	93	103	86	131
Black, both sexes	913	98	68	84	65	89	70	61	78	73	83	65	79
Male	413	47	29	43	29	43	26	19	47	27	30	27	46
Female	500	51	39	41	36	46	44	42	31	46	53	38	33
American Indian 1/, both sexes	8	-	2	1	-	1	-	1	-	2	-	-	1
Male	6	-	1	1	-	1	-	1	-	1	-	-	1
Female	2	-	1	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes	84	13	9	4	8	7	8	4	5	7	2	7	10
Male	42	6	4	4	5	-	4	2	3	3	1	3	7
Female	42	7	5	-	3	7	4	2	2	4	1	4	3
Hypertensive heart and renal disease with (congestive) heart failure (I13.0)													
All races, both sexes	43	4	2	3	4	3	5	3	5	2	4	4	4
Male	19	2	2	-	3	1	3	2	2	-	2	1	1
Female	24	2	-	3	1	2	2	1	3	2	2	3	3
White, both sexes	32	1	1	3	4	3	5	2	2	1	3	3	4
Male	12	-	1	-	3	1	3	1	-	-	1	1	1
Female	20	1	-	3	1	2	2	1	2	1	2	2	3
Black, both sexes	7	2	1	-	-	-	-	1	2	-	1	-	-
Male	6	1	1	-	-	-	-	1	2	-	1	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	4	1	-	-	-	-	-	-	1	1	-	1	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	3	-	-	-	-	-	-	-	1	1	-	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Hypertensive heart and renal disease with renal failure (I13.1)													
All races, both sexes	1,161	94	94	107	90	85	89	79	109	92	106	91	125
Male	560	45	34	58	37	46	41	36	62	42	42	48	69
Female	601	49	60	49	53	39	48	43	47	50	64	43	56
White, both sexes	636	44	56	56	46	40	56	45	57	45	67	53	71
Male	287	17	19	25	18	22	28	23	26	19	27	29	34
Female	349	27	37	31	28	18	28	22	31	26	40	24	37
Black, both sexes	492	45	36	50	39	43	31	32	50	43	39	36	48
Male	250	25	14	32	16	24	12	11	34	20	15	18	29
Female	242	20	22	18	23	19	19	21	16	23	24	18	19
American Indian 1/, both sexes	2	-	-	-	-	-	-	-	-	1	-	-	1
Male	2	-	-	-	-	-	-	-	-	1	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	31	5	2	1	5	2	2	2	2	3	-	2	5
Male	21	3	1	1	3	-	1	2	2	2	-	1	5
Female	10	2	1	-	2	2	1	-	-	1	-	1	-
Hypertensive heart and renal disease with both (congestive) heart failure and renal failure (I13.2)													
All races, both sexes	1,836	188	154	165	157	162	158	123	119	140	145	144	181
Male	714	66	66	67	66	55	60	42	46	50	56	65	75
Female	1,122	122	88	98	91	107	98	81	73	90	89	79	106
White, both sexes	1,384	132	116	129	129	113	114	93	91	106	101	113	147
Male	540	44	49	53	51	36	43	34	34	42	42	55	57
Female	844	88	67	76	78	77	71	59	57	64	59	58	90
Black, both sexes	399	49	29	32	25	45	38	27	26	30	42	27	29
Male	151	20	13	10	13	19	14	7	11	7	13	8	16
Female	248	29	16	22	12	26	24	20	15	23	29	19	13
American Indian 1/, both sexes	5	-	2	1	-	-	-	1	-	1	-	-	-
Male	3	-	1	1	-	-	-	1	-	-	-	-	-
Female	2	-	1	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes	48	7	7	3	3	4	6	2	2	3	2	4	5
Male	20	2	3	3	2	-	3	-	1	1	1	2	2
Female	28	5	4	-	1	4	3	2	1	2	1	2	3

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Hypertensive heart and renal disease, unspecified (I13.9)													
All races, both sexes	68	5	7	6	7	7	5	7	2	5	4	6	7
Male	33	1	5	2	3	2	3	4	-	3	2	3	5
Female	35	4	2	4	4	5	2	3	2	2	2	3	2
White, both sexes	51	3	5	4	6	4	4	6	2	5	3	4	5
Male	26	-	4	1	3	1	3	4	-	3	1	2	4
Female	25	3	1	3	3	3	1	2	2	2	2	2	1
Black, both sexes	15	2	2	2	1	1	1	1	-	-	1	2	2
Male	6	1	1	1	-	-	-	-	-	-	1	1	1
Female	9	1	1	1	1	1	1	1	-	-	-	1	1
American Indian 1/, both sexes	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-
Angina pectoris (I20)													
All races, both sexes	288	32	28	25	21	19	27	20	23	17	25	17	34
Male	120	8	8	13	12	8	11	10	13	8	13	5	11
Female	168	24	20	12	9	11	16	10	10	9	12	12	23
White, both sexes	253	26	24	23	20	18	26	18	20	13	23	13	29
Male	103	5	8	11	12	8	11	8	12	5	12	4	7
Female	150	21	16	12	8	10	15	10	8	8	11	9	22
Black, both sexes	29	5	4	1	1	1	1	1	3	3	2	3	4
Male	12	2	-	1	-	-	-	1	1	2	1	1	3
Female	17	3	4	-	1	1	1	-	2	1	1	2	1
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	6	1	-	1	-	-	-	1	-	1	-	1	1
Male	5	1	-	1	-	-	-	1	-	1	-	-	1
Female	1	-	-	-	-	-	-	-	-	-	-	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Unstable angina (I20.0)													
All races, both sexes	60	4	6	3	3	4	8	3	5	3	7	4	10
Male	29	-	3	2	1	4	4	1	3	1	3	3	4
Female	31	4	3	1	2	-	4	2	2	2	4	1	6
White, both sexes	52	3	5	2	3	4	7	3	5	2	7	3	8
Male	25	-	3	1	1	4	4	1	3	-	3	2	3
Female	27	3	2	1	2	-	3	2	2	2	4	1	5
Black, both sexes	7	1	1	-	-	-	1	-	-	1	-	1	2
Male	3	-	-	-	-	-	-	-	-	1	-	1	1
Female	4	1	1	-	-	-	1	-	-	-	-	-	1
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	1	-	-	1	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris with documented spasm (I20.1)													
All races, both sexes	18	3	2	2	2	1	2	-	1	-	3	1	1
Male	8	1	-	1	2	-	2	-	-	-	1	-	1
Female	10	2	2	1	-	1	-	-	1	-	2	1	-
White, both sexes	15	3	1	2	2	-	2	-	1	-	3	-	1
Male	8	1	-	1	2	-	2	-	-	-	1	-	1
Female	7	2	1	1	-	-	-	-	1	-	2	-	-
Black, both sexes	3	-	1	-	-	1	-	-	-	-	-	1	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	3	-	1	-	-	1	-	-	-	-	-	1	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other forms of angina pectoris (I20.8)													
All races, both sexes	2	1	-	-	-	-	-	-	-	1	-	-	-
Male	1	-	-	-	-	-	-	-	-	1	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	-	-	1	-	-	-
Male	1	-	-	-	-	-	-	-	-	1	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris, unspecified (I20.9)													
All races, both sexes	208	24	20	20	16	14	17	17	17	13	15	12	23
Male	82	7	5	10	9	4	5	9	10	6	9	2	6
Female	126	17	15	10	7	10	12	8	7	7	6	10	17
White, both sexes	185	19	18	19	15	14	17	15	14	11	13	10	20
Male	70	4	5	9	9	4	5	7	9	5	8	2	3
Female	115	15	13	10	6	10	12	8	5	6	5	8	17
Black, both sexes	19	4	2	1	1	-	-	1	3	2	2	1	2
Male	9	2	-	1	-	-	-	1	1	1	1	-	2
Female	10	2	2	-	1	-	-	-	2	1	1	1	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	4	1	-	-	-	-	-	1	-	-	-	1	1
Male	3	1	-	-	-	-	-	1	-	-	-	-	1
Female	1	-	-	-	-	-	-	-	-	-	-	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Acute myocardial infarction (I21)													
All races, both sexes	170,562	16,348	14,661	15,197	13,981	13,945	13,284	13,061	12,693	12,660	13,677	13,737	17,318
Male	89,514	8,490	7,732	7,922	7,373	7,366	7,065	6,918	6,731	6,667	7,163	7,169	8,918
Female	81,048	7,858	6,929	7,275	6,608	6,579	6,219	6,143	5,962	5,993	6,514	6,568	8,400
White, both sexes	149,913	14,413	12,901	13,334	12,280	12,278	11,684	11,451	11,137	11,094	12,057	12,085	15,199
Male	79,156	7,496	6,837	7,010	6,509	6,569	6,274	6,089	5,931	5,912	6,381	6,312	7,836
Female	70,757	6,917	6,064	6,324	5,771	5,709	5,410	5,362	5,206	5,182	5,676	5,773	7,363
Black, both sexes	17,441	1,633	1,477	1,546	1,450	1,382	1,362	1,379	1,353	1,309	1,373	1,386	1,791
Male	8,472	810	716	732	714	641	654	699	680	610	635	696	885
Female	8,969	823	761	814	736	741	708	680	673	699	738	690	906
American Indian 1/, both sexes	706	60	52	68	41	62	51	61	55	51	62	64	79
Male	430	41	34	42	21	28	32	41	37	29	35	41	49
Female	276	19	18	26	20	34	19	20	18	22	27	23	30
Asian or Pacific Islander 2/, both sexes	2,502	242	231	249	210	223	187	170	148	206	185	202	249
Male	1,456	143	145	138	129	128	105	89	83	116	112	120	148
Female	1,046	99	86	111	81	95	82	81	65	90	73	82	101
Acute transmural myocardial infarction of anterior wall (I21.0)													
All races, both sexes	17	2	-	3	2	1	1	1	-	1	2	1	3
Male	13	2	-	2	1	1	1	1	-	1	2	1	1
Female	4	-	-	1	1	-	-	-	-	-	-	-	2
White, both sexes	16	2	-	2	2	1	1	1	-	1	2	1	3
Male	12	2	-	1	1	1	1	1	-	1	2	1	1
Female	4	-	-	1	1	-	-	-	-	-	-	-	2
Black, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	1	-	-	1	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Acute transmural myocardial infarction of inferior wall (I21.1)													
All races, both sexes	27	-	1	4	3	2	3	3	2	2	4	2	1
Male	10	-	1	3	1	1	1	-	-	-	-	2	1
Female	17	-	-	1	2	1	2	3	2	2	4	-	-
White, both sexes	27	-	1	4	3	2	3	3	2	2	4	2	1
Male	10	-	1	3	1	1	1	-	-	-	-	2	1
Female	17	-	-	1	2	1	2	3	2	2	4	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute transmural myocardial infarction of other sites (I21.2)													
All races, both sexes	15	1	1	1	2	2	1	-	2	1	4	-	-
Male	11	-	1	-	2	1	1	-	2	1	3	-	-
Female	4	1	-	1	-	1	-	-	-	-	1	-	-
White, both sexes	13	1	1	1	2	2	1	-	2	-	3	-	-
Male	9	-	1	-	2	1	1	-	2	-	2	-	-
Female	4	1	-	1	-	1	-	-	-	-	1	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	2	-	-	-	-	-	-	-	-	1	1	-	-
Male	2	-	-	-	-	-	-	-	-	1	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Acute transmural myocardial infarction of unspecified site (I21.3)													
All races, both sexes	16	-	2	-	1	3	4	-	-	-	2	2	2
Male	9	-	1	-	-	2	2	-	-	-	2	1	1
Female	7	-	1	-	1	1	2	-	-	-	-	1	1
White, both sexes	12	-	1	-	1	1	3	-	-	-	2	2	2
Male	6	-	1	-	-	-	1	-	-	-	2	1	1
Female	6	-	-	-	1	1	2	-	-	-	-	1	1
Black, both sexes	2	-	1	-	-	1	-	-	-	-	-	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	1	-	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	2	-	-	-	-	1	1	-	-	-	-	-	-
Male	2	-	-	-	-	1	1	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute subendocardial myocardial infarction (I21.4)													
All races, both sexes	260	33	19	28	21	21	14	16	21	19	23	18	27
Male	106	20	5	11	5	7	8	6	10	8	8	7	11
Female	154	13	14	17	16	14	6	10	11	11	15	11	16
White, both sexes	228	28	17	24	20	17	13	13	19	17	21	12	27
Male	97	17	5	10	5	6	8	4	8	8	8	7	11
Female	131	11	12	14	15	11	5	9	11	9	13	5	16
Black, both sexes	25	4	1	4	1	1	1	2	2	2	2	5	-
Male	7	2	-	1	-	1	-	1	2	-	-	-	-
Female	18	2	1	3	1	-	1	1	-	2	2	5	-
American Indian 1/, both sexes	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	6	1	1	-	-	2	-	1	-	-	-	1	-
Male	2	1	-	-	-	-	-	1	-	-	-	-	-
Female	4	-	1	-	-	2	-	-	-	-	-	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Acute myocardial infarction, unspecified (I21.9)													
All races, both sexes	170,227	16,312	14,638	15,161	13,952	13,916	13,261	13,041	12,668	12,637	13,642	13,714	17,285
Male	89,365	8,468	7,724	7,906	7,364	7,354	7,052	6,911	6,719	6,657	7,148	7,158	8,904
Female	80,862	7,844	6,914	7,255	6,588	6,562	6,209	6,130	5,949	5,980	6,494	6,556	8,381
White, both sexes	149,617	14,382	12,881	13,303	12,252	12,255	11,663	11,434	11,114	11,074	12,025	12,068	15,166
Male	79,022	7,477	6,829	6,996	6,500	6,560	6,262	6,084	5,921	5,903	6,367	6,301	7,822
Female	70,595	6,905	6,052	6,307	5,752	5,695	5,401	5,350	5,193	5,171	5,658	5,767	7,344
Black, both sexes	17,413	1,629	1,475	1,541	1,449	1,380	1,361	1,377	1,351	1,307	1,371	1,381	1,791
Male	8,463	808	716	730	714	639	654	698	678	610	635	696	885
Female	8,950	821	759	811	735	741	707	679	673	697	736	685	906
American Indian 1/, both sexes	703	60	52	68	41	60	50	61	55	51	62	64	79
Male	428	41	34	42	21	27	31	41	37	29	35	41	49
Female	275	19	18	26	20	33	19	20	18	22	27	23	30
Asian or Pacific Islander 2/, both sexes	2,494	241	230	249	210	221	187	169	148	205	184	201	249
Male	1,452	142	145	138	129	128	105	88	83	115	111	120	148
Female	1,042	99	85	111	81	93	82	81	65	90	73	81	101
Subsequent myocardial infarction (I22)													
All races, both sexes	2	-	1	-	-	1	-	-	-	-	-	-	-
Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-
White, both sexes	2	-	1	-	-	1	-	-	-	-	-	-	-
Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Subsequent myocardial infarction of inferior wall (I22.1)													
All races, both sexes	1	-	1	-	-	-	-	-	-	-	-	-	-
Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	1	-	-	-	-	-	-	-	-	-	-
Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Subsequent myocardial infarction of unspecified site (I22.9)													
All races, both sexes	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other acute ischemic heart diseases (I24)													
All races, both sexes	3,158	275	255	272	245	272	262	291	257	273	246	220	290
Male	1,621	145	131	147	140	149	124	145	136	137	125	107	135
Female	1,537	130	124	125	105	123	138	146	121	136	121	113	155
White, both sexes	2,663	234	213	231	202	225	212	259	215	232	211	191	238
Male	1,338	122	111	123	108	125	95	134	112	113	105	91	99
Female	1,325	112	102	108	94	100	117	125	103	119	106	100	139
Black, both sexes	436	36	35	37	37	38	42	30	36	40	31	26	48
Male	256	21	18	22	29	21	25	11	20	23	17	15	34
Female	180	15	17	15	8	17	17	19	16	17	14	11	14
American Indian 1/, both sexes	37	4	4	2	4	6	3	1	4	1	3	3	2
Male	15	2	1	1	2	1	1	-	2	1	2	1	1
Female	22	2	3	1	2	5	2	1	2	-	1	2	1
Asian or Pacific Islander 2/, both sexes	22	1	3	2	2	3	5	1	2	-	1	-	2
Male	12	-	1	1	1	2	3	-	2	-	1	-	1
Female	10	1	2	1	1	1	2	1	-	-	-	-	1
Dressler's syndrome (I24.1)													
All races, both sexes	3	1	-	-	-	-	-	-	1	-	-	-	1
Male	2	1	-	-	-	-	-	-	1	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	1
White, both sexes	3	1	-	-	-	-	-	-	1	-	-	-	1
Male	2	1	-	-	-	-	-	-	1	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	1
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other forms of acute ischemic heart disease (I24.8)													
All races, both sexes	2,465	202	203	208	187	216	217	232	205	219	184	168	224
Male	1,286	108	107	113	112	125	102	116	113	108	95	80	107
Female	1,179	94	96	95	75	91	115	116	92	111	89	88	117
White, both sexes	2,069	168	170	176	153	180	175	203	173	190	157	143	181
Male	1,055	87	94	94	83	105	78	106	93	91	79	67	78
Female	1,014	81	76	82	70	75	97	97	80	99	78	76	103
Black, both sexes	351	30	26	30	29	29	37	27	27	29	25	22	40
Male	213	19	11	18	26	18	22	10	17	17	15	12	28
Female	138	11	15	12	3	11	15	17	10	12	10	10	12
American Indian 1/, both sexes	29	4	4	-	4	5	2	1	3	-	2	3	1
Male	9	2	1	-	2	1	-	-	1	-	1	1	-
Female	20	2	3	-	2	4	2	1	2	-	1	2	1
Asian or Pacific Islander 2/, both sexes	16	-	3	2	1	2	3	1	2	-	-	-	2
Male	9	-	1	1	1	1	2	-	2	-	-	-	1
Female	7	-	2	1	-	1	1	1	-	-	-	-	1
Acute ischemic heart disease, unspecified (I24.9)													
All races, both sexes	690	72	52	64	58	56	45	59	51	54	62	52	65
Male	333	36	24	34	28	24	22	29	22	29	30	27	28
Female	357	36	28	30	30	32	23	30	29	25	32	25	37
White, both sexes	591	65	43	55	49	45	37	56	41	42	54	48	56
Male	281	34	17	29	25	20	17	28	18	22	26	24	21
Female	310	31	26	26	24	25	20	28	23	20	28	24	35
Black, both sexes	85	6	9	7	8	9	5	3	9	11	6	4	8
Male	43	2	7	4	3	3	3	1	3	6	2	3	6
Female	42	4	2	3	5	6	2	2	6	5	4	1	2
American Indian 1/, both sexes	8	-	-	2	-	1	1	-	1	1	1	-	1
Male	6	-	-	1	-	-	1	-	1	1	1	-	1
Female	2	-	-	1	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	6	1	-	-	1	1	2	-	-	-	1	-	-
Male	3	-	-	-	-	1	1	-	-	-	1	-	-
Female	3	1	-	-	1	-	1	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Chronic ischemic heart disease (I25)													
All races, both sexes	306,018	29,137	25,803	27,191	25,167	24,782	23,729	23,635	23,482	22,758	24,703	24,870	30,761
Male	155,086	14,697	12,989	13,780	12,760	12,833	12,004	12,067	11,893	11,562	12,442	12,553	15,506
Female	150,932	14,440	12,814	13,411	12,407	11,949	11,725	11,568	11,589	11,196	12,261	12,317	15,255
White, both sexes	268,651	25,579	22,636	23,870	22,072	21,788	20,786	20,708	20,569	19,923	21,643	21,812	27,265
Male	136,153	12,899	11,414	12,079	11,230	11,266	10,515	10,547	10,411	10,098	10,900	11,060	13,734
Female	132,498	12,680	11,222	11,791	10,842	10,522	10,271	10,161	10,158	9,825	10,743	10,752	13,531
Black, both sexes	31,368	2,990	2,669	2,786	2,573	2,505	2,457	2,461	2,437	2,391	2,567	2,582	2,950
Male	15,533	1,502	1,307	1,398	1,226	1,289	1,212	1,244	1,203	1,200	1,252	1,226	1,474
Female	15,835	1,488	1,362	1,388	1,347	1,216	1,245	1,217	1,234	1,191	1,315	1,356	1,476
American Indian 1/, both sexes	1,162	96	99	102	103	90	77	96	94	83	107	105	110
Male	688	55	53	57	70	54	44	60	60	48	68	58	61
Female	474	41	46	45	33	36	33	36	34	35	39	47	49
Asian or Pacific Islander 2/, both sexes	4,837	472	399	433	419	399	409	370	382	361	386	371	436
Male	2,712	241	215	246	234	224	233	216	219	216	222	209	237
Female	2,125	231	184	187	185	175	176	154	163	145	164	162	199
Atherosclerotic cardiovascular disease, so described (I25.0)													
All races, both sexes	67,232	6,327	5,603	5,811	5,452	5,394	5,227	5,351	5,252	5,101	5,298	5,599	6,817
Male	36,042	3,324	2,945	3,181	2,861	2,930	2,722	2,918	2,844	2,808	2,871	2,981	3,657
Female	31,190	3,003	2,658	2,630	2,591	2,464	2,505	2,433	2,408	2,293	2,427	2,618	3,160
White, both sexes	55,760	5,288	4,668	4,775	4,541	4,458	4,352	4,396	4,372	4,201	4,362	4,635	5,712
Male	29,560	2,742	2,420	2,584	2,366	2,400	2,240	2,375	2,327	2,288	2,327	2,462	3,029
Female	26,200	2,546	2,248	2,191	2,175	2,058	2,112	2,021	2,045	1,913	2,035	2,173	2,683
Black, both sexes	9,923	906	815	897	772	810	760	818	757	778	824	837	949
Male	5,543	501	452	518	410	455	412	466	432	444	470	445	538
Female	4,380	405	363	379	362	355	348	352	325	334	354	392	411
American Indian 1/, both sexes	358	28	26	28	40	24	25	31	27	33	25	33	38
Male	227	19	14	18	29	14	14	16	22	21	18	20	22
Female	131	9	12	10	11	10	11	15	5	12	7	13	16
Asian or Pacific Islander 2/, both sexes	1,191	105	94	111	99	102	90	106	96	89	87	94	118
Male	712	62	59	61	56	61	56	61	63	55	56	54	68
Female	479	43	35	50	43	41	34	45	33	34	31	40	50

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Atherosclerotic heart disease (I25.1)													
All races, both sexes	213,570	20,533	18,041	19,087	17,629	17,270	16,467	16,322	16,303	15,793	17,355	17,254	21,516
Male	104,753	10,060	8,814	9,273	8,696	8,691	8,127	8,019	7,959	7,726	8,446	8,461	10,481
Female	108,817	10,473	9,227	9,814	8,933	8,579	8,340	8,303	8,344	8,067	8,909	8,793	11,035
White, both sexes	190,313	18,235	16,074	17,054	15,659	15,407	14,587	14,564	14,466	14,070	15,429	15,373	19,395
Male	93,698	8,971	7,913	8,307	7,766	7,761	7,213	7,156	7,097	6,888	7,550	7,603	9,473
Female	96,615	9,264	8,161	8,747	7,893	7,646	7,374	7,408	7,369	7,182	7,879	7,770	9,922
Black, both sexes	19,251	1,895	1,628	1,688	1,618	1,541	1,541	1,460	1,518	1,441	1,582	1,559	1,780
Male	8,860	893	729	775	728	753	725	688	685	675	702	680	827
Female	10,391	1,002	899	913	890	788	816	772	833	766	880	879	953
American Indian 1/, both sexes	683	61	64	57	55	54	46	51	63	43	68	60	61
Male	392	32	34	30	37	33	27	34	35	23	42	32	33
Female	291	29	30	27	18	21	19	17	28	20	26	28	28
Asian or Pacific Islander 2/, both sexes	3,323	342	275	288	297	268	293	247	256	239	276	262	280
Male	1,803	164	138	161	165	144	162	141	142	140	152	146	148
Female	1,520	178	137	127	132	124	131	106	114	99	124	116	132
Old myocardial infarction (I25.2)													
All races, both sexes	211	20	20	24	13	18	15	15	16	10	10	19	31
Male	129	11	9	17	8	12	12	10	7	5	5	12	21
Female	82	9	11	7	5	6	3	5	9	5	5	7	10
White, both sexes	172	18	15	19	9	16	14	11	12	8	9	15	26
Male	106	11	7	13	5	12	11	7	5	4	4	10	17
Female	66	7	8	6	4	4	3	4	7	4	5	5	9
Black, both sexes	37	2	5	4	4	2	1	4	4	2	1	4	4
Male	22	-	2	3	3	-	1	3	2	1	1	2	4
Female	15	2	3	1	1	2	-	1	2	1	-	2	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	2	-	-	1	-	-	-	-	-	-	-	-	1
Male	1	-	-	1	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Aneurysm of heart (I25.3)													
All races, both sexes	86	6	8	7	6	4	10	6	4	5	11	8	11
Male	48	3	6	4	5	2	6	5	1	3	6	1	6
Female	38	3	2	3	1	2	4	1	3	2	5	7	5
White, both sexes	72	6	6	5	6	3	8	6	4	4	9	7	8
Male	45	3	5	4	5	2	6	5	1	3	6	1	4
Female	27	3	1	1	1	1	2	1	3	1	3	6	4
Black, both sexes	13	-	2	2	-	-	2	-	-	1	2	1	3
Male	3	-	1	-	-	-	-	-	-	-	-	-	2
Female	10	-	1	2	-	-	2	-	-	1	2	1	1
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-
Coronary artery aneurysm (I25.4)													
All races, both sexes	15	1	-	1	3	1	2	2	-	2	-	1	2
Male	7	-	-	-	1	1	-	1	-	2	-	-	2
Female	8	1	-	1	2	-	2	1	-	-	-	1	-
White, both sexes	12	1	-	1	2	1	2	2	-	1	-	1	1
Male	5	-	-	-	1	1	-	1	-	1	-	-	1
Female	7	1	-	1	1	-	2	1	-	-	-	1	-
Black, both sexes	2	-	-	-	1	-	-	-	-	-	-	-	1
Male	1	-	-	-	-	-	-	-	-	-	-	-	1
Female	1	-	-	-	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	-	-	1	-	-	-
Male	1	-	-	-	-	-	-	-	-	1	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Ischemic cardiomyopathy (I25.5)													
All races, both sexes	12,813	1,159	1,126	1,192	1,049	1,059	1,069	977	957	964	1,065	1,028	1,168
Male	7,678	718	678	733	650	647	618	589	585	561	609	604	686
Female	5,135	441	448	459	399	412	451	388	372	403	456	424	482
White, both sexes	11,753	1,070	1,013	1,101	969	970	995	887	870	889	979	944	1,066
Male	7,077	659	615	669	605	592	580	542	538	517	567	557	636
Female	4,676	411	398	432	364	378	415	345	332	372	412	387	430
Black, both sexes	861	72	97	69	64	68	60	75	71	57	72	74	82
Male	477	46	55	48	36	41	30	35	38	31	35	42	40
Female	384	26	42	21	28	27	30	40	33	26	37	32	42
American Indian 1/, both sexes	47	2	2	8	4	6	1	8	1	2	5	4	4
Male	25	2	-	6	2	2	-	5	1	2	2	1	2
Female	22	-	2	2	2	4	1	3	-	-	3	3	2
Asian or Pacific Islander 2/, both sexes	152	15	14	14	12	15	13	7	15	16	9	6	16
Male	99	11	8	10	7	12	8	7	8	11	5	4	8
Female	53	4	6	4	5	3	5	-	7	5	4	2	8
Other forms of chronic ischemic heart disease (I25.8)													
All races, both sexes	1,558	137	134	146	126	148	129	123	105	106	117	137	150
Male	779	67	66	74	58	79	69	68	42	52	56	64	84
Female	779	70	68	72	68	69	60	55	63	54	61	73	66
White, both sexes	1,397	126	120	127	120	136	115	109	93	86	105	129	131
Male	707	61	60	67	56	73	62	59	39	42	52	62	74
Female	690	65	60	60	64	63	53	50	54	44	53	67	57
Black, both sexes	113	10	9	12	4	10	11	10	7	9	10	6	15
Male	47	6	4	4	1	5	4	5	2	3	4	2	7
Female	66	4	5	8	3	5	7	5	5	6	6	4	8
American Indian 1/, both sexes	11	-	1	3	1	-	1	1	2	1	-	-	1
Male	7	-	1	-	1	-	1	1	1	1	-	-	1
Female	4	-	-	3	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes	37	1	4	4	1	2	2	3	3	10	2	2	3
Male	18	-	1	3	-	1	2	3	-	6	-	-	2
Female	19	1	3	1	1	1	-	-	3	4	2	2	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Chronic ischemic heart disease, unspecified (I25.9)													
All races, both sexes	10,533	954	871	923	889	888	810	839	845	777	847	824	1,066
Male	5,650	514	471	498	481	471	450	457	455	405	449	430	569
Female	4,883	440	400	425	408	417	360	382	390	372	398	394	497
White, both sexes	9,172	835	740	788	766	797	713	733	752	664	750	708	926
Male	4,955	452	394	435	426	425	403	402	404	355	394	365	500
Female	4,217	383	346	353	340	372	310	331	348	309	356	343	426
Black, both sexes	1,168	105	113	114	110	74	82	94	80	103	76	101	116
Male	580	56	64	50	48	35	40	47	44	46	40	55	55
Female	588	49	49	64	62	39	42	47	36	57	36	46	61
American Indian 1/, both sexes	63	5	6	6	3	6	4	5	1	4	9	8	6
Male	37	2	4	3	1	5	2	4	1	1	6	5	3
Female	26	3	2	3	2	1	2	1	-	3	3	3	3
Asian or Pacific Islander 2/, both sexes	130	9	12	15	10	11	11	7	12	6	12	7	18
Male	78	4	9	10	6	6	5	4	6	3	9	5	11
Female	52	5	3	5	4	5	6	3	6	3	3	2	7
Pulmonary embolism (I26)													
All races, both sexes	8,702	752	699	744	705	721	647	709	721	641	773	758	832
Male	3,736	342	295	316	283	294	260	318	323	285	333	320	367
Female	4,966	410	404	428	422	427	387	391	398	356	440	438	465
White, both sexes	7,092	603	586	609	561	596	526	589	601	518	616	613	674
Male	3,033	281	250	256	220	239	217	257	271	227	264	253	298
Female	4,059	322	336	353	341	357	309	332	330	291	352	360	376
Black, both sexes	1,521	142	105	127	135	117	116	113	116	115	147	141	147
Male	663	54	41	58	59	51	43	57	50	56	65	65	64
Female	858	88	64	69	76	66	73	56	66	59	82	76	83
American Indian 1/, both sexes	44	4	4	4	6	1	2	3	2	6	3	2	7
Male	21	4	2	1	2	1	-	3	1	2	1	-	4
Female	23	-	2	3	4	-	2	-	1	4	2	2	3
Asian or Pacific Islander 2/, both sexes	45	3	4	4	3	7	3	4	2	2	7	2	4
Male	19	3	2	1	2	3	-	1	1	-	3	2	1
Female	26	-	2	3	1	4	3	3	1	2	4	-	3

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Pulmonary embolism with mention of acute cor pulmonale (I26.0)													
All races, both sexes	12	-	2	2	1	1	1	-	2	2	1	-	-
Male	5	-	2	1	1	-	1	-	-	-	-	-	-
Female	7	-	-	1	-	1	-	-	2	2	1	-	-
White, both sexes	11	-	2	2	1	1	1	-	1	2	1	-	-
Male	5	-	2	1	1	-	1	-	-	-	-	-	-
Female	6	-	-	1	-	1	-	-	1	2	1	-	-
Black, both sexes	1	-	-	-	-	-	-	-	1	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Pulmonary embolism without mention of acute cor pulmonale (I26.9)													
All races, both sexes	8,690	752	697	742	704	720	646	709	719	639	772	758	832
Male	3,731	342	293	315	282	294	259	318	323	285	333	320	367
Female	4,959	410	404	427	422	426	387	391	396	354	439	438	465
White, both sexes	7,081	603	584	607	560	595	525	589	600	516	615	613	674
Male	3,028	281	248	255	219	239	216	257	271	227	264	253	298
Female	4,053	322	336	352	341	356	309	332	329	289	351	360	376
Black, both sexes	1,520	142	105	127	135	117	116	113	115	115	147	141	147
Male	663	54	41	58	59	51	43	57	50	56	65	65	64
Female	857	88	64	69	76	66	73	56	65	59	82	76	83
American Indian 1/, both sexes	44	4	4	4	6	1	2	3	2	6	3	2	7
Male	21	4	2	1	2	1	-	3	1	2	1	-	4
Female	23	-	2	3	4	-	2	-	1	4	2	2	3
Asian or Pacific Islander 2/, both sexes	45	3	4	4	3	7	3	4	2	2	7	2	4
Male	19	3	2	1	2	3	-	1	1	-	3	2	1
Female	26	-	2	3	1	4	3	3	1	2	4	-	3

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other pulmonary heart diseases (I27)													
All races, both sexes	5,218	487	406	484	461	431	398	407	394	420	444	419	467
Male	1,857	171	132	165	165	158	136	140	155	155	163	133	184
Female	3,361	316	274	319	296	273	262	267	239	265	281	286	283
White, both sexes	4,307	418	337	393	378	365	320	331	324	339	360	347	395
Male	1,555	150	110	134	145	134	108	112	129	125	135	113	160
Female	2,752	268	227	259	233	231	212	219	195	214	225	234	235
Black, both sexes	790	59	58	80	67	56	70	67	61	74	64	67	67
Male	270	20	19	27	16	23	25	26	23	27	22	19	23
Female	520	39	39	53	51	33	45	41	38	47	42	48	44
American Indian 1/, both sexes	28	3	2	3	1	3	2	3	2	1	6	2	-
Male	6	-	1	1	-	-	-	1	1	-	2	-	-
Female	22	3	1	2	1	3	2	2	1	1	4	2	-
Asian or Pacific Islander 2/, both sexes	93	7	9	8	15	7	6	6	7	6	14	3	5
Male	26	1	2	3	4	1	3	1	2	3	4	1	1
Female	67	6	7	5	11	6	3	5	5	3	10	2	4
Primary pulmonary hypertension (I27.0)													
All races, both sexes	826	92	49	71	76	67	60	74	70	78	71	66	52
Male	253	33	15	26	18	21	21	21	23	25	16	17	17
Female	573	59	34	45	58	46	39	53	47	53	55	49	35
White, both sexes	701	81	42	57	65	60	50	65	54	63	58	59	47
Male	216	29	13	19	18	19	15	16	19	21	15	16	16
Female	485	52	29	38	47	41	35	49	35	42	43	43	31
Black, both sexes	94	8	4	10	8	6	7	6	13	14	8	6	4
Male	29	3	1	6	-	2	4	3	3	4	1	1	1
Female	65	5	3	4	8	4	3	3	10	10	7	5	3
American Indian 1/, both sexes	11	1	1	1	-	1	1	1	2	-	2	1	-
Male	2	-	-	-	-	-	-	1	1	-	-	-	-
Female	9	1	1	1	-	1	1	-	1	-	2	1	-
Asian or Pacific Islander 2/, both sexes	20	2	2	3	3	-	2	2	1	1	3	-	1
Male	6	1	1	1	-	-	2	1	-	-	-	-	-
Female	14	1	1	2	3	-	-	1	1	1	3	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Kyphoscoliotic heart disease (I27.1)													
All races, both sexes	51	8	5	5	2	6	3	3	1	8	5	3	2
Male	8	1	-	2	-	1	-	-	-	1	2	-	1
Female	43	7	5	3	2	5	3	3	1	7	3	3	1
White, both sexes	48	7	4	5	2	6	3	3	1	7	5	3	2
Male	8	1	-	2	-	1	-	-	-	1	2	-	1
Female	40	6	4	3	2	5	3	3	1	6	3	3	1
Black, both sexes	2	-	1	-	-	-	-	-	-	1	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	1	-	-	-	-	-	-	1	-	-	-
American Indian 1/, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other secondary pulmonary hypertension (I27.2)													
All races, both sexes	2,984	262	248	290	256	234	225	238	223	231	261	249	267
Male	970	79	72	92	89	79	68	79	76	73	98	72	93
Female	2,014	183	176	198	167	155	157	159	147	158	163	177	174
White, both sexes	2,375	213	200	225	202	186	175	190	180	179	203	205	217
Male	780	66	58	73	72	60	56	65	59	55	78	61	77
Female	1,595	147	142	152	130	126	119	125	121	124	125	144	140
Black, both sexes	541	44	42	59	44	43	46	43	38	48	46	41	47
Male	174	13	13	16	13	19	11	14	16	16	16	11	16
Female	367	31	29	43	31	24	35	29	22	32	30	30	31
American Indian 1/, both sexes	11	1	1	1	-	2	-	1	-	1	3	1	-
Male	4	-	1	1	-	-	-	-	-	-	2	-	-
Female	7	1	-	-	-	2	-	1	-	1	1	1	-
Asian or Pacific Islander 2/, both sexes	57	4	5	5	10	3	4	4	5	3	9	2	3
Male	12	-	-	2	4	-	1	-	1	2	2	-	-
Female	45	4	5	3	6	3	3	4	4	1	7	2	3

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other specified pulmonary heart diseases (I27.8)													
All races, both sexes	70	10	1	10	4	3	7	4	5	12	6	3	5
Male	34	5	-	4	2	1	5	1	3	6	4	2	1
Female	36	5	1	6	2	2	2	3	2	6	2	1	4
White, both sexes	65	10	1	10	4	3	6	3	4	11	6	2	5
Male	31	5	-	4	2	1	4	1	2	6	4	1	1
Female	34	5	1	6	2	2	2	2	2	5	2	1	4
Black, both sexes	5	-	-	-	-	-	1	1	1	1	-	1	-
Male	3	-	-	-	-	-	1	-	1	-	-	1	-
Female	2	-	-	-	-	-	-	1	-	1	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Pulmonary heart disease, unspecified (I27.9)													
All races, both sexes	1,287	115	103	108	123	121	103	88	95	91	101	98	141
Male	592	53	45	41	56	56	42	39	53	50	43	42	72
Female	695	62	58	67	67	65	61	49	42	41	58	56	69
White, both sexes	1,118	107	90	96	105	110	86	70	85	79	88	78	124
Male	520	49	39	36	53	53	33	30	49	42	36	35	65
Female	598	58	51	60	52	57	53	40	36	37	52	43	59
Black, both sexes	148	7	11	11	15	7	16	17	9	10	10	19	16
Male	64	4	5	5	3	2	9	9	3	7	5	6	6
Female	84	3	6	6	12	5	7	8	6	3	5	13	10
American Indian 1/, both sexes	5	-	-	1	1	-	1	1	-	-	1	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	5	-	-	1	1	-	1	1	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes	16	1	2	-	2	4	-	-	1	2	2	1	1
Male	8	-	1	-	-	1	-	-	1	1	2	1	1
Female	8	1	1	-	2	3	-	-	-	1	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other diseases of pulmonary vessels (I28)													
All races, both sexes	69	5	8	5	9	5	2	3	7	4	6	6	9
Male	35	3	6	3	3	1	2	1	3	4	2	2	5
Female	34	2	2	2	6	4	-	2	4	-	4	4	4
White, both sexes	57	3	8	4	8	5	2	2	4	4	4	4	9
Male	28	1	6	2	2	1	2	1	1	4	2	1	5
Female	29	2	2	2	6	4	-	1	3	-	2	3	4
Black, both sexes	10	2	-	-	1	-	-	-	3	-	2	2	-
Male	6	2	-	-	1	-	-	-	2	-	-	1	-
Female	4	-	-	-	-	-	-	-	1	-	2	1	-
American Indian 1/, both sexes	2	-	-	1	-	-	-	1	-	-	-	-	-
Male	1	-	-	1	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Arteriovenous fistula of pulmonary vessels (I28.0)													
All races, both sexes	1	-	-	-	-	-	-	-	-	-	-	1	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-
White, both sexes	1	-	-	-	-	-	-	-	-	-	-	1	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Aneurysm of pulmonary artery (I28.1)													
All races, both sexes	18	-	2	-	2	2	-	-	3	3	1	1	4
Male	12	-	2	-	-	-	-	-	1	3	1	1	4
Female	6	-	-	-	2	2	-	-	2	-	-	-	-
White, both sexes	16	-	2	-	2	2	-	-	2	3	1	-	4
Male	10	-	2	-	-	-	-	-	-	3	1	-	4
Female	6	-	-	-	2	2	-	-	2	-	-	-	-
Black, both sexes	2	-	-	-	-	-	-	-	1	-	-	1	-
Male	2	-	-	-	-	-	-	-	1	-	-	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other specified diseases of pulmonary vessels (I28.8)													
All races, both sexes	22	3	2	3	3	1	-	1	2	-	4	-	3
Male	11	2	2	2	2	1	-	-	1	-	1	-	-
Female	11	1	-	1	1	-	-	1	1	-	3	-	3
White, both sexes	15	1	2	3	2	1	-	1	-	-	2	-	3
Male	7	-	2	2	1	1	-	-	-	-	1	-	-
Female	8	1	-	1	1	-	-	1	-	-	1	-	3
Black, both sexes	7	2	-	-	1	-	-	-	2	-	2	-	-
Male	4	2	-	-	1	-	-	-	1	-	-	-	-
Female	3	-	-	-	-	-	-	-	1	-	2	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Disease of pulmonary vessels, unspecified (I28.9)													
All races, both sexes	28	2	4	2	4	2	2	2	2	1	1	4	2
Male	12	1	2	1	1	-	2	1	1	1	-	1	1
Female	16	1	2	1	3	2	-	1	1	-	1	3	1
White, both sexes	25	2	4	1	4	2	2	1	2	1	1	3	2
Male	11	1	2	-	1	-	2	1	1	1	-	1	1
Female	14	1	2	1	3	2	-	-	1	-	1	2	1
Black, both sexes	1	-	-	-	-	-	-	-	-	-	-	1	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-
American Indian 1/, both sexes	2	-	-	1	-	-	-	1	-	-	-	-	-
Male	1	-	-	1	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute pericarditis (I30)													
All races, both sexes	63	7	7	4	2	8	7	2	1	4	10	6	5
Male	38	6	4	-	1	3	4	2	-	4	8	3	3
Female	25	1	3	4	1	5	3	-	1	-	2	3	2
White, both sexes	49	6	6	3	2	6	5	2	-	2	9	4	4
Male	33	5	4	-	1	3	4	2	-	2	7	2	3
Female	16	1	2	3	1	3	1	-	-	-	2	2	1
Black, both sexes	11	1	1	-	-	1	2	-	1	2	1	2	-
Male	5	1	-	-	-	-	-	-	-	2	1	1	-
Female	6	-	1	-	-	1	2	-	1	-	-	1	-
American Indian 1/, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	2	-	-	-	-	1	-	-	-	-	-	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	1	-	-	-	-	-	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Acute nonspecific idiopathic pericarditis (I30.0)													
All races, both sexes	4	-	1	1	-	-	-	-	-	1	-	1	-
Male	3	-	1	-	-	-	-	-	-	1	-	1	-
Female	1	-	-	1	-	-	-	-	-	-	-	-	-
White, both sexes	3	-	1	1	-	-	-	-	-	-	-	1	-
Male	2	-	1	-	-	-	-	-	-	-	-	1	-
Female	1	-	-	1	-	-	-	-	-	-	-	-	-
Black, both sexes	1	-	-	-	-	-	-	-	-	1	-	-	-
Male	1	-	-	-	-	-	-	-	-	1	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Infective pericarditis (I30.1)													
All races, both sexes	29	5	3	-	2	2	4	1	-	-	5	3	4
Male	20	5	3	-	1	1	3	1	-	-	3	1	2
Female	9	-	-	-	1	1	1	-	-	-	2	2	2
White, both sexes	27	4	3	-	2	2	4	1	-	-	5	3	3
Male	19	4	3	-	1	1	3	1	-	-	3	1	2
Female	8	-	-	-	1	1	1	-	-	-	2	2	1
Black, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other forms of acute pericarditis (I30.8)													
All races, both sexes	11	-	1	1	-	3	-	-	-	2	3	1	-
Male	6	-	-	-	-	1	-	-	-	2	3	-	-
Female	5	-	1	1	-	2	-	-	-	-	-	1	-
White, both sexes	7	-	-	-	-	2	-	-	-	2	3	-	-
Male	6	-	-	-	-	1	-	-	-	2	3	-	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-
Black, both sexes	3	-	1	-	-	1	-	-	-	-	-	1	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	3	-	1	-	-	1	-	-	-	-	-	1	-
American Indian 1/, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute pericarditis, unspecified (I30.9)													
All races, both sexes	19	2	2	2	-	3	3	1	1	1	2	1	1
Male	9	1	-	-	-	1	1	1	-	1	2	1	1
Female	10	1	2	2	-	2	2	-	1	-	-	-	-
White, both sexes	12	2	2	2	-	2	1	1	-	-	1	-	1
Male	6	1	-	-	-	1	1	1	-	-	1	-	1
Female	6	1	2	2	-	1	-	-	-	-	-	-	-
Black, both sexes	6	-	-	-	-	-	2	-	1	1	1	1	-
Male	3	-	-	-	-	-	-	-	-	1	1	1	-
Female	3	-	-	-	-	-	2	-	1	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other diseases of pericardium (I31)													
All races, both sexes	508	33	48	54	41	49	38	35	42	44	33	44	47
Male	250	12	26	23	25	31	17	15	19	23	16	21	22
Female	258	21	22	31	16	18	21	20	23	21	17	23	25
White, both sexes	421	26	41	42	36	41	35	27	37	30	29	35	42
Male	209	8	22	17	23	25	16	12	18	19	15	15	19
Female	212	18	19	25	13	16	19	15	19	11	14	20	23
Black, both sexes	76	7	6	10	5	7	3	7	4	10	4	8	5
Male	35	4	3	5	2	6	1	3	-	2	1	5	3
Female	41	3	3	5	3	1	2	4	4	8	3	3	2
American Indian 1/, both sexes	3	-	-	1	-	-	-	-	1	1	-	-	-
Male	3	-	-	1	-	-	-	-	1	1	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	8	-	1	1	-	1	-	1	-	3	-	1	-
Male	3	-	1	-	-	-	-	-	-	1	-	1	-
Female	5	-	-	1	-	1	-	1	-	2	-	-	-
Chronic adhesive pericarditis (I31.0)													
All races, both sexes	6	1	-	2	1	-	-	1	-	-	-	-	1
Male	4	1	-	2	1	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	1	-	-	-	-	1
White, both sexes	6	1	-	2	1	-	-	1	-	-	-	-	1
Male	4	1	-	2	1	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	1	-	-	-	-	1
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Chronic constrictive pericarditis (I31.1)													
All races, both sexes	65	3	4	3	7	9	3	4	11	4	3	10	4
Male	41	2	3	2	5	6	3	2	6	4	1	6	1
Female	24	1	1	1	2	3	-	2	5	-	2	4	3
White, both sexes	58	1	4	3	6	9	3	4	10	3	3	8	4
Male	38	1	3	2	5	6	3	2	6	3	1	5	1
Female	20	-	1	1	1	3	-	2	4	-	2	3	3
Black, both sexes	7	2	-	-	1	-	-	-	1	1	-	2	-
Male	3	1	-	-	-	-	-	-	-	1	-	1	-
Female	4	1	-	-	1	-	-	-	1	-	-	1	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemopericardium, not elsewhere classified (I31.2)													
All races, both sexes	35	2	7	3	2	4	3	2	-	4	2	2	4
Male	16	1	3	1	1	1	2	1	-	3	1	1	1
Female	19	1	4	2	1	3	1	1	-	1	1	1	3
White, both sexes	31	1	5	3	2	4	3	2	-	4	2	1	4
Male	14	-	3	1	1	1	2	1	-	3	1	-	1
Female	17	1	2	2	1	3	1	1	-	1	1	1	3
Black, both sexes	4	1	2	-	-	-	-	-	-	-	-	1	-
Male	2	1	-	-	-	-	-	-	-	-	-	1	-
Female	2	-	2	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Pericardial effusion (noninflammatory) (I31.3)													
All races, both sexes	166	12	9	18	13	15	15	14	12	16	14	15	13
Male	69	4	5	6	6	9	7	4	4	7	6	6	5
Female	97	8	4	12	7	6	8	10	8	9	8	9	8
White, both sexes	136	11	7	14	12	11	12	11	9	10	14	14	11
Male	53	3	3	3	6	6	6	2	4	5	6	5	4
Female	83	8	4	11	6	5	6	9	5	5	8	9	7
Black, both sexes	26	1	1	3	1	4	3	3	3	5	-	-	2
Male	12	1	1	2	-	3	1	2	-	1	-	-	1
Female	14	-	-	1	1	1	2	1	3	4	-	-	1
American Indian 1/, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	1	-	-	1	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	3	-	1	-	-	-	-	-	-	1	-	1	-
Male	3	-	1	-	-	-	-	-	-	1	-	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other specified diseases of pericardium (I31.8)													
All races, both sexes	3	-	-	-	-	2	-	1	-	-	-	-	-
Male	3	-	-	-	-	2	-	1	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	2	-	-	-	-	1	-	1	-	-	-	-	-
Male	2	-	-	-	-	1	-	1	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Disease of pericardium, unspecified (I31.9)													
All races, both sexes	233	15	28	28	18	19	17	13	19	20	14	17	25
Male	117	4	15	12	12	13	5	7	9	9	8	8	15
Female	116	11	13	16	6	6	12	6	10	11	6	9	10
White, both sexes	189	12	25	20	15	16	17	9	18	13	10	12	22
Male	99	3	13	9	10	11	5	7	8	8	7	5	13
Female	90	9	12	11	5	5	12	2	10	5	3	7	9
Black, both sexes	37	3	3	7	3	2	-	3	-	4	4	5	3
Male	16	1	2	3	2	2	-	-	-	-	1	3	2
Female	21	2	1	4	1	-	-	3	-	4	3	2	1
American Indian 1/, both sexes	2	-	-	-	-	-	-	-	1	1	-	-	-
Male	2	-	-	-	-	-	-	-	1	1	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	5	-	-	1	-	1	-	1	-	2	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	5	-	-	1	-	1	-	1	-	2	-	-	-
Acute and subacute endocarditis (I33)													
All races, both sexes	1,245	118	103	109	98	90	87	102	100	96	111	108	123
Male	682	57	52	65	53	54	51	57	56	54	59	55	69
Female	563	61	51	44	45	36	36	45	44	42	52	53	54
White, both sexes	990	94	74	88	79	78	66	82	81	72	85	88	103
Male	541	47	43	48	37	51	40	46	45	38	44	45	57
Female	449	47	31	40	42	27	26	36	36	34	41	43	46
Black, both sexes	225	22	28	17	15	10	16	18	15	21	25	20	18
Male	122	9	9	14	12	3	6	10	9	15	14	10	11
Female	103	13	19	3	3	7	10	8	6	6	11	10	7
American Indian 1/, both sexes	12	2	1	2	1	-	1	1	2	2	-	-	-
Male	7	1	-	2	1	-	1	1	1	-	-	-	-
Female	5	1	1	-	-	-	-	-	1	2	-	-	-
Asian or Pacific Islander 2/, both sexes	18	-	-	2	3	2	4	1	2	1	1	-	2
Male	12	-	-	1	3	-	4	-	1	1	1	-	1
Female	6	-	-	1	-	2	-	1	1	-	-	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Acute and subacute infective endocarditis (I33.0)													
All races, both sexes	1,200	114	102	107	94	88	83	99	94	92	106	102	119
Male	656	54	52	63	50	53	49	56	52	50	56	53	68
Female	544	60	50	44	44	35	34	43	42	42	50	49	51
White, both sexes	960	91	74	87	78	77	64	79	77	70	80	83	100
Male	525	45	43	47	37	50	39	45	42	36	41	44	56
Female	435	46	31	40	41	27	25	34	35	34	39	39	44
Black, both sexes	211	21	27	16	13	9	14	18	13	19	25	19	17
Male	113	8	9	13	10	3	5	10	8	13	14	9	11
Female	98	13	18	3	3	6	9	8	5	6	11	10	6
American Indian 1/, both sexes	12	2	1	2	1	-	1	1	2	2	-	-	-
Male	7	1	-	2	1	-	1	1	1	-	-	-	-
Female	5	1	1	-	-	-	-	-	1	2	-	-	-
Asian or Pacific Islander 2/, both sexes	17	-	-	2	2	2	4	1	2	1	1	-	2
Male	11	-	-	1	2	-	4	-	1	1	1	-	1
Female	6	-	-	1	-	2	-	1	1	-	-	-	1
Acute endocarditis, unspecified (I33.9)													
All races, both sexes	45	4	1	2	4	2	4	3	6	4	5	6	4
Male	26	3	-	2	3	1	2	1	4	4	3	2	1
Female	19	1	1	-	1	1	2	2	2	-	2	4	3
White, both sexes	30	3	-	1	1	1	2	3	4	2	5	5	3
Male	16	2	-	1	-	1	1	1	3	2	3	1	1
Female	14	1	-	-	1	-	1	2	1	-	2	4	2
Black, both sexes	14	1	1	1	2	1	2	-	2	2	-	1	1
Male	9	1	-	1	2	-	1	-	1	2	-	1	-
Female	5	-	1	-	-	1	1	-	1	-	-	-	1
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	1	-	-	-	-	-	-	-	-
Male	1	-	-	-	1	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Nonrheumatic mitral valve disorders (I34)													
All races, both sexes	2,542	246	220	233	200	212	195	206	186	212	238	189	205
Male	893	96	80	79	65	70	68	72	70	70	85	75	63
Female	1,649	150	140	154	135	142	127	134	116	142	153	114	142
White, both sexes	2,316	220	210	213	180	193	174	180	169	204	212	173	188
Male	810	88	76	74	57	63	59	62	63	65	74	70	59
Female	1,506	132	134	139	123	130	115	118	106	139	138	103	129
Black, both sexes	178	25	9	15	17	13	14	19	12	8	21	12	13
Male	65	8	4	3	7	5	5	8	5	5	10	4	1
Female	113	17	5	12	10	8	9	11	7	3	11	8	12
American Indian 1/, both sexes	9	-	1	2	-	1	-	2	-	-	1	1	1
Male	3	-	-	1	-	-	-	1	-	-	-	-	1
Female	6	-	1	1	-	1	-	1	-	-	1	1	-
Asian or Pacific Islander 2/, both sexes	39	1	-	3	3	5	7	5	5	-	4	3	3
Male	15	-	-	1	1	2	4	1	2	-	1	1	2
Female	24	1	-	2	2	3	3	4	3	-	3	2	1
Mitral (valve) insufficiency (I34.0)													
All races, both sexes	2,061	194	180	188	167	179	162	170	146	172	189	151	163
Male	699	70	62	66	53	57	54	60	57	51	64	59	46
Female	1,362	124	118	122	114	122	108	110	89	121	125	92	117
White, both sexes	1,881	175	171	170	152	164	146	148	130	166	170	140	149
Male	637	66	58	61	46	52	48	53	50	47	58	55	43
Female	1,244	109	113	109	106	112	98	95	80	119	112	85	106
Black, both sexes	139	18	8	13	12	11	10	16	12	6	14	8	11
Male	48	4	4	3	6	4	3	6	5	4	5	3	1
Female	91	14	4	10	6	7	7	10	7	2	9	5	10
American Indian 1/, both sexes	8	-	1	2	-	1	-	1	-	-	1	1	1
Male	2	-	-	1	-	-	-	-	-	-	-	-	1
Female	6	-	1	1	-	1	-	1	-	-	1	1	-
Asian or Pacific Islander 2/, both sexes	33	1	-	3	3	3	6	5	4	-	4	2	2
Male	12	-	-	1	1	1	3	1	2	-	1	1	1
Female	21	1	-	2	2	2	3	4	2	-	3	1	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Mitral (valve) prolapse (I34.1)													
All races, both sexes	246	20	17	24	16	17	19	25	21	24	24	20	19
Male	94	7	6	7	5	7	9	6	7	11	10	10	9
Female	152	13	11	17	11	10	10	19	14	13	14	10	10
White, both sexes	228	18	17	23	13	15	16	23	21	23	21	19	19
Male	86	6	6	7	4	6	7	5	7	11	8	10	9
Female	142	12	11	16	9	9	9	18	14	12	13	9	10
Black, both sexes	18	2	-	1	3	2	3	2	-	1	3	1	-
Male	8	1	-	-	1	1	2	1	-	-	2	-	-
Female	10	1	-	1	2	1	1	1	-	1	1	1	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Nonrheumatic mitral (valve) stenosis (I34.2)													
All races, both sexes	21	1	6	2	3	2	-	-	1	-	5	-	1
Male	5	-	3	-	1	-	-	-	-	-	1	-	-
Female	16	1	3	2	2	2	-	-	1	-	4	-	1
White, both sexes	19	1	6	2	2	2	-	-	1	-	4	-	1
Male	4	-	3	-	1	-	-	-	-	-	-	-	-
Female	15	1	3	2	1	2	-	-	1	-	4	-	1
Black, both sexes	2	-	-	-	1	-	-	-	-	-	1	-	-
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	1	-	-	-	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other nonrheumatic mitral valve disorders (I34.8)													
All races, both sexes	114	16	6	7	8	8	12	4	10	10	13	8	12
Male	54	12	3	2	4	3	4	3	3	4	6	3	7
Female	60	4	3	5	4	5	8	1	7	6	7	5	5
White, both sexes	102	13	5	7	8	7	11	2	10	10	11	7	11
Male	47	10	3	2	4	3	4	1	3	4	5	2	6
Female	55	3	2	5	4	4	7	1	7	6	6	5	5
Black, both sexes	9	3	1	-	-	-	1	1	-	-	2	1	-
Male	5	2	-	-	-	-	-	1	-	-	1	1	-
Female	4	1	1	-	-	-	1	-	-	-	1	-	-
American Indian 1/, both sexes	1	-	-	-	-	-	-	1	-	-	-	-	-
Male	1	-	-	-	-	-	-	1	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	2	-	-	-	-	1	-	-	-	-	-	-	1
Male	1	-	-	-	-	-	-	-	-	-	-	-	1
Female	1	-	-	-	-	1	-	-	-	-	-	-	-
Nonrheumatic mitral valve disorder, unspecified (I34.9)													
All races, both sexes	100	15	11	12	6	6	2	7	8	6	7	10	10
Male	41	7	6	4	2	3	1	3	3	4	4	3	1
Female	59	8	5	8	4	3	1	4	5	2	3	7	9
White, both sexes	86	13	11	11	5	5	1	7	7	5	6	7	8
Male	36	6	6	4	2	2	-	3	3	3	3	3	1
Female	50	7	5	7	3	3	1	4	4	2	3	4	7
Black, both sexes	10	2	-	1	1	-	-	-	-	1	1	2	2
Male	3	1	-	-	-	-	-	-	-	1	1	-	-
Female	7	1	-	1	1	-	-	-	-	-	-	2	2
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	4	-	-	-	-	1	1	-	1	-	-	1	-
Male	2	-	-	-	-	1	1	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	1	-	-	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Nonrheumatic aortic valve disorders (I35)													
All races, both sexes	12,548	1,147	1,103	1,142	1,003	1,026	1,035	966	968	909	1,007	1,022	1,220
Male	4,951	468	423	479	410	390	405	369	382	366	398	393	468
Female	7,597	679	680	663	593	636	630	597	586	543	609	629	752
White, both sexes	11,802	1,079	1,025	1,086	942	964	983	905	893	849	958	959	1,159
Male	4,648	447	396	452	387	369	383	342	350	343	371	367	441
Female	7,154	632	629	634	555	595	600	563	543	506	587	592	718
Black, both sexes	574	55	56	41	44	52	44	44	59	48	37	50	44
Male	225	16	20	16	16	16	19	21	24	18	20	21	18
Female	349	39	36	25	28	36	25	23	35	30	17	29	26
American Indian 1/, both sexes	36	3	5	4	3	4	1	4	2	2	3	1	4
Male	23	2	4	3	2	2	-	2	2	1	3	-	2
Female	13	1	1	1	1	2	1	2	-	1	-	1	2
Asian or Pacific Islander 2/, both sexes	136	10	17	11	14	6	7	13	14	10	9	12	13
Male	55	3	3	8	5	3	3	4	6	4	4	5	7
Female	81	7	14	3	9	3	4	9	8	6	5	7	6
Aortic (valve) stenosis (I35.0)													
All races, both sexes	10,357	942	917	963	815	844	836	777	796	748	830	837	1,052
Male	3,842	365	337	384	313	296	304	271	297	279	301	297	398
Female	6,515	577	580	579	502	548	532	506	499	469	529	540	654
White, both sexes	9,834	898	861	918	777	796	803	735	741	708	799	796	1,002
Male	3,658	353	321	364	301	280	293	255	277	265	287	284	378
Female	6,176	545	540	554	476	516	510	480	464	443	512	512	624
Black, both sexes	394	34	40	35	27	38	27	27	44	31	24	32	35
Male	129	9	12	13	7	11	9	11	14	11	10	10	12
Female	265	25	28	22	20	27	18	16	30	20	14	22	23
American Indian 1/, both sexes	23	3	2	3	1	4	1	3	-	2	1	-	3
Male	13	2	1	2	1	2	-	1	-	1	1	-	2
Female	10	1	1	1	-	2	1	2	-	1	-	-	1
Asian or Pacific Islander 2/, both sexes	106	7	14	7	10	6	5	12	11	7	6	9	12
Male	42	1	3	5	4	3	2	4	6	2	3	3	6
Female	64	6	11	2	6	3	3	8	5	5	3	6	6

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Aortic (valve) insufficiency (I35.1)													
All races, both sexes	544	55	49	40	51	37	60	43	34	47	45	43	40
Male	254	26	19	19	22	22	26	22	16	23	26	20	13
Female	290	29	30	21	29	15	34	21	18	24	19	23	27
White, both sexes	470	47	43	36	43	31	57	37	28	39	38	36	35
Male	213	23	16	15	16	20	25	18	13	19	22	16	10
Female	257	24	27	21	27	11	32	19	15	20	16	20	25
Black, both sexes	57	6	6	1	6	6	3	6	4	6	5	4	4
Male	32	2	3	1	5	2	1	4	2	2	4	3	3
Female	25	4	3	-	1	4	2	2	2	4	1	1	1
American Indian 1/, both sexes	4	-	-	1	-	-	-	-	1	-	-	1	1
Male	2	-	-	1	-	-	-	-	1	-	-	-	-
Female	2	-	-	-	-	-	-	-	-	-	-	1	1
Asian or Pacific Islander 2/, both sexes	13	2	-	2	2	-	-	-	1	2	2	2	-
Male	7	1	-	2	1	-	-	-	-	2	-	1	-
Female	6	1	-	-	1	-	-	-	1	-	2	1	-
Aortic (valve) stenosis with insufficiency (I35.2)													
All races, both sexes	70	4	9	8	3	5	3	7	6	5	7	8	5
Male	33	2	4	4	1	2	2	2	1	4	3	5	3
Female	37	2	5	4	2	3	1	5	5	1	4	3	2
White, both sexes	65	3	9	7	3	5	3	7	6	5	6	6	5
Male	31	2	4	4	1	2	2	2	1	4	2	4	3
Female	34	1	5	3	2	3	1	5	5	1	4	2	2
Black, both sexes	5	1	-	1	-	-	-	-	-	-	1	2	-
Male	2	-	-	-	-	-	-	-	-	-	1	1	-
Female	3	1	-	1	-	-	-	-	-	-	-	1	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other aortic valve disorders (I35.8)													
All races, both sexes	197	18	14	13	16	19	21	15	19	18	22	15	7
Male	124	12	10	6	12	11	14	9	11	12	15	10	2
Female	73	6	4	7	4	8	7	6	8	6	7	5	5
White, both sexes	157	14	9	13	11	18	14	11	15	15	19	11	7
Male	96	10	9	6	9	10	9	6	7	10	12	6	2
Female	61	4	-	7	2	8	5	5	8	5	7	5	5
Black, both sexes	33	4	2	-	4	1	6	3	4	3	2	4	-
Male	26	2	1	-	3	1	5	2	4	2	2	4	-
Female	7	2	1	-	1	-	1	1	-	1	-	-	-
American Indian 1/, both sexes	3	-	-	-	1	-	-	1	-	-	1	-	-
Male	2	-	-	-	-	-	-	1	-	-	1	-	-
Female	1	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	4	-	3	-	-	-	1	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	4	-	3	-	-	-	1	-	-	-	-	-	-
Aortic valve disorder, unspecified (I35.9)													
All races, both sexes	1,380	128	114	118	118	121	115	124	113	91	103	119	116
Male	698	63	53	66	62	59	59	65	57	48	53	61	52
Female	682	65	61	52	56	62	56	59	56	43	50	58	64
White, both sexes	1,276	117	103	112	108	114	106	115	103	82	96	110	110
Male	650	59	46	63	60	57	54	61	52	45	48	57	48
Female	626	58	57	49	48	57	52	54	51	37	48	53	62
Black, both sexes	85	10	8	4	7	7	8	8	7	8	5	8	5
Male	36	3	4	2	1	2	4	4	4	3	3	3	3
Female	49	7	4	2	6	5	4	4	3	5	2	5	2
American Indian 1/, both sexes	6	-	3	-	1	-	-	-	1	-	1	-	-
Male	6	-	3	-	1	-	-	-	1	-	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	13	1	-	2	2	-	1	1	2	1	1	1	1
Male	6	1	-	1	-	-	1	-	-	-	1	1	1
Female	7	-	-	1	2	-	-	1	2	1	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Nonrheumatic tricuspid valve disorders (I36)													
All races, both sexes	16	1	-	1	2	2	2	1	3	2	1	-	1
Male	2	-	-	-	-	1	-	-	1	-	-	-	-
Female	14	1	-	1	2	1	2	1	2	2	1	-	1
White, both sexes	14	1	-	1	1	2	2	-	3	2	1	-	1
Male	2	-	-	-	-	1	-	-	1	-	-	-	-
Female	12	1	-	1	1	1	2	-	2	2	1	-	1
Black, both sexes	2	-	-	-	1	-	-	1	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	1	-	-	1	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Nonrheumatic tricuspid (valve) insufficiency (I36.1)													
All races, both sexes	13	1	-	1	2	1	2	1	3	2	-	-	-
Male	1	-	-	-	-	-	-	-	1	-	-	-	-
Female	12	1	-	1	2	1	2	1	2	2	-	-	-
White, both sexes	11	1	-	1	1	1	2	-	3	2	-	-	-
Male	1	-	-	-	-	-	-	-	1	-	-	-	-
Female	10	1	-	1	1	1	2	-	2	2	-	-	-
Black, both sexes	2	-	-	-	1	-	-	1	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	1	-	-	1	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other nonrheumatic tricuspid valve disorders (I36.8)													
All races, both sexes	2	-	-	-	-	1	-	-	-	-	-	-	1
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	1
White, both sexes	2	-	-	-	-	1	-	-	-	-	-	-	1
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	1
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Nonrheumatic tricuspid valve disorder, unspecified (I36.9)													
All races, both sexes	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
White, both sexes	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Pulmonary valve disorders (I37)													
All races, both sexes	7	2	-	1	-	1	-	-	-	-	2	1	-
Male	4	1	-	-	-	1	-	-	-	-	2	-	-
Female	3	1	-	1	-	-	-	-	-	-	-	1	-
White, both sexes	6	1	-	1	-	1	-	-	-	-	2	1	-
Male	3	-	-	-	-	1	-	-	-	-	2	-	-
Female	3	1	-	1	-	-	-	-	-	-	-	1	-
Black, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Pulmonary valve stenosis (I37.0)													
All races, both sexes	3	1	-	-	-	1	-	-	-	-	1	-	-
Male	2	-	-	-	-	1	-	-	-	-	1	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	3	1	-	-	-	1	-	-	-	-	1	-	-
Male	2	-	-	-	-	1	-	-	-	-	1	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Pulmonary valve insufficiency (I37.1)													
All races, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other pulmonary valve disorders (I37.8)													
All races, both sexes	3	-	-	1	-	-	-	-	-	-	1	1	-
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	2	-	-	1	-	-	-	-	-	-	-	1	-
White, both sexes	3	-	-	1	-	-	-	-	-	-	1	1	-
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	2	-	-	1	-	-	-	-	-	-	-	1	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Endocarditis, valve unspecified (I38)													
All races, both sexes	4,943	456	417	438	442	412	384	376	392	378	434	402	412
Male	1,917	173	168	156	170	173	142	157	150	136	171	157	164
Female	3,026	283	249	282	272	239	242	219	242	242	263	245	248
White, both sexes	4,331	409	363	392	400	363	329	318	348	331	369	359	350
Male	1,646	152	140	146	151	148	120	137	128	115	138	140	131
Female	2,685	257	223	246	249	215	209	181	220	216	231	219	219
Black, both sexes	523	42	48	38	37	45	46	46	37	40	50	40	54
Male	237	20	25	7	16	24	21	17	20	16	25	16	30
Female	286	22	23	31	21	21	25	29	17	24	25	24	24
American Indian 1/, both sexes	15	-	1	2	1	1	-	2	-	2	4	-	2
Male	7	-	1	1	1	-	-	1	-	1	2	-	-
Female	8	-	-	1	-	1	-	1	-	1	2	-	2
Asian or Pacific Islander 2/, both sexes	74	5	5	6	4	3	9	10	7	5	11	3	6
Male	27	1	2	2	2	1	1	2	2	4	6	1	3
Female	47	4	3	4	2	2	8	8	5	1	5	2	3
Acute myocarditis (I40)													
All races, both sexes	297	26	28	30	22	24	20	23	24	20	22	26	32
Male	161	16	17	19	17	10	11	15	14	8	10	12	12
Female	136	10	11	11	5	14	9	8	10	12	12	14	20
White, both sexes	207	19	15	23	13	18	15	11	19	13	13	21	27
Male	117	12	8	16	10	6	8	9	11	6	9	10	12
Female	90	7	7	7	3	12	7	2	8	7	4	11	15
Black, both sexes	81	6	13	6	8	5	4	10	4	7	8	5	5
Male	41	4	9	3	6	4	3	5	2	2	1	2	-
Female	40	2	4	3	2	1	1	5	2	5	7	3	5
American Indian 1/, both sexes	2	-	-	-	1	-	-	1	-	-	-	-	-
Male	2	-	-	-	1	-	-	1	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	7	1	-	1	-	1	1	1	1	-	1	-	-
Male	1	-	-	-	-	-	-	-	1	-	-	-	-
Female	6	1	-	1	-	1	1	1	-	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Infective myocarditis (I40.0)													
All races, both sexes	212	20	20	25	17	18	14	17	16	12	17	16	20
Male	116	12	13	16	13	7	6	11	11	6	8	6	7
Female	96	8	7	9	4	11	8	6	5	6	9	10	13
White, both sexes	153	14	11	18	11	14	11	10	13	9	9	15	18
Male	88	9	6	13	9	4	5	8	9	5	7	6	7
Female	65	5	5	5	2	10	6	2	4	4	2	9	11
Black, both sexes	51	5	9	6	6	3	2	5	2	3	7	1	2
Male	26	3	7	3	4	3	1	2	1	1	1	-	-
Female	25	2	2	3	2	-	1	3	1	2	6	1	2
American Indian 1/, both sexes	1	-	-	-	-	-	-	1	-	-	-	-	-
Male	1	-	-	-	-	-	-	1	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	7	1	-	1	-	1	1	1	1	-	1	-	-
Male	1	-	-	-	-	-	-	-	1	-	-	-	-
Female	6	1	-	1	-	1	1	1	-	-	1	-	-
Isolated myocarditis (I40.1)													
All races, both sexes	9	1	1	-	-	-	-	-	1	1	1	1	3
Male	4	1	1	-	-	-	-	-	-	-	-	-	2
Female	5	-	-	-	-	-	-	-	1	1	1	1	1
White, both sexes	7	1	-	-	-	-	-	-	1	-	1	1	3
Male	3	1	-	-	-	-	-	-	-	-	-	-	2
Female	4	-	-	-	-	-	-	-	1	-	1	1	1
Black, both sexes	2	-	1	-	-	-	-	-	-	1	-	-	-
Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	1	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Acute myocarditis, unspecified (I40.9)													
All races, both sexes	76	5	7	5	5	6	6	6	7	7	4	9	9
Male	41	3	3	3	4	3	5	4	3	2	2	6	3
Female	35	2	4	2	1	3	1	2	4	5	2	3	6
White, both sexes	47	4	4	5	2	4	4	1	5	4	3	5	6
Male	26	2	2	3	1	2	3	1	2	1	2	4	3
Female	21	2	2	2	1	2	1	-	3	3	1	1	3
Black, both sexes	28	1	3	-	2	2	2	5	2	3	1	4	3
Male	14	1	1	-	2	1	2	3	1	1	-	2	-
Female	14	-	2	-	-	1	-	2	1	2	1	2	3
American Indian 1/, both sexes	1	-	-	-	1	-	-	-	-	-	-	-	-
Male	1	-	-	-	1	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Cardiomyopathy (I42)													
All races, both sexes	26,858	2,478	2,274	2,383	2,254	2,235	2,137	2,137	2,078	2,037	2,195	2,098	2,552
Male	15,436	1,433	1,347	1,365	1,297	1,294	1,210	1,225	1,204	1,132	1,258	1,191	1,480
Female	11,422	1,045	927	1,018	957	941	927	912	874	905	937	907	1,072
White, both sexes	21,761	2,031	1,804	1,929	1,829	1,809	1,751	1,731	1,684	1,639	1,773	1,690	2,091
Male	12,465	1,159	1,068	1,095	1,060	1,042	981	984	971	904	1,032	962	1,207
Female	9,296	872	736	834	769	767	770	747	713	735	741	728	884
Black, both sexes	4,535	393	427	401	384	391	335	363	348	356	379	360	398
Male	2,637	235	251	239	215	238	199	216	210	206	201	197	230
Female	1,898	158	176	162	169	153	136	147	138	150	178	163	168
American Indian 1/, both sexes	148	13	15	14	8	10	14	9	13	10	10	17	15
Male	89	9	8	8	3	4	9	5	7	6	7	12	11
Female	59	4	7	6	5	6	5	4	6	4	3	5	4
Asian or Pacific Islander 2/, both sexes	414	41	28	39	33	25	37	34	33	32	33	31	48
Male	245	30	20	23	19	10	21	20	16	16	18	20	32
Female	169	11	8	16	14	15	16	14	17	16	15	11	16

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Dilated cardiomyopathy (I42.0)													
All races, both sexes	4,647	416	396	419	410	374	380	359	380	363	395	347	408
Male	2,965	266	279	249	261	255	240	231	243	226	250	213	252
Female	1,682	150	117	170	149	119	140	128	137	137	145	134	156
White, both sexes	3,409	322	274	303	301	264	278	273	279	270	286	251	308
Male	2,196	209	200	181	191	182	175	177	193	168	177	153	190
Female	1,213	113	74	122	110	82	103	96	86	102	109	98	118
Black, both sexes	1,111	87	110	103	99	105	91	76	88	83	100	82	87
Male	696	52	73	61	65	71	60	46	47	51	67	48	55
Female	415	35	37	42	34	34	31	30	41	32	33	34	32
American Indian 1/, both sexes	35	1	5	4	1	1	3	2	3	3	3	5	4
Male	21	-	1	3	-	-	2	1	1	2	3	5	3
Female	14	1	4	1	1	1	1	1	2	1	-	-	1
Asian or Pacific Islander 2/, both sexes	92	6	7	9	9	4	8	8	10	7	6	9	9
Male	52	5	5	4	5	2	3	7	2	5	3	7	4
Female	40	1	2	5	4	2	5	1	8	2	3	2	5
Obstructive hypertrophic cardiomyopathy (I42.1)													
All races, both sexes	178	21	17	13	15	11	16	10	12	13	12	19	19
Male	79	9	8	6	6	6	5	5	7	7	4	5	11
Female	99	12	9	7	9	5	11	5	5	6	8	14	8
White, both sexes	148	20	13	10	13	8	11	8	10	12	12	15	16
Male	65	9	5	4	4	5	5	4	5	7	4	3	10
Female	83	11	8	6	9	3	6	4	5	5	8	12	6
Black, both sexes	24	1	4	1	2	3	3	2	2	-	-	4	2
Male	11	-	3	-	2	1	-	1	2	-	-	2	-
Female	13	1	1	1	-	2	3	1	-	-	-	2	2
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	6	-	-	2	-	-	2	-	-	1	-	-	1
Male	3	-	-	2	-	-	-	-	-	-	-	-	1
Female	3	-	-	-	-	-	2	-	-	1	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other hypertrophic cardiomyopathy (I42.2)													
All races, both sexes	1,156	126	85	100	99	86	97	96	83	85	97	92	110
Male	713	77	55	58	52	42	63	62	60	56	60	61	67
Female	443	49	30	42	47	44	34	34	23	29	37	31	43
White, both sexes	856	94	65	76	77	63	70	68	64	59	73	69	78
Male	509	60	40	42	41	29	44	41	45	36	45	43	43
Female	347	34	25	34	36	34	26	27	19	23	28	26	35
Black, both sexes	264	26	18	22	18	21	22	25	18	22	22	20	30
Male	187	15	14	15	10	13	16	19	15	18	15	15	22
Female	77	11	4	7	8	8	6	6	3	4	7	5	8
American Indian 1/, both sexes	11	1	2	1	1	-	1	1	-	1	-	1	2
Male	8	-	1	1	-	-	1	1	-	1	-	1	2
Female	3	1	1	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	25	5	-	1	3	2	4	2	1	3	2	2	-
Male	9	2	-	-	1	-	2	1	-	1	-	2	-
Female	16	3	-	1	2	2	2	1	1	2	2	-	-
Endomyocardial (eosinophilic) disease (I42.3)													
All races, both sexes	7	1	-	1	-	2	1	-	1	-	-	-	1
Male	2	-	-	-	-	1	-	-	-	-	-	-	1
Female	5	1	-	1	-	1	1	-	1	-	-	-	-
White, both sexes	6	1	-	1	-	1	1	-	1	-	-	-	1
Male	2	-	-	-	-	1	-	-	-	-	-	-	1
Female	4	1	-	1	-	-	1	-	1	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Endocardial fibroelastosis (I42.4)													
All races, both sexes	74	11	5	5	8	8	5	5	5	5	7	3	7
Male	42	6	3	3	6	5	3	4	1	3	2	1	5
Female	32	5	2	2	2	3	2	1	4	2	5	2	2
White, both sexes	53	9	2	3	6	6	3	3	4	5	6	3	3
Male	28	6	-	2	4	3	1	3	-	3	2	1	3
Female	25	3	2	1	2	3	2	-	4	2	4	2	-
Black, both sexes	17	2	3	1	2	2	1	1	1	-	1	-	3
Male	10	-	3	-	2	2	1	-	1	-	-	-	1
Female	7	2	-	1	-	-	-	1	-	-	1	-	2
American Indian 1/, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	1	-	-	-	-	-	-	-	-	-	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	3	-	-	1	-	-	1	1	-	-	-	-	-
Male	3	-	-	1	-	-	1	1	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other restrictive cardiomyopathy (I42.5)													
All races, both sexes	143	12	11	11	10	9	9	10	11	12	16	15	17
Male	71	9	6	3	6	6	4	6	3	4	7	7	10
Female	72	3	5	8	4	3	5	4	8	8	9	8	7
White, both sexes	124	11	11	10	9	7	8	7	9	10	14	12	16
Male	62	8	6	3	5	5	4	5	2	3	6	6	9
Female	62	3	5	7	4	2	4	2	7	7	8	6	7
Black, both sexes	16	-	-	1	1	2	-	3	1	2	2	3	1
Male	8	-	-	-	1	1	-	1	1	1	1	1	1
Female	8	-	-	1	-	1	-	2	-	1	1	2	-
American Indian 1/, both sexes	1	-	-	-	-	-	-	-	1	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes	2	1	-	-	-	-	1	-	-	-	-	-	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	1	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Alcoholic cardiomyopathy (I42.6)													
All races, both sexes	467	47	31	38	45	44	30	34	40	39	42	31	46
Male	416	40	24	35	39	38	29	30	37	37	37	29	41
Female	51	7	7	3	6	6	1	4	3	2	5	2	5
White, both sexes	367	39	21	30	37	32	23	23	31	31	33	26	41
Male	327	33	16	27	33	27	22	19	28	30	29	25	38
Female	40	6	5	3	4	5	1	4	3	1	4	1	3
Black, both sexes	86	5	9	7	7	11	6	11	8	7	6	4	5
Male	76	4	7	7	5	10	6	11	8	6	5	4	3
Female	10	1	2	-	2	1	-	-	-	1	1	-	2
American Indian 1/, both sexes	8	2	-	-	-	1	1	-	1	1	1	1	-
Male	7	2	-	-	-	1	1	-	1	1	1	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes	6	1	1	1	1	-	-	-	-	-	2	-	-
Male	6	1	1	1	1	-	-	-	-	-	2	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Cardiomyopathy due to drugs and other external agents (I42.7)													
All races, both sexes	17	2	-	1	1	2	2	3	2	2	-	1	1
Male	7	1	-	-	1	-	1	-	-	2	-	1	1
Female	10	1	-	1	-	2	1	3	2	-	-	-	-
White, both sexes	10	-	-	-	1	2	1	3	1	1	-	1	-
Male	3	-	-	-	1	-	-	-	-	1	-	1	-
Female	7	-	-	-	-	2	1	3	1	-	-	-	-
Black, both sexes	7	2	-	1	-	-	1	-	1	1	-	-	1
Male	4	1	-	-	-	-	1	-	-	1	-	-	1
Female	3	1	-	1	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other cardiomyopathies (I42.8)													
All races, both sexes	52	6	3	8	1	6	4	4	5	-	6	4	5
Male	20	-	1	4	1	2	2	2	2	-	3	1	2
Female	32	6	2	4	-	4	2	2	3	-	3	3	3
White, both sexes	45	5	3	7	-	4	4	3	5	-	6	3	5
Male	14	-	1	3	-	-	2	1	2	-	3	-	2
Female	31	5	2	4	-	4	2	2	3	-	3	3	3
Black, both sexes	7	1	-	1	1	2	-	1	-	-	-	1	-
Male	6	-	-	1	1	2	-	1	-	-	-	1	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Cardiomyopathy, unspecified (I42.9)													
All races, both sexes	20,117	1,836	1,726	1,787	1,665	1,693	1,593	1,616	1,539	1,518	1,620	1,586	1,938
Male	11,121	1,025	971	1,007	925	939	863	885	851	797	895	873	1,090
Female	8,996	811	755	780	740	754	730	731	688	721	725	713	848
White, both sexes	16,743	1,530	1,415	1,489	1,385	1,422	1,352	1,343	1,280	1,251	1,343	1,310	1,623
Male	9,259	834	800	833	781	790	728	734	696	656	766	730	911
Female	7,484	696	615	656	604	632	624	609	584	595	577	580	712
Black, both sexes	3,003	269	283	264	254	245	211	244	229	241	248	246	269
Male	1,639	163	151	155	129	138	115	137	136	129	113	126	147
Female	1,364	106	132	109	125	107	96	107	93	112	135	120	122
American Indian 1/, both sexes	92	9	8	9	6	8	9	6	8	5	6	10	8
Male	52	7	6	4	3	3	5	3	5	2	3	6	5
Female	40	2	2	5	3	5	4	3	3	3	3	4	3
Asian or Pacific Islander 2/, both sexes	279	28	20	25	20	18	21	23	22	21	23	20	38
Male	171	21	14	15	12	8	15	11	14	10	13	11	27
Female	108	7	6	10	8	10	6	12	8	11	10	9	11

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Atrioventricular and left bundle-branch block (I44)													
All races, both sexes	331	31	36	36	21	22	23	28	26	25	30	26	27
Male	121	6	15	13	8	10	10	13	12	7	10	6	11
Female	210	25	21	23	13	12	13	15	14	18	20	20	16
White, both sexes	284	25	32	32	18	16	20	25	25	21	23	23	24
Male	104	6	13	11	7	6	10	11	12	6	8	6	8
Female	180	19	19	21	11	10	10	14	13	15	15	17	16
Black, both sexes	37	6	3	3	2	2	2	3	1	4	6	2	3
Male	10	-	1	2	-	-	-	2	-	1	1	-	3
Female	27	6	2	1	2	2	2	1	1	3	5	2	-
American Indian 1/, both sexes	2	-	-	-	1	1	-	-	-	-	-	-	-
Male	2	-	-	-	1	1	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	8	-	1	1	-	3	1	-	-	-	1	1	-
Male	5	-	1	-	-	3	-	-	-	-	1	-	-
Female	3	-	-	1	-	-	1	-	-	-	-	1	-
Atrioventricular block, first degree (I44.0)													
All races, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Atrioventricular block, second degree (I44.1)													
All races, both sexes	9	2	1	2	-	-	-	3	-	1	-	-	-
Male	6	-	1	2	-	-	-	2	-	1	-	-	-
Female	3	2	-	-	-	-	-	1	-	-	-	-	-
White, both sexes	9	2	1	2	-	-	-	3	-	1	-	-	-
Male	6	-	1	2	-	-	-	2	-	1	-	-	-
Female	3	2	-	-	-	-	-	1	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Atrioventricular block, complete (I44.2)													
All races, both sexes	294	24	32	32	20	20	20	23	22	23	28	25	25
Male	104	4	13	10	8	9	8	11	9	6	10	6	10
Female	190	20	19	22	12	11	12	12	13	17	18	19	15
White, both sexes	250	18	28	29	17	15	17	20	22	19	21	22	22
Male	87	4	11	8	7	5	8	9	9	5	8	6	7
Female	163	14	17	21	10	10	9	11	13	14	13	16	15
Black, both sexes	34	6	3	2	2	1	2	3	-	4	6	2	3
Male	10	-	1	2	-	-	-	2	-	1	1	-	3
Female	24	6	2	-	2	1	2	1	-	3	5	2	-
American Indian 1/, both sexes	2	-	-	-	1	1	-	-	-	-	-	-	-
Male	2	-	-	-	1	1	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	8	-	1	1	-	3	1	-	-	-	1	1	-
Male	5	-	1	-	-	3	-	-	-	-	1	-	-
Female	3	-	-	1	-	-	1	-	-	-	-	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other and unspecified atrioventricular block (I44.3)													
All races, both sexes	21	3	3	1	1	1	2	1	4	1	1	1	2
Male	7	1	1	-	-	-	1	-	3	-	-	-	1
Female	14	2	2	1	1	1	1	1	1	1	1	1	1
White, both sexes	18	3	3	-	1	-	2	1	3	1	1	1	2
Male	7	1	1	-	-	-	1	-	3	-	-	-	1
Female	11	2	2	-	1	-	1	1	-	1	1	1	1
Black, both sexes	3	-	-	1	-	1	-	-	1	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	3	-	-	1	-	1	-	-	1	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Left bundle-branch block, unspecified (I44.7)													
All races, both sexes	6	1	-	1	-	1	1	1	-	-	1	-	-
Male	3	-	-	1	-	1	1	-	-	-	-	-	-
Female	3	1	-	-	-	-	-	1	-	-	1	-	-
White, both sexes	6	1	-	1	-	1	1	1	-	-	1	-	-
Male	3	-	-	1	-	1	1	-	-	-	-	-	-
Female	3	1	-	-	-	-	-	1	-	-	1	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other conduction disorders (I45)													
All races, both sexes	226	19	16	24	12	14	19	19	20	17	21	20	25
Male	105	10	6	9	4	8	9	6	10	9	9	8	17
Female	121	9	10	15	8	6	10	13	10	8	12	12	8
White, both sexes	198	18	15	22	9	11	16	18	18	13	19	18	21
Male	95	9	6	8	2	6	7	6	10	8	9	8	16
Female	103	9	9	14	7	5	9	12	8	5	10	10	5
Black, both sexes	24	-	1	2	3	2	2	1	2	4	2	1	4
Male	7	-	-	1	2	1	1	-	-	1	-	-	1
Female	17	-	1	1	1	1	1	1	2	3	2	1	3
American Indian 1/, both sexes	1	-	-	-	-	-	-	-	-	-	-	1	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes	3	1	-	-	-	1	1	-	-	-	-	-	-
Male	3	1	-	-	-	1	1	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other and unspecified right bundle-branch block (I45.1)													
All races, both sexes	6	-	-	1	1	-	-	1	-	1	-	2	-
Male	3	-	-	-	1	-	-	-	-	1	-	1	-
Female	3	-	-	1	-	-	-	1	-	-	-	1	-
White, both sexes	6	-	-	1	1	-	-	1	-	1	-	2	-
Male	3	-	-	-	1	-	-	-	-	1	-	1	-
Female	3	-	-	1	-	-	-	1	-	-	-	1	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Bifascicular block (I45.2)													
All races, both sexes	2	-	-	-	-	1	-	-	-	-	-	-	1
Male	2	-	-	-	-	1	-	-	-	-	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	2	-	-	-	-	1	-	-	-	-	-	-	1
Male	2	-	-	-	-	1	-	-	-	-	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Trifascicular block (I45.3)													
All races, both sexes	2	1	-	1	-	-	-	-	-	-	-	-	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	1	-	-	-	-	-	-	-	-	-
White, both sexes	2	1	-	1	-	-	-	-	-	-	-	-	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	1	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Nonspecific intraventricular block (I45.4)													
All races, both sexes	2	-	-	-	-	-	-	-	-	1	-	1	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	-	1	-	1	-
White, both sexes	2	-	-	-	-	-	-	-	-	1	-	1	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	-	1	-	1	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other specified heart block (I45.5)													
All races, both sexes	6	2	1	-	-	-	-	-	-	1	1	-	1
Male	2	2	-	-	-	-	-	-	-	-	-	-	-
Female	4	-	1	-	-	-	-	-	-	1	1	-	1
White, both sexes	4	2	1	-	-	-	-	-	-	-	-	-	1
Male	2	2	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	1	-	-	-	-	-	-	-	-	-	1
Black, both sexes	2	-	-	-	-	-	-	-	-	1	1	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	-	1	1	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Preexcitation syndrome (I45.6)													
All races, both sexes	29	6	2	2	2	2	3	2	3	2	3	1	1
Male	21	4	1	2	1	2	3	1	2	1	3	-	1
Female	8	2	1	-	1	-	-	1	1	1	-	1	-
White, both sexes	23	5	2	2	1	2	2	2	2	-	3	1	1
Male	17	3	1	2	-	2	2	1	2	-	3	-	1
Female	6	2	1	-	1	-	-	1	-	-	-	1	-
Black, both sexes	4	-	-	-	1	-	-	-	1	2	-	-	-
Male	2	-	-	-	1	-	-	-	-	1	-	-	-
Female	2	-	-	-	-	-	-	-	1	1	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	2	1	-	-	-	-	1	-	-	-	-	-	-
Male	2	1	-	-	-	-	1	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other specified conduction disorders (I45.8)													
All races, both sexes	53	1	6	8	4	5	3	5	5	3	10	2	1
Male	24	-	1	4	1	2	2	2	3	2	5	1	1
Female	29	1	5	4	3	3	1	3	2	1	5	1	-
White, both sexes	46	1	6	6	2	4	3	4	5	2	10	2	1
Male	21	-	1	3	-	1	2	2	3	2	5	1	1
Female	25	1	5	3	2	3	1	2	2	-	5	1	-
Black, both sexes	7	-	-	2	2	1	-	1	-	1	-	-	-
Male	3	-	-	1	1	1	-	-	-	-	-	-	-
Female	4	-	-	1	1	-	-	1	-	1	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Conduction disorder, unspecified (I45.9)													
All races, both sexes	126	9	7	12	5	6	13	11	12	9	7	14	21
Male	52	3	4	3	1	3	4	3	5	5	1	6	14
Female	74	6	3	9	4	3	9	8	7	4	6	8	7
White, both sexes	113	9	6	12	5	4	11	11	11	9	6	12	17
Male	49	3	4	3	1	2	3	3	5	5	1	6	13
Female	64	6	2	9	4	2	8	8	6	4	5	6	4
Black, both sexes	11	-	1	-	-	1	2	-	1	-	1	1	4
Male	2	-	-	-	-	-	1	-	-	-	-	-	1
Female	9	-	1	-	-	1	1	-	1	-	1	1	3
American Indian 1/, both sexes	1	-	-	-	-	-	-	-	-	-	-	1	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Cardiac arrest (I46)													
All races, both sexes	17,161	1,583	1,391	1,517	1,397	1,408	1,244	1,318	1,311	1,256	1,410	1,516	1,810
Male	8,229	732	702	726	676	688	600	618	640	619	658	731	839
Female	8,932	851	689	791	721	720	644	700	671	637	752	785	971
White, both sexes	13,958	1,271	1,110	1,249	1,151	1,144	1,011	1,056	1,061	1,016	1,150	1,267	1,472
Male	6,638	577	553	601	554	553	486	492	515	493	527	610	677
Female	7,320	694	557	648	597	591	525	564	546	523	623	657	795
Black, both sexes	2,673	258	232	224	210	217	187	222	209	203	214	213	284
Male	1,297	124	119	100	104	109	89	106	102	109	101	101	133
Female	1,376	134	113	124	106	108	98	116	107	94	113	112	151
American Indian 1/, both sexes	68	6	6	6	7	7	9	2	3	5	3	7	7
Male	33	3	4	3	3	4	3	-	-	3	1	6	3
Female	35	3	2	3	4	3	6	2	3	2	2	1	4
Asian or Pacific Islander 2/, both sexes	462	48	43	38	29	40	37	38	38	32	43	29	47
Male	261	28	26	22	15	22	22	20	23	14	29	14	26
Female	201	20	17	16	14	18	15	18	15	18	14	15	21

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Sudden cardiac death, so described (I46.1)													
All races, both sexes	2,876	261	224	278	254	253	231	210	226	217	239	219	264
Male	1,505	147	127	157	122	131	120	106	102	119	118	120	136
Female	1,371	114	97	121	132	122	111	104	124	98	121	99	128
White, both sexes	2,443	229	189	238	218	216	193	170	189	186	202	191	222
Male	1,288	130	107	136	105	113	101	87	88	101	102	105	113
Female	1,155	99	82	102	113	103	92	83	101	85	100	86	109
Black, both sexes	412	31	33	38	34	33	35	40	36	31	36	26	39
Male	201	16	18	21	15	15	17	19	13	18	16	13	20
Female	211	15	15	17	19	18	18	21	23	13	20	13	19
American Indian 1/, both sexes	12	1	-	1	2	4	1	-	-	-	1	1	1
Male	9	1	-	-	2	3	1	-	-	-	-	1	1
Female	3	-	-	1	-	1	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes	9	-	2	1	-	-	2	-	1	-	-	1	2
Male	7	-	2	-	-	-	1	-	1	-	-	1	2
Female	2	-	-	1	-	-	1	-	-	-	-	-	-
Cardiac arrest, unspecified (I46.9)													
All races, both sexes	14,285	1,322	1,167	1,239	1,143	1,155	1,013	1,108	1,085	1,039	1,171	1,297	1,546
Male	6,724	585	575	569	554	557	480	512	538	500	540	611	703
Female	7,561	737	592	670	589	598	533	596	547	539	631	686	843
White, both sexes	11,515	1,042	921	1,011	933	928	818	886	872	830	948	1,076	1,250
Male	5,350	447	446	465	449	440	385	405	427	392	425	505	564
Female	6,165	595	475	546	484	488	433	481	445	438	523	571	686
Black, both sexes	2,261	227	199	186	176	184	152	182	173	172	178	187	245
Male	1,096	108	101	79	89	94	72	87	89	91	85	88	113
Female	1,165	119	98	107	87	90	80	95	84	81	93	99	132
American Indian 1/, both sexes	56	5	6	5	5	3	8	2	3	5	2	6	6
Male	24	2	4	3	1	1	2	-	-	3	1	5	2
Female	32	3	2	2	4	2	6	2	3	2	1	1	4
Asian or Pacific Islander 2/, both sexes	453	48	41	37	29	40	35	38	37	32	43	28	45
Male	254	28	24	22	15	22	21	20	22	14	29	13	24
Female	199	20	17	15	14	18	14	18	15	18	14	15	21

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Paroxysmal tachycardia (I47)													
All races, both sexes	641	54	62	59	59	64	44	46	47	40	54	47	65
Male	336	28	33	38	30	28	21	26	28	18	25	25	36
Female	305	26	29	21	29	36	23	20	19	22	29	22	29
White, both sexes	556	48	53	53	50	58	37	41	41	33	45	42	55
Male	299	24	29	33	26	27	20	23	25	17	21	23	31
Female	257	24	24	20	24	31	17	18	16	16	24	19	24
Black, both sexes	71	4	8	6	7	5	6	5	5	5	7	4	9
Male	30	2	3	5	4	1	1	3	3	1	2	1	4
Female	41	2	5	1	3	4	5	2	2	4	5	3	5
American Indian 1/, both sexes	4	1	-	-	-	1	-	-	-	-	2	-	-
Male	3	1	-	-	-	-	-	-	-	-	2	-	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	10	1	1	-	2	-	1	-	1	2	-	1	1
Male	4	1	1	-	-	-	-	-	-	-	-	1	1
Female	6	-	-	-	2	-	1	-	1	2	-	-	-
Reentry ventricular arrhythmia (I47.0)													
All races, both sexes	1	-	-	-	-	-	-	-	-	1	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	1	-	-	-
White, both sexes	1	-	-	-	-	-	-	-	-	1	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	1	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Supraventricular tachycardia (I47.1)													
All races, both sexes	124	11	13	14	17	16	7	7	7	5	10	6	11
Male	43	4	3	7	6	3	3	2	2	1	5	2	5
Female	81	7	10	7	11	13	4	5	5	4	5	4	6
White, both sexes	108	10	10	13	16	15	6	6	7	5	7	5	8
Male	37	4	2	6	6	3	2	1	2	1	4	2	4
Female	71	6	8	7	10	12	4	5	5	4	3	3	4
Black, both sexes	15	1	3	1	1	1	1	1	-	-	2	1	3
Male	5	-	1	1	-	-	1	1	-	-	-	-	1
Female	10	1	2	-	1	1	-	-	-	-	2	1	2
American Indian 1/, both sexes	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Ventricular tachycardia (I47.2)													
All races, both sexes	516	43	49	45	42	48	37	39	40	34	44	41	54
Male	293	24	30	31	24	25	18	24	26	17	20	23	31
Female	223	19	19	14	18	23	19	15	14	17	24	18	23
White, both sexes	447	38	43	40	34	43	31	35	34	27	38	37	47
Male	262	20	27	27	20	24	18	22	23	16	17	21	27
Female	185	18	16	13	14	19	13	13	11	11	21	16	20
Black, both sexes	56	3	5	5	6	4	5	4	5	5	5	3	6
Male	25	2	2	4	4	1	-	2	3	1	2	1	3
Female	31	1	3	1	2	3	5	2	2	4	3	2	3
American Indian 1/, both sexes	3	1	-	-	-	1	-	-	-	-	1	-	-
Male	2	1	-	-	-	-	-	-	-	-	1	-	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	10	1	1	-	2	-	1	-	1	2	-	1	1
Male	4	1	1	-	-	-	-	-	-	-	-	1	1
Female	6	-	-	-	2	-	1	-	1	2	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Atrial fibrillation and flutter (I48)													
All races, both sexes	10,525	938	857	946	831	879	836	840	785	801	839	898	1,075
Male	3,579	335	297	327	278	305	281	293	240	264	289	301	369
Female	6,946	603	560	619	553	574	555	547	545	537	550	597	706
White, both sexes	9,840	890	799	889	783	821	768	782	736	739	792	837	1,004
Male	3,321	321	280	306	268	282	254	272	219	237	269	275	338
Female	6,519	569	519	583	515	539	514	510	517	502	523	562	666
Black, both sexes	549	40	48	44	45	46	47	49	40	52	37	53	48
Male	203	12	15	17	9	16	17	19	15	22	15	24	22
Female	346	28	33	27	36	30	30	30	25	30	22	29	26
American Indian 1/, both sexes	20	1	-	5	1	-	3	-	-	2	2	2	4
Male	6	-	-	1	1	-	2	-	-	1	-	-	1
Female	14	1	-	4	-	-	1	-	-	1	2	2	3
Asian or Pacific Islander 2/, both sexes	116	7	10	8	2	12	18	9	9	8	8	6	19
Male	49	2	2	3	-	7	8	2	6	4	5	2	8
Female	67	5	8	5	2	5	10	7	3	4	3	4	11
Other cardiac arrhythmias (I49)													
All races, both sexes	10,220	955	820	900	799	796	856	792	773	768	849	849	1,063
Male	4,808	432	368	406	375	394	379	415	380	361	392	409	497
Female	5,412	523	452	494	424	402	477	377	393	407	457	440	566
White, both sexes	8,689	805	698	753	688	675	730	672	653	666	718	734	897
Male	4,099	368	308	336	326	325	327	351	325	314	333	364	422
Female	4,590	437	390	417	362	350	403	321	328	352	385	370	475
Black, both sexes	1,376	134	108	136	104	111	113	109	101	88	119	101	152
Male	628	55	54	63	45	62	45	58	46	40	52	39	69
Female	748	79	54	73	59	49	68	51	55	48	67	62	83
American Indian 1/, both sexes	49	5	5	1	4	1	1	3	10	1	7	5	6
Male	29	2	3	-	2	1	-	2	6	1	4	3	5
Female	20	3	2	1	2	-	1	1	4	-	3	2	1
Asian or Pacific Islander 2/, both sexes	106	11	9	10	3	9	12	8	9	13	5	9	8
Male	52	7	3	7	2	6	7	4	3	6	3	3	1
Female	54	4	6	3	1	3	5	4	6	7	2	6	7

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Ventricular fibrillation and flutter (I49.0)													
All races, both sexes	1,245	102	107	112	99	93	96	90	100	109	96	111	130
Male	720	54	58	67	57	52	56	60	59	63	54	60	80
Female	525	48	49	45	42	41	40	30	41	46	42	51	50
White, both sexes	1,052	83	85	95	85	83	82	76	78	92	80	96	117
Male	633	46	48	57	52	49	50	52	52	53	48	52	74
Female	419	37	37	38	33	34	32	24	26	39	32	44	43
Black, both sexes	170	15	20	14	14	9	11	14	19	17	15	11	11
Male	74	6	9	7	5	3	4	8	6	10	6	5	5
Female	96	9	11	7	9	6	7	6	13	7	9	6	6
American Indian 1/, both sexes	8	4	1	-	-	-	1	-	-	-	1	1	-
Male	3	2	-	-	-	-	-	-	-	-	-	1	-
Female	5	2	1	-	-	-	1	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes	15	-	1	3	-	1	2	-	3	-	-	3	2
Male	10	-	1	3	-	-	2	-	1	-	-	2	1
Female	5	-	-	-	-	1	-	-	2	-	-	1	1
Ventricular premature depolarization (I49.3)													
All races, both sexes	6	2	-	1	-	-	1	1	-	-	-	-	1
Male	2	1	-	-	-	-	1	-	-	-	-	-	-
Female	4	1	-	1	-	-	-	1	-	-	-	-	1
White, both sexes	6	2	-	1	-	-	1	1	-	-	-	-	1
Male	2	1	-	-	-	-	1	-	-	-	-	-	-
Female	4	1	-	1	-	-	-	1	-	-	-	-	1
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Sick sinus syndrome (I49.5)													
All races, both sexes	363	31	36	31	31	21	23	33	32	32	28	30	35
Male	131	8	10	9	11	7	10	16	8	8	15	15	14
Female	232	23	26	22	20	14	13	17	24	24	13	15	21
White, both sexes	317	28	30	27	28	21	21	29	28	27	19	28	31
Male	119	7	7	8	11	7	10	15	8	8	11	14	13
Female	198	21	23	19	17	14	11	14	20	19	8	14	18
Black, both sexes	34	3	5	3	2	-	2	2	3	4	6	-	4
Male	9	1	3	1	-	-	-	1	-	-	2	-	1
Female	25	2	2	2	2	-	2	1	3	4	4	-	3
American Indian 1/, both sexes	2	-	-	-	1	-	-	-	1	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	1	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes	10	-	1	1	-	-	-	2	-	1	3	2	-
Male	3	-	-	-	-	-	-	-	-	-	2	1	-
Female	7	-	1	1	-	-	-	2	-	1	1	1	-
Other specified cardiac arrhythmias (I49.8)													
All races, both sexes	87	9	9	8	4	5	12	5	5	5	4	11	10
Male	37	5	3	3	1	1	6	4	3	1	1	5	4
Female	50	4	6	5	3	4	6	1	2	4	3	6	6
White, both sexes	76	7	9	7	4	5	9	4	4	4	4	10	9
Male	32	4	3	2	1	1	4	3	3	1	1	5	4
Female	44	3	6	5	3	4	5	1	1	3	3	5	5
Black, both sexes	11	2	-	1	-	-	3	1	1	1	-	1	1
Male	5	1	-	1	-	-	2	1	-	-	-	-	-
Female	6	1	-	-	-	-	1	-	1	1	-	1	1
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Cardiac arrhythmia, unspecified (I49.9)													
All races, both sexes	8,519	811	668	748	665	677	724	663	636	622	721	697	887
Male	3,918	364	297	327	306	334	306	335	310	289	322	329	399
Female	4,601	447	371	421	359	343	418	328	326	333	399	368	488
White, both sexes	7,238	685	574	623	571	566	617	562	543	543	615	600	739
Male	3,313	310	250	269	262	268	262	281	262	252	273	293	331
Female	3,925	375	324	354	309	298	355	281	281	291	342	307	408
Black, both sexes	1,161	114	83	118	88	102	97	92	78	66	98	89	136
Male	540	47	42	54	40	59	39	48	40	30	44	34	63
Female	621	67	41	64	48	43	58	44	38	36	54	55	73
American Indian 1/, both sexes	39	1	4	1	3	1	-	3	9	1	6	4	6
Male	26	-	3	-	2	1	-	2	6	1	4	2	5
Female	13	1	1	1	1	-	-	1	3	-	2	2	1
Asian or Pacific Islander 2/, both sexes	81	11	7	6	3	8	10	6	6	12	2	4	6
Male	39	7	2	4	2	6	5	4	2	6	1	-	-
Female	42	4	5	2	1	2	5	2	4	6	1	4	6
Heart failure (I50)													
All races, both sexes	57,448	5,239	4,778	5,093	4,663	4,625	4,623	4,543	4,466	4,292	4,592	4,530	6,004
Male	22,427	2,068	1,867	1,968	1,882	1,836	1,805	1,744	1,701	1,701	1,749	1,815	2,291
Female	35,021	3,171	2,911	3,125	2,781	2,789	2,818	2,799	2,765	2,591	2,843	2,715	3,713
White, both sexes	51,454	4,670	4,270	4,617	4,163	4,116	4,151	4,056	3,991	3,787	4,133	4,089	5,411
Male	19,987	1,830	1,674	1,763	1,680	1,618	1,619	1,554	1,509	1,507	1,559	1,631	2,043
Female	31,467	2,840	2,596	2,854	2,483	2,498	2,532	2,502	2,482	2,280	2,574	2,458	3,368
Black, both sexes	5,330	508	456	416	443	442	427	447	418	446	403	389	535
Male	2,150	212	171	173	181	186	165	175	162	169	169	164	223
Female	3,180	296	285	243	262	256	262	272	256	277	234	225	312
American Indian 1/, both sexes	180	17	11	15	14	13	17	14	16	18	16	14	15
Male	75	9	6	5	9	6	6	5	9	6	8	3	3
Female	105	8	5	10	5	7	11	9	7	12	8	11	12
Asian or Pacific Islander 2/, both sexes	484	44	41	45	43	54	28	26	41	41	40	38	43
Male	215	17	16	27	12	26	15	10	21	19	13	17	22
Female	269	27	25	18	31	28	13	16	20	22	27	21	21

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Congestive heart failure (I50.0)													
All races, both sexes	53,595	4,866	4,424	4,759	4,352	4,318	4,334	4,272	4,148	3,975	4,307	4,237	5,603
Male	20,672	1,892	1,696	1,815	1,737	1,692	1,685	1,626	1,565	1,550	1,626	1,687	2,101
Female	32,923	2,974	2,728	2,944	2,615	2,626	2,649	2,646	2,583	2,425	2,681	2,550	3,502
White, both sexes	48,250	4,369	3,976	4,330	3,903	3,857	3,911	3,834	3,726	3,525	3,901	3,838	5,080
Male	18,533	1,697	1,533	1,628	1,555	1,500	1,517	1,464	1,400	1,377	1,461	1,518	1,883
Female	29,717	2,672	2,443	2,702	2,348	2,357	2,394	2,370	2,326	2,148	2,440	2,320	3,197
Black, both sexes	4,748	442	402	377	399	399	381	398	377	396	356	352	469
Male	1,883	175	145	158	162	162	149	147	142	151	146	151	195
Female	2,865	267	257	219	237	237	232	251	235	245	210	201	274
American Indian 1/, both sexes	156	14	10	13	13	12	16	14	11	14	13	12	14
Male	61	6	5	5	9	6	5	5	6	3	6	2	3
Female	95	8	5	8	4	6	11	9	5	11	7	10	11
Asian or Pacific Islander 2/, both sexes	441	41	36	39	37	50	26	26	34	40	37	35	40
Male	195	14	13	24	11	24	14	10	17	19	13	16	20
Female	246	27	23	15	26	26	12	16	17	21	24	19	20
Left ventricular failure (I50.1)													
All races, both sexes	113	10	12	10	7	8	8	9	9	9	7	13	11
Male	45	5	3	4	3	3	4	4	2	4	6	6	1
Female	68	5	9	6	4	5	4	5	7	5	1	7	10
White, both sexes	98	10	11	9	5	8	7	7	9	7	6	10	9
Male	39	5	3	3	2	3	3	3	2	3	5	6	1
Female	59	5	8	6	3	5	4	4	7	4	1	4	8
Black, both sexes	14	-	1	-	2	-	1	2	-	2	1	3	2
Male	5	-	-	-	1	-	1	1	-	1	1	-	-
Female	9	-	1	-	1	-	-	1	-	1	-	3	2
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	1	-	-	1	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Heart failure, unspecified (I50.9)													
All races, both sexes	3,740	363	342	324	304	299	281	262	309	308	278	280	390
Male	1,710	171	168	149	142	141	116	114	134	147	117	122	189
Female	2,030	192	174	175	162	158	165	148	175	161	161	158	201
White, both sexes	3,106	291	283	278	255	251	233	215	256	255	226	241	322
Male	1,415	128	138	132	123	115	99	87	107	127	93	107	159
Female	1,691	163	145	146	132	136	134	128	149	128	133	134	163
Black, both sexes	568	66	53	39	42	43	45	47	41	48	46	34	64
Male	262	37	26	15	18	24	15	27	20	17	22	13	28
Female	306	29	27	24	24	19	30	20	21	31	24	21	36
American Indian 1/, both sexes	24	3	1	2	1	1	1	-	5	4	3	2	1
Male	14	3	1	-	-	-	1	-	3	3	2	1	-
Female	10	-	-	2	1	1	-	-	2	1	1	1	1
Asian or Pacific Islander 2/, both sexes	42	3	5	5	6	4	2	-	7	1	3	3	3
Male	19	3	3	2	1	2	1	-	4	-	-	1	2
Female	23	-	2	3	5	2	1	-	3	1	3	2	1
Complications and ill-defined descriptions of heart disease (I51)													
All races, both sexes	10,416	908	896	936	798	881	766	829	798	790	848	870	1,096
Male	5,171	429	449	468	427	434	392	421	394	388	409	417	543
Female	5,245	479	447	468	371	447	374	408	404	402	439	453	553
White, both sexes	8,795	740	763	791	658	741	654	692	689	680	721	730	936
Male	4,340	341	385	399	350	376	343	336	335	329	347	343	456
Female	4,455	399	378	392	308	365	311	356	354	351	374	387	480
Black, both sexes	1,447	153	116	133	126	123	103	118	100	99	108	129	139
Male	740	80	57	65	70	48	44	73	54	51	52	71	75
Female	707	73	59	68	56	75	59	45	46	48	56	58	64
American Indian 1/, both sexes	52	4	6	7	6	4	-	4	4	2	6	4	5
Male	23	2	2	2	4	2	-	3	1	-	4	1	2
Female	29	2	4	5	2	2	-	1	3	2	2	3	3
Asian or Pacific Islander 2/, both sexes	122	11	11	5	8	13	9	15	5	9	13	7	16
Male	68	6	5	2	3	8	5	9	4	8	6	2	10
Female	54	5	6	3	5	5	4	6	1	1	7	5	6

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Cardiac septal defect, acquired (I51.0)													
All races, both sexes	15	2	1	1	3	1	1	1	-	3	-	-	2
Male	7	-	1	1	2	-	1	-	-	1	-	-	1
Female	8	2	-	-	1	1	-	1	-	2	-	-	1
White, both sexes	13	2	-	1	3	1	1	1	-	3	-	-	1
Male	6	-	-	1	2	-	1	-	-	1	-	-	1
Female	7	2	-	-	1	1	-	1	-	2	-	-	-
Black, both sexes	1	-	1	-	-	-	-	-	-	-	-	-	-
Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Rupture of chordae tendineae, not elsewhere classified (I51.1)													
All races, both sexes	15	1	-	2	2	-	1	1	1	-	2	1	4
Male	8	1	-	1	1	-	1	-	-	-	2	-	2
Female	7	-	-	1	1	-	-	1	1	-	-	1	2
White, both sexes	15	1	-	2	2	-	1	1	1	-	2	1	4
Male	8	1	-	1	1	-	1	-	-	-	2	-	2
Female	7	-	-	1	1	-	-	1	1	-	-	1	2
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Rupture of papillary muscle, not elsewhere classified (I51.2)													
All races, both sexes	21	2	1	3	-	1	1	-	3	3	5	2	-
Male	11	1	-	2	-	1	1	-	3	-	3	-	-
Female	10	1	1	1	-	-	-	-	-	3	2	2	-
White, both sexes	21	2	1	3	-	1	1	-	3	3	5	2	-
Male	11	1	-	2	-	1	1	-	3	-	3	-	-
Female	10	1	1	1	-	-	-	-	-	3	2	2	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Myocarditis, unspecified (I51.4)													
All races, both sexes	498	41	46	33	40	48	38	43	44	38	50	37	40
Male	252	15	24	14	20	27	19	24	21	21	31	18	18
Female	246	26	22	19	20	21	19	19	23	17	19	19	22
White, both sexes	375	27	35	26	28	34	27	33	32	30	40	30	33
Male	184	11	20	10	13	18	16	17	13	15	25	13	13
Female	191	16	15	16	15	16	11	16	19	15	15	17	20
Black, both sexes	107	12	10	7	11	12	11	10	9	7	8	5	5
Male	58	4	4	4	6	8	3	7	6	5	4	4	3
Female	49	8	6	3	5	4	8	3	3	2	4	1	2
American Indian 1/, both sexes	2	-	-	-	-	-	-	-	-	-	1	1	-
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes	14	2	1	-	1	2	-	-	3	1	1	1	2
Male	9	-	-	-	1	1	-	-	2	1	1	1	2
Female	5	2	1	-	-	1	-	-	1	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Myocardial degeneration (I51.5)													
All races, both sexes	149	14	16	7	12	11	10	14	11	9	16	17	12
Male	70	8	9	2	5	8	3	6	5	4	8	4	8
Female	79	6	7	5	7	3	7	8	6	5	8	13	4
White, both sexes	130	13	15	5	12	9	9	12	8	8	14	14	11
Male	60	7	8	2	5	7	3	4	3	4	6	4	7
Female	70	6	7	3	7	2	6	8	5	4	8	10	4
Black, both sexes	19	1	1	2	-	2	1	2	3	1	2	3	1
Male	10	1	1	-	-	1	-	2	2	-	2	-	1
Female	9	-	-	2	-	1	1	-	1	1	-	3	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Cardiovascular disease, unspecified (I51.6)													
All races, both sexes	4,105	367	343	357	313	336	320	310	293	317	357	344	448
Male	1,805	149	150	167	146	139	151	126	122	146	161	150	198
Female	2,300	218	193	190	167	197	169	184	171	171	196	194	250
White, both sexes	3,522	303	301	311	266	286	278	270	259	273	300	292	383
Male	1,548	111	137	150	123	123	129	109	107	127	136	126	170
Female	1,974	192	164	161	143	163	149	161	152	146	164	166	213
Black, both sexes	517	56	38	41	43	43	39	30	34	38	48	49	58
Male	225	33	13	16	21	12	19	11	15	15	21	23	26
Female	292	23	25	25	22	31	20	19	19	23	27	26	32
American Indian 1/, both sexes	17	3	2	3	1	1	-	1	-	1	2	1	2
Male	9	2	-	1	1	1	-	1	-	-	1	1	1
Female	8	1	2	2	-	-	-	-	-	1	1	-	1
Asian or Pacific Islander 2/, both sexes	49	5	2	2	3	6	3	9	-	5	7	2	5
Male	23	3	-	-	1	3	3	5	-	4	3	-	1
Female	26	2	2	2	2	3	-	4	-	1	4	2	4

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Cardiomegaly (I51.7)													
All races, both sexes	1,485	140	137	145	120	113	113	120	122	112	114	112	137
Male	964	81	92	93	91	70	70	82	83	70	68	70	94
Female	521	59	45	52	29	43	43	38	39	42	46	42	43
White, both sexes	1,135	101	99	116	84	84	89	85	101	94	90	87	105
Male	739	59	68	74	65	56	56	56	70	56	53	55	71
Female	396	42	31	42	19	28	33	29	31	38	37	32	34
Black, both sexes	309	38	31	25	32	24	22	31	18	17	23	22	26
Male	199	21	19	16	22	11	14	23	11	13	14	15	20
Female	110	17	12	9	10	13	8	8	7	4	9	7	6
American Indian 1/, both sexes	16	-	3	2	3	2	-	2	1	-	1	1	1
Male	9	-	2	1	3	1	-	1	-	-	1	-	-
Female	7	-	1	1	-	1	-	1	1	-	-	1	1
Asian or Pacific Islander 2/, both sexes	25	1	4	2	1	3	2	2	2	1	-	2	5
Male	17	1	3	2	1	2	-	2	2	1	-	-	3
Female	8	-	1	-	-	1	2	-	-	-	-	2	2
Other ill-defined heart diseases (I51.8)													
All races, both sexes	830	78	70	79	61	68	45	64	65	70	71	66	93
Male	361	31	26	31	28	34	24	30	26	26	26	38	41
Female	469	47	44	48	33	34	21	34	39	44	45	28	52
White, both sexes	753	70	62	70	55	59	43	53	63	66	66	59	87
Male	324	30	21	27	25	31	24	22	25	25	24	32	38
Female	429	40	41	43	30	28	19	31	38	41	42	27	49
Black, both sexes	68	7	7	8	6	8	2	9	2	4	4	7	4
Male	32	1	5	4	3	2	-	7	1	1	1	6	1
Female	36	6	2	4	3	6	2	2	1	3	3	1	3
American Indian 1/, both sexes	2	1	1	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	1	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	7	-	-	1	-	1	-	2	-	-	1	-	2
Male	5	-	-	-	-	1	-	1	-	-	1	-	2
Female	2	-	-	1	-	-	-	1	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Heart disease, unspecified (I51.9)													
All races, both sexes	3,298	263	282	309	247	303	237	276	259	238	233	291	360
Male	1,693	143	147	157	134	155	122	153	134	120	110	137	181
Female	1,605	120	135	152	113	148	115	123	125	118	123	154	179
White, both sexes	2,831	221	250	257	208	267	205	237	222	203	204	245	312
Male	1,460	121	131	132	116	140	112	128	114	101	98	113	154
Female	1,371	100	119	125	92	127	93	109	108	102	106	132	158
Black, both sexes	426	39	28	50	34	34	28	36	34	32	23	43	45
Male	215	20	14	25	18	14	8	23	19	17	10	23	24
Female	211	19	14	25	16	20	20	13	15	15	13	20	21
American Indian 1/, both sexes	14	-	-	2	2	1	-	1	3	1	2	1	1
Male	4	-	-	-	-	-	-	1	1	-	1	-	1
Female	10	-	-	2	2	1	-	-	2	1	1	1	-
Asian or Pacific Islander 2/, both sexes	27	3	4	-	3	1	4	2	-	2	4	2	2
Male	14	2	2	-	-	1	2	1	-	2	1	1	2
Female	13	1	2	-	3	-	2	1	-	-	3	1	-
Subarachnoid hemorrhage (I60)													
All races, both sexes	6,033	542	490	554	516	496	459	452	507	469	510	496	542
Male	2,135	188	177	216	165	168	145	149	197	173	186	176	195
Female	3,898	354	313	338	351	328	314	303	310	296	324	320	347
White, both sexes	4,813	436	395	447	417	392	363	364	401	390	390	396	422
Male	1,720	154	151	176	129	135	119	124	155	141	147	140	149
Female	3,093	282	244	271	288	257	244	240	246	249	243	256	273
Black, both sexes	880	79	65	75	62	80	77	61	79	64	85	68	85
Male	300	24	20	28	27	25	20	18	29	28	28	24	29
Female	580	55	45	47	35	55	57	43	50	36	57	44	56
American Indian 1/, both sexes	50	-	6	5	7	3	3	2	4	6	4	3	7
Male	14	-	1	1	3	-	2	2	1	-	-	2	2
Female	36	-	5	4	4	3	1	-	3	6	4	1	5
Asian or Pacific Islander 2/, both sexes	290	27	24	27	30	21	16	25	23	9	31	29	28
Male	101	10	5	11	6	8	4	5	12	4	11	10	15
Female	189	17	19	16	24	13	12	20	11	5	20	19	13

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Subarachnoid hemorrhage from carotid siphon and bifurcation (I60.0)													
All races, both sexes	77	6	3	3	7	12	13	3	4	3	8	8	7
Male	17	1	-	-	-	4	3	2	2	1	1	3	-
Female	60	5	3	3	7	8	10	1	2	2	7	5	7
White, both sexes	60	4	3	1	6	8	10	1	4	3	6	8	6
Male	11	1	-	-	-	2	2	-	2	1	-	3	-
Female	49	3	3	1	6	6	8	1	2	2	6	5	6
Black, both sexes	13	1	-	1	-	4	3	2	-	-	1	-	1
Male	6	-	-	-	-	2	1	2	-	-	1	-	-
Female	7	1	-	1	-	2	2	-	-	-	-	-	1
American Indian 1/, both sexes	2	-	-	-	1	-	-	-	-	-	1	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	1	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes	2	1	-	1	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	1	-	1	-	-	-	-	-	-	-	-	-
Subarachnoid hemorrhage from middle cerebral artery (I60.1)													
All races, both sexes	2	-	-	-	-	-	-	-	-	1	-	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	-	1	-	-	1
White, both sexes	2	-	-	-	-	-	-	-	-	1	-	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	-	1	-	-	1
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Subarachnoid hemorrhage from anterior communicating artery (I60.2)													
All races, both sexes	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
White, both sexes	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Subarachnoid hemorrhage from posterior communicating artery (I60.3)													
All races, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Subarachnoid hemorrhage from basilar artery (I60.4)													
All races, both sexes	3	-	1	1	1	-	-	-	-	-	-	-	-
Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	1	1	-	-	-	-	-	-	-	-
White, both sexes	3	-	1	1	1	-	-	-	-	-	-	-	-
Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	1	1	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Subarachnoid hemorrhage from other intracranial arteries (I60.6)													
All races, both sexes	45	2	5	3	5	2	1	7	3	6	3	5	3
Male	11	1	1	-	2	-	1	2	1	1	1	1	-
Female	34	1	4	3	3	2	-	5	2	5	2	4	3
White, both sexes	35	2	3	3	5	1	1	5	3	4	3	4	1
Male	10	1	1	-	2	-	1	1	1	1	1	1	-
Female	25	1	2	3	3	1	-	4	2	3	2	3	1
Black, both sexes	7	-	1	-	-	1	-	2	-	1	-	1	1
Male	1	-	-	-	-	-	-	1	-	-	-	-	-
Female	6	-	1	-	-	1	-	1	-	1	-	1	1
American Indian 1/, both sexes	2	-	-	-	-	-	-	-	-	1	-	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	-	1	-	-	1
Asian or Pacific Islander 2/, both sexes	1	-	1	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	1	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Subarachnoid hemorrhage from intracranial artery, unspecified (I60.7)													
All races, both sexes	449	30	42	36	45	35	43	26	35	35	39	41	42
Male	220	15	23	17	19	12	19	8	22	17	24	21	23
Female	229	15	19	19	26	23	24	18	13	18	15	20	19
White, both sexes	351	24	37	28	36	28	34	23	26	31	23	31	30
Male	179	13	21	12	17	8	15	7	19	15	18	18	16
Female	172	11	16	16	19	20	19	16	7	16	5	13	14
Black, both sexes	77	5	4	7	8	6	7	2	8	2	12	7	9
Male	31	2	2	5	2	3	2	1	3	2	4	1	4
Female	46	3	2	2	6	3	5	1	5	-	8	6	5
American Indian 1/, both sexes	5	-	-	-	-	-	1	-	1	2	-	1	-
Male	2	-	-	-	-	-	1	-	-	-	-	1	-
Female	3	-	-	-	-	-	-	-	1	2	-	-	-
Asian or Pacific Islander 2/, both sexes	16	1	1	1	1	1	1	1	-	-	4	2	3
Male	8	-	-	-	-	1	1	-	-	-	2	1	3
Female	8	1	1	1	1	-	-	1	-	-	2	1	-
Other subarachnoid hemorrhage (I60.8)													
All races, both sexes	20	3	-	2	2	-	3	1	1	3	-	4	1
Male	7	-	-	1	1	-	1	1	1	1	-	-	1
Female	13	3	-	1	1	-	2	-	-	2	-	4	-
White, both sexes	15	1	-	1	2	-	2	1	-	3	-	4	1
Male	6	-	-	1	1	-	1	1	-	1	-	-	1
Female	9	1	-	-	1	-	1	-	-	2	-	4	-
Black, both sexes	4	1	-	1	-	-	1	-	1	-	-	-	-
Male	1	-	-	-	-	-	-	-	1	-	-	-	-
Female	3	1	-	1	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Subarachnoid hemorrhage, unspecified (I60.9)													
All races, both sexes	5,435	500	439	509	456	447	399	415	464	421	459	438	488
Male	1,878	170	152	198	143	152	121	136	171	153	160	151	171
Female	3,557	330	287	311	313	295	278	279	293	268	299	287	317
White, both sexes	4,345	404	351	413	367	355	316	334	368	348	357	349	383
Male	1,512	138	128	163	109	125	100	115	133	123	128	118	132
Female	2,833	266	223	250	258	230	216	219	235	225	229	231	251
Black, both sexes	779	72	60	66	54	69	66	55	70	61	72	60	74
Male	261	22	18	23	25	20	17	14	25	26	23	23	25
Female	518	50	42	43	29	49	49	41	45	35	49	37	49
American Indian 1/, both sexes	41	-	6	5	6	3	2	2	3	3	3	2	6
Male	12	-	1	1	3	-	1	2	1	-	-	1	2
Female	29	-	5	4	3	3	1	-	2	3	3	1	4
Asian or Pacific Islander 2/, both sexes	270	24	22	25	29	20	15	24	23	9	27	27	25
Male	93	10	5	11	6	7	3	5	12	4	9	9	12
Female	177	14	17	14	23	13	12	19	11	5	18	18	13
Intracerebral hemorrhage (I61)													
All races, both sexes	18,814	1,721	1,546	1,696	1,657	1,555	1,377	1,370	1,460	1,515	1,599	1,563	1,755
Male	8,596	762	726	771	746	701	638	648	676	708	720	715	785
Female	10,218	959	820	925	911	854	739	722	784	807	879	848	970
White, both sexes	15,271	1,409	1,265	1,370	1,357	1,258	1,128	1,116	1,180	1,228	1,274	1,278	1,408
Male	6,875	615	578	618	598	555	519	522	546	565	563	587	609
Female	8,396	794	687	752	759	703	609	594	634	663	711	691	799
Black, both sexes	2,775	247	227	249	224	240	202	194	215	217	270	217	273
Male	1,362	118	120	121	100	120	95	101	99	111	137	98	142
Female	1,413	129	107	128	124	120	107	93	116	106	133	119	131
American Indian 1/, both sexes	91	2	7	9	3	6	8	7	13	6	9	12	9
Male	43	1	4	5	2	2	3	3	9	2	3	6	3
Female	48	1	3	4	1	4	5	4	4	4	6	6	6
Asian or Pacific Islander 2/, both sexes	677	63	47	68	73	51	39	53	52	64	46	56	65
Male	316	28	24	27	46	24	21	22	22	30	17	24	31
Female	361	35	23	41	27	27	18	31	30	34	29	32	34

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Intracerebral hemorrhage in hemisphere, subcortical (I61.0)													
All races, both sexes	249	20	23	17	23	16	18	14	25	22	21	28	22
Male	133	14	19	7	12	10	8	7	13	13	11	11	8
Female	116	6	4	10	11	6	10	7	12	9	10	17	14
White, both sexes	186	12	17	16	17	14	14	8	18	18	16	20	16
Male	99	7	14	7	11	8	7	5	10	11	7	7	5
Female	87	5	3	9	6	6	7	3	8	7	9	13	11
Black, both sexes	48	7	5	1	6	2	4	2	6	4	3	4	4
Male	25	6	4	-	1	2	1	-	2	2	3	2	2
Female	23	1	1	1	5	-	3	2	4	2	-	2	2
American Indian 1/, both sexes	2	-	-	-	-	-	-	-	-	-	-	1	1
Male	1	-	-	-	-	-	-	-	-	-	-	1	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes	13	1	1	-	-	-	-	4	1	-	2	3	1
Male	8	1	1	-	-	-	-	2	1	-	1	1	1
Female	5	-	-	-	-	-	-	2	-	-	1	2	-
Intracerebral hemorrhage in hemisphere, cortical (I61.1)													
All races, both sexes	146	11	5	11	11	13	18	10	17	11	12	13	14
Male	60	5	2	5	4	6	8	3	8	3	3	9	4
Female	86	6	3	6	7	7	10	7	9	8	9	4	10
White, both sexes	120	9	5	9	11	12	14	8	13	10	6	12	11
Male	48	5	2	4	4	6	5	3	6	3	-	8	2
Female	72	4	3	5	7	6	9	5	7	7	6	4	9
Black, both sexes	17	2	-	-	-	1	3	1	1	-	5	1	3
Male	8	-	-	-	-	-	2	-	-	-	3	1	2
Female	9	2	-	-	-	1	1	1	1	-	2	-	1
American Indian 1/, both sexes	3	-	-	1	-	-	-	-	2	-	-	-	-
Male	3	-	-	1	-	-	-	-	2	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	6	-	-	1	-	-	1	1	1	1	1	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	5	-	-	1	-	-	-	1	1	1	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Intracerebral hemorrhage in hemisphere, unspecified (I61.2)													
All races, both sexes	29	2	4	5	-	1	2	2	3	3	2	3	2
Male	10	-	-	1	-	1	2	-	1	1	1	2	1
Female	19	2	4	4	-	-	-	2	2	2	1	1	1
White, both sexes	26	2	4	4	-	1	2	2	3	3	2	2	1
Male	8	-	-	1	-	1	2	-	1	1	1	1	-
Female	18	2	4	3	-	-	-	2	2	2	1	1	1
Black, both sexes	2	-	-	1	-	-	-	-	-	-	-	1	-
Male	1	-	-	-	-	-	-	-	-	-	-	1	-
Female	1	-	-	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	1	-	-	-	-	-	-	-	-	-	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Intracerebral hemorrhage in brain stem (I61.3)													
All races, both sexes	728	65	53	61	63	72	55	65	51	61	57	55	70
Male	390	28	28	38	39	38	35	40	28	26	28	27	35
Female	338	37	25	23	24	34	20	25	23	35	29	28	35
White, both sexes	507	45	31	42	45	52	39	50	39	42	43	38	41
Male	271	22	14	26	28	28	23	31	24	18	20	20	17
Female	236	23	17	16	17	24	16	19	15	24	23	18	24
Black, both sexes	178	19	17	16	15	15	13	12	8	14	11	12	26
Male	91	6	11	10	10	7	9	6	2	5	5	4	16
Female	87	13	6	6	5	8	4	6	6	9	6	8	10
American Indian 1/, both sexes	1	-	-	-	-	-	1	-	-	-	-	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	42	1	5	3	3	5	2	3	4	5	3	5	3
Male	27	-	3	2	1	3	2	3	2	3	3	3	2
Female	15	1	2	1	2	2	-	-	2	2	-	2	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Intracerebral hemorrhage in cerebellum (I61.4)													
All races, both sexes	571	43	42	37	71	50	53	52	39	39	43	47	55
Male	265	21	22	12	40	25	27	23	20	18	15	22	20
Female	306	22	20	25	31	25	26	29	19	21	28	25	35
White, both sexes	459	36	33	28	60	34	44	42	29	32	37	44	40
Male	206	17	16	8	31	14	22	20	16	16	13	20	13
Female	253	19	17	20	29	20	22	22	13	16	24	24	27
Black, both sexes	93	7	8	8	10	12	6	7	9	6	6	2	12
Male	45	4	5	4	8	7	3	2	3	1	2	1	5
Female	48	3	3	4	2	5	3	5	6	5	4	1	7
American Indian 1/, both sexes	4	-	1	-	-	-	1	1	1	-	-	-	-
Male	3	-	1	-	-	-	1	-	1	-	-	-	-
Female	1	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	15	-	-	1	1	4	2	2	-	1	-	1	3
Male	11	-	-	-	1	4	1	1	-	1	-	1	2
Female	4	-	-	1	-	-	1	1	-	-	-	-	1
Intracerebral hemorrhage, intraventricular (I61.5)													
All races, both sexes	703	69	64	61	52	53	68	44	52	64	44	56	76
Male	341	40	32	22	25	29	33	22	20	28	21	30	39
Female	362	29	32	39	27	24	35	22	32	36	23	26	37
White, both sexes	523	52	46	39	37	38	53	33	40	50	32	45	58
Male	265	31	25	17	20	22	28	14	16	21	16	25	30
Female	258	21	21	22	17	16	25	19	24	29	16	20	28
Black, both sexes	159	17	16	18	12	15	13	10	10	13	8	10	17
Male	71	9	6	5	5	7	4	8	4	7	4	4	8
Female	88	8	10	13	7	8	9	2	6	6	4	6	9
American Indian 1/, both sexes	3	-	1	1	-	-	-	-	-	-	-	-	1
Male	1	-	-	-	-	-	-	-	-	-	-	-	1
Female	2	-	1	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	18	-	1	3	3	-	2	1	2	1	4	1	-
Male	4	-	1	-	-	-	1	-	-	-	1	1	-
Female	14	-	-	3	3	-	1	1	2	1	3	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other intracerebral hemorrhage (I61.8)													
All races, both sexes	77	11	12	6	5	6	4	4	1	4	9	7	8
Male	33	5	6	1	2	2	1	3	-	1	4	3	5
Female	44	6	6	5	3	4	3	1	1	3	5	4	3
White, both sexes	68	10	10	6	5	6	4	2	1	3	8	6	7
Male	28	5	5	1	2	2	1	1	-	-	4	2	5
Female	40	5	5	5	3	4	3	1	1	3	4	4	2
Black, both sexes	9	1	2	-	-	-	-	2	-	1	1	1	1
Male	5	-	1	-	-	-	-	2	-	1	-	1	-
Female	4	1	1	-	-	-	-	-	-	-	1	-	1
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Intracerebral hemorrhage, unspecified (I61.9)													
All races, both sexes	16,311	1,500	1,343	1,498	1,432	1,344	1,159	1,179	1,272	1,311	1,411	1,354	1,508
Male	7,364	649	617	685	624	590	524	550	586	618	637	611	673
Female	8,947	851	726	813	808	754	635	629	686	693	774	743	835
White, both sexes	13,382	1,243	1,119	1,226	1,182	1,101	958	971	1,037	1,070	1,130	1,111	1,234
Male	5,950	528	502	554	502	474	431	448	473	495	502	504	537
Female	7,432	715	617	672	680	627	527	523	564	575	628	607	697
Black, both sexes	2,269	194	179	205	181	195	163	160	181	179	236	186	210
Male	1,116	93	93	102	76	97	76	83	88	95	120	84	109
Female	1,153	101	86	103	105	98	87	77	93	84	116	102	101
American Indian 1/, both sexes	78	2	5	7	3	6	6	6	10	6	9	11	7
Male	34	1	3	4	2	2	1	3	6	2	3	5	2
Female	44	1	2	3	1	4	5	3	4	4	6	6	5
Asian or Pacific Islander 2/, both sexes	582	61	40	60	66	42	32	42	44	56	36	46	57
Male	264	27	19	25	44	17	16	16	19	26	12	18	25
Female	318	34	21	35	22	25	16	26	25	30	24	28	32

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other nontraumatic intracranial hemorrhage (I62)													
All races, both sexes	8,398	755	676	685	635	743	648	641	620	690	786	701	818
Male	4,066	336	337	333	299	360	306	338	296	339	372	349	401
Female	4,332	419	339	352	336	383	342	303	324	351	414	352	417
White, both sexes	6,759	602	536	548	523	589	523	494	515	552	652	564	661
Male	3,231	274	262	261	240	276	245	266	245	274	293	280	315
Female	3,528	328	274	287	283	313	278	228	270	278	359	284	346
Black, both sexes	1,245	116	100	107	93	114	94	117	83	100	95	101	125
Male	640	43	52	56	48	68	47	58	44	49	55	49	71
Female	605	73	48	51	45	46	47	59	39	51	40	52	54
American Indian 1/, both sexes	42	3	1	4	2	7	5	2	4	3	4	3	4
Male	18	1	1	2	1	1	2	1	2	-	2	2	3
Female	24	2	-	2	1	6	3	1	2	3	2	1	1
Asian or Pacific Islander 2/, both sexes	352	34	39	26	17	33	26	28	18	35	35	33	28
Male	177	18	22	14	10	15	12	13	5	16	22	18	12
Female	175	16	17	12	7	18	14	15	13	19	13	15	16
Subdural hemorrhage (acute) (nontraumatic) (I62.0)													
All races, both sexes	1,604	157	113	125	107	128	145	136	119	135	147	121	171
Male	817	74	61	62	55	64	73	79	64	66	70	60	89
Female	787	83	52	63	52	64	72	57	55	69	77	61	82
White, both sexes	1,402	141	102	111	95	111	122	119	103	117	135	102	144
Male	714	68	57	56	52	56	61	69	55	56	63	49	72
Female	688	73	45	55	43	55	61	50	48	61	72	53	72
Black, both sexes	154	12	8	10	9	13	17	15	12	15	7	14	22
Male	80	5	2	5	2	8	8	8	7	9	5	8	13
Female	74	7	6	5	7	5	9	7	5	6	2	6	9
American Indian 1/, both sexes	12	-	1	1	-	1	1	-	2	2	1	2	1
Male	6	-	1	1	-	-	-	-	2	-	-	1	1
Female	6	-	-	-	-	1	1	-	-	2	1	1	-
Asian or Pacific Islander 2/, both sexes	36	4	2	3	3	3	5	2	2	1	4	3	4
Male	17	1	1	-	1	-	4	2	-	1	2	2	3
Female	19	3	1	3	2	3	1	-	2	-	2	1	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Nontraumatic extradural hemorrhage (I62.1)													
All races, both sexes	25	2	-	4	3	1	1	1	1	2	2	4	4
Male	12	-	-	2	2	1	-	1	1	1	1	2	1
Female	13	2	-	2	1	-	1	-	-	1	1	2	3
White, both sexes	23	2	-	4	1	1	1	1	1	2	2	4	4
Male	11	-	-	2	1	1	-	1	1	1	1	2	1
Female	12	2	-	2	-	-	1	-	-	1	1	2	3
Black, both sexes	2	-	-	-	2	-	-	-	-	-	-	-	-
Male	1	-	-	-	1	-	-	-	-	-	-	-	-
Female	1	-	-	-	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Intracranial hemorrhage (nontraumatic), unspecified (I62.9)													
All races, both sexes	6,769	596	563	556	525	614	502	504	500	553	637	576	643
Male	3,237	262	276	269	242	295	233	258	231	272	301	287	311
Female	3,532	334	287	287	283	319	269	246	269	281	336	289	332
White, both sexes	5,334	459	434	433	427	477	400	374	411	433	515	458	513
Male	2,506	206	205	203	187	219	184	196	189	217	229	229	242
Female	2,828	253	229	230	240	258	216	178	222	216	286	229	271
Black, both sexes	1,089	104	92	97	82	101	77	102	71	85	88	87	103
Male	559	38	50	51	45	60	39	50	37	40	50	41	58
Female	530	66	42	46	37	41	38	52	34	45	38	46	45
American Indian 1/, both sexes	30	3	-	3	2	6	4	2	2	1	3	1	3
Male	12	1	-	1	1	1	2	1	-	-	2	1	2
Female	18	2	-	2	1	5	2	1	2	1	1	-	1
Asian or Pacific Islander 2/, both sexes	316	30	37	23	14	30	21	26	16	34	31	30	24
Male	160	17	21	14	9	15	8	11	5	15	20	16	9
Female	156	13	16	9	5	15	13	15	11	19	11	14	15

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Cerebral infarction (I63)													
All races, both sexes	12,094	1,180	1,052	1,135	977	977	922	902	904	887	1,044	950	1,164
Male	4,753	483	395	453	361	406	386	363	370	325	414	359	438
Female	7,341	697	657	682	616	571	536	539	534	562	630	591	726
White, both sexes	10,504	1,034	903	976	854	859	798	786	791	757	903	820	1,023
Male	4,082	416	340	389	312	354	326	313	324	275	350	309	374
Female	6,422	618	563	587	542	505	472	473	467	482	553	511	649
Black, both sexes	1,331	127	121	128	107	102	104	95	103	97	118	113	116
Male	560	58	45	51	42	45	55	40	44	34	49	44	53
Female	771	69	76	77	65	57	49	55	59	63	69	69	63
American Indian 1/, both sexes	37	3	1	8	2	4	1	1	3	5	3	1	5
Male	16	3	-	3	1	3	-	1	-	2	-	1	2
Female	21	-	1	5	1	1	1	-	3	3	3	-	3
Asian or Pacific Islander 2/, both sexes	222	16	27	23	14	12	19	20	7	28	20	16	20
Male	95	6	10	10	6	4	5	9	2	14	15	5	9
Female	127	10	17	13	8	8	14	11	5	14	5	11	11
Cerebral infarction due to thrombosis of precerebral arteries (I63.0)													
All races, both sexes	149	14	9	16	9	12	16	13	15	13	15	8	9
Male	99	10	7	10	7	9	11	7	8	8	13	3	6
Female	50	4	2	6	2	3	5	6	7	5	2	5	3
White, both sexes	121	10	9	11	6	11	14	9	12	13	12	7	7
Male	81	8	7	8	4	8	10	5	6	8	10	3	4
Female	40	2	2	3	2	3	4	4	6	5	2	4	3
Black, both sexes	23	4	-	5	3	-	2	2	2	-	3	1	1
Male	14	2	-	2	3	-	1	-	2	-	3	-	1
Female	9	2	-	3	-	-	1	2	-	-	-	1	-
American Indian 1/, both sexes	1	-	-	-	-	-	-	-	1	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes	4	-	-	-	-	1	-	2	-	-	-	-	1
Male	4	-	-	-	-	1	-	2	-	-	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Cerebral infarction due to embolism of precerebral arteries (I63.1)													
All races, both sexes	21	5	3	3	1	1	2	2	1	-	2	-	1
Male	11	1	-	1	1	1	2	2	1	-	1	-	1
Female	10	4	3	2	-	-	-	-	-	-	1	-	-
White, both sexes	18	4	2	3	1	1	1	2	1	-	2	-	1
Male	10	1	-	1	1	1	1	2	1	-	1	-	1
Female	8	3	2	2	-	-	-	-	-	-	1	-	-
Black, both sexes	3	1	1	-	-	-	1	-	-	-	-	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	2	1	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral infarction due to unspecified occlusion or stenosis of precerebral arteries (I63.2)													
All races, both sexes	701	74	52	66	60	68	45	52	68	36	61	51	68
Male	358	35	27	31	33	40	20	28	38	19	29	27	31
Female	343	39	25	35	27	28	25	24	30	17	32	24	37
White, both sexes	623	67	47	58	52	63	35	49	65	30	51	44	62
Male	324	32	23	28	27	37	17	27	36	16	28	25	28
Female	299	35	24	30	25	26	18	22	29	14	23	19	34
Black, both sexes	63	4	4	7	6	4	9	3	3	4	8	7	4
Male	28	2	3	3	4	3	2	1	2	2	1	2	3
Female	35	2	1	4	2	1	7	2	1	2	7	5	1
American Indian 1/, both sexes	2	1	-	-	-	-	-	-	-	-	1	-	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes	13	2	1	1	2	1	1	-	-	2	1	-	2
Male	5	-	1	-	2	-	1	-	-	1	-	-	-
Female	8	2	-	1	-	1	-	-	-	1	1	-	2

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Cerebral infarction due to thrombosis of cerebral arteries (I63.3)													
All races, both sexes	1,642	145	142	152	143	128	136	142	113	112	143	117	169
Male	566	54	36	41	41	46	54	54	40	40	54	45	61
Female	1,076	91	106	111	102	82	82	88	73	72	89	72	108
White, both sexes	1,450	127	123	130	129	114	120	127	95	102	131	104	148
Male	501	47	33	36	37	41	43	51	34	37	50	41	51
Female	949	80	90	94	92	73	77	76	61	65	81	63	97
Black, both sexes	166	15	16	19	12	12	15	12	15	7	12	13	18
Male	56	4	3	5	3	4	11	3	5	2	4	4	8
Female	110	11	13	14	9	8	4	9	10	5	8	9	10
American Indian 1/, both sexes	4	-	1	2	-	-	-	-	1	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	4	-	1	2	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes	22	3	2	1	2	2	1	3	2	3	-	-	3
Male	9	3	-	-	1	1	-	-	1	1	-	-	2
Female	13	-	2	1	1	1	1	3	1	2	-	-	1
Cerebral infarction due to embolism of cerebral arteries (I63.4)													
All races, both sexes	676	64	58	64	50	54	61	44	53	49	58	63	58
Male	265	27	23	21	24	23	25	18	16	18	25	22	23
Female	411	37	35	43	26	31	36	26	37	31	33	41	35
White, both sexes	605	60	46	60	47	49	53	40	47	46	50	58	49
Male	228	24	18	19	24	19	20	16	13	15	20	21	19
Female	377	36	28	41	23	30	33	24	34	31	30	37	30
Black, both sexes	60	4	11	3	3	5	5	4	6	1	7	4	7
Male	31	3	4	2	-	4	3	2	3	1	4	1	4
Female	29	1	7	1	3	1	2	2	3	-	3	3	3
American Indian 1/, both sexes	1	-	-	-	-	-	-	-	-	1	-	-	-
Male	1	-	-	-	-	-	-	-	-	1	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	10	-	1	1	-	-	3	-	-	1	1	1	2
Male	5	-	1	-	-	-	2	-	-	1	1	-	-
Female	5	-	-	1	-	-	1	-	-	-	-	1	2

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Cerebral infarction due to unspecified occlusion or stenosis of cerebral arteries (I63.5)													
All races, both sexes	215	13	26	21	20	13	23	16	15	15	23	12	18
Male	88	6	10	12	12	2	6	8	4	4	14	4	6
Female	127	7	16	9	8	11	17	8	11	11	9	8	12
White, both sexes	184	12	23	19	16	12	20	15	14	14	17	10	12
Male	70	5	7	10	11	1	4	8	4	4	10	3	3
Female	114	7	16	9	5	11	16	7	10	10	7	7	9
Black, both sexes	28	1	2	1	4	1	3	1	1	1	5	2	6
Male	15	1	2	1	1	1	2	-	-	-	3	1	3
Female	13	-	-	-	3	-	1	1	1	1	2	1	3
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	3	-	1	1	-	-	-	-	-	-	1	-	-
Male	3	-	1	1	-	-	-	-	-	-	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other cerebral infarction (I63.8)													
All races, both sexes	130	9	11	6	10	12	20	14	13	9	11	5	10
Male	50	5	4	5	3	7	6	3	6	3	4	2	2
Female	80	4	7	1	7	5	14	11	7	6	7	3	8
White, both sexes	113	9	10	5	9	6	18	14	12	9	8	4	9
Male	43	5	3	5	3	4	6	3	5	3	2	2	2
Female	70	4	7	-	6	2	12	11	7	6	6	2	7
Black, both sexes	14	-	1	1	1	3	2	-	1	-	3	1	1
Male	5	-	1	-	-	1	-	-	1	-	2	-	-
Female	9	-	-	1	1	2	2	-	-	-	1	1	1
American Indian 1/, both sexes	2	-	-	-	-	2	-	-	-	-	-	-	-
Male	2	-	-	-	-	2	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Cerebral infarction, unspecified (I63.9)													
All races, both sexes	8,560	856	751	807	684	689	619	619	626	653	731	694	831
Male	3,316	345	288	332	240	278	262	243	257	233	274	256	308
Female	5,244	511	463	475	444	411	357	376	369	420	457	438	523
White, both sexes	7,390	745	643	690	594	603	537	530	545	543	632	593	735
Male	2,825	294	249	282	205	243	225	201	225	192	229	214	266
Female	4,565	451	394	408	389	360	312	329	320	351	403	379	469
Black, both sexes	974	98	86	92	78	77	67	73	75	84	80	85	79
Male	410	46	32	38	31	32	35	34	31	29	32	36	34
Female	564	52	54	54	47	45	32	39	44	55	48	49	45
American Indian 1/, both sexes	27	2	-	6	2	2	1	1	1	4	2	1	5
Male	12	2	-	3	1	1	-	1	-	1	-	1	2
Female	15	-	-	3	1	1	1	-	1	3	2	-	3
Asian or Pacific Islander 2/, both sexes	169	11	22	19	10	7	14	15	5	22	17	15	12
Male	69	3	7	9	3	2	2	7	1	11	13	5	6
Female	100	8	15	10	7	5	12	8	4	11	4	10	6
Stroke, not specified as hemorrhage or infarction (I64)													
All races, both sexes	82,472	8,013	7,074	7,293	6,654	6,745	6,400	6,474	6,190	6,168	6,760	6,667	8,034
Male	30,749	3,070	2,680	2,678	2,457	2,524	2,437	2,467	2,232	2,331	2,474	2,478	2,921
Female	51,723	4,943	4,394	4,615	4,197	4,221	3,963	4,007	3,958	3,837	4,286	4,189	5,113
White, both sexes	71,331	6,949	6,135	6,343	5,790	5,849	5,507	5,594	5,298	5,300	5,835	5,760	6,971
Male	26,179	2,602	2,293	2,286	2,107	2,146	2,045	2,106	1,905	1,975	2,105	2,113	2,496
Female	45,152	4,347	3,842	4,057	3,683	3,703	3,462	3,488	3,393	3,325	3,730	3,647	4,475
Black, both sexes	9,390	878	795	799	724	775	743	733	752	742	781	763	905
Male	3,742	379	320	318	277	311	317	296	267	300	304	299	354
Female	5,648	499	475	481	447	464	426	437	485	442	477	464	551
American Indian 1/, both sexes	250	27	17	21	21	20	18	29	15	16	24	23	19
Male	115	10	8	11	10	15	10	12	7	4	10	12	6
Female	135	17	9	10	11	5	8	17	8	12	14	11	13
Asian or Pacific Islander 2/, both sexes	1,501	159	127	130	119	101	132	118	125	110	120	121	139
Male	713	79	59	63	63	52	65	53	53	52	55	54	65
Female	788	80	68	67	56	49	67	65	72	58	65	67	74

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other cerebrovascular diseases (I67)													
All races, both sexes	10,345	1,050	860	942	825	825	760	790	823	800	801	833	1,036
Male	3,830	392	321	366	294	290	301	271	321	307	303	289	375
Female	6,515	658	539	576	531	535	459	519	502	493	498	544	661
White, both sexes	8,991	903	746	839	713	722	640	679	718	679	713	732	907
Male	3,272	334	273	323	244	253	244	235	270	255	266	246	329
Female	5,719	569	473	516	469	469	396	444	448	424	447	486	578
Black, both sexes	1,197	133	108	94	102	85	100	98	91	105	77	91	113
Male	491	50	45	40	45	30	45	32	47	45	32	39	41
Female	706	83	63	54	57	55	55	66	44	60	45	52	72
American Indian 1/, both sexes	23	1	-	1	1	4	3	2	1	2	1	4	3
Male	10	-	-	1	1	2	-	2	-	-	1	2	1
Female	13	1	-	-	-	2	3	-	1	2	-	2	2
Asian or Pacific Islander 2/, both sexes	134	13	6	8	9	14	17	11	13	14	10	6	13
Male	57	8	3	2	4	5	12	2	4	7	4	2	4
Female	77	5	3	6	5	9	5	9	9	7	6	4	9
Dissection of cerebral arteries, nonruptured (I67.0)													
All races, both sexes	20	1	2	1	2	1	3	2	-	1	1	2	4
Male	13	-	2	1	1	1	3	1	-	1	-	-	3
Female	7	1	-	-	1	-	-	1	-	-	1	2	1
White, both sexes	16	-	2	1	2	1	1	2	-	1	1	2	3
Male	11	-	2	1	1	1	1	1	-	1	-	-	3
Female	5	-	-	-	1	-	-	1	-	-	1	2	-
Black, both sexes	3	1	-	-	-	-	1	-	-	-	-	-	1
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	2	1	-	-	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	1	-	-	-	-	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Cerebral aneurysm, nonruptured (I67.1)													
All races, both sexes	397	40	27	38	40	23	25	31	30	41	31	31	40
Male	161	18	9	16	14	6	11	14	16	16	8	13	20
Female	236	22	18	22	26	17	14	17	14	25	23	18	20
White, both sexes	339	35	23	35	34	20	19	26	28	30	25	27	37
Male	134	16	8	15	11	5	9	10	16	10	6	10	18
Female	205	19	15	20	23	15	10	16	12	20	19	17	19
Black, both sexes	46	4	3	3	5	3	4	4	-	11	4	2	3
Male	21	1	-	1	3	1	1	3	-	6	2	1	2
Female	25	3	3	2	2	2	3	1	-	5	2	1	1
American Indian 1/, both sexes	3	-	-	-	-	-	1	1	-	-	-	1	-
Male	2	-	-	-	-	-	-	1	-	-	-	1	-
Female	1	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	9	1	1	-	1	-	1	-	2	-	2	1	-
Male	4	1	1	-	-	-	1	-	-	-	-	1	-
Female	5	-	-	-	1	-	-	-	2	-	2	-	-
Cerebral atherosclerosis (I67.2)													
All races, both sexes	1,104	106	92	107	101	83	92	88	80	88	73	85	109
Male	377	35	28	34	32	27	38	31	22	32	25	28	45
Female	727	71	64	73	69	56	54	57	58	56	48	57	64
White, both sexes	977	96	82	98	86	75	80	77	67	80	64	76	96
Male	327	33	22	30	26	25	33	26	16	29	21	26	40
Female	650	63	60	68	60	50	47	51	51	51	43	50	56
Black, both sexes	118	10	9	8	15	8	10	10	13	7	9	9	10
Male	46	2	5	3	6	2	5	5	6	2	4	2	4
Female	72	8	4	5	9	6	5	5	7	5	5	7	6
American Indian 1/, both sexes	2	-	-	-	-	-	-	-	-	-	-	-	2
Male	1	-	-	-	-	-	-	-	-	-	-	-	1
Female	1	-	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes	7	-	1	1	-	-	2	1	-	1	-	-	1
Male	3	-	1	1	-	-	-	-	-	1	-	-	-
Female	4	-	-	-	-	-	2	1	-	-	-	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Progressive vascular leukoencephalopathy (I67.3)													
All races, both sexes	22	3	2	2	3	-	3	2	2	2	1	1	1
Male	8	1	1	-	3	-	2	-	-	-	-	-	1
Female	14	2	1	2	-	-	1	2	2	2	1	1	-
White, both sexes	20	2	2	1	3	-	3	2	2	2	1	1	1
Male	8	1	1	-	3	-	2	-	-	-	-	-	1
Female	12	1	1	1	-	-	1	2	2	2	1	1	-
Black, both sexes	2	1	-	1	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	1	-	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive encephalopathy (I67.4)													
All races, both sexes	53	9	2	2	5	4	4	2	3	8	5	4	5
Male	21	5	1	-	1	1	3	-	3	4	1	2	-
Female	32	4	1	2	4	3	1	2	-	4	4	2	5
White, both sexes	33	3	-	1	3	4	2	1	2	5	4	4	4
Male	9	1	-	-	1	1	1	-	2	1	-	2	-
Female	24	2	-	1	2	3	1	1	-	4	4	2	4
Black, both sexes	19	6	2	1	2	-	1	1	1	3	1	-	1
Male	11	4	1	-	-	-	1	-	1	3	1	-	-
Female	8	2	1	1	2	-	-	1	-	-	-	-	1
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	1	-	-	-	-	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Moyamoya disease (I67.5)													
All races, both sexes	13	2	-	1	1	-	-	2	3	1	-	2	1
Male	3	1	-	1	-	-	-	-	1	-	-	-	-
Female	10	1	-	-	1	-	-	2	2	1	-	2	1
White, both sexes	8	1	-	1	1	-	-	1	1	1	-	2	-
Male	1	-	-	1	-	-	-	-	-	-	-	-	-
Female	7	1	-	-	1	-	-	1	1	1	-	2	-
Black, both sexes	4	-	-	-	-	-	-	1	2	-	-	-	1
Male	1	-	-	-	-	-	-	-	1	-	-	-	-
Female	3	-	-	-	-	-	-	1	1	-	-	-	1
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral arteritis, not elsewhere classified (I67.7)													
All races, both sexes	73	11	3	3	7	3	4	6	3	11	6	11	5
Male	20	-	2	1	3	1	1	1	1	2	1	5	2
Female	53	11	1	2	4	2	3	5	2	9	5	6	3
White, both sexes	60	11	3	-	4	3	3	4	2	9	6	10	5
Male	16	-	2	-	2	1	-	-	1	2	1	5	2
Female	44	11	1	-	2	2	3	4	1	7	5	5	3
Black, both sexes	12	-	-	2	3	-	1	2	1	2	-	1	-
Male	4	-	-	1	1	-	1	1	-	-	-	-	-
Female	8	-	-	1	2	-	-	1	1	2	-	1	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	1	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other specified cerebrovascular diseases (I67.8)													
All races, both sexes	1,132	107	97	99	77	97	85	99	116	78	90	78	109
Male	463	44	43	43	28	32	41	39	47	40	32	31	43
Female	669	63	54	56	49	65	44	60	69	38	58	47	66
White, both sexes	987	88	88	86	70	87	69	88	99	61	84	66	101
Male	389	38	39	36	23	27	30	32	40	28	30	28	38
Female	598	50	49	50	47	60	39	56	59	33	54	38	63
Black, both sexes	127	17	9	12	7	7	14	10	13	15	5	11	7
Male	63	6	4	7	5	3	9	6	5	10	1	3	4
Female	64	11	5	5	2	4	5	4	8	5	4	8	3
American Indian 1/, both sexes	3	-	-	-	-	2	-	-	1	-	-	-	-
Male	2	-	-	-	-	2	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes	15	2	-	1	-	1	2	1	3	2	1	1	1
Male	9	-	-	-	-	-	2	1	2	2	1	-	1
Female	6	2	-	1	-	1	-	-	1	-	-	1	-
Cerebrovascular disease, unspecified (I67.9)													
All races, both sexes	7,531	771	635	689	589	614	544	558	586	570	594	619	762
Male	2,764	288	235	270	212	222	202	185	231	212	236	210	261
Female	4,767	483	400	419	377	392	342	373	355	358	358	409	501
White, both sexes	6,551	667	546	616	510	532	463	478	517	490	528	544	660
Male	2,377	245	199	240	177	193	168	166	195	184	208	175	227
Female	4,174	422	347	376	333	339	295	312	322	306	320	369	433
Black, both sexes	866	94	85	67	70	67	69	70	61	67	58	68	90
Male	344	37	35	28	30	24	27	17	34	24	24	33	31
Female	522	57	50	39	40	43	42	53	27	43	34	35	59
American Indian 1/, both sexes	15	1	-	1	1	2	2	1	-	2	1	3	1
Male	5	-	-	1	1	-	-	1	-	-	1	1	-
Female	10	1	-	-	-	2	2	-	-	2	-	2	1
Asian or Pacific Islander 2/, both sexes	99	9	4	5	8	13	10	9	8	11	7	4	11
Male	38	6	1	1	4	5	7	1	2	4	3	1	3
Female	61	3	3	4	4	8	3	8	6	7	4	3	8

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Sequelae of cerebrovascular disease (I69)													
All races, both sexes	19,533	1,861	1,702	1,784	1,627	1,456	1,431	1,518	1,489	1,448	1,658	1,634	1,925
Male	7,297	692	635	673	615	517	533	548	556	555	640	605	728
Female	12,236	1,169	1,067	1,111	1,012	939	898	970	933	893	1,018	1,029	1,197
White, both sexes	17,036	1,623	1,500	1,561	1,413	1,271	1,230	1,341	1,283	1,245	1,443	1,421	1,705
Male	6,287	593	560	591	516	433	456	480	482	476	542	520	638
Female	10,749	1,030	940	970	897	838	774	861	801	769	901	901	1,067
Black, both sexes	1,988	195	162	190	165	150	157	148	166	156	166	166	167
Male	771	81	50	69	71	69	56	56	57	60	69	65	68
Female	1,217	114	112	121	94	81	101	92	109	96	97	101	99
American Indian 1/, both sexes	59	8	3	3	6	5	6	3	4	6	8	1	6
Male	26	3	2	-	3	1	3	1	1	2	6	1	3
Female	33	5	1	3	3	4	3	2	3	4	2	-	3
Asian or Pacific Islander 2/, both sexes	450	35	37	30	43	30	38	26	36	41	41	46	47
Male	213	15	23	13	25	14	18	11	16	17	23	19	19
Female	237	20	14	17	18	16	20	15	20	24	18	27	28
Sequelae of subarachnoid hemorrhage (I69.0)													
All races, both sexes	72	9	6	7	6	9	4	13	2	2	2	6	6
Male	28	3	1	4	2	3	2	6	1	-	-	3	3
Female	44	6	5	3	4	6	2	7	1	2	2	3	3
White, both sexes	57	9	2	5	6	7	2	12	2	2	2	4	4
Male	23	3	-	2	2	3	1	6	1	-	-	2	3
Female	34	6	2	3	4	4	1	6	1	2	2	2	1
Black, both sexes	13	-	4	2	-	2	2	1	-	-	-	1	1
Male	4	-	1	2	-	-	1	-	-	-	-	-	-
Female	9	-	3	-	-	2	1	1	-	-	-	1	1
American Indian 1/, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	-	-	-	-	1	-
Male	1	-	-	-	-	-	-	-	-	-	-	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Sequelae of intracerebral hemorrhage (I69.1)													
All races, both sexes	159	16	10	9	11	16	16	13	8	8	17	17	18
Male	57	7	7	2	2	8	5	4	4	3	3	5	7
Female	102	9	3	7	9	8	11	9	4	5	14	12	11
White, both sexes	138	12	10	9	10	14	13	12	5	8	17	15	13
Male	49	6	7	2	2	7	3	4	3	3	3	3	6
Female	89	6	3	7	8	7	10	8	2	5	14	12	7
Black, both sexes	15	3	-	-	1	1	2	1	2	-	-	2	3
Male	7	1	-	-	-	1	1	-	1	-	-	2	1
Female	8	2	-	-	1	-	1	1	1	-	-	-	2
American Indian 1/, both sexes	1	-	-	-	-	-	-	-	1	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes	5	1	-	-	-	1	1	-	-	-	-	-	2
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	4	1	-	-	-	1	-	-	-	-	-	-	2
Sequelae of other nontraumatic intracranial hemorrhage (I69.2)													
All races, both sexes	142	12	16	5	8	15	11	6	16	18	7	14	14
Male	80	5	10	1	4	11	7	2	10	12	3	6	9
Female	62	7	6	4	4	4	4	4	6	6	4	8	5
White, both sexes	123	11	13	4	6	12	9	6	15	15	6	13	13
Male	68	5	8	-	2	9	6	2	9	10	3	6	8
Female	55	6	5	4	4	3	3	4	6	5	3	7	5
Black, both sexes	15	-	3	1	1	3	2	-	1	1	1	1	1
Male	10	-	2	1	1	2	1	-	1	1	-	-	1
Female	5	-	1	-	-	1	1	-	-	-	1	1	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	4	1	-	-	1	-	-	-	-	2	-	-	-
Male	2	-	-	-	1	-	-	-	-	1	-	-	-
Female	2	1	-	-	-	-	-	-	-	1	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Sequelae of cerebral infarction (I69.3)													
All races, both sexes	759	81	67	74	71	51	47	61	66	49	62	58	72
Male	309	39	26	34	24	21	18	23	26	17	25	25	31
Female	450	42	41	40	47	30	29	38	40	32	37	33	41
White, both sexes	624	65	59	62	60	46	38	48	53	37	52	46	58
Male	263	34	23	30	21	19	17	19	19	13	21	20	27
Female	361	31	36	32	39	27	21	29	34	24	31	26	31
Black, both sexes	114	14	7	12	8	4	5	12	10	10	9	11	12
Male	40	5	2	4	3	1	-	4	5	4	3	5	4
Female	74	9	5	8	5	3	5	8	5	6	6	6	8
American Indian 1/, both sexes	4	1	-	-	-	-	1	-	1	1	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	4	1	-	-	-	-	1	-	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes	17	1	1	-	3	1	3	1	2	1	1	1	2
Male	6	-	1	-	-	1	1	-	2	-	1	-	-
Female	11	1	-	-	3	-	2	1	-	1	-	1	2
Sequelae of stroke, not specified as hemorrhage or infarction (I69.4)													
All races, both sexes	10,040	969	857	927	834	735	724	785	747	739	865	851	1,007
Male	3,988	380	350	376	349	273	287	305	299	292	340	337	400
Female	6,052	589	507	551	485	462	437	480	448	447	525	514	607
White, both sexes	8,491	819	735	788	695	620	604	673	625	602	725	728	877
Male	3,324	312	305	320	279	213	237	255	255	235	275	290	348
Female	5,167	507	430	468	416	407	367	418	370	367	450	438	529
Black, both sexes	1,229	122	97	120	107	93	98	89	100	103	106	99	95
Male	507	54	30	47	51	49	37	39	37	41	47	37	38
Female	722	68	67	73	56	44	61	50	63	62	59	62	57
American Indian 1/, both sexes	32	5	2	2	3	2	2	2	1	2	6	-	5
Male	15	1	1	-	2	-	2	1	-	1	4	-	3
Female	17	4	1	2	1	2	-	1	1	1	2	-	2
Asian or Pacific Islander 2/, both sexes	288	23	23	17	29	20	20	21	21	32	28	24	30
Male	142	13	14	9	17	11	11	10	7	15	14	10	11
Female	146	10	9	8	12	9	9	11	14	17	14	14	19

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Sequelae of other and unspecified cerebrovascular diseases (I69.8)													
All races, both sexes	8,361	774	746	762	697	630	629	640	650	632	705	688	808
Male	2,835	258	241	256	234	201	214	208	216	231	269	229	278
Female	5,526	516	505	506	463	429	415	432	434	401	436	459	530
White, both sexes	7,603	707	681	693	636	572	564	590	583	581	641	615	740
Male	2,560	233	217	237	210	182	192	194	195	215	240	199	246
Female	5,043	474	464	456	426	390	372	396	388	366	401	416	494
Black, both sexes	602	56	51	55	48	47	48	45	53	42	50	52	55
Male	203	21	15	15	16	16	16	13	13	14	19	21	24
Female	399	35	36	40	32	31	32	32	40	28	31	31	31
American Indian 1/, both sexes	21	2	1	1	3	3	3	1	1	3	2	1	-
Male	11	2	1	-	1	1	1	-	1	1	2	1	-
Female	10	-	-	1	2	2	2	1	-	2	-	-	-
Asian or Pacific Islander 2/, both sexes	135	9	13	13	10	8	14	4	13	6	12	20	13
Male	61	2	8	4	7	2	5	1	7	1	8	8	8
Female	74	7	5	9	3	6	9	3	6	5	4	12	5
Atherosclerosis (I70)													
All races, both sexes	13,053	1,341	1,075	1,139	1,158	1,032	1,011	1,019	983	927	1,029	1,045	1,294
Male	4,859	502	372	441	438	400	398	366	384	355	363	364	476
Female	8,194	839	703	698	720	632	613	653	599	572	666	681	818
White, both sexes	11,885	1,230	971	1,030	1,056	953	921	920	875	840	943	954	1,192
Male	4,368	461	328	394	396	362	367	320	343	313	326	330	428
Female	7,517	769	643	636	660	591	554	600	532	527	617	624	764
Black, both sexes	995	91	90	96	86	65	75	86	89	80	73	79	85
Male	410	34	38	43	35	33	23	40	31	39	30	26	38
Female	585	57	52	53	51	32	52	46	58	41	43	53	47
American Indian 1/, both sexes	34	5	6	2	4	4	4	1	2	-	3	1	2
Male	17	1	3	2	3	-	3	1	1	-	2	-	1
Female	17	4	3	-	1	4	1	-	1	-	1	1	1
Asian or Pacific Islander 2/, both sexes	139	15	8	11	12	10	11	12	17	7	10	11	15
Male	64	6	3	2	4	5	5	5	9	3	5	8	9
Female	75	9	5	9	8	5	6	7	8	4	5	3	6

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Atherosclerosis of aorta (I70.0)													
All races, both sexes	40	6	2	5	6	1	2	7	1	-	4	3	3
Male	17	2	1	2	3	1	1	3	1	-	1	1	1
Female	23	4	1	3	3	-	1	4	-	-	3	2	2
White, both sexes	38	5	2	5	5	1	2	7	1	-	4	3	3
Male	16	1	1	2	3	1	1	3	1	-	1	1	1
Female	22	4	1	3	2	-	1	4	-	-	3	2	2
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	2	1	-	-	1	-	-	-	-	-	-	-	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	1	-	-	-	-	-	-	-	-
Atherosclerosis of renal artery (I70.1)													
All races, both sexes	61	7	4	5	7	6	6	4	5	1	6	6	4
Male	21	3	2	2	4	4	-	1	1	-	-	2	2
Female	40	4	2	3	3	2	6	3	4	1	6	4	2
White, both sexes	59	7	4	5	6	6	5	4	5	1	6	6	4
Male	20	3	2	2	3	4	-	1	1	-	-	2	2
Female	39	4	2	3	3	2	5	3	4	1	6	4	2
Black, both sexes	2	-	-	-	1	-	1	-	-	-	-	-	-
Male	1	-	-	-	1	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Atherosclerosis of arteries of the extremities (I70.2)													
All races, both sexes	438	45	31	48	33	37	25	37	42	33	35	30	42
Male	164	14	12	17	14	14	14	16	17	6	15	11	14
Female	274	31	19	31	19	23	11	21	25	27	20	19	28
White, both sexes	367	40	24	41	27	32	21	33	32	27	29	29	32
Male	138	13	9	17	10	12	11	15	12	4	13	11	11
Female	229	27	15	24	17	20	10	18	20	23	16	18	21
Black, both sexes	68	3	7	7	6	5	3	4	10	6	6	1	10
Male	25	1	3	-	4	2	2	1	5	2	2	-	3
Female	43	2	4	7	2	3	1	3	5	4	4	1	7
American Indian 1/, both sexes	2	1	-	-	-	-	1	-	-	-	-	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
Atherosclerosis of other arteries (I70.8)													
All races, both sexes	2	-	-	-	2	-	-	-	-	-	-	-	-
Male	2	-	-	-	2	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	2	-	-	-	2	-	-	-	-	-	-	-	-
Male	2	-	-	-	2	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Generalized and unspecified atherosclerosis (I70.9)													
All races, both sexes	12,512	1,283	1,038	1,081	1,110	988	978	971	935	893	984	1,006	1,245
Male	4,655	483	357	420	415	381	383	346	365	349	347	350	459
Female	7,857	800	681	661	695	607	595	625	570	544	637	656	786
White, both sexes	11,419	1,178	941	979	1,016	914	893	876	837	812	904	916	1,153
Male	4,192	444	316	373	378	345	355	301	329	309	312	316	414
Female	7,227	734	625	606	638	569	538	575	508	503	592	600	739
Black, both sexes	925	88	83	89	79	60	71	82	79	74	67	78	75
Male	384	33	35	43	30	31	21	39	26	37	28	26	35
Female	541	55	48	46	49	29	50	43	53	37	39	52	40
American Indian 1/, both sexes	32	4	6	2	4	4	3	1	2	-	3	1	2
Male	16	1	3	2	3	-	2	1	1	-	2	-	1
Female	16	3	3	-	1	4	1	-	1	-	1	1	1
Asian or Pacific Islander 2/, both sexes	136	13	8	11	11	10	11	12	17	7	10	11	15
Male	63	5	3	2	4	5	5	5	9	3	5	8	9
Female	73	8	5	9	7	5	6	7	8	4	5	3	6
Aortic aneurysm and dissection (I71)													
All races, both sexes	14,810	1,407	1,234	1,270	1,244	1,221	1,164	1,065	1,084	1,168	1,258	1,303	1,392
Male	8,976	867	723	763	774	736	712	626	675	693	755	792	860
Female	5,834	540	511	507	470	485	452	439	409	475	503	511	532
White, both sexes	13,246	1,258	1,109	1,135	1,118	1,067	1,039	945	985	1,038	1,122	1,169	1,261
Male	8,074	778	666	679	697	650	641	559	615	617	673	704	795
Female	5,172	480	443	456	421	417	398	386	370	421	449	465	466
Black, both sexes	1,230	124	93	106	95	128	98	89	77	97	107	107	109
Male	686	72	42	64	56	73	53	45	43	56	59	70	53
Female	544	52	51	42	39	55	45	44	34	41	48	37	56
American Indian 1/, both sexes	46	2	1	7	3	2	4	7	5	7	5	1	2
Male	26	-	-	5	1	2	2	2	4	5	3	-	2
Female	20	2	1	2	2	-	2	5	1	2	2	1	-
Asian or Pacific Islander 2/, both sexes	288	23	31	22	28	24	23	24	17	26	24	26	20
Male	190	17	15	15	20	11	16	20	13	15	20	18	10
Female	98	6	16	7	8	13	7	4	4	11	4	8	10

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Dissection of aorta [any part] (I71.0)													
All races, both sexes	3,649	348	324	281	301	309	279	250	236	284	349	328	360
Male	2,195	206	197	157	183	193	167	146	143	163	223	200	217
Female	1,454	142	127	124	118	116	112	104	93	121	126	128	143
White, both sexes	2,994	281	273	233	249	245	226	195	198	230	289	275	300
Male	1,802	166	172	125	152	159	132	113	120	132	181	166	184
Female	1,192	115	101	108	97	86	94	82	78	98	108	109	116
Black, both sexes	534	58	40	42	39	52	42	43	30	44	48	45	51
Male	323	36	21	27	24	28	27	25	19	26	33	29	28
Female	211	22	19	15	15	24	15	18	11	18	15	16	23
American Indian 1/, both sexes	11	1	-	1	-	1	1	4	1	-	1	-	1
Male	6	-	-	1	-	1	1	2	-	-	-	-	1
Female	5	1	-	-	-	-	-	2	1	-	1	-	-
Asian or Pacific Islander 2/, both sexes	110	8	11	5	13	11	10	8	7	10	11	8	8
Male	64	4	4	4	7	5	7	6	4	5	9	5	4
Female	46	4	7	1	6	6	3	2	3	5	2	3	4
Thoracic aortic aneurysm, ruptured (I71.1)													
All races, both sexes	895	75	92	76	79	80	78	51	61	66	69	83	85
Male	447	39	42	40	43	36	39	24	34	31	42	43	34
Female	448	36	50	36	36	44	39	27	27	35	27	40	51
White, both sexes	787	62	84	67	69	72	68	44	54	59	59	74	75
Male	386	29	40	36	34	29	34	22	29	29	37	36	31
Female	401	33	44	31	35	43	34	22	25	30	22	38	44
Black, both sexes	87	9	8	8	6	5	10	6	5	5	8	8	9
Male	48	7	2	4	5	4	5	2	4	2	4	6	3
Female	39	2	6	4	1	1	5	4	1	3	4	2	6
American Indian 1/, both sexes	2	-	-	-	-	-	-	1	-	-	1	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	1	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes	19	4	-	1	4	3	-	-	2	2	1	1	1
Male	13	3	-	-	4	3	-	-	1	-	1	1	-
Female	6	1	-	1	-	-	-	-	1	2	-	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Thoracic aortic aneurysm, without mention of rupture (I71.2)													
All races, both sexes	723	58	58	69	66	75	45	55	70	65	52	53	57
Male	306	23	20	33	33	34	18	22	29	32	21	20	21
Female	417	35	38	36	33	41	27	33	41	33	31	33	36
White, both sexes	622	49	49	55	57	63	39	48	61	58	44	46	53
Male	259	19	16	29	30	26	17	19	25	27	17	14	20
Female	363	30	33	26	27	37	22	29	36	31	27	32	33
Black, both sexes	78	8	6	11	6	12	4	5	6	6	6	4	4
Male	30	3	2	2	2	8	1	1	1	4	2	3	1
Female	48	5	4	9	4	4	3	4	5	2	4	1	3
American Indian 1/, both sexes	5	-	1	1	1	-	1	-	1	-	-	-	-
Male	2	-	-	1	-	-	-	-	1	-	-	-	-
Female	3	-	1	-	1	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	18	1	2	2	2	-	1	2	2	1	2	3	-
Male	15	1	2	1	1	-	-	2	2	1	2	3	-
Female	3	-	-	1	1	-	1	-	-	-	-	-	-
Abdominal aortic aneurysm, ruptured (I71.3)													
All races, both sexes	4,881	486	398	430	420	399	385	359	362	383	408	410	441
Male	3,294	332	257	296	284	271	260	248	250	260	264	276	296
Female	1,587	154	141	134	136	128	125	111	112	123	144	134	145
White, both sexes	4,597	462	374	399	402	377	358	337	343	360	386	379	420
Male	3,110	316	242	274	274	257	242	233	238	242	251	253	288
Female	1,487	146	132	125	128	120	116	104	105	118	135	126	132
Black, both sexes	203	16	14	23	15	19	21	12	15	15	15	23	15
Male	124	10	7	17	7	13	12	7	8	12	8	18	5
Female	79	6	7	6	8	6	9	5	7	3	7	5	10
American Indian 1/, both sexes	14	1	-	2	1	-	1	1	2	3	2	1	-
Male	8	-	-	-	1	-	1	-	2	2	2	-	-
Female	6	1	-	2	-	-	-	1	-	1	-	1	-
Asian or Pacific Islander 2/, both sexes	67	7	10	6	2	3	5	9	2	5	5	7	6
Male	52	6	8	5	2	1	5	8	2	4	3	5	3
Female	15	1	2	1	-	2	-	1	-	1	2	2	3

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Abdominal aortic aneurysm, without mention of rupture (I71.4)													
All races, both sexes	2,155	212	161	195	176	158	174	157	164	176	166	224	192
Male	1,309	131	101	118	101	93	101	89	109	109	94	143	120
Female	846	81	60	77	75	65	73	68	55	67	72	81	72
White, both sexes	2,011	197	149	186	159	140	164	149	154	159	158	215	181
Male	1,237	126	97	110	90	86	97	85	103	100	92	137	114
Female	774	71	52	76	69	54	67	64	51	59	66	78	67
Black, both sexes	117	14	9	5	17	15	8	7	7	9	8	7	11
Male	55	4	4	4	11	7	4	3	3	3	2	4	6
Female	62	10	5	1	6	8	4	4	4	6	6	3	5
American Indian 1/, both sexes	2	-	-	1	-	-	-	-	-	1	-	-	-
Male	2	-	-	1	-	-	-	-	-	1	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	25	1	3	3	-	3	2	1	3	7	-	2	-
Male	15	1	-	3	-	-	-	1	3	5	-	2	-
Female	10	-	3	-	-	3	2	-	-	2	-	-	-
Thoracoabdominal aortic aneurysm, ruptured (I71.5)													
All races, both sexes	136	10	8	10	12	15	10	8	8	12	19	15	9
Male	59	3	4	5	8	4	5	3	2	6	7	7	5
Female	77	7	4	5	4	11	5	5	6	6	12	8	4
White, both sexes	123	9	7	8	11	14	9	7	7	11	17	14	9
Male	50	2	3	3	8	4	4	2	2	5	5	7	5
Female	73	7	4	5	3	10	5	5	5	6	12	7	4
Black, both sexes	10	1	1	2	1	-	1	1	1	1	1	-	-
Male	8	1	1	2	-	-	1	1	-	1	1	-	-
Female	2	-	-	-	1	-	-	-	1	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	3	-	-	-	-	1	-	-	-	-	1	1	-
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	2	-	-	-	-	1	-	-	-	-	-	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Thoracoabdominal aortic aneurysm, without mention of rupture (I71.6)													
All races, both sexes	215	20	14	18	17	17	17	18	15	19	24	22	14
Male	97	12	6	9	5	5	10	4	7	7	12	10	10
Female	118	8	8	9	12	12	7	14	8	12	12	12	4
White, both sexes	184	18	11	16	12	14	17	15	13	18	21	17	12
Male	86	10	6	8	3	5	10	4	6	6	11	7	10
Female	98	8	5	8	9	9	7	11	7	12	10	10	2
Black, both sexes	30	2	3	2	5	3	-	3	2	1	3	4	2
Male	11	2	-	1	2	-	-	-	1	1	1	3	-
Female	19	-	3	1	3	3	-	3	1	-	2	1	2
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	-	-	-	-	1	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-
Aortic aneurysm of unspecified site, ruptured (I71.8)													
All races, both sexes	1,446	133	127	134	118	108	120	109	110	104	116	118	149
Male	875	85	76	71	73	65	78	64	71	58	65	66	103
Female	571	48	51	63	45	43	42	45	39	46	51	52	46
White, both sexes	1,307	120	115	122	109	94	112	99	102	92	101	106	135
Male	791	76	72	64	66	55	76	57	65	51	56	60	93
Female	516	44	43	58	43	39	36	42	37	41	45	46	42
Black, both sexes	99	11	8	7	1	12	7	6	6	10	12	10	9
Male	56	7	3	4	1	9	2	4	4	5	6	5	6
Female	43	4	5	3	-	3	5	2	2	5	6	5	3
American Indian 1/, both sexes	8	-	-	1	1	-	1	1	1	2	-	-	1
Male	5	-	-	1	-	-	-	-	1	2	-	-	1
Female	3	-	-	-	1	-	1	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	32	2	4	4	7	2	-	3	1	-	3	2	4
Male	23	2	1	2	6	1	-	3	1	-	3	1	3
Female	9	-	3	2	1	1	-	-	-	-	-	1	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Aortic aneurysm of unspecified site, without mention of rupture (I71.9)													
All races, both sexes	710	65	52	57	55	60	56	58	58	59	55	50	85
Male	394	36	20	34	44	35	34	26	30	27	27	27	54
Female	316	29	32	23	11	25	22	32	28	32	28	23	31
White, both sexes	621	60	47	49	50	48	46	51	53	51	47	43	76
Male	353	34	18	30	40	29	29	24	27	25	23	24	50
Female	268	26	29	19	10	19	17	27	26	26	24	19	26
Black, both sexes	72	5	4	6	5	10	5	6	5	6	6	6	8
Male	31	2	2	3	4	4	1	2	3	2	2	2	4
Female	41	3	2	3	1	6	4	4	2	4	4	4	4
American Indian 1/, both sexes	4	-	-	1	-	1	-	-	-	1	1	-	-
Male	3	-	-	1	-	1	-	-	-	-	1	-	-
Female	1	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes	13	-	1	1	-	1	5	1	-	1	1	1	1
Male	7	-	-	-	-	1	4	-	-	-	1	1	-
Female	6	-	1	1	-	-	1	1	-	1	-	-	1
Other aneurysm (I72)													
All races, both sexes	705	74	63	62	59	67	54	40	46	47	67	65	61
Male	426	41	39	36	41	37	30	25	27	29	43	38	40
Female	279	33	24	26	18	30	24	15	19	18	24	27	21
White, both sexes	593	60	54	56	53	52	48	31	37	40	56	53	53
Male	366	35	32	34	38	27	25	21	22	25	37	34	36
Female	227	25	22	22	15	25	23	10	15	15	19	19	17
Black, both sexes	93	13	8	5	3	12	6	6	9	6	8	9	8
Male	49	6	6	1	2	7	5	3	5	3	5	2	4
Female	44	7	2	4	1	5	1	3	4	3	3	7	4
American Indian 1/, both sexes	2	-	1	-	-	1	-	-	-	-	-	-	-
Male	2	-	1	-	-	1	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	17	1	-	1	3	2	-	3	-	1	3	3	-
Male	9	-	-	1	1	2	-	1	-	1	1	2	-
Female	8	1	-	-	2	-	-	2	-	-	2	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Aneurysm of carotid artery (I72.0)													
All races, both sexes	41	8	6	4	4	3	2	1	2	3	1	3	4
Male	9	1	1	-	2	-	-	-	-	2	-	1	2
Female	32	7	5	4	2	3	2	1	2	1	1	2	2
White, both sexes	30	5	5	2	4	2	2	-	2	3	-	2	3
Male	8	-	1	-	2	-	-	-	-	2	-	1	2
Female	22	5	4	2	2	2	2	-	2	1	-	1	1
Black, both sexes	9	3	1	2	-	1	-	-	-	-	-	1	1
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	8	2	1	2	-	1	-	-	-	-	-	1	1
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	2	-	-	-	-	-	-	1	-	-	1	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	1	-	-	1	-	-
Aneurysm of artery of upper extremity (I72.1)													
All races, both sexes	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
White, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Aneurysm of renal artery (I72.2)													
All races, both sexes.....	37	2	6	3	2	2	5	4	2	-	2	4	5
Male.....	21	-	4	1	1	1	2	3	1	-	2	2	4
Female.....	16	2	2	2	1	1	3	1	1	-	-	2	1
White, both sexes.....	34	2	6	3	2	-	5	4	1	-	2	4	5
Male.....	19	-	4	1	1	-	2	3	-	-	2	2	4
Female.....	15	2	2	2	1	-	3	1	1	-	-	2	1
Black, both sexes.....	3	-	-	-	-	2	-	-	1	-	-	-	-
Male.....	2	-	-	-	-	1	-	-	1	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Aneurysm of iliac artery (I72.3)													
All races, both sexes.....	150	10	13	14	16	12	6	9	11	5	17	21	16
Male.....	129	9	11	12	15	10	6	9	9	3	15	17	13
Female.....	21	1	2	2	1	2	-	-	2	2	2	4	3
White, both sexes.....	126	9	10	13	14	9	6	9	8	5	13	18	12
Male.....	109	8	9	11	13	8	6	9	6	3	11	15	10
Female.....	17	1	1	2	1	1	-	-	2	2	2	3	2
Black, both sexes.....	20	1	3	-	2	2	-	-	3	-	4	1	4
Male.....	17	1	2	-	2	1	-	-	3	-	4	1	3
Female.....	3	-	1	-	-	1	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.	3	-	-	1	-	-	-	-	-	-	-	2	-
Male.....	2	-	-	1	-	-	-	-	-	-	-	1	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Aneurysm of artery of lower extremity (I72.4)													
All races, both sexes	47	-	3	4	7	8	5	1	2	6	3	3	5
Male	35	-	1	2	7	6	3	1	2	5	2	3	3
Female	12	-	2	2	-	2	2	-	-	1	1	-	2
White, both sexes	42	-	3	3	7	8	3	1	2	5	3	3	4
Male	33	-	1	2	7	6	2	1	2	4	2	3	3
Female	9	-	2	1	-	2	1	-	-	1	1	-	1
Black, both sexes	4	-	-	1	-	-	2	-	-	-	-	-	1
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	3	-	-	1	-	-	1	-	-	-	-	-	1
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	-	-	1	-	-	-
Male	1	-	-	-	-	-	-	-	-	1	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Aneurysm of other specified arteries (I72.8)													
All races, both sexes	91	10	9	9	7	11	9	1	4	8	9	4	10
Male	49	7	7	3	4	8	2	1	1	3	6	2	5
Female	42	3	2	6	3	3	7	-	3	5	3	2	5
White, both sexes	79	9	7	9	5	8	9	1	3	6	9	4	9
Male	42	6	5	3	4	5	2	1	1	3	6	2	4
Female	37	3	2	6	1	3	7	-	2	3	3	2	5
Black, both sexes	9	1	2	-	-	2	-	-	1	2	-	-	1
Male	6	1	2	-	-	2	-	-	-	-	-	-	1
Female	3	-	-	-	-	-	-	-	1	2	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	3	-	-	-	2	1	-	-	-	-	-	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	2	-	-	-	2	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Aneurysm of unspecified site (I72.9)													
All races, both sexes	338	44	26	28	23	31	27	24	25	25	34	30	21
Male	183	24	15	18	12	12	17	11	14	16	18	13	13
Female	155	20	11	10	11	19	10	13	11	9	16	17	8
White, both sexes	282	35	23	26	21	25	23	16	21	21	29	22	20
Male	155	21	12	17	11	8	13	7	13	13	16	11	13
Female	127	14	11	9	10	17	10	9	8	8	13	11	7
Black, both sexes	47	8	2	2	1	5	4	6	4	4	3	7	1
Male	22	3	2	1	-	3	4	3	1	3	1	1	-
Female	25	5	-	1	1	2	-	3	3	1	2	6	1
American Indian 1/, both sexes	1	-	1	-	-	-	-	-	-	-	-	-	-
Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	8	1	-	-	1	1	-	2	-	-	2	1	-
Male	5	-	-	-	1	1	-	1	-	-	1	1	-
Female	3	1	-	-	-	-	-	1	-	-	1	-	-
Other peripheral vascular diseases (I73)													
All races, both sexes	7,258	676	604	677	605	644	574	525	591	571	607	564	620
Male	2,999	285	240	287	246	260	264	212	234	228	240	245	258
Female	4,259	391	364	390	359	384	310	313	357	343	367	319	362
White, both sexes	6,159	571	510	582	533	547	481	451	491	472	508	485	528
Male	2,553	234	209	256	214	209	225	183	203	186	202	207	225
Female	3,606	337	301	326	319	338	256	268	288	286	306	278	303
Black, both sexes	1,005	98	82	85	67	95	84	69	94	93	85	70	83
Male	405	47	25	29	29	50	36	27	29	37	33	33	30
Female	600	51	57	56	38	45	48	42	65	56	52	37	53
American Indian 1/, both sexes	35	-	5	4	2	1	2	3	1	3	9	3	2
Male	19	-	2	2	2	1	1	1	-	3	3	2	2
Female	16	-	3	2	-	-	1	2	1	-	6	1	-
Asian or Pacific Islander 2/, both sexes	59	7	7	6	3	1	7	2	5	3	5	6	7
Male	22	4	4	-	1	-	2	1	2	2	2	3	1
Female	37	3	3	6	2	1	5	1	3	1	3	3	6

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Raynaud's syndrome (I73.0)													
All races, both sexes.....	16	2	1	1	2	1	2	2	-	-	-	3	2
Male.....	2	-	-	-	-	-	2	-	-	-	-	-	-
Female.....	14	2	1	1	2	1	-	2	-	-	-	3	2
White, both sexes.....	14	2	1	1	2	1	2	1	-	-	-	2	2
Male.....	2	-	-	-	-	-	2	-	-	-	-	-	-
Female.....	12	2	1	1	2	1	-	1	-	-	-	2	2
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Thromboangiitis obliterans [Buerger] (I73.1)													
All races, both sexes.....	10	-	-	1	-	-	-	1	4	2	-	-	2
Male.....	6	-	-	1	-	-	-	-	3	1	-	-	1
Female.....	4	-	-	-	-	-	-	1	1	1	-	-	1
White, both sexes.....	7	-	-	1	-	-	-	1	2	1	-	-	2
Male.....	4	-	-	1	-	-	-	-	2	-	-	-	1
Female.....	3	-	-	-	-	-	-	1	-	1	-	-	1
Black, both sexes.....	2	-	-	-	-	-	-	-	2	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other specified peripheral vascular diseases (I73.8)													
All races, both sexes	28	3	3	6	2	2	2	1	1	2	-	2	4
Male	5	-	2	-	-	1	1	-	-	-	-	1	-
Female	23	3	1	6	2	1	1	1	1	2	-	1	4
White, both sexes	26	2	3	6	2	2	2	1	1	2	-	2	3
Male	5	-	2	-	-	1	1	-	-	-	-	1	-
Female	21	2	1	6	2	1	1	1	1	2	-	1	3
Black, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	1
Peripheral vascular disease, unspecified (I73.9)													
All races, both sexes	7,204	671	600	669	601	641	570	521	586	567	607	559	612
Male	2,986	285	238	286	246	259	261	212	231	227	240	244	257
Female	4,218	386	362	383	355	382	309	309	355	340	367	315	355
White, both sexes	6,112	567	506	574	529	544	477	448	488	469	508	481	521
Male	2,542	234	207	255	214	208	222	183	201	186	202	206	224
Female	3,570	333	299	319	315	336	255	265	287	283	306	275	297
Black, both sexes	1,001	97	82	85	67	95	84	69	92	93	85	69	83
Male	404	47	25	29	29	50	36	27	28	37	33	33	30
Female	597	50	57	56	38	45	48	42	64	56	52	36	53
American Indian 1/, both sexes	34	-	5	4	2	1	2	2	1	3	9	3	2
Male	19	-	2	2	2	1	1	1	-	3	3	2	2
Female	15	-	3	2	-	-	1	1	1	-	6	1	-
Asian or Pacific Islander 2/, both sexes	57	7	7	6	3	1	7	2	5	2	5	6	6
Male	21	4	4	-	1	-	2	1	2	1	2	3	1
Female	36	3	3	6	2	1	5	1	3	1	3	3	5

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Arterial embolism and thrombosis (I74)													
All races, both sexes	815	64	47	86	75	70	85	69	47	58	73	67	74
Male	329	27	17	31	37	31	41	26	22	23	23	30	21
Female	486	37	30	55	38	39	44	43	25	35	50	37	53
White, both sexes	724	56	42	81	62	63	79	62	40	48	68	57	66
Male	290	22	14	29	31	26	38	24	21	19	21	26	19
Female	434	34	28	52	31	37	41	38	19	29	47	31	47
Black, both sexes	78	6	5	4	11	6	4	7	6	8	5	10	6
Male	30	3	3	1	4	4	2	2	1	3	2	4	1
Female	48	3	2	3	7	2	2	5	5	5	3	6	5
American Indian 1/, both sexes	7	2	-	-	1	-	1	-	1	1	-	-	1
Male	4	2	-	-	1	-	-	-	-	1	-	-	-
Female	3	-	-	-	-	-	1	-	1	-	-	-	1
Asian or Pacific Islander 2/, both sexes	6	-	-	1	1	1	1	-	-	1	-	-	1
Male	5	-	-	1	1	1	1	-	-	-	-	-	1
Female	1	-	-	-	-	-	-	-	-	1	-	-	-
Embolism and thrombosis of abdominal aorta (I74.0)													
All races, both sexes	49	4	2	4	2	4	7	6	2	4	6	4	4
Male	21	2	1	1	-	3	5	2	1	2	3	1	-
Female	28	2	1	3	2	1	2	4	1	2	3	3	4
White, both sexes	47	3	2	4	2	4	7	6	2	3	6	4	4
Male	20	2	1	1	-	3	5	2	1	1	3	1	-
Female	27	1	1	3	2	1	2	4	1	2	3	3	4
Black, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	1	-	-	-	-	-	-	-	-	1	-	-	-
Male	1	-	-	-	-	-	-	-	-	1	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Embolism and thrombosis of other and unspecified parts of aorta (I74.1)													
All races, both sexes	189	16	11	24	24	19	19	18	8	6	13	14	17
Male	73	6	-	9	12	8	9	5	6	4	2	8	4
Female	116	10	11	15	12	11	10	13	2	2	11	6	13
White, both sexes	170	16	9	21	21	18	17	14	6	6	13	13	16
Male	67	6	-	7	11	8	8	5	5	4	2	7	4
Female	103	10	9	14	10	10	9	9	1	2	11	6	12
Black, both sexes	15	-	2	2	3	1	-	4	2	-	-	1	-
Male	4	-	-	1	1	-	-	-	1	-	-	1	-
Female	11	-	2	1	2	1	-	4	1	-	-	-	-
American Indian 1/, both sexes	2	-	-	-	-	-	1	-	-	-	-	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	1	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes	2	-	-	1	-	-	1	-	-	-	-	-	-
Male	2	-	-	1	-	-	1	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Embolism and thrombosis of arteries of the upper extremities (I74.2)													
All races, both sexes	14	-	1	-	1	2	1	-	-	1	1	2	5
Male	5	-	1	-	-	-	-	-	-	1	-	1	2
Female	9	-	-	-	1	2	1	-	-	-	1	1	3
White, both sexes	8	-	1	-	-	2	1	-	-	-	1	-	3
Male	2	-	1	-	-	-	-	-	-	-	-	-	1
Female	6	-	-	-	-	2	1	-	-	-	1	-	2
Black, both sexes	6	-	-	-	1	-	-	-	-	1	-	2	2
Male	3	-	-	-	-	-	-	-	-	1	-	1	1
Female	3	-	-	-	1	-	-	-	-	-	-	1	1
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Embolism and thrombosis of arteries of the lower extremities (I74.3)													
All races, both sexes	152	13	7	16	16	15	16	11	8	13	12	12	13
Male	48	5	4	6	6	3	4	5	2	3	3	5	2
Female	104	8	3	10	10	12	12	6	6	10	9	7	11
White, both sexes	142	13	7	16	13	15	15	10	8	11	11	11	12
Male	45	5	4	6	4	3	4	4	2	3	3	5	2
Female	97	8	3	10	9	12	11	6	6	8	8	6	10
Black, both sexes	8	-	-	-	2	-	1	1	-	1	1	1	1
Male	2	-	-	-	1	-	-	1	-	-	-	-	-
Female	6	-	-	-	1	-	1	-	-	1	1	1	1
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	2	-	-	-	1	-	-	-	-	1	-	-	-
Male	1	-	-	-	1	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	1	-	-	-
Embolism and thrombosis of arteries of extremities, unspecified (I74.4)													
All races, both sexes	33	4	2	5	6	-	1	1	3	3	3	4	1
Male	12	1	-	1	3	-	-	1	2	1	1	2	-
Female	21	3	2	4	3	-	1	-	1	2	2	2	1
White, both sexes	31	3	2	5	6	-	1	1	3	2	3	4	1
Male	12	1	-	1	3	-	-	1	2	1	1	2	-
Female	19	2	2	4	3	-	1	-	1	1	2	2	1
Black, both sexes	2	1	-	-	-	-	-	-	-	1	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	1	-	-	-	-	-	-	-	1	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Embolism and thrombosis of iliac artery (I74.5)													
All races, both sexes	23	-	1	2	1	1	6	4	1	2	2	2	1
Male	10	-	1	1	-	1	3	2	-	-	-	1	1
Female	13	-	-	1	1	-	3	2	1	2	2	1	-
White, both sexes	20	-	1	2	1	-	6	3	1	2	2	1	1
Male	8	-	1	1	-	-	3	2	-	-	-	-	1
Female	12	-	-	1	1	-	3	1	1	2	2	1	-
Black, both sexes	3	-	-	-	-	1	-	1	-	-	-	1	-
Male	2	-	-	-	-	1	-	-	-	-	-	1	-
Female	1	-	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Embolism and thrombosis of other arteries (I74.8)													
All races, both sexes	36	3	1	6	2	2	6	-	2	1	4	3	6
Male	17	2	-	1	2	2	4	-	-	-	3	1	2
Female	19	1	1	5	-	-	2	-	2	1	1	2	4
White, both sexes	30	2	1	5	2	2	6	-	1	1	4	1	5
Male	16	1	-	1	2	2	4	-	-	-	3	1	2
Female	14	1	1	4	-	-	2	-	1	1	1	-	3
Black, both sexes	5	-	-	1	-	-	-	-	1	-	-	2	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	5	-	-	1	-	-	-	-	1	-	-	2	1
American Indian 1/, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Embolism and thrombosis of unspecified artery (I74.9)													
All races, both sexes	319	24	22	29	23	27	29	29	23	28	32	26	27
Male	143	11	10	12	14	14	16	11	11	12	11	11	10
Female	176	13	12	17	9	13	13	18	12	16	21	15	17
White, both sexes	276	19	19	28	17	22	26	28	19	23	28	23	24
Male	120	7	7	12	11	10	14	10	11	10	9	10	9
Female	156	12	12	16	6	12	12	18	8	13	19	13	15
Black, both sexes	38	4	3	1	5	4	3	1	3	5	4	3	2
Male	19	3	3	-	2	3	2	1	-	2	2	1	-
Female	19	1	-	1	3	1	1	-	3	3	2	2	2
American Indian 1/, both sexes	3	1	-	-	1	-	-	-	1	-	-	-	-
Male	2	1	-	-	1	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes	2	-	-	-	-	1	-	-	-	-	-	-	1
Male	2	-	-	-	-	1	-	-	-	-	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other disorders of arteries and arterioles (I77)													
All races, both sexes	1,026	76	74	89	79	98	89	79	61	86	102	99	94
Male	460	31	29	39	33	60	39	35	23	32	46	44	49
Female	566	45	45	50	46	38	50	44	38	54	56	55	45
White, both sexes	888	65	67	77	66	88	75	68	54	76	90	86	76
Male	401	27	27	31	27	50	36	32	21	28	44	38	40
Female	487	38	40	46	39	38	39	36	33	48	46	48	36
Black, both sexes	107	6	6	11	10	8	11	9	5	8	9	10	14
Male	43	1	2	7	4	8	3	1	2	3	2	4	6
Female	64	5	4	4	6	-	8	8	3	5	7	6	8
American Indian 1/, both sexes	11	2	-	-	2	1	1	-	-	2	1	-	2
Male	4	-	-	-	1	1	-	-	-	1	-	-	1
Female	7	2	-	-	1	-	1	-	-	1	1	-	1
Asian or Pacific Islander 2/, both sexes	20	3	1	1	1	1	2	2	2	-	2	3	2
Male	12	3	-	1	1	1	-	2	-	-	-	2	2
Female	8	-	1	-	-	-	2	-	2	-	2	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Arteriovenous fistula, acquired (I77.0)													
All races, both sexes	40	3	-	2	4	5	2	2	3	3	4	3	9
Male	24	2	-	1	4	4	1	1	2	1	1	3	4
Female	16	1	-	1	-	1	1	1	1	2	3	-	5
White, both sexes	26	2	-	-	3	3	2	2	2	2	3	2	5
Male	18	2	-	-	3	2	1	1	2	1	1	2	3
Female	8	-	-	-	-	1	1	1	-	1	2	-	2
Black, both sexes	11	1	-	2	1	-	-	-	1	1	1	1	3
Male	4	-	-	1	1	-	-	-	-	-	-	1	1
Female	7	1	-	1	-	-	-	-	1	1	1	-	2
American Indian 1/, both sexes	2	-	-	-	-	1	-	-	-	-	-	-	1
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Stricture of artery (I77.1)													
All races, both sexes	128	11	8	8	13	12	8	10	8	7	12	15	16
Male	47	2	3	2	4	6	-	5	2	3	4	7	9
Female	81	9	5	6	9	6	8	5	6	4	8	8	7
White, both sexes	115	11	8	8	9	11	7	9	8	7	12	13	12
Male	43	2	3	2	3	5	-	5	2	3	4	7	7
Female	72	9	5	6	6	6	7	4	6	4	8	6	5
Black, both sexes	11	-	-	-	4	1	1	1	-	-	-	2	2
Male	2	-	-	-	1	1	-	-	-	-	-	-	-
Female	9	-	-	-	3	-	1	1	-	-	-	2	2
American Indian 1/, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	1	-	-	-	-	-	-	-	-	-	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	1	-	-	-	-	-	-	-	-	-	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Rupture of artery (I77.2)													
All races, both sexes	160	8	10	13	12	18	21	16	13	11	11	13	14
Male	105	7	7	7	10	12	17	8	7	5	9	4	12
Female	55	1	3	6	2	6	4	8	6	6	2	9	2
White, both sexes	136	6	10	13	10	16	19	14	9	9	10	8	12
Male	92	6	7	7	8	10	16	8	5	3	9	3	10
Female	44	-	3	6	2	6	3	6	4	6	1	5	2
Black, both sexes	21	1	-	-	2	2	2	2	3	2	1	4	2
Male	12	-	-	-	2	2	1	-	2	2	-	1	2
Female	9	1	-	-	-	-	1	2	1	-	1	3	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	3	1	-	-	-	-	-	-	1	-	-	1	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	1	-	-	1	-
Arterial fibromuscular dysplasia (I77.3)													
All races, both sexes	5	1	-	-	1	-	1	-	-	-	-	1	1
Male	3	1	-	-	-	-	1	-	-	-	-	-	1
Female	2	-	-	-	1	-	-	-	-	-	-	1	-
White, both sexes	2	-	-	-	1	-	1	-	-	-	-	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	1	-	-	-	1	-	-	-	-	-	-	-	-
Black, both sexes	3	1	-	-	-	-	-	-	-	-	-	1	1
Male	2	1	-	-	-	-	-	-	-	-	-	-	1
Female	1	-	-	-	-	-	-	-	-	-	-	1	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Celiac artery compression syndrome (I77.4)													
All races, both sexes	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
White, both sexes	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Arteritis, unspecified (I77.6)													
All races, both sexes	429	36	31	45	31	48	33	32	21	40	34	45	33
Male	154	11	10	18	10	25	10	15	3	12	14	15	11
Female	275	25	21	27	21	23	23	17	18	28	20	30	22
White, both sexes	385	31	26	41	27	44	28	28	21	37	30	43	29
Male	139	10	10	16	8	21	10	12	3	12	14	13	10
Female	246	21	16	25	19	23	18	16	18	25	16	30	19
Black, both sexes	29	3	4	4	2	4	2	2	-	2	2	1	3
Male	8	-	-	2	-	4	-	1	-	-	-	1	-
Female	21	3	4	2	2	-	2	1	-	2	2	-	3
American Indian 1/, both sexes	5	1	-	-	1	-	1	-	-	1	1	-	-
Male	1	-	-	-	1	-	-	-	-	-	-	-	-
Female	4	1	-	-	-	-	1	-	-	1	1	-	-
Asian or Pacific Islander 2/, both sexes	10	1	1	-	1	-	2	2	-	-	1	1	1
Male	6	1	-	-	1	-	-	2	-	-	-	1	1
Female	4	-	1	-	-	-	2	-	-	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other specified disorders of arteries and arterioles (I77.8)													
All races, both sexes	13	1	1	2	-	-	1	2	-	1	1	3	1
Male	5	1	1	-	-	-	-	-	-	-	1	1	1
Female	8	-	-	2	-	-	1	2	-	1	-	2	-
White, both sexes	12	1	1	2	-	-	1	2	-	1	1	3	-
Male	4	1	1	-	-	-	-	-	-	-	1	1	-
Female	8	-	-	2	-	-	1	2	-	1	-	2	-
Black, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	1	-	-	-	-	-	-	-	-	-	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Disorder of arteries and arterioles, unspecified (I77.9)													
All races, both sexes	250	16	24	19	18	15	23	17	16	24	39	19	20
Male	122	7	8	11	5	13	10	6	9	11	17	14	11
Female	128	9	16	8	13	2	13	11	7	13	22	5	9
White, both sexes	211	14	22	13	16	14	17	13	14	20	33	17	18
Male	104	6	6	6	5	12	8	6	9	9	15	12	10
Female	107	8	16	7	11	2	9	7	5	11	18	5	8
Black, both sexes	31	-	2	5	1	1	6	4	1	3	5	1	2
Male	14	-	2	4	-	1	2	-	-	1	2	1	1
Female	17	-	-	1	1	-	4	4	1	2	3	-	1
American Indian 1/, both sexes	3	1	-	-	1	-	-	-	-	1	-	-	-
Male	1	-	-	-	-	-	-	-	-	1	-	-	-
Female	2	1	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	5	1	-	1	-	-	-	-	1	-	1	1	-
Male	3	1	-	1	-	-	-	-	-	-	-	1	-
Female	2	-	-	-	-	-	-	-	1	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Diseases of capillaries (I78)													
All races, both sexes	58	8	6	4	6	5	2	6	4	5	3	5	4
Male	27	3	4	2	3	2	1	4	1	3	-	2	2
Female	31	5	2	2	3	3	1	2	3	2	3	3	2
White, both sexes	51	7	6	3	4	5	2	5	3	5	2	5	4
Male	24	2	4	1	2	2	1	4	1	3	-	2	2
Female	27	5	2	2	2	3	1	1	2	2	2	3	2
Black, both sexes	6	1	-	1	2	-	-	1	-	-	1	-	-
Male	3	1	-	1	1	-	-	-	-	-	-	-	-
Female	3	-	-	-	1	-	-	1	-	-	1	-	-
American Indian 1/, both sexes	1	-	-	-	-	-	-	-	1	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Hereditary hemorrhagic telangiectasia (I78.0)													
All races, both sexes	36	7	4	2	2	3	2	4	1	3	1	3	4
Male	17	3	2	1	-	1	1	3	-	2	-	2	2
Female	19	4	2	1	2	2	1	1	1	1	1	1	2
White, both sexes	34	6	4	2	2	3	2	4	-	3	1	3	4
Male	16	2	2	1	-	1	1	3	-	2	-	2	2
Female	18	4	2	1	2	2	1	1	-	1	1	1	2
Black, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	1	-	-	-	-	-	-	-	1	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Nevus, nonneoplastic (I78.1)													
All races, both sexes	8	1	-	1	3	-	-	-	1	1	1	-	-
Male	4	-	-	1	3	-	-	-	-	-	-	-	-
Female	4	1	-	-	-	-	-	-	1	1	1	-	-
White, both sexes	6	1	-	-	2	-	-	-	1	1	1	-	-
Male	2	-	-	-	2	-	-	-	-	-	-	-	-
Female	4	1	-	-	-	-	-	-	1	1	1	-	-
Black, both sexes	2	-	-	1	1	-	-	-	-	-	-	-	-
Male	2	-	-	1	1	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of capillaries (I78.8)													
All races, both sexes	13	-	2	1	1	2	-	1	2	1	1	2	-
Male	6	-	2	-	-	1	-	1	1	1	-	-	-
Female	7	-	-	1	1	1	-	-	1	-	1	2	-
White, both sexes	11	-	2	1	-	2	-	1	2	1	-	2	-
Male	6	-	2	-	-	1	-	1	1	1	-	-	-
Female	5	-	-	1	-	1	-	-	1	-	-	2	-
Black, both sexes	2	-	-	-	1	-	-	-	-	-	1	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	1	-	-	-	-	-	1	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Disease of capillaries, unspecified (I78.9)													
All races, both sexes	1	-	-	-	-	-	-	1	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	1	-	-	-	-	-
White, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	1	-	-	-	-	-	-	1	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlebitis and thrombophlebitis (I80)													
All races, both sexes	3,278	287	278	279	276	244	252	284	281	258	263	266	310
Male	1,292	119	109	106	107	90	114	107	115	98	97	98	132
Female	1,986	168	169	173	169	154	138	177	166	160	166	168	178
White, both sexes	2,641	222	225	229	217	197	208	231	230	200	210	217	255
Male	1,013	91	85	89	85	69	96	84	89	70	75	79	101
Female	1,628	131	140	140	132	128	112	147	141	130	135	138	154
Black, both sexes	604	59	52	49	55	44	41	51	47	55	51	48	52
Male	265	26	23	17	21	18	16	23	24	27	22	18	30
Female	339	33	29	32	34	26	25	28	23	28	29	30	22
American Indian 1/, both sexes	8	1	1	1	-	-	1	2	1	1	-	-	-
Male	4	-	1	-	-	-	1	-	1	1	-	-	-
Female	4	1	-	1	-	-	-	2	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	25	5	-	-	4	3	2	-	3	2	2	1	3
Male	10	2	-	-	1	3	1	-	1	-	-	1	1
Female	15	3	-	-	3	-	1	-	2	2	2	-	2

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Phlebitis and thrombophlebitis of superficial vessels of lower extremities (I80.0)													
All races, both sexes	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
White, both sexes	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlebitis and thrombophlebitis of femoral vein (I80.1)													
All races, both sexes	29	5	5	2	-	1	2	4	1	2	1	2	4
Male	11	2	1	-	-	1	1	1	1	1	-	1	2
Female	18	3	4	2	-	-	1	3	-	1	1	1	2
White, both sexes	25	3	5	2	-	1	2	4	1	2	-	2	3
Male	9	1	1	-	-	1	1	1	1	1	-	1	1
Female	16	2	4	2	-	-	1	3	-	1	-	1	2
Black, both sexes	3	1	-	-	-	-	-	-	-	-	1	-	1
Male	2	1	-	-	-	-	-	-	-	-	-	-	1
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Phlebitis and thrombophlebitis of other deep vessels of lower extremities (I80.2)													
All races, both sexes	2,908	254	250	241	249	210	220	248	252	234	232	240	278
Male	1,142	103	93	90	98	77	99	94	104	87	87	89	121
Female	1,766	151	157	151	151	133	121	154	148	147	145	151	157
White, both sexes	2,341	198	203	199	198	169	184	197	207	180	185	194	227
Male	895	80	73	76	78	57	84	73	82	61	67	72	92
Female	1,446	118	130	123	120	112	100	124	125	119	118	122	135
Black, both sexes	541	53	46	41	48	38	34	49	42	51	45	45	49
Male	237	23	19	14	19	17	14	21	21	25	20	16	28
Female	304	30	27	27	29	21	20	28	21	26	25	29	21
American Indian 1/, both sexes	7	1	1	1	-	-	-	2	1	1	-	-	-
Male	3	-	1	-	-	-	-	-	1	1	-	-	-
Female	4	1	-	1	-	-	-	2	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	19	2	-	-	3	3	2	-	2	2	2	1	2
Male	7	-	-	-	1	3	1	-	-	-	-	1	1
Female	12	2	-	-	2	-	1	-	2	2	2	-	1
Phlebitis and thrombophlebitis of lower extremities, unspecified (I80.3)													
All races, both sexes	235	23	14	28	20	22	22	21	17	17	21	16	14
Male	96	13	12	12	6	7	9	8	5	6	6	8	4
Female	139	10	2	16	14	15	13	13	12	11	15	8	10
White, both sexes	185	17	9	20	14	18	16	19	14	15	17	14	12
Male	73	9	8	9	5	7	7	6	3	5	5	6	3
Female	112	8	1	11	9	11	9	13	11	10	12	8	9
Black, both sexes	46	4	5	8	5	4	5	2	3	2	4	2	2
Male	20	2	4	3	1	-	1	2	2	1	1	2	1
Female	26	2	1	5	4	4	4	-	1	1	3	-	1
American Indian 1/, both sexes	1	-	-	-	-	-	1	-	-	-	-	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	3	2	-	-	1	-	-	-	-	-	-	-	-
Male	2	2	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	1	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Phlebitis and thrombophlebitis of other sites (I80.8)													
All races, both sexes	11	1	-	-	1	1	2	1	1	1	-	2	1
Male	3	1	-	-	-	-	1	-	1	-	-	-	-
Female	8	-	-	-	1	1	1	1	-	1	-	2	1
White, both sexes	9	1	-	-	1	1	2	1	1	-	-	2	-
Male	3	1	-	-	-	-	1	-	1	-	-	-	-
Female	6	-	-	-	1	1	1	1	-	-	-	2	-
Black, both sexes	1	-	-	-	-	-	-	-	-	1	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	1	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	1
Phlebitis and thrombophlebitis of unspecified site (I80.9)													
All races, both sexes	94	4	9	8	6	10	6	10	10	4	8	6	13
Male	40	-	3	4	3	5	4	4	4	4	4	-	5
Female	54	4	6	4	3	5	2	6	6	-	4	6	8
White, both sexes	80	3	8	8	4	8	4	10	7	3	7	5	13
Male	33	-	3	4	2	4	3	4	2	3	3	-	5
Female	47	3	5	4	2	4	1	6	5	-	4	5	8
Black, both sexes	13	1	1	-	2	2	2	-	2	1	1	1	-
Male	6	-	-	-	1	1	1	-	1	1	1	-	-
Female	7	1	1	-	1	1	1	-	1	-	-	1	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	-	1	-	-	-	-
Male	1	-	-	-	-	-	-	-	1	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Portal vein thrombosis (I81)													
All races, both sexes	86	7	13	7	5	7	6	7	9	7	6	4	8
Male	33	4	7	1	2	3	1	3	5	3	-	1	3
Female	53	3	6	6	3	4	5	4	4	4	6	3	5
White, both sexes	72	5	11	7	2	6	5	5	8	6	6	4	7
Male	30	4	5	1	1	3	1	3	5	3	-	1	3
Female	42	1	6	6	1	3	4	2	3	3	6	3	4
Black, both sexes	10	-	2	-	2	-	1	2	1	1	-	-	1
Male	2	-	2	-	-	-	-	-	-	-	-	-	-
Female	8	-	-	-	2	-	1	2	1	1	-	-	1
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	4	2	-	-	1	1	-	-	-	-	-	-	-
Male	1	-	-	-	1	-	-	-	-	-	-	-	-
Female	3	2	-	-	-	1	-	-	-	-	-	-	-
Other venous embolism and thrombosis (I82)													
All races, both sexes	259	29	21	14	22	22	19	24	23	30	11	21	23
Male	101	11	14	6	8	6	5	11	9	10	4	6	11
Female	158	18	7	8	14	16	14	13	14	20	7	15	12
White, both sexes	201	22	17	11	17	18	17	17	16	22	7	20	17
Male	81	10	12	5	6	5	5	10	4	8	3	6	7
Female	120	12	5	6	11	13	12	7	12	14	4	14	10
Black, both sexes	54	7	4	3	5	3	2	7	6	8	3	1	5
Male	19	1	2	1	2	1	-	1	5	2	1	-	3
Female	35	6	2	2	3	2	2	6	1	6	2	1	2
American Indian 1/, both sexes	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	3	-	-	-	-	-	-	-	1	-	1	-	1
Male	1	-	-	-	-	-	-	-	-	-	-	-	1
Female	2	-	-	-	-	-	-	-	1	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Budd-Chiari syndrome (I82.0)													
All races, both sexes	42	3	1	3	5	7	2	3	3	3	4	6	2
Male	15	2	1	-	2	2	-	2	1	1	1	2	1
Female	27	1	-	3	3	5	2	1	2	2	3	4	1
White, both sexes	36	2	1	3	3	6	2	3	3	2	3	6	2
Male	14	2	1	-	1	2	-	2	1	1	1	2	1
Female	22	-	-	3	2	4	2	1	2	1	2	4	1
Black, both sexes	6	1	-	-	2	1	-	-	-	1	1	-	-
Male	1	-	-	-	1	-	-	-	-	-	-	-	-
Female	5	1	-	-	1	1	-	-	-	1	1	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Embolism and thrombosis of vena cava (I82.2)													
All races, both sexes	31	4	5	3	-	3	4	2	3	6	-	-	1
Male	16	2	3	2	-	2	2	2	1	2	-	-	-
Female	15	2	2	1	-	1	2	-	2	4	-	-	1
White, both sexes	24	4	4	1	-	3	3	2	2	4	-	-	1
Male	13	2	3	1	-	2	2	2	-	1	-	-	-
Female	11	2	1	-	-	1	1	-	2	3	-	-	1
Black, both sexes	7	-	1	2	-	-	1	-	1	2	-	-	-
Male	3	-	-	1	-	-	-	-	1	1	-	-	-
Female	4	-	1	1	-	-	1	-	-	1	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Embolism and thrombosis of renal vein (I82.3)													
All races, both sexes	7	2	-	-	-	1	-	1	-	-	-	1	2
Male	2	1	-	-	-	-	-	-	-	-	-	-	1
Female	5	1	-	-	-	1	-	1	-	-	-	1	1
White, both sexes	6	2	-	-	-	1	-	-	-	-	-	1	2
Male	2	1	-	-	-	-	-	-	-	-	-	-	1
Female	4	1	-	-	-	1	-	-	-	-	-	1	1
Black, both sexes	1	-	-	-	-	-	-	1	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Embolism and thrombosis of other specified veins (I82.8)													
All races, both sexes	128	15	10	5	9	6	11	15	12	16	4	11	14
Male	46	3	6	3	3	2	2	5	6	4	2	4	6
Female	82	12	4	2	6	4	9	10	6	12	2	7	8
White, both sexes	94	10	7	4	8	4	10	9	7	12	1	11	11
Male	36	3	4	3	3	1	2	4	3	3	1	4	5
Female	58	7	3	1	5	3	8	5	4	9	-	7	6
Black, both sexes	31	5	3	1	1	1	1	6	4	4	2	-	3
Male	10	-	2	-	-	1	-	1	3	1	1	-	1
Female	21	5	1	1	1	-	1	5	1	3	1	-	2
American Indian 1/, both sexes	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	2	-	-	-	-	-	-	-	1	-	1	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	1	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Embolism and thrombosis of unspecified vein (I82.9)													
All races, both sexes	51	5	5	3	8	5	2	3	5	5	3	3	4
Male	22	3	4	1	3	-	1	2	1	3	1	-	3
Female	29	2	1	2	5	5	1	1	4	2	2	3	1
White, both sexes	41	4	5	3	6	4	2	3	4	4	3	2	1
Male	16	2	4	1	2	-	1	2	-	3	1	-	-
Female	25	2	1	2	4	4	1	1	4	1	2	2	1
Black, both sexes	9	1	-	-	2	1	-	-	1	1	-	1	2
Male	5	1	-	-	1	-	-	-	1	-	-	-	2
Female	4	-	-	-	1	1	-	-	-	1	-	1	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	1	-	-	-	-	-	-	-	-	-	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Varicose veins of lower extremities (I83)													
All races, both sexes	128	10	17	6	11	10	10	10	13	11	12	8	10
Male	60	3	6	1	5	6	5	6	4	5	6	6	7
Female	68	7	11	5	6	4	5	4	9	6	6	2	3
White, both sexes	112	8	17	5	11	8	8	9	9	11	11	8	7
Male	51	2	6	1	5	5	4	5	2	5	6	6	4
Female	61	6	11	4	6	3	4	4	7	6	5	2	3
Black, both sexes	13	1	-	1	-	1	2	1	3	-	1	-	3
Male	7	1	-	-	-	-	1	1	1	-	-	-	3
Female	6	-	-	1	-	1	1	-	2	-	1	-	-
American Indian 1/, both sexes	2	1	-	-	-	-	-	-	1	-	-	-	-
Male	1	-	-	-	-	-	-	-	1	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Varicose veins of lower extremities with ulcer (I83.0)													
All races, both sexes	48	5	8	1	4	4	1	2	8	4	5	1	5
Male	17	1	1	-	1	3	1	2	1	2	1	1	3
Female	31	4	7	1	3	1	-	-	7	2	4	-	2
White, both sexes	40	4	8	1	4	3	-	1	6	4	5	1	3
Male	12	1	1	-	1	3	-	1	-	2	1	1	1
Female	28	3	7	1	3	-	-	-	6	2	4	-	2
Black, both sexes	7	-	-	-	-	1	1	1	2	-	-	-	2
Male	5	-	-	-	-	-	1	1	1	-	-	-	2
Female	2	-	-	-	-	1	-	-	1	-	-	-	-
American Indian 1/, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Varicose veins of lower extremities with inflammation (I83.1)													
All races, both sexes	15	1	3	2	1	1	-	3	-	1	2	1	-
Male	5	-	1	1	1	-	-	-	-	-	1	1	-
Female	10	1	2	1	-	1	-	3	-	1	1	-	-
White, both sexes	14	1	3	2	1	1	-	3	-	1	1	1	-
Male	5	-	1	1	1	-	-	-	-	-	1	1	-
Female	9	1	2	1	-	1	-	3	-	1	-	-	-
Black, both sexes	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Varicose veins of lower extremities with both ulcer and inflammation (I83.2)													
All races, both sexes	6	1	-	1	1	1	-	-	-	1	-	1	-
Male	2	-	-	-	1	1	-	-	-	-	-	-	-
Female	4	1	-	1	-	-	-	-	-	1	-	1	-
White, both sexes	6	1	-	1	1	1	-	-	-	1	-	1	-
Male	2	-	-	-	1	1	-	-	-	-	-	-	-
Female	4	1	-	1	-	-	-	-	-	1	-	1	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Varicose veins of lower extremities without ulcer or inflammation (I83.9)													
All races, both sexes	59	3	6	2	5	4	9	5	5	5	5	5	5
Male	36	2	4	-	2	2	4	4	3	3	4	4	4
Female	23	1	2	2	3	2	5	1	2	2	1	1	1
White, both sexes	52	2	6	1	5	3	8	5	3	5	5	5	4
Male	32	1	4	-	2	1	4	4	2	3	4	4	3
Female	20	1	2	1	3	2	4	1	1	2	1	1	1
Black, both sexes	5	1	-	1	-	-	1	-	1	-	-	-	1
Male	2	1	-	-	-	-	-	-	-	-	-	-	1
Female	3	-	-	1	-	-	1	-	1	-	-	-	-
American Indian 1/, both sexes	1	-	-	-	-	-	-	-	1	-	-	-	-
Male	1	-	-	-	-	-	-	-	1	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Hemorrhoids (I84)													
All races, both sexes	9	-	-	-	1	1	-	-	2	1	2	-	2
Male	6	-	-	-	-	1	-	-	2	1	1	-	1
Female	3	-	-	-	1	-	-	-	-	-	1	-	1
White, both sexes	9	-	-	-	1	1	-	-	2	1	2	-	2
Male	6	-	-	-	-	1	-	-	2	1	1	-	1
Female	3	-	-	-	1	-	-	-	-	-	1	-	1
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Unspecified hemorrhoids with other complications (I84.8)													
All races, both sexes	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Unspecified hemorrhoids without complication (I84.9)													
All races, both sexes	8	-	-	-	1	-	-	-	2	1	2	-	2
Male	5	-	-	-	-	-	-	-	2	1	1	-	1
Female	3	-	-	-	1	-	-	-	-	-	1	-	1
White, both sexes	8	-	-	-	1	-	-	-	2	1	2	-	2
Male	5	-	-	-	-	-	-	-	2	1	1	-	1
Female	3	-	-	-	1	-	-	-	-	-	1	-	1
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Esophageal varices (I85)													
All races, both sexes	180	23	15	10	17	15	13	13	19	13	11	13	18
Male	133	16	10	8	11	12	12	11	14	11	6	10	12
Female	47	7	5	2	6	3	1	2	5	2	5	3	6
White, both sexes	143	19	13	9	14	12	9	9	14	10	8	11	15
Male	107	15	9	7	9	10	8	8	10	8	5	8	10
Female	36	4	4	2	5	2	1	1	4	2	3	3	5
Black, both sexes	32	4	2	1	3	2	3	4	5	2	3	2	1
Male	21	1	1	1	2	1	3	3	4	2	1	2	-
Female	11	3	1	-	1	1	-	1	1	-	2	-	1
American Indian 1/, both sexes	2	-	-	-	-	-	1	-	-	-	-	-	1
Male	2	-	-	-	-	-	1	-	-	-	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	3	-	-	-	-	1	-	-	-	1	-	-	1
Male	3	-	-	-	-	1	-	-	-	1	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Esophageal varices with bleeding (I85.0)													
All races, both sexes	148	21	11	8	14	13	12	13	16	10	8	9	13
Male	112	14	8	7	10	11	11	11	11	9	5	6	9
Female	36	7	3	1	4	2	1	2	5	1	3	3	4
White, both sexes	116	17	10	7	12	11	8	9	11	8	5	8	10
Male	88	13	7	6	8	9	7	8	7	7	4	5	7
Female	28	4	3	1	4	2	1	1	4	1	1	3	3
Black, both sexes	27	4	1	1	2	1	3	4	5	1	3	1	1
Male	19	1	1	1	2	1	3	3	4	1	1	1	-
Female	8	3	-	-	-	-	-	1	1	-	2	-	1
American Indian 1/, both sexes	2	-	-	-	-	-	1	-	-	-	-	-	1
Male	2	-	-	-	-	-	1	-	-	-	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	3	-	-	-	-	1	-	-	-	1	-	-	1
Male	3	-	-	-	-	1	-	-	-	1	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Esophageal varices without bleeding (I85.9)													
All races, both sexes	32	2	4	2	3	2	1	-	3	3	3	4	5
Male	21	2	2	1	1	1	1	-	3	2	1	4	3
Female	11	-	2	1	2	1	-	-	-	1	2	-	2
White, both sexes	27	2	3	2	2	1	1	-	3	2	3	3	5
Male	19	2	2	1	1	1	1	-	3	1	1	3	3
Female	8	-	1	1	1	-	-	-	-	1	2	-	2
Black, both sexes	5	-	1	-	1	1	-	-	-	1	-	1	-
Male	2	-	-	-	-	-	-	-	-	1	-	1	-
Female	3	-	1	-	1	1	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Varicose veins of other sites (I86)													
All races, both sexes	31	2	4	4	-	3	3	2	3	3	2	3	2
Male	16	1	3	3	-	1	2	1	2	1	-	1	1
Female	15	1	1	1	-	2	1	1	1	2	2	2	1
White, both sexes	27	1	3	4	-	3	3	2	3	2	2	3	1
Male	14	-	3	3	-	1	2	1	2	1	-	1	-
Female	13	1	-	1	-	2	1	1	1	1	2	2	1
Black, both sexes	3	1	1	-	-	-	-	-	-	-	-	-	1
Male	2	1	-	-	-	-	-	-	-	-	-	-	1
Female	1	-	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	1	-	-	-	-	-	-	-	-	1	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Gastric varices (I86.4)													
All races, both sexes	27	1	4	3	-	2	3	2	3	3	2	3	1
Male	14	-	3	3	-	-	2	1	2	1	-	1	1
Female	13	1	1	-	-	2	1	1	1	2	2	2	-
White, both sexes	24	1	3	3	-	2	3	2	3	2	2	3	-
Male	13	-	3	3	-	-	2	1	2	1	-	1	-
Female	11	1	-	-	-	2	1	1	1	1	2	2	-
Black, both sexes	2	-	1	-	-	-	-	-	-	-	-	-	1
Male	1	-	-	-	-	-	-	-	-	-	-	-	1
Female	1	-	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	1	-	-	-	-	-	-	-	-	1	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Varicose veins of other specified sites (I86.8)													
All races, both sexes	4	1	-	1	-	1	-	-	-	-	-	-	1
Male	2	1	-	-	-	1	-	-	-	-	-	-	-
Female	2	-	-	1	-	-	-	-	-	-	-	-	1
White, both sexes	3	-	-	1	-	1	-	-	-	-	-	-	1
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	2	-	-	1	-	-	-	-	-	-	-	-	1
Black, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other disorders of veins (I87)													
All races, both sexes	138	15	6	15	9	14	8	13	13	14	11	6	14
Male	44	3	3	6	2	4	1	6	2	8	3	3	3
Female	94	12	3	9	7	10	7	7	11	6	8	3	11
White, both sexes	116	13	6	12	6	10	6	12	13	12	10	5	11
Male	34	2	3	4	1	3	-	5	2	7	3	2	2
Female	82	11	3	8	5	7	6	7	11	5	7	3	9
Black, both sexes	21	2	-	2	3	4	2	1	-	2	1	1	3
Male	9	1	-	1	1	1	1	1	-	1	-	1	1
Female	12	1	-	1	2	3	1	-	-	1	1	-	2
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	1	-	-	1	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Compression of vein (I87.1)													
All races, both sexes	25	3	1	2	1	6	2	3	2	2	-	1	2
Male	7	-	1	-	-	2	-	1	-	1	-	1	1
Female	18	3	-	2	1	4	2	2	2	1	-	-	1
White, both sexes	17	3	1	2	1	4	1	2	2	-	-	-	1
Male	2	-	1	-	-	1	-	-	-	-	-	-	-
Female	15	3	-	2	1	3	1	2	2	-	-	-	1
Black, both sexes	8	-	-	-	-	2	1	1	-	2	-	1	1
Male	5	-	-	-	-	1	-	1	-	1	-	1	1
Female	3	-	-	-	-	1	1	-	-	1	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Venous insufficiency (chronic) (peripheral) (I87.2)													
All races, both sexes	43	3	1	2	2	6	2	5	7	5	3	-	7
Male	11	1	1	1	-	-	-	3	-	3	1	-	1
Female	32	2	-	1	2	6	2	2	7	2	2	-	6
White, both sexes	40	3	1	2	2	4	2	5	7	5	3	-	6
Male	11	1	1	1	-	-	-	3	-	3	1	-	1
Female	29	2	-	1	2	4	2	2	7	2	2	-	5
Black, both sexes	3	-	-	-	-	2	-	-	-	-	-	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	3	-	-	-	-	2	-	-	-	-	-	-	1
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other specified disorders of veins (I87.8)													
All races, both sexes	61	7	4	11	6	-	4	5	4	5	6	5	4
Male	21	2	1	5	2	-	1	2	2	2	1	2	1
Female	40	5	3	6	4	-	3	3	2	3	5	3	3
White, both sexes	52	5	4	8	3	-	3	5	4	5	6	5	4
Male	16	1	1	3	1	-	-	2	2	2	1	2	1
Female	36	4	3	5	2	-	3	3	2	3	5	3	3
Black, both sexes	8	2	-	2	3	-	1	-	-	-	-	-	-
Male	4	1	-	1	1	-	1	-	-	-	-	-	-
Female	4	1	-	1	2	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	1	-	-	1	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Disorder of vein, unspecified (I87.9)													
All races, both sexes	9	2	-	-	-	2	-	-	-	2	2	-	1
Male	5	-	-	-	-	2	-	-	-	2	1	-	-
Female	4	2	-	-	-	-	-	-	-	-	1	-	1
White, both sexes	7	2	-	-	-	2	-	-	-	2	1	-	-
Male	5	-	-	-	-	2	-	-	-	2	1	-	-
Female	2	2	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	2	-	-	-	-	-	-	-	-	-	1	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	-	-	1	-	1
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Nonspecific lymphadenitis (I88)													
All races, both sexes	5	-	2	2	-	-	1	-	-	-	-	-	-
Male	2	-	-	2	-	-	-	-	-	-	-	-	-
Female	3	-	2	-	-	-	1	-	-	-	-	-	-
White, both sexes	5	-	2	2	-	-	1	-	-	-	-	-	-
Male	2	-	-	2	-	-	-	-	-	-	-	-	-
Female	3	-	2	-	-	-	1	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Nonspecific mesenteric lymphadenitis (I88.0)													
All races, both sexes	1	-	1	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	1	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	1	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	1	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Nonspecific lymphadenitis, unspecified (I88.9)													
All races, both sexes	4	-	1	2	-	-	1	-	-	-	-	-	-
Male	2	-	-	2	-	-	-	-	-	-	-	-	-
Female	2	-	1	-	-	-	1	-	-	-	-	-	-
White, both sexes	4	-	1	2	-	-	1	-	-	-	-	-	-
Male	2	-	-	2	-	-	-	-	-	-	-	-	-
Female	2	-	1	-	-	-	1	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other noninfective disorders of lymphatic vessels and lymph nodes (I89)													
All races, both sexes	80	7	11	5	9	4	6	8	5	8	9	1	7
Male	36	3	5	2	3	2	4	3	3	5	4	-	2
Female	44	4	6	3	6	2	2	5	2	3	5	1	5
White, both sexes	64	6	10	5	6	3	3	6	4	6	8	1	6
Male	28	2	4	2	3	1	3	3	2	4	3	-	1
Female	36	4	6	3	3	2	-	3	2	2	5	1	5
Black, both sexes	13	1	1	-	3	1	2	1	1	1	1	-	1
Male	8	1	1	-	-	1	1	-	1	1	1	-	1
Female	5	-	-	-	3	-	1	1	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	3	-	-	-	-	-	1	1	-	1	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	3	-	-	-	-	-	1	1	-	1	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Lymphedema, not elsewhere classified (I89.0)													
All races, both sexes	48	5	6	4	7	1	2	4	4	6	4	-	5
Male	18	2	2	1	1	-	2	2	2	5	-	-	1
Female	30	3	4	3	6	1	-	2	2	1	4	-	4
White, both sexes	41	5	6	4	4	1	2	3	3	5	4	-	4
Male	15	2	2	1	1	-	2	2	1	4	-	-	-
Female	26	3	4	3	3	1	-	1	2	1	4	-	4
Black, both sexes	7	-	-	-	3	-	-	1	1	1	-	-	1
Male	3	-	-	-	-	-	-	-	1	1	-	-	1
Female	4	-	-	-	3	-	-	1	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Lymphangitis (I89.1)													
All races, both sexes	4	-	1	-	-	-	1	-	-	1	-	1	-
Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	3	-	-	-	-	-	1	-	-	1	-	1	-
White, both sexes	1	-	-	-	-	-	-	-	-	-	-	1	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-
Black, both sexes	2	-	1	-	-	-	1	-	-	-	-	-	-
Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	-	-	1	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	1	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other specified noninfective disorders of lymphatic vessels and lymph nodes (I89.8)													
All races, both sexes	26	2	3	1	2	3	3	4	1	1	4	-	2
Male	15	1	1	1	2	2	2	1	1	-	3	-	1
Female	11	1	2	-	-	1	1	3	-	1	1	-	1
White, both sexes	20	1	3	1	2	2	1	3	1	1	3	-	2
Male	11	-	1	1	2	1	1	1	1	-	2	-	1
Female	9	1	2	-	-	1	-	2	-	1	1	-	1
Black, both sexes	4	1	-	-	-	1	1	-	-	-	1	-	-
Male	4	1	-	-	-	1	1	-	-	-	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	2	-	-	-	-	-	1	1	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	1	1	-	-	-	-	-
Noninfective disorder of lymphatic vessels and lymph nodes, unspecified (I89.9)													
All races, both sexes	2	-	1	-	-	-	-	-	-	-	1	-	-
Male	2	-	1	-	-	-	-	-	-	-	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	2	-	1	-	-	-	-	-	-	-	1	-	-
Male	2	-	1	-	-	-	-	-	-	-	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Hypotension (I95)													
All races, both sexes	253	27	10	27	20	15	19	17	23	26	22	26	21
Male	113	13	3	10	8	8	12	9	9	13	8	9	11
Female	140	14	7	17	12	7	7	8	14	13	14	17	10
White, both sexes	199	23	7	21	13	11	12	12	22	20	18	22	18
Male	90	11	1	8	5	7	9	6	9	10	7	7	10
Female	109	12	6	13	8	4	3	6	13	10	11	15	8
Black, both sexes	46	3	2	5	6	4	6	5	1	5	3	4	2
Male	20	2	1	2	2	1	2	3	-	3	1	2	1
Female	26	1	1	3	4	3	4	2	1	2	2	2	1
American Indian 1/, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	7	-	1	1	1	-	1	-	-	1	1	-	1
Male	3	-	1	-	1	-	1	-	-	-	-	-	-
Female	4	-	-	1	-	-	-	-	-	1	1	-	1
Idiopathic hypotension (I95.0)													
All races, both sexes	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
White, both sexes	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Orthostatic hypotension (I95.1)													
All races, both sexes	24	2	1	1	2	2	1	-	2	2	1	7	3
Male	14	1	1	1	2	1	1	-	-	2	1	2	2
Female	10	1	-	-	-	1	-	-	2	-	-	5	1
White, both sexes	20	2	-	-	1	1	1	-	2	2	1	7	3
Male	11	1	-	-	1	1	1	-	-	2	1	2	2
Female	9	1	-	-	-	-	-	-	2	-	-	5	1
Black, both sexes	4	-	1	1	1	1	-	-	-	-	-	-	-
Male	3	-	1	1	1	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypotension due to drugs (I95.2)													
All races, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	1	-	-	-	-	-	-	-	-	-	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	1	-	-	-	-	-	-	-	-	-	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other hypotension (I95.8)													
All races, both sexes	15	2	-	1	1	2	2	3	1	1	1	-	1
Male	7	-	-	-	-	2	1	2	1	-	-	-	1
Female	8	2	-	1	1	-	1	1	-	1	1	-	-
White, both sexes	12	1	-	1	1	1	1	3	1	1	1	-	1
Male	6	-	-	-	-	1	1	2	1	-	-	-	1
Female	6	1	-	1	1	-	-	1	-	1	1	-	-
Black, both sexes	2	-	-	-	-	1	1	-	-	-	-	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypotension, unspecified (I95.9)													
All races, both sexes	212	23	9	25	17	11	16	14	20	23	19	19	16
Male	91	12	2	9	6	5	10	7	8	11	7	7	7
Female	121	11	7	16	11	6	6	7	12	12	12	12	9
White, both sexes	165	20	7	20	11	9	10	9	19	17	15	15	13
Male	72	10	1	8	4	5	7	4	8	8	6	5	6
Female	93	10	6	12	7	4	3	5	11	9	9	10	7
Black, both sexes	40	3	1	4	5	2	5	5	1	5	3	4	2
Male	16	2	-	1	1	-	2	3	-	3	1	2	1
Female	24	1	1	3	4	2	3	2	1	2	2	2	1
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	7	-	1	1	1	-	1	-	-	1	1	-	1
Male	3	-	1	-	1	-	1	-	-	-	-	-	-
Female	4	-	-	1	-	-	-	-	-	1	1	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other and unspecified disorders of circulatory system (I99)													
All races, both sexes	290	25	23	20	24	21	26	27	20	24	25	23	32
Male	130	8	11	11	9	10	11	13	8	10	9	15	15
Female	160	17	12	9	15	11	15	14	12	14	16	8	17
White, both sexes	254	23	20	18	23	19	23	25	15	20	22	18	28
Male	113	7	10	10	9	9	10	12	5	9	9	11	12
Female	141	16	10	8	14	10	13	13	10	11	13	7	16
Black, both sexes	28	2	2	1	1	1	3	2	3	3	2	5	3
Male	15	1	1	-	-	1	1	1	2	1	-	4	3
Female	13	1	1	1	1	-	2	1	1	2	2	1	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	8	-	1	1	-	1	-	-	2	1	1	-	1
Male	2	-	-	1	-	-	-	-	1	-	-	-	-
Female	6	-	1	-	-	1	-	-	1	1	1	-	1
Acute nasopharyngitis [common cold] (J00)													
All races, both sexes	2	-	1	-	-	1	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	1	-	-	1	-	-	-	-	-	-	-
White, both sexes	2	-	1	-	-	1	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	1	-	-	1	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Acute sinusitis (J01)													
All races, both sexes	4	-	-	-	1	-	-	1	1	-	-	-	1
Male	2	-	-	-	-	-	-	1	-	-	-	-	1
Female	2	-	-	-	1	-	-	-	1	-	-	-	-
White, both sexes	3	-	-	-	1	-	-	1	-	-	-	-	1
Male	2	-	-	-	-	-	-	1	-	-	-	-	1
Female	1	-	-	-	1	-	-	-	-	-	-	-	-
Black, both sexes	1	-	-	-	-	-	-	-	1	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute sinusitis, unspecified (J01.9)													
All races, both sexes	4	-	-	-	1	-	-	1	1	-	-	-	1
Male	2	-	-	-	-	-	-	1	-	-	-	-	1
Female	2	-	-	-	1	-	-	-	1	-	-	-	-
White, both sexes	3	-	-	-	1	-	-	1	-	-	-	-	1
Male	2	-	-	-	-	-	-	1	-	-	-	-	1
Female	1	-	-	-	1	-	-	-	-	-	-	-	-
Black, both sexes	1	-	-	-	-	-	-	-	1	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Acute pharyngitis (J02)													
All races, both sexes	19	1	1	2	3	1	1	3	1	1	2	2	1
Male	7	-	-	2	-	1	-	1	1	1	-	1	-
Female	12	1	1	-	3	-	1	2	-	-	2	1	1
White, both sexes	12	1	-	1	2	1	1	2	-	-	1	2	1
Male	3	-	-	1	-	1	-	-	-	-	-	1	-
Female	9	1	-	-	2	-	1	2	-	-	1	1	1
Black, both sexes	4	-	-	-	1	-	-	-	1	1	1	-	-
Male	2	-	-	-	-	-	-	-	1	1	-	-	-
Female	2	-	-	-	1	-	-	-	-	-	1	-	-
American Indian 1/, both sexes	1	-	1	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	2	-	-	1	-	-	-	1	-	-	-	-	-
Male	2	-	-	1	-	-	-	1	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal pharyngitis (J02.0)													
All races, both sexes	9	-	-	2	1	-	1	1	-	-	1	2	1
Male	3	-	-	2	-	-	-	-	-	-	-	1	-
Female	6	-	-	-	1	-	1	1	-	-	1	1	1
White, both sexes	7	-	-	1	1	-	1	1	-	-	-	2	1
Male	2	-	-	1	-	-	-	-	-	-	-	1	-
Female	5	-	-	-	1	-	1	1	-	-	-	1	1
Black, both sexes	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	1	-	-	1	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Acute pharyngitis due to other specified organisms (J02.8)													
All races, both sexes	2	1	-	-	-	-	-	-	1	-	-	-	-
Male	1	-	-	-	-	-	-	-	1	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	1	-	-	-	-	-	-	-	1	-	-	-	-
Male	1	-	-	-	-	-	-	-	1	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute pharyngitis, unspecified (J02.9)													
All races, both sexes	8	-	1	-	2	1	-	2	-	1	1	-	-
Male	3	-	-	-	-	1	-	1	-	1	-	-	-
Female	5	-	1	-	2	-	-	1	-	-	1	-	-
White, both sexes	4	-	-	-	1	1	-	1	-	-	1	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	3	-	-	-	1	-	-	1	-	-	1	-	-
Black, both sexes	2	-	-	-	1	-	-	-	-	1	-	-	-
Male	1	-	-	-	-	-	-	-	-	1	-	-	-
Female	1	-	-	-	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	1	-	1	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	1	-	-	-	-	-
Male	1	-	-	-	-	-	-	1	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Acute tonsillitis (J03)													
All races, both sexes	1	-	-	-	-	-	-	1	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	1	-	-	-	-	-
White, both sexes	1	-	-	-	-	-	-	1	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	1	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute tonsillitis, unspecified (J03.9)													
All races, both sexes	1	-	-	-	-	-	-	1	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	1	-	-	-	-	-
White, both sexes	1	-	-	-	-	-	-	1	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	1	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Acute laryngitis and tracheitis (J04)													
All races, both sexes	26	2	3	2	2	2	-	2	-	1	2	2	8
Male	13	-	1	2	1	1	-	1	-	-	1	2	4
Female	13	2	2	-	1	1	-	1	-	1	1	-	4
White, both sexes	19	1	3	2	1	1	-	2	-	1	1	1	6
Male	9	-	1	2	1	-	-	1	-	-	1	1	2
Female	10	1	2	-	-	1	-	1	-	1	-	-	4
Black, both sexes	7	1	-	-	1	1	-	-	-	-	1	1	2
Male	4	-	-	-	-	1	-	-	-	-	-	1	2
Female	3	1	-	-	1	-	-	-	-	-	1	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute laryngitis (J04.0)													
All races, both sexes	10	1	-	-	1	1	-	1	-	-	1	1	4
Male	7	-	-	-	1	1	-	1	-	-	1	1	2
Female	3	1	-	-	-	-	-	-	-	-	-	-	2
White, both sexes	9	1	-	-	1	-	-	1	-	-	1	1	4
Male	6	-	-	-	1	-	-	1	-	-	1	1	2
Female	3	1	-	-	-	-	-	-	-	-	-	-	2
Black, both sexes	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Acute tracheitis (J04.1)													
All races, both sexes	12	1	2	1	1	1	-	1	-	1	-	1	3
Male	4	-	1	1	-	-	-	-	-	-	-	1	1
Female	8	1	1	-	1	1	-	1	-	1	-	-	2
White, both sexes	8	-	2	1	-	1	-	1	-	1	-	-	2
Male	2	-	1	1	-	-	-	-	-	-	-	-	-
Female	6	-	1	-	-	1	-	1	-	1	-	-	2
Black, both sexes	4	1	-	-	1	-	-	-	-	-	-	1	1
Male	2	-	-	-	-	-	-	-	-	-	-	1	1
Female	2	1	-	-	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute laryngotracheitis (J04.2)													
All races, both sexes	4	-	1	1	-	-	-	-	-	-	1	-	1
Male	2	-	-	1	-	-	-	-	-	-	-	-	1
Female	2	-	1	-	-	-	-	-	-	-	1	-	-
White, both sexes	2	-	1	1	-	-	-	-	-	-	-	-	-
Male	1	-	-	1	-	-	-	-	-	-	-	-	-
Female	1	-	1	-	-	-	-	-	-	-	-	-	-
Black, both sexes	2	-	-	-	-	-	-	-	-	-	1	-	1
Male	1	-	-	-	-	-	-	-	-	-	-	-	1
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Acute obstructive laryngitis [croup] and epiglottitis (J05)													
All races, both sexes	32	5	2	2	1	2	3	3	3	2	3	3	3
Male	26	3	2	1	1	2	3	3	3	1	2	3	2
Female	6	2	-	1	-	-	-	-	-	1	1	-	1
White, both sexes	23	4	-	1	1	1	3	2	2	2	2	2	3
Male	18	3	-	-	1	1	3	2	2	1	1	2	2
Female	5	1	-	1	-	-	-	-	-	1	1	-	1
Black, both sexes	9	1	2	1	-	1	-	1	1	-	1	1	-
Male	8	-	2	1	-	1	-	1	1	-	1	1	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute obstructive laryngitis [croup] (J05.0)													
All races, both sexes	6	2	-	-	-	-	-	1	-	-	2	-	1
Male	5	1	-	-	-	-	-	1	-	-	2	-	1
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	5	2	-	-	-	-	-	1	-	-	1	-	1
Male	4	1	-	-	-	-	-	1	-	-	1	-	1
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Acute epiglottitis (J05.1)													
All races, both sexes	26	3	2	2	1	2	3	2	3	2	1	3	2
Male	21	2	2	1	1	2	3	2	3	1	-	3	1
Female	5	1	-	1	-	-	-	-	-	1	1	-	1
White, both sexes	18	2	-	1	1	1	3	1	2	2	1	2	2
Male	14	2	-	-	1	1	3	1	2	1	-	2	1
Female	4	-	-	1	-	-	-	-	-	1	1	-	1
Black, both sexes	8	1	2	1	-	1	-	1	1	-	-	1	-
Male	7	-	2	1	-	1	-	1	1	-	-	1	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute upper respiratory infections of multiple and unspecified sites (J06)													
All races, both sexes	108	10	11	6	4	6	7	6	5	4	6	10	33
Male	47	4	4	3	1	4	5	1	2	2	2	4	15
Female	61	6	7	3	3	2	2	5	3	2	4	6	18
White, both sexes	96	9	9	6	3	4	6	6	5	4	6	10	28
Male	39	3	4	3	-	2	4	1	2	2	2	4	12
Female	57	6	5	3	3	2	2	5	3	2	4	6	16
Black, both sexes	9	1	2	-	-	1	1	-	-	-	-	-	4
Male	5	1	-	-	-	1	1	-	-	-	-	-	2
Female	4	-	2	-	-	-	-	-	-	-	-	-	2
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	3	-	-	-	1	1	-	-	-	-	-	-	1
Male	3	-	-	-	1	1	-	-	-	-	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Acute laryngopharyngitis (J06.0)													
All races, both sexes	1	-	1	-	-	-	-	-	-	-	-	-	-
Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	1	-	-	-	-	-	-	-	-	-	-
Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute upper respiratory infection, unspecified (J06.9)													
All races, both sexes	107	10	10	6	4	6	7	6	5	4	6	10	33
Male	46	4	3	3	1	4	5	1	2	2	2	4	15
Female	61	6	7	3	3	2	2	5	3	2	4	6	18
White, both sexes	95	9	8	6	3	4	6	6	5	4	6	10	28
Male	38	3	3	3	-	2	4	1	2	2	2	4	12
Female	57	6	5	3	3	2	2	5	3	2	4	6	16
Black, both sexes	9	1	2	-	-	1	1	-	-	-	-	-	4
Male	5	1	-	-	-	1	1	-	-	-	-	-	2
Female	4	-	2	-	-	-	-	-	-	-	-	-	2
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	3	-	-	-	1	1	-	-	-	-	-	-	1
Male	3	-	-	-	1	1	-	-	-	-	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Influenza due to identified influenza virus (J10)													
All races, both sexes	404	4	24	18	15	2	-	1	-	1	4	31	304
Male	171	-	11	10	9	1	-	1	-	1	1	16	121
Female	233	4	13	8	6	1	-	-	-	-	3	15	183
White, both sexes	365	4	23	11	15	2	-	1	-	1	3	25	280
Male	150	-	10	5	9	1	-	1	-	1	1	12	110
Female	215	4	13	6	6	1	-	-	-	-	2	13	170
Black, both sexes	25	-	-	4	-	-	-	-	-	-	1	4	16
Male	13	-	-	3	-	-	-	-	-	-	-	3	7
Female	12	-	-	1	-	-	-	-	-	-	1	1	9
American Indian 1/, both sexes	6	-	-	1	-	-	-	-	-	-	-	1	4
Male	4	-	-	1	-	-	-	-	-	-	-	-	3
Female	2	-	-	-	-	-	-	-	-	-	-	1	1
Asian or Pacific Islander 2/, both sexes	8	-	1	2	-	-	-	-	-	-	-	1	4
Male	4	-	1	1	-	-	-	-	-	-	-	1	1
Female	4	-	-	1	-	-	-	-	-	-	-	-	3
Influenza with pneumonia, influenza virus identified (J10.0)													
All races, both sexes	230	2	15	10	10	-	-	1	-	1	4	15	172
Male	98	-	9	8	6	-	-	1	-	1	1	7	65
Female	132	2	6	2	4	-	-	-	-	-	3	8	107
White, both sexes	211	2	15	6	10	-	-	1	-	1	3	12	161
Male	88	-	9	5	6	-	-	1	-	1	1	5	60
Female	123	2	6	1	4	-	-	-	-	-	2	7	101
Black, both sexes	13	-	-	3	-	-	-	-	-	-	1	3	6
Male	7	-	-	3	-	-	-	-	-	-	-	2	2
Female	6	-	-	-	-	-	-	-	-	-	1	1	4
American Indian 1/, both sexes	3	-	-	-	-	-	-	-	-	-	-	-	3
Male	2	-	-	-	-	-	-	-	-	-	-	-	2
Female	1	-	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes	3	-	-	1	-	-	-	-	-	-	-	-	2
Male	1	-	-	-	-	-	-	-	-	-	-	-	1
Female	2	-	-	1	-	-	-	-	-	-	-	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Influenza with other respiratory manifestations, influenza virus identified (J10.1)													
All races, both sexes	168	2	8	6	5	2	-	-	-	-	-	15	130
Male	71	-	2	1	3	1	-	-	-	-	-	9	55
Female	97	2	6	5	2	1	-	-	-	-	-	6	75
White, both sexes	152	2	7	5	5	2	-	-	-	-	-	13	118
Male	61	-	1	-	3	1	-	-	-	-	-	7	49
Female	91	2	6	5	2	1	-	-	-	-	-	6	69
Black, both sexes	10	-	-	-	-	-	-	-	-	-	-	1	9
Male	6	-	-	-	-	-	-	-	-	-	-	1	5
Female	4	-	-	-	-	-	-	-	-	-	-	-	4
American Indian 1/, both sexes	2	-	-	1	-	-	-	-	-	-	-	-	1
Male	2	-	-	1	-	-	-	-	-	-	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	4	-	1	-	-	-	-	-	-	-	-	1	2
Male	2	-	1	-	-	-	-	-	-	-	-	1	-
Female	2	-	-	-	-	-	-	-	-	-	-	-	2
Influenza with other manifestations, influenza virus identified (J10.8)													
All races, both sexes	6	-	1	2	-	-	-	-	-	-	-	1	2
Male	2	-	-	1	-	-	-	-	-	-	-	-	1
Female	4	-	1	1	-	-	-	-	-	-	-	1	1
White, both sexes	2	-	1	-	-	-	-	-	-	-	-	-	1
Male	1	-	-	-	-	-	-	-	-	-	-	-	1
Female	1	-	1	-	-	-	-	-	-	-	-	-	-
Black, both sexes	2	-	-	1	-	-	-	-	-	-	-	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	1	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes	1	-	-	-	-	-	-	-	-	-	-	1	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	1	-	-	1	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Influenza, virus not identified (J11)													
All races, both sexes	1,388	53	50	43	28	11	2	3	-	5	10	101	1,082
Male	528	21	16	18	7	2	-	3	-	2	5	50	404
Female	860	32	34	25	21	9	2	-	-	3	5	51	678
White, both sexes	1,288	53	42	40	27	9	2	3	-	4	8	95	1,005
Male	490	21	12	17	7	2	-	3	-	1	5	49	373
Female	798	32	30	23	20	7	2	-	-	3	3	46	632
Black, both sexes	72	-	4	2	1	1	-	-	-	-	1	5	58
Male	24	-	1	-	-	-	-	-	-	-	-	1	22
Female	48	-	3	2	1	1	-	-	-	-	1	4	36
American Indian 1/, both sexes	11	-	1	-	-	-	-	-	-	-	1	-	9
Male	3	-	-	-	-	-	-	-	-	-	-	-	3
Female	8	-	1	-	-	-	-	-	-	-	1	-	6
Asian or Pacific Islander 2/, both sexes	17	-	3	1	-	1	-	-	-	1	-	1	10
Male	11	-	3	1	-	-	-	-	-	1	-	-	6
Female	6	-	-	-	-	1	-	-	-	-	-	1	4
Influenza with pneumonia, virus not identified (J11.0)													
All races, both sexes	600	19	18	18	12	4	1	-	-	1	5	38	484
Male	213	8	4	5	3	-	-	-	-	-	3	19	171
Female	387	11	14	13	9	4	1	-	-	1	2	19	313
White, both sexes	561	19	18	18	12	4	1	-	-	1	4	37	447
Male	200	8	4	5	3	-	-	-	-	-	3	19	158
Female	361	11	14	13	9	4	1	-	-	1	1	18	289
Black, both sexes	28	-	-	-	-	-	-	-	-	-	1	1	26
Male	8	-	-	-	-	-	-	-	-	-	-	-	8
Female	20	-	-	-	-	-	-	-	-	-	1	1	18
American Indian 1/, both sexes	8	-	-	-	-	-	-	-	-	-	-	-	8
Male	3	-	-	-	-	-	-	-	-	-	-	-	3
Female	5	-	-	-	-	-	-	-	-	-	-	-	5
Asian or Pacific Islander 2/, both sexes	3	-	-	-	-	-	-	-	-	-	-	-	3
Male	2	-	-	-	-	-	-	-	-	-	-	-	2
Female	1	-	-	-	-	-	-	-	-	-	-	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Influenza with other respiratory manifestations, virus not identified (J11.1)													
All races, both sexes	765	31	28	24	14	5	1	3	-	4	5	61	589
Male	307	12	9	13	4	2	-	3	-	2	2	29	231
Female	458	19	19	11	10	3	1	-	-	2	3	32	358
White, both sexes	708	31	22	21	13	4	1	3	-	3	4	57	549
Male	285	12	7	12	4	2	-	3	-	1	2	29	213
Female	423	19	15	9	9	2	1	-	-	2	2	28	336
Black, both sexes	41	-	3	2	1	-	-	-	-	-	-	3	32
Male	14	-	-	-	-	-	-	-	-	-	-	-	14
Female	27	-	3	2	1	-	-	-	-	-	-	3	18
American Indian 1/, both sexes	3	-	1	-	-	-	-	-	-	-	1	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	3	-	1	-	-	-	-	-	-	-	1	-	1
Asian or Pacific Islander 2/, both sexes	13	-	2	1	-	1	-	-	-	1	-	1	7
Male	8	-	2	1	-	-	-	-	-	1	-	-	4
Female	5	-	-	-	-	1	-	-	-	-	-	1	3
Influenza with other manifestations, virus not identified (J11.8)													
All races, both sexes	23	3	4	1	2	2	-	-	-	-	-	2	9
Male	8	1	3	-	-	-	-	-	-	-	-	2	2
Female	15	2	1	1	2	2	-	-	-	-	-	-	7
White, both sexes	19	3	2	1	2	1	-	-	-	-	-	1	9
Male	5	1	1	-	-	-	-	-	-	-	-	1	2
Female	14	2	1	1	2	1	-	-	-	-	-	-	7
Black, both sexes	3	-	1	-	-	1	-	-	-	-	-	1	-
Male	2	-	1	-	-	-	-	-	-	-	-	1	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	1	-	-	-	-	-	-	-	-	-	-
Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Viral pneumonia, not elsewhere classified (J12)													
All races, both sexes	313	35	36	33	16	19	12	9	9	8	26	19	91
Male	143	16	21	12	6	6	7	6	2	5	11	8	43
Female	170	19	15	21	10	13	5	3	7	3	15	11	48
White, both sexes	275	31	26	30	15	19	8	7	8	5	24	17	85
Male	123	14	16	11	6	6	4	4	2	4	11	8	37
Female	152	17	10	19	9	13	4	3	6	1	13	9	48
Black, both sexes	31	2	9	3	-	-	4	2	1	3	2	1	4
Male	17	1	5	1	-	-	3	2	-	1	-	-	4
Female	14	1	4	2	-	-	1	-	1	2	2	1	-
American Indian 1/, both sexes	2	1	-	-	-	-	-	-	-	-	-	1	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	1	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes	5	1	1	-	1	-	-	-	-	-	-	-	2
Male	3	1	-	-	-	-	-	-	-	-	-	-	2
Female	2	-	1	-	1	-	-	-	-	-	-	-	-
Adenoviral pneumonia (J12.0)													
All races, both sexes	9	2	1	4	-	-	-	-	-	-	-	-	2
Male	5	-	1	2	-	-	-	-	-	-	-	-	2
Female	4	2	-	2	-	-	-	-	-	-	-	-	-
White, both sexes	7	2	1	3	-	-	-	-	-	-	-	-	1
Male	4	-	1	2	-	-	-	-	-	-	-	-	1
Female	3	2	-	1	-	-	-	-	-	-	-	-	-
Black, both sexes	2	-	-	1	-	-	-	-	-	-	-	-	1
Male	1	-	-	-	-	-	-	-	-	-	-	-	1
Female	1	-	-	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Respiratory syncytial virus pneumonia (J12.1)													
All races, both sexes	18	6	2	4	2	1	-	-	-	-	-	1	2
Male	11	4	1	2	2	-	-	-	-	-	-	-	2
Female	7	2	1	2	-	1	-	-	-	-	-	1	-
White, both sexes	15	6	-	4	2	1	-	-	-	-	-	1	1
Male	9	4	-	2	2	-	-	-	-	-	-	-	1
Female	6	2	-	2	-	1	-	-	-	-	-	1	-
Black, both sexes	3	-	2	-	-	-	-	-	-	-	-	-	1
Male	2	-	1	-	-	-	-	-	-	-	-	-	1
Female	1	-	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Parainfluenza virus pneumonia (J12.2)													
All races, both sexes	3	-	-	2	-	1	-	-	-	-	-	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	2	-	-	2	-	-	-	-	-	-	-	-	-
White, both sexes	3	-	-	2	-	1	-	-	-	-	-	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	2	-	-	2	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other viral pneumonia (J12.8)													
All races, both sexes	2	-	-	-	-	-	-	1	-	-	-	1	-
Male	2	-	-	-	-	-	-	1	-	-	-	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	-	-	-	-	-	-	-	1	-
Male	1	-	-	-	-	-	-	-	-	-	-	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	1	-	-	-	-	-	-	1	-	-	-	-	-
Male	1	-	-	-	-	-	-	1	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral pneumonia, unspecified (J12.9)													
All races, both sexes	281	27	33	23	14	17	12	8	9	8	26	17	87
Male	124	12	19	8	4	5	7	5	2	5	11	7	39
Female	157	15	14	15	10	12	5	3	7	3	15	10	48
White, both sexes	249	23	25	21	13	17	8	7	8	5	24	15	83
Male	108	10	15	7	4	5	4	4	2	4	11	7	35
Female	141	13	10	14	9	12	4	3	6	1	13	8	48
Black, both sexes	25	2	7	2	-	-	4	1	1	3	2	1	2
Male	13	1	4	1	-	-	3	1	-	1	-	-	2
Female	12	1	3	1	-	-	1	-	1	2	2	1	-
American Indian 1/, both sexes	2	1	-	-	-	-	-	-	-	-	-	1	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	1	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes	5	1	1	-	1	-	-	-	-	-	-	-	2
Male	3	1	-	-	-	-	-	-	-	-	-	-	2
Female	2	-	1	-	1	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Pneumonia due to Streptococcus pneumoniae (J13)													
All races, both sexes	480	75	44	64	44	45	31	18	11	16	19	35	78
Male	245	35	19	30	19	24	21	10	6	8	12	18	43
Female	235	40	25	34	25	21	10	8	5	8	7	17	35
White, both sexes	419	66	37	54	38	40	27	16	9	15	19	33	65
Male	206	29	16	23	16	20	18	8	4	8	12	16	36
Female	213	37	21	31	22	20	9	8	5	7	7	17	29
Black, both sexes	37	7	4	4	6	1	1	1	1	1	-	1	10
Male	23	5	2	3	3	1	1	1	1	-	-	1	5
Female	14	2	2	1	3	-	-	-	-	1	-	-	5
American Indian 1/, both sexes	12	2	1	2	-	4	2	-	1	-	-	-	-
Male	9	1	-	2	-	3	2	-	1	-	-	-	-
Female	3	1	1	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	12	-	2	4	-	-	1	1	-	-	-	1	3
Male	7	-	1	2	-	-	-	1	-	-	-	1	2
Female	5	-	1	2	-	-	1	-	-	-	-	-	1
Pneumonia due to Hemophilus influenzae (J14)													
All races, both sexes	52	2	7	3	5	4	3	6	3	4	3	4	8
Male	26	1	2	2	4	3	2	1	1	3	2	3	2
Female	26	1	5	1	1	1	1	5	2	1	1	1	6
White, both sexes	45	2	6	3	4	4	3	6	3	2	2	3	7
Male	22	1	2	2	3	3	2	1	1	2	1	2	2
Female	23	1	4	1	1	1	1	5	2	-	1	1	5
Black, both sexes	2	-	-	-	-	-	-	-	-	-	1	1	-
Male	2	-	-	-	-	-	-	-	-	-	1	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	3	-	-	-	1	-	-	-	-	2	-	-	-
Male	2	-	-	-	1	-	-	-	-	1	-	-	-
Female	1	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes	2	-	1	-	-	-	-	-	-	-	-	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	1	-	-	-	-	-	-	-	-	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Bacterial pneumonia, not elsewhere classified (J15)													
All races, both sexes	4,238	439	397	399	357	326	307	265	245	267	304	342	590
Male	2,145	201	209	214	187	163	160	137	126	136	157	172	283
Female	2,093	238	188	185	170	163	147	128	119	131	147	170	307
White, both sexes	3,636	390	343	335	302	269	262	231	205	230	262	290	517
Male	1,822	179	181	177	162	129	135	113	106	117	131	145	247
Female	1,814	211	162	158	140	140	127	118	99	113	131	145	270
Black, both sexes	466	37	37	45	45	47	35	24	31	31	31	45	58
Male	244	17	18	25	18	28	17	18	16	15	17	22	33
Female	222	20	19	20	27	19	18	6	15	16	14	23	25
American Indian 1/, both sexes	34	5	5	6	2	-	1	5	2	-	2	1	5
Male	17	2	3	3	1	-	1	3	1	-	1	1	1
Female	17	3	2	3	1	-	-	2	1	-	1	-	4
Asian or Pacific Islander 2/, both sexes	102	7	12	13	8	10	9	5	7	6	9	6	10
Male	62	3	7	9	6	6	7	3	3	4	8	4	2
Female	40	4	5	4	2	4	2	2	4	2	1	2	8
Pneumonia due to Klebsiella pneumoniae (J15.0)													
All races, both sexes	123	11	15	10	12	7	9	9	8	7	12	9	14
Male	60	5	9	5	8	1	6	3	2	4	7	4	6
Female	63	6	6	5	4	6	3	6	6	3	5	5	8
White, both sexes	93	9	10	9	10	4	8	5	6	6	9	6	11
Male	44	4	7	4	6	-	5	2	1	4	5	2	4
Female	49	5	3	5	4	4	3	3	5	2	4	4	7
Black, both sexes	22	2	2	1	1	3	1	2	1	1	2	3	3
Male	12	1	1	1	1	1	1	-	1	-	1	2	2
Female	10	1	1	-	-	2	-	2	-	1	1	1	1
American Indian 1/, both sexes	4	-	2	-	-	-	-	1	1	-	-	-	-
Male	2	-	1	-	-	-	-	1	-	-	-	-	-
Female	2	-	1	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes	4	-	1	-	1	-	-	1	-	-	1	-	-
Male	2	-	-	-	1	-	-	-	-	-	1	-	-
Female	2	-	1	-	-	-	-	1	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Pneumonia due to Pseudomonas (J15.1)													
All races, both sexes	341	25	18	25	24	34	29	28	26	25	32	32	43
Male	185	15	8	15	11	23	18	15	13	16	13	20	18
Female	156	10	10	10	13	11	11	13	13	9	19	12	25
White, both sexes	291	23	14	21	18	30	23	27	21	22	27	25	40
Male	161	15	7	14	9	19	14	15	11	13	11	15	18
Female	130	8	7	7	9	11	9	12	10	9	16	10	22
Black, both sexes	38	2	3	4	5	3	4	-	4	2	3	6	2
Male	17	-	1	1	2	3	2	-	1	2	1	4	-
Female	21	2	2	3	3	-	2	-	3	-	2	2	2
American Indian 1/, both sexes	3	-	-	-	-	-	1	-	-	-	1	-	1
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	-	-	1	-	1
Asian or Pacific Islander 2/, both sexes	9	-	1	-	1	1	1	1	1	1	1	1	-
Male	6	-	-	-	-	1	1	-	1	1	1	1	-
Female	3	-	1	-	1	-	-	1	-	-	-	-	-
Pneumonia due to staphylococcus (J15.2)													
All races, both sexes	1,269	108	113	129	116	110	92	93	76	87	71	93	181
Male	709	52	67	73	63	61	50	56	46	43	42	55	101
Female	560	56	46	56	53	49	42	37	30	44	29	38	80
White, both sexes	1,120	99	101	114	102	93	81	77	66	78	66	81	162
Male	624	49	60	67	57	49	44	43	37	40	38	49	91
Female	496	50	41	47	45	44	37	34	29	38	28	32	71
Black, both sexes	119	7	7	12	12	13	11	12	7	7	3	11	17
Male	64	3	3	4	5	8	6	10	6	2	2	5	10
Female	55	4	4	8	7	5	5	2	1	5	1	6	7
American Indian 1/, both sexes	10	1	2	2	-	-	-	3	1	-	1	-	-
Male	6	-	1	1	-	-	-	2	1	-	1	-	-
Female	4	1	1	1	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	20	1	3	1	2	4	-	1	2	2	1	1	2
Male	15	-	3	1	1	4	-	1	2	1	1	1	-
Female	5	1	-	-	1	-	-	-	-	1	-	-	2

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Pneumonia due to streptococcus, group B (J15.3)													
All races, both sexes	3	1	-	1	-	-	-	-	-	-	-	1	-
Male	2	1	-	1	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-
White, both sexes	2	-	-	1	-	-	-	-	-	-	-	1	-
Male	1	-	-	1	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-
Black, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia due to other streptococci (J15.4)													
All races, both sexes	344	41	44	42	40	19	22	16	11	4	19	25	61
Male	168	17	20	21	20	7	11	9	5	3	13	12	30
Female	176	24	24	21	20	12	11	7	6	1	6	13	31
White, both sexes	287	36	38	34	34	16	17	16	10	3	14	22	47
Male	135	14	15	17	16	6	7	9	5	2	9	11	24
Female	152	22	23	17	18	10	10	7	5	1	5	11	23
Black, both sexes	45	4	4	6	6	3	5	-	1	1	4	3	8
Male	28	2	4	3	4	1	4	-	-	1	3	1	5
Female	17	2	-	3	2	2	1	-	1	-	1	2	3
American Indian 1/, both sexes	5	1	-	2	-	-	-	-	-	-	-	-	2
Male	2	1	-	1	-	-	-	-	-	-	-	-	-
Female	3	-	-	1	-	-	-	-	-	-	-	-	2
Asian or Pacific Islander 2/, both sexes	7	-	2	-	-	-	-	-	-	-	1	-	4
Male	3	-	1	-	-	-	-	-	-	-	1	-	1
Female	4	-	1	-	-	-	-	-	-	-	-	-	3

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Pneumonia due to Escherichia coli (J15.5)													
All races, both sexes	21	1	-	1	2	1	2	3	3	3	1	1	3
Male	14	-	-	1	2	1	1	3	1	2	-	1	2
Female	7	1	-	-	-	-	1	-	2	1	1	-	1
White, both sexes	15	1	-	-	1	1	1	2	2	3	1	-	3
Male	9	-	-	-	1	1	1	2	-	2	-	-	2
Female	6	1	-	-	-	-	-	-	2	1	1	-	1
Black, both sexes	6	-	-	1	1	-	1	1	1	-	-	1	-
Male	5	-	-	1	1	-	-	1	1	-	-	1	-
Female	1	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia due to other aerobic Gram-negative bacteria (J15.6)													
All races, both sexes	36	5	1	1	3	1	4	2	3	2	4	6	4
Male	21	4	1	1	-	1	3	-	2	2	3	2	2
Female	15	1	-	-	3	-	1	2	1	-	1	4	2
White, both sexes	35	4	1	1	3	1	4	2	3	2	4	6	4
Male	20	3	1	1	-	1	3	-	2	2	3	2	2
Female	15	1	-	-	3	-	1	2	1	-	1	4	2
Black, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Pneumonia due to Mycoplasma pneumoniae (J15.7)													
All races, both sexes	12	1	2	1	-	1	-	1	1	-	2	3	-
Male	6	-	2	-	-	-	-	1	-	-	2	1	-
Female	6	1	-	1	-	1	-	-	1	-	-	2	-
White, both sexes	9	1	1	1	-	1	-	1	-	-	2	2	-
Male	5	-	1	-	-	-	-	1	-	-	2	1	-
Female	4	1	-	1	-	1	-	-	-	-	-	1	-
Black, both sexes	3	-	1	-	-	-	-	-	1	-	-	1	-
Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	1	-	-	1	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other bacterial pneumonia (J15.8)													
All races, both sexes	28	1	4	2	3	2	-	3	4	5	2	1	1
Male	13	-	3	1	1	1	-	1	1	3	1	1	-
Female	15	1	1	1	2	1	-	2	3	2	1	-	1
White, both sexes	25	1	3	2	2	2	-	3	4	5	1	1	1
Male	13	-	3	1	1	1	-	1	1	3	1	1	-
Female	12	1	-	1	1	1	-	2	3	2	-	-	1
Black, both sexes	3	-	1	-	1	-	-	-	-	-	1	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	3	-	1	-	1	-	-	-	-	-	1	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Bacterial pneumonia, unspecified (J15.9)													
All races, both sexes	2,061	245	200	187	157	151	149	110	113	134	161	171	283
Male	967	107	99	96	82	68	71	49	56	63	76	76	124
Female	1,094	138	101	91	75	83	78	61	57	71	85	95	159
White, both sexes	1,759	216	175	152	132	121	128	98	93	111	138	146	249
Male	810	94	87	72	72	52	61	40	49	51	62	64	106
Female	949	122	88	80	60	69	67	58	44	60	76	82	143
Black, both sexes	228	20	19	21	19	25	13	9	16	20	18	20	28
Male	115	9	8	15	5	15	4	7	7	10	10	9	16
Female	113	11	11	6	14	10	9	2	9	10	8	11	12
American Indian 1/, both sexes	12	3	1	2	2	-	-	1	-	-	-	1	2
Male	6	1	1	1	1	-	-	-	-	-	-	1	1
Female	6	2	-	1	1	-	-	1	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes	62	6	5	12	4	5	8	2	4	3	5	4	4
Male	36	3	3	8	4	1	6	2	-	2	4	2	1
Female	26	3	2	4	-	4	2	-	4	1	1	2	3
Pneumonia due to other infectious organisms, not elsewhere classified (J16)													
All races, both sexes	6	1	-	-	2	-	1	1	-	-	-	1	-
Male	3	-	-	-	1	-	-	1	-	-	-	1	-
Female	3	1	-	-	1	-	1	-	-	-	-	-	-
White, both sexes	4	1	-	-	1	-	1	-	-	-	-	1	-
Male	1	-	-	-	-	-	-	-	-	-	-	1	-
Female	3	1	-	-	1	-	1	-	-	-	-	-	-
Black, both sexes	2	-	-	-	1	-	-	1	-	-	-	-	-
Male	2	-	-	-	1	-	-	1	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Chlamydial pneumonia (J16.0)													
All races, both sexes	3	1	-	-	-	-	1	1	-	-	-	-	-
Male	1	-	-	-	-	-	-	1	-	-	-	-	-
Female	2	1	-	-	-	-	1	-	-	-	-	-	-
White, both sexes	2	1	-	-	-	-	1	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	1	-	-	-	-	1	-	-	-	-	-	-
Black, both sexes	1	-	-	-	-	-	-	1	-	-	-	-	-
Male	1	-	-	-	-	-	-	1	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia due to other specified infectious organisms (J16.8)													
All races, both sexes	3	-	-	-	2	-	-	-	-	-	-	1	-
Male	2	-	-	-	1	-	-	-	-	-	-	1	-
Female	1	-	-	-	1	-	-	-	-	-	-	-	-
White, both sexes	2	-	-	-	1	-	-	-	-	-	-	1	-
Male	1	-	-	-	-	-	-	-	-	-	-	1	-
Female	1	-	-	-	1	-	-	-	-	-	-	-	-
Black, both sexes	1	-	-	-	1	-	-	-	-	-	-	-	-
Male	1	-	-	-	1	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Pneumonia, organism unspecified (J18)													
All races, both sexes	58,282	6,067	5,394	5,545	4,636	4,362	3,962	3,915	3,775	3,724	4,308	4,543	8,051
Male	25,517	2,670	2,340	2,421	2,033	1,976	1,711	1,748	1,604	1,701	1,939	2,042	3,332
Female	32,765	3,397	3,054	3,124	2,603	2,386	2,251	2,167	2,171	2,023	2,369	2,501	4,719
White, both sexes	51,613	5,411	4,743	4,884	4,105	3,862	3,503	3,424	3,338	3,256	3,833	4,041	7,213
Male	22,195	2,348	2,014	2,078	1,758	1,716	1,501	1,496	1,398	1,464	1,698	1,797	2,927
Female	29,418	3,063	2,729	2,806	2,347	2,146	2,002	1,928	1,940	1,792	2,135	2,244	4,286
Black, both sexes	5,237	518	506	505	408	397	376	392	348	348	378	404	657
Male	2,581	250	254	260	205	215	166	196	164	172	188	195	316
Female	2,656	268	252	245	203	182	210	196	184	176	190	209	341
American Indian 1/, both sexes	322	35	31	37	24	29	20	15	14	26	21	19	51
Male	149	13	18	20	14	13	11	4	6	12	6	7	25
Female	173	22	13	17	10	16	9	11	8	14	15	12	26
Asian or Pacific Islander 2/, both sexes	1,110	103	114	119	99	74	63	84	75	94	76	79	130
Male	592	59	54	63	56	32	33	52	36	53	47	43	64
Female	518	44	60	56	43	42	30	32	39	41	29	36	66
Bronchopneumonia, unspecified (J18.0)													
All races, both sexes	1,676	185	194	160	150	122	108	108	91	92	108	130	228
Male	838	88	96	79	74	60	54	58	45	44	53	68	119
Female	838	97	98	81	76	62	54	50	46	48	55	62	109
White, both sexes	1,426	163	159	132	121	107	94	91	78	74	96	111	200
Male	702	78	75	64	57	51	46	48	40	32	49	59	103
Female	724	85	84	68	64	56	48	43	38	42	47	52	97
Black, both sexes	207	17	31	25	24	14	10	14	12	13	10	17	20
Male	116	9	19	13	14	8	4	8	5	10	4	8	14
Female	91	8	12	12	10	6	6	6	7	3	6	9	6
American Indian 1/, both sexes	14	1	3	-	-	-	2	-	-	1	1	1	5
Male	6	-	2	-	-	-	2	-	-	-	-	-	2
Female	8	1	1	-	-	-	-	-	-	1	1	1	3
Asian or Pacific Islander 2/, both sexes	29	4	1	3	5	1	2	3	1	4	1	1	3
Male	14	1	-	2	3	1	2	2	-	2	-	1	-
Female	15	3	1	1	2	-	-	1	1	2	1	-	3

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Lobar pneumonia, unspecified (J18.1)													
All races, both sexes	1,508	166	140	130	118	110	94	112	88	106	115	130	199
Male	752	92	77	64	62	54	40	61	37	56	54	64	91
Female	756	74	63	66	56	56	54	51	51	50	61	66	108
White, both sexes	1,237	140	110	109	94	93	76	91	72	84	98	105	165
Male	608	78	58	52	45	46	29	53	29	44	45	56	73
Female	629	62	52	57	49	47	47	38	43	40	53	49	92
Black, both sexes	224	20	27	18	19	14	16	17	14	19	12	22	26
Male	115	10	18	10	14	6	10	5	6	9	8	6	13
Female	109	10	9	8	5	8	6	12	8	10	4	16	13
American Indian 1/, both sexes	10	-	1	-	3	1	-	-	1	1	1	-	2
Male	6	-	-	-	2	1	-	-	1	1	-	-	1
Female	4	-	1	-	1	-	-	-	-	-	1	-	1
Asian or Pacific Islander 2/, both sexes	37	6	2	3	2	2	2	4	1	2	4	3	6
Male	23	4	1	2	1	1	1	3	1	2	1	2	4
Female	14	2	1	1	1	1	1	1	-	-	3	1	2
Hypostatic pneumonia, unspecified (J18.2)													
All races, both sexes	74	12	12	10	1	5	5	5	3	5	2	4	10
Male	35	6	5	4	1	2	1	3	-	4	2	2	5
Female	39	6	7	6	-	3	4	2	3	1	-	2	5
White, both sexes	62	10	12	7	1	5	5	3	3	4	2	2	8
Male	29	5	5	3	1	2	1	2	-	3	2	1	4
Female	33	5	7	4	-	3	4	1	3	1	-	1	4
Black, both sexes	12	2	-	3	-	-	-	2	-	1	-	2	2
Male	6	1	-	1	-	-	-	1	-	1	-	1	1
Female	6	1	-	2	-	-	-	1	-	-	-	1	1
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other pneumonia, organism unspecified (J18.8)													
All races, both sexes	51	7	1	2	8	7	1	7	3	4	2	4	5
Male	32	2	1	1	4	6	1	4	2	1	2	4	4
Female	19	5	-	1	4	1	-	3	1	3	-	-	1
White, both sexes	45	6	1	2	7	7	1	5	3	4	1	4	4
Male	28	2	1	1	4	6	1	2	2	1	1	4	3
Female	17	4	-	1	3	1	-	3	1	3	-	-	1
Black, both sexes	6	1	-	-	1	-	-	2	-	-	1	-	1
Male	4	-	-	-	-	-	-	2	-	-	1	-	1
Female	2	1	-	-	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia, unspecified (J18.9)													
All races, both sexes	54,973	5,697	5,047	5,243	4,359	4,118	3,754	3,683	3,590	3,517	4,081	4,275	7,609
Male	23,860	2,482	2,161	2,273	1,892	1,854	1,615	1,622	1,520	1,596	1,828	1,904	3,113
Female	31,113	3,215	2,886	2,970	2,467	2,264	2,139	2,061	2,070	1,921	2,253	2,371	4,496
White, both sexes	48,843	5,092	4,461	4,634	3,882	3,650	3,327	3,234	3,182	3,090	3,636	3,819	6,836
Male	20,828	2,185	1,875	1,958	1,651	1,611	1,424	1,391	1,327	1,384	1,601	1,677	2,744
Female	28,015	2,907	2,586	2,676	2,231	2,039	1,903	1,843	1,855	1,706	2,035	2,142	4,092
Black, both sexes	4,788	478	448	459	364	369	350	357	322	315	355	363	608
Male	2,340	230	217	236	177	201	152	180	153	152	175	180	287
Female	2,448	248	231	223	187	168	198	177	169	163	180	183	321
American Indian 1/, both sexes	298	34	27	37	21	28	18	15	13	24	19	18	44
Male	137	13	16	20	12	12	9	4	5	11	6	7	22
Female	161	21	11	17	9	16	9	11	8	13	13	11	22
Asian or Pacific Islander 2/, both sexes	1,044	93	111	113	92	71	59	77	73	88	71	75	121
Male	555	54	53	59	52	30	30	47	35	49	46	40	60
Female	489	39	58	54	40	41	29	30	38	39	25	35	61

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Acute bronchitis (J20)													
All races, both sexes	228	23	28	23	20	11	12	8	11	15	13	21	43
Male	83	9	5	10	14	6	2	2	2	6	4	4	19
Female	145	14	23	13	6	5	10	6	9	9	9	17	24
White, both sexes	204	19	23	21	17	11	11	8	10	13	11	20	40
Male	72	7	2	8	12	6	2	2	2	6	3	4	18
Female	132	12	21	13	5	5	9	6	8	7	8	16	22
Black, both sexes	20	4	4	2	2	-	1	-	-	2	2	1	2
Male	9	2	2	2	2	-	-	-	-	-	1	-	-
Female	11	2	2	-	-	-	1	-	-	2	1	1	2
American Indian 1/, both sexes	1	-	-	-	1	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	3	-	1	-	-	-	-	-	1	-	-	-	1
Male	2	-	1	-	-	-	-	-	-	-	-	-	1
Female	1	-	-	-	-	-	-	-	1	-	-	-	-
Acute bronchitis due to other specified organisms (J20.8)													
All races, both sexes	26	7	7	2	3	-	-	1	-	2	1	1	2
Male	6	3	-	1	2	-	-	-	-	-	-	-	-
Female	20	4	7	1	1	-	-	1	-	2	1	1	2
White, both sexes	23	5	7	2	3	-	-	1	-	1	1	1	2
Male	5	2	-	1	2	-	-	-	-	-	-	-	-
Female	18	3	7	1	1	-	-	1	-	1	1	1	2
Black, both sexes	3	2	-	-	-	-	-	-	-	1	-	-	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	2	1	-	-	-	-	-	-	-	1	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Acute bronchitis, unspecified (J20.9)													
All races, both sexes	202	16	21	21	17	11	12	7	11	13	12	20	41
Male	77	6	5	9	12	6	2	2	2	6	4	4	19
Female	125	10	16	12	5	5	10	5	9	7	8	16	22
White, both sexes	181	14	16	19	14	11	11	7	10	12	10	19	38
Male	67	5	2	7	10	6	2	2	2	6	3	4	18
Female	114	9	14	12	4	5	9	5	8	6	7	15	20
Black, both sexes	17	2	4	2	2	-	1	-	-	1	2	1	2
Male	8	1	2	2	2	-	-	-	-	-	1	-	-
Female	9	1	2	-	-	-	1	-	-	1	1	1	2
American Indian 1/, both sexes	1	-	-	-	1	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	3	-	1	-	-	-	-	-	1	-	-	-	1
Male	2	-	1	-	-	-	-	-	-	-	-	-	1
Female	1	-	-	-	-	-	-	-	1	-	-	-	-
Acute bronchiolitis (J21)													
All races, both sexes	76	12	12	4	9	5	5	3	3	4	4	5	10
Male	43	10	6	2	6	2	1	1	1	2	2	4	6
Female	33	2	6	2	3	3	4	2	2	2	2	1	4
White, both sexes	59	9	8	3	6	5	5	3	3	4	4	3	6
Male	32	8	4	1	4	2	1	1	1	2	2	2	4
Female	27	1	4	2	2	3	4	2	2	2	2	1	2
Black, both sexes	15	3	4	1	3	-	-	-	-	-	-	2	2
Male	11	2	2	1	2	-	-	-	-	-	-	2	2
Female	4	1	2	-	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Acute bronchiolitis due to respiratory syncytial virus (J21.0)													
All races, both sexes	15	3	1	2	2	-	1	-	-	1	1	1	3
Male	12	2	1	2	2	-	-	-	-	1	-	1	3
Female	3	1	-	-	-	-	1	-	-	-	1	-	-
White, both sexes	11	3	-	1	2	-	1	-	-	1	1	-	2
Male	8	2	-	1	2	-	-	-	-	1	-	-	2
Female	3	1	-	-	-	-	1	-	-	-	1	-	-
Black, both sexes	4	-	1	1	-	-	-	-	-	-	-	1	1
Male	4	-	1	1	-	-	-	-	-	-	-	1	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute bronchiolitis due to other specified organisms (J21.8)													
All races, both sexes	4	1	-	-	2	-	-	-	1	-	-	-	-
Male	3	1	-	-	2	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	1	-	-	-	-
White, both sexes	4	1	-	-	2	-	-	-	1	-	-	-	-
Male	3	1	-	-	2	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	1	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Acute bronchiolitis, unspecified (J21.9)													
All races, both sexes	57	8	11	2	5	5	4	3	2	3	3	4	7
Male	28	7	5	-	2	2	1	1	1	1	2	3	3
Female	29	1	6	2	3	3	3	2	1	2	1	1	4
White, both sexes	44	5	8	2	2	5	4	3	2	3	3	3	4
Male	21	5	4	-	-	2	1	1	1	1	2	2	2
Female	23	-	4	2	2	3	3	2	1	2	1	1	2
Black, both sexes	11	3	3	-	3	-	-	-	-	-	-	1	1
Male	7	2	1	-	2	-	-	-	-	-	-	1	1
Female	4	1	2	-	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	1
Unspecified acute lower respiratory infection (J22)													
All races, both sexes	117	17	9	9	10	7	5	3	6	8	11	12	20
Male	44	6	4	4	4	5	2	1	1	3	5	2	7
Female	73	11	5	5	6	2	3	2	5	5	6	10	13
White, both sexes	112	17	9	8	10	7	5	2	6	7	11	11	19
Male	43	6	4	4	4	5	2	1	1	3	5	1	7
Female	69	11	5	4	6	2	3	1	5	4	6	10	12
Black, both sexes	5	-	-	1	-	-	-	1	-	1	-	1	1
Male	1	-	-	-	-	-	-	-	-	-	-	1	-
Female	4	-	-	1	-	-	-	1	-	1	-	-	1
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Vasomotor and allergic rhinitis (J30)													
All races, both sexes	2	1	-	1	-	-	-	-	-	-	-	-	-
Male	2	1	-	1	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	2	1	-	1	-	-	-	-	-	-	-	-	-
Male	2	1	-	1	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other allergic rhinitis (J30.3)													
All races, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Allergic rhinitis, unspecified (J30.4)													
All races, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	1	-	-	1	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	1	-	-	1	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic sinusitis (J32)													
All races, both sexes	98	7	5	11	11	6	11	5	7	5	8	9	13
Male	57	5	2	7	8	4	4	2	4	3	5	4	9
Female	41	2	3	4	3	2	7	3	3	2	3	5	4
White, both sexes	76	5	5	9	8	5	9	5	5	3	5	6	11
Male	42	3	2	6	5	3	3	2	3	1	3	3	8
Female	34	2	3	3	3	2	6	3	2	2	2	3	3
Black, both sexes	20	2	-	2	2	1	2	-	2	1	3	3	2
Male	13	2	-	1	2	1	1	-	1	1	2	1	1
Female	7	-	-	1	-	-	1	-	1	-	1	2	1
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	2	-	-	-	1	-	-	-	-	1	-	-	-
Male	2	-	-	-	1	-	-	-	-	1	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Chronic maxillary sinusitis (J32.0)													
All races, both sexes	6	1	2	-	-	-	1	-	-	2	-	-	-
Male	3	-	1	-	-	-	1	-	-	1	-	-	-
Female	3	1	1	-	-	-	-	-	-	1	-	-	-
White, both sexes	5	1	2	-	-	-	-	-	-	2	-	-	-
Male	2	-	1	-	-	-	-	-	-	1	-	-	-
Female	3	1	1	-	-	-	-	-	-	1	-	-	-
Black, both sexes	1	-	-	-	-	-	1	-	-	-	-	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic frontal sinusitis (J32.1)													
All races, both sexes	6	-	-	3	-	-	-	-	1	1	1	-	-
Male	5	-	-	2	-	-	-	-	1	1	1	-	-
Female	1	-	-	1	-	-	-	-	-	-	-	-	-
White, both sexes	2	-	-	2	-	-	-	-	-	-	-	-	-
Male	2	-	-	2	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	3	-	-	1	-	-	-	-	1	-	1	-	-
Male	2	-	-	-	-	-	-	-	1	-	1	-	-
Female	1	-	-	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	-	-	1	-	-	-
Male	1	-	-	-	-	-	-	-	-	1	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Chronic ethmoidal sinusitis (J32.2)													
All races, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic sphenoidal sinusitis (J32.3)													
All races, both sexes	3	-	-	2	-	-	-	-	-	-	-	1	-
Male	1	-	-	1	-	-	-	-	-	-	-	-	-
Female	2	-	-	1	-	-	-	-	-	-	-	1	-
White, both sexes	2	-	-	2	-	-	-	-	-	-	-	-	-
Male	1	-	-	1	-	-	-	-	-	-	-	-	-
Female	1	-	-	1	-	-	-	-	-	-	-	-	-
Black, both sexes	1	-	-	-	-	-	-	-	-	-	-	1	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Chronic pansinusitis (J32.4)													
All races, both sexes	9	1	1	1	2	-	3	-	-	1	-	-	-
Male	5	1	-	1	1	-	1	-	-	1	-	-	-
Female	4	-	1	-	1	-	2	-	-	-	-	-	-
White, both sexes	8	1	1	1	2	-	3	-	-	-	-	-	-
Male	4	1	-	1	1	-	1	-	-	-	-	-	-
Female	4	-	1	-	1	-	2	-	-	-	-	-	-
Black, both sexes	1	-	-	-	-	-	-	-	-	1	-	-	-
Male	1	-	-	-	-	-	-	-	-	1	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic sinusitis (J32.8)													
All races, both sexes	2	-	-	-	-	-	-	-	1	-	-	-	1
Male	1	-	-	-	-	-	-	-	1	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	1
White, both sexes	2	-	-	-	-	-	-	-	1	-	-	-	1
Male	1	-	-	-	-	-	-	-	1	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	1
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Chronic sinusitis, unspecified (J32.9)													
All races, both sexes	71	4	2	5	9	6	7	5	5	1	7	8	12
Male	41	3	1	3	7	4	2	2	2	-	4	4	9
Female	30	1	1	2	2	2	5	3	3	1	3	4	3
White, both sexes	56	2	2	4	6	5	6	5	4	1	5	6	10
Male	31	1	1	2	4	3	2	2	2	-	3	3	8
Female	25	1	1	2	2	2	4	3	2	1	2	3	2
Black, both sexes	14	2	-	1	2	1	1	-	1	-	2	2	2
Male	9	2	-	1	2	1	-	-	-	-	1	1	1
Female	5	-	-	-	-	-	1	-	1	-	1	1	1
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	1	-	-	-	-	-	-	-	-
Male	1	-	-	-	1	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other disorders of nose and nasal sinuses (J34)													
All races, both sexes	11	-	-	1	-	1	2	2	1	2	1	1	-
Male	4	-	-	-	-	-	2	-	1	1	-	-	-
Female	7	-	-	1	-	1	-	2	-	1	1	1	-
White, both sexes	9	-	-	1	-	1	2	1	1	1	1	1	-
Male	4	-	-	-	-	-	2	-	1	1	-	-	-
Female	5	-	-	1	-	1	-	1	-	-	1	1	-
Black, both sexes	2	-	-	-	-	-	-	1	-	1	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	1	-	1	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Abscess, furuncle, and carbuncle of nose (J34.0)													
All races, both sexes	2	-	-	-	-	1	-	-	1	-	-	-	-
Male	1	-	-	-	-	-	-	-	1	-	-	-	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-
White, both sexes	2	-	-	-	-	1	-	-	1	-	-	-	-
Male	1	-	-	-	-	-	-	-	1	-	-	-	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Cyst and mucocele of nose and nasal sinus (J34.1)													
All races, both sexes	1	-	-	-	-	-	-	1	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	1	-	-	-	-	-
White, both sexes	1	-	-	-	-	-	-	1	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	1	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other specified disorders of nose and nasal sinuses (J34.8)													
All races, both sexes	8	-	-	1	-	-	2	1	-	2	1	1	-
Male	3	-	-	-	-	-	2	-	-	1	-	-	-
Female	5	-	-	1	-	-	-	1	-	1	1	1	-
White, both sexes	6	-	-	1	-	-	2	-	-	1	1	1	-
Male	3	-	-	-	-	-	2	-	-	1	-	-	-
Female	3	-	-	1	-	-	-	-	-	-	1	1	-
Black, both sexes	2	-	-	-	-	-	-	1	-	1	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	1	-	1	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic diseases of tonsils and adenoids (J35)													
All races, both sexes	4	1	-	-	1	1	-	-	-	1	-	-	-
Male	2	-	-	-	1	-	-	-	-	1	-	-	-
Female	2	1	-	-	-	1	-	-	-	-	-	-	-
White, both sexes	4	1	-	-	1	1	-	-	-	1	-	-	-
Male	2	-	-	-	1	-	-	-	-	1	-	-	-
Female	2	1	-	-	-	1	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other chronic diseases of tonsils and adenoids (J35.8)													
All races, both sexes	1	-	-	-	1	-	-	-	-	-	-	-	-
Male	1	-	-	-	1	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	1	-	-	-	-	-	-	-	-
Male	1	-	-	-	1	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic disease of tonsils and adenoids, unspecified (J35.9)													
All races, both sexes	3	1	-	-	-	1	-	-	-	1	-	-	-
Male	1	-	-	-	-	-	-	-	-	1	-	-	-
Female	2	1	-	-	-	1	-	-	-	-	-	-	-
White, both sexes	3	1	-	-	-	1	-	-	-	1	-	-	-
Male	1	-	-	-	-	-	-	-	-	1	-	-	-
Female	2	1	-	-	-	1	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Peritonsillar abscess (J36)													
All races, both sexes	3	-	-	-	-	1	-	1	-	-	-	-	1
Male	1	-	-	-	-	-	-	-	-	-	-	-	1
Female	2	-	-	-	-	1	-	1	-	-	-	-	-
White, both sexes	3	-	-	-	-	1	-	1	-	-	-	-	1
Male	1	-	-	-	-	-	-	-	-	-	-	-	1
Female	2	-	-	-	-	1	-	1	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic laryngitis and laryngotracheitis (J37)													
All races, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	1	-	-	-	-	-	-	-	-	-	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	1	-	-	-	-	-	-	-	-	-	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Chronic laryngitis (J37.0)													
All races, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	1	-	-	-	-	-	-	-	-	-	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	1	-	-	-	-	-	-	-	-	-	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of vocal cords and larynx, not elsewhere classified (J38)													
All races, both sexes	117	14	10	13	9	11	9	8	7	8	10	8	10
Male	63	9	5	10	3	6	7	5	3	2	7	3	3
Female	54	5	5	3	6	5	2	3	4	6	3	5	7
White, both sexes	99	10	9	9	9	8	8	8	6	7	10	7	8
Male	55	8	5	8	3	4	6	5	2	1	7	3	3
Female	44	2	4	1	6	4	2	3	4	6	3	4	5
Black, both sexes	17	4	1	3	-	3	1	-	1	1	-	1	2
Male	7	1	-	1	-	2	1	-	1	1	-	-	-
Female	10	3	1	2	-	1	-	-	-	-	-	1	2
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	1	-	-	1	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Paralysis of vocal cords and larynx (J38.0)													
All races, both sexes	41	5	2	5	3	6	4	3	1	2	3	3	4
Male	25	4	1	4	1	3	4	3	-	-	2	2	1
Female	16	1	1	1	2	3	-	-	1	2	1	1	3
White, both sexes	38	4	2	4	3	5	4	3	1	2	3	3	4
Male	24	4	1	4	1	2	4	3	-	-	2	2	1
Female	14	-	1	-	2	3	-	-	1	2	1	1	3
Black, both sexes	3	1	-	1	-	1	-	-	-	-	-	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	2	1	-	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Polyp of vocal cord and larynx (J38.1)													
All races, both sexes	6	1	-	-	-	2	-	-	-	-	1	2	-
Male	3	-	-	-	-	2	-	-	-	-	1	-	-
Female	3	1	-	-	-	-	-	-	-	-	-	2	-
White, both sexes	6	1	-	-	-	2	-	-	-	-	1	2	-
Male	3	-	-	-	-	2	-	-	-	-	1	-	-
Female	3	1	-	-	-	-	-	-	-	-	-	2	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Nodules of vocal cords (J38.2)													
All races, both sexes	1	-	-	-	-	-	1	-	-	-	-	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	-	-	1	-	-	-	-	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of vocal cords (J38.3)													
All races, both sexes	5	1	-	1	1	-	-	-	-	2	-	-	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	4	-	-	1	1	-	-	-	-	2	-	-	-
White, both sexes	5	1	-	1	1	-	-	-	-	2	-	-	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	4	-	-	1	1	-	-	-	-	2	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Edema of larynx (J38.4)													
All races, both sexes	11	-	1	2	2	1	1	1	1	-	1	-	1
Male	7	-	1	2	1	-	1	-	-	-	1	-	1
Female	4	-	-	-	1	1	-	1	1	-	-	-	-
White, both sexes	8	-	1	1	2	-	-	1	1	-	1	-	1
Male	5	-	1	1	1	-	-	-	-	-	1	-	1
Female	3	-	-	-	1	-	-	1	1	-	-	-	-
Black, both sexes	2	-	-	-	-	1	1	-	-	-	-	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	1	-	-	1	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Laryngeal spasm (J38.5)													
All races, both sexes	6	1	1	-	-	-	-	-	1	-	2	-	1
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	5	1	1	-	-	-	-	-	1	-	1	-	1
White, both sexes	5	-	1	-	-	-	-	-	1	-	2	-	1
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	4	-	1	-	-	-	-	-	1	-	1	-	1
Black, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Stenosis of larynx (J38.6)													
All races, both sexes	21	4	3	1	2	-	1	2	1	2	1	2	2
Male	12	2	1	-	1	-	1	2	1	2	1	-	1
Female	9	2	2	1	1	-	-	-	-	-	-	2	1
White, both sexes	13	2	2	-	2	-	1	2	-	1	1	1	1
Male	9	1	1	-	1	-	1	2	-	1	1	-	1
Female	4	1	1	-	1	-	-	-	-	-	-	1	-
Black, both sexes	8	2	1	1	-	-	-	-	1	1	-	1	1
Male	3	1	-	-	-	-	-	-	1	1	-	-	-
Female	5	1	1	1	-	-	-	-	-	-	-	1	1
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of larynx (J38.7)													
All races, both sexes	26	2	3	4	1	2	2	2	3	2	2	1	2
Male	13	2	2	4	-	1	-	-	2	-	1	1	-
Female	13	-	1	-	1	1	2	2	1	2	1	-	2
White, both sexes	23	2	3	3	1	1	2	2	3	2	2	1	1
Male	11	2	2	3	-	-	-	-	2	-	1	1	-
Female	12	-	1	-	1	1	2	2	1	2	1	-	1
Black, both sexes	3	-	-	1	-	1	-	-	-	-	-	-	1
Male	2	-	-	1	-	1	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other diseases of upper respiratory tract (J39)													
All races, both sexes	202	19	20	18	17	16	9	17	7	16	17	20	26
Male	104	13	9	11	5	14	4	11	2	9	7	8	11
Female	98	6	11	7	12	2	5	6	5	7	10	12	15
White, both sexes	174	16	18	16	13	14	7	15	6	13	15	19	22
Male	94	12	8	10	5	12	4	9	2	7	7	8	10
Female	80	4	10	6	8	2	3	6	4	6	8	11	12
Black, both sexes	21	3	2	1	2	1	2	1	1	1	2	1	4
Male	5	1	1	-	-	1	-	1	-	-	-	-	1
Female	16	2	1	1	2	-	2	-	1	1	2	1	3
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	7	-	-	1	2	1	-	1	-	2	-	-	-
Male	5	-	-	1	-	1	-	1	-	2	-	-	-
Female	2	-	-	-	2	-	-	-	-	-	-	-	-
Retropharyngeal and parapharyngeal abscess (J39.0)													
All races, both sexes	13	1	-	3	1	2	-	2	-	2	-	2	-
Male	7	1	-	1	-	2	-	2	-	-	-	1	-
Female	6	-	-	2	1	-	-	-	-	2	-	1	-
White, both sexes	11	1	-	3	1	1	-	1	-	2	-	2	-
Male	5	1	-	1	-	1	-	1	-	-	-	1	-
Female	6	-	-	2	1	-	-	-	-	2	-	1	-
Black, both sexes	1	-	-	-	-	-	-	1	-	-	-	-	-
Male	1	-	-	-	-	-	-	1	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other abscess of pharynx (J39.1)													
All races, both sexes	12	-	3	1	1	-	-	3	-	2	-	-	2
Male	6	-	1	1	-	-	-	3	-	1	-	-	-
Female	6	-	2	-	1	-	-	-	-	1	-	-	2
White, both sexes	10	-	3	-	1	-	-	3	-	2	-	-	1
Male	5	-	1	-	-	-	-	3	-	1	-	-	-
Female	5	-	2	-	1	-	-	-	-	1	-	-	1
Black, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	1	-	-	1	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of pharynx (J39.2)													
All races, both sexes	83	9	8	4	7	8	4	6	2	6	9	8	12
Male	56	5	5	4	3	7	3	4	2	5	6	5	7
Female	27	4	3	-	4	1	1	2	-	1	3	3	5
White, both sexes	78	7	8	4	6	7	4	5	2	6	9	8	12
Male	53	4	5	4	3	6	3	3	2	5	6	5	7
Female	25	3	3	-	3	1	1	2	-	1	3	3	5
Black, both sexes	3	2	-	-	-	1	-	-	-	-	-	-	-
Male	2	1	-	-	-	1	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	2	-	-	-	1	-	-	1	-	-	-	-	-
Male	1	-	-	-	-	-	-	1	-	-	-	-	-
Female	1	-	-	-	1	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other specified diseases of upper respiratory tract (J39.8)													
All races, both sexes	89	7	9	10	8	5	5	6	5	6	8	9	11
Male	32	5	3	5	2	4	1	2	-	3	1	2	4
Female	57	2	6	5	6	1	4	4	5	3	7	7	7
White, both sexes	70	6	7	9	5	5	3	6	4	3	6	8	8
Male	28	5	2	5	2	4	1	2	-	1	1	2	3
Female	42	1	5	4	3	1	2	4	4	2	5	6	5
Black, both sexes	16	1	2	1	2	-	2	-	1	1	2	1	3
Male	2	-	1	-	-	-	-	-	-	-	-	-	1
Female	14	1	1	1	2	-	2	-	1	1	2	1	2
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	3	-	-	-	1	-	-	-	-	2	-	-	-
Male	2	-	-	-	-	-	-	-	-	2	-	-	-
Female	1	-	-	-	1	-	-	-	-	-	-	-	-
Disease of upper respiratory tract, unspecified (J39.9)													
All races, both sexes	5	2	-	-	-	1	-	-	-	-	-	1	1
Male	3	2	-	-	-	1	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	-	-	-	1	1
White, both sexes	5	2	-	-	-	1	-	-	-	-	-	1	1
Male	3	2	-	-	-	1	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	-	-	-	1	1
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Bronchitis, not specified as acute or chronic (J40)													
All races, both sexes	453	52	35	43	39	27	29	29	23	30	31	37	78
Male	174	20	12	17	17	12	8	11	9	10	8	18	32
Female	279	32	23	26	22	15	21	18	14	20	23	19	46
White, both sexes	402	45	30	37	38	17	28	26	20	28	28	36	69
Male	154	16	11	13	17	10	7	9	8	10	8	18	27
Female	248	29	19	24	21	7	21	17	12	18	20	18	42
Black, both sexes	39	6	4	3	1	8	1	2	3	1	2	1	7
Male	14	3	1	2	-	2	1	1	1	-	-	-	3
Female	25	3	3	1	1	6	-	1	2	1	2	1	4
American Indian 1/, both sexes	4	-	1	1	-	-	-	-	-	1	-	-	1
Male	1	-	-	-	-	-	-	-	-	-	-	-	1
Female	3	-	1	1	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes	8	1	-	2	-	2	-	1	-	-	1	-	1
Male	5	1	-	2	-	-	-	1	-	-	-	-	1
Female	3	-	-	-	-	2	-	-	-	-	1	-	-
Simple and mucopurulent chronic bronchitis (J41)													
All races, both sexes	6	-	-	1	-	-	1	1	2	-	1	-	-
Male	4	-	-	-	-	-	-	1	2	-	1	-	-
Female	2	-	-	1	-	-	1	-	-	-	-	-	-
White, both sexes	6	-	-	1	-	-	1	1	2	-	1	-	-
Male	4	-	-	-	-	-	-	1	2	-	1	-	-
Female	2	-	-	1	-	-	1	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Simple chronic bronchitis (J41.0)													
All races, both sexes	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Mucopurulent chronic bronchitis (J41.1)													
All races, both sexes	5	-	-	1	-	-	1	1	2	-	-	-	-
Male	3	-	-	-	-	-	-	1	2	-	-	-	-
Female	2	-	-	1	-	-	1	-	-	-	-	-	-
White, both sexes	5	-	-	1	-	-	1	1	2	-	-	-	-
Male	3	-	-	-	-	-	-	1	2	-	-	-	-
Female	2	-	-	1	-	-	1	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Unspecified chronic bronchitis (J42)													
All races, both sexes	391	44	39	34	39	29	34	20	22	30	28	21	51
Male	173	21	17	16	22	15	10	6	11	14	12	7	22
Female	218	23	22	18	17	14	24	14	11	16	16	14	29
White, both sexes	343	42	32	26	33	23	32	19	20	24	26	21	45
Male	151	19	13	13	18	13	9	6	10	12	12	7	19
Female	192	23	19	13	15	10	23	13	10	12	14	14	26
Black, both sexes	36	2	5	6	4	6	-	-	2	4	2	-	5
Male	16	2	3	3	2	2	-	-	1	1	-	-	2
Female	20	-	2	3	2	4	-	-	1	3	2	-	3
American Indian 1/, both sexes	1	-	-	-	-	-	-	-	-	1	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes	11	-	2	2	2	-	2	1	-	1	-	-	1
Male	6	-	1	-	2	-	1	-	-	1	-	-	1
Female	5	-	1	2	-	-	1	1	-	-	-	-	-
Emphysema (J43)													
All races, both sexes	14,861	1,429	1,354	1,413	1,295	1,223	1,133	1,117	969	1,076	1,106	1,108	1,638
Male	7,549	724	706	700	641	600	581	575	501	545	584	577	815
Female	7,312	705	648	713	654	623	552	542	468	531	522	531	823
White, both sexes	13,856	1,322	1,263	1,317	1,216	1,136	1,068	1,034	900	1,017	1,022	1,036	1,525
Male	6,915	651	638	640	594	555	543	522	457	511	529	531	744
Female	6,941	671	625	677	622	581	525	512	443	506	493	505	781
Black, both sexes	810	88	74	75	61	68	55	69	56	48	62	56	98
Male	498	56	54	44	34	37	32	43	34	29	40	35	60
Female	312	32	20	31	27	31	23	26	22	19	22	21	38
American Indian 1/, both sexes	46	4	2	4	4	8	5	2	5	2	4	2	4
Male	28	3	2	3	4	1	2	1	4	1	2	2	3
Female	18	1	-	1	-	7	3	1	1	1	2	-	1
Asian or Pacific Islander 2/, both sexes	149	15	15	17	14	11	5	12	8	9	18	14	11
Male	108	14	12	13	9	7	4	9	6	4	13	9	8
Female	41	1	3	4	5	4	1	3	2	5	5	5	3

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Panlobular emphysema (J43.1)													
All races, both sexes	5	-	-	-	1	1	-	-	1	-	1	-	1
Male	4	-	-	-	-	1	-	-	1	-	1	-	1
Female	1	-	-	-	1	-	-	-	-	-	-	-	-
White, both sexes	4	-	-	-	1	1	-	-	1	-	1	-	-
Male	3	-	-	-	-	1	-	-	1	-	1	-	-
Female	1	-	-	-	1	-	-	-	-	-	-	-	-
Black, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	1	-	-	-	-	-	-	-	-	-	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Centrilobular emphysema (J43.2)													
All races, both sexes	17	1	2	1	1	2	1	1	-	-	3	2	3
Male	9	-	2	1	-	-	-	1	-	-	1	2	2
Female	8	1	-	-	1	2	1	-	-	-	2	-	1
White, both sexes	14	1	1	1	1	1	1	1	-	-	3	1	3
Male	7	-	1	1	-	-	-	1	-	-	1	1	2
Female	7	1	-	-	1	1	1	-	-	-	2	-	1
Black, both sexes	3	-	1	-	-	1	-	-	-	-	-	1	-
Male	2	-	1	-	-	-	-	-	-	-	-	1	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other emphysema (J43.8)													
All races, both sexes	3	-	-	1	-	-	-	1	-	-	-	1	-
Male	3	-	-	1	-	-	-	1	-	-	-	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	3	-	-	1	-	-	-	1	-	-	-	1	-
Male	3	-	-	1	-	-	-	1	-	-	-	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema, unspecified (J43.9)													
All races, both sexes	14,836	1,428	1,352	1,411	1,293	1,220	1,132	1,115	968	1,076	1,102	1,105	1,634
Male	7,533	724	704	698	641	599	581	573	500	545	582	574	812
Female	7,303	704	648	713	652	621	551	542	468	531	520	531	822
White, both sexes	13,835	1,321	1,262	1,315	1,214	1,134	1,067	1,032	899	1,017	1,018	1,034	1,522
Male	6,902	651	637	638	594	554	543	520	456	511	527	529	742
Female	6,933	670	625	677	620	580	524	512	443	506	491	505	780
Black, both sexes	806	88	73	75	61	67	55	69	56	48	62	55	97
Male	495	56	53	44	34	37	32	43	34	29	40	34	59
Female	311	32	20	31	27	30	23	26	22	19	22	21	38
American Indian 1/, both sexes	46	4	2	4	4	8	5	2	5	2	4	2	4
Male	28	3	2	3	4	1	2	1	4	1	2	2	3
Female	18	1	-	1	-	7	3	1	1	1	2	-	1
Asian or Pacific Islander 2/, both sexes	149	15	15	17	14	11	5	12	8	9	18	14	11
Male	108	14	12	13	9	7	4	9	6	4	13	9	8
Female	41	1	3	4	5	4	1	3	2	5	5	5	3

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other chronic obstructive pulmonary disease (J44)													
All races, both sexes	105,638	9,946	9,272	9,802	9,028	8,568	8,071	7,664	7,523	7,330	7,969	8,393	12,072
Male	51,058	4,847	4,571	4,618	4,309	4,145	3,854	3,715	3,700	3,644	3,874	4,074	5,707
Female	54,580	5,099	4,701	5,184	4,719	4,423	4,217	3,949	3,823	3,686	4,095	4,319	6,365
White, both sexes	98,568	9,253	8,619	9,172	8,460	7,961	7,520	7,143	6,976	6,821	7,465	7,868	11,310
Male	46,979	4,437	4,175	4,264	3,985	3,788	3,544	3,414	3,391	3,340	3,593	3,777	5,271
Female	51,589	4,816	4,444	4,908	4,475	4,173	3,976	3,729	3,585	3,481	3,872	4,091	6,039
Black, both sexes	5,764	560	531	488	460	512	439	434	456	418	427	419	620
Male	3,261	322	310	269	257	300	237	244	248	248	235	235	356
Female	2,503	238	221	219	203	212	202	190	208	170	192	184	264
American Indian 1/, both sexes	414	39	41	44	45	32	26	22	25	35	22	45	38
Male	219	22	26	23	24	17	17	11	13	17	11	19	19
Female	195	17	15	21	21	15	9	11	12	18	11	26	19
Asian or Pacific Islander 2/, both sexes	892	94	81	98	63	63	86	65	66	56	55	61	104
Male	599	66	60	62	43	40	56	46	48	39	35	43	61
Female	293	28	21	36	20	23	30	19	18	17	20	18	43
Chronic obstructive pulmonary disease with acute lower respiratory infection (J44.0)													
All races, both sexes	264	14	29	27	28	17	16	11	16	8	18	25	55
Male	119	7	10	9	16	11	5	8	9	7	5	8	24
Female	145	7	19	18	12	6	11	3	7	1	13	17	31
White, both sexes	252	14	27	26	28	17	15	10	16	8	16	24	51
Male	115	7	9	9	16	11	5	7	9	7	4	8	23
Female	137	7	18	17	12	6	10	3	7	1	12	16	28
Black, both sexes	10	-	2	1	-	-	1	1	-	-	2	-	3
Male	4	-	1	-	-	-	-	1	-	-	1	-	1
Female	6	-	1	1	-	-	1	-	-	-	1	-	2
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	2	-	-	-	-	-	-	-	-	-	-	1	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	-	-	-	1	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Chronic obstructive pulmonary disease with acute exacerbation, unspecified (J44.1)													
All races, both sexes	45	5	4	6	-	3	1	4	5	4	3	6	4
Male	28	3	3	3	-	2	1	3	2	4	1	3	3
Female	17	2	1	3	-	1	-	1	3	-	2	3	1
White, both sexes	42	5	4	6	-	3	1	4	4	3	3	5	4
Male	26	3	3	3	-	2	1	3	1	3	1	3	3
Female	16	2	1	3	-	1	-	1	3	-	2	2	1
Black, both sexes	3	-	-	-	-	-	-	-	1	1	-	1	-
Male	2	-	-	-	-	-	-	-	1	1	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other specified chronic obstructive pulmonary disease (J44.8)													
All races, both sexes	3,674	350	268	380	309	281	317	247	264	255	272	280	451
Male	1,781	172	136	186	138	140	160	112	122	133	131	132	219
Female	1,893	178	132	194	171	141	157	135	142	122	141	148	232
White, both sexes	3,352	310	248	349	285	258	280	231	241	239	248	254	409
Male	1,590	150	123	168	128	122	134	103	111	124	119	118	190
Female	1,762	160	125	181	157	136	146	128	130	115	129	136	219
Black, both sexes	251	30	17	19	19	19	34	12	17	11	20	19	34
Male	147	16	12	10	7	14	23	6	7	8	10	9	25
Female	104	14	5	9	12	5	11	6	10	3	10	10	9
American Indian 1/, both sexes	17	4	-	1	2	1	1	1	-	1	1	3	2
Male	8	1	-	1	1	1	1	1	-	-	-	1	1
Female	9	3	-	-	1	-	-	-	-	1	1	2	1
Asian or Pacific Islander 2/, both sexes	54	6	3	11	3	3	2	3	6	4	3	4	6
Male	36	5	1	7	2	3	2	2	4	1	2	4	3
Female	18	1	2	4	1	-	-	1	2	3	1	-	3

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Chronic obstructive pulmonary disease, unspecified (J44.9)													
All races, both sexes	101,655	9,577	8,971	9,389	8,691	8,267	7,737	7,402	7,238	7,063	7,676	8,082	11,562
Male	49,130	4,665	4,422	4,420	4,155	3,992	3,688	3,592	3,567	3,500	3,737	3,931	5,461
Female	52,525	4,912	4,549	4,969	4,536	4,275	4,049	3,810	3,671	3,563	3,939	4,151	6,101
White, both sexes	94,922	8,924	8,340	8,791	8,147	7,683	7,224	6,898	6,715	6,571	7,198	7,585	10,846
Male	45,248	4,277	4,040	4,084	3,841	3,653	3,404	3,301	3,270	3,206	3,469	3,648	5,055
Female	49,674	4,647	4,300	4,707	4,306	4,030	3,820	3,597	3,445	3,365	3,729	3,937	5,791
Black, both sexes	5,500	530	512	468	441	493	404	421	438	406	405	399	583
Male	3,108	306	297	259	250	286	214	237	240	239	224	226	330
Female	2,392	224	215	209	191	207	190	184	198	167	181	173	253
American Indian 1/, both sexes	397	35	41	43	43	31	25	21	25	34	21	42	36
Male	211	21	26	22	23	16	16	10	13	17	11	18	18
Female	186	14	15	21	20	15	9	11	12	17	10	24	18
Asian or Pacific Islander 2/, both sexes	836	88	78	87	60	60	84	62	60	52	52	56	97
Male	563	61	59	55	41	37	54	44	44	38	33	39	58
Female	273	27	19	32	19	23	30	18	16	14	19	17	39
Asthma (J45)													
All races, both sexes	3,779	357	368	339	304	330	280	266	244	246	301	348	396
Male	1,356	132	116	105	114	114	109	93	94	96	117	130	136
Female	2,423	225	252	234	190	216	171	173	150	150	184	218	260
White, both sexes	2,699	252	271	247	223	233	191	181	163	174	211	251	302
Male	894	90	76	73	88	70	64	58	56	70	75	87	87
Female	1,805	162	195	174	135	163	127	123	107	104	136	164	215
Black, both sexes	918	84	83	74	68	79	78	74	66	65	81	87	79
Male	387	32	34	25	20	35	39	29	31	25	39	38	40
Female	531	52	49	49	48	44	39	45	35	40	42	49	39
American Indian 1/, both sexes	35	4	5	5	4	5	2	-	2	-	2	2	4
Male	16	1	4	3	1	3	-	-	-	-	1	-	3
Female	19	3	1	2	3	2	2	-	2	-	1	2	1
Asian or Pacific Islander 2/, both sexes	127	17	9	13	9	13	9	11	13	7	7	8	11
Male	59	9	2	4	5	6	6	6	7	1	2	5	6
Female	68	8	7	9	4	7	3	5	6	6	5	3	5

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Predominantly allergic asthma (J45.0)													
All races, both sexes	175	9	12	13	14	16	21	11	19	10	20	15	15
Male	113	7	10	5	11	9	11	8	16	6	13	7	10
Female	62	2	2	8	3	7	10	3	3	4	7	8	5
White, both sexes	79	5	6	5	6	9	9	3	6	6	8	7	9
Male	44	3	5	1	6	4	4	2	3	3	6	3	4
Female	35	2	1	4	-	5	5	1	3	3	2	4	5
Black, both sexes	92	4	6	6	8	7	12	7	13	4	11	8	6
Male	68	4	5	3	5	5	7	6	13	3	7	4	6
Female	24	-	1	3	3	2	5	1	-	1	4	4	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	4	-	-	2	-	-	-	1	-	-	1	-	-
Male	1	-	-	1	-	-	-	-	-	-	-	-	-
Female	3	-	-	1	-	-	-	1	-	-	1	-	-
Nonallergic asthma (J45.1)													
All races, both sexes	1	-	-	-	-	-	-	-	-	-	-	1	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-
White, both sexes	1	-	-	-	-	-	-	-	-	-	-	1	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Asthma, unspecified (J45.9)													
All races, both sexes	3,603	348	356	326	290	314	259	255	225	236	281	332	381
Male	1,243	125	106	100	103	105	98	85	78	90	104	123	126
Female	2,360	223	250	226	187	209	161	170	147	146	177	209	255
White, both sexes	2,619	247	265	242	217	224	182	178	157	168	203	243	293
Male	850	87	71	72	82	66	60	56	53	67	69	84	83
Female	1,769	160	194	170	135	158	122	122	104	101	134	159	210
Black, both sexes	826	80	77	68	60	72	66	67	53	61	70	79	73
Male	319	28	29	22	15	30	32	23	18	22	32	34	34
Female	507	52	48	46	45	42	34	44	35	39	38	45	39
American Indian 1/, both sexes	35	4	5	5	4	5	2	-	2	-	2	2	4
Male	16	1	4	3	1	3	-	-	-	-	1	-	3
Female	19	3	1	2	3	2	2	-	2	-	1	2	1
Asian or Pacific Islander 2/, both sexes	123	17	9	11	9	13	9	10	13	7	6	8	11
Male	58	9	2	3	5	6	6	6	7	1	2	5	6
Female	65	8	7	8	4	7	3	4	6	6	4	3	5
Status asthmaticus (J46)													
All races, both sexes	320	29	21	25	33	28	25	20	23	20	35	34	27
Male	137	12	7	15	11	11	12	12	12	7	16	17	5
Female	183	17	14	10	22	17	13	8	11	13	19	17	22
White, both sexes	189	15	11	12	19	17	16	12	16	11	21	23	16
Male	67	5	3	5	5	5	6	8	7	2	9	10	2
Female	122	10	8	7	14	12	10	4	9	9	12	13	14
Black, both sexes	112	12	9	11	11	10	8	7	5	8	13	7	11
Male	58	5	4	9	4	6	5	4	3	4	7	4	3
Female	54	7	5	2	7	4	3	3	2	4	6	3	8
American Indian 1/, both sexes	3	-	-	-	2	-	-	-	-	-	-	1	-
Male	2	-	-	-	1	-	-	-	-	-	-	1	-
Female	1	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	16	2	1	2	1	1	1	1	2	1	1	3	-
Male	10	2	-	1	1	-	1	-	2	1	-	2	-
Female	6	-	1	1	-	1	-	1	-	-	1	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Bronchiectasis (J47)													
All races, both sexes	934	97	73	92	76	75	74	76	66	71	62	75	97
Male	263	23	22	26	17	24	27	16	18	21	15	29	25
Female	671	74	51	66	59	51	47	60	48	50	47	46	72
White, both sexes	854	90	66	78	74	68	66	70	63	60	59	69	91
Male	233	21	18	22	17	20	24	13	17	17	14	26	24
Female	621	69	48	56	57	48	42	57	46	43	45	43	67
Black, both sexes	30	4	3	6	-	4	-	2	-	6	1	3	1
Male	13	2	2	1	-	4	-	-	-	3	-	1	-
Female	17	2	1	5	-	-	-	2	-	3	1	2	1
American Indian 1/, both sexes	9	1	-	1	-	2	3	2	-	-	-	-	-
Male	3	-	-	-	-	-	1	2	-	-	-	-	-
Female	6	1	-	1	-	2	2	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	41	2	4	7	2	1	5	2	3	5	2	3	5
Male	14	-	2	3	-	-	2	1	1	1	1	2	1
Female	27	2	2	4	2	1	3	1	2	4	1	1	4
Coalworker's pneumoconiosis (J60)													
All races, both sexes	318	26	26	27	27	20	26	29	25	36	25	22	29
Male	316	26	26	27	27	20	26	29	24	35	25	22	29
Female	2	-	-	-	-	-	-	-	1	1	-	-	-
White, both sexes	308	25	25	26	25	20	26	28	24	34	24	22	29
Male	307	25	25	26	25	20	26	28	23	34	24	22	29
Female	1	-	-	-	-	-	-	-	1	-	-	-	-
Black, both sexes	10	1	1	1	2	-	-	1	1	2	1	-	-
Male	9	1	1	1	2	-	-	1	1	1	1	-	-
Female	1	-	-	-	-	-	-	-	-	1	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Pneumoconiosis due to asbestos and other mineral fibers (J61)													
All races, both sexes	583	59	47	50	47	45	37	66	46	35	44	50	57
Male	553	58	45	48	45	43	34	62	42	34	42	46	54
Female	30	1	2	2	2	2	3	4	4	1	2	4	3
White, both sexes	555	54	44	49	44	42	36	64	45	33	41	49	54
Male	525	53	42	47	42	40	33	60	41	32	39	45	51
Female	30	1	2	2	2	2	3	4	4	1	2	4	3
Black, both sexes	24	5	2	1	2	2	1	2	1	2	3	-	3
Male	24	5	2	1	2	2	1	2	1	2	3	-	3
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	3	-	1	-	-	1	-	-	-	-	-	1	-
Male	3	-	1	-	-	1	-	-	-	-	-	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	1	-	-	-	-	-	-	-	-
Male	1	-	-	-	1	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumoconiosis due to dust containing silica (J62)													
All races, both sexes	102	4	12	7	8	10	7	14	13	6	7	6	8
Male	94	3	11	7	7	8	7	13	11	6	7	6	8
Female	8	1	1	-	1	2	-	1	2	-	-	-	-
White, both sexes	89	4	9	7	7	9	6	10	11	6	7	6	7
Male	81	3	8	7	6	7	6	9	9	6	7	6	7
Female	8	1	1	-	1	2	-	1	2	-	-	-	-
Black, both sexes	11	-	3	-	1	1	1	2	2	-	-	-	1
Male	11	-	3	-	1	1	1	2	2	-	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	1	-	-	-	-	-	-	1	-	-	-	-	-
Male	1	-	-	-	-	-	-	1	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	1	-	-	-	-	-
Male	1	-	-	-	-	-	-	1	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Pneumoconiosis due to talc dust (J62.0)													
All races, both sexes	6	-	-	-	-	2	1	-	2	-	1	-	-
Male	4	-	-	-	-	1	1	-	1	-	1	-	-
Female	2	-	-	-	-	1	-	-	1	-	-	-	-
White, both sexes	6	-	-	-	-	2	1	-	2	-	1	-	-
Male	4	-	-	-	-	1	1	-	1	-	1	-	-
Female	2	-	-	-	-	1	-	-	1	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumoconiosis due to other dust containing silica (J62.8)													
All races, both sexes	96	4	12	7	8	8	6	14	11	6	6	6	8
Male	90	3	11	7	7	7	6	13	10	6	6	6	8
Female	6	1	1	-	1	1	-	1	1	-	-	-	-
White, both sexes	83	4	9	7	7	7	5	10	9	6	6	6	7
Male	77	3	8	7	6	6	5	9	8	6	6	6	7
Female	6	1	1	-	1	1	-	1	1	-	-	-	-
Black, both sexes	11	-	3	-	1	1	1	2	2	-	-	-	1
Male	11	-	3	-	1	1	1	2	2	-	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	1	-	-	-	-	-	-	1	-	-	-	-	-
Male	1	-	-	-	-	-	-	1	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	1	-	-	-	-	-
Male	1	-	-	-	-	-	-	1	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Pneumoconiosis due to other inorganic dusts (J63)													
All races, both sexes	8	-	-	1	-	-	2	-	1	1	-	1	2
Male	6	-	-	1	-	-	1	-	-	1	-	1	2
Female	2	-	-	-	-	-	1	-	1	-	-	-	-
White, both sexes	8	-	-	1	-	-	2	-	1	1	-	1	2
Male	6	-	-	1	-	-	1	-	-	1	-	1	2
Female	2	-	-	-	-	-	1	-	1	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Berylliosis (J63.2)													
All races, both sexes	7	-	-	-	-	-	2	-	1	1	-	1	2
Male	5	-	-	-	-	-	1	-	-	1	-	1	2
Female	2	-	-	-	-	-	1	-	1	-	-	-	-
White, both sexes	7	-	-	-	-	-	2	-	1	1	-	1	2
Male	5	-	-	-	-	-	1	-	-	1	-	1	2
Female	2	-	-	-	-	-	1	-	1	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Siderosis (J63.4)													
All races, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	1	-	-	1	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	1	-	-	1	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Unspecified pneumoconiosis (J64)													
All races, both sexes	86	5	9	11	6	8	4	4	7	3	10	9	10
Male	84	5	9	11	6	8	4	4	7	3	10	8	9
Female	2	-	-	-	-	-	-	-	-	-	-	1	1
White, both sexes	82	4	8	11	6	8	4	4	7	3	10	9	8
Male	81	4	8	11	6	8	4	4	7	3	10	8	8
Female	1	-	-	-	-	-	-	-	-	-	-	1	-
Black, both sexes	2	-	1	-	-	-	-	-	-	-	-	-	1
Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	2	1	-	-	-	-	-	-	-	-	-	-	1
Male	2	1	-	-	-	-	-	-	-	-	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Pneumoconiosis associated with tuberculosis (J65)													
All races, both sexes	1	-	-	-	-	-	-	-	-	-	-	1	-
Male	1	-	-	-	-	-	-	-	-	-	-	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	-	-	-	-	-	-	-	1	-
Male	1	-	-	-	-	-	-	-	-	-	-	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Airway disease due to specific organic dust (J66)													
All races, both sexes	3	-	-	-	2	-	-	-	-	-	-	-	1
Male	3	-	-	-	2	-	-	-	-	-	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	3	-	-	-	2	-	-	-	-	-	-	-	1
Male	3	-	-	-	2	-	-	-	-	-	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Byssinosis (J66.0)													
All races, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	1	-	-	-	-	-	-	-	-	-	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	1	-	-	-	-	-	-	-	-	-	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Airway disease due to other specific organic dusts (J66.8)													
All races, both sexes	2	-	-	-	2	-	-	-	-	-	-	-	-
Male	2	-	-	-	2	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	2	-	-	-	2	-	-	-	-	-	-	-	-
Male	2	-	-	-	2	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Hypersensitivity pneumonitis due to organic dust (J67)													
All races, both sexes	50	-	3	6	2	5	2	6	6	2	7	6	5
Male	25	-	1	1	1	2	-	5	4	-	3	4	4
Female	25	-	2	5	1	3	2	1	2	2	4	2	1
White, both sexes	44	-	3	5	2	4	2	5	5	2	6	6	4
Male	23	-	1	1	1	2	-	4	4	-	3	4	3
Female	21	-	2	4	1	2	2	1	1	2	3	2	1
Black, both sexes	2	-	-	1	-	-	-	-	1	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	1	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes	1	-	-	-	-	-	-	1	-	-	-	-	-
Male	1	-	-	-	-	-	-	1	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	3	-	-	-	-	1	-	-	-	-	1	-	1
Male	1	-	-	-	-	-	-	-	-	-	-	-	1
Female	2	-	-	-	-	1	-	-	-	-	1	-	-
Farmer's lung (J67.0)													
All races, both sexes	9	-	-	1	-	-	-	1	2	1	-	2	2
Male	7	-	-	-	-	-	-	1	2	-	-	2	2
Female	2	-	-	1	-	-	-	-	-	1	-	-	-
White, both sexes	9	-	-	1	-	-	-	1	2	1	-	2	2
Male	7	-	-	-	-	-	-	1	2	-	-	2	2
Female	2	-	-	1	-	-	-	-	-	1	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Bird fancier's lung (J67.2)													
All races, both sexes	3	-	1	-	-	-	-	-	-	1	1	-	-
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	2	-	1	-	-	-	-	-	-	1	-	-	-
White, both sexes	3	-	1	-	-	-	-	-	-	1	1	-	-
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	2	-	1	-	-	-	-	-	-	1	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Air-conditioner and humidifier lung (J67.7)													
All races, both sexes	4	-	-	1	-	-	-	-	2	-	-	1	-
Male	2	-	-	-	-	-	-	-	1	-	-	1	-
Female	2	-	-	1	-	-	-	-	1	-	-	-	-
White, both sexes	4	-	-	1	-	-	-	-	2	-	-	1	-
Male	2	-	-	-	-	-	-	-	1	-	-	1	-
Female	2	-	-	1	-	-	-	-	1	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Hypersensitivity pneumonitis due to unspecified organic dust (J67.9)													
All races, both sexes	34	-	2	4	2	5	2	5	2	-	6	3	3
Male	15	-	1	1	1	2	-	4	1	-	2	1	2
Female	19	-	1	3	1	3	2	1	1	-	4	2	1
White, both sexes	28	-	2	3	2	4	2	4	1	-	5	3	2
Male	13	-	1	1	1	2	-	3	1	-	2	1	1
Female	15	-	1	2	1	2	2	1	-	-	3	2	1
Black, both sexes	2	-	-	1	-	-	-	-	1	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	1	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes	1	-	-	-	-	-	-	1	-	-	-	-	-
Male	1	-	-	-	-	-	-	1	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	3	-	-	-	-	1	-	-	-	-	1	-	1
Male	1	-	-	-	-	-	-	-	-	-	-	-	1
Female	2	-	-	-	-	1	-	-	-	-	1	-	-
Respiratory conditions due to inhalation of chemicals, gases, fumes, and vapors (J68)													
All races, both sexes	13	1	2	3	-	3	-	-	-	2	-	-	2
Male	8	1	1	3	-	2	-	-	-	-	-	-	1
Female	5	-	1	-	-	1	-	-	-	2	-	-	1
White, both sexes	12	1	1	3	-	3	-	-	-	2	-	-	2
Male	8	1	1	3	-	2	-	-	-	-	-	-	1
Female	4	-	-	-	-	1	-	-	-	2	-	-	1
Black, both sexes	1	-	1	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Bronchitis and pneumonitis due to chemicals, gases, fumes, and vapors (J68.0)													
All races, both sexes	12	1	2	3	-	2	-	-	-	2	-	-	2
Male	7	1	1	3	-	1	-	-	-	-	-	-	1
Female	5	-	1	-	-	1	-	-	-	2	-	-	1
White, both sexes	11	1	1	3	-	2	-	-	-	2	-	-	2
Male	7	1	1	3	-	1	-	-	-	-	-	-	1
Female	4	-	-	-	-	1	-	-	-	2	-	-	1
Black, both sexes	1	-	1	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic respiratory conditions due to chemicals, gases, fumes, and vapors (J68.4)													
All races, both sexes	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Pneumonitis due to solids and liquids (J69)													
All races, both sexes	17,335	1,769	1,504	1,687	1,414	1,407	1,281	1,268	1,240	1,219	1,362	1,403	1,781
Male	8,702	903	718	842	709	713	667	609	652	633	687	707	862
Female	8,633	866	786	845	705	694	614	659	588	586	675	696	919
White, both sexes	15,395	1,592	1,344	1,494	1,249	1,252	1,136	1,101	1,089	1,103	1,212	1,234	1,589
Male	7,731	819	646	745	627	627	591	532	574	576	608	616	770
Female	7,664	773	698	749	622	625	545	569	515	527	604	618	819
Black, both sexes	1,607	155	134	164	138	123	115	137	128	97	119	138	159
Male	781	71	65	80	65	59	64	64	65	45	59	74	70
Female	826	84	69	84	73	64	51	73	63	52	60	64	89
American Indian 1/, both sexes	70	7	3	6	6	5	9	6	5	5	3	7	8
Male	33	4	-	2	3	4	4	2	3	2	3	1	5
Female	37	3	3	4	3	1	5	4	2	3	-	6	3
Asian or Pacific Islander 2/, both sexes	263	15	23	23	21	27	21	24	18	14	28	24	25
Male	157	9	7	15	14	23	8	11	10	10	17	16	17
Female	106	6	16	8	7	4	13	13	8	4	11	8	8
Pneumonitis due to food and vomit (J69.0)													
All races, both sexes	17,329	1,769	1,503	1,687	1,414	1,405	1,279	1,268	1,240	1,219	1,362	1,403	1,780
Male	8,700	903	718	842	709	712	666	609	652	633	687	707	862
Female	8,629	866	785	845	705	693	613	659	588	586	675	696	918
White, both sexes	15,391	1,592	1,343	1,494	1,249	1,251	1,134	1,101	1,089	1,103	1,212	1,234	1,589
Male	7,730	819	646	745	627	627	590	532	574	576	608	616	770
Female	7,661	773	697	749	622	624	544	569	515	527	604	618	819
Black, both sexes	1,605	155	134	164	138	122	115	137	128	97	119	138	158
Male	780	71	65	80	65	58	64	64	65	45	59	74	70
Female	825	84	69	84	73	64	51	73	63	52	60	64	88
American Indian 1/, both sexes	70	7	3	6	6	5	9	6	5	5	3	7	8
Male	33	4	-	2	3	4	4	2	3	2	3	1	5
Female	37	3	3	4	3	1	5	4	2	3	-	6	3
Asian or Pacific Islander 2/, both sexes	263	15	23	23	21	27	21	24	18	14	28	24	25
Male	157	9	7	15	14	23	8	11	10	10	17	16	17
Female	106	6	16	8	7	4	13	13	8	4	11	8	8

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Pneumonitis due to oils and essences (J69.1)													
All races, both sexes	5	-	1	-	-	1	2	-	-	-	-	-	1
Male	2	-	-	-	-	1	1	-	-	-	-	-	-
Female	3	-	1	-	-	-	1	-	-	-	-	-	1
White, both sexes	3	-	1	-	-	-	2	-	-	-	-	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	2	-	1	-	-	-	1	-	-	-	-	-	-
Black, both sexes	2	-	-	-	-	1	-	-	-	-	-	-	1
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonitis due to other solids and liquids (J69.8)													
All races, both sexes	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Respiratory conditions due to other external agents (J70)													
All races, both sexes	43	5	-	5	1	4	2	6	6	2	2	7	3
Male	27	5	-	4	1	2	1	3	2	1	2	5	1
Female	16	-	-	1	-	2	1	3	4	1	-	2	2
White, both sexes	39	5	-	5	1	4	2	6	5	1	2	6	2
Male	25	5	-	4	1	2	1	3	2	-	2	4	1
Female	14	-	-	1	-	2	1	3	3	1	-	2	1
Black, both sexes	4	-	-	-	-	-	-	-	1	1	-	1	1
Male	2	-	-	-	-	-	-	-	-	1	-	1	-
Female	2	-	-	-	-	-	-	-	1	-	-	-	1
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute pulmonary manifestations due to radiation (J70.0)													
All races, both sexes	27	1	-	4	1	2	1	4	5	2	1	4	2
Male	14	1	-	3	1	1	-	2	1	1	1	3	-
Female	13	-	-	1	-	1	1	2	4	1	-	1	2
White, both sexes	24	1	-	4	1	2	1	4	4	1	1	4	1
Male	13	1	-	3	1	1	-	2	1	-	1	3	-
Female	11	-	-	1	-	1	1	2	3	1	-	1	1
Black, both sexes	3	-	-	-	-	-	-	-	1	1	-	-	1
Male	1	-	-	-	-	-	-	-	-	1	-	-	-
Female	2	-	-	-	-	-	-	-	1	-	-	-	1
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Chronic and other pulmonary manifestations due to radiation (J70.1)													
All races, both sexes	7	3	-	-	-	1	1	1	-	-	-	1	-
Male	4	3	-	-	-	-	1	-	-	-	-	-	-
Female	3	-	-	-	-	1	-	1	-	-	-	1	-
White, both sexes	7	3	-	-	-	1	1	1	-	-	-	1	-
Male	4	3	-	-	-	-	1	-	-	-	-	-	-
Female	3	-	-	-	-	1	-	1	-	-	-	1	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Drug-induced interstitial lung disorder, unspecified (J70.4)													
All races, both sexes	3	-	-	-	-	-	-	-	1	-	1	1	-
Male	3	-	-	-	-	-	-	-	1	-	1	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	2	-	-	-	-	-	-	-	1	-	1	-	-
Male	2	-	-	-	-	-	-	-	1	-	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	1	-	-	-	-	-	-	-	-	-	-	1	-
Male	1	-	-	-	-	-	-	-	-	-	-	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Respiratory conditions due to unspecified external agent (J70.9)													
All races, both sexes	6	1	-	1	-	1	-	1	-	-	-	1	1
Male	6	1	-	1	-	1	-	1	-	-	-	1	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	6	1	-	1	-	1	-	1	-	-	-	1	1
Male	6	1	-	1	-	1	-	1	-	-	-	1	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Adult respiratory distress syndrome (J80)													
All races, both sexes	1,765	165	172	166	143	126	127	125	138	164	127	154	158
Male	877	75	92	84	63	65	64	57	67	88	66	82	74
Female	888	90	80	82	80	61	63	68	71	76	61	72	84
White, both sexes	1,496	137	144	143	123	107	102	111	112	138	103	138	138
Male	739	64	76	68	57	56	51	46	54	71	54	74	68
Female	757	73	68	75	66	51	51	65	58	67	49	64	70
Black, both sexes	220	21	24	19	15	14	17	11	26	21	21	15	16
Male	115	8	13	13	4	7	10	10	13	15	9	7	6
Female	105	13	11	6	11	7	7	1	13	6	12	8	10
American Indian 1/, both sexes	10	1	2	-	1	-	4	1	-	-	-	-	1
Male	3	-	2	-	-	-	1	-	-	-	-	-	-
Female	7	1	-	-	1	-	3	1	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes	39	6	2	4	4	5	4	2	-	5	3	1	3
Male	20	3	1	3	2	2	2	1	-	2	3	1	-
Female	19	3	1	1	2	3	2	1	-	3	-	-	3

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Pulmonary edema (J81)													
All races, both sexes	660	64	45	61	53	53	53	59	51	51	54	54	62
Male	272	29	18	23	28	19	22	22	17	24	21	24	25
Female	388	35	27	38	25	34	31	37	34	27	33	30	37
White, both sexes	553	56	37	52	45	43	43	52	39	43	47	47	49
Male	217	25	14	18	22	16	18	19	11	18	18	19	19
Female	336	31	23	34	23	27	25	33	28	25	29	28	30
Black, both sexes	97	8	7	9	8	8	9	6	10	8	7	6	11
Male	51	4	4	5	6	3	3	2	5	6	3	4	6
Female	46	4	3	4	2	5	6	4	5	2	4	2	5
American Indian 1/, both sexes	3	-	-	-	-	1	-	-	1	-	-	-	1
Male	1	-	-	-	-	-	-	-	1	-	-	-	-
Female	2	-	-	-	-	1	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes	7	-	1	-	-	1	1	1	1	-	-	1	1
Male	3	-	-	-	-	-	1	1	-	-	-	1	-
Female	4	-	1	-	-	1	-	-	1	-	-	-	1
Pulmonary eosinophilia, not elsewhere classified (J82)													
All races, both sexes	184	12	15	21	15	17	16	18	6	10	12	22	20
Male	69	3	5	6	6	10	8	6	2	3	2	11	7
Female	115	9	10	15	9	7	8	12	4	7	10	11	13
White, both sexes	152	10	11	15	12	14	13	15	5	9	11	21	16
Male	58	3	4	4	5	8	6	5	2	3	2	10	6
Female	94	7	7	11	7	6	7	10	3	6	9	11	10
Black, both sexes	26	2	4	5	3	2	2	3	1	1	1	-	2
Male	9	-	1	2	1	1	2	1	-	-	-	-	1
Female	17	2	3	3	2	1	-	2	1	1	1	-	1
American Indian 1/, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes	5	-	-	1	-	1	1	-	-	-	-	1	1
Male	2	-	-	-	-	1	-	-	-	-	-	1	-
Female	3	-	-	1	-	-	1	-	-	-	-	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other interstitial pulmonary diseases (J84)													
All races, both sexes	12,699	1,131	1,070	1,135	1,079	1,039	1,000	987	985	959	1,009	1,047	1,258
Male	6,516	579	510	597	579	543	489	511	517	493	498	543	657
Female	6,183	552	560	538	500	496	511	476	468	466	511	504	601
White, both sexes	11,673	1,035	988	1,048	982	965	922	908	905	866	928	962	1,164
Male	6,046	541	465	549	530	516	456	475	480	458	463	509	604
Female	5,627	494	523	499	452	449	466	433	425	408	465	453	560
Black, both sexes	721	65	59	57	66	59	56	60	59	67	45	57	71
Male	325	26	34	34	32	21	23	26	23	26	16	24	40
Female	396	39	25	23	34	38	33	34	36	41	29	33	31
American Indian 1/, both sexes	104	7	8	13	9	3	7	10	8	7	17	6	9
Male	50	3	3	6	5	1	3	6	5	2	9	2	5
Female	54	4	5	7	4	2	4	4	3	5	8	4	4
Asian or Pacific Islander 2/, both sexes	201	24	15	17	22	12	15	9	13	19	19	22	14
Male	95	9	8	8	12	5	7	4	9	7	10	8	8
Female	106	15	7	9	10	7	8	5	4	12	9	14	6
Alveolar and parietoalveolar conditions (J84.0)													
All races, both sexes	159	11	21	14	15	17	12	14	12	16	4	11	12
Male	92	4	13	9	11	10	5	8	7	9	3	8	5
Female	67	7	8	5	4	7	7	6	5	7	1	3	7
White, both sexes	137	8	18	13	12	16	11	13	9	15	4	9	9
Male	79	3	11	9	9	9	5	8	4	8	3	6	4
Female	58	5	7	4	3	7	6	5	5	7	1	3	5
Black, both sexes	21	3	2	1	3	1	1	1	3	1	-	2	3
Male	13	1	2	-	2	1	-	-	3	1	-	2	1
Female	8	2	-	1	1	-	1	1	-	-	-	-	2
American Indian 1/, both sexes	1	-	1	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other interstitial pulmonary diseases with fibrosis (J84.1)													
All races, both sexes	10,475	941	860	938	882	844	807	828	821	797	832	864	1,061
Male	5,416	479	415	490	479	446	395	434	434	406	418	449	571
Female	5,059	462	445	448	403	398	412	394	387	391	414	415	490
White, both sexes	9,695	866	805	869	813	788	750	767	762	721	766	797	991
Male	5,054	446	382	453	445	428	371	403	406	378	388	424	530
Female	4,641	420	423	416	368	360	379	364	356	343	378	373	461
Black, both sexes	531	48	39	43	45	45	43	46	38	52	34	46	52
Male	240	22	24	24	20	14	17	24	14	20	14	17	30
Female	291	26	15	19	25	31	26	22	24	32	20	29	22
American Indian 1/, both sexes	87	7	4	11	8	2	6	9	8	6	14	4	8
Male	45	3	3	6	5	1	2	5	5	2	7	2	4
Female	42	4	1	5	3	1	4	4	3	4	7	2	4
Asian or Pacific Islander 2/, both sexes	162	20	12	15	16	9	8	6	13	18	18	17	10
Male	77	8	6	7	9	3	5	2	9	6	9	6	7
Female	85	12	6	8	7	6	3	4	4	12	9	11	3
Other specified interstitial pulmonary diseases (J84.8)													
All races, both sexes	31	-	3	4	4	4	2	1	-	4	3	3	3
Male	10	-	-	-	1	1	1	1	-	2	1	2	1
Female	21	-	3	4	3	3	1	-	-	2	2	1	2
White, both sexes	26	-	3	3	3	3	2	1	-	4	2	3	2
Male	8	-	-	-	1	-	1	1	-	2	-	2	1
Female	18	-	3	3	2	3	1	-	-	2	2	1	1
Black, both sexes	3	-	-	-	1	-	-	-	-	-	1	-	1
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	2	-	-	-	1	-	-	-	-	-	-	-	1
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	2	-	-	1	-	1	-	-	-	-	-	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	1	-	-	1	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Interstitial pulmonary disease, unspecified (J84.9)													
All races, both sexes	2,034	179	186	179	178	174	179	144	152	142	170	169	182
Male	998	96	82	98	88	86	88	68	76	76	76	84	80
Female	1,036	83	104	81	90	88	91	76	76	66	94	85	102
White, both sexes	1,815	161	162	163	154	158	159	127	134	126	156	153	162
Male	905	92	72	87	75	79	79	63	70	70	72	77	69
Female	910	69	90	76	79	79	80	64	64	56	84	76	93
Black, both sexes	166	14	18	13	17	13	12	13	18	14	10	9	15
Male	71	3	8	10	10	6	6	2	6	5	1	5	9
Female	95	11	10	3	7	7	6	11	12	9	9	4	6
American Indian 1/, both sexes	16	-	3	2	1	1	1	1	-	1	3	2	1
Male	5	-	-	-	-	-	1	1	-	-	2	-	1
Female	11	-	3	2	1	1	-	-	-	1	1	2	-
Asian or Pacific Islander 2/, both sexes	37	4	3	1	6	2	7	3	-	1	1	5	4
Male	17	1	2	1	3	1	2	2	-	1	1	2	1
Female	20	3	1	-	3	1	5	1	-	-	-	3	3
Abscess of lung and mediastinum (J85)													
All races, both sexes	369	29	30	29	28	38	28	25	27	23	29	40	43
Male	209	16	19	16	15	29	13	9	14	15	18	20	25
Female	160	13	11	13	13	9	15	16	13	8	11	20	18
White, both sexes	292	20	24	25	22	34	20	22	21	21	21	30	32
Male	159	11	15	12	14	26	12	6	9	13	11	13	17
Female	133	9	9	13	8	8	8	16	12	8	10	17	15
Black, both sexes	68	9	6	4	6	2	6	3	5	2	7	9	9
Male	45	5	4	4	1	1	1	3	4	2	6	7	7
Female	23	4	2	-	5	1	5	-	1	-	1	2	2
American Indian 1/, both sexes	2	-	-	-	-	-	1	-	-	-	-	1	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	1	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes	7	-	-	-	-	2	1	-	1	-	1	-	2
Male	5	-	-	-	-	2	-	-	1	-	1	-	1
Female	2	-	-	-	-	-	1	-	-	-	-	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Gangrene and necrosis of lung (J85.0)													
All races, both sexes	142	11	10	12	15	12	13	7	8	12	9	15	18
Male	75	6	6	7	8	9	5	1	5	7	6	7	8
Female	67	5	4	5	7	3	8	6	3	5	3	8	10
White, both sexes	107	7	9	10	11	10	8	7	5	10	8	10	12
Male	57	4	6	5	8	8	5	1	3	5	5	4	3
Female	50	3	3	5	3	2	3	6	2	5	3	6	9
Black, both sexes	31	4	1	2	4	1	3	-	3	2	1	4	6
Male	17	2	-	2	-	-	-	-	2	2	1	3	5
Female	14	2	1	-	4	1	3	-	1	-	-	1	1
American Indian 1/, both sexes	2	-	-	-	-	-	1	-	-	-	-	1	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	1	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes	2	-	-	-	-	1	1	-	-	-	-	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	1	-	-	-	-	-	-
Abscess of lung with pneumonia (J85.1)													
All races, both sexes	75	4	8	6	6	8	5	4	7	1	6	9	11
Male	43	2	5	4	4	5	4	1	3	-	1	6	8
Female	32	2	3	2	2	3	1	3	4	1	5	3	3
White, both sexes	62	3	6	4	6	8	3	4	6	1	5	7	9
Male	34	2	4	2	4	5	3	1	2	-	-	4	7
Female	28	1	2	2	2	3	-	3	4	1	5	3	2
Black, both sexes	10	1	2	2	-	-	2	-	1	-	-	2	-
Male	7	-	1	2	-	-	1	-	1	-	-	2	-
Female	3	1	1	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	3	-	-	-	-	-	-	-	-	-	1	-	2
Male	2	-	-	-	-	-	-	-	-	-	1	-	1
Female	1	-	-	-	-	-	-	-	-	-	-	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Abscess of lung without pneumonia (J85.2)													
All races, both sexes	146	13	11	11	7	18	9	14	12	9	14	15	13
Male	89	8	8	5	3	15	4	7	6	7	11	7	8
Female	57	5	3	6	4	3	5	7	6	2	3	8	5
White, both sexes	118	10	8	11	5	16	8	11	10	9	8	12	10
Male	66	5	5	5	2	13	4	4	4	7	6	5	6
Female	52	5	3	6	3	3	4	7	6	2	2	7	4
Black, both sexes	26	3	3	-	2	1	1	3	1	-	6	3	3
Male	21	3	3	-	1	1	-	3	1	-	5	2	2
Female	5	-	-	-	1	-	1	-	-	-	1	1	1
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	2	-	-	-	-	1	-	-	1	-	-	-	-
Male	2	-	-	-	-	1	-	-	1	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Abscess of mediastinum (J85.3)													
All races, both sexes	6	1	1	-	-	-	1	-	-	1	-	1	1
Male	2	-	-	-	-	-	-	-	-	1	-	-	1
Female	4	1	1	-	-	-	1	-	-	-	-	1	-
White, both sexes	5	-	1	-	-	-	1	-	-	1	-	1	1
Male	2	-	-	-	-	-	-	-	-	1	-	-	1
Female	3	-	1	-	-	-	1	-	-	-	-	1	-
Black, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Pyothorax (J86)													
All races, both sexes	356	26	29	44	32	31	27	32	23	26	29	26	31
Male	213	14	17	26	19	20	19	19	17	14	15	16	17
Female	143	12	12	18	13	11	8	13	6	12	14	10	14
White, both sexes	304	23	26	37	27	28	23	29	20	21	25	21	24
Male	184	12	15	24	15	19	17	17	15	12	14	11	13
Female	120	11	11	13	12	9	6	12	5	9	11	10	11
Black, both sexes	40	2	3	6	4	3	3	2	3	4	1	5	4
Male	24	2	2	2	3	1	1	1	2	1	1	5	3
Female	16	-	1	4	1	2	2	1	1	3	-	-	1
American Indian 1/, both sexes	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes	11	1	-	1	1	-	1	1	-	1	2	-	3
Male	5	-	-	-	1	-	1	1	-	1	-	-	1
Female	6	1	-	1	-	-	-	-	-	-	2	-	2
Pyothorax with fistula (J86.0)													
All races, both sexes	63	5	5	9	6	5	7	7	3	4	7	3	2
Male	35	4	3	4	3	2	6	4	3	3	2	1	-
Female	28	1	2	5	3	3	1	3	-	1	5	2	2
White, both sexes	51	5	4	6	5	5	5	6	3	3	5	2	2
Male	29	4	2	3	2	2	5	3	3	3	2	-	-
Female	22	1	2	3	3	3	-	3	-	-	3	2	2
Black, both sexes	8	-	1	3	1	-	1	-	-	1	-	1	-
Male	4	-	1	1	1	-	-	-	-	-	-	1	-
Female	4	-	-	2	-	-	1	-	-	1	-	-	-
American Indian 1/, both sexes	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes	3	-	-	-	-	-	1	1	-	-	1	-	-
Male	2	-	-	-	-	-	1	1	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Pyothorax without fistula (J86.9)													
All races, both sexes	293	21	24	35	26	26	20	25	20	22	22	23	29
Male	178	10	14	22	16	18	13	15	14	11	13	15	17
Female	115	11	10	13	10	8	7	10	6	11	9	8	12
White, both sexes	253	18	22	31	22	23	18	23	17	18	20	19	22
Male	155	8	13	21	13	17	12	14	12	9	12	11	13
Female	98	10	9	10	9	6	6	9	5	9	8	8	9
Black, both sexes	32	2	2	3	3	3	2	2	3	3	1	4	4
Male	20	2	1	1	2	1	1	1	2	1	1	4	3
Female	12	-	1	2	1	2	1	1	1	2	-	-	1
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	8	1	-	1	1	-	-	-	-	1	1	-	3
Male	3	-	-	-	1	-	-	-	-	1	-	-	1
Female	5	1	-	1	-	-	-	-	-	-	1	-	2
Pleural effusion, not elsewhere classified (J90)													
All races, both sexes	927	96	78	82	73	80	75	71	67	81	67	73	84
Male	405	33	30	32	35	42	39	30	31	29	28	36	40
Female	522	63	48	50	38	38	36	41	36	52	39	37	44
White, both sexes	827	91	70	75	65	68	68	60	61	71	56	65	77
Male	356	32	26	30	30	33	36	24	29	24	22	34	36
Female	471	59	44	45	35	35	32	36	32	47	34	31	41
Black, both sexes	84	4	7	5	5	11	6	9	4	10	9	7	7
Male	40	1	3	1	3	9	2	6	1	5	4	1	4
Female	44	3	4	4	2	2	4	3	3	5	5	6	3
American Indian 1/, both sexes	6	-	-	1	1	1	-	1	1	-	1	-	-
Male	2	-	-	-	1	-	-	-	-	-	1	-	-
Female	4	-	-	1	-	1	-	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes	10	1	1	1	2	-	1	1	1	-	1	1	-
Male	7	-	1	1	1	-	1	-	1	-	1	1	-
Female	3	1	-	-	1	-	-	1	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Pleural plaque (J92)													
All races, both sexes	3	-	-	-	1	-	-	1	-	1	-	-	-
Male	2	-	-	-	1	-	-	1	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	1	-	-	-
White, both sexes	2	-	-	-	1	-	-	1	-	-	-	-	-
Male	2	-	-	-	1	-	-	1	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	1	-	-	-	-	-	-	-	-	1	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Pleural plaque with presence of asbestos (J92.0)													
All races, both sexes	1	-	-	-	-	-	-	1	-	-	-	-	-
Male	1	-	-	-	-	-	-	1	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	-	-	-	-	-	-	1	-	-	-	-	-
Male	1	-	-	-	-	-	-	1	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Pleural plaque without asbestos (J92.9)													
All races, both sexes	2	-	-	-	1	-	-	-	-	1	-	-	-
Male	1	-	-	-	1	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	1	-	-	-
White, both sexes	1	-	-	-	1	-	-	-	-	-	-	-	-
Male	1	-	-	-	1	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	1	-	-	-	-	-	-	-	-	1	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumothorax (J93)													
All races, both sexes	288	26	29	25	24	23	21	26	29	17	19	22	27
Male	138	15	11	14	10	10	11	16	12	9	8	13	9
Female	150	11	18	11	14	13	10	10	17	8	11	9	18
White, both sexes	239	20	24	23	22	18	20	21	25	13	16	18	19
Male	110	11	8	12	8	9	10	12	11	7	7	10	5
Female	129	9	16	11	14	9	10	9	14	6	9	8	14
Black, both sexes	42	6	4	2	2	5	1	3	3	4	3	3	6
Male	25	4	3	2	2	1	1	3	-	2	1	3	3
Female	17	2	1	-	-	4	-	-	3	2	2	-	3
American Indian 1/, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	1	-	-	-	-	-	-	-	-	-	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	6	-	1	-	-	-	-	2	1	-	-	1	1
Male	2	-	-	-	-	-	-	1	1	-	-	-	-
Female	4	-	1	-	-	-	-	1	-	-	-	1	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Spontaneous tension pneumothorax (J93.0)													
All races, both sexes	42	5	4	4	2	3	4	3	7	2	2	3	3
Male	16	1	1	2	-	1	2	2	3	-	2	2	-
Female	26	4	3	2	2	2	2	1	4	2	-	1	3
White, both sexes	33	3	3	4	2	3	3	1	6	1	2	3	2
Male	12	-	-	2	-	1	1	1	3	-	2	2	-
Female	21	3	3	2	2	2	2	-	3	1	-	1	2
Black, both sexes	7	2	1	-	-	-	1	-	1	1	-	-	1
Male	3	1	1	-	-	-	1	-	-	-	-	-	-
Female	4	1	-	-	-	-	-	-	1	1	-	-	1
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	2	-	-	-	-	-	-	2	-	-	-	-	-
Male	1	-	-	-	-	-	-	1	-	-	-	-	-
Female	1	-	-	-	-	-	-	1	-	-	-	-	-
Other spontaneous pneumothorax (J93.1)													
All races, both sexes	31	4	4	1	1	3	1	-	4	2	3	4	4
Male	12	2	2	1	-	1	1	-	1	-	1	2	1
Female	19	2	2	-	1	2	-	-	3	2	2	2	3
White, both sexes	26	4	3	1	1	2	1	-	4	1	2	4	3
Male	12	2	2	1	-	1	1	-	1	-	1	2	1
Female	14	2	1	-	1	1	-	-	3	1	1	2	2
Black, both sexes	4	-	-	-	-	1	-	-	-	1	1	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	4	-	-	-	-	1	-	-	-	1	1	-	1
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	1	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	1	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other pneumothorax (J93.8)													
All races, both sexes	6	-	2	-	-	-	2	-	1	-	-	-	1
Male	4	-	2	-	-	-	1	-	1	-	-	-	-
Female	2	-	-	-	-	-	1	-	-	-	-	-	1
White, both sexes	5	-	1	-	-	-	2	-	1	-	-	-	1
Male	3	-	1	-	-	-	1	-	1	-	-	-	-
Female	2	-	-	-	-	-	1	-	-	-	-	-	1
Black, both sexes	1	-	1	-	-	-	-	-	-	-	-	-	-
Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumothorax, unspecified (J93.9)													
All races, both sexes	209	17	19	20	21	17	14	23	17	13	14	15	19
Male	106	12	6	11	10	8	7	14	7	9	5	9	8
Female	103	5	13	9	11	9	7	9	10	4	9	6	11
White, both sexes	175	13	17	18	19	13	14	20	14	11	12	11	13
Male	83	9	5	9	8	7	7	11	6	7	4	6	4
Female	92	4	12	9	11	6	7	9	8	4	8	5	9
Black, both sexes	30	4	2	2	2	4	-	3	2	2	2	3	4
Male	21	3	1	2	2	1	-	3	-	2	1	3	3
Female	9	1	1	-	-	3	-	-	2	-	1	-	1
American Indian 1/, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	1	-	-	-	-	-	-	-	-	-	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	3	-	-	-	-	-	-	-	1	-	-	1	1
Male	1	-	-	-	-	-	-	-	1	-	-	-	-
Female	2	-	-	-	-	-	-	-	-	-	-	1	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other pleural conditions (J94)													
All races, both sexes	139	17	12	8	12	11	11	9	6	17	12	8	16
Male	78	8	7	6	9	6	6	5	4	5	8	4	10
Female	61	9	5	2	3	5	5	4	2	12	4	4	6
White, both sexes	121	15	11	7	11	11	10	7	4	13	11	7	14
Male	67	7	6	5	9	6	5	3	2	3	8	4	9
Female	54	8	5	2	2	5	5	4	2	10	3	3	5
Black, both sexes	16	2	1	1	1	-	-	2	2	4	1	1	1
Male	10	1	1	1	-	-	-	2	2	2	-	-	1
Female	6	1	-	-	1	-	-	-	-	2	1	1	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	2	-	-	-	-	-	1	-	-	-	-	-	1
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	1
Chylous effusion (J94.0)													
All races, both sexes	4	1	-	-	-	-	2	-	-	1	-	-	-
Male	2	1	-	-	-	-	1	-	-	-	-	-	-
Female	2	-	-	-	-	-	1	-	-	1	-	-	-
White, both sexes	4	1	-	-	-	-	2	-	-	1	-	-	-
Male	2	1	-	-	-	-	1	-	-	-	-	-	-
Female	2	-	-	-	-	-	1	-	-	1	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Fibrothorax (J94.1)													
All races, both sexes	17	-	3	1	4	-	-	1	1	1	1	3	2
Male	13	-	3	1	4	-	-	-	1	-	1	1	2
Female	4	-	-	-	-	-	-	1	-	1	-	2	-
White, both sexes	15	-	3	1	4	-	-	1	-	1	1	3	1
Male	11	-	3	1	4	-	-	-	-	-	1	1	1
Female	4	-	-	-	-	-	-	1	-	1	-	2	-
Black, both sexes	2	-	-	-	-	-	-	-	1	-	-	-	1
Male	2	-	-	-	-	-	-	-	1	-	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemothorax (J94.2)													
All races, both sexes	86	15	8	6	5	8	6	4	3	11	6	5	9
Male	43	7	4	4	3	3	2	3	2	3	5	3	4
Female	43	8	4	2	2	5	4	1	1	8	1	2	5
White, both sexes	72	13	7	5	4	8	5	3	2	8	5	4	8
Male	36	6	3	3	3	3	1	2	1	2	5	3	4
Female	36	7	4	2	1	5	4	1	1	6	-	1	4
Black, both sexes	12	2	1	1	1	-	-	1	1	3	1	1	-
Male	6	1	1	1	-	-	-	1	1	1	-	-	-
Female	6	1	-	-	1	-	-	-	-	2	1	1	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	2	-	-	-	-	-	1	-	-	-	-	-	1
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other specified pleural conditions (J94.8)													
All races, both sexes	23	1	1	1	2	3	2	3	2	2	3	-	3
Male	14	-	-	1	1	3	2	2	1	-	1	-	3
Female	9	1	1	-	1	-	-	1	1	2	2	-	-
White, both sexes	22	1	1	1	2	3	2	2	2	2	3	-	3
Male	13	-	-	1	1	3	2	1	1	-	1	-	3
Female	9	1	1	-	1	-	-	1	1	2	2	-	-
Black, both sexes	1	-	-	-	-	-	-	1	-	-	-	-	-
Male	1	-	-	-	-	-	-	1	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Pleural condition, unspecified (J94.9)													
All races, both sexes	9	-	-	-	1	-	1	1	-	2	2	-	2
Male	6	-	-	-	1	-	1	-	-	2	1	-	1
Female	3	-	-	-	-	-	-	1	-	-	1	-	1
White, both sexes	8	-	-	-	1	-	1	1	-	1	2	-	2
Male	5	-	-	-	1	-	1	-	-	1	1	-	1
Female	3	-	-	-	-	-	-	1	-	-	1	-	1
Black, both sexes	1	-	-	-	-	-	-	-	-	1	-	-	-
Male	1	-	-	-	-	-	-	-	-	1	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Respiratory failure, not elsewhere classified (J96)													
All races, both sexes	3,423	300	321	303	294	275	258	261	250	249	263	280	369
Male	1,438	146	128	126	140	110	93	113	105	104	113	115	145
Female	1,985	154	193	177	154	165	165	148	145	145	150	165	224
White, both sexes	2,942	255	279	261	255	236	217	226	218	210	223	239	323
Male	1,218	122	114	107	121	96	77	94	91	86	95	92	123
Female	1,724	133	165	154	134	140	140	132	127	124	128	147	200
Black, both sexes	433	42	36	38	34	36	37	29	32	37	36	37	39
Male	197	22	10	17	18	13	14	14	14	18	18	21	18
Female	236	20	26	21	16	23	23	15	18	19	18	16	21
American Indian 1/, both sexes	8	-	-	2	1	1	-	1	-	-	1	-	2
Male	3	-	-	1	1	-	-	1	-	-	-	-	-
Female	5	-	-	1	-	1	-	-	-	-	1	-	2
Asian or Pacific Islander 2/, both sexes	40	3	6	2	4	2	4	5	-	2	3	4	5
Male	20	2	4	1	-	1	2	4	-	-	-	2	4
Female	20	1	2	1	4	1	2	1	-	2	3	2	1
Acute respiratory failure (J96.0)													
All races, both sexes	239	15	19	31	23	15	16	14	14	22	20	20	30
Male	107	7	6	17	12	8	6	5	9	13	11	7	6
Female	132	8	13	14	11	7	10	9	5	9	9	13	24
White, both sexes	211	15	18	27	21	12	13	12	11	18	17	18	29
Male	90	7	6	15	12	5	5	4	6	11	8	5	6
Female	121	8	12	12	9	7	8	8	5	7	9	13	23
Black, both sexes	26	-	1	3	2	2	3	2	3	4	3	2	1
Male	16	-	-	2	-	2	1	1	3	2	3	2	-
Female	10	-	1	1	2	-	2	1	-	2	-	-	1
American Indian 1/, both sexes	1	-	-	1	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Chronic respiratory failure (J96.1)													
All races, both sexes	233	23	22	16	20	19	15	16	24	14	21	23	20
Male	106	10	6	6	12	9	4	7	12	7	12	13	8
Female	127	13	16	10	8	10	11	9	12	7	9	10	12
White, both sexes	194	21	20	14	15	16	12	12	20	11	14	21	18
Male	86	9	5	5	9	8	3	4	9	6	8	13	7
Female	108	12	15	9	6	8	9	8	11	5	6	8	11
Black, both sexes	37	2	2	2	5	3	3	3	4	3	7	2	1
Male	19	1	1	1	3	1	1	2	3	1	4	-	1
Female	18	1	1	1	2	2	2	1	1	2	3	2	-
American Indian 1/, both sexes	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	1	-	-	-	-	-
Male	1	-	-	-	-	-	-	1	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Respiratory failure, unspecified (J96.9)													
All races, both sexes	2,951	262	280	256	251	241	227	231	212	213	222	237	319
Male	1,225	129	116	103	116	93	83	101	84	84	90	95	131
Female	1,726	133	164	153	135	148	144	130	128	129	132	142	188
White, both sexes	2,537	219	241	220	219	208	192	202	187	181	192	200	276
Male	1,042	106	103	87	100	83	69	86	76	69	79	74	110
Female	1,495	113	138	133	119	125	123	116	111	112	113	126	166
Black, both sexes	370	40	33	33	27	31	31	24	25	30	26	33	37
Male	162	21	9	14	15	10	12	11	8	15	11	19	17
Female	208	19	24	19	12	21	19	13	17	15	15	14	20
American Indian 1/, both sexes	6	-	-	1	1	1	-	1	-	-	1	-	1
Male	3	-	-	1	1	-	-	1	-	-	-	-	-
Female	3	-	-	-	-	1	-	-	-	-	1	-	1
Asian or Pacific Islander 2/, both sexes	38	3	6	2	4	1	4	4	-	2	3	4	5
Male	18	2	4	1	-	-	2	3	-	-	-	2	4
Female	20	1	2	1	4	1	2	1	-	2	3	2	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other respiratory disorders (J98)													
All races, both sexes	3,984	364	362	389	335	294	300	299	312	268	268	333	460
Male	1,793	160	155	168	160	142	143	147	129	118	126	143	202
Female	2,191	204	207	221	175	152	157	152	183	150	142	190	258
White, both sexes	3,498	310	322	345	294	250	259	263	273	246	235	291	410
Male	1,538	133	139	148	134	118	120	124	113	103	106	120	180
Female	1,960	177	183	197	160	132	139	139	160	143	129	171	230
Black, both sexes	390	42	30	34	36	36	29	30	32	22	25	35	39
Male	210	21	11	17	23	20	17	20	12	15	16	19	19
Female	180	21	19	17	13	16	12	10	20	7	9	16	20
American Indian 1/, both sexes	27	2	3	2	2	2	1	4	2	-	2	2	5
Male	13	1	2	-	1	2	1	2	1	-	1	-	2
Female	14	1	1	2	1	-	-	2	1	-	1	2	3
Asian or Pacific Islander 2/, both sexes	69	10	7	8	3	6	11	2	5	-	6	5	6
Male	32	5	3	3	2	2	5	1	3	-	3	4	1
Female	37	5	4	5	1	4	6	1	2	-	3	1	5
Diseases of bronchus, not elsewhere classified (J98.0)													
All races, both sexes	85	10	12	6	10	7	4	1	4	9	6	5	11
Male	35	4	5	2	6	3	1	1	1	5	4	1	2
Female	50	6	7	4	4	4	3	-	3	4	2	4	9
White, both sexes	71	9	10	4	9	6	3	1	3	7	6	4	9
Male	28	3	4	2	5	3	1	1	1	3	4	-	1
Female	43	6	6	2	4	3	2	-	2	4	2	4	8
Black, both sexes	10	-	2	1	-	1	1	-	1	2	-	1	1
Male	4	-	1	-	-	-	-	-	-	2	-	1	-
Female	6	-	1	1	-	1	1	-	1	-	-	-	1
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	4	1	-	1	1	-	-	-	-	-	-	-	1
Male	3	1	-	-	1	-	-	-	-	-	-	-	1
Female	1	-	-	1	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Pulmonary collapse (J98.1)													
All races, both sexes	174	21	16	11	20	10	14	15	13	10	15	10	19
Male	74	9	6	4	11	6	7	7	2	3	3	6	10
Female	100	12	10	7	9	4	7	8	11	7	12	4	9
White, both sexes	146	18	15	8	18	8	10	15	9	8	11	8	18
Male	56	7	5	1	9	4	5	7	1	2	1	5	9
Female	90	11	10	7	9	4	5	8	8	6	10	3	9
Black, both sexes	24	3	1	3	2	2	3	-	4	2	2	1	1
Male	16	2	1	3	2	2	2	-	1	1	-	1	1
Female	8	1	-	-	-	-	1	-	3	1	2	-	-
American Indian 1/, both sexes	2	-	-	-	-	-	-	-	-	-	1	1	-
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes	2	-	-	-	-	-	1	-	-	-	1	-	-
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	1	-	-	-	-	-	1	-	-	-	-	-	-
Interstitial emphysema (J98.2)													
All races, both sexes	22	-	2	1	1	1	2	1	2	3	3	-	6
Male	9	-	1	-	1	1	1	-	2	-	1	-	2
Female	13	-	1	1	-	-	1	1	-	3	2	-	4
White, both sexes	18	-	2	1	-	-	1	1	2	3	2	-	6
Male	6	-	1	-	-	-	-	-	2	-	1	-	2
Female	12	-	1	1	-	-	1	1	-	3	1	-	4
Black, both sexes	2	-	-	-	-	1	-	-	-	-	1	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	2	-	-	-	1	-	1	-	-	-	-	-	-
Male	2	-	-	-	1	-	1	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other disorders of lung (J98.4)													
All races, both sexes	2,935	264	267	291	235	225	220	232	240	205	194	260	302
Male	1,339	115	117	122	115	105	101	117	100	96	90	116	145
Female	1,596	149	150	169	120	120	119	115	140	109	104	144	157
White, both sexes	2,607	226	242	261	204	197	193	207	209	193	172	229	274
Male	1,166	100	107	107	96	92	86	99	86	87	76	99	131
Female	1,441	126	135	154	108	105	107	108	123	106	96	130	143
Black, both sexes	262	29	16	22	30	23	20	22	25	12	17	25	21
Male	146	11	5	13	19	11	13	17	11	9	12	13	12
Female	116	18	11	9	11	12	7	5	14	3	5	12	9
American Indian 1/, both sexes	20	2	3	2	1	1	-	3	2	-	1	1	4
Male	8	1	2	-	-	1	-	1	1	-	-	-	2
Female	12	1	1	2	1	-	-	2	1	-	1	1	2
Asian or Pacific Islander 2/, both sexes	46	7	6	6	-	4	7	-	4	-	4	5	3
Male	19	3	3	2	-	1	2	-	2	-	2	4	-
Female	27	4	3	4	-	3	5	-	2	-	2	1	3
Diseases of mediastinum, not elsewhere classified (J98.5)													
All races, both sexes	123	11	8	14	9	11	17	11	7	5	6	12	12
Male	57	5	1	8	2	5	10	6	5	2	3	2	8
Female	66	6	7	6	7	6	7	5	2	3	3	10	4
White, both sexes	104	8	4	13	8	8	15	11	7	4	4	11	11
Male	49	3	-	7	2	4	9	6	5	2	2	2	7
Female	55	5	4	6	6	4	6	5	2	2	2	9	4
Black, both sexes	17	3	4	1	1	3	1	-	-	1	1	1	1
Male	7	2	1	1	-	1	-	-	-	-	1	-	1
Female	10	1	3	-	1	2	1	-	-	1	-	1	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	2	-	-	-	-	-	1	-	-	-	1	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Disorders of diaphragm (J98.6)													
All races, both sexes	34	3	4	2	4	4	2	2	2	1	5	1	4
Male	14	2	1	-	1	2	1	-	1	1	3	-	2
Female	20	1	3	2	3	2	1	2	1	-	2	1	2
White, both sexes	30	3	4	2	4	3	2	1	2	1	4	1	3
Male	12	2	1	-	1	1	1	-	1	1	2	-	2
Female	18	1	3	2	3	2	1	1	1	-	2	1	1
Black, both sexes	4	-	-	-	-	1	-	1	-	-	1	-	1
Male	2	-	-	-	-	1	-	-	-	-	1	-	-
Female	2	-	-	-	-	-	-	1	-	-	-	-	1
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other specified respiratory disorders (J98.8)													
All races, both sexes	426	37	40	43	43	24	33	17	32	24	27	28	78
Male	182	17	17	21	17	16	17	7	17	8	15	9	21
Female	244	20	23	22	26	8	16	10	15	16	12	19	57
White, both sexes	367	32	33	40	39	17	29	13	31	20	24	23	66
Male	151	13	15	21	15	10	14	5	16	5	13	6	18
Female	216	19	18	19	24	7	15	8	15	15	11	17	48
Black, both sexes	48	5	6	3	2	5	2	3	-	4	3	5	10
Male	25	4	2	-	1	4	1	2	-	3	2	3	3
Female	23	1	4	3	1	1	1	1	-	1	1	2	7
American Indian 1/, both sexes	3	-	-	-	1	1	1	-	-	-	-	-	-
Male	3	-	-	-	1	1	1	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	8	-	1	-	1	1	1	1	1	-	-	-	2
Male	3	-	-	-	-	1	1	-	1	-	-	-	-
Female	5	-	1	-	1	-	-	1	-	-	-	-	2

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Respiratory disorder, unspecified (J98.9)													
All races, both sexes	185	18	13	21	13	12	8	20	12	11	12	17	28
Male	83	8	7	11	7	4	5	9	1	3	7	9	12
Female	102	10	6	10	6	8	3	11	11	8	5	8	16
White, both sexes	155	14	12	16	12	11	6	14	10	10	12	15	23
Male	70	5	6	10	6	4	4	6	1	3	7	8	10
Female	85	9	6	6	6	7	2	8	9	7	5	7	13
Black, both sexes	23	2	1	4	1	-	2	4	2	1	-	2	4
Male	9	2	1	-	1	-	1	1	-	-	-	1	2
Female	14	-	-	4	-	-	1	3	2	1	-	1	2
American Indian 1/, both sexes	2	-	-	-	-	-	-	1	-	-	-	-	1
Male	1	-	-	-	-	-	-	1	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes	5	2	-	1	-	1	-	1	-	-	-	-	-
Male	3	1	-	1	-	-	-	1	-	-	-	-	-
Female	2	1	-	-	-	1	-	-	-	-	-	-	-
Disorders of tooth development and eruption (K00)													
All races, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Anodontia (K00.0)													
All races, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
White, both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-