

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All causes												
All ages-----	2,391,399	1,175,460	1,215,939	2,061,348	1,005,335	1,056,013	330,051	170,125	159,926	285,064	145,703	139,361
Under 1 year-----	27,937	15,646	12,291	18,067	10,197	7,870	9,870	5,449	4,421	8,822	4,897	3,925
1-4 years-----	5,249	2,975	2,274	3,690	2,084	1,606	1,559	891	668	1,311	746	565
5-9 years-----	3,474	1,964	1,510	2,450	1,376	1,074	1,024	588	436	880	519	361
10-14 years-----	4,121	2,528	1,593	3,043	1,852	1,191	1,078	676	402	909	577	332
15-19 years-----	13,778	9,780	3,998	10,355	7,222	3,133	3,423	2,558	865	2,849	2,157	692
20-24 years-----	16,878	12,634	4,244	11,997	8,981	3,016	4,881	3,653	1,228	4,217	3,191	1,026
25-29 years-----	17,703	12,542	5,161	12,569	9,015	3,554	5,134	3,527	1,607	4,444	3,073	1,371
30-34 years-----	23,363	15,734	7,629	16,831	11,534	5,297	6,532	4,200	2,332	5,671	3,650	2,021
35-39 years-----	36,804	23,681	13,123	27,024	17,792	9,232	9,780	5,889	3,891	8,663	5,171	3,492
40-44 years-----	52,452	33,437	19,015	38,583	25,122	13,461	13,869	8,315	5,554	12,378	7,396	4,982
45-49 years-----	68,120	43,303	24,817	50,895	32,778	18,117	17,225	10,525	6,700	15,304	9,392	5,912
50-54 years-----	84,854	52,356	32,498	66,116	41,130	24,986	18,738	11,226	7,512	16,455	9,906	6,549
55-59 years-----	104,884	63,441	41,443	83,876	51,133	32,743	21,008	12,308	8,700	18,359	10,751	7,608
60-64 years-----	134,095	79,283	54,812	109,706	65,404	44,302	24,389	13,879	10,510	21,117	12,018	9,099
65-69 years-----	186,695	107,529	79,166	157,260	91,520	65,740	29,435	16,009	13,426	25,461	13,862	11,599
70-74 years-----	265,905	147,391	118,514	230,177	128,922	101,255	35,728	18,469	17,259	30,661	15,732	14,929
75-79 years-----	338,349	174,853	163,496	299,701	155,859	143,842	38,648	18,994	19,654	32,927	15,873	17,054
80-84 years-----	360,241	166,117	194,124	326,788	151,591	175,197	33,453	14,526	18,927	28,274	11,966	16,308
85-89 years-----	330,903	126,531	204,372	302,550	115,599	186,951	28,353	10,932	17,421	24,046	8,828	15,218
90-94 years-----	213,991	62,511	151,480	197,437	57,211	140,226	16,554	5,300	11,254	14,101	4,167	9,934
95-99 years-----	83,334	18,111	65,223	76,142	16,329	59,813	7,192	1,782	5,410	6,281	1,462	4,819
100 yrs & over---	17,913	2,836	15,077	15,820	2,471	13,349	2,093	365	1,728	1,857	311	1,546
Not stated-----	356	277	79	271	213	58	85	64	21	77	58	19

Cholera (A00)

All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Cholera, unspecified (A00.9)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Other salmonella infections (A02)												
All ages-----	38	21	17	32	16	16	6	5	1	4	3	1
Under 1 year-----	3	2	1	3	2	1	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	2	2	-	1	1	-	1	1	-	1	1	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	2	1	1	2	1	1	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	2	2	-	1	1	-	1	1	-	-	-	-
65-69 years-----	2	2	-	1	1	-	1	1	-	1	1	-
70-74 years-----	5	3	2	4	2	2	1	1	-	-	-	-
75-79 years-----	8	2	6	7	2	5	1	-	1	1	-	1
80-84 years-----	4	3	1	3	2	1	1	1	-	1	1	-
85-89 years-----	4	1	3	4	1	3	-	-	-	-	-	-
90-94 years-----	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Salmonella gastroenteritis (A02.0)												
All ages-----	13	6	7	11	4	7	2	2	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	1	1	-	-	-	-	1	1	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	3	1	2	3	1	2	-	-	-	-	-	-
80-84 years-----	3	2	1	2	1	1	1	1	-	1	1	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Salmonella septicemia (A02.1)												
All ages-----	23	13	10	19	10	9	4	3	1	3	2	1
Under 1 year-----	2	1	1	2	1	1	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	-	-	-	1	1	-	1	1	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	2	2	-	1	1	-	1	1	-	1	1	-
70-74 years-----	5	3	2	4	2	2	1	1	-	-	-	-
75-79 years-----	5	1	4	4	1	3	1	-	1	1	-	1
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	3	1	2	3	1	2	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Localized salmonella infections (A02.2)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Salmonella infection, unspecified (A02.9)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Shigellosis (A03)												
All ages-----	6	3	3	6	3	3	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Shigellosis, unspecified (A03.9)												
All ages-----	6	3	3	6	3	3	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other bacterial intestinal infections (A04)												
All ages-----	894	345	549	837	324	513	57	21	36	51	17	34
Under 1 year-----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	2	1	1	1	-	1	1	1	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	2	1	1	2	1	1	-	-	-	-	-	-
25-29 years-----	2	1	1	2	1	1	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	2	1	1	2	1	1	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	7	3	4	6	3	3	1	-	1	1	-	1
50-54 years-----	8	3	5	8	3	5	-	-	-	-	-	-
55-59 years-----	14	10	4	12	9	3	2	1	1	2	1	1
60-64 years-----	27	14	13	23	11	12	4	3	1	2	1	1
65-69 years-----	54	23	31	49	22	27	5	1	4	5	1	4
70-74 years-----	86	37	49	79	36	43	7	1	6	7	1	6
75-79 years-----	141	72	69	131	67	64	10	5	5	10	5	5
80-84 years-----	195	81	114	183	78	105	12	3	9	11	3	8
85-89 years-----	171	44	127	165	43	122	6	1	5	4	-	4
90-94 years-----	127	39	88	122	36	86	5	3	2	5	3	2
95-99 years-----	42	10	32	39	9	30	3	1	2	3	1	2
100 yrs & over---	11	2	9	10	1	9	1	1	-	1	1	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Enterotoxigenic Escherichia coli infection (A04.1)

All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other intestinal Escherichia coli infections (A04.4)												
All ages-----	6	3	3	6	3	3	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Enterocolitis due to Clostridium difficile (A04.7)

All ages-----	793	304	489	744	287	457	49	17	32	44	14	30
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years-----	2	1	1	2	1	1	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	7	3	4	6	3	3	1	-	1	1	-	1
50-54 years-----	5	1	4	5	1	4	-	-	-	-	-	-
55-59 years-----	11	9	2	10	8	2	1	1	-	1	1	-
60-64 years-----	23	11	12	19	8	11	4	3	1	2	1	1
65-69 years-----	45	20	25	41	19	22	4	1	3	4	1	3
70-74 years-----	82	36	46	75	35	40	7	1	6	7	1	6
75-79 years-----	126	64	62	116	59	57	10	5	5	10	5	5
80-84 years-----	171	72	99	159	69	90	12	3	9	11	3	8
85-89 years-----	155	39	116	150	38	112	5	1	4	3	-	3
90-94 years-----	113	35	78	111	34	77	2	1	1	2	1	1
95-99 years-----	39	9	30	37	9	28	2	-	2	2	-	2
100 yrs & over---	10	2	8	9	1	8	1	1	-	1	1	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

ALL RACES WHITE ALL OTHER BLACK

Other specified bacterial intestinal infections (A04.8)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	86	36	50	79	32	47	7	4	3	6	3	3
Under 1 year----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	1	1	-	-	-	-	1	1	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	2	1	1	2	1	1	-	-	-	-	-	-
55-59 years-----	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years-----	3	2	1	3	2	1	-	-	-	-	-	-
65-69 years-----	7	2	5	6	2	4	1	-	1	1	-	1
70-74 years-----	4	1	3	4	1	3	-	-	-	-	-	-
75-79 years-----	12	6	6	12	6	6	-	-	-	-	-	-
80-84 years-----	21	9	12	21	9	12	-	-	-	-	-	-
85-89 years-----	15	5	10	14	5	9	1	-	1	1	-	1
90-94 years-----	13	4	9	10	2	8	3	2	1	3	2	1
95-99 years-----	2	1	1	1	-	1	1	1	-	1	1	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Bacterial intestinal infection, unspecified (A04.9)

All ages-----	8	2	6	7	2	5	1	-	1	1	-	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	-	1	-	-	-	1	-	1	1	-	1
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years-----	2	-	2	2	-	2	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other bacterial food-borne intoxications (A05)												
All ages-----	12	10	2	11	9	2	1	1	-	1	1	-
Under 1 year----	6	5	1	5	4	1	1	1	-	1	1	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	2	2	-	2	2	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Botulism (A05.1)												
All ages-----	4	3	1	4	3	1	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	2	2	-	2	2	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),

RACE, AND SEX - - - ALL RACES - - - - - - WHITE - - - - - - ALL OTHER - - - - - - BLACK - - -

TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Food-borne Clostridium perfringens [Clostridium welchii] intoxication (A05.2)

All ages-----	6	5	1	5	4	1	1	1	-	1	1	-
Under 1 year----	6	5	1	5	4	1	1	1	-	1	1	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Food-borne Vibrio parahemolyticus intoxication (A05.3)

All ages-----	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Amebiasis (A06)												
All ages-----	4	3	1	4	3	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Acute amebic dysentery (A06.0)												
All ages-----	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Amebic liver abscess (A06.4)												
All ages-----	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Other protozoal intestinal diseases (A07)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Isosporiasis (A07.3)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Viral and other specified intestinal infections (A08)

All ages-----	117	45	72	102	37	65	15	8	7	13	6	7
Under 1 year-----	11	7	4	7	5	2	4	2	2	4	2	2
1-4 years-----	5	3	2	5	3	2	-	-	-	-	-	-
5-9 years-----	2	2	-	-	-	-	2	2	-	2	2	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	3	3	-	3	3	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	-	-	-	1	1	-	1	1	-
45-49 years-----	3	2	1	1	-	1	2	2	-	1	1	-
50-54 years-----	2	1	1	1	-	1	1	1	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	2	-	2	1	-	1	1	-	1	1	-	1
65-69 years-----	5	2	3	5	2	3	-	-	-	-	-	-
70-74 years-----	9	2	7	8	2	6	1	-	1	1	-	1
75-79 years-----	9	3	6	8	3	5	1	-	1	1	-	1
80-84 years-----	12	4	8	12	4	8	-	-	-	-	-	-
85-89 years-----	21	7	14	21	7	14	-	-	-	-	-	-
90-94 years-----	12	2	10	10	2	8	2	-	2	2	-	2
95-99 years-----	14	3	11	14	3	11	-	-	-	-	-	-
100 yrs & over---	2	-	2	2	-	2	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Rotaviral enteritis (A08.0)												
All ages-----	7	5	2	4	3	1	3	2	1	2	1	1
Under 1 year----	4	3	1	2	2	-	2	1	1	2	1	1
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	2	1	1	1	-	1	1	1	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Adenoviral enteritis (A08.2)												
All ages-----	2	2	-	1	1	-	1	1	-	1	1	-
Under 1 year----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	1	-	-	-	-	1	1	-	1	1	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other viral enteritis (A08.3)												
All ages-----	3	-	3	3	-	3	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Viral intestinal infection, unspecified (A08.4)												
All ages-----	103	37	66	92	32	60	11	5	6	10	4	6
Under 1 year-----	6	3	3	4	2	2	2	1	1	2	1	1
1-4 years-----	4	2	2	4	2	2	-	-	-	-	-	-
5-9 years-----	1	1	-	-	-	-	1	1	-	1	1	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	3	3	-	3	3	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	-	-	-	1	1	-	1	1	-
45-49 years-----	1	1	-	-	-	-	1	1	-	1	1	-
50-54 years-----	2	1	1	1	-	1	1	1	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	2	-	2	1	-	1	1	-	1	1	-	1
65-69 years-----	5	2	3	5	2	3	-	-	-	-	-	-
70-74 years-----	8	1	7	7	1	6	1	-	1	1	-	1
75-79 years-----	8	3	5	7	3	4	1	-	1	1	-	1
80-84 years-----	11	4	7	11	4	7	-	-	-	-	-	-
85-89 years-----	21	7	14	21	7	14	-	-	-	-	-	-
90-94 years-----	10	2	8	8	2	6	2	-	2	2	-	2
95-99 years-----	14	3	11	14	3	11	-	-	-	-	-	-
100 yrs & over---	2	-	2	2	-	2	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Other specified intestinal infections (A08.5)

All ages-----	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Diarrhea and gastroenteritis of presumed infectious origin (A09)

All ages-----	96	29	67	86	27	59	10	2	8	10	2	8
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	-	1	-	-	-	1	-	1	1	-	1
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	3	1	2	1	1	-	2	-	2	2	-	2
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	2	2	-	1	1	-	1	1	-	1	1	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	5	2	3	4	2	2	1	-	1	1	-	1
65-69 years-----	8	3	5	8	3	5	-	-	-	-	-	-
70-74 years-----	14	7	7	13	7	6	1	-	1	1	-	1
75-79 years-----	18	5	13	16	5	11	2	-	2	2	-	2
80-84 years-----	15	4	11	14	3	11	1	1	-	1	1	-
85-89 years-----	18	2	16	17	2	15	1	-	1	1	-	1
90-94 years-----	7	3	4	7	3	4	-	-	-	-	-	-
95-99 years-----	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Respiratory tuberculosis, not confirmed bacteriologically or histologically (A16)												
All ages-----	764	486	278	472	296	176	292	190	102	199	126	73
Under 1 year-----	1	-	1	-	-	-	1	-	1	1	-	1
1-4 years-----	1	1	-	-	-	-	1	1	-	1	1	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	-	-	-	1	1	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	8	2	6	3	2	1	5	-	5	4	-	4
25-29 years-----	2	-	2	1	-	1	1	-	1	1	-	1
30-34 years-----	12	8	4	2	2	-	10	6	4	7	3	4
35-39 years-----	19	15	4	8	6	2	11	9	2	9	7	2
40-44 years-----	26	18	8	12	9	3	14	9	5	11	7	4
45-49 years-----	38	32	6	20	17	3	18	15	3	15	13	2
50-54 years-----	38	32	6	20	19	1	18	13	5	14	11	3
55-59 years-----	53	39	14	27	21	6	26	18	8	20	13	7
60-64 years-----	56	44	12	34	24	10	22	20	2	16	16	-
65-69 years-----	58	41	17	38	27	11	20	14	6	13	9	4
70-74 years-----	81	56	25	49	34	15	32	22	10	20	13	7
75-79 years-----	112	60	52	70	36	34	42	24	18	26	14	12
80-84 years-----	104	60	44	75	43	32	29	17	12	17	8	9
85-89 years-----	100	52	48	79	41	38	21	11	10	11	4	7
90-94 years-----	36	13	23	23	9	14	13	4	9	7	2	5
95-99 years-----	16	11	5	11	6	5	5	5	-	4	4	-
100 yrs & over---	1	-	1	-	-	-	1	-	1	1	-	1
Not stated-----	1	1	-	-	-	-	1	1	-	1	1	-

Tuberculosis of lung, without mention of bacteriological or histological confirmation (A16.2)

All ages-----	467	298	169	279	174	105	188	124	64	121	79	42
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	-	-	-	1	1	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	4	1	3	1	1	-	3	-	3	2	-	2
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	9	7	2	2	2	-	7	5	2	5	3	2
35-39 years-----	13	10	3	6	4	2	7	6	1	5	4	1
40-44 years-----	19	14	5	9	7	2	10	7	3	8	5	3
45-49 years-----	23	20	3	13	12	1	10	8	2	8	7	1
50-54 years-----	21	17	4	11	10	1	10	7	3	7	6	1
55-59 years-----	34	25	9	17	12	5	17	13	4	12	9	3
60-64 years-----	36	28	8	19	13	6	17	15	2	11	11	-
65-69 years-----	35	24	11	19	14	5	16	10	6	10	6	4
70-74 years-----	51	33	18	30	19	11	21	14	7	17	11	6
75-79 years-----	63	32	31	37	17	20	26	15	11	14	8	6
80-84 years-----	61	37	24	41	26	15	20	11	9	11	4	7
85-89 years-----	67	36	31	53	28	25	14	8	6	6	2	4
90-94 years-----	20	7	13	14	6	8	6	1	5	3	1	2
95-99 years-----	10	6	4	7	3	4	3	3	-	2	2	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

RACE, AND SEX

Tuberculosis of larynx, trachea, and bronchus, without mention of bacteriological or histological confirmation (A16.4)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	4	2	2	4	2	2	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Tuberculous pleurisy, without mention of bacteriological or histological confirmation (A16.5)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	11	7	4	8	5	3	3	2	1	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	-	-	-	1	1	-	1	1	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	2	1	1	1	1	-	1	-	1	-	-	-
90-94 years-----	1	1	-	-	-	-	1	1	-	-	-	-
95-99 years-----	2	1	1	2	1	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Primary respiratory tuberculosis without mention of bacteriological or histological confirmation (A16.7)												
All ages-----	1	-	1	-	-	-	1	-	1	1	-	1
Under 1 year-----	1	-	1	-	-	-	1	-	1	1	-	1
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Respiratory tuberculosis unspecified, without mention of bacteriological or histological confirmation (A16.9)

All ages-----	281	179	102	181	115	66	100	64	36	76	46	30
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	1	-	-	-	-	1	1	-	1	1	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	4	1	3	2	1	1	2	-	2	2	-	2
25-29 years-----	2	-	2	1	-	1	1	-	1	1	-	1
30-34 years-----	3	1	2	-	-	-	3	1	2	2	-	2
35-39 years-----	6	5	1	2	2	-	4	3	1	4	3	1
40-44 years-----	7	4	3	3	2	1	4	2	2	3	2	1
45-49 years-----	14	11	3	6	4	2	8	7	1	7	6	1
50-54 years-----	16	14	2	8	8	-	8	6	2	7	5	2
55-59 years-----	19	14	5	10	9	1	9	5	4	8	4	4
60-64 years-----	18	15	3	14	11	3	4	4	-	4	4	-
65-69 years-----	22	16	6	18	12	6	4	4	-	3	3	-
70-74 years-----	28	22	6	17	14	3	11	8	3	3	2	1
75-79 years-----	49	28	21	33	19	14	16	9	7	12	6	6
80-84 years-----	40	22	18	31	16	15	9	6	3	6	4	2
85-89 years-----	31	15	16	25	12	13	6	3	3	5	2	3
90-94 years-----	15	5	10	9	3	6	6	2	4	4	1	3
95-99 years-----	4	4	-	2	2	-	2	2	-	2	2	-
100 yrs & over---	1	-	1	-	-	-	1	-	1	1	-	1
Not stated-----	1	1	-	-	-	-	1	1	-	1	1	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Tuberculosis of nervous system (A17)												
All ages-----	27	15	12	16	10	6	11	5	6	7	4	3
Under 1 year----	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	-	1	-	-	-	1	-	1	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	3	3	-	2	2	-	1	1	-	-	-	-
40-44 years-----	1	1	-	-	-	-	1	1	-	1	1	-
45-49 years-----	4	2	2	3	2	1	1	-	1	-	-	-
50-54 years-----	4	3	1	3	2	1	1	1	-	1	1	-
55-59 years-----	1	1	-	-	-	-	1	1	-	1	1	-
60-64 years-----	1	-	1	-	-	-	1	-	1	-	-	-
65-69 years-----	2	2	-	2	2	-	-	-	-	-	-	-
70-74 years-----	4	1	3	1	-	1	3	1	2	3	1	2
75-79 years-----	2	-	2	1	-	1	1	-	1	1	-	1
80-84 years-----	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Tuberculous meningitis (A17.0)

All ages-----	24	13	11	13	8	5	11	5	6	7	4	3
Under 1 year----	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	-	1	-	-	-	1	-	1	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	3	3	-	2	2	-	1	1	-	-	-	-
40-44 years-----	1	1	-	-	-	-	1	1	-	1	1	-
45-49 years-----	3	2	1	2	2	-	1	-	1	-	-	-
50-54 years-----	2	1	1	1	-	1	1	1	-	1	1	-
55-59 years-----	1	1	-	-	-	-	1	1	-	1	1	-
60-64 years-----	1	-	1	-	-	-	1	-	1	-	-	-
65-69 years-----	2	2	-	2	2	-	-	-	-	-	-	-
70-74 years-----	4	1	3	1	-	1	3	1	2	3	1	2
75-79 years-----	2	-	2	1	-	1	1	-	1	1	-	1
80-84 years-----	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other tuberculosis of nervous system (A17.8)												
All ages-----	3	2	1	3	2	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of other organs (A18)												
All ages-----	75	42	33	54	29	25	21	13	8	16	11	5
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	-	1	-	-	-	1	-	1	1	-	1
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	2	1	1	1	1	-	1	-	1	-	-	-
35-39 years-----	2	1	1	2	1	1	-	-	-	-	-	-
40-44 years-----	3	3	-	1	1	-	2	2	-	2	2	-
45-49 years-----	3	2	1	-	-	-	3	2	1	2	1	1
50-54 years-----	6	4	2	2	2	-	4	2	2	3	2	1
55-59 years-----	9	5	4	8	5	3	1	-	1	-	-	-
60-64 years-----	2	1	1	1	-	1	1	1	-	1	1	-
65-69 years-----	6	2	4	6	2	4	-	-	-	-	-	-
70-74 years-----	10	7	3	7	5	2	3	2	1	3	2	1
75-79 years-----	11	6	5	9	4	5	2	2	-	1	1	-
80-84 years-----	8	4	4	8	4	4	-	-	-	-	-	-
85-89 years-----	8	3	5	6	2	4	2	1	1	2	1	1
90-94 years-----	2	1	1	1	-	1	1	1	-	1	1	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Tuberculosis of bones and joints (A18.0)												
All ages-----	49	25	24	37	17	20	12	8	4	10	7	3
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	-	1	-	-	-	1	-	1	1	-	1
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	2	1	1	2	1	1	-	-	-	-	-	-
40-44 years-----	2	2	-	1	1	-	1	1	-	1	1	-
45-49 years-----	1	1	-	-	-	-	1	1	-	-	-	-
50-54 years-----	4	3	1	1	1	-	3	2	1	2	2	-
55-59 years-----	6	4	2	6	4	2	-	-	-	-	-	-
60-64 years-----	2	1	1	1	-	1	1	1	-	1	1	-
65-69 years-----	4	-	4	4	-	4	-	-	-	-	-	-
70-74 years-----	7	4	3	4	2	2	3	2	1	3	2	1
75-79 years-----	8	4	4	7	3	4	1	1	-	1	1	-
80-84 years-----	6	3	3	6	3	3	-	-	-	-	-	-
85-89 years-----	6	2	4	5	2	3	1	-	1	1	-	1
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Tuberculosis of genitourinary system (A18.1)

All ages-----	4	3	1	3	2	1	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	-	-	-	1	1	-	1	1	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Tuberculosis of intestines, peritoneum, and mesenteric glands (A18.3)												
All ages-----	14	7	7	9	6	3	5	1	4	3	1	2
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	2	1	1	1	1	-	1	-	1	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	-	-	-	1	-	1	1	-	1
50-54 years-----	2	1	1	1	1	-	1	-	1	1	-	1
55-59 years-----	2	-	2	1	-	1	1	-	1	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	2	2	-	2	2	-	-	-	-	-	-	-
70-74 years-----	2	2	-	2	2	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	2	1	1	1	-	1	1	1	-	1	1	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Tuberculosis of skin and subcutaneous tissue (A18.4)

All ages-----	1	1	-	-	-	-	1	1	-	1	1	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	1	-	-	-	-	1	1	-	1	1	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Tuberculosis of other specified organs (A18.8)												
All ages-----	7	6	1	5	4	1	2	2	-	1	1	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	-	-	-	1	1	-	1	1	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	1	1	-	-	-	-	1	1	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Miliary tuberculosis (A19)												
All ages-----	64	41	23	22	13	9	42	28	14	23	18	5
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	1	-	-	-	-	1	1	-	1	1	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	2	1	1	-	-	-	2	1	1	1	1	-
35-39 years-----	1	1	-	-	-	-	1	1	-	1	1	-
40-44 years-----	2	1	1	-	-	-	2	1	1	1	1	-
45-49 years-----	6	6	-	2	2	-	4	4	-	3	3	-
50-54 years-----	7	6	1	2	2	-	5	4	1	4	3	1
55-59 years-----	4	3	1	2	1	1	2	2	-	1	1	-
60-64 years-----	4	3	1	1	1	-	3	2	1	1	-	1
65-69 years-----	4	4	-	2	2	-	2	2	-	2	2	-
70-74 years-----	8	3	5	3	1	2	5	2	3	2	2	-
75-79 years-----	9	5	4	5	2	3	4	3	1	3	2	1
80-84 years-----	5	1	4	2	1	1	3	-	3	2	-	2
85-89 years-----	7	3	4	2	-	2	5	3	2	1	1	-
90-94 years-----	3	2	1	-	-	-	3	2	1	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Miliary tuberculosis, unspecified (A19.9)												
All ages-----	64	41	23	22	13	9	42	28	14	23	18	5
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	1	-	-	-	-	1	1	-	1	1	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	2	1	1	-	-	-	2	1	1	1	1	-
35-39 years-----	1	1	-	-	-	-	1	1	-	1	1	-
40-44 years-----	2	1	1	-	-	-	2	1	1	1	1	-
45-49 years-----	6	6	-	2	2	-	4	4	-	3	3	-
50-54 years-----	7	6	1	2	2	-	5	4	1	4	3	1
55-59 years-----	4	3	1	2	1	1	2	2	-	1	1	-
60-64 years-----	4	3	1	1	1	-	3	2	1	1	-	1
65-69 years-----	4	4	-	2	2	-	2	2	-	2	2	-
70-74 years-----	8	3	5	3	1	2	5	2	3	2	2	-
75-79 years-----	9	5	4	5	2	3	4	3	1	3	2	1
80-84 years-----	5	1	4	2	1	1	3	-	3	2	-	2
85-89 years-----	7	3	4	2	-	2	5	3	2	1	1	-
90-94 years-----	3	2	1	-	-	-	3	2	1	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Plague (A20)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Septicemic plague (A20.7)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Tularemia (A21)												
All ages-----	1	1	-	-	-	-	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	1	-	-	-	-	1	1	-	1	1	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

RACE, AND SEX

Generalized tularemia (A21.7)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	1	1	-	-	-	-	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	1	-	-	-	-	1	1	-	1	1	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other zoonotic bacterial diseases, not elsewhere classified (A28)

All ages-----	3	1	2	3	1	2	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Pasteurellosis (A28.0)												
All ages-----	2	-	2	2	-	2	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Other specified zoonotic bacterial diseases, not elsewhere classified (A28.8)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Leprosy [Hansen's disease] (A30)												
All ages-----	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Leprosy, unspecified (A30.9)

All ages-----	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Infection due to other mycobacteria (A31)												
All ages-----	219	117	102	183	94	89	36	23	13	24	16	8
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	4	2	2	1	1	-	3	1	2	1	-	1
25-29 years-----	4	3	1	2	2	-	2	1	1	2	1	1
30-34 years-----	5	5	-	2	2	-	3	3	-	3	3	-
35-39 years-----	7	4	3	3	2	1	4	2	2	4	2	2
40-44 years-----	6	4	2	4	3	1	2	1	1	2	1	1
45-49 years-----	7	7	-	4	4	-	3	3	-	3	3	-
50-54 years-----	11	8	3	10	7	3	1	1	-	1	1	-
55-59 years-----	7	5	2	5	3	2	2	2	-	2	2	-
60-64 years-----	13	9	4	12	8	4	1	1	-	-	-	-
65-69 years-----	21	12	9	20	11	9	1	1	-	-	-	-
70-74 years-----	31	14	17	29	13	16	2	1	1	1	1	-
75-79 years-----	32	16	16	28	14	14	4	2	2	1	-	1
80-84 years-----	37	15	22	33	13	20	4	2	2	3	1	2
85-89 years-----	22	9	13	19	7	12	3	2	1	1	1	-
90-94 years-----	7	2	5	6	2	4	1	-	1	-	-	-
95-99 years-----	5	2	3	5	2	3	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Pulmonary mycobacterial infection (A31.0)												
All ages-----	169	92	77	145	76	69	24	16	8	15	10	5
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	3	2	1	1	1	-	2	1	1	1	-	1
25-29 years-----	3	2	1	2	2	-	1	-	1	1	-	1
30-34 years-----	4	4	-	1	1	-	3	3	-	3	3	-
35-39 years-----	4	3	1	2	2	-	2	1	1	2	1	1
40-44 years-----	3	2	1	1	1	-	2	1	1	2	1	1
45-49 years-----	6	6	-	4	4	-	2	2	-	2	2	-
50-54 years-----	9	6	3	9	6	3	-	-	-	-	-	-
55-59 years-----	6	4	2	5	3	2	1	1	-	1	1	-
60-64 years-----	13	9	4	12	8	4	1	1	-	-	-	-
65-69 years-----	13	6	7	13	6	7	-	-	-	-	-	-
70-74 years-----	23	12	11	21	11	10	2	1	1	1	1	-
75-79 years-----	24	14	10	22	12	10	2	2	-	-	-	-
80-84 years-----	33	13	20	30	11	19	3	2	1	2	1	1
85-89 years-----	15	5	10	13	4	9	2	1	1	-	-	-
90-94 years-----	5	2	3	4	2	2	1	-	1	-	-	-
95-99 years-----	5	2	3	5	2	3	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other mycobacterial infections (A31.8)												
All ages-----	5	3	2	5	3	2	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Mycobacterial infection, unspecified (A31.9)

All ages-----	45	22	23	33	15	18	12	7	5	9	6	3
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	-	1	-	-	-	1	-	1	-	-	-
25-29 years-----	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	3	1	2	1	-	1	2	1	1	2	1	1
40-44 years-----	3	2	1	3	2	1	-	-	-	-	-	-
45-49 years-----	1	1	-	-	-	-	1	1	-	1	1	-
50-54 years-----	1	1	-	-	-	-	1	1	-	1	1	-
55-59 years-----	1	1	-	-	-	-	1	1	-	1	1	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	8	6	2	7	5	2	1	1	-	-	-	-
70-74 years-----	7	1	6	7	1	6	-	-	-	-	-	-
75-79 years-----	7	1	6	5	1	4	2	-	2	1	-	1
80-84 years-----	4	2	2	3	2	1	1	-	1	1	-	1
85-89 years-----	5	4	1	4	3	1	1	1	-	1	1	-
90-94 years-----	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Listeriosis (A32)												
All ages-----	42	14	28	34	12	22	8	2	6	7	2	5
Under 1 year----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	-	-	-	1	-	1	-	-	-
45-49 years-----	2	-	2	2	-	2	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	3	1	2	3	1	2	-	-	-	-	-	-
60-64 years-----	3	1	2	2	1	1	1	-	1	1	-	1
65-69 years-----	6	4	2	3	2	1	3	2	1	3	2	1
70-74 years-----	9	3	6	8	3	5	1	-	1	1	-	1
75-79 years-----	5	2	3	5	2	3	-	-	-	-	-	-
80-84 years-----	7	2	5	6	2	4	1	-	1	1	-	1
85-89 years-----	2	-	2	1	-	1	1	-	1	1	-	1
90-94 years-----	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Listerial meningitis and meningoencephalitis (A32.1)

All ages-----	25	6	19	19	5	14	6	1	5	5	1	4
Under 1 year----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	-	-	-	1	-	1	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	3	1	2	2	1	1	1	-	1	1	-	1
65-69 years-----	2	2	-	1	1	-	1	1	-	1	1	-
70-74 years-----	6	1	5	5	1	4	1	-	1	1	-	1
75-79 years-----	4	1	3	4	1	3	-	-	-	-	-	-
80-84 years-----	3	-	3	2	-	2	1	-	1	1	-	1
85-89 years-----	1	-	1	-	-	-	1	-	1	1	-	1
90-94 years-----	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Listerial septicemia (A32.7)												
All ages-----	13	6	7	12	5	7	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	3	2	1	2	1	1	1	1	-	1	1	-
70-74 years-----	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	3	2	1	3	2	1	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other forms of listeriosis (A32.8)

All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Listeriosis, unspecified (A32.9)												
All ages-----	3	1	2	2	1	1	1	-	1	1	-	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	-	-	-	1	-	1	1	-	1
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Other tetanus (A35)												
All ages-----	7	4	3	6	3	3	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	3	2	1	2	1	1	1	1	-	1	1	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Diphtheria (A36)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria, unspecified (A36.9)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Whooping cough (A37)												
All ages-----	7	1	6	6	1	5	1	-	1	1	-	1
Under 1 year-----	7	1	6	6	1	5	1	-	1	1	-	1
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Whooping cough, unspecified (A37.9)

All ages-----	7	1	6	6	1	5	1	-	1	1	-	1
Under 1 year-----	7	1	6	6	1	5	1	-	1	1	-	1
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Scarlet fever (A38)												
All ages-----	2	-	2	1	-	1	1	-	1	1	-	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	1	-	1	-	-	-	1	-	1	1	-	1
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (A39)												
All ages-----	227	101	126	184	79	105	43	22	21	39	20	19
Under 1 year-----	32	14	18	30	14	16	2	-	2	2	-	2
1-4 years-----	30	19	11	26	17	9	4	2	2	4	2	2
5-9 years-----	13	7	6	10	5	5	3	2	1	2	1	1
10-14 years-----	12	6	6	8	4	4	4	2	2	4	2	2
15-19 years-----	28	13	15	20	8	12	8	5	3	7	5	2
20-24 years-----	11	6	5	9	5	4	2	1	1	2	1	1
25-29 years-----	11	8	3	6	4	2	5	4	1	4	3	1
30-34 years-----	12	4	8	8	2	6	4	2	2	4	2	2
35-39 years-----	12	3	9	8	2	6	4	1	3	4	1	3
40-44 years-----	15	6	9	11	4	7	4	2	2	4	2	2
45-49 years-----	11	1	10	10	1	9	1	-	1	1	-	1
50-54 years-----	6	3	3	5	2	3	1	1	-	1	1	-
55-59 years-----	3	-	3	3	-	3	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	9	5	4	9	5	4	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	7	2	5	7	2	5	-	-	-	-	-	-
80-84 years-----	6	2	4	5	2	3	1	-	1	-	-	-
85-89 years-----	3	-	3	3	-	3	-	-	-	-	-	-
90-94 years-----	4	1	3	4	1	3	-	-	-	-	-	-
95-99 years-----	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Meningococcal meningitis (A39.0)												
All ages-----	67	29	38	51	22	29	16	7	9	14	6	8
Under 1 year----	4	1	3	4	1	3	-	-	-	-	-	-
1-4 years-----	8	5	3	7	5	2	1	-	1	1	-	1
5-9 years-----	3	2	1	3	2	1	-	-	-	-	-	-
10-14 years-----	4	2	2	2	1	1	2	1	1	2	1	1
15-19 years-----	11	5	6	8	3	5	3	2	1	3	2	1
20-24 years-----	4	1	3	3	1	2	1	-	1	1	-	1
25-29 years-----	6	4	2	4	2	2	2	2	-	1	1	-
30-34 years-----	3	2	1	3	2	1	-	-	-	-	-	-
35-39 years-----	6	1	5	3	-	3	3	1	2	3	1	2
40-44 years-----	4	-	4	2	-	2	2	-	2	2	-	2
45-49 years-----	3	1	2	3	1	2	-	-	-	-	-	-
50-54 years-----	1	1	-	-	-	-	1	1	-	1	1	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	5	2	3	5	2	3	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	3	1	2	2	1	1	1	-	1	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Waterhouse-Friderichsen syndrome (A39.1)												
All ages-----	43	21	22	33	15	18	10	6	4	10	6	4
Under 1 year----	8	2	6	8	2	6	-	-	-	-	-	-
1-4 years-----	5	3	2	3	1	2	2	2	-	2	2	-
5-9 years-----	2	1	1	1	1	-	1	-	1	1	-	1
10-14 years-----	2	1	1	2	1	1	-	-	-	-	-	-
15-19 years-----	4	2	2	1	-	1	3	2	1	3	2	1
20-24 years-----	2	2	-	2	2	-	-	-	-	-	-	-
25-29 years-----	3	2	1	1	1	-	2	1	1	2	1	1
30-34 years-----	2	-	2	1	-	1	1	-	1	1	-	1
35-39 years-----	2	1	1	2	1	1	-	-	-	-	-	-
40-44 years-----	5	3	2	4	2	2	1	1	-	1	1	-
45-49 years-----	2	-	2	2	-	2	-	-	-	-	-	-
50-54 years-----	2	1	1	2	1	1	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	2	2	-	2	2	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Acute meningococccemia (A39.2)												
All ages-----	10	6	4	8	4	4	2	2	-	2	2	-
Under 1 year-----	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years-----	1	1	-	-	-	-	1	1	-	1	1	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Meningococccemia, unspecified (A39.4)												
All ages-----	104	44	60	90	37	53	14	7	7	12	6	6
Under 1 year-----	18	10	8	16	10	6	2	-	2	2	-	2
1-4 years-----	17	11	6	16	11	5	1	-	1	1	-	1
5-9 years-----	7	3	4	5	1	4	2	2	-	1	1	-
10-14 years-----	5	3	2	3	2	1	2	1	1	2	1	1
15-19 years-----	12	5	7	10	4	6	2	1	1	1	1	-
20-24 years-----	5	3	2	4	2	2	1	1	-	1	1	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	6	1	5	4	-	4	2	1	1	2	1	1
35-39 years-----	3	1	2	2	1	1	1	-	1	1	-	1
40-44 years-----	5	3	2	4	2	2	1	1	-	1	1	-
45-49 years-----	5	-	5	5	-	5	-	-	-	-	-	-
50-54 years-----	3	1	2	3	1	2	-	-	-	-	-	-
55-59 years-----	2	-	2	2	-	2	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	5	-	5	5	-	5	-	-	-	-	-	-
80-84 years-----	2	-	2	2	-	2	-	-	-	-	-	-
85-89 years-----	3	-	3	3	-	3	-	-	-	-	-	-
90-94 years-----	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other meningococcal infections (A39.8)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Meningococcal infection, unspecified (A39.9)

All ages-----	2	1	1	1	1	-	1	-	1	1	-	1
Under 1 year-----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	-	-	-	1	-	1	1	-	1
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Streptococcal septicemia (A40)												
All ages-----	763	353	410	580	273	307	183	80	103	149	61	88
Under 1 year-----	46	26	20	28	17	11	18	9	9	17	8	9
1-4 years-----	12	8	4	8	4	4	4	4	-	2	2	-
5-9 years-----	10	4	6	8	3	5	2	1	1	1	1	-
10-14 years-----	3	-	3	2	-	2	1	-	1	-	-	-
15-19 years-----	5	2	3	4	1	3	1	1	-	1	1	-
20-24 years-----	5	2	3	4	2	2	1	-	1	1	-	1
25-29 years-----	6	2	4	2	1	1	4	1	3	4	1	3
30-34 years-----	14	9	5	10	7	3	4	2	2	3	2	1
35-39 years-----	32	17	15	16	8	8	16	9	7	13	7	6
40-44 years-----	27	15	12	20	13	7	7	2	5	6	1	5
45-49 years-----	44	28	16	29	19	10	15	9	6	11	6	5
50-54 years-----	44	23	21	29	15	14	15	8	7	11	5	6
55-59 years-----	41	21	20	30	17	13	11	4	7	8	2	6
60-64 years-----	50	19	31	40	17	23	10	2	8	8	2	6
65-69 years-----	53	24	29	39	17	22	14	7	7	12	6	6
70-74 years-----	66	33	33	55	26	29	11	7	4	8	5	3
75-79 years-----	92	46	46	78	43	35	14	3	11	13	3	10
80-84 years-----	90	35	55	75	31	44	15	4	11	13	3	10
85-89 years-----	68	24	44	55	18	37	13	6	7	10	5	5
90-94 years-----	42	10	32	37	9	28	5	1	4	5	1	4
95-99 years-----	11	4	7	10	4	6	1	-	1	1	-	1
100 yrs & over---	2	1	1	1	1	-	1	-	1	1	-	1
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Septicemia due to streptococcus, group A (A40.0)

All ages-----	32	12	20	27	11	16	5	1	4	4	1	3
Under 1 year-----	1	-	1	-	-	-	1	-	1	1	-	1
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	4	3	1	3	2	1	1	1	-	1	1	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	2	2	-	2	2	-	-	-	-	-	-	-
35-39 years-----	3	-	3	2	-	2	1	-	1	-	-	-
40-44 years-----	4	2	2	3	2	1	1	-	1	1	-	1
45-49 years-----	2	-	2	2	-	2	-	-	-	-	-	-
50-54 years-----	3	2	1	3	2	1	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	2	-	2	2	-	2	-	-	-	-	-	-
65-69 years-----	1	-	1	-	-	-	1	-	1	1	-	1
70-74 years-----	2	-	2	2	-	2	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Septicemia due to streptococcus, group B (A40.1)												
All ages-----	24	8	16	17	6	11	7	2	5	7	2	5
Under 1 year----	12	5	7	5	3	2	7	2	5	7	2	5
1-4 years-----	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	2	1	1	2	1	1	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Septicemia due to streptococcus, group D (A40.2)

All ages-----	211	91	120	151	70	81	60	21	39	56	20	36
Under 1 year----	4	3	1	2	2	-	2	1	1	2	1	1
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	4	-	4	1	-	1	3	-	3	3	-	3
40-44 years-----	2	-	2	2	-	2	-	-	-	-	-	-
45-49 years-----	6	3	3	2	1	1	4	2	2	3	1	2
50-54 years-----	4	2	2	1	1	-	3	1	2	3	1	2
55-59 years-----	6	5	1	5	4	1	1	1	-	1	1	-
60-64 years-----	15	4	11	12	4	8	3	-	3	3	-	3
65-69 years-----	25	10	15	16	6	10	9	4	5	8	4	4
70-74 years-----	20	12	8	16	9	7	4	3	1	4	3	1
75-79 years-----	37	21	16	28	19	9	9	2	7	9	2	7
80-84 years-----	38	15	23	30	13	17	8	2	6	7	2	5
85-89 years-----	32	12	20	23	8	15	9	4	5	8	4	4
90-94 years-----	15	4	11	12	3	9	3	1	2	3	1	2
95-99 years-----	2	-	2	1	-	1	1	-	1	1	-	1
100 yrs & over---	1	-	1	-	-	-	1	-	1	1	-	1
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Septicemia due to Streptococcus pneumoniae (A40.3)												
All ages-----	306	160	146	239	125	114	67	35	32	49	23	26
Under 1 year-----	17	12	5	11	8	3	6	4	2	5	3	2
1-4 years-----	11	8	3	7	4	3	4	4	-	2	2	-
5-9 years-----	3	1	2	2	1	1	1	-	1	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	2	2	-	1	1	-	1	1	-	1	1	-
20-24 years-----	2	2	-	2	2	-	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	7	5	2	5	4	1	2	1	1	2	1	1
35-39 years-----	17	11	6	8	5	3	9	6	3	8	5	3
40-44 years-----	15	11	4	13	10	3	2	1	1	2	1	1
45-49 years-----	24	16	8	17	12	5	7	4	3	5	3	2
50-54 years-----	25	14	11	19	10	9	6	4	2	4	2	2
55-59 years-----	23	12	11	14	9	5	9	3	6	7	1	6
60-64 years-----	23	11	12	19	11	8	4	-	4	2	-	2
65-69 years-----	12	6	6	10	4	6	2	2	-	1	1	-
70-74 years-----	17	17	11	22	13	9	6	4	2	3	2	1
75-79 years-----	28	15	13	25	14	11	3	1	2	3	1	2
80-84 years-----	27	9	18	24	9	15	3	-	3	3	-	3
85-89 years-----	23	4	19	21	4	17	2	-	2	1	-	1
90-94 years-----	14	2	12	14	2	12	-	-	-	-	-	-
95-99 years-----	3	2	1	3	2	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other streptococcal septicemia (A40.8)

All ages-----	27	17	10	23	15	8	4	2	2	3	2	1
Under 1 year-----	3	2	1	3	2	1	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	2	2	-	2	2	-	-	-	-	-	-	-
50-54 years-----	3	2	1	1	1	-	2	1	1	1	1	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	2	2	-	1	1	-	1	1	-	1	1	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	2	-	2	2	-	2	-	-	-	-	-	-
75-79 years-----	3	2	1	3	2	1	-	-	-	-	-	-
80-84 years-----	6	4	2	5	4	1	1	-	1	1	-	1
85-89 years-----	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Streptococcal septicemia, unspecified (A40.9)												
All ages-----	163	65	98	123	46	77	40	19	21	30	13	17
Under 1 year-----	9	4	5	7	2	5	2	2	-	2	2	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	3	-	3	3	-	3	-	-	-	-	-	-
10-14 years-----	1	-	1	-	-	-	1	-	1	-	-	-
15-19 years-----	2	-	2	2	-	2	-	-	-	-	-	-
20-24 years-----	1	-	1	-	-	-	1	-	1	1	-	1
25-29 years-----	4	1	3	-	-	-	4	1	3	4	1	3
30-34 years-----	5	2	3	3	1	2	2	1	1	1	1	-
35-39 years-----	6	5	1	3	2	1	3	3	-	2	2	-
40-44 years-----	6	2	4	2	1	1	4	1	3	3	-	3
45-49 years-----	8	6	2	4	3	1	4	3	1	3	2	1
50-54 years-----	8	3	5	4	1	3	4	2	2	3	1	2
55-59 years-----	9	4	5	8	4	4	1	-	1	-	-	-
60-64 years-----	8	2	6	6	1	5	2	1	1	2	1	1
65-69 years-----	14	7	7	12	6	6	2	1	1	2	1	1
70-74 years-----	13	3	10	12	3	9	1	-	1	1	-	1
75-79 years-----	22	8	14	20	8	12	2	-	2	1	-	1
80-84 years-----	17	7	10	14	5	9	3	2	1	2	1	1
85-89 years-----	10	6	4	8	4	4	2	2	-	1	1	-
90-94 years-----	11	3	8	9	3	6	2	-	2	2	-	2
95-99 years-----	5	1	4	5	1	4	-	-	-	-	-	-
100 yrs & over---	1	1	-	1	1	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other septicemia (A41)

All ages-----	29,917	13,042	16,875	23,707	10,216	13,491	6,210	2,826	3,384	5,677	2,562	3,115
Under 1 year-----	237	149	88	136	89	47	101	60	41	90	53	37
1-4 years-----	75	40	35	52	28	24	23	12	11	15	9	6
5-9 years-----	37	18	19	27	15	12	10	3	7	6	3	3
10-14 years-----	27	14	13	18	10	8	9	4	5	7	3	4
15-19 years-----	27	15	12	22	13	9	5	2	3	4	2	2
20-24 years-----	84	48	36	49	33	16	35	15	20	27	11	16
25-29 years-----	100	51	49	64	36	28	36	15	21	33	13	20
30-34 years-----	155	85	70	106	58	48	49	27	22	45	25	20
35-39 years-----	282	153	129	178	101	77	104	52	52	97	49	48
40-44 years-----	471	275	196	296	172	124	175	103	72	166	98	68
45-49 years-----	687	378	309	428	237	191	259	141	118	240	130	110
50-54 years-----	910	490	420	621	336	285	289	154	135	263	142	121
55-59 years-----	1,137	592	545	783	401	382	354	191	163	325	173	152
60-64 years-----	1,486	780	706	1,075	548	527	411	232	179	381	217	164
65-69 years-----	2,299	1,194	1,105	1,730	900	830	569	294	275	512	269	243
70-74 years-----	3,332	1,668	1,664	2,587	1,304	1,283	745	364	381	691	334	357
75-79 years-----	4,594	2,206	2,388	3,721	1,815	1,906	873	391	482	787	347	440
80-84 years-----	4,934	2,139	2,795	4,161	1,806	2,355	773	333	440	712	303	409
85-89 years-----	4,786	1,688	3,098	4,055	1,425	2,630	731	263	468	672	235	437
90-94 years-----	2,942	807	2,135	2,509	681	1,828	433	126	307	391	106	285
95-99 years-----	1,122	232	890	947	191	756	175	41	134	162	37	125
100 yrs & over---	193	20	173	142	17	125	51	3	48	51	3	48
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Septicemia due to Staphylococcus aureus (A41.0)												
All ages-----	666	350	316	535	282	253	131	68	63	117	62	55
Under 1 year-----	6	6	-	6	6	-	-	-	-	-	-	-
1-4 years-----	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years-----	2	-	2	-	-	-	2	-	2	1	-	1
10-14 years-----	2	-	2	2	-	2	-	-	-	-	-	-
15-19 years-----	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years-----	2	1	1	2	1	1	-	-	-	-	-	-
25-29 years-----	3	-	3	2	-	2	1	-	1	1	-	1
30-34 years-----	5	2	3	1	-	1	4	2	2	4	2	2
35-39 years-----	9	6	3	4	2	2	5	4	1	5	4	1
40-44 years-----	10	7	3	6	4	2	4	3	1	4	3	1
45-49 years-----	21	15	6	11	6	5	10	9	1	8	8	-
50-54 years-----	33	17	16	24	14	10	9	3	6	9	3	6
55-59 years-----	21	9	12	14	6	8	7	3	4	7	3	4
60-64 years-----	35	14	21	30	12	18	5	2	3	5	2	3
65-69 years-----	66	39	27	51	31	20	15	8	7	13	8	5
70-74 years-----	88	52	36	73	43	30	15	9	6	14	8	6
75-79 years-----	103	55	48	89	51	38	14	4	10	12	4	8
80-84 years-----	105	61	44	87	49	38	18	12	6	17	11	6
85-89 years-----	91	38	53	82	34	48	9	4	5	7	3	4
90-94 years-----	39	22	17	31	17	14	8	5	3	5	3	2
95-99 years-----	20	5	15	16	5	11	4	-	4	4	-	4
100 yrs & over---	3	1	2	2	1	1	1	-	1	1	-	1
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Septicemia due to other specified staphylococcus (A41.1)

All ages-----	23	13	10	17	11	6	6	2	4	6	2	4
Under 1 year-----	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	1	1	-	-	-	-	1	1	-	1	1	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	2	-	2	1	-	1	1	-	1	1	-	1
55-59 years-----	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	2	1	1	1	1	-	1	-	1	1	-	1
70-74 years-----	2	2	-	2	2	-	-	-	-	-	-	-
75-79 years-----	4	3	1	2	2	-	2	1	1	2	1	1
80-84 years-----	3	1	2	2	1	1	1	-	1	1	-	1
85-89 years-----	3	1	2	3	1	2	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Septicemia due to unspecified staphylococcus (A41.2)												
All ages-----	759	376	383	615	298	317	144	78	66	131	71	60
Under 1 year-----	2	1	1	1	-	1	1	1	-	1	1	-
1-4 years-----	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	3	1	2	1	1	-	2	-	2	2	-	2
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	5	4	1	5	4	1	-	-	-	-	-	-
35-39 years-----	7	4	3	5	3	2	2	1	1	2	1	1
40-44 years-----	19	14	5	13	10	3	6	4	2	6	4	2
45-49 years-----	17	9	8	10	7	3	7	2	5	6	2	4
50-54 years-----	31	22	9	24	16	8	7	6	1	6	5	1
55-59 years-----	33	18	15	27	15	12	6	3	3	4	2	2
60-64 years-----	40	25	15	27	19	8	13	6	7	13	6	7
65-69 years-----	80	41	39	60	28	32	20	13	7	17	11	6
70-74 years-----	95	48	47	72	33	39	23	15	8	21	13	8
75-79 years-----	112	52	60	90	41	49	22	11	11	21	11	10
80-84 years-----	123	61	62	113	55	58	10	6	4	10	6	4
85-89 years-----	112	54	58	97	46	51	15	8	7	13	7	6
90-94 years-----	55	16	39	48	14	34	7	2	5	6	2	4
95-99 years-----	14	4	10	13	4	9	1	-	1	1	-	1
100 yrs & over---	7	1	6	5	1	4	2	-	2	2	-	2
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Septicemia due to Hemophilus influenzae (A41.3)

All ages-----	9	5	4	7	5	2	2	-	2	1	-	1
Under 1 year-----	3	2	1	3	2	1	-	-	-	-	-	-
1-4 years-----	2	-	2	1	-	1	1	-	1	-	-	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	-	-	-	1	-	1	1	-	1
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Septicemia due to anaerobes (A41.4)												
All ages-----	68	32	36	56	27	29	12	5	7	7	2	5
Under 1 year----	1	1	-	-	-	-	1	1	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	4	2	2	3	2	1	1	-	1	-	-	-
45-49 years-----	2	-	2	1	-	1	1	-	1	1	-	1
50-54 years-----	1	1	-	-	-	-	1	1	-	-	-	-
55-59 years-----	3	3	-	1	1	-	2	2	-	1	1	-
60-64 years-----	3	1	2	2	1	1	1	-	1	1	-	1
65-69 years-----	3	1	2	3	1	2	-	-	-	-	-	-
70-74 years-----	8	5	3	6	4	2	2	1	1	1	1	-
75-79 years-----	13	7	6	13	7	6	-	-	-	-	-	-
80-84 years-----	4	1	3	3	1	2	1	-	1	1	-	1
85-89 years-----	12	5	7	11	5	6	1	-	1	1	-	1
90-94 years-----	8	3	5	8	3	5	-	-	-	-	-	-
95-99 years-----	5	2	3	4	2	2	1	-	1	1	-	1
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Septicemia due to other Gram-negative organisms (A41.5)

All ages-----	857	419	438	657	310	347	200	109	91	181	100	81
Under 1 year----	39	24	15	28	15	13	11	9	2	11	9	2
1-4 years-----	4	3	1	3	2	1	1	1	-	1	1	-
5-9 years-----	2	-	2	2	-	2	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	2	1	1	1	1	-	1	-	1	1	-	1
25-29 years-----	2	1	1	1	1	-	1	-	1	1	-	1
30-34 years-----	6	5	1	3	3	-	3	2	1	3	2	1
35-39 years-----	8	5	3	6	4	2	2	1	1	2	1	1
40-44 years-----	18	11	7	12	7	5	6	4	2	6	4	2
45-49 years-----	29	20	9	18	12	6	11	8	3	10	8	2
50-54 years-----	42	22	20	26	14	12	16	8	8	15	8	7
55-59 years-----	43	18	25	31	10	21	12	8	4	8	6	2
60-64 years-----	52	25	27	34	16	18	18	9	9	17	9	8
65-69 years-----	71	38	33	49	26	23	22	12	10	19	12	7
70-74 years-----	94	51	43	73	39	34	21	12	9	20	11	9
75-79 years-----	128	65	63	111	57	54	17	8	9	16	8	8
80-84 years-----	120	56	64	97	43	54	23	13	10	22	12	10
85-89 years-----	99	40	59	84	35	49	15	5	10	13	3	10
90-94 years-----	72	28	44	56	22	34	16	6	10	14	5	9
95-99 years-----	20	4	16	17	1	16	3	3	-	1	1	-
100 yrs & over---	5	1	4	4	1	3	1	-	1	1	-	1
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other specified septicemia (A41.8)												
All ages-----	149	71	78	112	50	62	37	21	16	32	18	14
Under 1 year----	3	2	1	1	-	1	2	2	-	1	1	-
1-4 years-----	2	-	2	2	-	2	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	2	1	1	1	-	1	1	1	-	1	1	-
25-29 years-----	2	2	-	2	2	-	-	-	-	-	-	-
30-34 years-----	1	1	-	-	-	-	1	1	-	1	1	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	3	1	2	1	-	1	2	1	1	2	1	1
45-49 years-----	3	3	-	1	1	-	2	2	-	1	1	-
50-54 years-----	8	4	4	5	3	2	3	1	2	2	1	1
55-59 years-----	6	2	4	3	1	2	3	1	2	3	1	2
60-64 years-----	5	1	4	4	-	4	1	1	-	1	1	-
65-69 years-----	8	4	4	3	-	3	5	4	1	5	4	1
70-74 years-----	19	11	8	14	7	7	5	4	1	4	3	1
75-79 years-----	26	13	13	22	12	10	4	1	3	4	1	3
80-84 years-----	23	9	14	22	9	13	1	-	1	-	-	-
85-89 years-----	18	9	9	13	7	6	5	2	3	5	2	3
90-94 years-----	12	6	6	10	6	4	2	-	2	2	-	2
95-99 years-----	5	1	4	5	1	4	-	-	-	-	-	-
100 yrs & over---	2	-	2	2	-	2	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Septicemia, unspecified (A41.9)

All ages-----	27,386	11,776	15,610	21,708	9,233	12,475	5,678	2,543	3,135	5,202	2,307	2,895
Under 1 year----	182	113	69	96	66	30	86	47	39	77	42	35
1-4 years-----	65	37	28	44	26	18	21	11	10	14	8	6
5-9 years-----	30	16	14	22	13	9	8	3	5	5	3	2
10-14 years-----	22	12	10	13	8	5	9	4	5	7	3	4
15-19 years-----	25	14	11	20	12	8	5	2	3	4	2	2
20-24 years-----	75	44	31	44	30	14	31	14	17	23	10	13
25-29 years-----	92	48	44	58	33	25	34	15	19	31	13	18
30-34 years-----	138	73	65	97	51	46	41	22	19	37	20	17
35-39 years-----	257	137	120	162	91	71	95	46	49	88	43	45
40-44 years-----	416	239	177	261	149	112	155	90	65	147	85	62
45-49 years-----	614	330	284	386	210	176	228	120	108	214	111	103
50-54 years-----	793	424	369	541	289	252	252	135	117	230	125	105
55-59 years-----	1,029	541	488	705	367	338	324	174	150	302	160	142
60-64 years-----	1,351	714	637	978	500	478	373	214	159	344	199	145
65-69 years-----	2,069	1,070	999	1,563	813	750	506	257	249	457	234	223
70-74 years-----	3,026	1,499	1,527	2,347	1,176	1,171	679	323	356	631	298	333
75-79 years-----	4,207	2,011	2,196	3,394	1,645	1,749	813	366	447	731	322	409
80-84 years-----	4,556	1,950	2,606	3,837	1,648	2,189	719	302	417	661	274	387
85-89 years-----	4,450	1,540	2,910	3,764	1,296	2,468	686	244	442	633	220	413
90-94 years-----	2,756	732	2,024	2,356	619	1,737	400	113	287	364	96	268
95-99 years-----	1,057	215	842	891	177	714	166	38	128	155	36	119
100 yrs & over---	176	17	159	129	14	115	47	3	44	47	3	44
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Actinomycosis (A42)												
All ages-----	8	6	2	8	6	2	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	2	2	-	2	2	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Pulmonary actinomycosis (A42.0)												
All ages-----	5	4	1	5	4	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	2	2	-	2	2	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Actinomycotic septicemia (A42.7)												
All ages-----	3	2	1	3	2	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Nocardiosis (A43)												
All ages-----	72	37	35	64	33	31	8	4	4	7	4	3
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	2	1	1	-	-	-	2	1	1	1	1	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years-----	1	-	1	-	-	-	1	-	1	1	-	1
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	8	4	4	7	4	3	1	-	1	1	-	1
45-49 years-----	5	4	1	4	3	1	1	1	-	1	1	-
50-54 years-----	6	2	4	6	2	4	-	-	-	-	-	-
55-59 years-----	4	-	4	4	-	4	-	-	-	-	-	-
60-64 years-----	3	3	-	3	3	-	-	-	-	-	-	-
65-69 years-----	8	5	3	8	5	3	-	-	-	-	-	-
70-74 years-----	10	4	6	9	3	6	1	1	-	1	1	-
75-79 years-----	9	3	6	9	3	6	-	-	-	-	-	-
80-84 years-----	5	3	2	4	2	2	1	1	-	1	1	-
85-89 years-----	7	6	1	6	6	-	1	-	1	1	-	1
90-94 years-----	3	2	1	3	2	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Pulmonary nocardiosis (A43.0)												
All ages-----	46	23	23	43	21	22	3	2	1	3	2	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	-	-	-	1	1	-	1	1	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	3	2	1	3	2	1	-	-	-	-	-	-
45-49 years-----	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	4	-	4	4	-	4	-	-	-	-	-	-
60-64 years-----	2	2	-	2	2	-	-	-	-	-	-	-
65-69 years-----	5	2	3	5	2	3	-	-	-	-	-	-
70-74 years-----	8	3	5	8	3	5	-	-	-	-	-	-
75-79 years-----	7	3	4	7	3	4	-	-	-	-	-	-
80-84 years-----	5	3	2	4	2	2	1	1	-	1	1	-
85-89 years-----	6	5	1	5	5	-	1	-	1	1	-	1
90-94 years-----	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Other forms of nocardiosis (A43.8)												
All ages-----	4	3	1	3	2	1	1	1	-	1	1	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	-	-	-	1	1	-	1	1	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Nocardiosis, unspecified (A43.9)												
All ages-----	22	11	11	18	10	8	4	1	3	3	1	2
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	-	-	-	1	-	1	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years-----	1	-	1	-	-	-	1	-	1	1	-	1
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	4	2	2	3	2	1	1	-	1	1	-	1
45-49 years-----	2	2	-	1	1	-	1	1	-	1	1	-
50-54 years-----	4	1	3	4	1	3	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	3	3	-	3	3	-	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	2	-	2	2	-	2	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Bartonellosis (A44)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

RACE, AND SEX

Bartonellosis, unspecified (A44.9)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Erysipelas (A46)

All ages-----	3	-	3	3	-	3	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other bacterial diseases, not elsewhere classified (A48)												
All ages-----	178	91	87	161	85	76	17	6	11	15	6	9
Under 1 year-----	2	2	-	1	1	-	1	1	-	1	1	-
1-4 years-----	2	1	1	2	1	1	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	2	1	1	1	1	-	1	-	1	1	-	1
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	3	-	3	2	-	2	1	-	1	1	-	1
30-34 years-----	6	1	5	5	1	4	1	-	1	-	-	-
35-39 years-----	14	5	9	13	4	9	1	1	-	1	1	-
40-44 years-----	7	3	4	7	3	4	-	-	-	-	-	-
45-49 years-----	12	6	6	11	6	5	1	-	1	1	-	1
50-54 years-----	8	4	4	7	4	3	1	-	1	1	-	1
55-59 years-----	13	6	7	11	5	6	2	1	1	2	1	1
60-64 years-----	20	13	7	18	12	6	2	1	1	2	1	1
65-69 years-----	22	13	9	21	13	8	1	-	1	1	-	1
70-74 years-----	12	7	5	11	6	5	1	1	-	1	1	-
75-79 years-----	18	10	8	16	10	6	2	-	2	1	-	1
80-84 years-----	17	9	8	17	9	8	-	-	-	-	-	-
85-89 years-----	8	5	3	8	5	3	-	-	-	-	-	-
90-94 years-----	8	2	6	7	2	5	1	-	1	1	-	1
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	1	1	-	-	-	-	1	1	-	1	1	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Gas gangrene (A48.0)

All ages-----	34	17	17	30	17	13	4	-	4	3	-	3
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	4	3	1	3	3	-	1	-	1	1	-	1
50-54 years-----	2	1	1	2	1	1	-	-	-	-	-	-
55-59 years-----	1	-	1	-	-	-	1	-	1	1	-	1
60-64 years-----	3	2	1	2	2	-	1	-	1	1	-	1
65-69 years-----	6	3	3	6	3	3	-	-	-	-	-	-
70-74 years-----	4	3	1	4	3	1	-	-	-	-	-	-
75-79 years-----	6	3	3	5	3	2	1	-	1	-	-	-
80-84 years-----	5	1	4	5	1	4	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Legionnaires' disease (A48.1)												
All ages-----	78	48	30	73	47	26	5	1	4	5	1	4
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	-	1	-	-	-	1	-	1	1	-	1
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	1	-	1	-	-	-	1	-	1	1	-	1
30-34 years-----	2	1	1	2	1	1	-	-	-	-	-	-
35-39 years-----	2	1	1	2	1	1	-	-	-	-	-	-
40-44 years-----	4	2	2	4	2	2	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years-----	7	3	4	7	3	4	-	-	-	-	-	-
60-64 years-----	10	5	5	10	5	5	-	-	-	-	-	-
65-69 years-----	14	9	5	13	9	4	1	-	1	1	-	1
70-74 years-----	7	4	3	6	3	3	1	1	-	1	1	-
75-79 years-----	9	7	2	9	7	2	-	-	-	-	-	-
80-84 years-----	7	6	1	7	6	1	-	-	-	-	-	-
85-89 years-----	6	4	2	6	4	2	-	-	-	-	-	-
90-94 years-----	3	2	1	2	2	-	1	-	1	1	-	1
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Toxic shock syndrome (A48.3)												
All ages-----	55	22	33	47	17	30	8	5	3	7	5	2
Under 1 year-----	2	2	-	1	1	-	1	1	-	1	1	-
1-4 years-----	2	1	1	2	1	1	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	2	-	2	2	-	2	-	-	-	-	-	-
30-34 years-----	4	-	4	3	-	3	1	-	1	-	-	-
35-39 years-----	11	3	8	10	2	8	1	1	-	1	1	-
40-44 years-----	3	1	2	3	1	2	-	-	-	-	-	-
45-49 years-----	7	2	5	7	2	5	-	-	-	-	-	-
50-54 years-----	2	1	1	1	1	-	1	-	1	1	-	1
55-59 years-----	5	3	2	4	2	2	1	1	-	1	1	-
60-64 years-----	6	5	1	5	4	1	1	1	-	1	1	-
65-69 years-----	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	2	-	2	1	-	1	1	-	1	1	-	1
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	1	1	-	-	-	-	1	1	-	1	1	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other specified bacterial diseases (A48.8)												
All ages-----	11	4	7	11	4	7	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	2	-	2	2	-	2	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	4	2	2	4	2	2	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Bacterial infection of unspecified site (A49)

All ages-----	1,260	608	652	998	474	524	262	134	128	238	122	116
Under 1 year-----	19	9	10	14	7	7	5	2	3	4	1	3
1-4 years-----	4	2	2	2	1	1	2	1	1	2	1	1
5-9 years-----	2	2	-	2	2	-	-	-	-	-	-	-
10-14 years-----	3	1	2	2	-	2	1	1	-	1	1	-
15-19 years-----	2	1	1	2	1	1	-	-	-	-	-	-
20-24 years-----	5	3	2	4	2	2	1	1	-	1	1	-
25-29 years-----	4	2	2	3	1	2	1	1	-	-	-	-
30-34 years-----	14	9	5	9	5	4	5	4	1	5	4	1
35-39 years-----	19	15	4	15	12	3	4	3	1	4	3	1
40-44 years-----	19	10	9	14	6	8	5	4	1	4	3	1
45-49 years-----	35	19	16	24	13	11	11	6	5	10	5	5
50-54 years-----	44	23	21	27	14	13	17	9	8	16	9	7
55-59 years-----	48	26	22	34	20	14	14	6	8	13	6	7
60-64 years-----	50	30	20	38	22	16	12	8	4	12	8	4
65-69 years-----	110	60	50	82	46	36	28	14	14	27	14	13
70-74 years-----	130	72	58	103	58	45	27	14	13	22	12	10
75-79 years-----	196	102	94	147	79	68	49	23	26	43	21	22
80-84 years-----	194	95	99	163	75	88	31	20	11	29	19	10
85-89 years-----	200	84	116	176	75	101	24	9	15	21	7	14
90-94 years-----	105	35	70	88	27	61	17	8	9	16	7	9
95-99 years-----	52	8	44	45	8	37	7	-	7	7	-	7
100 yrs & over---	5	-	5	4	-	4	1	-	1	1	-	1
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Staphylococcal infection, unspecified (A49.0)												
All ages-----	362	186	176	304	154	150	58	32	26	54	30	24
Under 1 year-----	3	-	3	3	-	3	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	4	2	2	3	1	2	1	1	-	1	1	-
35-39 years-----	3	2	1	2	1	1	1	1	-	1	1	-
40-44 years-----	3	3	-	3	3	-	-	-	-	-	-	-
45-49 years-----	7	3	4	6	2	4	1	1	-	-	-	-
50-54 years-----	6	3	3	4	2	2	2	1	1	2	1	1
55-59 years-----	13	8	5	10	6	4	3	2	1	3	2	1
60-64 years-----	18	11	7	15	9	6	3	2	1	3	2	1
65-69 years-----	31	16	15	24	12	12	7	4	3	7	4	3
70-74 years-----	47	27	20	41	24	17	6	3	3	6	3	3
75-79 years-----	59	34	25	46	28	18	13	6	7	11	5	6
80-84 years-----	58	32	26	51	28	23	7	4	3	6	4	2
85-89 years-----	67	30	37	62	27	35	5	3	2	5	3	2
90-94 years-----	29	12	17	23	8	15	6	4	2	6	4	2
95-99 years-----	10	3	7	8	3	5	2	-	2	2	-	2
100 yrs & over---	3	-	3	2	-	2	1	-	1	1	-	1
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Streptococcal infection, unspecified (A49.1)

All ages-----	113	50	63	77	32	45	36	18	18	31	17	14
Under 1 year-----	3	1	2	2	1	1	1	-	1	1	-	1
1-4 years-----	2	1	1	-	-	-	2	1	1	2	1	1
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	-	-	-	1	1	-	1	1	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	4	2	2	1	-	1	3	2	1	3	2	1
35-39 years-----	3	3	-	3	3	-	-	-	-	-	-	-
40-44 years-----	2	1	1	1	-	1	1	1	-	-	-	-
45-49 years-----	11	6	5	8	3	5	3	3	-	3	3	-
50-54 years-----	12	4	8	6	1	5	6	3	3	6	3	3
55-59 years-----	5	3	2	2	2	-	3	1	2	2	1	1
60-64 years-----	4	2	2	4	2	2	-	-	-	-	-	-
65-69 years-----	7	4	3	5	3	2	2	1	1	1	1	-
70-74 years-----	6	3	3	2	1	1	4	2	2	2	2	-
75-79 years-----	17	9	8	11	6	5	6	3	3	6	3	3
80-84 years-----	8	1	7	7	1	6	1	-	1	1	-	1
85-89 years-----	12	6	6	10	6	4	2	-	2	2	-	2
90-94 years-----	10	1	9	10	1	9	-	-	-	-	-	-
95-99 years-----	4	1	3	3	1	2	1	-	1	1	-	1
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Hemophilus influenzae infection, unspecified (A49.2)												
All ages-----	6	4	2	5	3	2	1	1	-	-	-	-
Under 1 year-----	3	3	-	2	2	-	1	1	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Mycoplasma infection, unspecified (A49.3)

All ages-----	3	2	1	3	2	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other bacterial infections of unspecified site (A49.8)												
All ages-----	156	73	83	124	58	66	32	15	17	30	13	17
Under 1 year-----	3	2	1	2	1	1	1	1	-	1	1	-
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	2	-	2	2	-	2	-	-	-	-	-	-
15-19 years-----	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years-----	2	2	-	2	2	-	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	6	5	1	5	4	1	1	1	-	1	1	-
40-44 years-----	6	3	3	5	2	3	1	1	-	1	1	-
45-49 years-----	2	1	1	1	1	-	1	-	1	1	-	1
50-54 years-----	4	2	2	2	1	1	2	1	1	2	1	1
55-59 years-----	7	2	5	4	1	3	3	1	2	3	1	2
60-64 years-----	4	3	1	4	3	1	-	-	-	-	-	-
65-69 years-----	11	6	5	8	5	3	3	1	2	3	1	2
70-74 years-----	15	7	8	12	6	6	3	1	2	3	1	2
75-79 years-----	25	12	13	20	10	10	5	2	3	5	2	3
80-84 years-----	25	11	14	18	6	12	7	5	2	6	4	2
85-89 years-----	22	6	16	20	6	14	2	-	2	2	-	2
90-94 years-----	9	7	2	7	6	1	2	1	1	1	-	1
95-99 years-----	7	1	6	6	1	5	1	-	1	1	-	1
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Bacterial infection, unspecified (A49.9)

All ages-----	620	293	327	485	225	260	135	68	67	123	62	61
Under 1 year-----	7	3	4	5	3	2	2	-	2	2	-	2
1-4 years-----	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	2	1	1	1	-	1	1	1	-	1	1	-
25-29 years-----	2	2	-	1	1	-	1	1	-	-	-	-
30-34 years-----	5	4	1	4	3	1	1	1	-	1	1	-
35-39 years-----	7	5	2	5	4	1	2	1	1	2	1	1
40-44 years-----	8	3	5	5	1	4	3	2	1	3	2	1
45-49 years-----	15	9	6	9	7	2	6	2	4	6	2	4
50-54 years-----	22	14	8	15	10	5	7	4	3	6	4	2
55-59 years-----	23	13	10	18	11	7	5	2	3	5	2	3
60-64 years-----	24	14	10	15	8	7	9	6	3	9	6	3
65-69 years-----	60	34	26	44	26	18	16	8	8	16	8	8
70-74 years-----	62	35	27	48	27	21	14	8	6	11	6	5
75-79 years-----	93	45	48	68	33	35	25	12	13	21	11	10
80-84 years-----	102	51	51	86	40	46	16	11	5	16	11	5
85-89 years-----	98	41	57	83	35	48	15	6	9	12	4	8
90-94 years-----	56	15	41	47	12	35	9	3	6	9	3	6
95-99 years-----	31	3	28	28	3	25	3	-	3	3	-	3
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Congenital syphilis (A50)												
All ages-----	7	1	6	7	1	6	-	-	-	-	-	-
Under 1 year-----	2	-	2	2	-	2	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Early congenital syphilis, symptomatic (A50.0)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Early congenital syphilis, latent (A50.1)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other late congenital syphilis, symptomatic (A50.5)

All ages-----	2	-	2	2	-	2	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Congenital syphilis, unspecified (A50.9)												
All ages-----	3	-	3	3	-	3	-	-	-	-	-	-
Under 1 year-----	2	-	2	2	-	2	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Late syphilis (A52)												
All ages-----	22	10	12	12	6	6	10	4	6	9	4	5
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	2	2	-	2	2	-	-	-	-	-	-	-
65-69 years-----	2	2	-	2	2	-	-	-	-	-	-	-
70-74 years-----	4	3	1	1	-	1	3	3	-	3	3	-
75-79 years-----	5	-	5	1	-	1	4	-	4	3	-	3
80-84 years-----	3	-	3	2	-	2	1	-	1	1	-	1
85-89 years-----	2	1	1	-	-	-	2	1	1	2	1	1
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Cardiovascular syphilis (A52.0)												
All ages-----	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Symptomatic neurosyphilis (A52.1)												
All ages-----	5	2	3	5	2	3	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Neurosyphilis, unspecified (A52.3)												
All ages-----	11	7	4	3	3	-	8	4	4	7	4	3
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	3	3	-	-	-	-	3	3	-	3	3	-
75-79 years-----	2	-	2	-	-	-	2	-	2	1	-	1
80-84 years-----	1	-	1	-	-	-	1	-	1	1	-	1
85-89 years-----	2	1	1	-	-	-	2	1	1	2	1	1
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Late syphilis, latent (A52.8)

All ages-----	1	-	1	-	-	-	1	-	1	1	-	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	-	-	-	1	-	1	1	-	1
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

RACE, AND SEX

Late syphilis, unspecified (A52.9)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	3	-	3	2	-	2	1	-	1	1	-	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	-	-	-	1	-	1	1	-	1
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other and unspecified syphilis (A53)

All ages-----	4	2	2	1	1	-	3	1	2	3	1	2
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	-	-	-	1	1	-	1	1	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	-	1	-	-	-	1	-	1	1	-	1
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	-	1	-	-	-	1	-	1	1	-	1
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Latent syphilis, unspecified as early or late (A53.0)												
All ages-----	2	-	2	-	-	-	2	-	2	2	-	2
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	-	1	-	-	-	1	-	1	1	-	1
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	-	1	-	-	-	1	-	1	1	-	1
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Syphilis, unspecified (A53.9)

All ages-----	2	2	-	1	1	-	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	-	-	-	1	1	-	1	1	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Gonococcal infection (A54)												
All ages-----	9	4	5	5	2	3	4	2	2	4	2	2
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	2	2	-	1	1	-	1	1	-	1	1	-
20-24 years-----	1	1	-	-	-	-	1	1	-	1	1	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	-	-	-	1	-	1	1	-	1
40-44 years-----	1	-	1	-	-	-	1	-	1	1	-	1
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Gonococcal pelviperitonitis and other gonococcal genitourinary infections (A54.2)

All ages-----	1	-	1	-	-	-	1	-	1	1	-	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	-	-	-	1	-	1	1	-	1
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other gonococcal infections (A54.8)												
All ages-----	8	4	4	5	2	3	3	2	1	3	2	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	2	2	-	1	1	-	1	1	-	1	1	-
20-24 years-----	1	1	-	-	-	-	1	1	-	1	1	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	-	-	-	1	-	1	1	-	1
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Unspecified sexually transmitted disease (A64)

All ages-----	5	2	3	4	1	3	1	1	-	1	1	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	2	1	1	1	-	1	1	1	-	1	1	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

RACE, AND SEX

Other spirochetal infections (A69)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	9	5	4	9	5	4	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Necrotizing ulcerative stomatitis (A69.0)

All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Lyme disease (A69.2)												
All ages-----	7	3	4	7	3	4	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Spirochetal infection, unspecified (A69.9)

All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other diseases caused by chlamydiae (A74)												
All ages-----	2	-	2	1	-	1	1	-	1	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	-	-	-	1	-	1	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Chlamydial conjunctivitis (A74.0)

All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other chlamydial diseases (A74.8)												
All ages-----	1	-	1	-	-	-	1	-	1	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	-	-	-	1	-	1	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Spotted fever [tick-borne rickettsioses] (A77)												
All ages-----	6	5	1	4	4	-	2	1	1	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	-	-	-	1	1	-	1	1	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	-	1	-	-	-	1	-	1	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Spotted fever due to Rickettsia rickettsii (A77.0)												
All ages-----	5	5	-	4	4	-	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	-	-	-	1	1	-	1	1	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Other spotted fevers (A77.8)												
All ages-----	1	-	1	-	-	-	1	-	1	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	-	1	-	-	-	1	-	1	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other rickettsioses (A79)												
All ages-----	3	1	2	3	1	2	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other specified rickettsioses (A79.8)

All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Rickettsiosis, unspecified (A79.9)												
All ages-----	2	-	2	2	-	2	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Atypical virus infections of central nervous system (A81)

All ages-----	291	134	157	274	125	149	17	9	8	12	5	7
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	2	1	1	1	-	1	1	1	-	-	-	-
30-34 years-----	5	4	1	5	4	1	-	-	-	-	-	-
35-39 years-----	7	6	1	7	6	1	-	-	-	-	-	-
40-44 years-----	7	4	3	7	4	3	-	-	-	-	-	-
45-49 years-----	8	5	3	5	2	3	3	3	-	3	3	-
50-54 years-----	20	8	12	20	8	12	-	-	-	-	-	-
55-59 years-----	34	12	22	33	12	21	1	-	1	1	-	1
60-64 years-----	43	20	23	41	18	23	2	2	-	1	1	-
65-69 years-----	46	19	27	42	16	26	4	3	1	2	1	1
70-74 years-----	49	27	22	48	27	21	1	-	1	1	-	1
75-79 years-----	38	17	21	35	17	18	3	-	3	3	-	3
80-84 years-----	22	4	18	20	4	16	2	-	2	1	-	1
85-89 years-----	6	4	2	6	4	2	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Creutzfeldt-Jakob disease (A81.0)												
All ages-----	251	110	141	238	105	133	13	5	8	9	2	7
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	3	3	-	3	3	-	-	-	-	-	-	-
40-44 years-----	5	3	2	5	3	2	-	-	-	-	-	-
45-49 years-----	3	-	3	3	-	3	-	-	-	-	-	-
50-54 years-----	16	6	10	16	6	10	-	-	-	-	-	-
55-59 years-----	30	11	19	29	11	18	1	-	1	1	-	1
60-64 years-----	41	20	21	39	18	21	2	2	-	1	1	-
65-69 years-----	44	17	27	40	14	26	4	3	1	2	1	1
70-74 years-----	42	24	18	41	24	17	1	-	1	1	-	1
75-79 years-----	38	17	21	35	17	18	3	-	3	3	-	3
80-84 years-----	21	4	17	19	4	15	2	-	2	1	-	1
85-89 years-----	6	4	2	6	4	2	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Subacute sclerosing panencephalitis (A81.1)

All ages-----	5	3	2	4	2	2	1	1	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	-	-	-	1	1	-	-	-	-
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Progressive multifocal leukoencephalopathy (A81.2)												
All ages-----	34	20	14	31	17	14	3	3	-	3	3	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	3	3	-	3	3	-	-	-	-	-	-	-
35-39 years-----	3	3	-	3	3	-	-	-	-	-	-	-
40-44 years-----	2	1	1	2	1	1	-	-	-	-	-	-
45-49 years-----	5	5	-	2	2	-	3	3	-	3	3	-
50-54 years-----	4	2	2	4	2	2	-	-	-	-	-	-
55-59 years-----	4	1	3	4	1	3	-	-	-	-	-	-
60-64 years-----	2	-	2	2	-	2	-	-	-	-	-	-
65-69 years-----	2	2	-	2	2	-	-	-	-	-	-	-
70-74 years-----	6	2	4	6	2	4	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Atypical virus infection of central nervous system, unspecified (A81.9)

All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Mosquito-borne viral encephalitis (A83)												
All ages-----	3	3	-	3	3	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

St. Louis encephalitis (A83.3)

All ages-----	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
California encephalitis (A83.5)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other viral encephalitis, not elsewhere classified (A85)

All ages-----	8	3	5	8	3	5	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other specified viral encephalitis (A85.8)												
All ages-----	8	3	5	8	3	5	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Unspecified viral encephalitis (A86)

All ages-----	90	37	53	76	31	45	14	6	8	10	5	5
Under 1 year----	4	4	-	4	4	-	-	-	-	-	-	-
1-4 years-----	3	1	2	2	1	1	1	-	1	1	-	1
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	2	1	1	2	1	1	-	-	-	-	-	-
25-29 years-----	5	2	3	3	1	2	2	1	1	1	-	1
30-34 years-----	2	2	-	2	2	-	-	-	-	-	-	-
35-39 years-----	3	3	-	2	2	-	1	1	-	1	1	-
40-44 years-----	4	-	4	2	-	2	2	-	2	-	-	-
45-49 years-----	3	-	3	3	-	3	-	-	-	-	-	-
50-54 years-----	4	2	2	3	2	1	1	-	1	-	-	-
55-59 years-----	3	1	2	3	1	2	-	-	-	-	-	-
60-64 years-----	5	3	2	3	1	2	2	2	-	2	2	-
65-69 years-----	5	1	4	5	1	4	-	-	-	-	-	-
70-74 years-----	13	5	8	10	4	6	3	1	2	3	1	2
75-79 years-----	13	2	11	12	2	10	1	-	1	1	-	1
80-84 years-----	13	7	6	12	6	6	1	1	-	1	1	-
85-89 years-----	6	2	4	6	2	4	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Viral meningitis (A87)												
All ages-----	37	22	15	27	15	12	10	7	3	9	7	2
Under 1 year-----	5	4	1	3	2	1	2	2	-	2	2	-
1-4 years-----	4	4	-	2	2	-	2	2	-	2	2	-
5-9 years-----	2	1	1	2	1	1	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	-	-	-	1	1	-	1	1	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	2	2	-	1	1	-	1	1	-	1	1	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	4	2	2	3	2	1	1	-	1	1	-	1
65-69 years-----	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years-----	3	2	1	1	1	-	2	1	1	2	1	1
75-79 years-----	3	1	2	2	1	1	1	-	1	-	-	-
80-84 years-----	4	1	3	4	1	3	-	-	-	-	-	-
85-89 years-----	3	1	2	3	1	2	-	-	-	-	-	-
90-94 years-----	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Adenoviral meningitis (A87.1)

All ages-----	4	4	-	3	3	-	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	2	2	-	2	2	-	-	-	-	-	-	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	-	-	-	1	1	-	1	1	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Lymphocytic choriomeningitis (A87.2)												
All ages-----	7	5	2	6	4	2	1	1	-	1	1	-
Under 1 year----	1	1	-	-	-	-	1	1	-	1	1	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Viral meningitis, unspecified (A87.9)												
All ages-----	26	13	13	18	8	10	8	5	3	7	5	2
Under 1 year----	4	3	1	3	2	1	1	1	-	1	1	-
1-4 years-----	2	2	-	-	-	-	2	2	-	2	2	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	-	-	-	1	1	-	1	1	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	4	2	2	3	2	1	1	-	1	1	-	1
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	3	2	1	1	1	-	2	1	1	2	1	1
75-79 years-----	2	1	1	1	1	-	1	-	1	-	-	-
80-84 years-----	3	-	3	3	-	3	-	-	-	-	-	-
85-89 years-----	3	1	2	3	1	2	-	-	-	-	-	-
90-94 years-----	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Unspecified viral infection of central nervous system (A89)												
All ages-----	11	7	4	8	5	3	3	2	1	3	2	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	-	1	-	-	-	1	-	1	1	-	1
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	2	1	1	1	-	1	1	1	-	1	1	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	2	2	-	1	1	-	1	1	-	1	1	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Yellow fever (A95)

All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Yellow fever, unspecified (A95.9)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other viral hemorrhagic fevers, not elsewhere classified (A98)

All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Hemorrhagic fever with renal syndrome (A98.5)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Herpes-viral [herpes simplex] infections (B00)

All ages-----	145	63	82	121	52	69	24	11	13	21	11	10
Under 1 year-----	15	12	3	9	9	-	6	3	3	5	3	2
1-4 years-----	3	2	1	3	2	1	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	3	2	1	1	-	1	2	2	-	2	2	-
15-19 years-----	3	1	2	3	1	2	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	2	2	-	2	2	-	-	-	-	-	-	-
40-44 years-----	1	-	1	-	-	-	1	-	1	1	-	1
45-49 years-----	6	2	4	4	1	3	2	1	1	2	1	1
50-54 years-----	7	3	4	5	3	2	2	-	2	1	-	1
55-59 years-----	7	2	5	3	-	3	4	2	2	4	2	2
60-64 years-----	8	3	5	8	3	5	-	-	-	-	-	-
65-69 years-----	13	5	8	13	5	8	-	-	-	-	-	-
70-74 years-----	21	8	13	20	8	12	1	-	1	1	-	1
75-79 years-----	22	9	13	21	8	13	1	1	-	1	1	-
80-84 years-----	13	4	9	11	2	9	2	2	-	2	2	-
85-89 years-----	9	4	5	8	4	4	1	-	1	-	-	-
90-94 years-----	8	2	6	7	2	5	1	-	1	1	-	1
95-99 years-----	2	1	1	2	1	1	-	-	-	-	-	-
100 yrs & over---	1	-	1	-	-	-	1	-	1	1	-	1
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Herpes-viral meningitis (B00.3)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Herpes-viral encephalitis (B00.4)												
All ages-----	88	34	54	77	29	48	11	5	6	10	5	5
Under 1 year-----	2	2	-	1	1	-	1	1	-	1	1	-
1-4 years-----	3	2	1	3	2	1	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	3	1	2	3	1	2	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	5	2	3	4	1	3	1	1	-	1	1	-
50-54 years-----	6	3	3	5	3	2	1	-	1	1	-	1
55-59 years-----	5	1	4	3	-	3	2	1	1	2	1	1
60-64 years-----	5	1	4	5	1	4	-	-	-	-	-	-
65-69 years-----	9	3	6	9	3	6	-	-	-	-	-	-
70-74 years-----	14	5	9	13	5	8	1	-	1	1	-	1
75-79 years-----	12	4	8	12	4	8	-	-	-	-	-	-
80-84 years-----	7	2	5	5	-	5	2	2	-	2	2	-
85-89 years-----	5	4	1	4	4	-	1	-	1	-	-	-
90-94 years-----	6	1	5	5	1	4	1	-	1	1	-	1
95-99 years-----	2	1	1	2	1	1	-	-	-	-	-	-
100 yrs & over---	1	-	1	-	-	-	1	-	1	1	-	1
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Disseminated herpes-viral disease (B00.7)												
All ages-----	13	6	7	10	5	5	3	1	2	2	1	1
Under 1 year----	2	1	1	-	-	-	2	1	1	1	1	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	-	-	-	1	-	1	1	-	1
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	2	1	1	2	1	1	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	3	3	-	3	3	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other forms of herpes-viral infection (B00.8)

All ages-----	11	6	5	7	4	3	4	2	2	3	2	1
Under 1 year----	2	1	1	-	-	-	2	1	1	2	1	1
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	-	-	-	1	1	-	1	1	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	-	1	-	-	-	1	-	1	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	3	2	1	3	2	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Herpes-viral infection, unspecified (B00.9)												
All ages-----	32	17	15	26	14	12	6	3	3	6	3	3
Under 1 year----	9	8	1	8	8	-	1	-	1	1	-	1
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	-	-	-	1	1	-	1	1	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	-	-	-	1	-	1	1	-	1
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	2	1	1	-	-	-	2	1	1	2	1	1
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	3	2	1	3	2	1	-	-	-	-	-	-
70-74 years-----	2	-	2	2	-	2	-	-	-	-	-	-
75-79 years-----	6	2	4	5	1	4	1	1	-	1	1	-
80-84 years-----	5	2	3	5	2	3	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Varicella [chickenpox] (B01)												
All ages-----	48	25	23	43	22	21	5	3	2	5	3	2
Under 1 year----	3	1	2	3	1	2	-	-	-	-	-	-
1-4 years-----	3	1	2	3	1	2	-	-	-	-	-	-
5-9 years-----	3	2	1	2	2	-	1	-	1	1	-	1
10-14 years-----	2	1	1	1	-	1	1	1	-	1	1	-
15-19 years-----	2	2	-	1	1	-	1	1	-	1	1	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	2	1	1	2	1	1	-	-	-	-	-	-
35-39 years-----	7	5	2	6	5	1	1	-	1	1	-	1
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	2	1	1	2	1	1	-	-	-	-	-	-
55-59 years-----	3	1	2	3	1	2	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	4	3	1	4	3	1	-	-	-	-	-	-
75-79 years-----	4	1	3	4	1	3	-	-	-	-	-	-
80-84 years-----	3	2	1	2	1	1	1	1	-	1	1	-
85-89 years-----	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years-----	3	1	2	3	1	2	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Varicella meningitis (B01.0)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Varicella encephalitis (B01.1)												
All ages-----	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Varicella pneumonia (B01.2)												
All ages-----	19	6	13	18	6	12	1	-	1	1	-	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	2	1	1	2	1	1	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	2	1	1	2	1	1	-	-	-	-	-	-
35-39 years-----	5	3	2	4	3	1	1	-	1	1	-	1
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	2	-	2	2	-	2	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Varicella with other complications (B01.8)												
All ages-----	3	-	3	2	-	2	1	-	1	1	-	1
Under 1 year----	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years-----	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years-----	1	-	1	-	-	-	1	-	1	1	-	1
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Varicella without complications (B01.9)												
All ages-----	23	16	7	20	13	7	3	3	-	3	3	-
Under 1 year----	2	1	1	2	1	1	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	2	1	1	1	-	1	1	1	-	1	1	-
15-19 years-----	2	2	-	1	1	-	1	1	-	1	1	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	2	2	-	2	2	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	3	3	-	3	3	-	-	-	-	-	-	-
75-79 years-----	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years-----	2	2	-	1	1	-	1	1	-	1	1	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Zoster [herpes zoster] (B02)												
All ages-----	152	47	105	146	45	101	6	2	4	5	2	3
Under 1 year----	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	2	2	-	2	2	-	-	-	-	-	-	-
35-39 years-----	2	1	1	2	1	1	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	4	2	2	3	1	2	1	1	-	1	1	-
60-64 years-----	1	1	-	-	-	-	1	1	-	1	1	-
65-69 years-----	2	2	-	2	2	-	-	-	-	-	-	-
70-74 years-----	9	5	4	8	5	3	1	-	1	-	-	-
75-79 years-----	16	5	11	16	5	11	-	-	-	-	-	-
80-84 years-----	29	13	16	28	13	15	1	-	1	1	-	1
85-89 years-----	34	9	25	33	9	24	1	-	1	1	-	1
90-94 years-----	26	3	23	26	3	23	-	-	-	-	-	-
95-99 years-----	19	3	16	18	3	15	1	-	1	1	-	1
100 yrs & over---	6	-	6	6	-	6	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Zoster encephalitis (B02.0)												
All ages-----	14	5	9	12	4	8	2	1	1	1	1	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	-	-	-	1	1	-	1	1	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	2	-	2	1	-	1	1	-	1	-	-	-
75-79 years-----	3	-	3	3	-	3	-	-	-	-	-	-
80-84 years-----	5	3	2	5	3	2	-	-	-	-	-	-
85-89 years-----	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Zoster meningitis (B02.1)

All ages-----	3	1	2	3	1	2	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

RACE, AND SEX

Zoster with other nervous system involvement (B02.2)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	22	5	17	22	5	17	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	3	1	2	3	1	2	-	-	-	-	-	-
85-89 years-----	6	1	5	6	1	5	-	-	-	-	-	-
90-94 years-----	4	-	4	4	-	4	-	-	-	-	-	-
95-99 years-----	6	1	5	6	1	5	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Zoster ocular disease (B02.3)

All ages-----	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Disseminated zoster (B02.7)												
All ages-----	21	12	9	20	12	8	1	-	1	1	-	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	2	2	-	2	2	-	-	-	-	-	-	-
70-74 years-----	4	3	1	4	3	1	-	-	-	-	-	-
75-79 years-----	5	2	3	5	2	3	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	3	1	2	3	1	2	-	-	-	-	-	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	2	1	1	1	1	-	1	-	1	1	-	1
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Zoster with other complications (B02.8)												
All ages-----	5	-	5	4	-	4	1	-	1	1	-	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	3	-	3	2	-	2	1	-	1	1	-	1
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Zoster without complication (B02.9)												
All ages-----	85	23	62	83	22	61	2	1	1	2	1	1
Under 1 year----	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	1	1	-	-	-	-	1	1	-	1	1	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	2	2	-	2	2	-	-	-	-	-	-	-
75-79 years-----	6	3	3	6	3	3	-	-	-	-	-	-
80-84 years-----	15	7	8	15	7	8	-	-	-	-	-	-
85-89 years-----	23	7	16	22	7	15	1	-	1	1	-	1
90-94 years-----	21	2	19	21	2	19	-	-	-	-	-	-
95-99 years-----	10	1	9	10	1	9	-	-	-	-	-	-
100 yrs & over---	5	-	5	5	-	5	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Measles (B05)												
All ages-----	2	-	2	1	-	1	1	-	1	1	-	1
Under 1 year----	1	-	1	-	-	-	1	-	1	1	-	1
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Measles complicated by pneumonia (B05.2)												
All ages-----	1	-	1	-	-	-	1	-	1	1	-	1
Under 1 year-----	1	-	1	-	-	-	1	-	1	1	-	1
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Measles without complication (B05.9)

All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Acute hepatitis A (B15)												
All ages-----	134	74	60	114	60	54	20	14	6	15	12	3
Under 1 year----	1	1	-	-	-	-	1	1	-	1	1	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	-	-	-	1	1	-	1	1	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	3	3	-	3	3	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	4	2	2	1	-	1	3	2	1	3	2	1
35-39 years-----	6	4	2	5	4	1	1	-	1	-	-	-
40-44 years-----	9	6	3	5	2	3	4	4	-	4	4	-
45-49 years-----	15	12	3	12	9	3	3	3	-	2	2	-
50-54 years-----	8	5	3	8	5	3	-	-	-	-	-	-
55-59 years-----	6	4	2	5	3	2	1	1	-	1	1	-
60-64 years-----	4	2	2	3	1	2	1	1	-	-	-	-
65-69 years-----	10	5	5	8	4	4	2	1	1	2	1	1
70-74 years-----	19	10	9	18	10	8	1	-	1	-	-	-
75-79 years-----	11	5	6	10	5	5	1	-	1	-	-	-
80-84 years-----	16	9	7	15	9	6	1	-	1	1	-	1
85-89 years-----	12	1	11	12	1	11	-	-	-	-	-	-
90-94 years-----	6	2	4	6	2	4	-	-	-	-	-	-
95-99 years-----	2	1	1	2	1	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Hepatitis A with hepatic coma (B15.0)

All ages-----	8	4	4	6	3	3	2	1	1	2	1	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	3	2	1	3	2	1	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	1	1	-	-	-	-	1	1	-	1	1	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	-	1	-	-	-	1	-	1	1	-	1
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Hepatitis A without hepatic coma (B15.9)												
All ages-----	126	70	56	108	57	51	18	13	5	13	11	2
Under 1 year-----	1	1	-	-	-	-	1	1	-	1	1	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	-	-	-	1	1	-	1	1	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	3	3	-	3	3	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	4	2	2	1	-	1	3	2	1	3	2	1
35-39 years-----	6	4	2	5	4	1	1	-	1	-	-	-
40-44 years-----	8	6	2	4	2	2	4	4	-	4	4	-
45-49 years-----	12	10	2	9	7	2	3	3	-	2	2	-
50-54 years-----	8	5	3	8	5	3	-	-	-	-	-	-
55-59 years-----	6	4	2	5	3	2	1	1	-	1	1	-
60-64 years-----	3	2	1	2	1	1	1	1	-	-	-	-
65-69 years-----	9	4	5	8	4	4	1	-	1	1	-	1
70-74 years-----	18	9	9	17	9	8	1	-	1	-	-	-
75-79 years-----	11	5	6	10	5	5	1	-	1	-	-	-
80-84 years-----	15	9	6	15	9	6	-	-	-	-	-	-
85-89 years-----	12	1	11	12	1	11	-	-	-	-	-	-
90-94 years-----	6	2	4	6	2	4	-	-	-	-	-	-
95-99 years-----	2	1	1	2	1	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Acute hepatitis B (B16)												
All ages-----	703	491	212	478	343	135	225	148	77	116	72	44
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	4	2	2	1	-	1	3	2	1	3	2	1
25-29 years-----	6	4	2	1	1	-	5	3	2	3	1	2
30-34 years-----	13	8	5	9	6	3	4	2	2	3	1	2
35-39 years-----	43	29	14	30	21	9	13	8	5	8	3	5
40-44 years-----	71	55	16	55	43	12	16	12	4	8	6	2
45-49 years-----	113	91	22	75	59	16	38	32	6	25	21	4
50-54 years-----	89	73	16	59	48	11	30	25	5	14	12	2
55-59 years-----	78	60	18	46	36	10	32	24	8	13	7	6
60-64 years-----	61	37	24	40	28	12	21	9	12	6	3	3
65-69 years-----	64	39	25	37	26	11	27	13	14	13	5	8
70-74 years-----	72	47	25	57	40	17	15	7	8	9	4	5
75-79 years-----	43	21	22	29	13	16	14	8	6	7	5	2
80-84 years-----	28	16	12	26	16	10	2	-	2	1	-	1
85-89 years-----	16	8	8	12	6	6	4	2	2	3	2	1
90-94 years-----	2	1	1	1	-	1	1	1	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Acute hepatitis B with delta-agent (coinfection) without hepatic coma (B16.1)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Acute hepatitis B without delta-agent with hepatic coma (B16.2)

All ages-----	41	25	16	25	16	9	16	9	7	10	5	5
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	2	2	-	2	2	-	-	-	-	-	-	-
40-44 years-----	3	2	1	1	-	1	2	2	-	2	2	-
45-49 years-----	7	6	1	5	4	1	2	2	-	1	1	-
50-54 years-----	2	2	-	1	1	-	1	1	-	1	1	-
55-59 years-----	9	6	3	5	4	1	4	2	2	2	-	2
60-64 years-----	2	-	2	-	-	-	2	-	2	1	-	1
65-69 years-----	6	2	4	4	1	3	2	1	1	2	1	1
70-74 years-----	5	2	3	2	1	1	3	1	2	1	-	1
75-79 years-----	2	2	-	2	2	-	-	-	-	-	-	-
80-84 years-----	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Acute hepatitis B without delta-agent and without hepatic coma (B16.9)												
All ages-----	661	466	195	452	327	125	209	139	70	106	67	39
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	4	2	2	1	-	1	3	2	1	3	2	1
25-29 years-----	6	4	2	1	1	-	5	3	2	3	1	2
30-34 years-----	13	8	5	9	6	3	4	2	2	3	1	2
35-39 years-----	41	27	14	28	19	9	13	8	5	8	3	5
40-44 years-----	68	53	15	54	43	11	14	10	4	6	4	2
45-49 years-----	106	85	21	70	55	15	36	30	6	24	20	4
50-54 years-----	87	71	16	58	47	11	29	24	5	13	11	2
55-59 years-----	68	54	14	40	32	8	28	22	6	11	7	4
60-64 years-----	59	37	22	40	28	12	19	9	10	5	3	2
65-69 years-----	58	37	21	33	25	8	25	12	13	11	4	7
70-74 years-----	67	45	22	55	39	16	12	6	6	8	4	4
75-79 years-----	41	19	22	27	11	16	14	8	6	7	5	2
80-84 years-----	26	15	11	24	15	9	2	-	2	1	-	1
85-89 years-----	16	8	8	12	6	6	4	2	2	3	2	1
90-94 years-----	1	1	-	-	-	-	1	1	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other acute viral hepatitis (B17)

All ages-----	3,190	1,989	1,201	2,575	1,624	951	615	365	250	506	312	194
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	2	2	-	2	2	-	-	-	-	-	-	-
20-24 years-----	2	1	1	1	1	-	1	-	1	1	-	1
25-29 years-----	9	3	6	8	2	6	1	1	-	1	1	-
30-34 years-----	42	26	16	37	23	14	5	3	2	5	3	2
35-39 years-----	124	86	38	107	75	32	17	11	6	15	11	4
40-44 years-----	364	269	95	279	212	67	85	57	28	75	51	24
45-49 years-----	640	472	168	517	375	142	123	97	26	113	88	25
50-54 years-----	451	343	108	344	263	81	107	80	27	93	72	21
55-59 years-----	274	180	94	213	145	68	61	35	26	49	30	19
60-64 years-----	225	120	105	178	101	77	47	19	28	35	16	19
65-69 years-----	260	127	133	207	108	99	53	19	34	37	10	27
70-74 years-----	286	121	165	232	102	130	54	19	35	37	13	24
75-79 years-----	243	113	130	209	100	109	34	13	21	23	8	15
80-84 years-----	157	76	81	141	72	69	16	4	12	12	2	10
85-89 years-----	82	37	45	73	31	42	9	6	3	8	6	2
90-94 years-----	24	13	11	23	12	11	1	1	-	1	1	-
95-99 years-----	3	-	3	2	-	2	1	-	1	1	-	1
100 yrs & over---	2	-	2	2	-	2	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Acute hepatitis C (B17.1)												
All ages-----	3,181	1,985	1,196	2,567	1,620	947	614	365	249	505	312	193
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	2	2	-	2	2	-	-	-	-	-	-	-
20-24 years-----	2	1	1	1	1	-	1	-	1	1	-	1
25-29 years-----	9	3	6	8	2	6	1	1	-	1	1	-
30-34 years-----	41	25	16	36	22	14	5	3	2	5	3	2
35-39 years-----	124	86	38	107	75	32	17	11	6	15	11	4
40-44 years-----	364	269	95	279	212	67	85	57	28	75	51	24
45-49 years-----	638	471	167	516	374	142	122	97	25	112	88	24
50-54 years-----	450	343	107	343	263	80	107	80	27	93	72	21
55-59 years-----	274	180	94	213	145	68	61	35	26	49	30	19
60-64 years-----	225	120	105	178	101	77	47	19	28	35	16	19
65-69 years-----	260	127	133	207	108	99	53	19	34	37	10	27
70-74 years-----	285	120	165	231	101	130	54	19	35	37	13	24
75-79 years-----	242	113	129	208	100	108	34	13	21	23	8	15
80-84 years-----	155	75	80	139	71	68	16	4	12	12	2	10
85-89 years-----	82	37	45	73	31	42	9	6	3	8	6	2
90-94 years-----	23	13	10	22	12	10	1	1	-	1	1	-
95-99 years-----	3	-	3	2	-	2	1	-	1	1	-	1
100 yrs & over---	2	-	2	2	-	2	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Acute hepatitis E (B17.2)												
All ages-----	2	1	1	1	1	-	1	-	1	1	-	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	-	-	-	1	-	1	1	-	1
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other specified acute viral hepatitis (B17.8)												
All ages-----	7	3	4	7	3	4	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Chronic viral hepatitis (B18)

All ages-----	717	420	297	579	352	227	138	68	70	85	42	43
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	2	1	1	1	-	1	1	1	-	1	1	-
30-34 years-----	10	8	2	10	8	2	-	-	-	-	-	-
35-39 years-----	27	18	9	24	17	7	3	1	2	2	1	1
40-44 years-----	61	42	19	51	35	16	10	7	3	8	5	3
45-49 years-----	90	64	26	71	51	20	19	13	6	17	11	6
50-54 years-----	80	60	20	64	50	14	16	10	6	10	6	4
55-59 years-----	67	45	22	49	32	17	18	13	5	10	7	3
60-64 years-----	51	29	22	42	25	17	9	4	5	4	2	2
65-69 years-----	85	43	42	70	36	34	15	7	8	8	5	3
70-74 years-----	70	28	42	51	23	28	19	5	14	7	2	5
75-79 years-----	80	42	38	69	37	32	11	5	6	8	2	6
80-84 years-----	54	25	29	46	23	23	8	2	6	3	-	3
85-89 years-----	29	13	16	22	13	9	7	-	7	6	-	6
90-94 years-----	11	2	9	9	2	7	2	-	2	1	-	1
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Chronic viral hepatitis B without delta-agent (B18.1)												
All ages-----	129	86	43	88	62	26	41	24	17	12	6	6
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	2	1	1	2	1	1	-	-	-	-	-	-
35-39 years-----	6	4	2	5	4	1	1	-	1	-	-	-
40-44 years-----	11	8	3	11	8	3	-	-	-	-	-	-
45-49 years-----	17	13	4	10	8	2	7	5	2	5	3	2
50-54 years-----	15	10	5	9	6	3	6	4	2	1	1	-
55-59 years-----	16	10	6	9	5	4	7	5	2	1	-	1
60-64 years-----	15	11	4	11	9	2	4	2	2	-	-	-
65-69 years-----	15	10	5	13	8	5	2	2	-	1	1	-
70-74 years-----	5	3	2	1	1	-	4	2	2	-	-	-
75-79 years-----	11	9	2	7	5	2	4	4	-	1	1	-
80-84 years-----	8	5	3	6	5	1	2	-	2	1	-	1
85-89 years-----	5	1	4	2	1	1	3	-	3	2	-	2
90-94 years-----	2	1	1	1	1	-	1	-	1	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Chronic viral hepatitis C (B18.2)

All ages-----	582	332	250	487	288	199	95	44	51	72	36	36
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years-----	8	7	1	8	7	1	-	-	-	-	-	-
35-39 years-----	21	14	7	19	13	6	2	1	1	2	1	1
40-44 years-----	50	34	16	40	27	13	10	7	3	8	5	3
45-49 years-----	73	51	22	61	43	18	12	8	4	12	8	4
50-54 years-----	64	50	14	54	44	10	10	6	4	9	5	4
55-59 years-----	50	34	16	39	26	13	11	8	3	9	7	2
60-64 years-----	36	18	18	31	16	15	5	2	3	4	2	2
65-69 years-----	69	32	37	56	27	29	13	5	8	7	4	3
70-74 years-----	64	25	39	50	22	28	14	3	11	7	2	5
75-79 years-----	68	33	35	61	32	29	7	1	6	7	1	6
80-84 years-----	46	20	26	40	18	22	6	2	4	2	-	2
85-89 years-----	23	12	11	20	12	8	3	-	3	3	-	3
90-94 years-----	9	1	8	8	1	7	1	-	1	1	-	1
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Chronic viral hepatitis, unspecified (B18.9)												
All ages-----	6	2	4	4	2	2	2	-	2	1	-	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	1	-	1	-	-	1	1	-	1	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	-	-	-	1	-	1	1	-	1
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Unspecified viral hepatitis (B19)

All ages-----	109	69	40	89	57	32	20	12	8	9	5	4
Under 1 year----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	3	2	1	3	2	1	-	-	-	-	-	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	2	1	1	1	-	1	1	1	-	-	-	-
25-29 years-----	1	-	1	-	-	-	1	-	1	1	-	1
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	4	2	2	3	1	2	1	1	-	-	-	-
40-44 years-----	13	9	4	12	9	3	1	-	1	1	-	1
45-49 years-----	13	12	1	8	7	1	5	5	-	4	4	-
50-54 years-----	7	6	1	6	5	1	1	1	-	1	1	-
55-59 years-----	13	9	4	10	8	2	3	1	2	2	-	2
60-64 years-----	7	5	2	6	5	1	1	-	1	-	-	-
65-69 years-----	8	3	5	8	3	5	-	-	-	-	-	-
70-74 years-----	7	3	4	6	2	4	1	1	-	-	-	-
75-79 years-----	12	4	8	9	4	5	3	-	3	-	-	-
80-84 years-----	7	6	1	7	6	1	-	-	-	-	-	-
85-89 years-----	6	2	4	5	1	4	1	1	-	-	-	-
90-94 years-----	2	2	-	1	1	-	1	1	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Unspecified viral hepatitis with coma (B19.0)												
All ages-----	6	3	3	5	2	3	1	1	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	2	1	1	1	-	1	1	1	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Unspecified viral hepatitis without coma (B19.9)

All ages-----	103	66	37	84	55	29	19	11	8	9	5	4
Under 1 year-----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	3	2	1	3	2	1	-	-	-	-	-	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	2	1	1	1	-	1	1	1	-	-	-	-
25-29 years-----	1	-	1	-	-	-	1	-	1	1	-	1
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	4	2	2	3	1	2	1	1	-	-	-	-
40-44 years-----	13	9	4	12	9	3	1	-	1	1	-	1
45-49 years-----	13	12	1	8	7	1	5	5	-	4	4	-
50-54 years-----	7	6	1	6	5	1	1	1	-	1	1	-
55-59 years-----	12	8	4	9	7	2	3	1	2	2	-	2
60-64 years-----	7	5	2	6	5	1	1	-	1	-	-	-
65-69 years-----	8	3	5	8	3	5	-	-	-	-	-	-
70-74 years-----	5	2	3	5	2	3	-	-	-	-	-	-
75-79 years-----	11	4	7	8	4	4	3	-	3	-	-	-
80-84 years-----	5	5	-	5	5	-	-	-	-	-	-	-
85-89 years-----	6	2	4	5	1	4	1	1	-	-	-	-
90-94 years-----	2	2	-	1	1	-	1	1	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Human immunodeficiency virus [HIV] disease resulting in infectious and parasitic diseases (B20)												
All ages-----	5,931	4,456	1,475	2,729	2,225	504	3,202	2,231	971	3,125	2,169	956
Under 1 year-----	7	5	2	1	1	-	6	4	2	6	4	2
1-4 years-----	13	11	2	3	3	-	10	8	2	10	8	2
5-9 years-----	12	7	5	1	-	1	11	7	4	11	7	4
10-14 years-----	12	7	5	7	3	4	5	4	1	5	4	1
15-19 years-----	11	5	6	3	3	-	8	2	6	8	2	6
20-24 years-----	78	35	43	21	13	8	57	22	35	57	22	35
25-29 years-----	332	216	116	142	107	35	190	109	81	187	107	80
30-34 years-----	788	546	242	358	279	79	430	267	163	418	258	160
35-39 years-----	1,228	912	316	612	495	117	616	417	199	593	395	198
40-44 years-----	1,279	980	299	587	480	107	692	500	192	675	487	188
45-49 years-----	1,020	796	224	434	361	73	586	435	151	574	427	147
50-54 years-----	603	490	113	298	255	43	305	235	70	298	229	69
55-59 years-----	255	213	42	123	105	18	132	108	24	132	108	24
60-64 years-----	122	96	26	60	54	6	62	42	20	62	42	20
65-69 years-----	83	69	14	40	34	6	43	35	8	42	34	8
70-74 years-----	51	37	14	18	14	4	33	23	10	32	23	9
75-79 years-----	26	22	4	16	15	1	10	7	3	10	7	3
80-84 years-----	6	6	-	3	3	-	3	3	-	3	3	-
85-89 years-----	3	2	1	1	-	1	2	2	-	1	1	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	1	1	-	-	-	-	1	1	-	1	1	-

HIV disease resulting in mycobacterial infection (B20.0)

All ages-----	205	163	42	74	62	12	131	101	30	125	96	29
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	2	2	-	-	-	-	2	2	-	2	2	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	-	-	-	1	1	-	1	1	-
15-19 years-----	1	-	1	-	-	-	1	-	1	1	-	1
20-24 years-----	2	-	2	-	-	-	2	-	2	2	-	2
25-29 years-----	18	14	4	8	6	2	10	8	2	10	8	2
30-34 years-----	29	22	7	13	10	3	16	12	4	15	11	4
35-39 years-----	49	39	10	13	12	1	36	27	9	33	24	9
40-44 years-----	37	33	4	14	13	1	23	20	3	22	19	3
45-49 years-----	29	22	7	12	9	3	17	13	4	16	13	3
50-54 years-----	16	12	4	7	7	-	9	5	4	9	5	4
55-59 years-----	13	10	3	5	3	2	8	7	1	8	7	1
60-64 years-----	3	3	-	1	1	-	2	2	-	2	2	-
65-69 years-----	2	2	-	-	-	-	2	2	-	2	2	-
70-74 years-----	2	2	-	1	1	-	1	1	-	1	1	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	1	-	-	-	-	1	1	-	1	1	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
HIV disease resulting in other bacterial infections (B20.1)												
All ages-----	1,271	908	363	495	386	109	776	522	254	764	512	252
Under 1 year----	1	1	-	-	-	-	1	1	-	1	1	-
1-4 years-----	5	5	-	-	-	-	5	5	-	5	5	-
5-9 years-----	1	-	1	-	-	-	1	-	1	1	-	1
10-14 years-----	3	2	1	3	2	1	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	16	6	10	3	2	1	13	4	9	13	4	9
25-29 years-----	60	36	24	21	17	4	39	19	20	38	19	19
30-34 years-----	156	94	62	60	38	22	96	56	40	94	54	40
35-39 years-----	235	161	74	104	80	24	131	81	50	126	76	50
40-44 years-----	276	196	80	104	78	26	172	118	54	171	117	54
45-49 years-----	234	184	50	74	64	10	160	120	40	158	119	39
50-54 years-----	145	113	32	67	55	12	78	58	20	77	57	20
55-59 years-----	56	49	7	27	23	4	29	26	3	29	26	3
60-64 years-----	39	25	14	14	11	3	25	14	11	25	14	11
65-69 years-----	18	17	1	6	6	-	12	11	1	12	11	1
70-74 years-----	11	7	4	4	4	-	7	3	4	7	3	4
75-79 years-----	10	8	2	5	4	1	5	4	1	5	4	1
80-84 years-----	2	2	-	1	1	-	1	1	-	1	1	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	1	1	-	-	-	-	1	1	-	1	1	-

HIV disease resulting in cytomegaloviral disease (B20.2)

All ages-----	65	49	16	37	33	4	28	16	12	27	15	12
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	-	1	-	-	-	1	-	1	1	-	1
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	2	2	-	-	-	-	2	2	-	2	2	-
25-29 years-----	2	1	1	1	1	-	1	-	1	1	-	1
30-34 years-----	12	9	3	6	4	2	6	5	1	6	5	1
35-39 years-----	12	9	3	8	6	2	4	3	1	3	2	1
40-44 years-----	21	15	6	11	11	-	10	4	6	10	4	6
45-49 years-----	11	9	2	9	9	-	2	-	2	2	-	2
50-54 years-----	2	2	-	1	1	-	1	1	-	1	1	-
55-59 years-----	1	1	-	-	-	-	1	1	-	1	1	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
HIV disease resulting in other viral infections (B20.3)												
All ages-----	642	518	124	431	364	67	211	154	57	198	145	53
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	2	1	1	-	-	-	2	1	1	2	1	1
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	2	1	1	1	1	-	1	-	1	1	-	1
20-24 years-----	4	2	2	3	2	1	1	-	1	1	-	1
25-29 years-----	16	15	1	10	9	1	6	6	-	6	6	-
30-34 years-----	46	34	12	28	24	4	18	10	8	16	10	6
35-39 years-----	135	104	31	92	71	21	43	33	10	37	27	10
40-44 years-----	159	134	25	109	98	11	50	36	14	47	35	12
45-49 years-----	145	114	31	93	74	19	52	40	12	51	39	12
50-54 years-----	86	73	13	61	54	7	25	19	6	24	18	6
55-59 years-----	27	24	3	21	19	2	6	5	1	6	5	1
60-64 years-----	8	8	-	5	5	-	3	3	-	3	3	-
65-69 years-----	8	6	2	6	5	1	2	1	1	2	1	1
70-74 years-----	3	1	2	1	1	-	2	-	2	2	-	2
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

HIV disease resulting in candidiasis (B20.4)

All ages-----	20	14	6	15	14	1	5	-	5	5	-	5
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	3	1	2	1	1	-	2	-	2	2	-	2
35-39 years-----	6	3	3	4	3	1	2	-	2	2	-	2
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	5	4	1	4	4	-	1	-	1	1	-	1
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
HIV disease resulting in other mycoses (B20.5)												
All ages-----	337	268	69	144	114	30	193	154	39	192	153	39
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	1	1	-	-	-	-	1	1	-	1	1	-
15-19 years-----	1	-	1	-	-	-	1	-	1	1	-	1
20-24 years-----	8	4	4	1	-	1	7	4	3	7	4	3
25-29 years-----	26	20	6	15	11	4	11	9	2	11	9	2
30-34 years-----	58	42	16	26	20	6	32	22	10	32	22	10
35-39 years-----	73	58	15	32	24	8	41	34	7	40	33	7
40-44 years-----	64	51	13	30	25	5	34	26	8	34	26	8
45-49 years-----	53	48	5	18	17	1	35	31	4	35	31	4
50-54 years-----	26	19	7	12	9	3	14	10	4	14	10	4
55-59 years-----	13	13	-	4	4	-	9	9	-	9	9	-
60-64 years-----	9	8	1	4	3	1	5	5	-	5	5	-
65-69 years-----	1	1	-	-	-	-	1	1	-	1	1	-
70-74 years-----	2	2	-	-	-	-	2	2	-	2	2	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

HIV disease resulting in Pneumocystis carinii pneumonia (B20.6)

All ages-----	603	454	149	298	248	50	305	206	99	297	200	97
Under 1 year-----	3	3	-	-	-	-	3	3	-	3	3	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	2	2	-	-	-	-	2	2	-	2	2	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	3	3	-	1	1	-	2	2	-	2	2	-
20-24 years-----	12	1	11	3	-	3	9	1	8	9	1	8
25-29 years-----	49	32	17	24	18	6	25	14	11	24	13	11
30-34 years-----	91	65	26	50	42	8	41	23	18	39	21	18
35-39 years-----	110	84	26	64	53	11	46	31	15	46	31	15
40-44 years-----	129	102	27	63	59	4	66	43	23	64	42	22
45-49 years-----	94	77	17	41	34	7	53	43	10	52	42	10
50-54 years-----	49	40	9	21	18	3	28	22	6	27	22	5
55-59 years-----	30	21	9	17	12	5	13	9	4	13	9	4
60-64 years-----	15	13	2	8	8	-	7	5	2	7	5	2
65-69 years-----	13	10	3	4	3	1	9	7	2	8	6	2
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	1	1	-	-	-	-	1	1	-	1	1	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
HIV disease resulting in multiple infections (B20.7)												
All ages-----	1,405	1,065	340	635	527	108	770	538	232	748	522	226
Under 1 year----	3	1	2	1	1	-	2	-	2	2	-	2
1-4 years-----	4	3	1	2	2	-	2	1	1	2	1	1
5-9 years-----	2	1	1	-	-	-	2	1	1	2	1	1
10-14 years-----	2	2	-	-	-	-	2	2	-	2	2	-
15-19 years-----	2	-	2	-	-	-	2	-	2	2	-	2
20-24 years-----	13	8	5	4	3	1	9	5	4	9	5	4
25-29 years-----	81	47	34	35	25	10	46	22	24	46	22	24
30-34 years-----	208	155	53	92	81	11	116	74	42	113	72	41
35-39 years-----	309	241	68	157	133	24	152	108	44	147	104	43
40-44 years-----	300	230	70	129	101	28	171	129	42	165	124	41
45-49 years-----	234	174	60	94	77	17	140	97	43	135	94	41
50-54 years-----	134	114	20	64	55	9	70	59	11	69	58	11
55-59 years-----	48	41	7	18	17	1	30	24	6	30	24	6
60-64 years-----	26	19	7	18	16	2	8	3	5	8	3	5
65-69 years-----	16	11	5	9	6	3	7	5	2	7	5	2
70-74 years-----	9	7	2	3	2	1	6	5	1	5	5	-
75-79 years-----	9	7	2	6	6	-	3	1	2	3	1	2
80-84 years-----	3	3	-	2	2	-	1	1	-	1	1	-
85-89 years-----	1	1	-	-	-	-	1	1	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

HIV disease resulting in other infectious and parasitic diseases (B20.8)

All ages-----	1,377	1,014	363	597	475	122	780	539	241	766	525	241
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	4	3	1	-	-	-	4	3	1	4	3	1
10-14 years-----	4	1	3	3	1	2	1	-	1	1	-	1
15-19 years-----	1	-	1	-	-	-	1	-	1	1	-	1
20-24 years-----	20	11	9	6	5	1	14	6	8	14	6	8
25-29 years-----	78	50	28	26	19	7	52	31	21	51	30	21
30-34 years-----	184	123	61	81	58	23	103	65	38	101	63	38
35-39 years-----	295	211	84	137	112	25	158	99	59	156	97	59
40-44 years-----	292	218	74	126	94	32	166	124	42	162	120	42
45-49 years-----	215	164	51	89	73	16	126	91	35	124	89	35
50-54 years-----	144	116	28	64	55	9	80	61	19	77	58	19
55-59 years-----	66	53	13	30	26	4	36	27	9	36	27	9
60-64 years-----	20	18	2	8	8	-	12	10	2	12	10	2
65-69 years-----	25	22	3	15	14	1	10	8	2	10	8	2
70-74 years-----	23	18	5	8	6	2	15	12	3	15	12	3
75-79 years-----	4	4	-	3	3	-	1	1	-	1	1	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	1	-	-	-	-	1	1	-	1	1	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
HIV disease resulting in unspecified infectious or parasitic disease (B20.9)												
All ages-----	6	3	3	3	2	1	3	1	2	3	1	2
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	4	2	2	1	1	-	3	1	2	3	1	2
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Human immunodeficiency virus [HIV] disease resulting in malignant neoplasms (B21)

All ages-----	1,117	948	169	675	604	71	442	344	98	429	333	96
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	-	-	-	1	1	-	1	1	-
20-24 years-----	8	6	2	5	3	2	3	3	-	3	3	-
25-29 years-----	43	33	10	19	15	4	24	18	6	22	17	5
30-34 years-----	164	139	25	104	96	8	60	43	17	59	42	17
35-39 years-----	228	193	35	152	137	15	76	56	20	74	54	20
40-44 years-----	235	202	33	136	121	15	99	81	18	95	78	17
45-49 years-----	169	148	21	102	91	11	67	57	10	64	54	10
50-54 years-----	122	101	21	73	64	9	49	37	12	48	36	12
55-59 years-----	84	72	12	53	51	2	31	21	10	31	21	10
60-64 years-----	28	25	3	14	11	3	14	14	-	14	14	-
65-69 years-----	19	16	3	10	10	-	9	6	3	9	6	3
70-74 years-----	12	9	3	5	4	1	7	5	2	7	5	2
75-79 years-----	3	3	-	1	1	-	2	2	-	2	2	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
HIV disease resulting in Kaposi's sarcoma (B21.0)												
All ages-----	139	134	5	93	93	-	46	41	5	45	40	5
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	10	10	-	4	4	-	6	6	-	6	6	-
30-34 years-----	36	34	2	24	24	-	12	10	2	12	10	2
35-39 years-----	41	40	1	32	32	-	9	8	1	9	8	1
40-44 years-----	22	21	1	15	15	-	7	6	1	7	6	1
45-49 years-----	17	16	1	9	9	-	8	7	1	7	6	1
50-54 years-----	6	6	-	5	5	-	1	1	-	1	1	-
55-59 years-----	3	3	-	3	3	-	-	-	-	-	-	-
60-64 years-----	1	1	-	-	-	-	1	1	-	1	1	-
65-69 years-----	2	2	-	-	-	-	2	2	-	2	2	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

HIV disease resulting in Burkitt's lymphoma (B21.1)

All ages-----	25	23	2	21	21	-	4	2	2	4	2	2
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	2	2	-	2	2	-	-	-	-	-	-	-
30-34 years-----	5	3	2	2	2	-	3	1	2	3	1	2
35-39 years-----	8	8	-	8	8	-	-	-	-	-	-	-
40-44 years-----	6	6	-	5	5	-	1	1	-	1	1	-
45-49 years-----	2	2	-	2	2	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
HIV disease resulting in other types of non-Hodgkin's lymphoma (B21.2)												
All ages-----	559	480	79	364	323	41	195	157	38	184	148	36
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	-	-	-	1	1	-	1	1	-
20-24 years-----	5	3	2	3	1	2	2	2	-	2	2	-
25-29 years-----	22	16	6	10	8	2	12	8	4	10	7	3
30-34 years-----	83	71	12	54	48	6	29	23	6	28	22	6
35-39 years-----	122	103	19	84	74	10	38	29	9	36	27	9
40-44 years-----	123	108	15	76	67	9	47	41	6	43	38	5
45-49 years-----	86	74	12	52	44	8	34	30	4	32	28	4
50-54 years-----	52	45	7	37	34	3	15	11	4	15	11	4
55-59 years-----	41	39	2	31	31	-	10	8	2	10	8	2
60-64 years-----	9	9	-	6	6	-	3	3	-	3	3	-
65-69 years-----	12	9	3	8	8	-	4	1	3	4	1	3
70-74 years-----	2	2	-	2	2	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

HIV disease resulting in other malignant neoplasms of lymphoid, hematopoietic, and related tissue (B21.3)

All ages-----	71	63	8	43	39	4	28	24	4	28	24	4
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	-	-	-	1	1	-	1	1	-
25-29 years-----	3	2	1	2	1	1	1	1	-	1	1	-
30-34 years-----	12	12	-	12	12	-	-	-	-	-	-	-
35-39 years-----	11	11	-	3	3	-	8	8	-	8	8	-
40-44 years-----	14	11	3	8	7	1	6	4	2	6	4	2
45-49 years-----	9	9	-	6	6	-	3	3	-	3	3	-
50-54 years-----	7	6	1	5	4	1	2	2	-	2	2	-
55-59 years-----	9	8	1	3	3	-	6	5	1	6	5	1
60-64 years-----	2	2	-	2	2	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	2	-	2	1	-	1	1	-	1	1	-	1
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

ALL RACES - - - WHITE - - - ALL OTHER - - - BLACK - - -
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

HIV disease resulting in multiple malignant neoplasms (B21.7)

All ages-----	44	40	4	26	24	2	18	16	2	18	16	2
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	8	7	1	3	3	-	5	4	1	5	4	1
35-39 years-----	10	9	1	7	7	-	3	2	1	3	2	1
40-44 years-----	9	9	-	6	6	-	3	3	-	3	3	-
45-49 years-----	10	10	-	6	6	-	4	4	-	4	4	-
50-54 years-----	5	3	2	4	2	2	1	1	-	1	1	-
55-59 years-----	1	1	-	-	-	-	1	1	-	1	1	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	-	-	-	1	1	-	1	1	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

HIV disease resulting in other malignant neoplasms (B21.8)

All ages-----	226	161	65	103	81	22	123	80	43	122	79	43
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	6	3	3	1	-	1	5	3	2	5	3	2
30-34 years-----	16	9	7	8	6	2	8	3	5	8	3	5
35-39 years-----	30	16	14	14	9	5	16	7	9	16	7	9
40-44 years-----	48	34	14	22	17	5	26	17	9	26	17	9
45-49 years-----	37	32	5	21	20	1	16	12	4	16	12	4
50-54 years-----	42	32	10	18	15	3	24	17	7	23	16	7
55-59 years-----	21	13	8	10	8	2	11	5	6	11	5	6
60-64 years-----	15	12	3	6	3	3	9	9	-	9	9	-
65-69 years-----	3	3	-	1	1	-	2	2	-	2	2	-
70-74 years-----	6	5	1	2	2	-	4	3	1	4	3	1
75-79 years-----	2	2	-	-	-	-	2	2	-	2	2	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
HIV disease resulting in unspecified malignant neoplasm (B21.9)												
All ages-----	53	47	6	25	23	2	28	24	4	28	24	4
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	4	3	1	1	1	-	3	2	1	3	2	1
35-39 years-----	6	6	-	4	4	-	2	2	-	2	2	-
40-44 years-----	13	13	-	4	4	-	9	9	-	9	9	-
45-49 years-----	8	5	3	6	4	2	2	1	1	2	1	1
50-54 years-----	10	9	1	4	4	-	6	5	1	6	5	1
55-59 years-----	8	7	1	5	5	-	3	2	1	3	2	1
60-64 years-----	1	1	-	-	-	-	1	1	-	1	1	-
65-69 years-----	2	2	-	1	1	-	1	1	-	1	1	-
70-74 years-----	1	1	-	-	-	-	1	1	-	1	1	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Human immunodeficiency virus [HIV] disease resulting in other specified diseases (B22)

All ages-----	1,608	1,289	319	837	730	107	771	559	212	757	546	211
Under 1 year----	2	1	1	-	-	-	2	1	1	2	1	1
1-4 years-----	2	1	1	1	1	-	1	-	1	1	-	1
5-9 years-----	4	4	-	1	1	-	3	3	-	3	3	-
10-14 years-----	5	3	2	2	1	1	3	2	1	3	2	1
15-19 years-----	2	1	1	2	1	1	-	-	-	-	-	-
20-24 years-----	14	7	7	6	4	2	8	3	5	8	3	5
25-29 years-----	76	55	21	35	27	8	41	28	13	40	27	13
30-34 years-----	217	168	49	110	94	16	107	74	33	106	74	32
35-39 years-----	354	281	73	200	176	24	154	105	49	151	102	49
40-44 years-----	360	290	70	177	155	22	183	135	48	178	130	48
45-49 years-----	242	202	40	144	127	17	98	75	23	97	74	23
50-54 years-----	148	129	19	80	77	3	68	52	16	66	50	16
55-59 years-----	86	74	12	34	32	2	52	42	10	52	42	10
60-64 years-----	40	34	6	19	16	3	21	18	3	21	18	3
65-69 years-----	29	22	7	11	9	2	18	13	5	17	12	5
70-74 years-----	17	12	5	10	7	3	7	5	2	7	5	2
75-79 years-----	7	4	3	3	2	1	4	2	2	4	2	2
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	1	1	-	-	-	-	1	1	-	1	1	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
HIV disease resulting in encephalopathy (B22.0)												
All ages-----	213	171	42	100	84	16	113	87	26	112	86	26
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	2	2	-	1	1	-	1	1	-	1	1	-
10-14 years-----	1	1	-	-	-	-	1	1	-	1	1	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	4	3	1	2	2	-	2	1	1	2	1	1
25-29 years-----	10	7	3	4	2	2	6	5	1	5	4	1
30-34 years-----	37	24	13	11	7	4	26	17	9	26	17	9
35-39 years-----	40	34	6	23	19	4	17	15	2	17	15	2
40-44 years-----	45	39	6	27	25	2	18	14	4	18	14	4
45-49 years-----	34	28	6	21	18	3	13	10	3	13	10	3
50-54 years-----	19	15	4	4	4	-	15	11	4	15	11	4
55-59 years-----	10	9	1	4	4	-	6	5	1	6	5	1
60-64 years-----	5	5	-	1	1	-	4	4	-	4	4	-
65-69 years-----	4	2	2	2	1	1	2	1	1	2	1	1
70-74 years-----	1	1	-	-	-	-	1	1	-	1	1	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	1	-	-	-	-	1	1	-	1	1	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

HIV disease resulting in wasting syndrome (B22.2)

All ages-----	294	239	55	155	140	15	139	99	40	136	96	40
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	-	1	-	-	-	1	-	1	1	-	1
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	2	1	1	-	-	-	2	1	1	2	1	1
25-29 years-----	14	10	4	9	6	3	5	4	1	5	4	1
30-34 years-----	36	31	5	16	16	-	20	15	5	20	15	5
35-39 years-----	73	57	16	33	30	3	40	27	13	39	26	13
40-44 years-----	70	57	13	39	35	4	31	22	9	30	21	9
45-49 years-----	37	35	2	23	23	-	14	12	2	14	12	2
50-54 years-----	24	22	2	19	18	1	5	4	1	5	4	1
55-59 years-----	9	7	2	3	3	-	6	4	2	6	4	2
60-64 years-----	10	8	2	5	4	1	5	4	1	5	4	1
65-69 years-----	7	5	2	1	1	-	6	4	2	5	3	2
70-74 years-----	8	5	3	6	4	2	2	1	1	2	1	1
75-79 years-----	2	1	1	-	-	-	2	1	1	2	1	1
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
HIV disease resulting in multiple diseases classified elsewhere (B22.7)												
All ages-----	1,101	879	222	582	506	76	519	373	146	509	364	145
Under 1 year-----	2	1	1	-	-	-	2	1	1	2	1	1
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	2	2	-	-	-	-	2	2	-	2	2	-
10-14 years-----	4	2	2	2	1	1	2	1	1	2	1	1
15-19 years-----	2	1	1	2	1	1	-	-	-	-	-	-
20-24 years-----	8	3	5	4	2	2	4	1	3	4	1	3
25-29 years-----	52	38	14	22	19	3	30	19	11	30	19	11
30-34 years-----	144	113	31	83	71	12	61	42	19	60	42	18
35-39 years-----	241	190	51	144	127	17	97	63	34	95	61	34
40-44 years-----	245	194	51	111	95	16	134	99	35	130	95	35
45-49 years-----	171	139	32	100	86	14	71	53	18	70	52	18
50-54 years-----	105	92	13	57	55	2	48	37	11	46	35	11
55-59 years-----	67	58	9	27	25	2	40	33	7	40	33	7
60-64 years-----	25	21	4	13	11	2	12	10	2	12	10	2
65-69 years-----	18	15	3	8	7	1	10	8	2	10	8	2
70-74 years-----	8	6	2	4	3	1	4	3	1	4	3	1
75-79 years-----	5	3	2	3	2	1	2	1	1	2	1	1
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Human immunodeficiency virus [HIV] disease resulting in other conditions (B23)

All ages-----	3,433	2,490	943	1,299	1,039	260	2,134	1,451	683	2,109	1,433	676
Under 1 year-----	2	2	-	1	1	-	1	1	-	1	1	-
1-4 years-----	6	3	3	3	1	2	3	2	1	3	2	1
5-9 years-----	13	7	6	7	4	3	6	3	3	6	3	3
10-14 years-----	9	5	4	3	2	1	6	3	3	6	3	3
15-19 years-----	14	6	8	4	2	2	10	4	6	10	4	6
20-24 years-----	39	19	20	13	9	4	26	10	16	24	9	15
25-29 years-----	164	108	56	52	38	14	112	70	42	112	70	42
30-34 years-----	407	277	130	149	117	32	258	160	98	254	156	98
35-39 years-----	636	443	193	259	206	53	377	237	140	374	236	138
40-44 years-----	734	519	215	282	221	61	452	298	154	448	295	153
45-49 years-----	562	434	128	201	162	39	361	272	89	356	268	88
50-54 years-----	372	293	79	137	119	18	235	174	61	231	171	60
55-59 years-----	216	172	44	79	66	13	137	106	31	137	106	31
60-64 years-----	116	94	22	53	50	3	63	44	19	61	43	18
65-69 years-----	87	69	18	36	29	7	51	40	11	51	40	11
70-74 years-----	33	28	5	8	7	1	25	21	4	24	20	4
75-79 years-----	9	5	4	2	2	-	7	3	4	7	3	4
80-84 years-----	7	2	5	5	1	4	2	1	1	2	1	1
85-89 years-----	2	2	-	2	2	-	-	-	-	-	-	-
90-94 years-----	4	1	3	3	-	3	1	1	-	1	1	-
95-99 years-----	1	1	-	-	-	-	1	1	-	1	1	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Acute HIV infection syndrome (B23.0)												
All ages-----	1	-	1	-	-	-	1	-	1	1	-	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	-	1	-	-	-	1	-	1	1	-	1
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
HIV disease resulting in (persistent) generalized lymphadenopathy (B23.1)												
All ages-----	2	2	-	-	-	-	2	2	-	2	2	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	-	-	-	1	1	-	1	1	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	-	-	-	1	1	-	1	1	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
HIV disease resulting in hematological and immunological abnormalities, not elsewhere classified (B23.2)												
All ages-----	296	210	86	107	89	18	189	121	68	188	121	67
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	2	1	1	1	1	-	1	-	1	1	-	1
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	5	4	1	1	1	-	4	3	1	4	3	1
25-29 years-----	10	8	2	4	4	-	6	4	2	6	4	2
30-34 years-----	41	27	14	15	14	1	26	13	13	26	13	13
35-39 years-----	70	43	27	24	20	4	46	23	23	45	23	22
40-44 years-----	60	43	17	26	19	7	34	24	10	34	24	10
45-49 years-----	55	44	11	15	12	3	40	32	8	40	32	8
50-54 years-----	20	15	5	9	9	-	11	6	5	11	6	5
55-59 years-----	16	13	3	6	5	1	10	8	2	10	8	2
60-64 years-----	3	3	-	1	1	-	2	2	-	2	2	-
65-69 years-----	6	4	2	2	1	1	4	3	1	4	3	1
70-74 years-----	4	3	1	1	1	-	3	2	1	3	2	1
75-79 years-----	2	1	1	-	-	-	2	1	1	2	1	1
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

HIV disease resulting in other specified conditions (B23.8)

All ages-----	3,134	2,278	856	1,192	950	242	1,942	1,328	614	1,918	1,310	608
Under 1 year----	2	2	-	1	1	-	1	1	-	1	1	-
1-4 years-----	5	2	3	2	-	2	3	2	1	3	2	1
5-9 years-----	12	7	5	6	4	2	6	3	3	6	3	3
10-14 years-----	7	4	3	2	1	1	5	3	2	5	3	2
15-19 years-----	12	5	7	4	2	2	8	3	5	8	3	5
20-24 years-----	34	15	19	12	8	4	22	7	15	20	6	14
25-29 years-----	154	100	54	48	34	14	106	66	40	106	66	40
30-34 years-----	366	250	116	134	103	31	232	147	85	228	143	85
35-39 years-----	566	400	166	235	186	49	331	214	117	329	213	116
40-44 years-----	674	476	198	256	202	54	418	274	144	414	271	143
45-49 years-----	507	390	117	186	150	36	321	240	81	316	236	80
50-54 years-----	351	277	74	128	110	18	223	167	56	219	164	55
55-59 years-----	200	159	41	73	61	12	127	98	29	127	98	29
60-64 years-----	113	91	22	52	49	3	61	42	19	59	41	18
65-69 years-----	81	65	16	34	28	6	47	37	10	47	37	10
70-74 years-----	29	25	4	7	6	1	22	19	3	21	18	3
75-79 years-----	7	4	3	2	2	-	5	2	3	5	2	3
80-84 years-----	7	2	5	5	1	4	2	1	1	2	1	1
85-89 years-----	2	2	-	2	2	-	-	-	-	-	-	-
90-94 years-----	4	1	3	3	-	3	1	1	-	1	1	-
95-99 years-----	1	1	-	-	-	-	1	1	-	1	1	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Unspecified human immunodeficiency virus [HIV] disease (B24)												
All ages-----	2,713	2,051	662	1,212	1,015	197	1,501	1,036	465	1,473	1,012	461
Under 1 year-----	3	1	2	2	1	1	1	-	1	1	-	1
1-4 years-----	3	1	2	-	-	-	3	1	2	3	1	2
5-9 years-----	8	2	6	2	1	1	6	1	5	6	1	5
10-14 years-----	2	1	1	1	1	-	1	-	1	1	-	1
15-19 years-----	3	2	1	1	1	-	2	1	1	2	1	1
20-24 years-----	28	13	15	8	4	4	20	9	11	20	9	11
25-29 years-----	148	92	56	56	39	17	92	53	39	91	52	39
30-34 years-----	390	280	110	177	144	33	213	136	77	208	132	76
35-39 years-----	535	395	140	249	208	41	286	187	99	281	182	99
40-44 years-----	643	491	152	297	250	47	346	241	105	337	235	102
45-49 years-----	447	356	91	184	156	28	263	200	63	259	196	63
50-54 years-----	222	185	37	112	98	14	110	87	23	110	87	23
55-59 years-----	136	115	21	57	51	6	79	64	15	77	62	15
60-64 years-----	66	53	13	27	25	2	39	28	11	38	27	11
65-69 years-----	43	35	8	22	21	1	21	14	7	20	13	7
70-74 years-----	24	20	4	11	10	1	13	10	3	13	10	3
75-79 years-----	7	5	2	3	2	1	4	3	1	4	3	1
80-84 years-----	4	3	1	3	3	-	1	-	1	1	-	1
85-89 years-----	1	1	-	-	-	-	1	1	-	1	1	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Cytomegaloviral disease (B25)

All ages-----	104	61	43	79	49	30	25	12	13	21	10	11
Under 1 year-----	13	5	8	9	4	5	4	1	3	4	1	3
1-4 years-----	3	1	2	3	1	2	-	-	-	-	-	-
5-9 years-----	2	2	-	2	2	-	-	-	-	-	-	-
10-14 years-----	1	1	-	-	-	-	1	1	-	-	-	-
15-19 years-----	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years-----	1	1	-	-	-	-	1	1	-	1	1	-
25-29 years-----	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years-----	4	1	3	3	1	2	1	-	1	1	-	1
35-39 years-----	9	6	3	4	4	-	5	2	3	5	2	3
40-44 years-----	8	4	4	6	4	2	2	-	2	2	-	2
45-49 years-----	10	8	2	6	5	1	4	3	1	3	3	-
50-54 years-----	15	8	7	13	7	6	2	1	1	1	-	1
55-59 years-----	11	8	3	10	7	3	1	1	-	1	1	-
60-64 years-----	5	2	3	4	2	2	1	-	1	-	-	-
65-69 years-----	5	4	1	3	3	-	2	1	1	2	1	1
70-74 years-----	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years-----	11	6	5	11	6	5	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Cytomegaloviral pneumonitis (B25.0)												
All ages-----	40	25	15	33	21	12	7	4	3	7	4	3
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	2	1	1	2	1	1	-	-	-	-	-	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years-----	4	1	3	3	1	2	1	-	1	1	-	1
35-39 years-----	3	2	1	2	2	-	1	-	1	1	-	1
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	3	3	-	1	1	-	2	2	-	2	2	-
50-54 years-----	7	2	5	7	2	5	-	-	-	-	-	-
55-59 years-----	7	7	-	6	6	-	1	1	-	1	1	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	2	1	1	1	1	-	1	-	1	1	-	1
70-74 years-----	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years-----	5	3	2	5	3	2	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Cytomegaloviral hepatitis (B25.1)

All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other cytomegaloviral diseases (B25.8)												
All ages-----	21	9	12	14	7	7	7	2	5	4	-	4
Under 1 year-----	4	2	2	3	2	1	1	-	1	1	-	1
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	-	-	-	1	1	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	-	-	-	1	-	1	1	-	1
40-44 years-----	2	-	2	1	-	1	-	1	1	1	-	1
45-49 years-----	2	1	1	1	1	-	1	-	1	-	-	-
50-54 years-----	4	2	2	2	1	1	2	1	1	1	-	1
55-59 years-----	2	-	2	2	-	2	-	-	-	-	-	-
60-64 years-----	2	1	1	2	1	1	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Cytomegaloviral disease, unspecified (B25.9)

All ages-----	42	26	16	31	20	11	11	6	5	10	6	4
Under 1 year-----	9	3	6	6	2	4	3	1	2	3	1	2
1-4 years-----	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	-	-	-	1	1	-	1	1	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	4	3	1	1	1	-	3	2	1	3	2	1
40-44 years-----	5	3	2	4	3	1	1	-	1	1	-	1
45-49 years-----	5	4	1	4	3	1	1	1	-	1	1	-
50-54 years-----	4	4	-	4	4	-	-	-	-	-	-	-
55-59 years-----	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years-----	3	1	2	2	1	1	1	-	1	-	-	-
65-69 years-----	2	2	-	1	1	-	1	1	-	1	1	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	5	3	2	5	3	2	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Mumps (B26)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Mumps without complication (B26.9)

All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Infectious mononucleosis (B27)												
All ages-----	19	7	12	16	5	11	3	2	1	2	1	1
Under 1 year----	2	1	1	1	-	1	1	1	-	-	-	-
1-4 years-----	1	1	-	-	-	-	1	1	-	1	1	-
5-9 years-----	2	-	2	2	-	2	-	-	-	-	-	-
10-14 years-----	2	-	2	1	-	1	1	-	1	1	-	1
15-19 years-----	3	-	3	3	-	3	-	-	-	-	-	-
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years-----	2	2	-	2	2	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	2	-	2	2	-	2	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Gamma-herpes-viral mononucleosis (B27.0)

All ages-----	13	4	9	10	2	8	3	2	1	2	1	1
Under 1 year----	2	1	1	1	-	1	1	1	-	-	-	-
1-4 years-----	1	1	-	-	-	-	1	1	-	1	1	-
5-9 years-----	2	-	2	2	-	2	-	-	-	-	-	-
10-14 years-----	2	-	2	1	-	1	1	-	1	1	-	1
15-19 years-----	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	2	-	2	2	-	2	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Infectious mononucleosis, unspecified (B27.9)												
All ages-----	6	3	3	6	3	3	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	2	-	2	2	-	2	-	-	-	-	-	-
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other viral diseases, not elsewhere classified (B33)

All ages-----	75	39	36	55	29	26	20	10	10	11	5	6
Under 1 year----	4	3	1	3	2	1	1	1	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	2	-	2	1	-	1	1	-	1	-	-	-
20-24 years-----	3	3	-	2	2	-	1	1	-	1	1	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	7	6	1	6	5	1	1	1	-	1	1	-
40-44 years-----	10	4	6	7	2	5	3	2	1	1	1	-
45-49 years-----	8	4	4	4	3	1	4	1	3	3	1	2
50-54 years-----	5	3	2	2	2	-	3	1	2	2	-	2
55-59 years-----	10	3	7	6	1	5	4	2	2	2	1	1
60-64 years-----	3	-	3	2	-	2	1	-	1	1	-	1
65-69 years-----	6	3	3	6	3	3	-	-	-	-	-	-
70-74 years-----	3	2	1	3	2	1	-	-	-	-	-	-
75-79 years-----	7	5	2	7	5	2	-	-	-	-	-	-
80-84 years-----	4	2	2	3	1	2	1	1	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Viral carditis (B33.2)												
All ages-----	53	32	21	45	25	20	8	7	1	4	3	1
Under 1 year----	4	3	1	3	2	1	1	1	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	2	2	-	1	1	-	1	1	-	1	1	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	5	4	1	4	3	1	1	1	-	1	1	-
40-44 years-----	5	2	3	5	2	3	-	-	-	-	-	-
45-49 years-----	3	3	-	3	3	-	-	-	-	-	-	-
50-54 years-----	4	3	1	2	2	-	2	1	1	1	-	1
55-59 years-----	8	3	5	6	1	5	2	2	-	1	1	-
60-64 years-----	2	-	2	2	-	2	-	-	-	-	-	-
65-69 years-----	6	3	3	6	3	3	-	-	-	-	-	-
70-74 years-----	3	2	1	3	2	1	-	-	-	-	-	-
75-79 years-----	5	4	1	5	4	1	-	-	-	-	-	-
80-84 years-----	3	2	1	2	1	1	1	1	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Retrovirus infections, not elsewhere classified (B33.3)

All ages-----	8	2	6	1	-	1	7	2	5	7	2	5
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	-	-	-	1	1	-	1	1	-
45-49 years-----	3	1	2	-	-	-	3	1	2	3	1	2
50-54 years-----	1	-	1	-	-	-	1	-	1	1	-	1
55-59 years-----	1	-	1	-	-	-	1	-	1	1	-	1
60-64 years-----	1	-	1	-	-	-	1	-	1	1	-	1
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other specified viral diseases (B33.8)												
All ages-----	14	5	9	9	4	5	5	1	4	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	2	-	2	1	-	1	1	-	1	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	2	2	-	2	2	-	-	-	-	-	-	-
40-44 years-----	4	1	3	2	-	2	2	1	1	-	-	-
45-49 years-----	2	-	2	1	-	1	1	-	1	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	-	1	-	-	-	1	-	1	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Viral infection of unspecified site (B34)

All ages-----	437	182	255	371	153	218	66	29	37	57	26	31
Under 1 year-----	70	36	34	45	26	19	25	10	15	21	10	11
1-4 years-----	33	23	10	26	20	6	7	3	4	7	3	4
5-9 years-----	11	5	6	8	3	5	3	2	1	3	2	1
10-14 years-----	5	4	1	4	3	1	1	1	-	1	1	-
15-19 years-----	6	4	2	5	3	2	1	1	-	-	-	-
20-24 years-----	4	2	2	4	2	2	-	-	-	-	-	-
25-29 years-----	5	-	5	3	-	3	2	-	2	2	-	2
30-34 years-----	5	2	3	3	1	2	2	1	1	2	1	1
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	4	2	2	4	2	2	-	-	-	-	-	-
45-49 years-----	11	5	6	10	5	5	1	-	1	1	-	1
50-54 years-----	19	8	11	14	6	8	5	2	3	4	2	2
55-59 years-----	11	7	4	8	5	3	3	2	1	3	2	1
60-64 years-----	7	6	1	6	5	1	1	1	-	-	-	-
65-69 years-----	11	6	5	10	6	4	1	-	1	1	-	1
70-74 years-----	19	12	7	17	11	6	2	1	1	2	1	1
75-79 years-----	28	8	20	27	8	19	1	-	1	1	-	1
80-84 years-----	53	17	36	50	16	34	3	1	2	2	1	1
85-89 years-----	60	18	42	55	15	40	5	3	2	4	2	2
90-94 years-----	54	16	38	52	15	37	2	1	1	2	1	1
95-99 years-----	15	1	14	15	1	14	-	-	-	-	-	-
100 yrs & over---	5	-	5	4	-	4	1	-	1	1	-	1
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Adenovirus infection, unspecified (B34.0)												
All ages-----	11	6	5	9	5	4	2	1	1	1	1	-
Under 1 year----	3	-	3	2	-	2	1	-	1	-	-	-
1-4 years-----	3	3	-	2	2	-	1	1	-	1	1	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	2	2	-	2	2	-	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Enterovirus infection, unspecified (B34.1)

All ages-----	7	3	4	7	3	4	-	-	-	-	-	-
Under 1 year----	5	2	3	5	2	3	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	2	1	1	2	1	1	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Parvovirus infection, unspecified (B34.3)												
All ages-----	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	2	1	1	2	1	1	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other viral infections of unspecified site (B34.8)

All ages-----	51	25	26	35	19	16	16	6	10	14	6	8
Under 1 year-----	30	14	16	18	10	8	12	4	8	10	4	6
1-4 years-----	8	4	4	5	3	2	3	1	2	3	1	2
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	2	2	-	1	1	-	1	1	-	1	1	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	3	2	1	3	2	1	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	2	-	2	2	-	2	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Viral infection, unspecified (B34.9)												
All ages-----	366	147	219	318	125	193	48	22	26	42	19	23
Under 1 year-----	32	20	12	20	14	6	12	6	6	11	6	5
1-4 years-----	22	16	6	19	15	4	3	1	2	3	1	2
5-9 years-----	8	3	5	5	1	4	3	2	1	3	2	1
10-14 years-----	2	2	-	2	2	-	-	-	-	-	-	-
15-19 years-----	5	3	2	4	2	2	1	1	-	-	-	-
20-24 years-----	3	1	2	3	1	2	-	-	-	-	-	-
25-29 years-----	5	-	5	3	-	3	2	-	2	2	-	2
30-34 years-----	5	2	3	3	1	2	2	1	1	2	1	1
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	4	2	2	4	2	2	-	-	-	-	-	-
45-49 years-----	8	2	6	7	2	5	1	-	1	1	-	1
50-54 years-----	16	7	9	11	5	6	5	2	3	4	2	2
55-59 years-----	10	7	3	7	5	2	3	2	1	3	2	1
60-64 years-----	7	6	1	6	5	1	1	1	-	-	-	-
65-69 years-----	8	4	4	7	4	3	1	-	1	1	-	1
70-74 years-----	19	12	7	17	11	6	2	1	1	2	1	1
75-79 years-----	28	8	20	27	8	19	1	-	1	1	-	1
80-84 years-----	51	17	34	48	16	32	3	1	2	2	1	1
85-89 years-----	60	18	42	55	15	40	5	3	2	4	2	2
90-94 years-----	54	16	38	52	15	37	2	1	1	2	1	1
95-99 years-----	14	1	13	14	1	13	-	-	-	-	-	-
100 yrs & over---	5	-	5	4	-	4	1	-	1	1	-	1
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Other superficial mycoses (B36)												
All ages-----	2	1	1	1	-	1	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	2	1	1	1	-	1	1	1	-	1	1	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Superficial mycosis, unspecified (B36.9)												
All ages-----	2	1	1	1	-	1	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	2	1	1	1	-	1	1	1	-	1	1	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Candidiasis (B37)												
All ages-----	463	244	219	339	185	154	124	59	65	101	51	50
Under 1 year-----	27	18	9	15	10	5	12	8	4	12	8	4
1-4 years-----	4	3	1	3	3	-	1	-	1	-	-	-
5-9 years-----	1	-	1	-	-	-	1	-	1	1	-	1
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	5	2	3	4	2	2	1	-	1	1	-	1
30-34 years-----	5	1	4	2	1	1	3	-	3	2	-	2
35-39 years-----	12	9	3	9	8	1	3	1	2	1	-	1
40-44 years-----	13	10	3	4	3	1	9	7	2	7	6	1
45-49 years-----	21	9	12	14	6	8	7	3	4	7	3	4
50-54 years-----	28	13	15	19	8	11	9	5	4	9	5	4
55-59 years-----	22	12	10	17	10	7	5	2	3	3	2	1
60-64 years-----	35	15	20	25	9	16	10	6	4	7	6	1
65-69 years-----	43	24	19	29	17	12	14	7	7	12	6	6
70-74 years-----	56	27	29	45	22	23	11	5	6	7	4	3
75-79 years-----	61	36	25	50	33	17	11	3	8	11	3	8
80-84 years-----	52	29	23	41	24	17	11	5	6	6	2	4
85-89 years-----	42	21	21	34	16	18	8	5	3	7	4	3
90-94 years-----	22	9	13	14	7	7	8	2	6	8	2	6
95-99 years-----	10	3	7	10	3	7	-	-	10	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Candidal stomatitis (B37.0)												
All ages-----	8	4	4	8	4	4	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	3	2	1	3	2	1	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	2	1	1	2	1	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Pulmonary candidiasis (B37.1)												
All ages-----	34	18	16	27	15	12	7	3	4	6	2	4
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years-----	2	2	-	1	1	-	1	1	-	1	1	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	7	3	4	7	3	4	-	-	-	-	-	-
75-79 years-----	7	4	3	6	4	2	1	-	1	1	-	1
80-84 years-----	3	2	1	2	1	1	1	1	-	-	-	-
85-89 years-----	8	3	5	5	2	3	3	1	2	3	1	2
90-94 years-----	2	-	2	1	-	1	1	-	1	1	-	1
95-99 years-----	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Candidiasis of other urogenital sites (B37.4)												
All ages-----	16	11	5	12	9	3	4	2	2	4	2	2
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	-	-	-	1	1	-	1	1	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	4	4	-	3	3	-	1	1	-	1	1	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	4	1	3	2	1	1	2	-	2	2	-	2
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Candidal meningitis (B37.5)

All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year----	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Candidal endocarditis (B37.6)												
All ages-----	12	5	7	8	4	4	4	1	3	2	-	2
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	1	-	1	-	-	-	1	-	1	1	-	1
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	2	1	1	-	-	-	2	1	1	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	2	2	-	2	2	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	2	-	2	1	-	1	1	-	1	1	-	1
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Candidal septicemia (B37.7)

All ages-----	290	149	141	205	110	95	85	39	46	70	36	34
Under 1 year----	23	15	8	12	8	4	11	7	4	11	7	4
1-4 years-----	2	1	1	1	1	-	1	-	1	-	-	-
5-9 years-----	1	-	1	-	-	-	1	-	1	1	-	1
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	4	1	3	3	1	2	1	-	1	1	-	1
30-34 years-----	2	-	2	-	-	-	2	-	2	1	-	1
35-39 years-----	8	6	2	6	5	1	2	1	1	-	-	-
40-44 years-----	6	5	1	2	2	-	4	3	1	4	3	1
45-49 years-----	10	4	6	6	2	4	4	2	2	4	2	2
50-54 years-----	18	8	10	12	6	6	6	2	4	6	2	4
55-59 years-----	15	7	8	11	5	6	4	2	2	3	2	1
60-64 years-----	27	13	14	18	8	10	9	5	4	6	5	1
65-69 years-----	27	14	13	17	9	8	10	5	5	9	5	4
70-74 years-----	39	17	22	29	13	16	10	4	6	6	3	3
75-79 years-----	37	21	16	31	20	11	6	1	5	6	1	5
80-84 years-----	31	17	14	24	14	10	7	3	4	5	2	3
85-89 years-----	28	15	13	24	12	12	4	3	1	4	3	1
90-94 years-----	8	3	5	5	2	3	3	1	2	3	1	2
95-99 years-----	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Candidiasis of other sites (B37.8)												
All ages-----	68	39	29	51	29	22	17	10	7	14	8	6
Under 1 year----	2	2	-	2	2	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	4	3	1	3	3	-	1	-	1	1	-	1
40-44 years-----	4	3	1	2	1	1	2	2	-	2	2	-
45-49 years-----	4	2	2	3	2	1	1	-	1	1	-	1
50-54 years-----	2	1	1	1	-	1	1	1	-	1	1	-
55-59 years-----	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years-----	3	2	1	2	1	1	1	1	-	1	1	-
65-69 years-----	10	7	3	7	5	2	3	2	1	2	1	1
70-74 years-----	3	2	1	2	1	1	1	1	-	1	1	-
75-79 years-----	8	4	4	5	3	2	3	1	2	3	1	2
80-84 years-----	12	7	5	10	6	4	2	1	1	-	-	-
85-89 years-----	4	1	3	4	1	3	-	-	-	-	-	-
90-94 years-----	5	3	2	3	2	1	2	1	1	2	1	1
95-99 years-----	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Candidiasis, unspecified (B37.9)

All ages-----	34	18	16	27	14	13	7	4	3	5	3	2
Under 1 year----	1	1	-	-	-	-	1	1	-	1	1	-
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	-	-	-	1	1	-	1	1	-
45-49 years-----	4	2	2	2	1	1	2	1	1	2	1	1
50-54 years-----	4	1	3	4	1	3	-	-	-	-	-	-
55-59 years-----	2	1	1	1	1	-	1	-	1	-	-	-
60-64 years-----	4	-	4	4	-	4	-	-	-	-	-	-
65-69 years-----	4	1	3	3	1	2	1	-	1	1	-	1
70-74 years-----	4	3	1	4	3	1	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	2	2	-	2	2	-	-	-	-	-	-	-
85-89 years-----	1	1	-	-	-	-	1	1	-	-	-	-
90-94 years-----	3	2	1	3	2	1	-	-	-	-	-	-
95-99 years-----	2	1	1	2	1	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Coccidioidomycosis (B38)												
All ages-----	82	66	16	61	46	15	21	20	1	12	12	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years-----	2	1	1	1	-	1	1	1	-	1	1	-
25-29 years-----	6	6	-	2	2	-	4	4	-	3	3	-
30-34 years-----	3	3	-	1	1	-	2	2	-	2	2	-
35-39 years-----	5	5	-	3	3	-	2	2	-	1	1	-
40-44 years-----	3	3	-	1	1	-	2	2	-	2	2	-
45-49 years-----	5	2	3	5	2	3	-	-	-	-	-	-
50-54 years-----	5	5	-	2	2	-	3	3	-	1	1	-
55-59 years-----	4	3	1	4	3	1	-	-	-	-	-	-
60-64 years-----	6	5	1	5	4	1	1	1	-	-	-	-
65-69 years-----	10	6	4	9	5	4	1	1	-	-	-	-
70-74 years-----	6	5	1	4	4	-	2	1	1	1	1	-
75-79 years-----	8	6	2	8	6	2	-	-	-	-	-	-
80-84 years-----	7	6	1	5	4	1	2	2	-	1	1	-
85-89 years-----	8	7	1	8	7	1	-	-	-	-	-	-
90-94 years-----	2	2	-	1	1	-	1	1	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Acute pulmonary coccidioidomycosis (B38.0)

All ages-----	2	1	1	1	-	1	1	1	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	1	1	-	-	-	-	1	1	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Chronic pulmonary coccidioidomycosis (B38.1)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Pulmonary coccidioidomycosis, unspecified (B38.2)												
All ages-----	26	22	4	17	13	4	9	9	-	6	6	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	2	2	-	-	-	-	2	2	-	2	2	-
30-34 years-----	1	1	-	-	1	-	1	1	-	1	1	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	1	1	-	-	-	-	1	1	-	1	1	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	-	-	-	1	1	-	-	-	-
55-59 years-----	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years-----	3	2	1	2	1	1	1	1	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	1	1	-	-	-	-	1	1	-	1	1	-
75-79 years-----	4	3	1	4	3	1	-	-	-	-	-	-
80-84 years-----	5	5	-	3	3	-	2	2	-	1	1	-
85-89 years-----	3	3	-	3	3	-	-	-	-	-	-	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Cutaneous coccidioidomycosis (B38.3)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Coccidioidomycosis meningitis (B38.4)												
All ages-----	10	8	2	8	6	2	2	2	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years-----	1	1	-	-	-	-	1	1	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	-	-	-	1	1	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Disseminated coccidioidomycosis (B38.7)												
All ages-----	17	14	3	11	9	2	6	5	1	3	3	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	-	-	-	1	1	-	1	1	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	2	2	-	-	-	-	2	2	-	1	1	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	3	3	-	1	1	-	2	2	-	1	1	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	2	2	-	2	2	-	-	-	-	-	-	-
65-69 years-----	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years-----	3	2	1	2	2	-	1	-	1	-	-	-
75-79 years-----	2	2	-	2	2	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other forms of coccidioidomycosis (B38.8)

All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Coccidioidomycosis, unspecified (B38.9)												
All ages-----	24	19	5	21	16	5	3	3	-	3	3	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	2	2	-	1	1	-	1	1	-	1	1	-
30-34 years-----	1	1	-	-	-	-	1	1	-	1	1	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	1	1	-	-	-	-	1	1	-	1	1	-
45-49 years-----	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	2	2	-	2	2	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	6	4	2	6	4	2	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	2	2	-	2	2	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Histoplasmosis (B39)

All ages-----	35	23	12	35	23	12	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	2	1	1	2	1	1	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	2	1	1	2	1	1	-	-	-	-	-	-
40-44 years-----	2	2	-	2	2	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	2	1	1	2	1	1	-	-	-	-	-	-
55-59 years-----	3	2	1	3	2	1	-	-	-	-	-	-
60-64 years-----	4	3	1	4	3	1	-	-	-	-	-	-
65-69 years-----	4	3	1	4	3	1	-	-	-	-	-	-
70-74 years-----	3	3	-	3	3	-	-	-	-	-	-	-
75-79 years-----	3	2	1	3	2	1	-	-	-	-	-	-
80-84 years-----	6	3	3	6	3	3	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Pulmonary histoplasmosis capsulati, unspecified (B39.2)												
All ages-----	8	7	1	8	7	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Histoplasmosis, unspecified (B39.9)

All ages-----	27	16	11	27	16	11	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	2	1	1	2	1	1	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	2	1	1	2	1	1	-	-	-	-	-	-
55-59 years-----	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years-----	3	2	1	3	2	1	-	-	-	-	-	-
65-69 years-----	3	2	1	3	2	1	-	-	-	-	-	-
70-74 years-----	3	3	-	3	3	-	-	-	-	-	-	-
75-79 years-----	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years-----	5	3	2	5	3	2	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Blastomycosis (B40)												
All ages-----	46	26	20	32	20	12	14	6	8	12	5	7
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	-	-	-	1	1	-	1	1	-
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years-----	2	2	-	-	-	-	2	2	-	1	1	-
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	2	1	1	1	-	1	1	1	-	1	1	-
40-44 years-----	3	-	3	1	-	1	2	-	2	2	-	2
45-49 years-----	3	2	1	2	2	-	1	-	1	1	-	1
50-54 years-----	4	3	1	3	2	1	1	1	-	1	1	-
55-59 years-----	2	1	1	1	1	-	1	-	1	1	-	1
60-64 years-----	6	3	3	4	2	2	2	1	1	1	1	-
65-69 years-----	5	2	3	5	2	3	-	-	-	-	-	-
70-74 years-----	4	2	2	2	2	-	2	-	2	2	-	2
75-79 years-----	5	4	1	5	4	1	-	-	-	-	-	-
80-84 years-----	2	2	-	2	2	-	-	-	-	-	-	-
85-89 years-----	3	2	1	3	2	1	-	-	-	-	-	-
90-94 years-----	2	1	1	1	1	-	1	-	1	1	-	1
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Pulmonary blastomycosis, unspecified (B40.2)

All ages-----	11	5	6	7	5	2	4	-	4	4	-	4
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	-	-	-	1	-	1	1	-	1
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	-	1	-	-	-	1	-	1	1	-	1
60-64 years-----	3	1	2	3	1	2	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	-	-	-	1	-	1	1	-	1
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	2	1	1	1	1	-	1	-	1	1	-	1
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Disseminated blastomycosis (B40.7)												
All ages-----	9	6	3	8	6	2	1	-	1	1	-	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	2	1	1	1	1	-	1	-	1	1	-	1
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other forms of blastomycosis (B40.8)

All ages-----	2	1	1	-	-	-	2	1	1	2	1	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	-	-	-	1	1	-	1	1	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	-	-	-	1	-	1	1	-	1
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Blastomycosis, unspecified (B40.9)												
All ages-----	24	14	10	17	9	8	7	5	2	5	4	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	-	-	-	1	1	-	1	1	-
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years-----	2	2	-	-	-	-	2	2	-	1	1	-
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	1	-	1	-	-	-	1	-	1	1	-	1
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	2	1	1	1	-	1	1	1	-	1	1	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	3	2	1	1	1	-	2	1	1	1	1	-
65-69 years-----	4	1	3	4	1	3	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	3	3	-	3	3	-	-	-	-	-	-	-
80-84 years-----	2	2	-	2	2	-	-	-	-	-	-	-
85-89 years-----	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Sporotrichosis (B42)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Sporotrichosis, unspecified (B42.9)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Chromomycosis and phaeomycotic abscess (B43)

All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Pneumocystic brain abscess (B43.1)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Aspergillosis (B44)												
All ages-----	361	200	161	297	163	134	64	37	27	45	24	21
Under 1 year-----	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years-----	2	1	1	1	1	1	1	-	1	1	-	1
5-9 years-----	5	2	3	4	2	2	1	-	1	1	-	1
10-14 years-----	3	2	1	2	1	1	1	1	-	-	-	-
15-19 years-----	3	2	1	2	2	-	1	-	1	-	-	-
20-24 years-----	5	2	3	4	1	3	1	1	-	1	1	-
25-29 years-----	5	3	2	5	3	2	-	-	-	-	-	-
30-34 years-----	5	3	2	3	1	2	2	2	-	2	2	-
35-39 years-----	12	8	4	10	7	3	2	1	1	2	1	1
40-44 years-----	23	11	12	17	9	8	6	2	4	5	1	4
45-49 years-----	24	16	8	17	12	5	7	4	3	6	3	3
50-54 years-----	31	15	16	26	14	12	5	1	4	4	1	3
55-59 years-----	44	21	23	38	20	18	6	1	5	3	-	3
60-64 years-----	39	26	13	28	17	11	11	9	2	5	4	1
65-69 years-----	42	25	17	35	20	15	7	5	2	6	4	2
70-74 years-----	49	28	21	44	24	20	5	4	1	3	3	-
75-79 years-----	37	19	18	33	16	17	4	3	1	4	3	1
80-84 years-----	20	13	7	17	10	7	3	3	-	1	1	-
85-89 years-----	7	2	5	6	2	4	1	-	1	1	-	1
90-94 years-----	3	1	2	3	1	2	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Invasive pulmonary aspergillosis (B44.0)												
All ages-----	16	6	10	14	4	10	2	2	-	2	2	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	3	1	2	3	1	2	-	-	-	-	-	-
60-64 years-----	3	2	1	1	-	1	2	2	-	2	2	-
65-69 years-----	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	5	1	4	5	1	4	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Other pulmonary aspergillosis (B44.1)												
All ages-----	197	115	82	168	98	70	29	17	12	16	9	7
Under 1 year-----	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	2	1	1	2	1	1	-	-	-	-	-	-
10-14 years-----	2	1	1	2	1	1	-	-	-	-	-	-
15-19 years-----	3	2	1	2	2	-	1	-	1	-	-	-
20-24 years-----	2	1	1	1	-	1	1	1	-	1	1	-
25-29 years-----	4	3	1	4	3	1	-	-	-	-	-	-
30-34 years-----	2	-	2	2	-	2	-	-	-	-	-	-
35-39 years-----	8	6	2	6	5	1	2	1	1	2	1	1
40-44 years-----	9	4	5	7	3	4	2	1	1	1	-	1
45-49 years-----	12	8	4	8	6	2	4	2	2	3	1	2
50-54 years-----	20	12	8	18	11	7	2	1	1	1	1	-
55-59 years-----	23	12	11	20	12	8	3	-	3	1	-	1
60-64 years-----	23	16	7	18	11	7	5	5	-	2	2	-
65-69 years-----	18	11	7	16	10	6	2	1	1	2	1	1
70-74 years-----	30	17	13	26	14	12	4	3	1	2	2	-
75-79 years-----	22	11	11	21	11	10	1	-	1	1	-	1
80-84 years-----	11	7	4	9	5	4	2	2	-	-	-	-
85-89 years-----	3	2	1	3	2	1	-	-	-	-	-	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Disseminated aspergillosis (B44.7)												
All ages-----	20	10	10	15	7	8	5	3	2	3	1	2
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	-	1	-	-	-	1	-	1	1	-	1
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	3	2	1	3	2	1	-	-	-	-	-	-
45-49 years-----	1	1	-	-	-	-	1	1	-	1	1	-
50-54 years-----	2	-	2	2	-	2	-	-	-	-	-	-
55-59 years-----	4	2	2	2	1	1	2	1	1	1	-	1
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	2	2	-	1	1	-	1	1	-	-	-	-
70-74 years-----	4	1	3	4	1	3	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Other forms of aspergillosis (B44.8)												
All ages-----	13	7	6	11	5	6	2	2	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	-	-	-	1	1	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	-	-	-	1	1	-	1	1	-
70-74 years-----	3	1	2	3	1	2	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Aspergillosis, unspecified (B44.9)												
All ages-----	115	62	53	89	49	40	26	13	13	23	11	12
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	3	1	2	2	1	1	1	-	1	1	-	1
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	2	-	2	2	-	2	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	2	2	-	-	-	-	2	2	-	2	2	-
35-39 years-----	3	1	2	3	1	2	-	-	-	-	-	-
40-44 years-----	11	5	6	7	4	3	4	1	3	4	1	3
45-49 years-----	10	7	3	8	6	2	2	1	1	2	1	1
50-54 years-----	8	2	6	5	2	3	3	-	3	3	-	3
55-59 years-----	12	5	7	11	5	6	1	-	1	1	-	1
60-64 years-----	12	8	4	8	6	2	4	2	2	1	-	1
65-69 years-----	19	10	9	16	8	8	3	2	1	3	2	1
70-74 years-----	11	9	2	10	8	2	1	1	-	1	1	-
75-79 years-----	9	6	3	6	3	3	3	3	-	3	3	-
80-84 years-----	7	5	2	6	4	2	1	1	-	1	1	-
85-89 years-----	4	-	4	3	-	3	1	-	1	1	-	1
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Cryptococcosis (B45)												
All ages-----	149	102	47	102	68	34	47	34	13	43	33	10
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	2	-	2	-	-	-	2	-	2	2	-	2
25-29 years-----	6	4	2	1	-	1	5	4	1	5	4	1
30-34 years-----	11	8	3	5	2	3	6	6	-	6	6	-
35-39 years-----	12	11	1	8	7	1	4	4	-	4	4	-
40-44 years-----	14	11	3	7	6	1	7	5	2	7	5	2
45-49 years-----	10	5	5	7	3	4	3	2	1	3	2	1
50-54 years-----	12	7	5	8	4	4	4	3	1	4	3	1
55-59 years-----	10	4	6	7	3	4	3	1	2	3	1	2
60-64 years-----	9	6	3	6	4	2	3	2	1	3	2	1
65-69 years-----	10	6	4	9	6	3	1	-	1	-	-	-
70-74 years-----	18	15	3	15	12	3	3	3	-	3	3	-
75-79 years-----	15	13	2	11	11	-	4	2	2	1	1	-
80-84 years-----	11	8	3	9	6	3	2	2	-	2	2	-
85-89 years-----	7	3	4	7	3	4	-	-	-	-	-	-
90-94 years-----	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Pulmonary cryptococcosis (B45.0)												
All ages-----	10	7	3	9	6	3	1	1	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years-----	2	2	-	2	2	-	-	-	-	-	-	-
75-79 years-----	2	2	-	1	1	-	1	1	-	-	-	-
80-84 years-----	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Cerebral cryptococcosis (B45.1)

All ages-----	109	75	34	70	46	24	39	29	10	37	29	8
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	2	-	2	-	-	-	2	-	2	2	-	2
25-29 years-----	6	4	2	1	-	1	5	4	1	5	4	1
30-34 years-----	9	6	3	4	1	3	5	5	-	5	5	-
35-39 years-----	9	8	1	7	6	1	2	2	-	2	2	-
40-44 years-----	12	9	3	5	4	1	7	5	2	7	5	2
45-49 years-----	10	5	5	7	3	4	3	2	1	3	2	1
50-54 years-----	12	7	5	8	4	4	4	3	1	4	3	1
55-59 years-----	6	3	3	4	2	2	2	1	1	2	1	1
60-64 years-----	7	6	1	5	4	1	2	2	-	2	2	-
65-69 years-----	6	4	2	6	4	2	-	-	-	-	-	-
70-74 years-----	11	8	3	9	6	3	2	2	-	2	2	-
75-79 years-----	10	8	2	7	7	-	3	1	2	1	1	-
80-84 years-----	5	5	-	3	3	-	2	2	-	2	2	-
85-89 years-----	4	2	2	4	2	2	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Disseminated cryptococcosis (B45.7)												
All ages-----	15	13	2	12	11	1	3	2	1	3	2	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	2	2	-	1	1	-	1	1	-	1	1	-
35-39 years-----	2	2	-	1	1	-	1	1	-	1	1	-
40-44 years-----	2	2	-	2	2	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	-	1	-	-	1	1	-	1	1	-	1
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	2	2	-	2	2	-	-	-	-	-	-	-
75-79 years-----	3	3	-	3	3	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Cryptococcosis, unspecified (B45.9)

All ages-----	15	7	8	11	5	6	4	2	2	3	2	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	-	-	-	1	1	-	1	1	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	3	1	2	3	1	2	-	-	-	-	-	-
60-64 years-----	1	-	1	-	-	-	1	-	1	1	-	1
65-69 years-----	1	-	1	-	-	-	1	-	1	-	-	-
70-74 years-----	3	3	-	2	2	-	1	1	-	1	1	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	4	2	2	4	2	2	-	-	-	-	-	-
85-89 years-----	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Zygomycosis (B46)												
All ages-----	42	26	16	29	19	10	13	7	6	13	7	6
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	3	1	2	1	1	-	2	-	2	2	-	2
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	2	1	1	-	-	-	2	1	1	2	1	1
45-49 years-----	3	2	1	2	1	1	1	1	-	1	1	-
50-54 years-----	4	3	1	3	2	1	1	1	-	1	1	-
55-59 years-----	6	4	2	3	3	-	3	1	2	3	1	2
60-64 years-----	6	4	2	5	3	2	1	1	-	1	1	-
65-69 years-----	6	3	3	4	1	3	2	2	-	2	2	-
70-74 years-----	4	4	-	4	4	-	-	-	-	-	-	-
75-79 years-----	4	2	2	3	2	1	1	-	1	1	-	1
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Pulmonary mucormycosis (B46.0)

All ages-----	6	4	2	3	2	1	3	2	1	3	2	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	-	1	-	-	-	1	-	1	1	-	1
60-64 years-----	3	3	-	2	2	-	1	1	-	1	1	-
65-69 years-----	1	1	-	-	-	-	1	1	-	1	1	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Rhinocerebral mucormycosis (B46.1)												
All ages-----	7	4	3	4	2	2	3	2	1	3	2	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	2	1	1	2	1	1	-	-	-	-	-	-
55-59 years-----	1	1	-	1	-	-	1	1	-	1	1	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	1	1	-	-	-	-	1	1	-	1	1	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	-	-	-	1	-	1	1	-	1
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Cutaneous mucormycosis (B46.3)

All ages-----	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	2	2	-	2	2	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Mucormycosis, unspecified (B46.5)												
All ages-----	27	16	11	20	13	7	7	3	4	7	3	4
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	3	1	2	1	1	-	2	-	2	2	-	2
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	2	1	1	-	-	-	2	1	1	2	1	1
45-49 years-----	3	2	1	2	1	1	1	1	-	1	1	-
50-54 years-----	2	2	-	1	1	-	1	1	-	1	1	-
55-59 years-----	2	1	1	1	1	-	1	-	1	1	-	1
60-64 years-----	2	-	2	2	-	2	-	-	-	-	-	-
65-69 years-----	4	1	3	4	1	3	-	-	-	-	-	-
70-74 years-----	4	4	-	4	4	-	-	-	-	-	-	-
75-79 years-----	3	2	1	3	2	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Mycetoma (B47)												
All ages-----	1	1	-	-	-	-	1	1	-	1	1	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	-	-	-	1	1	-	1	1	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Mycetoma, unspecified (B47.9)												
All ages-----	1	1	-	-	-	-	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	-	-	-	1	1	-	1	1	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Other mycoses, not elsewhere classified (B48)												
All ages-----	3	3	-	3	3	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Opportunistic mycoses (B48.7)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Other specified mycoses (B48.8)												
All ages-----	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Unspecified mycosis (B49)												
All ages-----	659	336	323	505	276	229	154	60	94	137	51	86
Under 1 year-----	24	14	10	15	11	4	9	3	6	9	3	6
1-4 years-----	6	3	3	1	1	-	5	2	3	4	2	2
5-9 years-----	2	1	1	1	1	-	1	-	1	1	-	1
10-14 years-----	5	4	1	5	4	1	-	-	-	-	-	-
15-19 years-----	2	-	2	2	-	2	-	-	-	-	-	-
20-24 years-----	3	1	2	2	1	1	1	-	1	1	-	1
25-29 years-----	9	3	6	7	3	4	2	-	2	2	-	2
30-34 years-----	18	10	8	12	9	3	6	1	5	6	1	5
35-39 years-----	13	8	5	7	6	1	6	2	4	6	2	4
40-44 years-----	20	11	9	14	8	6	6	3	3	6	3	3
45-49 years-----	42	23	19	29	16	13	13	7	6	11	7	4
50-54 years-----	43	22	21	33	17	16	10	5	5	6	3	3
55-59 years-----	41	27	14	28	22	6	13	5	8	11	3	8
60-64 years-----	44	21	23	31	17	14	13	4	9	12	3	9
65-69 years-----	81	35	46	65	30	35	16	5	11	15	5	10
70-74 years-----	88	48	40	71	43	28	17	5	12	17	5	12
75-79 years-----	104	51	53	92	46	46	12	5	7	10	4	6
80-84 years-----	61	27	34	51	24	27	10	3	7	9	2	7
85-89 years-----	38	21	17	27	12	15	11	9	2	8	7	1
90-94 years-----	11	4	7	10	4	6	1	-	1	1	-	1
95-99 years-----	4	2	2	2	1	1	2	1	1	2	1	1
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Plasmodium falciparum malaria (B50)												
All ages-----	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Plasmodium falciparum malaria with cerebral complications (B50.0)												
All ages-----	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Unspecified malaria (B54)

All ages-----	5	3	2	2	2	-	3	1	2	3	1	2
Under 1 year-----	1	1	-	-	-	-	1	1	-	1	1	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	-	-	-	1	-	1	1	-	1
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	-	-	-	1	-	1	1	-	1
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Chagas' disease (B57)												
All ages-----	3	1	2	3	1	2	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	2	1	1	2	1	1	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Chagas' disease (chronic) with heart involvement (B57.2)

All ages-----	2	-	2	2	-	2	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

RACE, AND SEX

Chagas' disease (chronic) with nervous system involvement (B57.4)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Toxoplasmosis (B58)

All ages-----	29	17	12	13	8	5	16	9	7	16	9	7
Under 1 year-----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	1	1	-	-	-	-	1	1	-	1	1	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	3	3	-	1	1	-	2	2	-	2	2	-
30-34 years-----	3	1	2	2	-	2	1	1	-	1	1	-
35-39 years-----	5	4	1	2	2	-	3	2	1	3	2	1
40-44 years-----	5	2	3	3	2	1	2	-	2	2	-	2
45-49 years-----	3	2	1	1	1	-	2	1	1	2	1	1
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	4	1	3	1	-	1	3	1	2	3	1	2
60-64 years-----	3	1	2	1	-	1	2	1	1	2	1	1
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Toxoplasma meningoenephalitis (B58.2)												
All ages-----	16	9	7	7	5	2	9	4	5	9	4	5
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	2	2	-	1	1	-	1	1	-	1	1	-
30-34 years-----	2	1	1	1	-	1	1	1	-	1	1	-
35-39 years-----	2	2	-	1	1	-	1	1	-	1	1	-
40-44 years-----	4	1	3	2	1	1	2	-	2	2	-	2
45-49 years-----	2	1	1	1	1	-	1	-	1	1	-	1
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	2	-	2	-	-	-	2	-	2	2	-	2
60-64 years-----	1	1	-	-	-	-	1	1	-	1	1	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Pulmonary toxoplasmosis (B58.3)

All ages-----	3	2	1	2	1	1	1	1	-	1	1	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	1	-	-	-	-	1	1	-	1	1	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Toxoplasmosis with other organ involvement (B58.8)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Toxoplasmosis, unspecified (B58.9)

All ages-----	9	6	3	3	2	1	6	4	2	6	4	2
Under 1 year-----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	2	1	1	-	-	-	2	1	1	2	1	1
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	1	1	-	-	-	-	1	1	-	1	1	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	2	1	1	1	-	1	1	1	-	1	1	-
60-64 years-----	1	-	1	-	-	-	1	-	1	1	-	1
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Pneumocystosis (B59)												
All ages-----	244	132	112	177	101	76	67	31	36	60	27	33
Under 1 year----	4	2	2	3	1	2	1	1	-	1	1	-
1-4 years-----	3	-	3	3	-	3	-	-	-	-	-	-
5-9 years-----	1	-	1	-	-	-	1	-	1	-	-	-
10-14 years-----	1	1	-	-	-	-	1	1	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	2	2	-	2	2	-	-	-	-	-	-	-
25-29 years-----	9	4	5	3	2	1	6	2	4	6	2	4
30-34 years-----	14	7	7	8	4	4	6	3	3	6	3	3
35-39 years-----	26	15	11	16	11	5	10	4	6	10	4	6
40-44 years-----	32	18	14	20	14	6	12	4	8	12	4	8
45-49 years-----	19	10	9	11	7	4	8	3	5	6	2	4
50-54 years-----	27	20	7	17	12	5	10	8	2	10	8	2
55-59 years-----	15	10	5	14	9	5	1	1	-	-	-	-
60-64 years-----	13	8	5	9	6	3	4	2	2	4	2	2
65-69 years-----	19	9	10	17	9	8	2	-	2	1	-	1
70-74 years-----	26	13	13	24	12	12	2	1	1	2	1	1
75-79 years-----	22	8	14	19	7	12	3	1	2	2	-	2
80-84 years-----	8	4	4	8	4	4	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other protozoal diseases, not elsewhere classified (B60)

All ages-----	6	4	2	6	4	2	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	2	-	2	2	-	2	-	-	-	-	-	-
85-89 years-----	2	2	-	2	2	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Babesiosis (B60.0)												
All ages-----	4	2	2	4	2	2	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	2	-	2	2	-	2	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Acanthamebiasis (B60.1)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Negleriasis (B60.2)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Schistosomiasis [bilharziasis] (B65)

All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Schistosomiasis due to Schistosoma mansoni [intestinal schistosomiasis] (B65.1)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Echinococcosis (B67)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Echinococcus granulosus infection of lung (B67.1)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Cysticercosis (B69)												
All ages-----	5	2	3	5	2	3	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	2	1	1	2	1	1	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Cysticercosis of central nervous system (B69.0)												
All ages-----	5	2	3	5	2	3	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	2	1	1	2	1	1	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Strongyloidiasis (B78)												
All ages-----	5	5	-	3	3	-	2	2	-	1	1	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	1	1	-	-	-	-	1	1	-	1	1	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	-	-	-	1	1	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Disseminated strongyloidiasis (B78.7)												
All ages-----	3	3	-	2	2	-	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	-	-	-	1	1	-	1	1	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Strongyloidiasis, unspecified (B78.9)

All ages-----	2	2	-	1	1	-	1	1	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	-	-	-	1	1	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other intestinal helminthiases, not elsewhere classified (B81)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Intestinal capillariasis (B81.1)

All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other helminthiases (B83)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Angiostrongyliasis due to Parastrongylus cantonensis (B83.2)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Scabies (B86)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Unspecified parasitic disease (B89)												
All ages-----	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Sequelae of tuberculosis (B90)												
All ages-----	189	77	112	140	50	90	49	27	22	22	10	12
Under 1 year-----
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	3	1	2	3	1	2	-	-	-	-	-	-
30-34 years-----	1	-	1	-	-	-	1	-	1	-	-	-
35-39 years-----	3	1	2	-	-	-	3	1	2	2	1	1
40-44 years-----	4	2	2	1	1	-	3	1	2	2	1	1
45-49 years-----	10	4	6	5	1	4	5	3	2	4	3	1
50-54 years-----	7	4	3	1	-	1	6	4	2	3	1	2
55-59 years-----	7	2	5	6	2	4	1	-	1	1	-	1
60-64 years-----	7	5	2	6	4	2	1	1	-	-	-	-
65-69 years-----	8	5	3	2	1	1	6	4	2	3	1	2
70-74 years-----	27	12	15	19	8	11	8	4	4	2	1	1
75-79 years-----	30	14	16	24	10	14	6	4	2	2	2	-
80-84 years-----	47	16	31	41	13	28	6	3	3	2	-	2
85-89 years-----	23	7	16	21	6	15	2	1	1	1	-	1
90-94 years-----	9	3	6	8	2	6	1	1	-	-	-	-
95-99 years-----	2	1	1	2	1	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Sequelae of central nervous system tuberculosis (B90.0)

All ages-----	3	1	2	2	-	2	1	1	-	-	-	-
Under 1 year-----
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	-	-	-	1	1	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Sequelae of genitourinary tuberculosis (B90.1)												
All ages-----	2	1	1	1	-	1	1	1	-	-	-	-
Under 1 year-----
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	-	-	-	1	1	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Sequelae of tuberculosis of bones and joints (B90.2)

All ages-----	3	1	2	2	-	2	1	1	-	1	1	-
Under 1 year-----
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	-	-	-	1	1	-	1	1	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Sequelae of tuberculosis of other organs (B90.8)												
All ages-----	24	3	21	15	2	13	9	1	8	8	1	7
Under 1 year-----
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	3	1	2	-	-	-	3	1	2	2	1	1
40-44 years-----	1	-	1	-	-	-	-	-	1	1	-	1
45-49 years-----	5	1	4	4	1	3	1	-	1	1	-	1
50-54 years-----	3	-	3	1	-	1	2	-	2	2	-	2
55-59 years-----	2	-	2	1	-	1	1	-	1	1	-	1
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	1	-	1	-	-	-	1	-	1	1	-	1
70-74 years-----	2	-	2	2	-	2	-	-	-	-	-	-
75-79 years-----	4	1	3	4	1	3	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Sequelae of respiratory and unspecified tuberculosis (B90.9)

All ages-----	157	71	86	120	48	72	37	23	14	13	8	5
Under 1 year-----
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	1	-	1	-	-	-	1	-	1	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	3	2	1	1	1	-	2	1	1	1	1	-
45-49 years-----	5	3	2	1	-	1	4	3	1	3	3	-
50-54 years-----	3	3	-	-	-	-	3	3	-	1	1	-
55-59 years-----	5	2	3	5	2	3	-	-	-	-	-	-
60-64 years-----	6	5	1	5	4	1	1	1	-	-	-	-
65-69 years-----	6	4	2	2	1	1	4	3	1	2	1	1
70-74 years-----	24	11	13	17	8	9	7	3	4	1	-	1
75-79 years-----	25	13	12	19	9	10	6	4	2	2	2	-
80-84 years-----	44	16	28	38	13	25	6	3	3	2	-	2
85-89 years-----	23	7	16	21	6	15	2	1	1	1	-	1
90-94 years-----	9	3	6	8	2	6	1	1	-	-	-	-
95-99 years-----	2	1	1	2	1	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Sequelae of poliomyelitis (B91)												
All ages-----	263	121	142	259	119	140	4	2	2	3	1	2
Under 1 year-----
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	8	6	2	8	6	2	-	-	-	-	-	-
50-54 years-----	13	5	8	12	5	7	1	-	1	1	-	1
55-59 years-----	13	7	6	13	7	6	-	-	-	-	-	-
60-64 years-----	22	11	11	21	11	10	1	-	1	1	-	1
65-69 years-----	29	19	10	29	19	10	-	-	-	-	-	-
70-74 years-----	44	19	25	43	18	25	1	1	-	1	1	-
75-79 years-----	44	23	21	44	23	21	-	-	-	-	-	-
80-84 years-----	34	11	23	34	11	23	-	-	-	-	-	-
85-89 years-----	36	13	23	36	13	23	-	-	-	-	-	-
90-94 years-----	13	6	7	12	5	7	1	1	-	-	-	-
95-99 years-----	5	-	5	5	-	5	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Sequelae of leprosy (B92)

All ages-----	1	1	-	-	-	-	1	1	-	1	1	-
Under 1 year-----
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	-	-	-	1	1	-	1	1	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

RACE, AND SEX

Sequelae of other and unspecified infectious and parasitic diseases (B94)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	1,328	684	644	970	512	458	358	172	186	324	150	174
Under 1 year-----
1-4 years-----	3	3	-	-	-	-	3	3	-	3	3	-
5-9 years-----	5	4	1	5	4	1	-	-	-	-	-	-
10-14 years-----	3	1	2	1	-	1	2	1	1	2	1	1
15-19 years-----	3	2	1	2	1	1	1	1	-	1	1	-
20-24 years-----	4	2	2	1	1	-	3	1	2	3	1	2
25-29 years-----	7	4	3	6	4	2	1	-	1	1	-	1
30-34 years-----	36	20	16	15	10	5	21	10	11	21	10	11
35-39 years-----	55	30	25	30	19	11	25	11	14	25	11	14
40-44 years-----	102	67	35	60	46	14	42	21	21	36	16	20
45-49 years-----	127	82	45	76	58	18	51	24	27	47	21	26
50-54 years-----	116	71	45	73	52	21	43	19	24	37	16	21
55-59 years-----	88	45	43	59	32	27	29	13	16	25	10	15
60-64 years-----	97	50	47	67	34	33	30	16	14	27	14	13
65-69 years-----	121	67	54	94	51	43	27	16	11	21	11	10
70-74 years-----	137	58	79	112	48	64	25	10	15	24	10	14
75-79 years-----	161	79	82	139	69	70	22	10	12	20	9	11
80-84 years-----	132	60	72	116	48	68	16	12	4	16	12	4
85-89 years-----	87	27	60	78	25	53	9	2	7	7	2	5
90-94 years-----	32	8	24	25	6	19	7	2	5	7	2	5
95-99 years-----	11	4	7	10	4	6	1	-	1	1	-	1
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Sequelae of viral encephalitis (B94.1)

All ages-----	8	6	2	8	6	2	-	-	-	-	-	-
Under 1 year-----
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	3	3	-	3	3	-	-	-	-	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	2	2	-	2	2	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Sequelae of viral hepatitis (B94.2)												
All ages-----	326	211	115	261	175	86	65	36	29	44	22	22
Under 1 year----
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	5	4	1	5	4	1	-	-	-	-	-	-
35-39 years-----	13	4	9	10	4	6	3	-	3	3	-	3
40-44 years-----	39	29	10	34	27	7	5	2	3	4	1	3
45-49 years-----	61	48	13	51	42	9	10	6	4	7	3	4
50-54 years-----	50	40	10	37	31	6	13	9	4	8	6	2
55-59 years-----	35	25	10	27	20	7	8	5	3	5	3	2
60-64 years-----	19	13	6	16	11	5	3	2	1	2	1	1
65-69 years-----	26	15	11	17	8	9	9	7	2	4	3	1
70-74 years-----	20	8	12	16	6	10	4	2	2	3	2	1
75-79 years-----	27	12	15	24	12	12	3	-	3	2	-	2
80-84 years-----	22	10	12	20	9	11	2	1	1	2	1	1
85-89 years-----	7	3	4	4	1	3	3	2	1	2	2	-
90-94 years-----	2	-	2	-	-	-	2	-	2	2	-	2
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Sequelae of other specified infectious and parasitic diseases (B94.8)

All ages-----	990	466	524	697	330	367	293	136	157	280	128	152
Under 1 year----
1-4 years-----	3	3	-	-	-	-	3	3	-	3	3	-
5-9 years-----	2	1	1	2	1	1	-	-	-	-	-	-
10-14 years-----	2	1	1	-	-	-	2	1	1	2	1	1
15-19 years-----	3	2	1	2	1	1	1	1	-	1	1	-
20-24 years-----	4	2	2	1	1	-	3	1	2	3	1	2
25-29 years-----	7	4	3	6	4	2	1	-	1	1	-	1
30-34 years-----	31	16	15	10	6	4	21	10	11	21	10	11
35-39 years-----	41	26	15	19	15	4	22	11	11	22	11	11
40-44 years-----	63	38	25	26	19	7	37	19	18	32	15	17
45-49 years-----	65	34	31	24	16	8	41	18	23	40	18	22
50-54 years-----	66	31	35	36	21	15	30	10	20	29	10	19
55-59 years-----	53	20	33	32	12	20	21	8	13	20	7	13
60-64 years-----	78	37	41	51	23	28	27	14	13	25	13	12
65-69 years-----	94	52	42	76	43	33	18	9	9	17	8	9
70-74 years-----	114	47	67	93	39	54	21	8	13	21	8	13
75-79 years-----	134	67	67	115	57	58	19	10	9	18	9	9
80-84 years-----	110	50	60	96	39	57	14	11	3	14	11	3
85-89 years-----	79	24	55	73	24	49	6	-	6	5	-	5
90-94 years-----	29	7	22	24	5	19	5	2	3	5	2	3
95-99 years-----	11	4	7	10	4	6	1	-	1	1	-	1
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

RACE, AND SEX

Sequelae of unspecified infectious or parasitic disease (B94.9)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	4	1	3	4	1	3	-	-	-	-	-	-
Under 1 year-----
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other and unspecified infectious diseases (B99)

All ages-----	92	41	51	78	34	44	14	7	7	12	6	6
Under 1 year-----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	4	4	-	3	3	-	1	1	-	1	1	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	1	-	1	-	-	-	1	-	1	-	-	-
15-19 years-----	2	1	1	1	-	1	1	1	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	2	-	2	1	-	1	1	-	1	1	-	1
40-44 years-----	1	-	1	-	-	-	1	-	1	1	-	1
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	4	2	2	3	2	1	1	-	1	1	-	1
60-64 years-----	4	2	2	1	1	-	3	1	2	3	1	2
65-69 years-----	8	5	3	7	4	3	1	1	-	1	1	-
70-74 years-----	5	4	1	5	4	1	-	-	-	-	-	-
75-79 years-----	13	7	6	11	6	5	2	1	1	2	1	1
80-84 years-----	14	7	7	13	6	7	1	1	-	1	1	-
85-89 years-----	14	4	10	13	3	10	1	1	-	1	1	-
90-94 years-----	10	-	10	10	-	10	-	-	-	-	-	-
95-99 years-----	5	2	3	5	2	3	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Malignant neoplasm of lip (C00)												
All ages-----	52	36	16	51	36	15	1	-	1	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years-----	2	2	-	2	2	-	-	-	-	-	-	-
60-64 years-----	4	4	-	4	4	-	-	-	-	-	-	-
65-69 years-----	7	5	2	7	5	2	-	-	-	-	-	-
70-74 years-----	10	9	1	10	9	1	-	-	-	-	-	-
75-79 years-----	8	4	4	7	4	3	1	-	1	-	-	-
80-84 years-----	7	4	3	7	4	3	-	-	-	-	-	-
85-89 years-----	7	4	3	7	4	3	-	-	-	-	-	-
90-94 years-----	3	1	2	3	1	2	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
External lower lip (C00.1)												
All ages-----	9	5	4	8	5	3	1	-	1	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	2	1	1	1	1	-	1	-	1	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Lip, unspecified (C00.9)												
All ages-----	43	31	12	43	31	12	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	4	4	-	4	4	-	-	-	-	-	-	-
65-69 years-----	7	5	2	7	5	2	-	-	-	-	-	-
70-74 years-----	9	8	1	9	8	1	-	-	-	-	-	-
75-79 years-----	6	3	3	6	3	3	-	-	-	-	-	-
80-84 years-----	6	4	2	6	4	2	-	-	-	-	-	-
85-89 years-----	5	3	2	5	3	2	-	-	-	-	-	-
90-94 years-----	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of base of tongue (C01)												
All ages-----	123	86	37	103	74	29	20	12	8	18	10	8
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	2	1	1	1	1	-	1	-	1	1	-	1
45-49 years-----	8	7	1	6	5	1	2	2	-	1	1	-
50-54 years-----	11	5	6	9	5	4	2	-	2	2	-	2
55-59 years-----	17	9	8	13	7	6	4	2	2	4	2	2
60-64 years-----	20	14	6	17	13	4	3	1	2	2	-	2
65-69 years-----	16	14	2	13	12	1	3	2	1	3	2	1
70-74 years-----	10	9	1	9	8	1	1	1	-	1	1	-
75-79 years-----	18	17	1	16	15	1	2	2	-	2	2	-
80-84 years-----	10	6	4	9	5	4	1	1	-	1	1	-
85-89 years-----	9	3	6	8	2	6	1	1	-	1	1	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Malignant neoplasm of other and unspecified parts of tongue (C02)												
All ages-----	1,615	1,052	563	1,375	883	492	240	169	71	206	147	59
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	3	2	1	2	1	1	1	1	-	-	-	-
25-29 years-----	9	5	4	8	4	4	1	1	-	-	-	-
30-34 years-----	9	4	5	9	4	5	-	-	-	-	-	-
35-39 years-----	27	12	15	19	7	12	8	5	3	5	3	2
40-44 years-----	64	45	19	54	38	16	10	7	3	7	4	3
45-49 years-----	106	80	26	74	54	20	32	26	6	29	23	6
50-54 years-----	141	110	31	106	84	22	35	26	9	33	26	7
55-59 years-----	153	114	39	115	82	33	38	32	6	33	28	5
60-64 years-----	177	136	41	151	117	34	26	19	7	25	19	6
65-69 years-----	193	138	55	166	122	44	27	16	11	22	13	9
70-74 years-----	218	149	69	193	131	62	25	18	7	21	16	5
75-79 years-----	203	125	78	185	113	72	18	12	6	16	11	5
80-84 years-----	154	71	83	148	69	79	6	2	4	5	2	3
85-89 years-----	93	45	48	86	42	44	7	3	4	5	1	4
90-94 years-----	46	14	32	42	13	29	4	1	3	4	1	3
95-99 years-----	15	2	13	13	2	11	2	-	2	1	-	1
100 yrs & over---	4	-	4	4	-	4	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Dorsal surface of tongue (C02.0)

All ages-----	1	1	-	-	-	-	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	-	-	-	1	1	-	1	1	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Lingual tonsil (C02.4)												
All ages-----	1	1	-	-	-	-	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	-	-	-	1	1	-	1	1	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Tongue, unspecified (C02.9)												
All ages-----	1,613	1,050	563	1,375	883	492	238	167	71	204	145	59
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	3	2	1	2	1	1	1	1	-	-	-	-
25-29 years-----	9	5	4	8	4	4	1	1	-	-	-	-
30-34 years-----	9	4	5	9	4	5	-	-	-	-	-	-
35-39 years-----	26	11	15	19	7	12	7	4	3	4	2	2
40-44 years-----	64	45	19	54	38	16	10	7	3	7	4	3
45-49 years-----	106	80	26	74	54	20	32	26	6	29	23	6
50-54 years-----	140	109	31	106	84	22	34	25	9	32	25	7
55-59 years-----	153	114	39	115	82	33	38	32	6	33	28	5
60-64 years-----	177	136	41	151	117	34	26	19	7	25	19	6
65-69 years-----	193	138	55	166	122	44	27	16	11	22	13	9
70-74 years-----	218	149	69	193	131	62	25	18	7	21	16	5
75-79 years-----	203	125	78	185	113	72	18	12	6	16	11	5
80-84 years-----	154	71	83	148	69	79	6	2	4	5	2	3
85-89 years-----	93	45	48	86	42	44	7	3	4	5	1	4
90-94 years-----	46	14	32	42	13	29	4	1	3	4	1	3
95-99 years-----	15	2	13	13	2	11	2	-	2	1	-	1
100 yrs & over---	4	-	4	4	-	4	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Malignant neoplasm of gum (C03)												
All ages-----	96	44	52	78	32	46	18	12	6	16	11	5
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	5	3	2	4	2	2	1	1	-	1	1	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	2	2	-	1	1	-	1	1	-	1	1	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	5	2	3	3	-	3	2	2	-	2	2	-
50-54 years-----	3	3	-	3	3	-	-	-	-	-	-	-
55-59 years-----	7	4	3	5	4	1	2	-	2	2	-	2
60-64 years-----	3	-	3	3	-	3	-	-	-	-	-	-
65-69 years-----	12	5	7	11	5	6	1	-	1	1	-	1
70-74 years-----	9	4	5	9	4	5	-	-	-	-	-	-
75-79 years-----	10	6	4	6	3	3	4	3	1	2	2	-
80-84 years-----	16	10	6	11	7	4	5	3	2	5	3	2
85-89 years-----	16	4	12	14	2	12	2	2	-	2	2	-
90-94 years-----	3	-	3	3	-	3	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Upper gum (C03.0)												
All ages-----	36	20	16	28	13	15	8	7	1	7	7	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	2	1	1	1	-	1	1	1	-	1	1	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	2	-	2	2	-	2	-	-	-	-	-	-
65-69 years-----	5	3	2	5	3	2	-	-	-	-	-	-
70-74 years-----	3	2	1	3	2	1	-	-	-	-	-	-
75-79 years-----	5	3	2	3	2	1	2	1	1	1	1	-
80-84 years-----	8	6	2	5	3	2	3	3	-	3	3	-
85-89 years-----	8	3	5	6	1	5	2	2	-	2	2	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Lower gum (C03.1)												
All ages-----	8	2	6	5	2	3	3	-	3	3	-	3
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	2	-	2	-	-	-	2	-	2	2	-	2
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	2	1	1	1	1	-	1	-	1	1	-	1
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Gum, unspecified (C03.9)												
All ages-----	52	22	30	45	17	28	7	5	2	6	4	2
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	5	3	2	4	2	2	1	1	-	1	1	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	2	2	-	1	1	-	1	1	-	1	1	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	3	1	2	2	-	2	1	1	-	1	1	-
50-54 years-----	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years-----	4	3	1	4	3	1	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	6	2	4	5	2	3	1	-	1	1	-	1
70-74 years-----	5	1	4	5	1	4	-	-	-	-	-	-
75-79 years-----	4	3	1	2	1	1	2	2	-	1	1	-
80-84 years-----	6	3	3	5	3	2	1	-	1	1	-	1
85-89 years-----	7	1	6	7	1	6	-	-	-	-	-	-
90-94 years-----	3	-	3	3	-	3	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Malignant neoplasm of floor of mouth (C04)												
All ages-----	180	120	60	143	92	51	37	28	9	34	27	7
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	2	-	2	1	-	1	1	-	1	1	-	1
40-44 years-----	8	8	-	5	5	-	3	3	-	2	2	-
45-49 years-----	9	8	1	6	5	1	3	3	-	3	3	-
50-54 years-----	20	16	4	12	10	2	8	6	2	7	6	1
55-59 years-----	28	19	9	20	13	7	8	6	2	8	6	2
60-64 years-----	27	20	7	24	17	7	3	3	-	3	3	-
65-69 years-----	23	16	7	19	12	7	4	4	-	4	4	-
70-74 years-----	23	16	7	20	15	5	3	1	2	3	1	2
75-79 years-----	10	7	3	9	6	3	1	1	-	1	1	-
80-84 years-----	19	8	11	17	7	10	2	1	1	2	1	1
85-89 years-----	4	2	2	4	2	2	-	-	-	-	-	-
90-94 years-----	4	-	4	4	-	4	-	-	-	-	-	-
95-99 years-----	3	-	3	2	-	2	1	-	1	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Anterior floor of mouth (C04.0)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Floor of mouth, unspecified (C04.9)												
All ages-----	179	120	59	142	92	50	37	28	9	34	27	7
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	2	-	2	1	-	1	1	-	1	1	-	1
40-44 years-----	8	8	-	5	5	-	3	3	-	2	2	-
45-49 years-----	9	8	1	6	5	1	3	3	-	3	3	-
50-54 years-----	20	16	4	12	10	2	8	6	2	7	6	1
55-59 years-----	28	19	9	20	13	7	8	6	2	8	6	2
60-64 years-----	27	20	7	24	17	7	3	3	-	3	3	-
65-69 years-----	23	16	7	19	12	7	4	4	-	4	4	-
70-74 years-----	23	16	7	20	15	5	3	1	2	3	1	2
75-79 years-----	10	7	3	9	6	3	1	1	-	1	1	-
80-84 years-----	18	8	10	16	7	9	2	1	1	2	1	1
85-89 years-----	4	2	2	4	2	2	-	-	-	-	-	-
90-94 years-----	4	-	4	4	-	4	-	-	-	-	-	-
95-99 years-----	3	-	3	2	-	2	1	-	1	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of palate (C05)												
All ages-----	206	118	88	170	92	78	36	26	10	27	20	7
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	-	-	-	1	1	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	2	1	1	1	-	1	1	1	-	-	-	-
35-39 years-----	3	1	2	2	1	1	1	-	1	1	-	1
40-44 years-----	3	2	1	3	2	1	-	-	-	-	-	-
45-49 years-----	10	8	2	6	5	1	4	3	1	3	3	-
50-54 years-----	12	9	3	8	6	2	4	3	1	3	2	1
55-59 years-----	10	7	3	6	3	3	4	4	-	3	3	-
60-64 years-----	15	13	2	11	10	1	4	3	1	4	3	1
65-69 years-----	33	22	11	27	18	9	6	4	2	5	3	2
70-74 years-----	25	15	10	23	14	9	2	1	1	-	-	-
75-79 years-----	24	13	11	18	9	9	6	4	2	5	4	1
80-84 years-----	40	17	23	38	16	22	2	1	1	2	1	1
85-89 years-----	21	7	14	20	6	14	1	1	-	1	1	-
90-94 years-----	7	2	5	7	2	5	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Hard palate (C05.0)												
All ages-----	28	15	13	24	13	11	4	2	2	2	2	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	1	-	1	-	-	-	1	-	1	-	-	-
50-54 years-----	3	3	-	2	2	-	1	1	-	1	1	-
55-59 years-----	2	2	-	2	2	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	3	1	2	3	1	2	-	-	-	-	-	-
70-74 years-----	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years-----	7	5	2	5	4	1	2	1	1	1	1	-
80-84 years-----	3	2	1	3	2	1	-	-	-	-	-	-
85-89 years-----	6	-	6	6	-	6	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Soft palate (C05.1)												
All ages-----	69	42	27	56	32	24	13	10	3	13	10	3
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	2	-	2	1	-	1	1	-	1	1	-	1
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	6	5	1	3	2	1	3	3	-	3	3	-
50-54 years-----	5	3	2	3	2	1	2	1	1	2	1	1
55-59 years-----	4	2	2	3	1	2	1	1	-	1	1	-
60-64 years-----	8	7	1	5	5	-	3	2	1	3	2	1
65-69 years-----	16	12	4	13	9	4	3	3	-	3	3	-
70-74 years-----	9	4	5	9	4	5	-	-	-	-	-	-
75-79 years-----	3	2	1	3	2	1	-	-	-	-	-	-
80-84 years-----	9	4	5	9	4	5	-	-	-	-	-	-
85-89 years-----	4	2	2	4	2	2	-	-	-	-	-	-
90-94 years-----	3	1	2	3	1	2	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Uvula (C05.2)												
All ages-----	6	3	3	6	3	3	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Palate, unspecified (C05.9)												
All ages-----	103	58	45	84	44	40	19	14	5	12	8	4
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	-	-	-	1	1	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	2	1	1	1	-	1	1	1	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	2	2	-	2	-	-	-	-	-	-	-	-
50-54 years-----	4	3	1	3	2	1	1	1	-	-	-	-
55-59 years-----	4	3	1	1	-	1	3	3	-	2	2	-
60-64 years-----	6	5	1	5	4	1	1	1	-	1	1	-
65-69 years-----	14	9	5	11	8	3	3	1	2	2	-	2
70-74 years-----	13	9	4	11	8	3	2	1	1	-	-	-
75-79 years-----	13	6	7	9	3	6	4	3	1	4	3	1
80-84 years-----	27	11	16	25	10	15	2	1	1	2	1	1
85-89 years-----	11	5	6	10	4	6	1	1	-	1	1	-
90-94 years-----	4	1	3	4	1	3	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Malignant neoplasm of other and unspecified parts of mouth (C06)												
All ages-----	913	494	419	808	428	380	105	66	39	97	63	34
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	-	-	-	1	1	-	1	1	-
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	3	2	1	3	2	1	-	-	-	-	-	-
35-39 years-----	4	4	-	2	2	-	2	2	-	2	2	-
40-44 years-----	9	7	2	7	6	1	2	1	1	2	1	1
45-49 years-----	39	29	10	28	22	6	11	7	4	11	7	4
50-54 years-----	51	37	14	43	32	11	8	5	3	8	5	3
55-59 years-----	68	53	15	57	43	14	11	10	1	11	10	1
60-64 years-----	94	75	19	73	60	13	21	15	6	21	15	6
65-69 years-----	89	59	30	73	48	25	16	11	5	13	10	3
70-74 years-----	106	63	43	95	57	38	11	6	5	11	6	5
75-79 years-----	145	66	79	137	65	72	8	1	7	7	1	6
80-84 years-----	115	49	66	111	47	64	4	2	2	2	1	1
85-89 years-----	109	33	76	99	28	71	10	5	5	8	4	4
90-94 years-----	50	9	41	50	9	41	-	-	-	-	-	-
95-99 years-----	26	6	20	26	6	20	-	-	-	-	-	-
100 yrs & over---	2	-	2	2	-	2	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Cheek mucosa (C06.0)												
All ages-----	38	11	27	36	10	26	2	1	1	2	1	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	-	-	-	1	1	-	1	1	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	3	2	1	3	2	1	-	-	-	-	-	-
60-64 years-----	3	1	2	2	1	1	1	-	1	1	-	1
65-69 years-----	3	1	2	3	1	2	-	-	-	-	-	-
70-74 years-----	3	2	1	3	2	1	-	-	-	-	-	-
75-79 years-----	6	1	5	6	1	5	-	-	-	-	-	-
80-84 years-----	6	1	5	6	1	5	-	-	-	-	-	-
85-89 years-----	6	1	5	6	1	5	-	-	-	-	-	-
90-94 years-----	3	-	3	3	-	3	-	-	-	-	-	-
95-99 years-----	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Retromolar area (C06.2)												
All ages-----	29	22	7	27	20	7	2	2	-	2	2	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	-	-	-	1	1	-	1	1	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	2	2	-	1	1	-	1	1	-	1	1	-
55-59 years-----	4	4	-	4	4	-	-	-	-	-	-	-
60-64 years-----	4	4	-	4	4	-	-	-	-	-	-	-
65-69 years-----	6	4	2	6	4	2	-	-	-	-	-	-
70-74 years-----	4	3	1	4	3	1	-	-	-	-	-	-
75-79 years-----	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years-----	3	2	1	3	2	1	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Overlapping lesion of other and unspecified parts of mouth (C06.8)												
All ages-----	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Mouth, unspecified (C06.9)												
All ages-----	844	460	384	743	397	346	101	63	38	93	60	33
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	2	2	-	2	2	-	-	-	-	-	-	-
35-39 years-----	3	3	-	2	2	-	1	1	-	1	1	-
40-44 years-----	8	6	2	6	5	1	2	1	1	2	1	1
45-49 years-----	39	29	10	28	22	6	11	7	4	11	7	4
50-54 years-----	48	35	13	41	31	10	7	4	3	7	4	3
55-59 years-----	60	46	14	49	36	13	11	10	1	11	10	1
60-64 years-----	87	70	17	67	55	12	20	15	5	20	15	5
65-69 years-----	80	54	26	64	43	21	16	11	5	13	10	3
70-74 years-----	98	58	40	87	52	35	11	6	5	11	6	5
75-79 years-----	137	64	73	129	63	66	8	1	7	7	1	6
80-84 years-----	106	46	60	102	44	58	4	2	2	2	1	1
85-89 years-----	102	32	70	92	27	65	10	5	5	8	4	4
90-94 years-----	47	9	38	47	9	38	-	-	-	-	-	-
95-99 years-----	24	5	19	24	5	19	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of parotid gland (C07)												
All ages-----	491	303	188	446	277	169	45	26	19	33	17	16
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years-----	3	3	-	3	3	-	-	-	-	-	-	-
35-39 years-----	4	3	1	3	2	1	1	1	-	1	1	-
40-44 years-----	12	8	4	8	5	3	4	3	1	3	3	-
45-49 years-----	19	11	8	14	9	5	5	2	3	3	1	2
50-54 years-----	18	11	7	15	10	5	3	1	2	2	-	2
55-59 years-----	21	10	11	18	9	9	3	1	2	3	1	2
60-64 years-----	40	26	14	35	23	12	5	3	2	3	2	1
65-69 years-----	42	30	12	39	27	12	3	3	-	2	2	-
70-74 years-----	65	46	19	59	41	18	6	5	1	4	3	1
75-79 years-----	91	60	31	87	56	31	4	4	-	2	2	-
80-84 years-----	69	40	29	67	40	27	2	-	2	2	-	2
85-89 years-----	58	31	27	52	30	22	6	1	5	6	1	5
90-94 years-----	38	21	17	36	20	16	2	1	1	1	-	1
95-99 years-----	6	1	5	6	1	5	-	-	-	-	-	-
100 yrs & over---	4	1	3	4	1	3	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Malignant neoplasm of other and unspecified major salivary glands (C08)												
All ages-----	165	91	74	144	79	65	21	12	9	19	10	9
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	6	4	2	5	3	2	1	1	-	1	1	-
40-44 years-----	3	2	1	2	2	-	1	-	1	1	-	1
45-49 years-----	12	8	4	8	5	3	4	3	1	3	2	1
50-54 years-----	16	13	3	14	12	2	2	1	1	2	1	1
55-59 years-----	16	12	4	14	11	3	2	1	1	2	1	1
60-64 years-----	18	12	6	13	9	4	5	3	2	5	3	2
65-69 years-----	19	10	9	19	10	9	-	-	-	-	-	-
70-74 years-----	19	9	10	17	9	8	2	-	2	2	-	2
75-79 years-----	19	11	8	16	9	7	3	2	1	2	1	1
80-84 years-----	17	5	12	16	4	12	1	1	-	1	1	-
85-89 years-----	8	2	6	8	2	6	-	-	-	-	-	-
90-94 years-----	9	2	7	9	2	7	-	-	-	-	-	-
95-99 years-----	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Submandibular gland (C08.0)

All ages-----	42	20	22	39	18	21	3	2	1	3	2	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	4	4	-	3	3	-	1	1	-	1	1	-
50-54 years-----	4	2	2	3	2	1	1	-	1	1	-	1
55-59 years-----	3	3	-	3	3	-	-	-	-	-	-	-
60-64 years-----	4	4	-	3	3	-	1	1	-	1	1	-
65-69 years-----	6	2	4	6	2	4	-	-	-	-	-	-
70-74 years-----	5	2	3	5	2	3	-	-	-	-	-	-
75-79 years-----	4	2	2	4	2	2	-	-	-	-	-	-
80-84 years-----	4	-	4	4	-	4	-	-	-	-	-	-
85-89 years-----	4	-	4	4	-	4	-	-	-	-	-	-
90-94 years-----	3	-	3	3	-	3	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Major salivary gland, unspecified (C08.9)												
All ages-----	123	71	52	105	61	44	18	10	8	16	8	8
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	6	4	2	5	3	2	1	1	-	1	1	-
40-44 years-----	2	1	1	1	1	-	1	-	1	1	-	1
45-49 years-----	8	4	4	5	2	3	3	2	1	2	1	1
50-54 years-----	12	11	1	11	10	1	1	1	-	1	1	-
55-59 years-----	13	9	4	11	8	3	2	1	1	2	1	1
60-64 years-----	14	8	6	10	6	4	4	2	2	4	2	2
65-69 years-----	13	8	5	13	8	5	-	-	-	-	-	-
70-74 years-----	14	7	7	12	7	5	2	-	2	2	-	2
75-79 years-----	15	9	6	12	7	5	3	2	1	2	1	1
80-84 years-----	13	5	8	12	4	8	1	1	-	1	1	-
85-89 years-----	4	2	2	4	2	2	-	-	-	-	-	-
90-94 years-----	6	2	4	6	2	4	-	-	-	-	-	-
95-99 years-----	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of tonsil (C09)												
All ages-----	543	390	153	436	309	127	107	81	26	99	74	25
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	10	6	4	5	4	1	5	2	3	5	2	3
40-44 years-----	13	11	2	10	9	1	3	2	1	3	2	1
45-49 years-----	49	40	9	36	29	7	13	11	2	12	10	2
50-54 years-----	63	51	12	45	39	6	18	12	6	17	12	5
55-59 years-----	73	54	19	56	41	15	17	13	4	14	10	4
60-64 years-----	79	65	14	64	51	13	15	14	1	14	13	1
65-69 years-----	64	46	18	51	36	15	13	10	3	12	9	3
70-74 years-----	70	49	21	58	41	17	12	8	4	12	8	4
75-79 years-----	58	34	24	53	30	23	5	4	1	5	4	1
80-84 years-----	32	19	13	29	16	13	3	3	-	3	3	-
85-89 years-----	20	8	12	17	6	11	3	2	1	2	1	1
90-94 years-----	10	6	4	10	6	4	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Tonsillar fossa (C09.0)												
All ages-----	14	9	5	14	9	5	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	3	3	-	3	3	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years-----	2	-	2	2	-	2	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Tonsillar pillar (anterior) (posterior) (C09.1)

All ages-----	4	2	2	2	-	2	2	2	-	2	2	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	1	1	-	-	-	-	1	1	-	1	1	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	-	-	-	1	1	-	1	1	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
 ON THE TENTH REVISION
 INTERNATIONAL CLASSIFICATION
 OF DISEASES, 1992),
 RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Tonsil, unspecified (C09.9)												
All ages-----	525	379	146	420	300	120	105	79	26	97	72	25
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	9	5	4	4	3	1	5	2	3	5	2	3
40-44 years-----	12	10	2	9	8	1	3	2	1	3	2	1
45-49 years-----	48	39	9	35	28	7	13	11	2	12	10	2
50-54 years-----	62	51	11	44	39	5	18	12	6	17	12	5
55-59 years-----	71	52	19	55	40	15	16	12	4	13	9	4
60-64 years-----	76	62	14	61	48	13	15	14	1	14	13	1
65-69 years-----	62	45	17	50	36	14	12	9	3	11	8	3
70-74 years-----	68	48	20	56	40	16	12	8	4	12	8	4
75-79 years-----	55	34	21	50	30	20	5	4	1	5	4	1
80-84 years-----	31	18	13	28	15	13	3	3	-	3	3	-
85-89 years-----	20	8	12	17	6	11	3	2	1	2	1	1
90-94 years-----	10	6	4	10	6	4	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of oropharynx (C10)												
All ages-----	600	429	171	471	323	148	129	106	23	120	98	22
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	-	-	-	1	1	-	1	1	-
35-39 years-----	4	3	1	3	2	1	1	1	-	1	1	-
40-44 years-----	14	10	4	9	6	3	5	4	1	5	4	1
45-49 years-----	25	22	3	14	13	1	11	9	2	11	9	2
50-54 years-----	55	44	11	31	22	9	24	22	2	22	20	2
55-59 years-----	74	59	15	53	42	11	21	17	4	21	17	4
60-64 years-----	66	51	15	48	35	13	18	16	2	17	15	2
65-69 years-----	77	63	14	66	53	13	11	10	1	11	10	1
70-74 years-----	87	64	23	74	54	20	13	10	3	11	8	3
75-79 years-----	91	51	40	76	41	35	15	10	5	13	9	4
80-84 years-----	56	37	19	49	32	17	7	5	2	5	3	2
85-89 years-----	34	17	17	32	16	16	2	1	1	2	1	1
90-94 years-----	13	6	7	13	6	7	-	-	-	-	-	-
95-99 years-----	3	1	2	3	1	2	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Vallecula (C10.0)												
All ages-----	3	3	-	1	1	-	2	2	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	-	-	-	1	1	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	-	-	-	1	1	-	1	1	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Overlapping lesion of oropharynx (C10.8)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Oropharynx, unspecified (C10.9)												
All ages-----	596	425	171	469	321	148	127	104	23	119	97	22
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	-	-	-	1	1	-	1	1	-
35-39 years-----	4	3	1	3	2	1	1	1	-	1	1	-
40-44 years-----	14	10	4	9	6	3	5	4	1	5	4	1
45-49 years-----	25	22	3	14	13	1	11	9	2	11	9	2
50-54 years-----	54	43	11	31	22	9	23	21	2	22	20	2
55-59 years-----	74	59	15	53	42	11	21	17	4	21	17	4
60-64 years-----	65	50	15	48	35	13	17	15	2	16	14	2
65-69 years-----	77	63	14	66	53	13	11	10	1	11	10	1
70-74 years-----	87	64	23	74	54	20	13	10	3	11	8	3
75-79 years-----	90	50	40	75	40	35	15	10	5	13	9	4
80-84 years-----	56	37	19	49	32	17	7	5	2	5	3	2
85-89 years-----	33	16	17	31	15	16	2	1	1	2	1	1
90-94 years-----	13	6	7	13	6	7	-	-	-	-	-	-
95-99 years-----	3	1	2	3	1	2	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of nasopharynx (C11)												
All ages-----	638	415	223	428	271	157	210	144	66	97	62	35
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	4	3	1	2	2	-	2	1	1	2	1	1
15-19 years-----	3	2	1	1	1	-	2	1	1	2	1	1
20-24 years-----	9	7	2	3	2	1	6	5	1	3	2	1
25-29 years-----	3	3	-	1	1	-	2	2	-	1	1	-
30-34 years-----	7	2	5	2	-	2	5	2	3	3	1	2
35-39 years-----	23	17	6	12	8	4	11	9	2	4	4	-
40-44 years-----	39	28	11	20	14	6	19	14	5	6	3	3
45-49 years-----	60	43	17	31	23	8	29	20	9	12	9	3
50-54 years-----	63	48	15	33	26	7	30	22	8	12	8	4
55-59 years-----	69	55	14	46	38	8	23	17	6	9	7	2
60-64 years-----	63	42	21	44	29	15	19	13	6	9	5	4
65-69 years-----	79	46	33	58	31	27	21	15	6	12	8	4
70-74 years-----	63	36	27	48	28	20	15	8	7	7	4	3
75-79 years-----	70	43	27	56	34	22	14	9	5	8	5	3
80-84 years-----	49	22	27	40	18	22	9	4	5	6	2	4
85-89 years-----	23	12	11	21	11	10	2	1	1	1	1	-
90-94 years-----	9	5	4	8	4	4	1	1	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Posterior wall of nasopharynx (C11.1)												
All ages-----	14	7	7	11	7	4	3	-	3	2	-	2
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	2	-	2	1	-	1	1	-	1	1	-	1
50-54 years-----	4	4	-	4	4	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	1	-	1	-	-	-	1	-	1	-	-	-
65-69 years-----	1	-	1	-	-	-	1	-	1	1	-	1
70-74 years-----	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Anterior wall of nasopharynx (C11.3)

All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Nasopharynx, unspecified (C11.9)												
All ages-----	623	407	216	416	263	153	207	144	63	95	62	33
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	4	3	1	2	2	-	2	1	1	2	1	1
15-19 years-----	3	2	1	1	1	-	2	1	1	2	1	1
20-24 years-----	9	7	2	3	2	1	6	5	1	3	2	1
25-29 years-----	3	3	-	1	1	-	2	2	-	1	1	-
30-34 years-----	6	2	4	1	-	1	5	2	3	3	1	2
35-39 years-----	23	17	6	12	8	4	11	9	2	4	4	-
40-44 years-----	39	28	11	20	14	6	19	14	5	6	3	3
45-49 years-----	58	43	15	30	23	7	28	20	8	11	9	2
50-54 years-----	59	44	15	29	22	7	30	22	8	12	8	4
55-59 years-----	68	54	14	45	37	8	23	17	6	9	7	2
60-64 years-----	61	41	20	43	28	15	18	13	5	9	5	4
65-69 years-----	78	46	32	58	31	27	20	15	5	11	8	3
70-74 years-----	61	35	26	46	27	19	15	8	7	7	4	3
75-79 years-----	69	42	27	55	33	22	14	9	5	8	5	3
80-84 years-----	49	22	27	40	18	22	9	4	5	6	2	4
85-89 years-----	23	12	11	21	11	10	2	1	1	1	1	-
90-94 years-----	8	5	3	7	4	3	1	1	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of pyriform sinus (C12)												
All ages-----	149	117	32	119	92	27	30	25	5	27	22	5
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	2	2	-	1	1	-	1	1	-	1	1	-
45-49 years-----	8	6	2	5	3	2	3	3	-	3	3	-
50-54 years-----	15	12	3	9	8	1	6	4	2	6	4	2
55-59 years-----	18	17	1	14	13	1	4	4	-	2	2	-
60-64 years-----	26	22	4	20	17	3	6	5	1	5	4	1
65-69 years-----	23	21	2	16	15	1	7	6	1	7	6	1
70-74 years-----	20	12	8	18	11	7	2	1	1	2	1	1
75-79 years-----	15	11	4	15	11	4	-	-	-	-	-	-
80-84 years-----	13	9	4	12	8	4	1	1	-	1	1	-
85-89 years-----	5	2	3	5	2	3	-	-	-	-	-	-
90-94 years-----	3	2	1	3	2	1	-	-	-	-	-	-
95-99 years-----	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Malignant neoplasm of hypopharynx (C13)												
All ages-----	236	171	65	192	140	52	44	31	13	40	29	11
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	2	-	2	-	-	-	2	-	2	1	-	1
40-44 years-----	6	5	1	3	3	-	3	2	1	3	2	1
45-49 years-----	14	10	4	12	8	4	2	2	-	2	2	-
50-54 years-----	24	18	6	18	13	5	6	5	1	6	5	1
55-59 years-----	27	17	10	21	13	8	6	4	2	6	4	2
60-64 years-----	40	32	8	34	27	7	6	5	1	6	5	1
65-69 years-----	31	25	6	24	18	6	7	7	-	6	6	-
70-74 years-----	33	28	5	28	25	3	5	3	2	5	3	2
75-79 years-----	35	19	16	30	18	12	5	1	4	4	1	3
80-84 years-----	9	8	1	9	8	1	-	-	-	-	-	-
85-89 years-----	12	7	5	10	5	5	2	2	-	1	1	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Postcricoid region (C13.0)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),

RACE, AND SEX - - - ALL RACES - - - - - - WHITE - - - - - - ALL OTHER - - - - - - BLACK - - -

TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Aryepiglottic fold, hypopharyngeal aspect (C13.1)

All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Posterior wall of hypopharynx (C13.2)

All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Hypopharynx, unspecified (C13.9)												
All ages-----	233	170	63	189	139	50	44	31	13	40	29	11
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	2	-	2	-	-	-	2	-	2	1	-	1
40-44 years-----	6	5	1	3	3	-	3	2	1	3	2	1
45-49 years-----	14	10	4	12	8	4	2	2	-	2	2	-
50-54 years-----	24	18	6	18	13	5	6	5	1	6	5	1
55-59 years-----	27	17	10	21	13	8	6	4	2	6	4	2
60-64 years-----	39	31	8	33	26	7	6	5	1	6	5	1
65-69 years-----	31	25	6	24	18	6	7	7	-	6	6	-
70-74 years-----	33	28	5	28	25	3	5	3	2	5	3	2
75-79 years-----	35	19	16	30	18	12	5	1	4	4	1	3
80-84 years-----	9	8	1	9	8	1	-	-	-	-	-	-
85-89 years-----	10	7	3	8	5	3	2	2	-	1	1	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Malignant neoplasm of other and ill-defined sites in the lip, oral cavity, and pharynx (C14)

All ages-----	1,479	1,078	401	1,152	827	325	327	251	76	312	238	74
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	2	2	-	1	1	-	1	1	-	1	1	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	2	2	-	-	-	-	2	2	-	2	2	-
35-39 years-----	9	6	3	7	4	3	2	2	-	2	2	-
40-44 years-----	20	17	3	11	8	3	9	9	-	8	8	-
45-49 years-----	84	71	13	43	36	7	41	35	6	40	34	6
50-54 years-----	118	95	23	82	65	17	36	30	6	35	29	6
55-59 years-----	170	136	34	120	97	23	50	39	11	47	36	11
60-64 years-----	191	151	40	147	118	29	44	33	11	43	32	11
65-69 years-----	181	129	52	148	109	39	33	20	13	32	20	12
70-74 years-----	249	170	79	205	140	65	44	30	14	41	27	14
75-79 years-----	196	138	58	162	110	52	34	28	6	32	27	5
80-84 years-----	145	97	48	124	81	43	21	16	5	19	14	5
85-89 years-----	82	52	30	74	47	27	8	5	3	8	5	3
90-94 years-----	23	10	13	23	10	13	-	-	-	-	-	-
95-99 years-----	5	2	3	4	1	3	1	1	-	1	1	-
100 yrs & over---	2	-	2	1	-	1	1	-	1	1	-	1
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
 ON THE TENTH REVISION
 INTERNATIONAL CLASSIFICATION
 OF DISEASES, 1992),
 RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Pharynx, unspecified (C14.0)												
All ages-----	1,479	1,078	401	1,152	827	325	327	251	76	312	238	74
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	2	2	-	1	1	-	1	1	-	1	1	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	2	2	-	-	-	-	2	2	-	2	2	-
35-39 years-----	9	6	3	7	4	3	2	2	-	2	2	-
40-44 years-----	20	17	3	11	8	3	9	9	-	8	8	-
45-49 years-----	84	71	13	43	36	7	41	35	6	40	34	6
50-54 years-----	118	95	23	82	65	17	36	30	6	35	29	6
55-59 years-----	170	136	34	120	97	23	50	39	11	47	36	11
60-64 years-----	191	151	40	147	118	29	44	33	11	43	32	11
65-69 years-----	181	129	52	148	109	39	33	20	13	32	20	12
70-74 years-----	249	170	79	205	140	65	44	30	14	41	27	14
75-79 years-----	196	138	58	162	110	52	34	28	6	32	27	5
80-84 years-----	145	97	48	124	81	43	21	16	5	19	14	5
85-89 years-----	82	52	30	74	47	27	8	5	3	8	5	3
90-94 years-----	23	10	13	23	10	13	-	-	-	-	-	-
95-99 years-----	5	2	3	4	1	3	1	1	-	1	1	-
100 yrs & over---	2	-	2	1	-	1	1	-	1	1	-	1
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of esophagus (C15)												
All ages-----	11,918	9,094	2,824	10,079	7,740	2,339	1,839	1,354	485	1,648	1,203	445
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	10	7	3	9	6	3	1	1	-	-	-	-
30-34 years-----	27	22	5	23	18	5	4	4	-	3	3	-
35-39 years-----	75	65	10	67	60	7	8	5	3	6	4	2
40-44 years-----	218	190	28	162	143	19	56	47	9	48	41	7
45-49 years-----	469	410	59	362	323	39	107	87	20	99	79	20
50-54 years-----	793	684	109	617	542	75	176	142	34	166	133	33
55-59 years-----	1,139	969	170	895	773	122	244	196	48	225	179	46
60-64 years-----	1,392	1,112	280	1,114	905	209	278	207	71	252	190	62
65-69 years-----	1,739	1,396	343	1,448	1,191	257	291	205	86	260	179	81
70-74 years-----	1,955	1,529	426	1,691	1,339	352	264	190	74	231	165	66
75-79 years-----	1,784	1,328	456	1,564	1,171	393	220	157	63	200	143	57
80-84 years-----	1,202	808	394	1,102	751	351	100	57	43	82	42	40
85-89 years-----	755	421	334	694	383	311	61	38	23	51	30	21
90-94 years-----	279	127	152	259	115	144	20	12	8	17	10	7
95-99 years-----	72	22	50	67	18	49	5	4	1	5	4	1
100 yrs & over---	8	3	5	5	2	3	3	1	2	2	-	2
Not stated-----	1	1	-	-	-	-	1	1	-	1	1	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Cervical part of esophagus (C15.0)												
All ages-----	11	6	5	9	5	4	2	1	1	2	1	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	2	1	1	1	1	-	1	-	1	1	-	1
55-59 years-----	1	1	-	-	-	-	1	1	-	1	1	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	3	-	3	3	-	3	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Thoracic part of esophagus (C15.1)

All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Upper third of esophagus (C15.3)												
All ages-----	11	7	4	9	5	4	2	2	-	2	2	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	2	2	-	2	2	-	-	-	-	-	-	-
60-64 years-----	3	2	1	2	1	1	1	1	-	1	1	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years-----	2	1	1	1	-	1	1	1	-	1	1	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Middle third of esophagus (C15.4)

All ages-----	3	3	-	2	2	-	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	2	2	-	1	1	-	1	1	-	1	1	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Lower third of esophagus (C15.5)												
All ages-----	80	65	15	76	61	15	4	4	-	2	2	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	2	1	1	2	1	1	-	-	-	-	-	-
40-44 years-----	2	2	-	1	1	-	1	1	-	1	1	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	4	4	-	4	4	-	-	-	-	-	-	-
55-59 years-----	6	6	-	5	5	-	1	1	-	-	-	-
60-64 years-----	4	3	1	4	3	1	-	-	-	-	-	-
65-69 years-----	12	12	-	12	12	-	-	-	-	-	-	-
70-74 years-----	16	13	3	15	12	3	1	1	-	-	-	-
75-79 years-----	14	13	1	13	12	1	1	1	-	1	1	-
80-84 years-----	13	6	7	13	6	7	-	-	-	-	-	-
85-89 years-----	5	3	2	5	3	2	-	-	-	-	-	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Overlapping lesion of esophagus (C15.8)

All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Esophagus, unspecified (C15.9)												
All ages-----	11,811	9,012	2,799	9,981	7,666	2,315	1,830	1,346	484	1,641	1,197	444
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	10	7	3	9	6	3	1	1	-	-	-	-
30-34 years-----	27	22	5	23	18	5	4	4	-	3	3	-
35-39 years-----	73	64	9	65	59	6	8	5	3	6	4	2
40-44 years-----	216	188	28	161	142	19	55	46	9	47	40	7
45-49 years-----	467	408	59	360	321	39	107	87	20	99	79	20
50-54 years-----	787	679	108	612	537	75	175	142	33	165	133	32
55-59 years-----	1,130	960	170	888	766	122	242	194	48	224	178	46
60-64 years-----	1,383	1,105	278	1,106	899	207	277	206	71	251	189	62
65-69 years-----	1,724	1,381	343	1,434	1,177	257	290	204	86	259	178	81
70-74 years-----	1,936	1,514	422	1,673	1,325	348	263	189	74	231	165	66
75-79 years-----	1,765	1,312	453	1,547	1,157	390	218	155	63	198	141	57
80-84 years-----	1,189	802	387	1,089	745	344	100	57	43	82	42	40
85-89 years-----	747	418	329	686	380	306	61	38	23	51	30	21
90-94 years-----	276	126	150	256	114	142	20	12	8	17	10	7
95-99 years-----	72	22	50	67	18	49	5	4	1	5	4	1
100 yrs & over---	8	3	5	5	2	3	3	1	2	2	-	2
Not stated-----	1	1	-	-	-	-	1	1	-	1	1	-

Malignant neoplasm of stomach (C16)

All ages-----	12,711	7,459	5,252	9,779	5,786	3,993	2,932	1,673	1,259	2,203	1,263	940
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	-	-	-	1	1	-	1	1	-
15-19 years-----	5	2	3	2	1	1	3	1	2	1	-	1
20-24 years-----	8	4	4	6	3	3	2	1	1	2	1	1
25-29 years-----	47	22	25	29	15	14	18	7	11	14	7	7
30-34 years-----	89	54	35	59	40	19	30	14	16	22	12	10
35-39 years-----	189	101	88	128	70	58	61	31	30	40	20	20
40-44 years-----	316	182	134	193	112	81	123	70	53	87	52	35
45-49 years-----	450	303	147	320	222	98	130	81	49	89	60	29
50-54 years-----	651	443	208	451	312	139	200	131	69	151	99	52
55-59 years-----	808	558	250	583	415	168	225	143	82	173	112	61
60-64 years-----	1,052	694	358	765	508	257	287	186	101	205	133	72
65-69 years-----	1,359	893	466	1,066	713	353	293	180	113	214	135	79
70-74 years-----	1,793	1,112	681	1,393	880	513	400	232	168	298	178	120
75-79 years-----	2,064	1,250	814	1,636	1,004	632	428	246	182	328	188	140
80-84 years-----	1,796	989	807	1,462	807	655	334	182	152	257	139	118
85-89 years-----	1,277	568	709	1,039	452	587	238	116	122	194	89	105
90-94 years-----	607	223	384	497	184	313	110	39	71	86	28	58
95-99 years-----	170	52	118	131	42	89	39	10	29	32	7	25
100 yrs & over---	29	8	21	19	6	13	10	2	8	9	2	7
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Cardia (C16.0)												
All ages-----	752	602	150	698	563	135	54	39	15	39	25	14
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	4	3	1	3	2	1	1	1	-	1	1	-
35-39 years-----	10	8	2	10	8	2	-	-	-	-	-	-
40-44 years-----	16	16	-	14	14	-	2	2	-	1	1	-
45-49 years-----	41	28	13	38	27	11	3	1	2	3	1	2
50-54 years-----	53	49	4	52	48	4	1	1	-	1	1	-
55-59 years-----	78	66	12	72	61	11	6	5	1	6	5	1
60-64 years-----	84	68	16	74	60	14	10	8	2	5	4	1
65-69 years-----	106	91	15	104	89	15	2	2	-	2	2	-
70-74 years-----	124	103	21	112	97	15	12	6	6	8	2	6
75-79 years-----	111	82	29	102	75	27	9	7	2	7	5	2
80-84 years-----	79	59	20	73	55	18	6	4	2	4	2	2
85-89 years-----	24	15	9	22	13	9	2	2	-	1	1	-
90-94 years-----	12	6	6	12	6	6	-	-	-	-	-	-
95-99 years-----	7	6	1	7	6	1	-	-	-	-	-	-
100 yrs & over---	2	1	1	2	1	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Fundus of stomach (C16.1)												
All ages-----	5	4	1	5	4	1	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	2	2	-	2	2	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Body of stomach (C16.2)												
All ages-----	1	1	-	-	-	-	1	1	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	-	-	-	1	1	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Pyloric antrum (C16.3)												
All ages-----	7	2	5	7	2	5	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Pylorus (C16.4)												
All ages-----	7	4	3	5	2	3	2	2	-	2	2	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	-	-	-	1	1	-	1	1	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	1	1	-	-	-	-	1	1	-	1	1	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	3	1	2	3	1	2	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Lesser curvature of stomach, unspecified (C16.5)

All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Stomach, unspecified (C16.9)												
All ages-----	11,938	6,845	5,093	9,063	5,214	3,849	2,875	1,631	1,244	2,162	1,236	926
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	-	-	-	1	1	-	1	1	-
15-19 years-----	4	1	3	1	-	1	3	1	2	1	-	1
20-24 years-----	8	4	4	6	3	3	2	1	1	2	1	1
25-29 years-----	47	22	25	29	15	14	18	7	11	14	7	7
30-34 years-----	85	51	34	56	38	18	29	13	16	21	11	10
35-39 years-----	179	93	86	118	62	56	61	31	30	40	20	20
40-44 years-----	300	166	134	179	98	81	121	68	53	86	51	35
45-49 years-----	409	275	134	282	195	87	127	80	47	86	59	27
50-54 years-----	597	394	203	398	264	134	199	130	69	150	98	52
55-59 years-----	730	492	238	511	354	157	219	138	81	167	107	60
60-64 years-----	968	626	342	691	448	243	277	178	99	200	129	71
65-69 years-----	1,250	799	451	960	622	338	290	177	113	211	132	79
70-74 years-----	1,666	1,007	659	1,279	782	497	387	225	162	290	176	114
75-79 years-----	1,949	1,166	783	1,531	928	603	418	238	180	320	182	138
80-84 years-----	1,713	926	787	1,385	748	637	328	178	150	253	137	116
85-89 years-----	1,249	552	697	1,013	438	575	236	114	122	193	88	105
90-94 years-----	593	217	376	483	178	305	110	39	71	86	28	58
95-99 years-----	163	46	117	124	36	88	39	10	29	32	7	25
100 yrs & over---	27	7	20	17	5	12	10	2	8	9	2	7
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Malignant neoplasm of small intestine (C17)

All ages-----	1,037	574	463	864	481	383	173	93	80	150	83	67
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	4	3	1	3	2	1	1	1	-	1	1	-
35-39 years-----	16	8	8	10	4	6	6	4	2	5	3	2
40-44 years-----	31	20	11	25	16	9	6	4	2	6	4	2
45-49 years-----	70	42	28	55	36	19	15	6	9	14	6	8
50-54 years-----	79	45	34	61	34	27	18	11	7	15	9	6
55-59 years-----	56	35	21	44	27	17	12	8	4	9	6	3
60-64 years-----	95	70	25	78	58	20	17	12	5	15	12	3
65-69 years-----	113	66	47	100	59	41	13	7	6	11	7	4
70-74 years-----	150	79	71	128	66	62	22	13	9	17	11	6
75-79 years-----	164	89	75	139	76	63	25	13	12	22	12	10
80-84 years-----	126	64	62	105	54	51	21	10	11	18	8	10
85-89 years-----	92	39	53	79	37	42	13	2	11	13	2	11
90-94 years-----	32	12	20	28	10	18	4	2	2	4	2	2
95-99 years-----	6	1	5	6	1	5	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	1	-	1	1	-	1	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Duodenum (C17.0)												
All ages-----	484	280	204	391	225	166	93	55	38	78	49	29
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	3	2	1	2	1	1	1	1	-	1	1	-
35-39 years-----	4	2	2	2	-	2	2	2	-	1	1	-
40-44 years-----	9	6	3	7	4	3	2	2	-	2	2	-
45-49 years-----	23	17	6	16	12	4	7	5	2	6	5	1
50-54 years-----	36	23	13	23	14	9	13	9	4	11	8	3
55-59 years-----	20	12	8	16	9	7	4	3	1	2	2	-
60-64 years-----	39	27	12	32	22	10	7	5	2	5	5	-
65-69 years-----	53	29	24	44	24	20	9	5	4	8	5	3
70-74 years-----	61	34	27	52	28	24	9	6	3	7	5	2
75-79 years-----	91	58	33	76	51	25	15	7	8	14	7	7
80-84 years-----	73	36	37	61	30	31	12	6	6	9	4	5
85-89 years-----	49	25	24	41	23	18	8	2	6	8	2	6
90-94 years-----	18	7	11	14	5	9	4	2	2	4	2	2
95-99 years-----	4	1	3	4	1	3	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Jejunum (C17.1)												
All ages-----	45	29	16	35	24	11	10	5	5	9	4	5
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	6	5	1	4	4	-	2	1	1	2	1	1
45-49 years-----	11	7	4	9	7	2	2	-	2	2	-	2
50-54 years-----	2	1	1	1	-	1	1	1	-	1	1	-
55-59 years-----	3	2	1	3	2	1	-	-	-	-	-	-
60-64 years-----	5	4	1	4	4	-	1	-	1	1	-	1
65-69 years-----	5	2	3	5	2	3	-	-	-	-	-	-
70-74 years-----	7	4	3	6	3	3	1	1	-	1	1	-
75-79 years-----	2	2	-	1	1	-	1	1	-	-	-	-
80-84 years-----	2	1	1	-	-	-	2	1	1	2	1	1
85-89 years-----	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Ileum (C17.2)												
All ages-----	39	21	18	36	20	16	3	1	2	3	1	2
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	2	-	2	2	-	2	-	-	-	-	-	-
50-54 years-----	2	1	1	2	1	1	-	-	-	-	-	-
55-59 years-----	4	4	-	4	4	-	-	-	-	-	-	-
60-64 years-----	6	3	3	5	3	2	1	-	1	1	-	1
65-69 years-----	6	4	2	6	4	2	-	-	-	-	-	-
70-74 years-----	7	4	3	6	3	3	1	1	-	1	1	-
75-79 years-----	4	2	2	4	2	2	-	-	-	-	-	-
80-84 years-----	7	3	4	6	3	3	1	-	1	1	-	1
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Overlapping lesion of small intestine (C17.8)

All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Small intestine, unspecified (C17.9)												
All ages-----	468	244	224	401	212	189	67	32	35	60	29	31
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	12	6	6	8	4	4	4	2	2	4	2	2
40-44 years-----	16	9	7	14	8	6	2	1	1	2	1	1
45-49 years-----	34	18	16	28	17	11	6	1	5	6	1	5
50-54 years-----	38	20	18	34	19	15	4	1	3	3	-	3
55-59 years-----	29	17	12	21	12	9	8	5	3	7	4	3
60-64 years-----	45	36	9	37	29	8	8	7	1	8	7	1
65-69 years-----	49	31	18	45	29	16	4	2	2	3	2	1
70-74 years-----	75	37	38	64	32	32	11	5	6	8	4	4
75-79 years-----	67	27	40	58	22	36	9	5	4	8	5	3
80-84 years-----	44	24	20	38	21	17	6	3	3	6	3	3
85-89 years-----	40	13	27	35	13	22	5	-	5	5	-	5
90-94 years-----	14	5	9	14	5	9	-	-	-	-	-	-
95-99 years-----	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	1	-	1	1	-	1	-	-	-	-	-	-

Malignant neoplasm of colon (C18)

All ages-----	48,433	23,596	24,837	41,735	20,494	21,241	6,698	3,102	3,596	5,900	2,711	3,189
Under 1 year----	1	-	1	-	-	-	1	-	1	1	-	1
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	9	4	5	5	2	3	4	2	2	4	2	2
20-24 years-----	29	17	12	19	10	9	10	7	3	10	7	3
25-29 years-----	62	36	26	41	23	18	21	13	8	18	11	7
30-34 years-----	154	78	76	115	58	57	39	20	19	29	12	17
35-39 years-----	342	171	171	259	138	121	83	33	50	75	32	43
40-44 years-----	688	347	341	516	275	241	172	72	100	152	66	86
45-49 years-----	1,265	675	590	966	527	439	299	148	151	261	130	131
50-54 years-----	1,969	1,092	877	1,559	893	666	410	199	211	347	175	172
55-59 years-----	2,663	1,527	1,136	2,130	1,237	893	533	290	243	468	262	206
60-64 years-----	3,843	2,197	1,646	3,168	1,833	1,335	675	364	311	605	319	286
65-69 years-----	5,085	2,831	2,254	4,277	2,424	1,853	808	407	401	707	365	342
70-74 years-----	6,900	3,739	3,161	5,970	3,310	2,660	930	429	501	809	373	436
75-79 years-----	8,128	4,139	3,989	7,161	3,655	3,506	967	484	483	849	423	426
80-84 years-----	7,402	3,374	4,028	6,618	3,055	3,563	784	319	465	706	274	432
85-89 years-----	5,857	2,192	3,665	5,294	1,980	3,314	563	212	351	510	178	332
90-94 years-----	3,080	964	2,116	2,805	883	1,922	275	81	194	241	68	173
95-99 years-----	831	191	640	734	171	563	97	20	77	86	14	72
100 yrs & over---	124	21	103	97	19	78	27	2	25	22	-	22
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Cecum (C18.0)												
All ages-----	476	173	303	420	151	269	56	22	34	51	21	30
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	2	-	2	1	-	1	1	-	1	1	-	1
40-44 years-----	4	2	2	4	2	2	-	-	-	-	-	-
45-49 years-----	7	2	5	4	1	3	3	1	2	3	1	2
50-54 years-----	11	5	6	8	4	4	3	1	2	3	1	2
55-59 years-----	19	8	11	17	7	10	2	1	1	2	1	1
60-64 years-----	29	16	13	22	11	11	7	5	2	7	5	2
65-69 years-----	36	15	21	31	12	19	5	3	2	5	3	2
70-74 years-----	56	19	37	47	17	30	9	2	7	7	2	5
75-79 years-----	76	38	38	69	34	35	7	4	3	7	4	3
80-84 years-----	99	30	69	94	29	65	5	1	4	4	-	4
85-89 years-----	70	25	45	64	22	42	6	3	3	6	3	3
90-94 years-----	48	11	37	43	10	33	5	1	4	4	1	3
95-99 years-----	13	1	12	12	1	11	1	-	1	1	-	1
100 yrs & over---	6	1	5	4	1	3	2	-	2	1	-	1
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Appendix (C18.1)												
All ages-----	211	87	124	180	70	110	31	17	14	26	15	11
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	3	3	-	2	2	-	1	1	-	1	1	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	10	4	6	6	2	4	4	2	2	4	2	2
40-44 years-----	18	5	13	14	3	11	4	2	2	4	2	2
45-49 years-----	26	9	17	23	7	16	3	2	1	2	2	-
50-54 years-----	16	6	10	16	6	10	-	-	-	-	-	-
55-59 years-----	26	10	16	20	6	14	6	4	2	5	3	2
60-64 years-----	25	9	16	24	9	15	1	-	1	1	-	1
65-69 years-----	25	9	16	22	7	15	3	2	1	3	2	1
70-74 years-----	24	12	12	19	10	9	5	2	3	5	2	3
75-79 years-----	15	7	8	14	6	8	1	1	-	1	1	-
80-84 years-----	15	8	7	14	8	6	1	-	1	-	-	-
85-89 years-----	4	3	1	3	2	1	1	1	-	-	-	-
90-94 years-----	3	1	2	2	1	1	1	-	1	-	-	-
95-99 years-----	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Ascending colon (C18.2)												
All ages-----	519	250	269	457	224	233	62	26	36	47	19	28
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	4	2	2	2	1	1	2	1	1	2	1	1
40-44 years-----	5	1	4	4	1	3	1	-	1	1	-	1
45-49 years-----	13	8	5	11	7	4	2	1	1	2	1	1
50-54 years-----	18	12	6	16	11	5	2	1	1	2	1	1
55-59 years-----	23	9	14	18	7	11	5	2	3	5	2	3
60-64 years-----	28	12	16	23	11	12	5	1	4	4	-	4
65-69 years-----	51	34	17	42	29	13	9	5	4	8	4	4
70-74 years-----	78	46	32	63	41	22	15	5	10	7	2	5
75-79 years-----	93	35	58	83	30	53	10	5	5	5	3	2
80-84 years-----	102	53	49	95	49	46	7	4	3	7	4	3
85-89 years-----	62	21	41	59	20	39	3	1	2	3	1	2
90-94 years-----	28	13	15	28	13	15	-	-	-	-	-	-
95-99 years-----	12	3	9	11	3	8	1	-	1	1	-	1
100 yrs & over---	2	1	1	2	1	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Hepatic flexure (C18.3)												
All ages-----	14	10	4	11	8	3	3	2	1	2	1	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	-	1	-	-	-	1	-	1	1	-	1
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	3	2	1	3	2	1	-	-	-	-	-	-
80-84 years-----	4	2	2	3	1	2	1	1	-	1	1	-
85-89 years-----	1	1	-	-	-	-	1	1	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Transverse colon (C18.4)												
All ages-----	85	35	50	79	34	45	6	1	5	5	-	5
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	2	1	1	2	1	1	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	3	1	2	3	1	2	-	-	-	-	-	-
60-64 years-----	4	3	1	4	3	1	-	-	-	-	-	-
65-69 years-----	6	5	1	6	5	1	-	-	-	-	-	-
70-74 years-----	12	3	9	10	3	7	2	-	2	2	-	2
75-79 years-----	12	6	6	12	6	6	-	-	-	-	-	-
80-84 years-----	16	6	10	15	5	10	1	1	-	-	-	-
85-89 years-----	18	7	11	15	7	8	3	-	3	3	-	3
90-94 years-----	7	1	6	7	1	6	-	-	-	-	-	-
95-99 years-----	3	1	2	3	1	2	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Splenic flexure (C18.5)

All ages-----	9	5	4	5	2	3	4	3	1	4	3	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	2	2	-	-	-	-	2	2	-	2	2	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	2	-	2	2	-	2	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	1	-	-	-	-	1	1	-	1	1	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	1	-	1	-	-	-	1	-	1	1	-	1
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
 ON THE TENTH REVISION
 INTERNATIONAL CLASSIFICATION
 OF DISEASES, 1992),
 RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Descending colon (C18.6)												
All ages-----	131	74	57	116	67	49	15	7	8	11	5	6
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	2	1	1	2	1	1	-	-	-	-	-	-
35-39 years-----	2	2	-	1	1	-	1	1	-	1	1	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	2	2	-	2	2	-	-	-	-	-	-	-
50-54 years-----	6	4	2	5	4	1	1	-	1	1	-	1
55-59 years-----	9	5	4	6	4	2	3	1	2	1	-	1
60-64 years-----	12	6	6	11	6	5	1	-	1	1	-	1
65-69 years-----	14	11	3	14	11	3	-	-	-	-	-	-
70-74 years-----	23	16	7	18	13	5	5	3	2	5	3	2
75-79 years-----	19	14	5	17	13	4	2	1	1	1	1	-
80-84 years-----	24	8	16	24	8	16	-	-	-	-	-	-
85-89 years-----	9	2	7	8	2	6	1	-	1	1	-	1
90-94 years-----	9	3	6	8	2	6	1	1	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Sigmoid colon (C18.7)												
All ages-----	608	323	285	532	289	243	76	34	42	49	21	28
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	-	1	-	-	-	1	-	1	1	-	1
20-24 years-----	1	1	-	-	-	-	1	1	-	1	1	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	3	1	2	3	1	2	-	-	-	-	-	-
35-39 years-----	5	3	2	4	3	1	1	-	1	1	-	1
40-44 years-----	11	5	6	9	4	5	2	1	1	1	1	-
45-49 years-----	15	6	9	12	6	6	3	-	3	1	-	1
50-54 years-----	28	14	14	24	12	12	4	2	2	2	1	1
55-59 years-----	31	17	14	24	12	12	7	5	2	4	3	1
60-64 years-----	38	23	15	28	17	11	10	6	4	7	4	3
65-69 years-----	61	40	21	52	38	14	9	2	7	3	1	2
70-74 years-----	97	54	43	88	51	37	9	3	6	8	3	5
75-79 years-----	102	63	39	92	57	35	10	6	4	5	3	2
80-84 years-----	98	50	48	89	47	42	9	3	6	8	2	6
85-89 years-----	71	33	38	68	31	37	3	2	1	2	1	1
90-94 years-----	35	12	23	29	9	20	6	3	3	4	1	3
95-99 years-----	9	-	9	8	-	8	1	-	1	1	-	1
100 yrs & over---	1	1	-	1	1	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Overlapping lesion of colon (C18.8)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Colon, unspecified (C18.9)												
All ages-----	46,379	22,639	23,740	39,934	19,649	20,285	6,445	2,990	3,455	5,705	2,626	3,079
Under 1 year-----	1	-	1	-	-	-	1	-	1	1	-	1
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	8	4	4	5	2	3	3	2	1	3	2	1
20-24 years-----	28	16	12	19	10	9	9	6	3	9	6	3
25-29 years-----	58	33	25	38	21	17	20	12	8	17	10	7
30-34 years-----	149	76	73	110	56	54	39	20	19	29	12	17
35-39 years-----	318	160	158	244	131	113	74	29	45	66	28	38
40-44 years-----	647	332	315	482	263	219	165	69	96	146	63	83
45-49 years-----	1,202	648	554	914	504	410	288	144	144	253	126	127
50-54 years-----	1,888	1,050	838	1,489	855	634	399	195	204	338	172	166
55-59 years-----	2,549	1,474	1,075	2,041	1,199	842	508	275	233	449	251	198
60-64 years-----	3,705	2,126	1,579	3,054	1,774	1,280	651	352	299	585	310	275
65-69 years-----	4,889	2,716	2,173	4,107	2,321	1,786	782	395	387	688	355	333
70-74 years-----	6,607	3,587	3,020	5,722	3,173	2,549	885	414	471	775	361	414
75-79 years-----	7,808	3,974	3,834	6,871	3,507	3,364	937	467	470	830	411	419
80-84 years-----	7,043	3,216	3,827	6,284	2,908	3,376	759	308	451	685	266	419
85-89 years-----	5,621	2,100	3,521	5,076	1,896	3,180	545	204	341	495	173	322
90-94 years-----	2,949	923	2,026	2,688	847	1,841	261	76	185	232	66	166
95-99 years-----	793	185	608	699	165	534	94	20	74	83	14	69
100 yrs & over---	115	18	97	90	16	74	25	2	23	21	-	21
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Malignant neoplasm of rectosigmoid junction (C19)												
All ages-----	1,808	974	834	1,546	841	705	262	133	129	217	113	104
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	2	1	1	-	-	-	2	1	1	1	-	1
25-29 years-----	4	2	2	3	1	2	1	1	-	1	1	-
30-34 years-----	9	5	4	8	4	4	1	1	-	1	1	-
35-39 years-----	22	10	12	16	8	8	6	2	4	6	2	4
40-44 years-----	34	10	24	27	9	18	7	1	6	5	-	5
45-49 years-----	67	36	31	55	31	24	12	5	7	8	4	4
50-54 years-----	89	54	35	69	43	26	20	11	9	18	10	8
55-59 years-----	154	95	59	131	82	49	23	13	10	21	13	8
60-64 years-----	190	123	67	159	105	54	31	18	13	27	15	12
65-69 years-----	240	141	99	198	116	82	42	25	17	33	19	14
70-74 years-----	288	169	119	255	155	100	33	14	19	25	12	13
75-79 years-----	275	149	126	240	126	114	35	23	12	30	20	10
80-84 years-----	195	96	99	176	87	89	19	9	10	16	8	8
85-89 years-----	151	63	88	130	55	75	21	8	13	17	7	10
90-94 years-----	66	15	51	61	14	47	5	1	4	5	1	4
95-99 years-----	20	5	15	17	5	12	3	-	3	2	-	2
100 yrs & over---	2	-	2	1	-	1	1	-	1	1	-	1
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of rectum (C20)												
All ages-----	6,452	3,502	2,950	5,688	3,060	2,628	764	442	322	609	349	260
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	2	1	1	1	-	1	1	1	-	1	1	-
20-24 years-----	7	4	3	7	4	3	-	-	-	-	-	-
25-29 years-----	20	18	2	18	16	2	2	2	-	1	1	-
30-34 years-----	28	15	13	24	13	11	4	2	2	3	2	1
35-39 years-----	57	36	21	49	29	20	8	7	1	5	5	-
40-44 years-----	152	85	67	125	68	57	27	17	10	21	14	7
45-49 years-----	253	145	108	209	117	92	44	28	16	32	22	10
50-54 years-----	338	212	126	279	172	107	59	40	19	40	28	12
55-59 years-----	449	295	154	375	241	134	74	54	20	59	43	16
60-64 years-----	587	355	232	498	303	195	89	52	37	71	44	27
65-69 years-----	726	442	284	632	387	245	94	55	39	75	41	34
70-74 years-----	908	526	382	809	467	342	99	59	40	84	48	36
75-79 years-----	1,016	553	463	917	506	411	99	47	52	84	37	47
80-84 years-----	813	412	401	740	373	367	73	39	34	58	32	26
85-89 years-----	626	262	364	570	237	333	56	25	31	48	22	26
90-94 years-----	339	98	241	314	89	225	25	9	16	22	8	14
95-99 years-----	119	40	79	110	35	75	9	5	4	4	1	3
100 yrs & over---	12	3	9	11	3	8	1	-	1	1	-	1
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Malignant neoplasm of anus and anal canal (C21)												
All ages-----	462	168	294	405	144	261	57	24	33	51	23	28
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years-----	5	5	-	3	3	-	2	2	-	2	2	-
35-39 years-----	18	9	9	12	5	7	6	4	2	6	4	2
40-44 years-----	20	10	10	16	8	8	4	2	2	3	2	1
45-49 years-----	38	20	18	34	17	17	4	3	1	4	3	1
50-54 years-----	38	16	22	28	11	17	10	5	5	9	5	4
55-59 years-----	43	15	28	40	14	26	3	1	2	3	1	2
60-64 years-----	38	14	24	36	13	23	2	1	1	2	1	1
65-69 years-----	44	17	27	38	16	22	6	1	5	4	1	3
70-74 years-----	58	18	40	49	16	33	9	2	7	9	2	7
75-79 years-----	54	16	38	52	16	36	2	-	2	2	-	2
80-84 years-----	46	15	31	40	14	26	6	1	5	5	1	4
85-89 years-----	38	8	30	36	7	29	2	1	1	1	-	1
90-94 years-----	18	4	14	18	4	14	-	-	-	-	-	-
95-99 years-----	3	-	3	3	-	3	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Anus, unspecified (C21.0)

All ages-----	357	135	222	310	113	197	47	22	25	41	21	20
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years-----	5	5	-	3	3	-	2	2	-	2	2	-
35-39 years-----	17	9	8	11	5	6	6	4	2	6	4	2
40-44 years-----	16	7	9	13	6	7	3	1	2	2	1	1
45-49 years-----	32	16	16	30	14	16	2	2	-	2	2	-
50-54 years-----	29	15	14	20	10	10	9	5	4	8	5	3
55-59 years-----	31	12	19	28	11	17	3	1	2	3	1	2
60-64 years-----	26	10	16	24	9	15	2	1	1	2	1	1
65-69 years-----	38	14	24	34	13	21	4	1	3	2	1	1
70-74 years-----	45	14	31	37	12	25	8	2	6	8	2	6
75-79 years-----	38	12	26	37	12	25	1	-	1	1	-	1
80-84 years-----	34	11	23	30	10	20	4	1	3	3	1	2
85-89 years-----	28	6	22	26	5	21	2	1	1	1	-	1
90-94 years-----	15	3	12	15	3	12	-	-	-	-	-	-
95-99 years-----	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Anal canal (C21.1)												
All ages-----	32	10	22	30	10	20	2	-	2	2	-	2
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	2	1	1	2	1	1	-	-	-	-	-	-
45-49 years-----	1	-	1	-	-	-	1	-	1	1	-	1
50-54 years-----	4	-	4	4	-	4	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	3	1	2	3	1	2	-	-	-	-	-	-
65-69 years-----	4	2	2	3	2	1	1	-	1	1	-	1
70-74 years-----	4	2	2	4	2	2	-	-	-	-	-	-
75-79 years-----	5	1	4	5	1	4	-	-	-	-	-	-
80-84 years-----	3	2	1	3	2	1	-	-	-	-	-	-
85-89 years-----	5	1	4	5	1	4	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Cloacogenic zone (C21.2)												
All ages-----	22	6	16	21	6	15	1	-	1	1	-	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	4	-	4	4	-	4	-	-	-	-	-	-
60-64 years-----	4	1	3	4	1	3	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	3	1	2	3	1	2	-	-	-	-	-	-
75-79 years-----	4	2	2	4	2	2	-	-	-	-	-	-
80-84 years-----	1	-	1	-	-	-	1	-	1	1	-	1
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Overlapping lesion of rectum, anus, and anal canal (C21.8)												
All ages-----	51	17	34	44	15	29	7	2	5	7	2	5
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	2	2	-	1	1	-	1	1	-	1	1	-
45-49 years-----	3	3	-	2	2	-	1	1	-	1	1	-
50-54 years-----	4	1	3	3	1	2	1	-	1	1	-	1
55-59 years-----	7	3	4	7	3	4	-	-	-	-	-	-
60-64 years-----	5	2	3	5	2	3	-	-	-	-	-	-
65-69 years-----	2	1	1	1	1	-	1	-	1	1	-	1
70-74 years-----	6	1	5	5	1	4	1	-	1	1	-	1
75-79 years-----	7	1	6	6	1	5	1	-	1	1	-	1
80-84 years-----	8	2	6	7	2	5	1	-	1	1	-	1
85-89 years-----	4	1	3	4	1	3	-	-	-	-	-	-
90-94 years-----	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Malignant neoplasm of liver and intrahepatic bile ducts (C22)

All ages-----	12,382	7,689	4,693	9,986	6,151	3,835	2,396	1,538	858	1,507	947	560
Under 1 year-----	8	5	3	6	3	3	2	2	-	1	1	-
1-4 years-----	29	20	9	26	18	8	3	2	1	3	2	1
5-9 years-----	5	5	-	3	3	-	2	2	-	1	1	-
10-14 years-----	6	4	2	3	2	1	3	2	1	3	2	1
15-19 years-----	19	12	7	14	10	4	5	2	3	2	-	2
20-24 years-----	24	12	12	15	7	8	9	5	4	5	2	3
25-29 years-----	33	22	11	17	11	6	16	11	5	9	7	2
30-34 years-----	45	26	19	19	10	9	26	16	10	12	7	5
35-39 years-----	127	88	39	73	45	28	54	43	11	31	21	10
40-44 years-----	317	230	87	210	155	55	107	75	32	60	44	16
45-49 years-----	666	533	133	448	351	97	218	182	36	150	125	25
50-54 years-----	826	628	198	601	448	153	225	180	45	143	115	28
55-59 years-----	928	671	257	662	481	181	266	190	76	157	110	47
60-64 years-----	1,163	794	369	892	613	279	271	181	90	158	102	56
65-69 years-----	1,558	1,041	517	1,258	846	412	300	195	105	191	124	67
70-74 years-----	1,933	1,243	690	1,614	1,052	562	319	191	128	207	124	83
75-79 years-----	1,914	1,103	811	1,660	960	700	254	143	111	149	85	64
80-84 years-----	1,511	774	737	1,338	698	640	173	76	97	117	49	68
85-89 years-----	863	352	511	766	321	445	97	31	66	69	18	51
90-94 years-----	325	109	216	291	103	188	34	6	28	29	6	23
95-99 years-----	75	17	58	63	14	49	12	3	9	10	2	8
100 yrs & over---	7	-	7	7	-	7	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Liver cell carcinoma (C22.0)												
All ages-----	5,112	3,723	1,389	3,871	2,845	1,026	1,241	878	363	702	506	196
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	1	1	-	-	-	-	1	1	-	1	1	-
10-14 years-----	4	3	1	1	1	-	3	2	1	3	2	1
15-19 years-----	16	10	6	11	8	3	5	2	3	2	-	2
20-24 years-----	19	10	9	12	5	7	7	5	2	3	2	1
25-29 years-----	17	10	7	9	5	4	8	5	3	4	2	2
30-34 years-----	21	13	8	4	2	2	17	11	6	8	4	4
35-39 years-----	56	47	9	25	20	5	31	27	4	14	11	3
40-44 years-----	184	142	42	114	92	22	70	50	20	34	25	9
45-49 years-----	377	330	47	244	210	34	133	120	13	96	87	9
50-54 years-----	451	382	69	305	256	49	146	126	20	87	75	12
55-59 years-----	436	348	88	288	235	53	148	113	35	77	61	16
60-64 years-----	526	411	115	393	313	80	133	98	35	68	51	17
65-69 years-----	681	501	180	530	399	131	151	102	49	85	57	28
70-74 years-----	835	599	236	682	505	177	153	94	59	87	55	32
75-79 years-----	748	494	254	619	420	199	129	74	55	69	42	27
80-84 years-----	476	292	184	405	258	147	71	34	37	44	23	21
85-89 years-----	195	94	101	169	83	86	26	11	15	16	6	10
90-94 years-----	54	29	25	48	27	21	6	2	4	3	2	1
95-99 years-----	14	6	8	11	5	6	3	1	2	1	-	1
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Intrahepatic bile duct carcinoma (C22.1)

All ages-----	2,552	1,208	1,344	2,256	1,070	1,186	296	138	158	188	81	107
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	6	4	2	5	3	2	1	1	-	1	1	-
30-34 years-----	10	6	4	8	5	3	2	1	1	1	1	-
35-39 years-----	34	17	17	24	12	12	10	5	5	7	2	5
40-44 years-----	51	26	25	42	22	20	9	4	5	8	4	4
45-49 years-----	82	43	39	72	38	34	10	5	5	5	3	2
50-54 years-----	124	58	66	107	51	56	17	7	10	9	3	6
55-59 years-----	182	106	76	147	88	59	35	18	17	20	7	13
60-64 years-----	234	115	119	198	102	96	36	13	23	18	6	12
65-69 years-----	318	165	153	277	144	133	41	21	20	29	14	15
70-74 years-----	381	202	179	347	184	163	34	18	16	25	14	11
75-79 years-----	419	202	217	378	180	198	41	22	19	22	12	10
80-84 years-----	374	158	216	340	142	198	34	16	18	24	9	15
85-89 years-----	231	81	150	213	76	137	18	5	13	12	3	9
90-94 years-----	87	22	65	82	21	61	5	1	4	4	1	3
95-99 years-----	18	3	15	15	2	13	3	1	2	3	1	2
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Hepatoblastoma (C22.2)												
All ages-----	35	25	10	28	19	9	7	6	1	3	2	1
Under 1 year----	6	5	1	4	3	1	2	2	-	1	1	-
1-4 years-----	22	15	7	20	14	6	2	1	1	2	1	1
5-9 years-----	3	3	-	2	2	-	1	1	-	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	2	2	-	-	-	-	2	2	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Angiosarcoma of liver (C22.3)												
All ages-----	3	3	-	3	3	-	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other sarcomas of liver (C22.4)												
All ages-----	3	2	1	3	2	1	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Liver, unspecified (C22.9)

All ages-----	4,677	2,728	1,949	3,825	2,212	1,613	852	516	336	614	358	256
Under 1 year----	2	-	2	2	-	2	-	-	-	-	-	-
1-4 years-----	6	4	2	5	3	2	1	1	-	1	1	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	2	2	-	2	2	-	-	-	-	-	-	-
20-24 years-----	5	2	3	3	2	1	2	-	2	2	-	2
25-29 years-----	9	7	2	2	2	-	7	5	2	4	4	-
30-34 years-----	14	7	7	7	3	4	7	4	3	3	2	1
35-39 years-----	37	24	13	24	13	11	13	11	2	10	8	2
40-44 years-----	82	62	20	54	41	13	28	21	7	18	15	3
45-49 years-----	205	158	47	132	103	29	73	55	18	49	35	14
50-54 years-----	251	188	63	189	141	48	62	47	15	47	37	10
55-59 years-----	310	217	93	227	158	69	83	59	24	60	42	18
60-64 years-----	403	268	135	301	198	103	102	70	32	72	45	27
65-69 years-----	558	374	184	450	302	148	108	72	36	77	53	24
70-74 years-----	716	441	275	584	362	222	132	79	53	95	55	40
75-79 years-----	747	407	340	663	360	303	84	47	37	58	31	27
80-84 years-----	661	324	337	593	298	295	68	26	42	49	17	32
85-89 years-----	435	176	259	382	161	221	53	15	38	41	9	32
90-94 years-----	184	58	126	161	55	106	23	3	20	22	3	19
95-99 years-----	43	8	35	37	7	30	6	1	5	6	1	5
100 yrs & over---	6	-	6	6	-	6	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Malignant neoplasm of gallbladder (C23)												
All ages-----	2,059	578	1,481	1,782	505	1,277	277	73	204	201	51	150
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	-	1	-	-	-	1	-	1	1	-	1
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	2	-	2	1	-	1	1	-	1	1	-	1
35-39 years-----	9	3	6	8	3	5	1	-	1	1	-	1
40-44 years-----	28	8	20	22	8	14	6	-	6	4	-	4
45-49 years-----	42	15	27	28	10	18	14	5	9	11	4	7
50-54 years-----	85	21	64	70	13	57	15	8	7	12	5	7
55-59 years-----	141	37	104	118	35	83	23	2	21	18	-	18
60-64 years-----	168	50	118	145	43	102	23	7	16	19	6	13
65-69 years-----	245	84	161	213	71	142	32	13	19	22	7	15
70-74 years-----	307	101	206	267	88	179	40	13	27	29	11	18
75-79 years-----	366	103	263	325	95	230	41	8	33	27	7	20
80-84 years-----	320	76	244	274	64	210	46	12	34	32	9	23
85-89 years-----	235	58	177	210	54	156	25	4	21	15	1	14
90-94 years-----	79	19	60	73	18	55	6	1	5	6	1	5
95-99 years-----	27	2	25	24	2	22	3	-	3	3	-	3
100 yrs & over---	4	1	3	4	1	3	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Malignant neoplasm of other and unspecified parts of biliary tract (C24)

All ages-----	1,531	722	809	1,374	651	723	157	71	86	105	47	58
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	5	3	2	3	2	1	2	1	1	1	-	1
40-44 years-----	22	12	10	17	10	7	5	2	3	1	1	-
45-49 years-----	29	16	13	26	14	12	3	2	1	2	1	1
50-54 years-----	51	31	20	44	28	16	7	3	4	5	2	3
55-59 years-----	72	38	34	63	33	30	9	5	4	6	3	3
60-64 years-----	100	58	42	88	51	37	12	7	5	9	6	3
65-69 years-----	155	81	74	135	68	67	20	13	7	16	10	6
70-74 years-----	228	111	117	203	99	104	25	12	13	19	8	11
75-79 years-----	279	147	132	251	135	116	28	12	16	17	8	9
80-84 years-----	259	122	137	238	114	124	21	8	13	14	5	9
85-89 years-----	207	69	138	194	65	129	13	4	9	6	1	5
90-94 years-----	91	24	67	85	23	62	6	1	5	4	1	3
95-99 years-----	27	7	20	24	7	17	3	-	3	2	-	2
100 yrs & over---	4	1	3	2	1	1	2	-	2	2	-	2
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Extrahepatic bile duct (C24.0)												
All ages-----	738	369	369	658	328	330	80	41	39	48	22	26
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	3	2	1	2	1	1	1	1	-	-	-	-
40-44 years-----	8	4	4	6	3	3	2	1	1	-	-	-
45-49 years-----	8	4	4	8	4	4	-	-	-	-	-	-
50-54 years-----	26	18	8	20	15	5	6	3	3	4	2	2
55-59 years-----	32	19	13	29	17	12	3	2	1	-	-	-
60-64 years-----	52	34	18	46	30	16	6	4	2	4	3	1
65-69 years-----	80	45	35	69	37	32	11	8	3	8	5	3
70-74 years-----	103	57	46	93	52	41	10	5	5	8	3	5
75-79 years-----	135	76	59	121	69	52	14	7	7	9	5	4
80-84 years-----	127	57	70	114	52	62	13	5	8	7	2	5
85-89 years-----	106	32	74	97	29	68	9	3	6	4	-	4
90-94 years-----	43	15	28	40	14	26	3	1	2	2	1	1
95-99 years-----	13	4	9	12	4	8	1	-	1	1	-	1
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Ampulla of Vater (C24.1)												
All ages-----	193	104	89	175	97	78	18	7	11	12	6	6
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	7	5	2	6	5	1	1	-	1	-	-	-
45-49 years-----	4	3	1	4	3	1	-	-	-	-	-	-
50-54 years-----	5	1	4	4	1	3	1	-	1	1	-	1
55-59 years-----	9	6	3	9	6	3	-	-	-	-	-	-
60-64 years-----	15	9	6	14	9	5	1	-	1	1	-	1
65-69 years-----	15	8	7	13	6	7	2	2	-	2	2	-
70-74 years-----	25	15	10	21	13	8	4	2	2	3	2	1
75-79 years-----	38	23	15	32	21	11	6	2	4	3	1	2
80-84 years-----	36	19	17	34	18	16	2	1	1	1	1	-
85-89 years-----	24	13	11	24	13	11	-	-	-	-	-	-
90-94 years-----	10	-	10	9	-	9	1	-	1	1	-	1
95-99 years-----	4	1	3	4	1	3	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Overlapping lesion of biliary tract (C24.8)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Biliary tract, unspecified (C24.9)

All ages-----	599	248	351	540	225	315	59	23	36	45	19	26
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	-	-	-	1	-	1	1	-	1
40-44 years-----	7	3	4	5	2	3	2	1	1	1	1	-
45-49 years-----	17	9	8	14	7	7	3	2	1	2	1	1
50-54 years-----	20	12	8	20	12	8	-	-	-	-	-	-
55-59 years-----	31	13	18	25	10	15	6	3	3	6	3	3
60-64 years-----	33	15	18	28	12	16	5	3	2	4	3	1
65-69 years-----	60	28	32	53	25	28	7	3	4	6	3	3
70-74 years-----	99	38	61	88	33	55	11	5	6	8	3	5
75-79 years-----	106	48	58	98	45	53	8	3	5	5	2	3
80-84 years-----	96	46	50	90	44	46	6	2	4	6	2	4
85-89 years-----	77	24	53	73	23	50	4	1	3	2	1	1
90-94 years-----	38	9	29	36	9	27	2	-	2	1	-	1
95-99 years-----	10	2	8	8	2	6	2	-	2	1	-	1
100 yrs & over---	4	1	3	2	1	1	2	-	2	2	-	2
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Malignant neoplasm of pancreas (C25)												
All ages-----	29,082	14,176	14,906	25,086	12,273	12,813	3,996	1,903	2,093	3,391	1,611	1,780
Under 1 year-----	1	-	1	-	-	-	1	-	1	1	-	1
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	3	1	2	2	1	1	1	-	1	-	-	-
25-29 years-----	9	7	2	7	6	1	2	1	1	2	1	1
30-34 years-----	46	26	20	33	19	14	13	7	6	10	7	3
35-39 years-----	178	107	71	137	85	52	41	22	19	36	19	17
40-44 years-----	416	262	154	331	212	119	85	50	35	76	44	32
45-49 years-----	887	575	312	729	476	253	158	99	59	141	88	53
50-54 years-----	1,466	907	559	1,184	728	456	282	179	103	249	158	91
55-59 years-----	2,039	1,204	835	1,660	978	682	379	226	153	328	201	127
60-64 years-----	2,668	1,517	1,151	2,237	1,287	950	431	230	201	345	186	159
65-69 years-----	3,632	1,976	1,656	3,087	1,699	1,388	545	277	268	461	231	230
70-74 years-----	4,661	2,371	2,290	4,053	2,096	1,957	608	275	333	518	231	287
75-79 years-----	4,931	2,281	2,650	4,339	2,031	2,308	592	250	342	490	212	278
80-84 years-----	4,002	1,659	2,343	3,574	1,496	2,078	428	163	265	362	135	227
85-89 years-----	2,673	910	1,763	2,397	820	1,577	276	90	186	236	73	163
90-94 years-----	1,120	311	809	1,003	280	723	117	31	86	101	22	79
95-99 years-----	309	59	250	282	56	226	27	3	24	25	3	22
100 yrs & over---	40	3	37	30	3	27	10	-	10	10	-	10
Not stated-----	1	-	1	1	-	1	-	-	-	-	-	-

Head of pancreas (C25.0)

All ages-----	192	89	103	157	70	87	35	19	16	28	13	15
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	-	-	-	1	-	1	1	-	1
40-44 years-----	2	2	-	1	1	-	1	1	-	1	1	-
45-49 years-----	3	3	-	1	1	-	2	2	-	2	2	-
50-54 years-----	5	4	1	2	1	1	3	3	-	3	3	-
55-59 years-----	16	13	3	13	10	3	3	3	-	2	2	-
60-64 years-----	12	7	5	9	5	4	3	2	1	2	1	1
65-69 years-----	13	5	8	11	4	7	2	1	1	1	-	1
70-74 years-----	22	16	6	19	14	5	3	2	1	2	1	1
75-79 years-----	31	14	17	26	14	12	5	-	5	4	-	4
80-84 years-----	30	12	18	26	8	18	4	4	-	2	2	-
85-89 years-----	27	9	18	23	8	15	4	1	3	4	1	3
90-94 years-----	20	3	17	17	3	14	3	-	3	3	-	3
95-99 years-----	10	1	9	9	1	8	1	-	1	1	-	1
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Body of pancreas (C25.1)												
All ages-----	9	5	4	8	4	4	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	2	2	-	1	1	-	1	1	-	1	1	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years-----	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	2	-	2	2	-	2	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Tail of pancreas (C25.2)												
All ages-----	21	8	13	19	7	12	2	1	1	2	1	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years-----	4	1	3	4	1	3	-	-	-	-	-	-
65-69 years-----	5	3	2	4	3	1	1	-	1	1	-	1
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	5	2	3	4	1	3	1	1	-	1	1	-
80-84 years-----	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years-----	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Pancreatic duct (C25.3)												
All ages-----	10	2	8	9	2	7	1	-	1	1	-	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	-	-	-	1	-	1	1	-	1
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	4	1	3	4	1	3	-	-	-	-	-	-
75-79 years-----	2	-	2	2	-	2	-	-	-	-	-	-
80-84 years-----	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Endocrine pancreas (C25.4)												
All ages-----	158	91	67	141	86	55	17	5	12	13	4	9
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	4	3	1	4	3	1	-	-	-	-	-	-
35-39 years-----	5	2	3	5	2	3	-	-	-	-	-	-
40-44 years-----	15	11	4	14	11	3	1	-	1	1	-	1
45-49 years-----	13	5	8	12	5	7	1	-	1	1	-	1
50-54 years-----	18	12	6	14	9	5	4	3	1	4	3	1
55-59 years-----	17	8	9	16	8	8	1	-	1	-	-	-
60-64 years-----	18	12	6	16	11	5	2	1	1	2	1	1
65-69 years-----	19	10	9	18	10	8	1	-	1	1	-	1
70-74 years-----	23	15	8	21	15	6	2	-	2	2	-	2
75-79 years-----	14	7	7	11	7	4	3	-	3	1	-	1
80-84 years-----	11	5	6	9	4	5	2	1	1	1	-	1
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Overlapping lesion of pancreas (C25.8)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Pancreas, unspecified (C25.9)												
All ages-----	28,691	13,980	14,711	24,751	12,103	12,648	3,940	1,877	2,063	3,346	1,592	1,754
Under 1 year-----	1	-	1	-	-	-	1	-	1	1	-	1
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	3	1	2	2	1	1	1	-	1	-	-	-
25-29 years-----	9	7	2	7	6	1	2	1	1	2	1	1
30-34 years-----	42	23	19	29	16	13	13	7	6	10	7	3
35-39 years-----	172	105	67	132	83	49	40	22	18	35	19	16
40-44 years-----	399	249	150	316	200	116	83	49	34	74	43	31
45-49 years-----	869	567	302	715	470	245	154	97	57	137	86	51
50-54 years-----	1,443	891	552	1,168	718	450	275	173	102	242	152	90
55-59 years-----	2,002	1,180	822	1,628	958	670	374	222	152	325	198	127
60-64 years-----	2,634	1,497	1,137	2,208	1,270	938	426	227	199	341	184	157
65-69 years-----	3,591	1,956	1,635	3,050	1,680	1,370	541	276	265	458	231	227
70-74 years-----	4,610	2,338	2,272	4,007	2,065	1,942	603	273	330	514	230	284
75-79 years-----	4,878	2,257	2,621	4,295	2,008	2,287	583	249	334	484	211	273
80-84 years-----	3,955	1,640	2,315	3,533	1,482	2,051	422	158	264	359	133	226
85-89 years-----	2,643	900	1,743	2,371	811	1,560	272	89	183	232	72	160
90-94 years-----	1,100	308	792	986	277	709	114	31	83	98	22	76
95-99 years-----	299	58	241	273	55	218	26	3	23	24	3	21
100 yrs & over---	40	3	37	30	3	27	10	-	10	10	-	10
Not stated-----	1	-	1	1	-	1	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

RACE, AND SEX

Malignant neoplasm of other and ill-defined digestive organs (C26)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	1,566	774	792	1,375	669	706	191	105	86	164	87	77
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	2	1	1	2	1	1	-	-	-	-	-	-
25-29 years-----	4	1	3	3	1	2	1	-	1	1	-	1
30-34 years-----	3	3	-	2	2	-	1	1	-	1	1	-
35-39 years-----	7	7	-	6	6	-	1	1	-	-	-	-
40-44 years-----	29	21	8	23	16	7	6	5	1	6	5	1
45-49 years-----	51	33	18	35	22	13	16	11	5	16	11	5
50-54 years-----	56	39	17	37	26	11	19	13	6	17	12	5
55-59 years-----	75	46	29	57	36	21	18	10	8	14	8	6
60-64 years-----	104	64	40	91	56	35	13	8	5	13	8	5
65-69 years-----	155	84	71	136	71	65	19	13	6	15	9	6
70-74 years-----	204	101	103	181	91	90	23	10	13	20	9	11
75-79 years-----	240	125	115	218	112	106	22	13	9	19	10	9
80-84 years-----	258	124	134	244	117	127	14	7	7	10	4	6
85-89 years-----	208	75	133	189	70	119	19	5	14	15	3	12
90-94 years-----	129	37	92	114	31	83	15	6	9	14	6	8
95-99 years-----	38	12	26	34	10	24	4	2	2	3	1	2
100 yrs & over---	2	-	2	2	-	2	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Intestinal tract, part unspecified (C26.0)

All ages-----	529	241	288	476	216	260	53	25	28	46	22	24
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	2	1	1	2	1	1	-	-	-	-	-	-
25-29 years-----	4	1	3	3	1	2	1	-	1	1	-	1
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	3	3	-	3	3	-	-	-	-	-	-	-
40-44 years-----	10	8	2	7	5	2	3	3	-	3	3	-
45-49 years-----	14	9	5	8	6	2	6	3	3	6	3	3
50-54 years-----	13	9	4	9	7	2	4	2	2	3	2	1
55-59 years-----	28	16	12	21	13	8	7	3	4	6	3	3
60-64 years-----	31	20	11	27	17	10	4	3	1	4	3	1
65-69 years-----	49	27	22	46	25	21	3	2	1	2	1	1
70-74 years-----	69	29	40	62	28	34	7	1	6	5	1	4
75-79 years-----	75	30	45	68	27	41	7	3	4	6	2	4
80-84 years-----	90	46	44	88	45	43	2	1	1	2	1	1
85-89 years-----	83	28	55	77	26	51	6	2	4	5	1	4
90-94 years-----	42	8	34	40	7	33	2	1	1	2	1	1
95-99 years-----	14	5	9	13	4	9	1	1	-	1	1	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Spleen (C26.1)												
All ages-----	18	10	8	16	10	6	2	-	2	2	-	2
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	2	2	-	2	2	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	2	2	-	2	2	-	-	-	-	-	-	-
75-79 years-----	3	-	3	3	-	3	-	-	-	-	-	-
80-84 years-----	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years-----	3	2	1	2	2	-	1	-	1	1	-	1
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	1	-	1	-	-	-	1	-	1	1	-	1
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Overlapping lesion of digestive system (C26.8)

All ages-----	1	1	-	-	-	-	1	1	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	-	-	-	1	1	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Ill-defined sites within the digestive system (C26.9)												
All ages-----	1,018	522	496	883	443	440	135	79	56	116	65	51
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	3	3	-	2	2	-	1	1	-	1	1	-
35-39 years-----	4	4	-	3	3	-	1	1	-	-	-	-
40-44 years-----	19	13	6	16	11	5	3	2	1	3	2	1
45-49 years-----	35	22	13	25	14	11	10	8	2	10	8	2
50-54 years-----	43	30	13	28	19	9	15	11	4	14	10	4
55-59 years-----	45	29	16	34	22	12	11	7	4	8	5	3
60-64 years-----	72	44	28	63	39	24	9	5	4	9	5	4
65-69 years-----	104	55	49	89	45	44	15	10	5	13	8	5
70-74 years-----	133	70	63	117	61	56	16	9	7	15	8	7
75-79 years-----	162	95	67	147	85	62	15	10	5	13	8	5
80-84 years-----	166	77	89	154	71	83	12	6	6	8	3	5
85-89 years-----	122	45	77	110	42	68	12	3	9	9	2	7
90-94 years-----	86	28	58	73	23	50	13	5	8	12	5	7
95-99 years-----	23	7	16	21	6	15	2	1	1	1	-	1
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Malignant neoplasm of nasal cavity and middle ear (C30)

All ages-----	54	36	18	50	34	16	4	2	2	4	2	2
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	-	-	-	1	-	1	1	-	1
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	2	1	1	2	1	1	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	4	3	1	3	2	1	1	1	-	1	1	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	7	6	1	7	6	1	-	-	-	-	-	-
55-59 years-----	6	5	1	5	4	1	1	1	-	1	1	-
60-64 years-----	3	2	1	3	2	1	-	-	-	-	-	-
65-69 years-----	7	3	4	6	3	3	1	-	1	1	-	1
70-74 years-----	7	5	2	7	5	2	-	-	-	-	-	-
75-79 years-----	8	5	3	8	5	3	-	-	-	-	-	-
80-84 years-----	3	2	1	3	2	1	-	-	-	-	-	-
85-89 years-----	5	4	1	5	4	1	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Nasal cavity (C30.0)												
All ages-----	47	32	15	43	30	13	4	2	2	4	2	2
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	-	-	-	1	-	1	1	-	1
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	2	1	1	2	1	1	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	4	3	1	3	2	1	1	1	-	1	1	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	7	6	1	7	6	1	-	-	-	-	-	-
55-59 years-----	4	3	1	3	2	1	1	1	-	1	1	-
60-64 years-----	3	2	1	3	2	1	-	-	-	-	-	-
65-69 years-----	7	3	4	6	3	3	1	-	1	1	-	1
70-74 years-----	6	5	1	6	5	1	-	-	-	-	-	-
75-79 years-----	7	4	3	7	4	3	-	-	-	-	-	-
80-84 years-----	2	2	-	2	2	-	-	-	-	-	-	-
85-89 years-----	3	3	-	3	3	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Middle ear (C30.1)												
All ages-----	7	4	3	7	4	3	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	2	2	-	2	2	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Malignant neoplasm of accessory sinuses (C31)												
All ages-----	402	221	181	358	193	165	44	28	16	38	25	13
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	4	1	3	2	1	1	2	-	2	2	-	2
35-39 years-----	8	5	3	6	4	2	2	1	1	2	1	1
40-44 years-----	25	14	11	22	12	10	3	2	1	2	2	-
45-49 years-----	23	17	6	17	11	6	6	6	-	5	5	-
50-54 years-----	36	26	10	30	21	9	6	5	1	6	5	1
55-59 years-----	31	25	6	27	21	6	4	4	-	3	3	-
60-64 years-----	31	19	12	24	15	9	7	4	3	6	4	2
65-69 years-----	43	28	15	38	25	13	5	3	2	4	2	2
70-74 years-----	46	19	27	45	18	27	1	1	-	1	1	-
75-79 years-----	52	31	21	52	31	21	-	-	-	-	-	-
80-84 years-----	44	18	26	40	16	24	4	2	2	4	2	2
85-89 years-----	31	12	19	29	12	17	2	-	2	1	-	1
90-94 years-----	21	5	16	19	5	14	2	-	2	2	-	2
95-99 years-----	3	-	3	3	-	3	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Maxillary sinus (C31.0)

All ages-----	180	89	91	157	75	82	23	14	9	21	13	8
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	-	1	-	-	-	1	-	1	1	-	1
35-39 years-----	3	1	2	2	1	1	1	-	1	1	-	1
40-44 years-----	10	7	3	9	6	3	1	1	-	1	1	-
45-49 years-----	11	7	4	9	5	4	2	2	-	2	2	-
50-54 years-----	15	12	3	12	10	2	3	2	1	3	2	1
55-59 years-----	14	11	3	12	9	3	2	2	-	2	2	-
60-64 years-----	15	10	5	12	7	5	3	3	-	3	3	-
65-69 years-----	14	9	5	12	8	4	2	1	1	1	-	1
70-74 years-----	22	7	15	21	6	15	1	1	-	1	1	-
75-79 years-----	22	10	12	22	10	12	-	-	-	-	-	-
80-84 years-----	24	8	16	21	6	15	3	2	1	3	2	1
85-89 years-----	17	6	11	15	6	9	2	-	2	1	-	1
90-94 years-----	10	1	9	8	1	7	2	-	2	2	-	2
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Ethmoidal sinus (C31.1)												
All ages-----	30	17	13	27	17	10	3	-	3	1	-	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	7	3	4	6	3	3	1	-	1	-	-	-
45-49 years-----	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	2	2	-	2	2	-	-	-	-	-	-	-
60-64 years-----	3	-	3	1	-	1	2	-	2	1	-	1
65-69 years-----	4	3	1	4	3	1	-	-	-	-	-	-
70-74 years-----	4	2	2	4	2	2	-	-	-	-	-	-
75-79 years-----	4	4	-	4	4	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Frontal sinus (C31.2)												
All ages-----	3	2	1	3	2	1	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Sphenoidal sinus (C31.3)												
All ages-----	18	7	11	16	6	10	2	1	1	2	1	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	-	-	-	1	1	-	1	1	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	2	1	1	2	1	1	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	1	-	-	-	1	-	1	1	-	1
65-69 years-----	2	-	2	2	-	2	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	3	1	2	3	1	2	-	-	-	-	-	-
80-84 years-----	5	1	4	5	1	4	-	-	-	-	-	-
85-89 years-----	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Accessory sinus, unspecified (C31.9)

All ages-----	171	106	65	155	93	62	16	13	3	14	11	3
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	3	1	2	2	1	1	1	-	1	1	-	1
35-39 years-----	4	3	1	4	3	1	-	-	-	-	-	-
40-44 years-----	7	3	4	6	2	4	1	1	-	1	1	-
45-49 years-----	10	9	1	6	5	1	4	4	-	3	3	-
50-54 years-----	18	12	6	15	9	6	3	3	-	3	3	-
55-59 years-----	15	12	3	13	10	3	2	2	-	1	1	-
60-64 years-----	11	8	3	10	7	3	1	1	-	1	1	-
65-69 years-----	23	16	7	20	14	6	3	2	1	3	2	1
70-74 years-----	18	8	10	18	8	10	-	-	-	-	-	-
75-79 years-----	23	16	7	23	16	7	-	-	-	-	-	-
80-84 years-----	14	9	5	13	9	4	1	-	1	1	-	1
85-89 years-----	11	5	6	11	5	6	-	-	-	-	-	-
90-94 years-----	9	3	6	9	3	6	-	-	-	-	-	-
95-99 years-----	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

RACE, AND SEX

Malignant neoplasm of larynx (C32)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	3,815	2,992	823	3,106	2,419	687	709	573	136	663	536	127
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	6	5	1	4	3	1	2	2	-	2	2	-
35-39 years-----	20	18	2	14	14	-	6	4	2	6	4	2
40-44 years-----	58	46	12	31	24	7	27	22	5	26	21	5
45-49 years-----	151	130	21	101	87	14	50	43	7	48	41	7
50-54 years-----	254	216	38	183	158	25	71	58	13	69	56	13
55-59 years-----	410	339	71	308	252	56	102	87	15	98	85	13
60-64 years-----	494	396	98	383	310	73	111	86	25	107	84	23
65-69 years-----	584	458	126	475	372	103	109	86	23	103	81	22
70-74 years-----	655	490	165	560	417	143	95	73	22	87	67	20
75-79 years-----	529	397	132	469	352	117	60	45	15	57	42	15
80-84 years-----	363	284	79	325	249	76	38	35	3	34	32	2
85-89 years-----	200	154	46	176	133	43	24	21	3	15	13	2
90-94 years-----	72	46	26	59	36	23	13	10	3	10	7	3
95-99 years-----	16	10	6	15	9	6	1	1	-	1	1	-
100 yrs & over---	3	3	-	3	3	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Glottis (C32.0)

All ages-----	67	47	20	55	37	18	12	10	2	10	8	2
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	4	3	1	2	1	1	2	2	-	2	2	-
45-49 years-----	2	1	1	1	-	1	1	1	-	1	1	-
50-54 years-----	3	3	-	3	3	-	-	-	-	-	-	-
55-59 years-----	4	4	-	4	4	-	-	-	-	-	-	-
60-64 years-----	7	6	1	6	6	-	1	-	1	1	-	1
65-69 years-----	8	6	2	8	6	2	-	-	-	-	-	-
70-74 years-----	9	4	5	8	4	4	1	-	1	1	-	1
75-79 years-----	15	11	4	11	7	4	4	4	-	4	4	-
80-84 years-----	5	4	1	5	4	1	-	-	-	-	-	-
85-89 years-----	6	4	2	4	2	2	2	2	-	-	-	-
90-94 years-----	4	1	3	3	-	3	1	1	-	1	1	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Supraglottis (C32.1)												
All ages-----	180	132	48	149	104	45	31	28	3	29	26	3
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	4	4	-	3	3	-	1	1	-	1	1	-
45-49 years-----	10	8	2	7	5	2	3	3	-	3	3	-
50-54 years-----	11	8	3	10	7	3	1	1	-	1	1	-
55-59 years-----	20	18	2	14	12	2	6	6	-	6	6	-
60-64 years-----	30	21	9	23	16	7	7	5	2	7	5	2
65-69 years-----	19	16	3	17	14	3	2	2	-	2	2	-
70-74 years-----	37	26	11	35	24	11	2	2	-	2	2	-
75-79 years-----	21	15	6	16	10	6	5	5	-	5	5	-
80-84 years-----	17	9	8	15	8	7	2	1	1	2	1	1
85-89 years-----	8	5	3	8	5	3	-	-	-	-	-	-
90-94 years-----	3	2	1	1	-	1	2	2	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Subglottis (C32.2)												
All ages-----	11	9	2	10	8	2	1	1	-	1	1	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	1	1	-	-	-	-	1	1	-	1	1	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	3	1	2	3	1	2	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Laryngeal cartilage (C32.3)												
All ages-----	3	3	-	2	2	-	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	-	-	-	1	1	-	1	1	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Overlapping lesion of larynx (C32.8)

All ages-----	1	1	-	-	-	-	1	1	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	-	-	-	1	1	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Larynx, unspecified (C32.9)												
All ages-----	3,553	2,800	753	2,890	2,268	622	663	532	131	622	500	122
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	6	5	1	4	3	1	2	2	-	2	2	-
35-39 years-----	20	18	2	14	14	-	6	4	2	6	4	2
40-44 years-----	50	39	11	26	20	6	24	19	5	23	18	5
45-49 years-----	138	120	18	92	81	11	46	39	7	44	37	7
50-54 years-----	239	204	35	169	147	22	70	57	13	68	55	13
55-59 years-----	384	315	69	289	235	54	95	80	15	92	79	13
60-64 years-----	456	368	88	353	287	66	103	81	22	99	79	20
65-69 years-----	556	435	121	450	352	98	106	83	23	100	78	22
70-74 years-----	607	458	149	516	388	128	91	70	21	83	64	19
75-79 years-----	489	369	120	438	333	105	51	36	15	48	33	15
80-84 years-----	340	270	70	304	236	68	36	34	2	32	31	1
85-89 years-----	185	144	41	163	125	38	22	19	3	15	13	2
90-94 years-----	64	42	22	54	35	19	10	7	3	9	6	3
95-99 years-----	16	10	6	15	9	6	1	1	-	1	1	-
100 yrs & over---	3	3	-	3	3	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of trachea (C33)												
All ages-----	93	52	41	78	44	34	15	8	7	10	6	4
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	2	1	1	1	-	1	1	1	-	-	-	-
45-49 years-----	2	2	-	1	1	-	1	1	-	-	-	-
50-54 years-----	4	2	2	3	1	2	1	1	-	1	1	-
55-59 years-----	8	5	3	8	5	3	-	-	-	-	-	-
60-64 years-----	11	5	6	7	4	3	4	1	3	1	1	-
65-69 years-----	20	13	7	19	13	6	1	-	1	1	-	1
70-74 years-----	17	7	10	14	6	8	3	1	2	3	1	2
75-79 years-----	12	8	4	10	6	4	2	2	-	2	2	-
80-84 years-----	8	6	2	7	5	2	1	1	-	1	1	-
85-89 years-----	4	3	1	4	3	1	-	-	-	-	-	-
90-94 years-----	3	-	3	2	-	2	1	-	1	1	-	1
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Malignant neoplasm of bronchus and lung (C34)												
All ages-----	152,063	89,401	62,662	133,674	77,802	55,872	18,389	11,599	6,790	15,953	10,129	5,824
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	3	2	1	2	1	1	1	1	-	1	1	-
10-14 years-----	2	2	-	1	1	-	1	1	-	1	1	-
15-19 years-----	6	5	1	3	3	-	3	2	1	3	2	1
20-24 years-----	14	8	6	8	4	4	6	4	2	5	3	2
25-29 years-----	43	24	19	33	17	16	10	7	3	5	4	1
30-34 years-----	135	73	62	115	64	51	20	9	11	15	7	8
35-39 years-----	668	323	345	511	247	264	157	76	81	134	63	71
40-44 years-----	2,054	1,150	904	1,616	891	725	438	259	179	399	240	159
45-49 years-----	3,914	2,344	1,570	3,021	1,781	1,240	893	563	330	804	518	286
50-54 years-----	7,514	4,503	3,011	6,122	3,582	2,540	1,392	921	471	1,251	840	411
55-59 years-----	12,157	7,460	4,697	10,316	6,247	4,069	1,841	1,213	628	1,643	1,099	544
60-64 years-----	17,168	10,543	6,625	14,759	8,945	5,814	2,409	1,598	811	2,126	1,421	705
65-69 years-----	23,219	14,173	9,046	20,265	12,273	7,992	2,954	1,900	1,054	2,552	1,653	899
70-74 years-----	28,592	17,094	11,498	25,542	15,158	10,384	3,050	1,936	1,114	2,592	1,640	952
75-79 years-----	26,544	15,453	11,091	23,929	13,840	10,089	2,615	1,613	1,002	2,255	1,385	870
80-84 years-----	17,697	9,930	7,767	16,185	9,013	7,172	1,512	917	595	1,257	762	495
85-89 years-----	8,941	4,736	4,205	8,162	4,303	3,859	779	433	346	662	377	285
90-94 years-----	2,763	1,314	1,449	2,521	1,196	1,325	242	118	124	197	93	104
95-99 years-----	548	234	314	497	215	282	51	19	32	38	13	25
100 yrs & over---	79	28	51	65	20	45	14	8	6	13	7	6
Not stated-----	2	2	-	1	1	-	1	1	-	-	-	-

Main bronchus (C34.0)

All ages-----	71	49	22	66	46	20	5	3	2	5	3	2
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	2	1	1	2	1	1	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	3	3	-	3	3	-	-	-	-	-	-	-
55-59 years-----	8	7	1	8	7	1	-	-	-	-	-	-
60-64 years-----	7	5	2	6	5	1	1	-	1	1	-	1
65-69 years-----	8	5	3	8	5	3	-	-	-	-	-	-
70-74 years-----	14	9	5	12	8	4	2	1	1	2	1	1
75-79 years-----	14	10	4	13	9	4	1	1	-	1	1	-
80-84 years-----	6	4	2	6	4	2	-	-	-	-	-	-
85-89 years-----	5	3	2	4	2	2	1	1	-	1	1	-
90-94 years-----	3	2	1	3	2	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Upper lobe, bronchus or lung (C34.1)												
All ages-----	883	518	365	778	446	332	105	72	33	85	59	26
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	1	-	1	-	-	-	1	-	1	1	-	1
40-44 years-----	9	6	3	8	5	3	1	1	-	1	1	-
45-49 years-----	15	7	8	11	4	7	4	3	1	4	3	1
50-54 years-----	45	22	23	37	18	19	8	4	4	5	3	2
55-59 years-----	63	43	20	55	37	18	8	6	2	7	6	1
60-64 years-----	90	51	39	73	38	35	17	13	4	13	10	3
65-69 years-----	132	69	63	121	62	59	11	7	4	11	7	4
70-74 years-----	161	95	66	143	82	61	18	13	5	13	10	3
75-79 years-----	172	108	64	154	94	60	18	14	4	12	9	3
80-84 years-----	115	68	47	101	61	40	14	7	7	13	6	7
85-89 years-----	55	36	19	52	34	18	3	2	1	3	2	1
90-94 years-----	21	10	11	20	9	11	1	1	-	1	1	-
95-99 years-----	2	1	1	2	1	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Middle lobe, bronchus or lung (C34.2)

All ages-----	53	32	21	45	26	19	8	6	2	7	5	2
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	-	-	-	1	1	-	1	1	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	-	-	-	1	1	-	1	1	-
55-59 years-----	4	1	3	2	-	2	2	1	1	2	1	1
60-64 years-----	5	3	2	5	3	2	-	-	-	-	-	-
65-69 years-----	7	3	4	6	2	4	1	1	-	1	1	-
70-74 years-----	10	9	1	9	8	1	1	1	-	-	-	-
75-79 years-----	12	3	9	11	3	8	1	-	1	1	-	1
80-84 years-----	5	5	-	5	5	-	-	-	-	-	-	-
85-89 years-----	5	4	1	4	3	1	1	1	-	1	1	-
90-94 years-----	2	2	-	2	2	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Lower lobe, bronchus or lung (C34.3)												
All ages-----	347	196	151	315	177	138	32	19	13	18	13	5
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	3	2	1	1	1	-	2	1	1	2	1	1
45-49 years-----	8	3	5	6	3	3	2	-	2	-	-	-
50-54 years-----	12	7	5	9	5	4	3	2	1	1	-	1
55-59 years-----	13	6	7	12	6	6	1	-	1	1	-	1
60-64 years-----	37	27	10	32	22	10	5	5	-	5	5	-
65-69 years-----	64	33	31	58	29	29	6	4	2	4	3	1
70-74 years-----	69	37	32	65	34	31	4	3	1	2	2	-
75-79 years-----	56	35	21	51	33	18	5	2	3	2	1	1
80-84 years-----	47	23	24	45	22	23	2	1	1	1	1	-
85-89 years-----	32	19	13	30	18	12	2	1	1	-	-	-
90-94 years-----	5	3	2	5	3	2	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Overlapping lesion of bronchus and lung (C34.8)

All ages-----	6	3	3	6	3	3	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	2	-	2	2	-	2	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Bronchus or lung, unspecified (C34.9)												
All ages-----	150,703	88,603	62,100	132,464	77,104	55,360	18,239	11,499	6,740	15,838	10,049	5,789
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	3	2	1	2	1	1	1	1	-	1	1	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	6	5	1	3	3	-	3	2	1	3	2	1
20-24 years-----	14	8	6	8	4	4	6	4	2	5	3	2
25-29 years-----	42	23	19	33	17	16	9	6	3	4	3	1
30-34 years-----	133	71	62	113	62	51	20	9	11	15	7	8
35-39 years-----	666	323	343	510	247	263	156	76	80	133	63	70
40-44 years-----	2,040	1,141	899	1,605	884	721	435	257	178	396	238	158
45-49 years-----	3,890	2,334	1,556	3,003	1,774	1,229	887	560	327	800	515	285
50-54 years-----	7,453	4,470	2,983	6,073	3,556	2,517	1,380	914	466	1,244	836	408
55-59 years-----	12,067	7,402	4,665	10,237	6,196	4,041	1,830	1,206	624	1,633	1,092	541
60-64 years-----	17,028	10,456	6,572	14,642	8,876	5,766	2,386	1,580	806	2,107	1,406	701
65-69 years-----	23,006	14,063	8,943	20,070	12,175	7,895	2,936	1,888	1,048	2,536	1,642	894
70-74 years-----	28,338	16,944	11,394	25,313	15,026	10,287	3,025	1,918	1,107	2,575	1,627	948
75-79 years-----	26,289	15,296	10,993	23,699	13,700	9,999	2,590	1,596	994	2,239	1,374	865
80-84 years-----	17,524	9,830	7,694	16,028	8,921	7,107	1,496	909	587	1,243	755	488
85-89 years-----	8,844	4,674	4,170	8,072	4,246	3,826	772	428	344	657	373	284
90-94 years-----	2,732	1,297	1,435	2,491	1,180	1,311	241	117	124	196	92	104
95-99 years-----	546	233	313	495	214	281	51	19	32	38	13	25
100 yrs & over---	79	28	51	65	20	45	14	8	6	13	7	6
Not stated-----	2	2	-	1	1	-	1	1	-	-	-	-
Malignant neoplasm of thymus (C37)												
All ages-----	139	71	68	110	58	52	29	13	16	21	8	13
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	2	2	-	2	2	-	-	-	-	-	-	-
30-34 years-----	5	-	5	4	-	4	1	-	1	1	-	1
35-39 years-----	4	3	1	3	3	-	1	-	1	1	-	1
40-44 years-----	10	6	4	5	3	2	5	3	2	4	2	2
45-49 years-----	13	6	7	11	5	6	2	1	1	1	-	1
50-54 years-----	13	10	3	11	9	2	2	1	1	2	1	1
55-59 years-----	16	11	5	14	10	4	2	1	1	1	-	1
60-64 years-----	11	5	6	6	3	3	5	2	3	4	2	2
65-69 years-----	9	5	4	8	4	4	1	1	-	1	1	-
70-74 years-----	26	13	13	21	11	10	5	2	3	4	2	2
75-79 years-----	6	4	2	4	3	1	2	1	1	-	-	-
80-84 years-----	14	1	13	12	1	11	2	-	2	2	-	2
85-89 years-----	6	2	4	5	1	4	1	1	-	-	-	-
90-94 years-----	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Malignant neoplasm of heart, mediastinum, and pleura (C38)												
All ages-----	306	164	142	261	143	118	45	21	24	36	17	19
Under 1 year-----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	2	2	-	1	1	-	1	1	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	-	-	-	1	1	-	-	-	-
20-24 years-----	3	2	1	3	2	1	-	-	-	-	-	-
25-29 years-----	8	6	2	6	5	1	2	1	1	1	1	-
30-34 years-----	4	3	1	3	3	-	1	-	1	1	-	1
35-39 years-----	16	12	4	12	8	4	4	4	-	3	3	-
40-44 years-----	9	7	2	9	7	2	2	-	-	-	-	-
45-49 years-----	8	6	2	7	5	2	1	1	-	1	1	-
50-54 years-----	17	11	6	14	10	4	3	1	2	3	1	2
55-59 years-----	25	11	14	21	11	10	4	-	4	2	-	2
60-64 years-----	24	16	8	17	11	6	7	5	2	7	5	2
65-69 years-----	32	13	19	28	13	15	4	-	4	4	-	4
70-74 years-----	33	15	18	26	12	14	7	3	4	7	3	4
75-79 years-----	53	25	28	48	23	25	5	2	3	4	2	2
80-84 years-----	37	18	19	36	18	18	1	-	1	1	-	1
85-89 years-----	21	12	9	19	11	8	2	1	1	1	1	-
90-94 years-----	10	3	7	8	2	6	2	1	1	1	-	1
95-99 years-----	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Heart (C38.0)												
All ages-----	65	25	40	52	22	30	13	3	10	12	3	9
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	3	3	-	2	2	-	1	1	-	1	1	-
30-34 years-----	2	1	1	1	1	-	1	-	1	1	-	1
35-39 years-----	3	2	1	2	1	1	1	1	-	1	1	-
40-44 years-----	2	1	1	2	1	1	-	-	-	-	-	-
45-49 years-----	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years-----	4	1	3	3	1	2	1	-	1	1	-	1
55-59 years-----	10	4	6	8	4	4	2	-	2	1	-	1
60-64 years-----	3	1	2	2	1	1	1	-	1	1	-	1
65-69 years-----	9	3	6	7	3	4	2	-	2	2	-	2
70-74 years-----	8	3	5	6	2	4	2	1	1	2	1	1
75-79 years-----	11	4	7	10	4	6	1	-	1	1	-	1
80-84 years-----	6	-	6	5	-	5	1	-	1	1	-	1
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Anterior mediastinum (C38.1)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Mediastinum, part unspecified (C38.3)												
All ages-----	141	76	65	124	65	59	17	11	6	12	8	4
Under 1 year-----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	1	-	-	-	-	1	1	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	-	-	-	1	1	-	-	-	-
20-24 years-----	3	2	1	3	2	1	-	-	-	-	-	-
25-29 years-----	5	3	2	4	3	1	1	-	1	-	-	-
30-34 years-----	2	2	-	2	2	-	-	-	-	-	-	-
35-39 years-----	10	8	2	8	6	2	2	2	-	1	1	-
40-44 years-----	7	6	1	7	6	1	-	-	-	-	-	-
45-49 years-----	3	3	-	2	2	-	1	1	-	1	1	-
50-54 years-----	10	8	2	9	7	2	1	1	-	1	1	-
55-59 years-----	10	5	5	10	5	5	-	-	-	-	-	-
60-64 years-----	11	8	3	8	5	3	3	3	-	3	3	-
65-69 years-----	17	6	11	16	6	10	1	-	1	1	-	1
70-74 years-----	14	5	9	11	4	7	3	1	2	3	1	2
75-79 years-----	19	6	13	18	5	13	1	1	-	1	1	-
80-84 years-----	13	8	5	13	8	5	-	-	-	-	-	-
85-89 years-----	7	2	5	6	2	4	1	-	1	-	-	-
90-94 years-----	6	1	5	5	1	4	1	-	1	1	-	1
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Pleura (C38.4)												
All ages-----	99	62	37	84	55	29	15	7	8	12	6	6
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	3	2	1	2	1	1	1	1	-	1	1	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	3	2	1	3	2	1	-	-	-	-	-	-
50-54 years-----	3	2	1	2	2	-	1	-	1	1	-	1
55-59 years-----	5	2	3	3	2	1	2	-	2	1	-	1
60-64 years-----	10	7	3	7	5	2	3	2	1	3	2	1
65-69 years-----	6	4	2	5	4	1	1	-	1	1	-	1
70-74 years-----	11	7	4	9	6	3	2	1	1	2	1	1
75-79 years-----	23	15	8	20	14	6	3	1	2	2	1	1
80-84 years-----	17	9	8	17	9	8	-	-	-	-	-	-
85-89 years-----	14	10	4	13	9	4	1	1	-	1	1	-
90-94 years-----	4	2	2	3	1	2	1	1	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Malignant neoplasm of other and ill-defined sites in the respiratory system and intrathoracic organs (C39)

All ages-----	42	28	14	37	23	14	5	5	-	4	4	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	-	-	-	1	1	-	1	1	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	2	2	-	1	1	-	1	1	-	1	1	-
55-59 years-----	3	1	2	3	1	2	-	-	-	-	-	-
60-64 years-----	5	4	1	5	4	1	-	-	-	-	-	-
65-69 years-----	8	4	4	6	2	4	2	2	-	1	1	-
70-74 years-----	7	4	3	7	4	3	-	-	-	-	-	-
75-79 years-----	6	6	-	5	5	-	1	1	-	1	1	-
80-84 years-----	4	1	3	4	1	3	-	-	-	-	-	-
85-89 years-----	2	2	-	2	2	-	-	-	-	-	-	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Upper respiratory tract, part unspecified (C39.0)												
All ages-----	4	2	2	3	1	2	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	-	-	-	1	1	-	1	1	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Ill-defined sites within the respiratory system (C39.9)

All ages-----	38	26	12	34	22	12	4	4	-	3	3	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	-	-	-	1	1	-	1	1	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	2	-	2	2	-	2	-	-	-	-	-	-
60-64 years-----	5	4	1	5	4	1	-	-	-	-	-	-
65-69 years-----	7	4	3	5	2	3	2	2	-	1	1	-
70-74 years-----	6	4	2	6	4	2	-	-	-	-	-	-
75-79 years-----	6	6	-	5	5	-	1	1	-	1	1	-
80-84 years-----	4	1	3	4	1	3	-	-	-	-	-	-
85-89 years-----	2	2	-	2	2	-	-	-	-	-	-	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Malignant neoplasm of bone and articular cartilage of limbs (C40)												
All ages-----	71	40	31	62	36	26	9	4	5	7	2	5
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	7	5	2	5	4	1	2	1	1	2	1	1
15-19 years-----	6	4	2	6	4	2	-	-	-	-	-	-
20-24 years-----	6	4	2	3	2	1	3	2	1	2	1	1
25-29 years-----	2	-	2	2	-	2	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	5	2	3	3	1	2	2	1	1	1	-	1
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	2	2	-	2	2	-	-	-	-	-	-	-
50-54 years-----	9	4	5	9	4	5	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	5	3	2	5	3	2	-	-	-	-	-	-
70-74 years-----	9	6	3	9	6	3	-	-	-	-	-	-
75-79 years-----	3	2	1	3	2	1	-	-	-	-	-	-
80-84 years-----	4	3	1	3	3	-	1	-	1	1	-	1
85-89 years-----	4	-	4	3	-	3	1	-	1	1	-	1
90-94 years-----	2	2	-	2	2	-	-	-	-	-	-	-
95-99 years-----	2	1	1	2	1	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Scapula and long bones of upper limb (C40.0)

All ages-----	17	11	6	17	11	6	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	2	2	-	2	2	-	-	-	-	-	-	-
15-19 years-----	2	1	1	2	1	1	-	-	-	-	-	-
20-24 years-----	2	1	1	2	1	1	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	2	1	1	2	1	1	-	-	-	-	-	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	2	2	-	2	2	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	2	2	-	2	2	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

RACE, AND SEX

Short bones of upper limb (C40.1)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Long bones of lower limb (C40.2)

All ages-----	51	28	23	42	24	18	9	4	5	7	2	5
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	5	3	2	3	2	1	2	1	1	2	1	1
15-19 years-----	4	3	1	4	3	1	-	-	-	-	-	-
20-24 years-----	4	3	1	1	1	-	3	2	1	2	1	1
25-29 years-----	2	-	2	2	-	2	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	3	1	2	1	-	1	2	1	1	1	-	1
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	7	3	4	7	3	4	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	3	2	1	3	2	1	-	-	-	-	-	-
70-74 years-----	6	4	2	6	4	2	-	-	-	-	-	-
75-79 years-----	3	2	1	3	2	1	-	-	-	-	-	-
80-84 years-----	2	1	1	1	1	-	1	-	1	1	-	1
85-89 years-----	3	-	3	2	-	2	1	-	1	1	-	1
90-94 years-----	2	2	-	2	2	-	-	-	-	-	-	-
95-99 years-----	2	1	1	2	1	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Short bones of lower limb (C40.3)												
All ages-----	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Malignant neoplasm of bone and articular cartilage of other and unspecified sites (C41)

All ages-----	1,153	627	526	1,004	538	466	149	89	60	116	69	47
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	3	-	3	2	-	2	1	-	1	1	-	1
5-9 years-----	23	12	11	17	10	7	6	2	4	4	2	2
10-14 years-----	48	24	24	38	21	17	10	3	7	6	1	5
15-19 years-----	121	72	49	99	55	44	22	17	5	16	12	4
20-24 years-----	69	43	26	60	37	23	9	6	3	4	2	2
25-29 years-----	40	30	10	33	24	9	7	6	1	3	3	-
30-34 years-----	44	23	21	39	21	18	5	2	3	3	1	2
35-39 years-----	38	22	16	34	19	15	4	3	1	4	3	1
40-44 years-----	47	29	18	38	22	16	9	7	2	8	6	2
45-49 years-----	65	36	29	52	29	23	13	7	6	12	6	6
50-54 years-----	54	35	19	48	30	18	6	5	1	6	5	1
55-59 years-----	43	28	15	33	22	11	10	6	4	7	4	3
60-64 years-----	62	39	23	49	31	18	13	8	5	12	8	4
65-69 years-----	76	38	38	69	35	34	7	3	4	7	3	4
70-74 years-----	92	55	37	82	49	33	10	6	4	8	6	2
75-79 years-----	115	53	62	108	49	59	7	4	3	6	4	2
80-84 years-----	97	37	60	93	35	58	4	2	2	3	1	2
85-89 years-----	75	38	37	71	36	35	4	2	2	4	2	2
90-94 years-----	34	12	22	32	12	20	2	-	2	2	-	2
95-99 years-----	6	1	5	6	1	5	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Bones of skull and face (C41.0)												
All ages-----	46	18	28	39	14	25	7	4	3	4	2	2
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	2	-	2	2	-	2	-	-	-	-	-	-
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	2	1	1	1	1	-	1	-	1	-	-	-
35-39 years-----	2	2	-	2	2	-	-	-	-	-	-	-
40-44 years-----	3	1	2	2	-	2	1	1	-	-	-	-
45-49 years-----	3	2	1	1	1	-	2	1	1	2	1	1
50-54 years-----	2	1	1	2	1	1	-	-	-	-	-	-
55-59 years-----	2	1	1	-	-	-	2	1	1	1	-	1
60-64 years-----	3	1	2	3	1	2	-	-	-	-	-	-
65-69 years-----	5	2	3	5	2	3	-	-	-	-	-	-
70-74 years-----	5	3	2	4	2	2	1	1	-	1	1	-
75-79 years-----	4	1	3	4	1	3	-	-	-	-	-	-
80-84 years-----	5	1	4	5	1	4	-	-	-	-	-	-
85-89 years-----	5	2	3	5	2	3	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Mandible (C41.1)												
All ages-----	123	60	63	110	50	60	13	10	3	13	10	3
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	2	1	1	2	1	1	-	-	-	-	-	-
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years-----	2	2	-	2	2	-	-	-	-	-	-	-
30-34 years-----	2	2	-	2	2	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	8	5	3	3	2	1	5	3	2	5	3	2
50-54 years-----	12	8	4	11	7	4	1	1	-	1	1	-
55-59 years-----	7	7	-	6	6	-	1	1	-	1	1	-
60-64 years-----	7	5	2	5	3	2	2	2	-	2	2	-
65-69 years-----	8	1	7	7	1	6	1	-	1	1	-	1
70-74 years-----	13	10	3	11	8	3	2	2	-	2	2	-
75-79 years-----	15	6	9	14	5	9	1	1	-	1	1	-
80-84 years-----	20	3	17	20	3	17	-	-	-	-	-	-
85-89 years-----	10	3	7	10	3	7	-	-	-	-	-	-
90-94 years-----	12	6	6	12	6	6	-	-	-	-	-	-
95-99 years-----	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Vertebral column (C41.2)												
All ages-----	84	44	40	73	38	35	11	6	5	11	6	5
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	2	-	2	1	-	1	1	-	1	1	-	1
5-9 years-----	1	-	1	-	-	-	1	-	1	1	-	1
10-14 years-----	2	-	2	2	-	2	-	-	-	-	-	-
15-19 years-----	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	2	1	1	1	-	1	1	1	-	1	1	-
40-44 years-----	3	2	1	2	1	1	1	1	-	1	1	-
45-49 years-----	3	2	1	3	2	1	-	-	-	-	-	-
50-54 years-----	4	2	2	3	2	1	1	-	1	1	-	1
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	9	7	2	6	4	2	3	3	-	3	3	-
65-69 years-----	9	6	3	8	5	3	1	1	-	1	1	-
70-74 years-----	9	5	4	8	5	3	1	-	1	1	-	1
75-79 years-----	12	4	8	12	4	8	-	-	-	-	-	-
80-84 years-----	11	6	5	11	6	5	-	-	-	-	-	-
85-89 years-----	9	5	4	8	5	3	1	-	1	1	-	1
90-94 years-----	3	1	2	3	1	2	-	-	-	-	-	-
95-99 years-----	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Ribs, sternum, and clavicle (C41.3)

All ages-----	12	10	2	11	9	2	1	1	-	1	1	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	3	3	-	3	3	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	1	1	-	-	-	-	1	1	-	1	1	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	4	2	2	4	2	2	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Pelvic bones, sacrum, and coccyx (C41.4)												
All ages-----	74	41	33	67	37	30	7	4	3	5	3	2
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years-----	2	1	1	2	1	1	-	-	-	-	-	-
25-29 years-----	4	2	2	3	1	2	1	1	-	-	-	-
30-34 years-----	3	2	1	2	2	-	1	-	1	1	-	1
35-39 years-----	2	1	1	1	-	1	1	1	-	1	1	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	3	1	2	3	1	2	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	2	2	-	2	2	-	-	-	-	-	-	-
60-64 years-----	9	5	4	7	5	2	2	-	2	1	-	1
65-69 years-----	5	3	2	5	3	2	-	-	-	-	-	-
70-74 years-----	7	6	1	7	6	1	-	-	-	-	-	-
75-79 years-----	16	8	8	15	7	8	1	1	-	1	1	-
80-84 years-----	11	4	7	11	4	7	-	-	-	-	-	-
85-89 years-----	6	4	2	5	3	2	1	1	-	1	1	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Overlapping lesion of bone and articular cartilage (C41.8)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Bone and articular cartilage, unspecified (C41.9)												
All ages-----	813	454	359	703	390	313	110	64	46	82	47	35
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years-----	18	9	9	13	7	6	5	2	3	3	2	1
10-14 years-----	46	24	22	36	21	15	10	3	7	6	1	5
15-19 years-----	115	71	44	93	54	39	22	17	5	16	12	4
20-24 years-----	65	42	23	56	36	20	9	6	3	4	2	2
25-29 years-----	32	25	7	26	20	6	6	5	1	3	3	-
30-34 years-----	35	16	19	32	14	18	3	2	1	2	1	1
35-39 years-----	32	18	14	30	17	13	2	1	1	2	1	1
40-44 years-----	40	25	15	33	20	13	7	5	2	7	5	2
45-49 years-----	48	26	22	42	23	19	6	3	3	5	2	3
50-54 years-----	34	22	12	30	18	12	4	4	-	4	4	-
55-59 years-----	30	16	14	24	13	11	6	3	3	4	2	2
60-64 years-----	34	21	13	28	18	10	6	3	3	6	3	3
65-69 years-----	49	26	23	44	24	20	5	2	3	5	2	3
70-74 years-----	58	31	27	52	28	24	6	3	3	4	3	1
75-79 years-----	67	33	34	62	31	31	5	2	3	4	2	2
80-84 years-----	49	23	26	45	21	24	4	2	2	3	1	2
85-89 years-----	41	22	19	39	21	18	2	1	1	2	1	1
90-94 years-----	17	4	13	15	4	11	2	-	2	2	-	2
95-99 years-----	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Malignant melanoma of skin (C43)												
All ages-----	7,215	4,529	2,686	7,086	4,459	2,627	129	70	59	96	48	48
Under 1 year-----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	9	7	2	8	6	2	1	1	-	1	1	-
20-24 years-----	30	16	14	28	14	14	2	2	-	-	-	-
25-29 years-----	62	38	24	61	37	24	1	1	-	1	1	-
30-34 years-----	132	72	60	127	69	58	5	3	2	3	1	2
35-39 years-----	239	151	88	236	149	87	3	2	1	1	1	-
40-44 years-----	386	246	140	382	245	137	4	1	3	3	-	3
45-49 years-----	518	337	181	509	331	178	9	6	3	6	4	2
50-54 years-----	602	380	222	598	377	221	4	3	1	3	2	1
55-59 years-----	615	425	190	608	420	188	7	5	2	5	3	2
60-64 years-----	648	426	222	636	418	218	12	8	4	9	7	2
65-69 years-----	791	526	265	777	519	258	14	7	7	11	4	7
70-74 years-----	861	570	291	846	564	282	15	6	9	14	6	8
75-79 years-----	945	596	349	924	584	340	21	12	9	14	8	6
80-84 years-----	694	410	284	680	404	276	14	6	8	11	4	7
85-89 years-----	435	223	212	424	219	205	11	4	7	8	3	5
90-94 years-----	181	90	91	176	88	88	5	2	3	5	2	3
95-99 years-----	53	11	42	52	10	42	1	1	-	1	1	-
100 yrs & over---	12	4	8	12	4	8	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Malignant melanoma of lip (C43.0)												
All ages-----	3	2	1	2	1	1	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	2	2	-	1	1	-	1	1	-	1	1	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Malignant melanoma of eyelid, including canthus (C43.1)

All ages-----	2	-	2	2	-	2	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	2	-	2	2	-	2	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Malignant melanoma of ear and external auricular canal (C43.2)												
All ages-----	22	18	4	22	18	4	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	2	1	1	2	1	1	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years-----	3	2	1	3	2	1	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	2	2	-	2	2	-	-	-	-	-	-	-
75-79 years-----	8	7	1	8	7	1	-	-	-	-	-	-
80-84 years-----	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	2	2	-	2	2	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Malignant melanoma of other and unspecified parts of face (C43.3)

All ages-----	80	49	31	79	48	31	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	2	1	1	2	1	1	-	-	-	-	-	-
45-49 years-----	3	3	-	3	3	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	5	2	3	5	2	3	-	-	-	-	-	-
65-69 years-----	7	4	3	7	4	3	-	-	-	-	-	-
70-74 years-----	16	12	4	16	12	4	-	-	-	-	-	-
75-79 years-----	12	6	6	12	6	6	-	-	-	-	-	-
80-84 years-----	12	9	3	11	8	3	1	1	-	1	1	-
85-89 years-----	16	10	6	16	10	6	-	-	-	-	-	-
90-94 years-----	5	1	4	5	1	4	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Malignant melanoma of scalp and neck (C43.4)												
All ages-----	89	68	21	89	68	21	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	3	3	-	3	3	-	-	-	-	-	-	-
35-39 years-----	2	1	1	2	1	1	-	-	-	-	-	-
40-44 years-----	4	2	2	4	2	2	-	-	-	-	-	-
45-49 years-----	9	7	2	9	7	2	-	-	-	-	-	-
50-54 years-----	7	6	1	7	6	1	-	-	-	-	-	-
55-59 years-----	4	3	1	4	3	1	-	-	-	-	-	-
60-64 years-----	6	5	1	6	5	1	-	-	-	-	-	-
65-69 years-----	8	5	3	8	5	3	-	-	-	-	-	-
70-74 years-----	12	8	4	12	8	4	-	-	-	-	-	-
75-79 years-----	6	4	2	6	4	2	-	-	-	-	-	-
80-84 years-----	14	12	2	14	12	2	-	-	-	-	-	-
85-89 years-----	10	8	2	10	8	2	-	-	-	-	-	-
90-94 years-----	3	3	-	3	3	-	-	-	-	-	-	-
95-99 years-----	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Malignant melanoma of trunk (C43.5)

All ages-----	227	158	69	226	158	68	1	-	1	1	-	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	3	1	2	3	1	2	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	3	2	1	3	2	1	-	-	-	-	-	-
35-39 years-----	11	11	-	11	11	-	-	-	-	-	-	-
40-44 years-----	9	3	6	9	3	6	-	-	-	-	-	-
45-49 years-----	18	12	6	18	12	6	-	-	-	-	-	-
50-54 years-----	24	16	8	24	16	8	-	-	-	-	-	-
55-59 years-----	26	18	8	26	18	8	-	-	-	-	-	-
60-64 years-----	21	15	6	21	15	6	-	-	-	-	-	-
65-69 years-----	33	23	10	33	23	10	-	-	-	-	-	-
70-74 years-----	24	17	7	23	17	6	1	-	1	1	-	1
75-79 years-----	21	13	8	21	13	8	-	-	-	-	-	-
80-84 years-----	20	17	3	20	17	3	-	-	-	-	-	-
85-89 years-----	8	7	1	8	7	1	-	-	-	-	-	-
90-94 years-----	4	1	3	4	1	3	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Malignant melanoma of upper limb, including shoulder (C43.6)												
All ages-----	116	80	36	116	80	36	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	4	2	2	4	2	2	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	6	4	2	6	4	2	-	-	-	-	-	-
45-49 years-----	11	5	6	11	5	6	-	-	-	-	-	-
50-54 years-----	5	1	4	5	1	4	-	-	-	-	-	-
55-59 years-----	4	4	-	4	4	-	-	-	-	-	-	-
60-64 years-----	13	10	3	13	10	3	-	-	-	-	-	-
65-69 years-----	6	4	2	6	4	2	-	-	-	-	-	-
70-74 years-----	17	14	3	17	14	3	-	-	-	-	-	-
75-79 years-----	17	13	4	17	13	4	-	-	-	-	-	-
80-84 years-----	18	14	4	18	14	4	-	-	-	-	-	-
85-89 years-----	7	3	4	7	3	4	-	-	-	-	-	-
90-94 years-----	5	3	2	5	3	2	-	-	-	-	-	-
95-99 years-----	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over---	1	1	-	1	1	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Malignant melanoma of lower limb, including hip (C43.7)

All ages-----	143	55	88	135	50	85	8	5	3	6	5	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	4	2	2	4	2	2	-	-	-	-	-	-
35-39 years-----	4	2	2	4	2	2	-	-	-	-	-	-
40-44 years-----	6	3	3	6	3	3	-	-	-	-	-	-
45-49 years-----	10	5	5	10	5	5	-	-	-	-	-	-
50-54 years-----	14	6	8	14	6	8	-	-	-	-	-	-
55-59 years-----	5	2	3	5	2	3	-	-	-	-	-	-
60-64 years-----	13	6	7	13	6	7	-	-	-	-	-	-
65-69 years-----	14	5	9	13	5	8	1	-	1	1	-	1
70-74 years-----	10	4	6	10	4	6	-	-	-	-	-	-
75-79 years-----	23	7	16	18	3	15	5	4	1	4	4	-
80-84 years-----	19	8	11	17	7	10	2	1	1	1	1	-
85-89 years-----	11	3	8	11	3	8	-	-	-	-	-	-
90-94 years-----	6	1	5	6	1	5	-	-	-	-	-	-
95-99 years-----	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Overlapping malignant melanoma of skin (C43.8)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Malignant melanoma of skin, unspecified (C43.9)

All ages-----	6,532	4,099	2,433	6,414	4,036	2,378	118	63	55	87	41	46
Under 1 year-----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	8	6	2	7	5	2	1	1	-	1	1	-
20-24 years-----	27	15	12	25	13	12	2	2	-	-	-	-
25-29 years-----	56	34	22	55	33	22	1	1	-	1	1	-
30-34 years-----	122	65	57	117	62	55	5	3	2	3	1	2
35-39 years-----	220	135	85	217	133	84	3	2	1	1	1	-
40-44 years-----	356	232	124	352	231	121	4	1	3	3	-	3
45-49 years-----	467	305	162	458	299	159	9	6	3	6	4	2
50-54 years-----	550	349	201	546	346	200	4	3	1	3	2	1
55-59 years-----	573	396	177	566	391	175	7	5	2	5	3	2
60-64 years-----	590	388	202	578	380	198	12	8	4	9	7	2
65-69 years-----	723	485	238	710	478	232	13	7	6	10	4	6
70-74 years-----	780	513	267	766	507	259	14	6	8	13	6	7
75-79 years-----	856	544	312	841	537	304	15	7	8	9	3	6
80-84 years-----	607	349	258	596	345	251	11	4	7	9	2	7
85-89 years-----	381	191	190	370	187	183	11	4	7	8	3	5
90-94 years-----	156	79	77	151	77	74	5	2	3	5	2	3
95-99 years-----	49	9	40	48	8	40	1	1	-	1	1	-
100 yrs & over---	9	3	6	9	3	6	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other malignant neoplasms of skin (C44)												
All ages-----	2,315	1,590	725	2,144	1,462	682	171	128	43	147	116	31
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	-	-	-	1	1	-	1	1	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	6	6	-	4	4	-	2	2	-	2	2	-
35-39 years-----	25	17	8	21	15	6	4	2	2	3	1	2
40-44 years-----	37	34	3	30	27	3	7	7	-	6	6	-
45-49 years-----	86	69	17	66	54	12	20	15	5	18	15	3
50-54 years-----	116	92	24	93	73	20	23	19	4	23	19	4
55-59 years-----	133	105	28	114	91	23	19	14	5	17	12	5
60-64 years-----	205	165	40	180	146	34	25	19	6	22	17	5
65-69 years-----	216	158	58	200	147	53	16	11	5	14	10	4
70-74 years-----	299	230	69	281	215	66	18	15	3	13	13	-
75-79 years-----	315	213	102	295	198	97	20	15	5	16	14	2
80-84 years-----	344	224	120	337	219	118	7	5	2	5	4	1
85-89 years-----	266	157	109	261	156	105	5	1	4	5	1	4
90-94 years-----	178	95	83	175	93	82	3	2	1	2	1	1
95-99 years-----	74	19	55	73	19	54	1	-	1	-	-	-
100 yrs & over---	14	5	9	14	5	9	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Skin of lip (C44.0)												
All ages-----	4	1	3	4	1	3	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	3	1	2	3	1	2	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Skin of eyelid, including canthus (C44.1)												
All ages-----	9	2	7	9	2	7	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	2	-	2	2	-	2	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Skin of ear and external auricular canal (C44.2)

All ages-----	103	78	25	99	74	25	4	4	-	3	3	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	5	4	1	5	4	1	-	-	-	-	-	-
60-64 years-----	5	5	-	2	2	-	3	3	-	3	3	-
65-69 years-----	11	10	1	11	10	1	-	-	-	-	-	-
70-74 years-----	14	11	3	13	10	3	1	1	-	-	-	-
75-79 years-----	13	11	2	13	11	2	-	-	-	-	-	-
80-84 years-----	19	13	6	19	13	6	-	-	-	-	-	-
85-89 years-----	17	12	5	17	12	5	-	-	-	-	-	-
90-94 years-----	15	10	5	15	10	5	-	-	-	-	-	-
95-99 years-----	2	1	1	2	1	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Skin of other and unspecified parts of face (C44.3)												
All ages-----	227	127	100	224	125	99	3	2	1	2	2	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	5	4	1	5	4	1	-	-	-	-	-	-
50-54 years-----	4	4	-	3	3	-	1	1	-	1	1	-
55-59 years-----	8	8	-	8	8	-	-	-	-	-	-	-
60-64 years-----	13	12	1	13	12	1	-	-	-	-	-	-
65-69 years-----	13	10	3	13	10	3	-	-	-	-	-	-
70-74 years-----	23	15	8	23	15	8	-	-	-	-	-	-
75-79 years-----	18	11	7	18	11	7	-	-	-	-	-	-
80-84 years-----	37	22	15	37	22	15	-	-	-	-	-	-
85-89 years-----	48	23	25	47	22	25	1	1	-	1	1	-
90-94 years-----	33	12	21	33	12	21	-	-	-	-	-	-
95-99 years-----	20	3	17	19	3	16	1	-	1	-	-	-
100 yrs & over---	4	2	2	4	2	2	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Skin of scalp and neck (C44.4)

All ages-----	1,020	764	256	892	661	231	128	103	25	113	93	20
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	2	2	-	1	1	-	1	1	-	1	1	-
35-39 years-----	12	9	3	8	7	1	4	2	2	3	1	2
40-44 years-----	23	21	2	18	16	2	5	5	-	4	4	-
45-49 years-----	59	47	12	42	35	7	17	12	5	15	12	3
50-54 years-----	81	68	13	63	52	11	18	16	2	18	16	2
55-59 years-----	82	67	15	65	54	11	17	13	4	15	11	4
60-64 years-----	126	100	26	107	85	22	19	15	4	16	13	3
65-69 years-----	120	88	32	107	78	29	13	10	3	12	9	3
70-74 years-----	135	107	28	123	96	27	12	11	1	10	10	-
75-79 years-----	135	97	38	122	85	37	13	12	1	11	11	-
80-84 years-----	111	77	34	106	72	34	5	5	-	4	4	-
85-89 years-----	74	44	30	71	44	27	3	-	3	3	-	3
90-94 years-----	43	29	14	42	28	14	1	1	-	1	1	-
95-99 years-----	14	6	8	14	6	8	-	-	-	-	-	-
100 yrs & over---	3	2	1	3	2	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Skin of trunk (C44.5)												
All ages-----	48	24	24	43	22	21	5	2	3	5	2	3
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	2	2	-	2	2	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	3	1	2	1	-	1	2	1	1	2	1	1
55-59 years-----	5	3	2	4	2	2	1	1	-	1	1	-
60-64 years-----	4	3	1	4	3	1	-	-	-	-	-	-
65-69 years-----	3	1	2	2	1	1	1	-	1	1	-	1
70-74 years-----	9	4	5	9	4	5	-	-	-	-	-	-
75-79 years-----	9	4	5	8	4	4	1	-	1	1	-	1
80-84 years-----	6	6	-	6	6	-	-	-	-	-	-	-
85-89 years-----	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years-----	3	-	3	3	-	3	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Skin of upper limb, including shoulder (C44.6)												
All ages-----	38	26	12	38	26	12	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	2	2	-	2	2	-	-	-	-	-	-	-
60-64 years-----	3	3	-	3	3	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	7	7	-	7	7	-	-	-	-	-	-	-
75-79 years-----	2	2	-	2	2	-	-	-	-	-	-	-
80-84 years-----	8	4	4	8	4	4	-	-	-	-	-	-
85-89 years-----	8	5	3	8	5	3	-	-	-	-	-	-
90-94 years-----	3	2	1	3	2	1	-	-	-	-	-	-
95-99 years-----	3	-	3	3	-	3	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Skin of lower limb, including hip (C44.7)												
All ages-----	42	23	19	39	21	18	3	2	1	2	2	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	3	2	1	3	2	1	-	-	-	-	-	-
40-44 years-----	2	1	1	2	1	1	-	-	-	-	-	-
45-49 years-----	1	1	-	-	-	-	1	1	-	1	1	-
50-54 years-----	3	2	1	3	2	1	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	5	4	1	5	4	1	-	-	-	-	-	-
70-74 years-----	4	2	2	3	2	1	1	-	1	-	-	-
75-79 years-----	3	2	1	2	1	1	1	1	-	1	1	-
80-84 years-----	9	6	3	9	6	3	-	-	-	-	-	-
85-89 years-----	7	1	6	7	1	6	-	-	-	-	-	-
90-94 years-----	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Malignant neoplasm of skin, unspecified (C44.9)

All ages-----	824	545	279	796	530	266	28	15	13	22	14	8
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	-	-	-	1	1	-	1	1	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	4	4	-	3	3	-	1	1	-	1	1	-
35-39 years-----	10	6	4	10	6	4	-	-	-	-	-	-
40-44 years-----	8	8	-	6	6	-	2	2	-	2	2	-
45-49 years-----	20	16	4	18	14	4	2	2	-	2	2	-
50-54 years-----	24	17	7	22	16	6	2	1	1	2	1	1
55-59 years-----	28	20	8	27	20	7	1	-	1	1	-	1
60-64 years-----	52	40	12	49	39	10	3	1	2	3	1	2
65-69 years-----	63	45	18	61	44	17	2	1	1	1	1	-
70-74 years-----	107	84	23	103	81	22	4	3	1	3	3	-
75-79 years-----	131	85	46	126	83	43	5	2	3	3	2	1
80-84 years-----	151	96	55	149	96	53	2	-	2	1	-	1
85-89 years-----	109	72	37	108	72	36	1	-	1	1	-	1
90-94 years-----	79	41	38	77	40	37	2	1	1	1	-	1
95-99 years-----	31	9	22	31	9	22	-	-	-	-	-	-
100 yrs & over---	6	1	5	6	1	5	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Mesothelioma (C45)												
All ages-----	2,343	1,881	462	2,222	1,795	427	121	86	35	98	71	27
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	3	3	-	3	3	-	-	-	-	-	-	-
35-39 years-----	16	10	6	15	10	5	1	-	1	1	-	1
40-44 years-----	15	10	5	13	8	5	2	2	-	2	2	-
45-49 years-----	48	35	13	43	33	10	5	2	3	4	1	3
50-54 years-----	88	66	22	79	59	20	9	7	2	8	7	1
55-59 years-----	159	122	37	150	116	34	9	6	3	7	6	1
60-64 years-----	210	168	42	194	154	40	16	14	2	14	13	1
65-69 years-----	320	267	53	307	259	48	13	8	5	10	6	4
70-74 years-----	452	374	78	435	360	75	17	14	3	13	10	3
75-79 years-----	483	389	94	459	371	88	24	18	6	19	14	5
80-84 years-----	349	285	64	332	275	57	17	10	7	14	8	6
85-89 years-----	160	122	38	153	117	36	7	5	2	5	4	1
90-94 years-----	34	27	7	33	27	6	1	-	1	1	-	1
95-99 years-----	4	3	1	4	3	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Mesothelioma of pleura (C45.0)												
All ages-----	227	194	33	217	186	31	10	8	2	9	8	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	2	1	1	2	1	1	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	6	6	-	5	5	-	1	1	-	1	1	-
50-54 years-----	6	4	2	5	3	2	1	1	-	1	1	-
55-59 years-----	11	9	2	8	7	1	3	2	1	2	2	-
60-64 years-----	18	17	1	17	16	1	1	1	-	1	1	-
65-69 years-----	44	41	3	44	41	3	-	-	-	-	-	-
70-74 years-----	48	40	8	46	38	8	2	2	-	2	2	-
75-79 years-----	43	36	7	42	35	7	1	1	-	1	1	-
80-84 years-----	33	29	4	32	29	3	1	-	1	1	-	1
85-89 years-----	14	9	5	14	9	5	-	-	-	-	-	-
90-94 years-----	2	2	-	2	2	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Mesothelioma of peritoneum (C45.1)												
All ages-----	83	56	27	81	55	26	2	1	1	2	1	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	7	5	2	6	4	2	1	1	-	1	1	-
55-59 years-----	10	7	3	10	7	3	-	-	-	-	-	-
60-64 years-----	12	8	4	12	8	4	-	-	-	-	-	-
65-69 years-----	11	9	2	11	9	2	-	-	-	-	-	-
70-74 years-----	16	10	6	16	10	6	-	-	-	-	-	-
75-79 years-----	12	9	3	12	9	3	-	-	-	-	-	-
80-84 years-----	6	4	2	6	4	2	-	-	-	-	-	-
85-89 years-----	5	1	4	4	1	3	1	-	1	1	-	1
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Mesothelioma of pericardium (C45.2)

All ages-----	5	2	3	5	2	3	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Mesothelioma of other sites (C45.7)												
All ages-----	381	306	75	364	293	71	17	13	4	11	8	3
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	2	2	-	2	2	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	9	5	4	8	5	3	1	-	1	1	-	1
50-54 years-----	12	9	3	10	8	2	2	1	1	2	1	1
55-59 years-----	26	20	6	26	20	6	-	-	-	-	-	-
60-64 years-----	30	24	6	28	22	6	2	2	-	2	2	-
65-69 years-----	46	38	8	44	37	7	2	1	1	-	-	-
70-74 years-----	74	61	13	70	57	13	4	4	-	2	2	-
75-79 years-----	75	59	16	72	56	16	3	3	-	2	2	-
80-84 years-----	62	51	11	60	50	10	2	1	1	1	-	1
85-89 years-----	33	28	5	32	27	5	1	1	-	1	1	-
90-94 years-----	9	7	2	9	7	2	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Mesothelioma, unspecified (C45.9)

All ages-----	1,647	1,323	324	1,555	1,259	296	92	64	28	76	54	22
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	11	6	5	10	6	4	1	-	1	1	-	1
40-44 years-----	13	8	5	11	6	5	2	2	-	2	2	-
45-49 years-----	30	23	7	27	22	5	3	1	2	2	-	2
50-54 years-----	63	48	15	58	44	14	5	4	1	4	4	-
55-59 years-----	112	86	26	106	82	24	6	4	2	5	4	1
60-64 years-----	150	119	31	137	108	29	13	11	2	11	10	1
65-69 years-----	218	179	39	207	172	35	11	7	4	10	6	4
70-74 years-----	313	263	50	302	255	47	11	8	3	9	6	3
75-79 years-----	353	285	68	333	271	62	20	14	6	16	11	5
80-84 years-----	248	201	47	234	192	42	14	9	5	12	8	4
85-89 years-----	108	84	24	103	80	23	5	4	1	3	3	-
90-94 years-----	22	17	5	21	17	4	1	-	1	1	-	1
95-99 years-----	3	3	-	3	3	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Kaposi's sarcoma (C46)												
All ages-----	42	32	10	35	25	10	7	7	-	7	7	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years-----	6	6	-	4	4	-	2	2	-	2	2	-
35-39 years-----	3	3	-	3	3	-	-	-	-	-	-	-
40-44 years-----	4	4	-	1	1	-	3	3	-	3	3	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	3	3	-	3	3	-	-	-	-	-	-	-
80-84 years-----	6	6	-	6	6	-	-	-	-	-	-	-
85-89 years-----	7	4	3	6	3	3	1	1	-	1	1	-
90-94 years-----	9	3	6	9	3	6	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Kaposi's sarcoma of other sites (C46.7)												
All ages-----	5	3	2	3	1	2	2	2	-	2	2	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	2	2	-	1	1	-	1	1	-	1	1	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	-	-	-	1	1	-	1	1	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Kaposi's sarcoma, unspecified (C46.9)												
All ages-----	37	29	8	32	24	8	5	5	-	5	5	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years-----	4	4	-	3	3	-	1	1	-	1	1	-
35-39 years-----	3	3	-	3	3	-	-	-	-	-	-	-
40-44 years-----	3	3	-	1	1	-	2	2	-	2	2	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	3	3	-	3	3	-	-	-	-	-	-	-
80-84 years-----	6	6	-	6	6	-	-	-	-	-	-	-
85-89 years-----	6	4	2	5	3	2	1	1	-	1	1	-
90-94 years-----	9	3	6	9	3	6	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Malignant neoplasm of peripheral nerves and autonomic nervous system (C47)

All ages-----	136	85	51	114	71	43	22	14	8	17	11	6
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	2	2	-	1	1	-	1	1	-	1	1	-
10-14 years-----	5	4	1	5	4	1	-	-	-	-	-	-
15-19 years-----	9	8	1	7	6	1	2	2	-	2	2	-
20-24 years-----	8	5	3	6	4	2	2	1	1	2	1	1
25-29 years-----	16	11	5	8	5	3	8	6	2	7	5	2
30-34 years-----	11	8	3	9	7	2	2	1	1	-	-	-
35-39 years-----	8	4	4	8	4	4	-	-	-	-	-	-
40-44 years-----	12	8	4	9	7	2	3	1	2	2	1	1
45-49 years-----	9	2	7	8	2	6	1	-	1	1	-	1
50-54 years-----	8	5	3	8	5	3	-	-	-	-	-	-
55-59 years-----	6	4	2	5	3	2	1	1	-	1	1	-
60-64 years-----	3	3	-	3	3	-	-	-	-	-	-	-
65-69 years-----	7	4	3	6	3	3	1	1	-	-	-	-
70-74 years-----	12	6	6	11	6	5	1	-	1	1	-	1
75-79 years-----	3	2	1	3	2	1	-	-	-	-	-	-
80-84 years-----	8	6	2	8	6	2	-	-	-	-	-	-
85-89 years-----	5	2	3	5	2	3	-	-	-	-	-	-
90-94 years-----	3	-	3	3	-	3	-	-	-	-	-	-
95-99 years-----	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Peripheral nerves of head, face, and neck (C47.0)												
All ages-----	3	2	1	3	2	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Peripheral nerves of upper limb, including shoulder (C47.1)

All ages-----	2	1	1	1	-	1	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	-	-	-	1	1	-	1	1	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Peripheral nerves of lower limb, including hip (C47.2)												
All ages-----	4	2	2	4	2	2	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	2	2	-	2	2	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Peripheral nerves of thorax (C47.3)

All ages-----	5	4	1	5	4	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Peripheral nerves of abdomen (C47.4)												
All ages-----	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Peripheral nerves of pelvis (C47.5)												
All ages-----	6	5	1	5	4	1	1	1	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	-	-	-	1	1	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	2	2	-	2	2	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Peripheral nerves of trunk, unspecified (C47.6)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Peripheral nerves and autonomic nervous system, unspecified (C47.9)

All ages-----	113	69	44	93	57	36	20	12	8	16	10	6
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	2	2	-	1	1	-	1	1	-	1	1	-
10-14 years-----	5	4	1	5	4	1	-	-	-	-	-	-
15-19 years-----	8	7	1	6	5	1	2	2	-	2	2	-
20-24 years-----	8	5	3	6	4	2	2	1	1	2	1	1
25-29 years-----	15	10	5	8	5	3	7	5	2	7	5	2
30-34 years-----	10	7	3	8	6	2	2	1	1	-	-	-
35-39 years-----	5	3	2	5	3	2	-	-	-	-	-	-
40-44 years-----	11	7	4	8	6	2	3	1	2	2	1	1
45-49 years-----	9	2	7	8	2	6	1	-	1	1	-	1
50-54 years-----	5	3	2	5	3	2	-	-	-	-	-	-
55-59 years-----	5	3	2	5	3	2	-	-	-	-	-	-
60-64 years-----	3	3	-	3	3	-	-	-	-	-	-	-
65-69 years-----	7	4	3	6	3	3	1	1	-	-	-	-
70-74 years-----	9	4	5	8	4	4	1	-	1	1	-	1
75-79 years-----	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years-----	2	2	-	2	2	-	-	-	-	-	-	-
85-89 years-----	5	2	3	5	2	3	-	-	-	-	-	-
90-94 years-----	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Malignant neoplasm of retroperitoneum and peritoneum (C48)												
All ages-----	650	165	485	570	138	432	80	27	53	61	21	40
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years-----	2	1	1	2	1	1	-	-	-	-	-	-
30-34 years-----	4	4	-	2	2	-	2	2	-	1	1	-
35-39 years-----	5	2	3	3	1	2	2	1	1	2	1	1
40-44 years-----	12	4	8	8	4	4	4	-	4	3	-	3
45-49 years-----	28	10	18	23	7	16	5	3	2	5	3	2
50-54 years-----	39	15	24	31	10	21	8	5	3	6	4	2
55-59 years-----	48	12	36	40	11	29	8	1	7	4	1	3
60-64 years-----	78	23	55	70	20	50	8	3	5	6	2	4
65-69 years-----	73	15	58	62	10	52	11	5	6	8	4	4
70-74 years-----	111	24	87	103	22	81	8	2	6	7	1	6
75-79 years-----	110	24	86	100	22	78	10	2	8	8	2	6
80-84 years-----	77	18	59	70	15	55	7	3	4	6	2	4
85-89 years-----	44	9	35	42	9	33	2	-	2	2	-	2
90-94 years-----	13	2	11	9	2	7	4	-	4	3	-	3
95-99 years-----	5	2	3	4	2	2	1	-	1	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Retroperitoneum (C48.0)

All ages-----	220	113	107	186	95	91	34	18	16	24	13	11
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	2	1	1	2	1	1	-	-	-	-	-	-
30-34 years-----	3	3	-	1	1	-	2	2	-	1	1	-
35-39 years-----	2	1	1	2	1	1	-	-	-	-	-	-
40-44 years-----	6	3	3	3	3	-	3	-	3	2	-	2
45-49 years-----	11	6	5	9	4	5	2	2	-	2	2	-
50-54 years-----	14	9	5	10	6	4	4	3	1	3	2	1
55-59 years-----	15	8	7	12	7	5	3	1	2	2	1	1
60-64 years-----	20	14	6	17	12	5	3	2	1	2	1	1
65-69 years-----	22	12	10	18	8	10	4	4	-	3	3	-
70-74 years-----	29	15	14	28	14	14	1	1	-	1	1	-
75-79 years-----	36	16	20	32	16	16	4	-	4	2	-	2
80-84 years-----	28	13	15	23	10	13	5	3	2	4	2	2
85-89 years-----	24	9	15	23	9	14	1	-	1	1	-	1
90-94 years-----	4	1	3	3	1	2	1	-	1	1	-	1
95-99 years-----	4	2	2	3	2	1	1	-	1	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Specified parts of peritoneum (C48.1)												
All ages-----	36	17	19	32	15	17	4	2	2	2	1	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	4	2	2	3	1	2	1	1	-	1	1	-
50-54 years-----	4	2	2	4	2	2	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	6	2	4	6	2	4	-	-	-	-	-	-
65-69 years-----	6	2	4	6	2	4	-	-	-	-	-	-
70-74 years-----	4	2	2	3	1	2	1	1	-	-	-	-
75-79 years-----	4	3	1	4	3	1	-	-	-	-	-	-
80-84 years-----	5	3	2	4	3	1	1	-	1	1	-	1
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	-	1	-	-	-	1	-	1	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Peritoneum, unspecified (C48.2)

All ages-----	393	34	359	351	27	324	42	7	35	35	7	28
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	3	1	2	1	-	1	2	1	1	2	1	1
40-44 years-----	5	1	4	4	1	3	1	-	1	1	-	1
45-49 years-----	13	2	11	11	2	9	2	-	2	2	-	2
50-54 years-----	21	4	17	17	2	15	4	2	2	3	2	1
55-59 years-----	32	3	29	27	3	24	5	-	5	2	-	2
60-64 years-----	52	7	45	47	6	41	5	1	4	4	1	3
65-69 years-----	45	1	44	38	-	38	7	1	6	5	1	4
70-74 years-----	77	6	71	71	6	65	6	-	6	6	-	6
75-79 years-----	70	5	65	64	3	61	6	2	4	6	2	4
80-84 years-----	44	2	42	43	2	41	1	-	1	1	-	1
85-89 years-----	20	-	20	19	-	19	1	-	1	1	-	1
90-94 years-----	8	1	7	6	1	5	2	-	2	2	-	2
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Overlapping lesion of retroperitoneum and peritoneum (C48.8)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Malignant neoplasm of other connective and soft tissue (C49)

All ages-----	3,478	1,735	1,743	2,988	1,509	1,479	490	226	264	404	186	218
Under 1 year-----	4	1	3	3	1	2	1	-	1	1	-	1
1-4 years-----	18	10	8	13	7	6	5	3	2	3	2	1
5-9 years-----	25	12	13	19	11	8	6	1	5	5	1	4
10-14 years-----	32	16	16	24	13	11	8	3	5	8	3	5
15-19 years-----	56	38	18	43	29	14	13	9	4	12	8	4
20-24 years-----	62	32	30	44	19	25	18	13	5	16	12	4
25-29 years-----	66	36	30	55	33	22	11	3	8	10	3	7
30-34 years-----	84	47	37	60	31	29	24	16	8	17	10	7
35-39 years-----	136	78	58	102	59	43	34	19	15	30	18	12
40-44 years-----	175	113	62	133	91	42	42	22	20	32	19	13
45-49 years-----	196	89	107	165	76	89	31	13	18	24	10	14
50-54 years-----	251	123	128	214	111	103	37	12	25	28	9	19
55-59 years-----	242	134	108	210	119	91	32	15	17	26	13	13
60-64 years-----	306	156	150	257	135	122	49	21	28	45	19	26
65-69 years-----	333	173	160	294	153	141	39	20	19	28	13	15
70-74 years-----	399	201	198	351	176	175	48	25	23	41	20	21
75-79 years-----	430	208	222	388	190	198	42	18	24	37	15	22
80-84 years-----	335	149	186	308	141	167	27	8	19	20	6	14
85-89 years-----	217	86	131	199	83	116	18	3	15	17	3	14
90-94 years-----	88	27	61	85	26	59	3	1	2	2	1	1
95-99 years-----	20	6	14	18	5	13	2	1	1	2	1	1
100 yrs & over---	3	-	3	3	-	3	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Connective and soft tissue of head, face, and neck (C49.0)												
All ages-----	76	47	29	65	40	25	11	7	4	10	6	4
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	2	2	-	2	2	-	-	-	-	-	-	-
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	2	1	1	2	1	1	-	-	-	-	-	-
40-44 years-----	1	1	-	-	-	-	1	1	-	1	1	-
45-49 years-----	2	2	-	1	1	-	1	1	-	1	1	-
50-54 years-----	2	1	1	2	1	1	-	-	-	-	-	-
55-59 years-----	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	7	3	4	4	2	2	3	1	2	3	1	2
70-74 years-----	8	7	1	8	7	1	-	-	-	-	-	-
75-79 years-----	10	7	3	8	6	2	2	1	1	2	1	1
80-84 years-----	13	7	6	12	6	6	1	1	-	-	-	-
85-89 years-----	12	8	4	10	7	3	2	1	1	2	1	1
90-94 years-----	8	4	4	7	3	4	1	1	-	1	1	-
95-99 years-----	2	1	1	2	1	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Connective and soft tissue of upper limb, including shoulder (C49.1)

All ages-----	51	32	19	43	24	19	8	8	-	7	7	-
Under 1 year----	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	2	1	1	1	-	1	1	1	-	1	1	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	3	3	-	1	1	-	2	2	-	2	2	-
40-44 years-----	1	1	-	-	-	-	1	1	-	1	1	-
45-49 years-----	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	7	5	2	5	3	2	2	2	-	2	2	-
60-64 years-----	4	2	2	4	2	2	-	-	-	-	-	-
65-69 years-----	3	3	-	2	2	-	1	1	-	1	1	-
70-74 years-----	4	2	2	4	2	2	-	-	-	-	-	-
75-79 years-----	7	4	3	6	3	3	1	1	-	-	-	-
80-84 years-----	6	4	2	6	4	2	-	-	-	-	-	-
85-89 years-----	5	3	2	5	3	2	-	-	-	-	-	-
90-94 years-----	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years-----	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Connective and soft tissue of lower limb, including hip (C49.2)												
All ages-----	218	108	110	188	94	94	30	14	16	27	11	16
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	3	2	1	2	2	-	1	-	1	1	-	1
20-24 years-----	2	1	1	2	1	1	-	-	-	-	-	-
25-29 years-----	2	1	1	2	1	1	-	-	-	-	-	-
30-34 years-----	6	1	5	4	-	4	2	1	1	2	1	1
35-39 years-----	7	5	2	4	3	1	3	2	1	3	2	1
40-44 years-----	14	9	5	11	7	4	3	2	1	2	1	1
45-49 years-----	10	6	4	8	5	3	2	1	1	2	1	1
50-54 years-----	11	8	3	8	6	2	3	2	1	2	1	1
55-59 years-----	14	8	6	12	7	5	2	1	1	2	1	1
60-64 years-----	12	6	6	11	5	6	1	1	-	1	1	-
65-69 years-----	15	9	6	13	7	6	2	2	-	2	2	-
70-74 years-----	33	17	16	27	15	12	6	2	4	5	1	4
75-79 years-----	33	13	20	33	13	20	-	-	-	-	-	-
80-84 years-----	25	10	15	21	10	11	4	-	4	4	-	4
85-89 years-----	19	5	14	18	5	13	1	-	1	1	-	1
90-94 years-----	8	5	3	8	5	3	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Connective and soft tissue of thorax (C49.3)

All ages-----	73	42	31	69	40	29	4	2	2	4	2	2
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	2	1	1	2	1	1	-	-	-	-	-	-
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	2	1	1	2	1	1	-	-	-	-	-	-
35-39 years-----	4	2	2	4	2	2	-	-	-	-	-	-
40-44 years-----	2	2	-	2	2	-	-	-	-	-	-	-
45-49 years-----	8	3	5	7	3	4	1	-	1	1	-	1
50-54 years-----	4	3	1	4	3	1	-	-	-	-	-	-
55-59 years-----	3	3	-	3	3	-	-	-	-	-	-	-
60-64 years-----	5	5	-	4	4	-	1	1	-	1	1	-
65-69 years-----	8	5	3	7	4	3	1	1	-	1	1	-
70-74 years-----	9	5	4	8	5	3	1	-	1	1	-	1
75-79 years-----	7	3	4	7	3	4	-	-	-	-	-	-
80-84 years-----	9	6	3	9	6	3	-	-	-	-	-	-
85-89 years-----	5	1	4	5	1	4	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Connective and soft tissue of abdomen (C49.4)												
All ages-----	233	124	109	205	113	92	28	11	17	25	9	16
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	2	-	2	2	-	2	-	-	-	-	-	-
30-34 years-----	2	1	1	2	1	1	-	-	-	-	-	-
35-39 years-----	5	3	2	4	2	2	1	1	-	1	1	-
40-44 years-----	8	7	1	6	6	-	2	1	1	2	1	1
45-49 years-----	14	9	5	10	6	4	4	3	1	4	3	1
50-54 years-----	18	11	7	16	11	5	2	-	2	2	-	2
55-59 years-----	11	7	4	11	7	4	-	-	-	-	-	-
60-64 years-----	25	13	12	21	12	9	4	1	3	3	-	3
65-69 years-----	26	14	12	22	13	9	4	1	3	3	-	3
70-74 years-----	28	14	14	24	13	11	4	1	3	4	1	3
75-79 years-----	32	18	14	30	17	13	2	1	1	2	1	1
80-84 years-----	33	15	18	31	14	17	2	1	1	1	1	-
85-89 years-----	16	6	10	15	6	9	1	-	1	1	-	1
90-94 years-----	8	2	6	8	2	6	-	-	-	-	-	-
95-99 years-----	3	2	1	1	1	-	2	1	1	2	1	1
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Connective and soft tissue of pelvis (C49.5)

All ages-----	118	43	75	101	35	66	17	8	9	16	7	9
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	3	1	2	2	-	2	1	1	-	1	1	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years-----	1	-	1	-	-	-	1	-	1	1	-	1
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	3	1	2	3	1	2	-	-	-	-	-	-
40-44 years-----	4	1	3	2	-	2	2	1	1	2	1	1
45-49 years-----	4	1	3	2	-	2	2	1	1	2	1	1
50-54 years-----	7	5	2	5	3	2	2	2	-	2	2	-
55-59 years-----	10	3	7	7	2	5	3	1	2	2	-	2
60-64 years-----	7	-	7	5	-	5	2	-	2	2	-	2
65-69 years-----	11	6	5	11	6	5	-	-	-	-	-	-
70-74 years-----	14	7	7	10	5	5	4	2	2	4	2	2
75-79 years-----	19	8	11	19	8	11	-	-	-	-	-	-
80-84 years-----	17	6	11	17	6	11	-	-	-	-	-	-
85-89 years-----	10	4	6	10	4	6	-	-	-	-	-	-
90-94 years-----	6	-	6	6	-	6	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Connective and soft tissue of trunk, unspecified (C49.6)												
All ages-----	12	6	6	11	6	5	1	-	1	1	-	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	4	3	1	3	3	-	1	-	1	1	-	1
75-79 years-----	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years-----	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years-----	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Overlapping lesion of connective and soft tissue (C49.8)

All ages-----	3	-	3	2	-	2	1	-	1	1	-	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	2	-	2	1	-	1	1	-	1	1	-	1
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Connective and soft tissue, unspecified (C49.9)												
All ages-----	2,694	1,333	1,361	2,304	1,157	1,147	390	176	214	313	144	169
Under 1 year-----	3	1	2	2	1	1	1	-	1	1	-	1
1-4 years-----	14	9	5	10	7	3	4	2	2	2	1	1
5-9 years-----	23	11	12	17	10	7	6	1	5	5	1	4
10-14 years-----	28	13	15	20	10	10	8	3	5	8	3	5
15-19 years-----	48	32	16	36	23	13	12	9	3	11	8	3
20-24 years-----	55	30	25	38	18	20	17	12	5	15	11	4
25-29 years-----	58	32	26	48	29	19	10	3	7	9	3	6
30-34 years-----	72	44	28	50	29	21	22	15	7	15	9	6
35-39 years-----	112	63	49	84	49	35	28	14	14	24	13	11
40-44 years-----	145	92	53	112	76	36	33	16	17	24	14	10
45-49 years-----	155	67	88	134	60	74	21	7	14	14	4	10
50-54 years-----	208	94	114	178	86	92	30	8	22	22	6	16
55-59 years-----	194	107	87	169	96	73	25	11	14	20	10	10
60-64 years-----	252	129	123	211	111	100	41	18	23	38	17	21
65-69 years-----	263	133	130	235	119	116	28	14	14	18	8	10
70-74 years-----	299	146	153	267	126	141	32	20	12	26	16	10
75-79 years-----	318	154	164	282	139	143	36	15	21	32	13	19
80-84 years-----	230	100	130	210	94	116	20	6	14	15	5	10
85-89 years-----	148	59	89	134	57	77	14	2	12	13	2	11
90-94 years-----	54	15	39	52	15	37	2	-	2	1	-	1
95-99 years-----	13	2	11	13	2	11	-	-	-	-	-	-
100 yrs & over---	2	-	2	2	-	2	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Malignant neoplasm of breast (C50)

All ages-----	41,528	384	41,144	35,385	312	35,073	6,143	72	6,071	5,425	67	5,358
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	-	1	-	-	-	1	-	1	1	-	1
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	3	-	3	3	-	3	-	-	-	-	-	-
20-24 years-----	10	-	10	5	-	5	5	-	5	5	-	5
25-29 years-----	86	-	86	59	-	59	27	-	27	25	-	25
30-34 years-----	353	3	350	245	2	243	108	1	107	101	1	100
35-39 years-----	986	6	980	700	-	700	286	6	280	261	6	255
40-44 years-----	1,755	9	1,746	1,301	8	1,293	454	1	453	404	1	403
45-49 years-----	2,619	11	2,608	1,977	8	1,969	642	3	639	553	1	552
50-54 years-----	3,555	30	3,525	2,849	22	2,827	706	8	698	614	8	606
55-59 years-----	3,682	36	3,646	3,006	29	2,977	676	7	669	582	7	575
60-64 years-----	3,717	34	3,683	3,105	25	3,080	612	9	603	521	9	512
65-69 years-----	4,147	47	4,100	3,550	40	3,510	597	7	590	523	6	517
70-74 years-----	4,962	56	4,906	4,372	45	4,327	590	11	579	517	10	507
75-79 years-----	5,140	56	5,084	4,598	49	4,549	542	7	535	493	6	487
80-84 years-----	4,511	42	4,469	4,116	37	4,079	395	5	390	363	5	358
85-89 years-----	3,428	33	3,395	3,154	30	3,124	274	3	271	252	3	249
90-94 years-----	1,837	13	1,824	1,681	11	1,670	156	2	154	140	2	138
95-99 years-----	611	7	604	555	5	550	56	2	54	54	2	52
100 yrs & over---	124	1	123	108	1	107	16	-	16	16	-	16
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Nipple and areola (C50.0)												
All ages-----	8	-	8	5	-	5	3	-	3	3	-	3
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	2	-	2	1	-	1	1	-	1	1	-	1
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	2	-	2	2	-	2	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	1	-	1	-	-	-	1	-	1	1	-	1
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	-	1	-	-	-	1	-	1	1	-	1
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Central portion of breast (C50.1)

All ages-----	1	-	1	-	-	-	1	-	1	1	-	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	1	-	-	-	1	-	1	1	-	1
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Upper-outer quadrant of breast (C50.4)												
All ages-----	2	-	2	2	-	2	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Breast, unspecified (C50.9)												
All ages-----	41,517	384	41,133	35,378	312	35,066	6,139	72	6,067	5,421	67	5,354
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	-	1	-	-	-	1	-	1	1	-	1
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	3	-	3	3	-	3	-	-	-	-	-	-
20-24 years-----	10	-	10	5	-	5	5	-	5	5	-	5
25-29 years-----	86	-	86	59	-	59	27	-	27	25	-	25
30-34 years-----	353	3	350	245	2	243	108	1	107	101	1	100
35-39 years-----	986	6	980	700	-	700	286	6	280	261	6	255
40-44 years-----	1,754	9	1,745	1,300	8	1,292	454	1	453	404	1	403
45-49 years-----	2,619	11	2,608	1,977	8	1,969	642	3	639	553	1	552
50-54 years-----	3,555	30	3,525	2,849	22	2,827	706	8	698	614	8	606
55-59 years-----	3,681	36	3,645	3,005	29	2,976	676	7	669	582	7	575
60-64 years-----	3,714	34	3,680	3,104	25	3,079	610	9	601	519	9	510
65-69 years-----	4,147	47	4,100	3,550	40	3,510	597	7	590	523	6	517
70-74 years-----	4,960	56	4,904	4,370	45	4,325	590	11	579	517	10	507
75-79 years-----	5,139	56	5,083	4,597	49	4,548	542	7	535	493	6	487
80-84 years-----	4,510	42	4,468	4,116	37	4,079	394	5	389	362	5	357
85-89 years-----	3,428	33	3,395	3,154	30	3,124	274	3	271	252	3	249
90-94 years-----	1,836	13	1,823	1,681	11	1,670	155	2	153	139	2	137
95-99 years-----	610	7	603	554	5	549	56	2	54	54	2	52
100 yrs & over---	124	1	123	108	1	107	16	-	16	16	-	16
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Malignant neoplasm of vulva (C51)												
All ages-----	762	...	762	703	...	703	59	...	59	48	...	48
Under 1 year-----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	1	...	1	1	...	1	-	...	-	-	...	-
30-34 years-----	2	...	2	1	...	1	1	...	1	1	...	1
35-39 years-----	5	...	5	3	...	3	2	...	2	2	...	2
40-44 years-----	12	...	12	10	...	10	2	...	2	1	...	1
45-49 years-----	12	...	12	11	...	11	1	...	1	1	...	1
50-54 years-----	27	...	27	24	...	24	3	...	3	2	...	2
55-59 years-----	20	...	20	15	...	15	5	...	5	3	...	3
60-64 years-----	44	...	44	36	...	36	8	...	8	6	...	6
65-69 years-----	51	...	51	47	...	47	4	...	4	4	...	4
70-74 years-----	93	...	93	86	...	86	7	...	7	7	...	7
75-79 years-----	123	...	123	114	...	114	9	...	9	6	...	6
80-84 years-----	127	...	127	120	...	120	7	...	7	6	...	6
85-89 years-----	146	...	146	139	...	139	7	...	7	7	...	7
90-94 years-----	74	...	74	71	...	71	3	...	3	2	...	2
95-99 years-----	25	...	25	25	...	25	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-
Labium majus (C51.0)												
All ages-----	13	...	13	13	...	13	-	...	-	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	1	...	1	1	...	1	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	2	...	2	2	...	2	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	1	...	1	1	...	1	-	...	-	-	...	-
65-69 years-----	1	...	1	1	...	1	-	...	-	-	...	-
70-74 years-----	1	...	1	1	...	1	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years-----	2	...	2	2	...	2	-	...	-	-	...	-
85-89 years-----	2	...	2	2	...	2	-	...	-	-	...	-
90-94 years-----	3	...	3	3	...	3	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Clitoris (C51.2)												
All ages-----	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years-----	1	...	1	1	...	1	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-
Vulva, unspecified (C51.9)												
All ages-----	748	...	748	689	...	689	59	...	59	48	...	48
Under 1 year-----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	1	...	1	1	...	1	-	...	-	-	...	-
30-34 years-----	2	...	2	1	...	1	1	...	1	1	...	1
35-39 years-----	5	...	5	3	...	3	2	...	2	2	...	2
40-44 years-----	11	...	11	9	...	9	2	...	2	1	...	1
45-49 years-----	12	...	12	11	...	11	1	...	1	1	...	1
50-54 years-----	25	...	25	22	...	22	3	...	3	2	...	2
55-59 years-----	20	...	20	15	...	15	5	...	5	3	...	3
60-64 years-----	43	...	43	35	...	35	8	...	8	6	...	6
65-69 years-----	50	...	50	46	...	46	4	...	4	4	...	4
70-74 years-----	92	...	92	85	...	85	7	...	7	7	...	7
75-79 years-----	123	...	123	114	...	114	9	...	9	6	...	6
80-84 years-----	125	...	125	118	...	118	7	...	7	6	...	6
85-89 years-----	143	...	143	136	...	136	7	...	7	7	...	7
90-94 years-----	71	...	71	68	...	68	3	...	3	2	...	2
95-99 years-----	25	...	25	25	...	25	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Malignant neoplasm of vagina (C52)												
All ages-----	403	...	403	343	...	343	60	...	60	52	...	52
Under 1 year-----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	2	...	2	2	...	2	-	...	-	-	...	-
35-39 years-----	7	...	7	6	...	6	1	...	1	1	...	1
40-44 years-----	8	...	8	7	...	7	1	...	1	1	...	1
45-49 years-----	14	...	14	11	...	11	3	...	3	3	...	3
50-54 years-----	21	...	21	16	...	16	5	...	5	5	...	5
55-59 years-----	25	...	25	18	...	18	7	...	7	5	...	5
60-64 years-----	22	...	22	19	...	19	3	...	3	3	...	3
65-69 years-----	31	...	31	25	...	25	6	...	6	5	...	5
70-74 years-----	39	...	39	31	...	31	8	...	8	6	...	6
75-79 years-----	61	...	61	49	...	49	12	...	12	9	...	9
80-84 years-----	62	...	62	55	...	55	7	...	7	7	...	7
85-89 years-----	68	...	68	64	...	64	4	...	4	4	...	4
90-94 years-----	31	...	31	30	...	30	1	...	1	1	...	1
95-99 years-----	10	...	10	8	...	8	2	...	2	2	...	2
100 yrs & over---	2	...	2	2	...	2	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-
Malignant neoplasm of cervix uteri (C53)												
All ages-----	4,205	...	4,205	3,229	...	3,229	976	...	976	838	...	838
Under 1 year-----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	2	...	2	-	...	-	2	...	2	2	...	2
20-24 years-----	10	...	10	9	...	9	1	...	1	1	...	1
25-29 years-----	62	...	62	52	...	52	10	...	10	9	...	9
30-34 years-----	155	...	155	124	...	124	31	...	31	27	...	27
35-39 years-----	292	...	292	221	...	221	71	...	71	61	...	61
40-44 years-----	407	...	407	314	...	314	93	...	93	83	...	83
45-49 years-----	462	...	462	371	...	371	91	...	91	68	...	68
50-54 years-----	452	...	452	360	...	360	92	...	92	72	...	72
55-59 years-----	393	...	393	298	...	298	95	...	95	80	...	80
60-64 years-----	376	...	376	275	...	275	101	...	101	89	...	89
65-69 years-----	350	...	350	261	...	261	89	...	89	79	...	79
70-74 years-----	346	...	346	242	...	242	104	...	104	97	...	97
75-79 years-----	345	...	345	265	...	265	80	...	80	69	...	69
80-84 years-----	223	...	223	181	...	181	42	...	42	33	...	33
85-89 years-----	199	...	199	161	...	161	38	...	38	35	...	35
90-94 years-----	98	...	98	76	...	76	22	...	22	22	...	22
95-99 years-----	26	...	26	14	...	14	12	...	12	9	...	9
100 yrs & over---	6	...	6	4	...	4	2	...	2	2	...	2
Not stated-----	1	...	1	1	...	1	-	...	-	-	...	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Endocervix (C53.0)												
All ages-----	34	...	34	26	...	26	8	...	8	8	...	8
Under 1 year----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	1	...	1	1	...	1	-	...	-	-	...	-
30-34 years-----	1	...	1	-	...	-	1	...	1	1	...	1
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	3	...	3	3	...	3	-	...	-	-	...	-
45-49 years-----	2	...	2	2	...	2	-	...	-	-	...	-
50-54 years-----	3	...	3	3	...	3	-	...	-	-	...	-
55-59 years-----	3	...	3	2	...	2	1	...	1	1	...	1
60-64 years-----	5	...	5	4	...	4	1	...	1	1	...	1
65-69 years-----	2	...	2	2	...	2	-	...	-	-	...	-
70-74 years-----	5	...	5	3	...	3	2	...	2	2	...	2
75-79 years-----	1	...	1	1	...	1	-	...	-	-	...	-
80-84 years-----	3	...	3	2	...	2	1	...	1	1	...	1
85-89 years-----	4	...	4	3	...	3	1	...	1	1	...	1
90-94 years-----	1	...	1	-	...	-	1	...	1	1	...	1
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-
Cervix uteri, unspecified (C53.9)												
All ages-----	4,171	...	4,171	3,203	...	3,203	968	...	968	830	...	830
Under 1 year----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	2	...	2	-	...	-	2	...	2	2	...	2
20-24 years-----	10	...	10	9	...	9	1	...	1	1	...	1
25-29 years-----	61	...	61	51	...	51	10	...	10	9	...	9
30-34 years-----	154	...	154	124	...	124	30	...	30	26	...	26
35-39 years-----	292	...	292	221	...	221	71	...	71	61	...	61
40-44 years-----	404	...	404	311	...	311	93	...	93	83	...	83
45-49 years-----	460	...	460	369	...	369	91	...	91	68	...	68
50-54 years-----	449	...	449	357	...	357	92	...	92	72	...	72
55-59 years-----	390	...	390	296	...	296	94	...	94	79	...	79
60-64 years-----	371	...	371	271	...	271	100	...	100	88	...	88
65-69 years-----	348	...	348	259	...	259	89	...	89	79	...	79
70-74 years-----	341	...	341	239	...	239	102	...	102	95	...	95
75-79 years-----	344	...	344	264	...	264	80	...	80	69	...	69
80-84 years-----	220	...	220	179	...	179	41	...	41	32	...	32
85-89 years-----	195	...	195	158	...	158	37	...	37	34	...	34
90-94 years-----	97	...	97	76	...	76	21	...	21	21	...	21
95-99 years-----	26	...	26	14	...	14	12	...	12	9	...	9
100 yrs & over---	6	...	6	4	...	4	2	...	2	2	...	2
Not stated-----	1	...	1	1	...	1	-	...	-	-	...	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Malignant neoplasm of corpus uteri (C54)												
All ages-----	3,121	...	3,121	2,638	...	2,638	483	...	483	440	...	440
Under 1 year-----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	1	...	1	1	...	1	-	...	-	-	...	-
25-29 years-----	1	...	1	1	...	1	-	...	-	-	...	-
30-34 years-----	7	...	7	7	...	7	-	...	-	-	...	-
35-39 years-----	17	...	17	15	...	15	2	...	2	1	...	1
40-44 years-----	45	...	45	34	...	34	11	...	11	9	...	9
45-49 years-----	82	...	82	67	...	67	15	...	15	6	...	6
50-54 years-----	122	...	122	107	...	107	15	...	15	12	...	12
55-59 years-----	199	...	199	167	...	167	32	...	32	27	...	27
60-64 years-----	308	...	308	251	...	251	57	...	57	56	...	56
65-69 years-----	428	...	428	335	...	335	93	...	93	86	...	86
70-74 years-----	510	...	510	429	...	429	81	...	81	79	...	79
75-79 years-----	523	...	523	447	...	447	76	...	76	72	...	72
80-84 years-----	457	...	457	408	...	408	49	...	49	42	...	42
85-89 years-----	254	...	254	221	...	221	33	...	33	31	...	31
90-94 years-----	117	...	117	103	...	103	14	...	14	14	...	14
95-99 years-----	42	...	42	38	...	38	4	...	4	4	...	4
100 yrs & over---	8	...	8	7	...	7	1	...	1	1	...	1
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-
Endometrium (C54.1)												
All ages-----	3,088	...	3,088	2,608	...	2,608	480	...	480	437	...	437
Under 1 year-----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	1	...	1	1	...	1	-	...	-	-	...	-
25-29 years-----	1	...	1	1	...	1	-	...	-	-	...	-
30-34 years-----	7	...	7	7	...	7	-	...	-	-	...	-
35-39 years-----	17	...	17	15	...	15	2	...	2	1	...	1
40-44 years-----	45	...	45	34	...	34	11	...	11	9	...	9
45-49 years-----	80	...	80	65	...	65	15	...	15	6	...	6
50-54 years-----	121	...	121	106	...	106	15	...	15	12	...	12
55-59 years-----	198	...	198	166	...	166	32	...	32	27	...	27
60-64 years-----	303	...	303	246	...	246	57	...	57	56	...	56
65-69 years-----	426	...	426	333	...	333	93	...	93	86	...	86
70-74 years-----	504	...	504	423	...	423	81	...	81	79	...	79
75-79 years-----	516	...	516	442	...	442	74	...	74	70	...	70
80-84 years-----	453	...	453	404	...	404	49	...	49	42	...	42
85-89 years-----	252	...	252	220	...	220	32	...	32	30	...	30
90-94 years-----	115	...	115	101	...	101	14	...	14	14	...	14
95-99 years-----	42	...	42	38	...	38	4	...	4	4	...	4
100 yrs & over---	7	...	7	6	...	6	1	...	1	1	...	1
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Myometrium (C54.2)												
All ages-----	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years-----	1	...	1	1	...	1	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-
Fundus uteri (C54.3)												
All ages-----	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years-----	1	...	1	1	...	1	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Corpus uteri, unspecified (C54.9)												
All ages-----	31	...	31	28	...	28	3	...	3	3	...	3
Under 1 year----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	2	...	2	2	...	2	-	...	-	-	...	-
50-54 years-----	1	...	1	1	...	1	-	...	-	-	...	-
55-59 years-----	1	...	1	1	...	1	-	...	-	-	...	-
60-64 years-----	5	...	5	5	...	5	-	...	-	-	...	-
65-69 years-----	2	...	2	2	...	2	-	...	-	-	...	-
70-74 years-----	5	...	5	5	...	5	-	...	-	-	...	-
75-79 years-----	6	...	6	4	...	4	2	...	2	2	...	2
80-84 years-----	4	...	4	4	...	4	-	...	-	-	...	-
85-89 years-----	2	...	2	1	...	1	1	...	1	1	...	1
90-94 years-----	2	...	2	2	...	2	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	1	...	1	1	...	1	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Malignant neoplasm of uterus, part unspecified (C55)

All ages-----	3,347	...	3,347	2,748	...	2,748	599	...	599	547	...	547
Under 1 year----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	1	...	1	1	...	1	-	...	-	-	...	-
25-29 years-----	10	...	10	7	...	7	3	...	3	3	...	3
30-34 years-----	5	...	5	3	...	3	2	...	2	2	...	2
35-39 years-----	21	...	21	16	...	16	5	...	5	4	...	4
40-44 years-----	59	...	59	44	...	44	15	...	15	14	...	14
45-49 years-----	100	...	100	83	...	83	17	...	17	12	...	12
50-54 years-----	164	...	164	129	...	129	35	...	35	27	...	27
55-59 years-----	228	...	228	175	...	175	53	...	53	49	...	49
60-64 years-----	284	...	284	223	...	223	61	...	61	57	...	57
65-69 years-----	407	...	407	295	...	295	112	...	112	103	...	103
70-74 years-----	462	...	462	376	...	376	86	...	86	82	...	82
75-79 years-----	538	...	538	457	...	457	81	...	81	72	...	72
80-84 years-----	490	...	490	427	...	427	63	...	63	61	...	61
85-89 years-----	339	...	339	302	...	302	37	...	37	34	...	34
90-94 years-----	173	...	173	150	...	150	23	...	23	21	...	21
95-99 years-----	58	...	58	53	...	53	5	...	5	5	...	5
100 yrs & over---	8	...	8	7	...	7	1	...	1	1	...	1
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
 ON THE TENTH REVISION
 INTERNATIONAL CLASSIFICATION
 OF DISEASES, 1992),
 RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Malignant neoplasm of ovary (C56)												
All ages-----	13,627	...	13,627	12,302	...	12,302	1,325	...	1,325	1,079	...	1,079
Under 1 year-----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	1	...	1	1	...	1	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	2	...	2	2	...	2	-	...	-	-	...	-
15-19 years-----	9	...	9	8	...	8	1	...	1	1	...	1
20-24 years-----	18	...	18	14	...	14	4	...	4	3	...	3
25-29 years-----	26	...	26	20	...	20	6	...	6	6	...	6
30-34 years-----	51	...	51	37	...	37	14	...	14	7	...	7
35-39 years-----	162	...	162	136	...	136	26	...	26	16	...	16
40-44 years-----	334	...	334	288	...	288	46	...	46	31	...	31
45-49 years-----	616	...	616	535	...	535	81	...	81	55	...	55
50-54 years-----	933	...	933	814	...	814	119	...	119	89	...	89
55-59 years-----	1,081	...	1,081	965	...	965	116	...	116	95	...	95
60-64 years-----	1,345	...	1,345	1,199	...	1,199	146	...	146	122	...	122
65-69 years-----	1,626	...	1,626	1,455	...	1,455	171	...	171	136	...	136
70-74 years-----	1,986	...	1,986	1,799	...	1,799	187	...	187	168	...	168
75-79 years-----	2,143	...	2,143	1,956	...	1,956	187	...	187	162	...	162
80-84 years-----	1,732	...	1,732	1,614	...	1,614	118	...	118	98	...	98
85-89 years-----	1,052	...	1,052	987	...	987	65	...	65	54	...	54
90-94 years-----	412	...	412	381	...	381	31	...	31	30	...	30
95-99 years-----	91	...	91	84	...	84	7	...	7	6	...	6
100 yrs & over---	7	...	7	7	...	7	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Malignant neoplasm of other and unspecified female genital organs (C57)

All ages-----	408	...	408	359	...	359	49	...	49	44	...	44
Under 1 year-----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	3	...	3	3	...	3	-	...	-	-	...	-
40-44 years-----	4	...	4	4	...	4	-	...	-	-	...	-
45-49 years-----	16	...	16	13	...	13	3	...	3	3	...	3
50-54 years-----	32	...	32	28	...	28	4	...	4	3	...	3
55-59 years-----	33	...	33	29	...	29	4	...	4	4	...	4
60-64 years-----	44	...	44	41	...	41	3	...	3	3	...	3
65-69 years-----	46	...	46	42	...	42	4	...	4	3	...	3
70-74 years-----	66	...	66	54	...	54	12	...	12	11	...	11
75-79 years-----	62	...	62	55	...	55	7	...	7	6	...	6
80-84 years-----	64	...	64	55	...	55	9	...	9	9	...	9
85-89 years-----	23	...	23	21	...	21	2	...	2	2	...	2
90-94 years-----	12	...	12	11	...	11	1	...	1	-	...	-
95-99 years-----	2	...	2	2	...	2	-	...	-	-	...	-
100 yrs & over---	1	...	1	1	...	1	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Fallopian tube (C57.0)												
All ages-----	179	...	179	161	...	161	18	...	18	15	...	15
Under 1 year-----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	1	...	1	1	...	1	-	...	-	-	...	-
40-44 years-----	1	...	1	1	...	1	-	...	-	-	...	-
45-49 years-----	7	...	7	5	...	5	2	...	2	2	...	2
50-54 years-----	14	...	14	12	...	12	2	...	2	2	...	2
55-59 years-----	13	...	13	11	...	11	2	...	2	2	...	2
60-64 years-----	24	...	24	23	...	23	1	...	1	1	...	1
65-69 years-----	29	...	29	26	...	26	3	...	3	2	...	2
70-74 years-----	33	...	33	29	...	29	4	...	4	3	...	3
75-79 years-----	30	...	30	27	...	27	3	...	3	2	...	2
80-84 years-----	23	...	23	22	...	22	1	...	1	1	...	1
85-89 years-----	4	...	4	4	...	4	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-
Round ligament (C57.2)												
All ages-----	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----	1	...	1	1	...	1	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Uterine adnexa, unspecified (C57.4)												
All ages-----	1	...	1	-	...	-	1	...	1	1	...	1
Under 1 year----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years-----	1	...	1	-	...	-	1	...	1	1	...	1
80-84 years-----	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-
Other specified female genital organs (C57.7)												
All ages-----	21	...	21	20	...	20	1	...	1	1	...	1
Under 1 year----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	1	...	1	1	...	1	-	...	-	-	...	-
50-54 years-----	1	...	1	1	...	1	-	...	-	-	...	-
55-59 years-----	2	...	2	2	...	2	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	1	...	1	1	...	1	-	...	-	-	...	-
70-74 years-----	5	...	5	5	...	5	-	...	-	-	...	-
75-79 years-----	4	...	4	3	...	3	1	...	1	1	...	1
80-84 years-----	4	...	4	4	...	4	-	...	-	-	...	-
85-89 years-----	3	...	3	3	...	3	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Overlapping lesion of female genital organs (C57.8)												
All ages-----	3	...	3	3	...	3	-	...	-	-	...	-
Under 1 year----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	1	...	1	1	...	1	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years-----	1	...	1	1	...	1	-	...	-	-	...	-
75-79 years-----	1	...	1	1	...	1	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Female genital organ, unspecified (C57.9)

All ages-----	203	...	203	174	...	174	29	...	29	27	...	27
Under 1 year----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	2	...	2	2	...	2	-	...	-	-	...	-
40-44 years-----	3	...	3	3	...	3	-	...	-	-	...	-
45-49 years-----	8	...	8	7	...	7	1	...	1	1	...	1
50-54 years-----	17	...	17	15	...	15	2	...	2	1	...	1
55-59 years-----	17	...	17	15	...	15	2	...	2	2	...	2
60-64 years-----	19	...	19	17	...	17	2	...	2	2	...	2
65-69 years-----	16	...	16	15	...	15	1	...	1	1	...	1
70-74 years-----	27	...	27	19	...	19	8	...	8	8	...	8
75-79 years-----	26	...	26	24	...	24	2	...	2	2	...	2
80-84 years-----	37	...	37	29	...	29	8	...	8	8	...	8
85-89 years-----	16	...	16	14	...	14	2	...	2	2	...	2
90-94 years-----	12	...	12	11	...	11	1	...	1	-	...	-
95-99 years-----	2	...	2	2	...	2	-	...	-	-	...	-
100 yrs & over---	1	...	1	1	...	1	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Malignant neoplasm of placenta (C58)												
All ages-----	9	...	9	4	...	4	5	...	5	4	...	4
Under 1 year----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	2	...	2	1	...	1	1	...	1	1	...	1
25-29 years-----	2	...	2	1	...	1	1	...	1	1	...	1
30-34 years-----	2	...	2	2	...	2	-	...	-	-	...	-
35-39 years-----	1	...	1	-	...	-	1	...	1	-	...	-
40-44 years-----	2	...	2	-	...	-	2	...	2	2	...	2
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Malignant neoplasm of penis (C60)

All ages-----	202	202	...	173	173	...	29	29	...	23	23	...
Under 1 year----	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years-----	4	4	...	4	4	...	-	-	...	-	-	...
40-44 years-----	8	8	...	5	5	...	3	3	...	3	3	...
45-49 years-----	5	5	...	5	5	...	-	-	...	-	-	...
50-54 years-----	9	9	...	6	6	...	3	3	...	1	1	...
55-59 years-----	14	14	...	12	12	...	2	2	...	2	2	...
60-64 years-----	22	22	...	16	16	...	6	6	...	6	6	...
65-69 years-----	26	26	...	23	23	...	3	3	...	1	1	...
70-74 years-----	25	25	...	22	22	...	3	3	...	3	3	...
75-79 years-----	28	28	...	23	23	...	5	5	...	4	4	...
80-84 years-----	30	30	...	28	28	...	2	2	...	2	2	...
85-89 years-----	18	18	...	16	16	...	2	2	...	1	1	...
90-94 years-----	11	11	...	11	11	...	-	-	...	-	-	...
95-99 years-----	2	2	...	2	2	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...	-	-	...

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Prepuce (C60.0)												
All ages-----	1	1	...	-	-	...	1	1	...	1	1	...
Under 1 year-----	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years-----	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years-----	1	1	...	-	-	...	1	1	...	1	1	...
65-69 years-----	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years-----	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years-----	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years-----	-	-	...	-	-	...	-	-	...	-	-	...
85-89 years-----	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years-----	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...	-	-	...
Glans penis (C60.1)												
All ages-----	1	1	...	-	-	...	1	1	...	1	1	...
Under 1 year-----	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years-----	1	1	...	-	-	...	1	1	...	1	1	...
45-49 years-----	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years-----	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years-----	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years-----	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years-----	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years-----	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years-----	-	-	...	-	-	...	-	-	...	-	-	...
85-89 years-----	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years-----	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...	-	-	...

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
 ON THE TENTH REVISION
 INTERNATIONAL CLASSIFICATION
 OF DISEASES, 1992),
 RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Penis, unspecified (C60.9)												
All ages-----	200	200	...	173	173	...	27	27	...	21	21	...
Under 1 year-----	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years-----	4	4	...	4	4	...	-	-	...	-	-	...
40-44 years-----	7	7	...	5	5	...	2	2	...	2	2	...
45-49 years-----	5	5	...	5	5	...	-	-	...	-	-	...
50-54 years-----	9	9	...	6	6	...	3	3	...	1	1	...
55-59 years-----	14	14	...	12	12	...	2	2	...	2	2	...
60-64 years-----	21	21	...	16	16	...	5	5	...	5	5	...
65-69 years-----	26	26	...	23	23	...	3	3	...	1	1	...
70-74 years-----	25	25	...	22	22	...	3	3	...	3	3	...
75-79 years-----	28	28	...	23	23	...	5	5	...	4	4	...
80-84 years-----	30	30	...	28	28	...	2	2	...	2	2	...
85-89 years-----	18	18	...	16	16	...	2	2	...	1	1	...
90-94 years-----	11	11	...	11	11	...	-	-	...	-	-	...
95-99 years-----	2	2	...	2	2	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...	-	-	...
Malignant neoplasm of prostate (C61)												
All ages-----	31,729	31,729	...	26,005	26,005	...	5,724	5,724	...	5,357	5,357	...
Under 1 year-----	1	1	...	1	1	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years-----	1	1	...	1	1	...	-	-	...	-	-	...
25-29 years-----	1	1	...	1	1	...	-	-	...	-	-	...
30-34 years-----	1	1	...	1	1	...	-	-	...	-	-	...
35-39 years-----	5	5	...	4	4	...	1	1	...	1	1	...
40-44 years-----	28	28	...	21	21	...	7	7	...	6	6	...
45-49 years-----	100	100	...	68	68	...	32	32	...	31	31	...
50-54 years-----	274	274	...	198	198	...	76	76	...	75	75	...
55-59 years-----	636	636	...	471	471	...	165	165	...	157	157	...
60-64 years-----	1,310	1,310	...	933	933	...	377	377	...	358	358	...
65-69 years-----	2,711	2,711	...	2,065	2,065	...	646	646	...	622	622	...
70-74 years-----	4,605	4,605	...	3,650	3,650	...	955	955	...	912	912	...
75-79 years-----	6,532	6,532	...	5,348	5,348	...	1,184	1,184	...	1,101	1,101	...
80-84 years-----	6,903	6,903	...	5,892	5,892	...	1,011	1,011	...	945	945	...
85-89 years-----	5,418	5,418	...	4,635	4,635	...	783	783	...	716	716	...
90-94 years-----	2,467	2,467	...	2,120	2,120	...	347	347	...	312	312	...
95-99 years-----	644	644	...	523	523	...	121	121	...	102	102	...
100 yrs & over---	91	91	...	72	72	...	19	19	...	19	19	...
Not stated-----	1	1	...	1	1	...	-	-	...	-	-	...

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Malignant neoplasm of testis (C62)												
All ages-----	378	378	...	347	347	...	31	31	...	23	23	...
Under 1 year-----	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years-----	2	2	...	2	2	...	-	-	...	-	-	...
15-19 years-----	5	5	...	4	4	...	1	1	...	1	1	...
20-24 years-----	27	27	...	23	23	...	4	4	...	2	2	...
25-29 years-----	48	48	...	44	44	...	4	4	...	3	3	...
30-34 years-----	52	52	...	47	47	...	5	5	...	3	3	...
35-39 years-----	55	55	...	50	50	...	5	5	...	5	5	...
40-44 years-----	59	59	...	55	55	...	4	4	...	3	3	...
45-49 years-----	43	43	...	41	41	...	2	2	...	1	1	...
50-54 years-----	19	19	...	16	16	...	3	3	...	2	2	...
55-59 years-----	16	16	...	16	16	...	-	-	...	-	-	...
60-64 years-----	11	11	...	9	9	...	2	2	...	2	2	...
65-69 years-----	11	11	...	11	11	...	-	-	...	-	-	...
70-74 years-----	10	10	...	9	9	...	1	1	...	1	1	...
75-79 years-----	2	2	...	2	2	...	-	-	...	-	-	...
80-84 years-----	13	13	...	13	13	...	-	-	...	-	-	...
85-89 years-----	5	5	...	5	5	...	-	-	...	-	-	...
90-94 years-----	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...	-	-	...

Undescended testis (C62.0)

All ages-----	1	1	...	1	1	...	-	-	...	-	-	...
Under 1 year-----	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years-----	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years-----	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years-----	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years-----	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years-----	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years-----	1	1	...	1	1	...	-	-	...	-	-	...
85-89 years-----	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years-----	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...	-	-	...

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Testis, unspecified (C62.9)												
All ages-----	377	377	...	346	346	...	31	31	...	23	23	...
Under 1 year-----	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years-----	2	2	...	2	2	...	-	-	...	-	-	...
15-19 years-----	5	5	...	4	4	...	1	1	...	1	1	...
20-24 years-----	27	27	...	23	23	...	4	4	...	2	2	...
25-29 years-----	48	48	...	44	44	...	4	4	...	3	3	...
30-34 years-----	52	52	...	47	47	...	5	5	...	3	3	...
35-39 years-----	55	55	...	50	50	...	5	5	...	5	5	...
40-44 years-----	59	59	...	55	55	...	4	4	...	3	3	...
45-49 years-----	43	43	...	41	41	...	2	2	...	1	1	...
50-54 years-----	19	19	...	16	16	...	3	3	...	2	2	...
55-59 years-----	16	16	...	16	16	...	-	-	...	-	-	...
60-64 years-----	11	11	...	9	9	...	2	2	...	2	2	...
65-69 years-----	11	11	...	11	11	...	-	-	...	-	-	...
70-74 years-----	10	10	...	9	9	...	1	1	...	1	1	...
75-79 years-----	2	2	...	2	2	...	-	-	...	-	-	...
80-84 years-----	12	12	...	12	12	...	-	-	...	-	-	...
85-89 years-----	5	5	...	5	5	...	-	-	...	-	-	...
90-94 years-----	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...	-	-	...

Malignant neoplasm of other and unspecified male genital organs (C63)

All ages-----	41	41	...	36	36	...	5	5	...	5	5	...
Under 1 year-----	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years-----	1	1	...	1	1	...	-	-	...	-	-	...
35-39 years-----	2	2	...	2	2	...	-	-	...	-	-	...
40-44 years-----	1	1	...	1	1	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years-----	2	2	...	2	2	...	-	-	...	-	-	...
55-59 years-----	2	2	...	2	2	...	-	-	...	-	-	...
60-64 years-----	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years-----	5	5	...	4	4	...	1	1	...	1	1	...
70-74 years-----	4	4	...	3	3	...	1	1	...	1	1	...
75-79 years-----	8	8	...	8	8	...	-	-	...	-	-	...
80-84 years-----	3	3	...	3	3	...	-	-	...	-	-	...
85-89 years-----	8	8	...	6	6	...	2	2	...	2	2	...
90-94 years-----	4	4	...	4	4	...	-	-	...	-	-	...
95-99 years-----	1	1	...	-	-	...	1	1	...	1	1	...
100 yrs & over---	-	-	...	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...	-	-	...

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Epididymis (C63.0)												
All ages-----	1	1	...	1	1	...	-	-	...	-	-	...
Under 1 year-----	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years-----	1	1	...	1	1	...	-	-	...	-	-	...
60-64 years-----	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years-----	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years-----	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years-----	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years-----	-	-	...	-	-	...	-	-	...	-	-	...
85-89 years-----	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years-----	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...	-	-	...
Spermatic cord (C63.1)												
All ages-----	8	8	...	8	8	...	-	-	...	-	-	...
Under 1 year-----	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years-----	1	1	...	1	1	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years-----	1	1	...	1	1	...	-	-	...	-	-	...
55-59 years-----	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years-----	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years-----	2	2	...	2	2	...	-	-	...	-	-	...
70-74 years-----	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years-----	2	2	...	2	2	...	-	-	...	-	-	...
80-84 years-----	1	1	...	1	1	...	-	-	...	-	-	...
85-89 years-----	1	1	...	1	1	...	-	-	...	-	-	...
90-94 years-----	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...	-	-	...

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Scrotum (C63.2)												
All ages-----	13	13	...	12	12	...	1	1	...	1	1	...
Under 1 year-----	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years-----	1	1	...	1	1	...	-	-	...	-	-	...
40-44 years-----	1	1	...	1	1	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years-----	1	1	...	1	1	...	-	-	...	-	-	...
55-59 years-----	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years-----	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years-----	1	1	...	1	1	...	-	-	...	-	-	...
70-74 years-----	2	2	...	2	2	...	-	-	...	-	-	...
75-79 years-----	1	1	...	1	1	...	-	-	...	-	-	...
80-84 years-----	-	-	...	-	-	...	-	-	...	-	-	...
85-89 years-----	4	4	...	3	3	...	1	1	...	1	1	...
90-94 years-----	2	2	...	2	2	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...	-	-	...

Other specified male genital organs (C63.7)

All ages-----	3	3	...	3	3	...	-	-	...	-	-	...
Under 1 year-----	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years-----	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years-----	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years-----	1	1	...	1	1	...	-	-	...	-	-	...
70-74 years-----	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years-----	2	2	...	2	2	...	-	-	...	-	-	...
80-84 years-----	-	-	...	-	-	...	-	-	...	-	-	...
85-89 years-----	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years-----	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...	-	-	...

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Male genital organ, unspecified (C63.9)												
All ages-----	16	16	...	12	12	...	4	4	...	4	4	...
Under 1 year-----	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years-----	1	1	...	1	1	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years-----	1	1	...	1	1	...	-	-	...	-	-	...
60-64 years-----	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years-----	1	1	...	-	-	...	1	1	...	1	1	...
70-74 years-----	2	2	...	1	1	...	1	1	...	1	1	...
75-79 years-----	3	3	...	3	3	...	-	-	...	-	-	...
80-84 years-----	2	2	...	2	2	...	-	-	...	-	-	...
85-89 years-----	3	3	...	2	2	...	1	1	...	1	1	...
90-94 years-----	2	2	...	2	2	...	-	-	...	-	-	...
95-99 years-----	1	1	...	-	-	...	1	1	...	1	1	...
100 yrs & over---	-	-	...	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...	-	-	...

Malignant neoplasm of kidney, except renal pelvis (C64)

All ages-----	10,933	6,762	4,171	9,705	6,014	3,691	1,228	748	480	1,025	615	410
Under 1 year-----	2	1	1	2	1	1	-	-	-	-	-	-
1-4 years-----	19	11	8	12	8	4	7	3	4	4	2	2
5-9 years-----	23	12	11	19	10	9	4	2	2	3	1	2
10-14 years-----	10	4	6	6	1	5	4	3	1	3	2	1
15-19 years-----	8	4	4	5	4	1	3	-	3	3	-	3
20-24 years-----	9	7	2	5	3	2	4	4	-	4	4	-
25-29 years-----	25	15	10	14	7	7	11	8	3	11	8	3
30-34 years-----	29	22	7	18	13	5	11	9	2	10	8	2
35-39 years-----	105	70	35	76	51	25	29	19	10	27	19	8
40-44 years-----	235	164	71	194	137	57	41	27	14	33	22	11
45-49 years-----	424	308	116	343	253	90	81	55	26	67	44	23
50-54 years-----	715	503	212	611	424	187	104	79	25	87	65	22
55-59 years-----	946	662	284	829	578	251	117	84	33	101	73	28
60-64 years-----	1,139	795	344	1,015	717	298	124	78	46	103	65	38
65-69 years-----	1,354	885	469	1,207	790	417	147	95	52	121	76	45
70-74 years-----	1,658	1,035	623	1,489	934	555	169	101	68	141	81	60
75-79 years-----	1,661	998	663	1,508	910	598	153	88	65	127	71	56
80-84 years-----	1,281	685	596	1,180	644	536	101	41	60	82	32	50
85-89 years-----	855	414	441	790	387	403	65	27	38	55	21	34
90-94 years-----	338	138	200	300	122	178	38	16	22	31	13	18
95-99 years-----	91	29	62	77	20	57	14	9	5	11	8	3
100 yrs & over---	6	-	6	5	-	5	1	-	1	1	-	1
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Malignant neoplasm of renal pelvis (C65)												
All ages-----	183	105	78	173	98	75	10	7	3	10	7	3
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	2	2	-	1	1	-	1	1	-	1	1	-
45-49 years-----	3	2	1	3	2	1	-	-	-	-	-	-
50-54 years-----	5	3	2	5	3	2	-	-	-	-	-	-
55-59 years-----	13	9	4	12	8	4	1	1	-	1	1	-
60-64 years-----	13	8	5	12	7	5	1	1	-	1	1	-
65-69 years-----	20	9	11	19	8	11	1	1	-	1	1	-
70-74 years-----	44	29	15	42	27	15	2	2	-	2	2	-
75-79 years-----	35	18	17	33	17	16	2	1	1	2	1	1
80-84 years-----	33	16	17	31	16	15	2	-	2	2	-	2
85-89 years-----	12	7	5	12	7	5	-	-	-	-	-	-
90-94 years-----	3	2	1	3	2	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Malignant neoplasm of ureter (C66)

All ages-----	345	179	166	325	172	153	20	7	13	12	3	9
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	6	2	4	6	2	4	-	-	-	-	-	-
50-54 years-----	8	4	4	7	4	3	1	-	1	1	-	1
55-59 years-----	15	13	2	12	11	1	3	2	1	3	2	1
60-64 years-----	22	13	9	20	13	7	2	-	2	1	-	1
65-69 years-----	29	16	13	27	15	12	2	1	1	1	-	1
70-74 years-----	58	36	22	56	35	21	2	1	1	1	-	1
75-79 years-----	64	36	28	60	34	26	4	2	2	1	-	1
80-84 years-----	66	34	32	62	33	29	4	1	3	2	1	1
85-89 years-----	46	14	32	44	14	30	2	-	2	2	-	2
90-94 years-----	26	10	16	26	10	16	-	-	-	-	-	-
95-99 years-----	4	1	3	4	1	3	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Malignant neoplasm of bladder (C67)												
All ages-----	11,911	8,105	3,806	10,863	7,520	3,343	1,048	585	463	918	496	422
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	-	1	-	-	-	1	-	1	1	-	1
25-29 years-----	6	3	3	3	1	2	3	2	1	2	1	1
30-34 years-----	10	6	4	7	4	3	3	2	1	2	1	1
35-39 years-----	32	20	12	23	13	10	9	7	2	9	7	2
40-44 years-----	68	43	25	57	36	21	11	7	4	9	6	3
45-49 years-----	140	107	33	114	87	27	26	20	6	23	17	6
50-54 years-----	323	243	80	283	210	73	40	33	7	39	32	7
55-59 years-----	492	374	118	429	340	89	63	34	29	59	32	27
60-64 years-----	752	559	193	664	503	161	88	56	32	74	46	28
65-69 years-----	1,126	849	277	1,005	778	227	121	71	50	107	60	47
70-74 years-----	1,797	1,283	514	1,638	1,199	439	159	84	75	140	70	70
75-79 years-----	2,178	1,575	603	2,011	1,477	534	167	98	69	142	82	60
80-84 years-----	2,139	1,433	706	1,997	1,351	646	142	82	60	122	68	54
85-89 years-----	1,714	1,039	675	1,592	985	607	122	54	68	110	49	61
90-94 years-----	852	438	414	787	412	375	65	26	39	54	18	36
95-99 years-----	249	116	133	221	107	114	28	9	19	25	7	18
100 yrs & over---	30	15	15	30	15	15	-	-	-	-	-	-
Not stated-----	1	1	-	1	1	-	-	-	-	-	-	-

Bladder neck (C67.5)

All ages-----	4	4	-	4	4	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Ureteric orifice (C67.6)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Urachus (C67.7)												
All ages-----	14	9	5	11	7	4	3	2	1	2	1	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	-	1	-	-	-	1	-	1	1	-	1
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	-	-	-	1	1	-	1	1	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	3	1	2	3	1	2	-	-	-	-	-	-
50-54 years-----	3	2	1	3	2	1	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	2	2	-	1	1	-	1	1	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Bladder, unspecified (C67.9)												
All ages-----	11,892	8,091	3,801	10,847	7,508	3,339	1,045	583	462	916	495	421
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	6	3	3	3	1	2	3	2	1	2	1	1
30-34 years-----	9	5	4	7	4	3	2	1	1	1	-	1
35-39 years-----	32	20	12	23	13	10	9	7	2	9	7	2
40-44 years-----	67	42	25	56	35	21	11	7	4	9	6	3
45-49 years-----	137	106	31	111	86	25	26	20	6	23	17	6
50-54 years-----	320	241	79	280	208	72	40	33	7	39	32	7
55-59 years-----	492	374	118	429	340	89	63	34	29	59	32	27
60-64 years-----	750	557	193	663	502	161	87	55	32	74	46	28
65-69 years-----	1,125	848	277	1,004	777	227	121	71	50	107	60	47
70-74 years-----	1,797	1,283	514	1,638	1,199	439	159	84	75	140	70	70
75-79 years-----	2,175	1,573	602	2,008	1,475	533	167	98	69	142	82	60
80-84 years-----	2,138	1,432	706	1,996	1,350	646	142	82	60	122	68	54
85-89 years-----	1,712	1,037	675	1,590	983	607	122	54	68	110	49	61
90-94 years-----	851	437	414	786	411	375	65	26	39	54	18	36
95-99 years-----	249	116	133	221	107	114	28	9	19	25	7	18
100 yrs & over---	30	15	15	30	15	15	-	-	-	-	-	-
Not stated-----	1	1	-	1	1	-	-	-	-	-	-	-

Malignant neoplasm of other and unspecified urinary organs (C68)

All ages-----	295	158	137	253	144	109	42	14	28	37	12	25
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	2	1	1	2	1	1	-	-	-	-	-	-
40-44 years-----	7	4	3	4	3	1	3	1	2	3	1	2
45-49 years-----	4	1	3	1	-	1	3	1	2	3	1	2
50-54 years-----	12	5	7	7	5	2	5	-	5	4	-	4
55-59 years-----	16	8	8	12	6	6	4	2	2	4	2	2
60-64 years-----	18	6	12	15	5	10	3	1	2	3	1	2
65-69 years-----	36	27	9	30	25	5	6	2	4	5	2	3
70-74 years-----	44	25	19	38	24	14	6	1	5	6	1	5
75-79 years-----	53	30	23	50	30	20	3	-	3	3	-	3
80-84 years-----	48	25	23	43	22	21	5	3	2	3	2	1
85-89 years-----	38	20	18	34	17	17	4	3	1	3	2	1
90-94 years-----	11	5	6	11	5	6	-	-	-	-	-	-
95-99 years-----	5	-	5	5	-	5	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Urethra (C68.0)												
All ages-----	134	60	74	101	50	51	33	10	23	30	9	21
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	2	1	1	2	1	1	-	-	-	-	-	-
40-44 years-----	7	4	3	4	3	1	3	1	2	3	1	2
45-49 years-----	3	1	2	1	-	1	2	1	1	2	1	1
50-54 years-----	7	2	5	4	2	2	3	-	3	2	-	2
55-59 years-----	10	4	6	7	3	4	3	1	2	3	1	2
60-64 years-----	11	3	8	8	2	6	3	1	2	3	1	2
65-69 years-----	13	7	6	7	5	2	6	2	4	5	2	3
70-74 years-----	23	9	14	18	9	9	5	-	5	5	-	5
75-79 years-----	22	11	11	19	11	8	3	-	3	3	-	3
80-84 years-----	20	12	8	18	10	8	2	2	-	1	1	-
85-89 years-----	13	4	9	10	2	8	3	2	1	3	2	1
90-94 years-----	3	2	1	3	2	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Overlapping lesion of urinary organs (C68.8)

All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Urinary organ, unspecified (C68.9)												
All ages-----	160	98	62	151	94	57	9	4	5	7	3	4
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	-	-	-	1	-	1	1	-	1
50-54 years-----	5	3	2	3	3	-	2	-	2	2	-	2
55-59 years-----	6	4	2	5	3	2	1	1	-	1	1	-
60-64 years-----	7	3	4	7	3	4	-	-	-	-	-	-
65-69 years-----	23	20	3	23	20	3	-	-	-	-	-	-
70-74 years-----	21	16	5	20	15	5	1	1	-	1	1	-
75-79 years-----	30	19	11	30	19	11	-	-	-	-	-	-
80-84 years-----	28	13	15	25	12	13	3	1	2	2	1	1
85-89 years-----	25	16	9	24	15	9	1	1	-	-	-	-
90-94 years-----	8	3	5	8	3	5	-	-	-	-	-	-
95-99 years-----	5	-	5	5	-	5	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Malignant neoplasm of eye and adnexa (C69)

All ages-----	227	106	121	218	103	115	9	3	6	8	2	6
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	6	3	3	6	3	3	-	-	-	-	-	-
5-9 years-----	2	2	-	1	1	-	1	1	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	1	1	-	-	-	-	1	1	-	1	1	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	9	1	8	7	1	6	2	-	2	2	-	2
40-44 years-----	7	4	3	6	3	3	1	1	-	1	1	-
45-49 years-----	12	3	9	11	3	8	1	-	1	1	-	1
50-54 years-----	14	9	5	14	9	5	-	-	-	-	-	-
55-59 years-----	14	6	8	12	6	6	2	-	2	2	-	2
60-64 years-----	18	11	7	18	11	7	-	-	-	-	-	-
65-69 years-----	20	13	7	19	13	6	1	-	1	1	-	1
70-74 years-----	31	20	11	31	20	11	-	-	-	-	-	-
75-79 years-----	26	14	12	26	14	12	-	-	-	-	-	-
80-84 years-----	31	7	24	31	7	24	-	-	-	-	-	-
85-89 years-----	17	7	10	17	7	10	-	-	-	-	-	-
90-94 years-----	14	3	11	14	3	11	-	-	-	-	-	-
95-99 years-----	4	1	3	4	1	3	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Conjunctiva (C69.0)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Retina (C69.2)												
All ages-----	25	11	14	23	10	13	2	1	1	1	-	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	6	3	3	6	3	3	-	-	-	-	-	-
5-9 years-----	2	2	-	1	1	-	1	1	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	1	-	1	-	-	-	1	-	1	1	-	1
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years-----	3	2	1	3	2	1	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	2	-	2	2	-	2	-	-	-	-	-	-
85-89 years-----	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Choroid (C69.3)												
All ages-----	10	3	7	10	3	7	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	2	-	2	2	-	2	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Ciliary body (C69.4)												
All ages-----	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Lacrimal gland and duct (C69.5)												
All ages-----	14	9	5	13	8	5	1	1	-	1	1	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	2	1	1	2	1	1	-	-	-	-	-	-
40-44 years-----	3	1	2	2	-	2	1	1	-	1	1	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	3	3	-	3	3	-	-	-	-	-	-	-
70-74 years-----	2	2	-	2	2	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Orbit (C69.6)												
All ages-----	36	17	19	32	16	16	4	1	3	4	1	3
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	-	-	-	1	1	-	1	1	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	2	-	2	-	-	-	2	-	2	2	-	2
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	-	-	-	1	-	1	1	-	1
50-54 years-----	2	1	1	2	1	1	-	-	-	-	-	-
55-59 years-----	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years-----	3	1	2	3	1	2	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	4	4	-	4	4	-	-	-	-	-	-	-
75-79 years-----	5	3	2	5	3	2	-	-	-	-	-	-
80-84 years-----	7	1	6	7	1	6	-	-	-	-	-	-
85-89 years-----	4	2	2	4	2	2	-	-	-	-	-	-
90-94 years-----	3	2	1	3	2	1	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Eye, unspecified (C69.9)												
All ages-----	139	64	75	137	64	73	2	-	2	2	-	2
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	3	-	3	3	-	3	-	-	-	-	-	-
40-44 years-----	3	3	-	3	3	-	-	-	-	-	-	-
45-49 years-----	8	3	5	8	3	5	-	-	-	-	-	-
50-54 years-----	9	5	4	9	5	4	-	-	-	-	-	-
55-59 years-----	9	4	5	8	4	4	1	-	1	1	-	1
60-64 years-----	11	8	3	11	8	3	-	-	-	-	-	-
65-69 years-----	13	7	6	12	7	5	1	-	1	1	-	1
70-74 years-----	21	11	10	21	11	10	-	-	-	-	-	-
75-79 years-----	19	11	8	19	11	8	-	-	-	-	-	-
80-84 years-----	20	6	14	20	6	14	-	-	-	-	-	-
85-89 years-----	10	4	6	10	4	6	-	-	-	-	-	-
90-94 years-----	10	1	9	10	1	9	-	-	-	-	-	-
95-99 years-----	3	1	2	3	1	2	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of meninges (C70)												
All ages-----	152	81	71	129	66	63	23	15	8	18	12	6
Under 1 year----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years-----	2	2	-	1	1	-	1	1	-	1	1	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	2	2	-	-	-	-	2	2	-	2	2	-
35-39 years-----	8	7	1	7	6	1	1	1	-	1	1	-
40-44 years-----	9	5	4	8	5	3	1	-	1	1	-	1
45-49 years-----	10	7	3	9	6	3	1	1	-	-	-	-
50-54 years-----	17	6	11	14	4	10	3	2	1	2	2	-
55-59 years-----	11	5	6	9	4	5	2	1	1	2	1	1
60-64 years-----	13	8	5	9	5	4	4	3	1	2	1	1
65-69 years-----	14	9	5	14	9	5	-	-	-	-	-	-
70-74 years-----	20	13	7	18	11	7	2	2	-	2	2	-
75-79 years-----	17	6	11	14	5	9	3	1	2	3	1	2
80-84 years-----	13	5	8	11	4	7	2	1	1	2	1	1
85-89 years-----	8	3	5	8	3	5	-	-	-	-	-	-
90-94 years-----	3	-	3	2	-	2	1	-	1	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Cerebral meninges (C70.0)												
All ages-----	12	8	4	8	5	3	4	3	1	3	2	1
Under 1 year----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	-	-	-	1	1	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	2	1	1	1	-	1	1	1	-	1	1	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	3	2	1	3	2	1	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	2	1	1	-	-	-	2	1	1	2	1	1
85-89 years-----	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Spinal meninges (C70.1)												
All ages-----	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
 ON THE TENTH REVISION
 INTERNATIONAL CLASSIFICATION
 OF DISEASES, 1992),
 RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Meninges, unspecified (C70.9)												
All ages-----	138	72	66	119	60	59	19	12	7	15	10	5
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years-----	2	2	-	1	1	-	1	1	-	1	1	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	2	2	-	-	-	-	2	2	-	2	2	-
35-39 years-----	8	7	1	7	6	1	1	1	-	1	1	-
40-44 years-----	9	5	4	8	5	3	1	-	1	1	-	1
45-49 years-----	9	6	3	9	6	3	-	-	-	-	-	-
50-54 years-----	17	6	11	14	4	10	3	2	1	2	2	-
55-59 years-----	11	5	6	9	4	5	2	1	1	2	1	1
60-64 years-----	11	7	4	8	5	3	3	2	1	1	-	1
65-69 years-----	14	9	5	14	9	5	-	-	-	-	-	-
70-74 years-----	16	10	6	14	8	6	2	2	-	2	2	-
75-79 years-----	16	5	11	13	4	9	3	1	2	3	1	2
80-84 years-----	11	4	7	11	4	7	-	-	-	-	-	-
85-89 years-----	6	2	4	6	2	4	-	-	-	-	-	-
90-94 years-----	2	-	2	1	-	1	1	-	1	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Malignant neoplasm of brain (C71)

All ages-----	12,484	6,852	5,632	11,576	6,365	5,211	908	487	421	733	387	346
Under 1 year-----	8	6	2	5	4	1	3	2	1	3	2	1
1-4 years-----	110	54	56	94	48	46	16	6	10	12	5	7
5-9 years-----	180	92	88	135	71	64	45	21	24	37	18	19
10-14 years-----	118	58	60	98	50	48	20	8	12	17	7	10
15-19 years-----	108	67	41	80	48	32	28	19	9	22	15	7
20-24 years-----	100	59	41	83	49	34	17	10	7	13	8	5
25-29 years-----	172	99	73	161	93	68	11	6	5	10	6	4
30-34 years-----	260	168	92	234	152	82	26	16	10	23	14	9
35-39 years-----	430	256	174	396	238	158	34	18	16	25	14	11
40-44 years-----	606	360	246	544	319	225	62	41	21	49	32	17
45-49 years-----	828	499	329	762	456	306	66	43	23	59	39	20
50-54 years-----	1,011	601	410	928	551	377	83	50	33	66	40	26
55-59 years-----	1,187	661	526	1,108	617	491	79	44	35	66	34	32
60-64 years-----	1,223	733	490	1,134	680	454	89	53	36	69	40	29
65-69 years-----	1,478	846	632	1,380	795	585	98	51	47	77	42	35
70-74 years-----	1,587	851	736	1,514	818	696	73	33	40	55	23	32
75-79 years-----	1,508	769	739	1,431	730	701	77	39	38	64	29	35
80-84 years-----	926	433	493	880	417	463	46	16	30	37	10	27
85-89 years-----	481	185	296	460	177	283	21	8	13	19	7	12
90-94 years-----	141	47	94	129	45	84	12	2	10	9	2	7
95-99 years-----	21	7	14	19	6	13	2	1	1	1	-	1
100 yrs & over---	1	1	-	1	1	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Cerebrum, except lobes and ventricles (C71.0)												
All ages-----	235	126	109	215	116	99	20	10	10	17	10	7
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	8	7	1	8	7	1	-	-	-	-	-	-
5-9 years-----	7	4	3	6	3	3	1	1	-	1	1	-
10-14 years-----	3	1	2	2	1	1	1	-	1	1	-	1
15-19 years-----	6	4	2	5	3	2	1	1	-	1	1	-
20-24 years-----	2	2	-	1	1	-	1	1	-	1	1	-
25-29 years-----	9	7	2	9	7	2	-	-	-	-	-	-
30-34 years-----	7	3	4	6	2	4	1	1	-	1	1	-
35-39 years-----	11	5	6	11	5	6	-	-	-	-	-	-
40-44 years-----	8	3	5	7	2	5	1	1	-	1	1	-
45-49 years-----	6	2	4	5	1	4	1	1	-	1	1	-
50-54 years-----	15	10	5	14	9	5	1	1	-	1	1	-
55-59 years-----	15	10	5	15	10	5	-	-	-	-	-	-
60-64 years-----	22	10	12	21	10	11	1	-	1	-	-	-
65-69 years-----	17	12	5	16	11	5	1	1	-	1	1	-
70-74 years-----	33	16	17	30	16	14	3	-	3	2	-	2
75-79 years-----	29	11	18	27	10	17	2	1	1	2	1	1
80-84 years-----	19	11	8	15	10	5	4	1	3	3	1	2
85-89 years-----	12	5	7	12	5	7	-	-	-	-	-	-
90-94 years-----	5	2	3	4	2	2	1	-	1	1	-	1
95-99 years-----	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Frontal lobe (C71.1)												
All ages-----	141	75	66	137	73	64	4	2	2	3	1	2
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	3	1	2	3	1	2	-	-	-	-	-	-
30-34 years-----	2	1	1	2	1	1	-	-	-	-	-	-
35-39 years-----	5	3	2	5	3	2	-	-	-	-	-	-
40-44 years-----	7	4	3	7	4	3	-	-	-	-	-	-
45-49 years-----	11	6	5	11	6	5	-	-	-	-	-	-
50-54 years-----	16	8	8	16	8	8	-	-	-	-	-	-
55-59 years-----	20	13	7	19	13	6	1	-	1	1	-	1
60-64 years-----	12	5	7	11	4	7	1	1	-	1	1	-
65-69 years-----	12	9	3	12	9	3	-	-	-	-	-	-
70-74 years-----	15	10	5	14	9	5	1	1	-	-	-	-
75-79 years-----	14	4	10	14	4	10	-	-	-	-	-	-
80-84 years-----	13	6	7	13	6	7	-	-	-	-	-	-
85-89 years-----	10	5	5	9	5	4	1	-	1	1	-	1
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Temporal lobe (C71.2)												
All ages-----	101	56	45	98	54	44	3	2	1	1	1	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	4	2	2	4	2	2	-	-	-	-	-	-
40-44 years-----	4	4	-	4	4	-	-	-	-	-	-	-
45-49 years-----	2	2	-	2	2	-	-	-	-	-	-	-
50-54 years-----	8	4	4	8	4	4	-	-	-	-	-	-
55-59 years-----	4	4	-	4	4	-	-	-	-	-	-	-
60-64 years-----	13	6	7	12	5	7	1	1	-	-	-	-
65-69 years-----	13	7	6	12	6	6	1	1	-	1	1	-
70-74 years-----	20	13	7	19	13	6	1	-	1	-	-	-
75-79 years-----	9	4	5	9	4	5	-	-	-	-	-	-
80-84 years-----	10	3	7	10	3	7	-	-	-	-	-	-
85-89 years-----	9	4	5	9	4	5	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Parietal lobe (C71.3)												
All ages-----	68	39	29	63	34	29	5	5	-	3	3	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	1	-	-	-	-	1	1	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	2	2	-	2	2	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	6	6	-	4	4	-	2	2	-	2	2	-
55-59 years-----	8	5	3	8	5	3	-	-	-	-	-	-
60-64 years-----	5	4	1	5	4	1	-	-	-	-	-	-
65-69 years-----	9	4	5	7	2	5	2	2	-	1	1	-
70-74 years-----	12	7	5	12	7	5	-	-	-	-	-	-
75-79 years-----	10	5	5	10	5	5	-	-	-	-	-	-
80-84 years-----	8	2	6	8	2	6	-	-	-	-	-	-
85-89 years-----	4	2	2	4	2	2	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Occipital lobe (C71.4)												
All ages-----	17	7	10	16	7	9	1	-	1	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	1	-	1	-	-	1	1	-	1	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	3	2	1	3	2	1	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	2	1	1	2	1	1	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	3	1	2	3	1	2	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral ventricle (C71.5)												
All ages-----	16	9	7	11	6	5	5	3	2	5	3	2
Under 1 year----	2	2	-	1	1	-	1	1	-	1	1	-
1-4 years-----	2	2	-	1	1	-	1	1	-	1	1	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	2	1	1	1	1	-	1	-	1	1	-	1
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	2	2	-	1	1	-	1	1	-	1	1	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	1	-	1	-	-	-	1	-	1	1	-	1
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Cerebellum (C71.6)												
All ages-----	166	97	69	147	84	63	19	13	6	11	8	3
Under 1 year-----	2	2	-	1	1	-	1	1	-	1	1	-
1-4 years-----	26	14	12	24	13	11	2	1	1	1	1	-
5-9 years-----	27	17	10	24	15	9	3	2	1	2	1	1
10-14 years-----	18	12	6	15	10	5	3	2	1	1	1	-
15-19 years-----	13	9	4	11	7	4	2	2	-	1	1	-
20-24 years-----	12	10	2	9	8	1	3	2	1	2	2	-
25-29 years-----	8	3	5	8	3	5	-	-	-	-	-	-
30-34 years-----	8	3	5	7	3	4	1	-	1	1	-	1
35-39 years-----	8	5	3	8	5	3	-	-	-	-	-	-
40-44 years-----	3	2	1	3	2	1	-	-	-	-	-	-
45-49 years-----	8	5	3	7	4	3	1	1	-	1	1	-
50-54 years-----	8	4	4	7	3	4	1	1	-	-	-	-
55-59 years-----	3	1	2	3	1	2	-	-	-	-	-	-
60-64 years-----	5	3	2	4	2	2	1	1	-	-	-	-
65-69 years-----	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years-----	5	3	2	4	3	1	1	-	1	-	-	1
75-79 years-----	5	1	4	5	1	4	-	-	-	-	-	-
80-84 years-----	3	1	2	3	1	2	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Brain stem (C71.7)												
All ages-----	240	115	125	194	100	94	46	15	31	39	14	25
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	21	8	13	16	7	9	5	1	4	5	1	4
5-9 years-----	76	31	45	50	21	29	26	10	16	20	9	11
10-14 years-----	27	10	17	23	9	14	4	1	3	3	1	2
15-19 years-----	9	5	4	8	4	4	1	1	-	1	1	-
20-24 years-----	4	2	2	4	2	2	-	-	-	-	-	-
25-29 years-----	7	2	5	5	1	4	2	1	1	2	1	1
30-34 years-----	8	5	3	7	5	2	1	-	1	1	-	1
35-39 years-----	7	5	2	7	5	2	-	-	-	-	-	-
40-44 years-----	8	5	3	8	5	3	-	-	-	-	-	-
45-49 years-----	12	10	2	11	10	1	1	-	1	1	-	1
50-54 years-----	10	6	4	9	6	3	1	-	1	1	-	1
55-59 years-----	6	2	4	4	2	2	2	-	2	2	-	2
60-64 years-----	11	7	4	11	7	4	-	-	-	-	-	-
65-69 years-----	8	3	5	7	2	5	1	1	-	1	1	-
70-74 years-----	9	7	2	9	7	2	-	-	-	-	-	-
75-79 years-----	10	3	7	9	3	6	1	-	1	1	-	1
80-84 years-----	7	4	3	6	4	2	1	-	1	1	-	1
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Overlapping lesion of brain (C71.8)												
All ages-----	41	20	21	40	19	21	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	2	1	1	2	1	1	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	5	3	2	4	2	2	1	1	-	1	1	-
45-49 years-----	4	3	1	4	3	1	-	-	-	-	-	-
50-54 years-----	3	2	1	3	2	1	-	-	-	-	-	-
55-59 years-----	6	1	5	6	1	5	-	-	-	-	-	-
60-64 years-----	2	-	2	2	-	2	-	-	-	-	-	-
65-69 years-----	3	2	1	3	2	1	-	-	-	-	-	-
70-74 years-----	4	2	2	4	2	2	-	-	-	-	-	-
75-79 years-----	2	2	-	2	2	-	-	-	-	-	-	-
80-84 years-----	5	1	4	5	1	4	-	-	-	-	-	-
85-89 years-----	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years-----	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Brain, unspecified (C71.9)

All ages-----	11,459	6,308	5,151	10,655	5,872	4,783	804	436	368	653	346	307
Under 1 year-----	4	2	2	3	2	1	1	-	1	1	-	1
1-4 years-----	53	23	30	45	20	25	8	3	5	5	2	3
5-9 years-----	68	38	30	54	31	23	14	7	7	14	7	7
10-14 years-----	67	33	34	56	28	28	11	5	6	11	5	6
15-19 years-----	79	48	31	55	33	22	24	15	9	19	12	7
20-24 years-----	80	44	36	67	37	30	13	7	6	10	5	5
25-29 years-----	141	84	57	132	79	53	9	5	4	8	5	3
30-34 years-----	232	154	78	210	140	70	22	14	8	19	12	7
35-39 years-----	391	233	158	357	215	142	34	18	16	25	14	11
40-44 years-----	568	337	231	509	298	211	59	39	20	47	30	17
45-49 years-----	783	471	312	720	430	290	63	41	22	56	37	19
50-54 years-----	941	559	382	864	513	351	77	46	31	61	37	24
55-59 years-----	1,123	625	498	1,047	581	466	76	44	32	63	34	29
60-64 years-----	1,150	697	453	1,065	647	418	85	50	35	68	39	29
65-69 years-----	1,413	808	605	1,320	762	558	93	46	47	73	38	35
70-74 years-----	1,486	792	694	1,419	760	659	67	32	35	52	23	29
75-79 years-----	1,428	739	689	1,354	701	653	74	38	36	61	28	33
80-84 years-----	859	404	455	818	389	429	41	15	26	33	9	24
85-89 years-----	442	167	275	422	159	263	20	8	12	18	7	11
90-94 years-----	130	43	87	119	41	78	11	2	9	8	2	6
95-99 years-----	20	6	14	18	5	13	2	1	1	1	-	1
100 yrs & over---	1	1	-	1	1	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Malignant neoplasm of spinal cord, cranial nerves, and other parts of central nervous system (C72)												
All ages-----	129	68	61	114	61	53	15	7	8	13	5	8
Under 1 year-----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	2	1	1	1	-	1	1	1	-	-	-	-
5-9 years-----	4	4	-	4	4	-	-	-	-	-	-	-
10-14 years-----	5	-	5	4	-	4	1	-	1	1	-	1
15-19 years-----	6	2	4	5	2	3	1	-	1	1	-	1
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	4	4	-	3	3	-	1	1	-	-	-	-
30-34 years-----	5	2	3	4	1	3	1	1	-	1	1	-
35-39 years-----	5	5	-	5	5	-	-	-	-	-	-	-
40-44 years-----	7	5	2	6	4	2	1	1	-	1	1	-
45-49 years-----	4	1	3	4	1	3	-	-	-	-	-	-
50-54 years-----	10	6	4	8	5	3	2	1	1	2	1	1
55-59 years-----	8	4	4	6	4	2	2	-	2	2	-	2
60-64 years-----	11	6	5	10	6	4	1	-	1	1	-	1
65-69 years-----	6	3	3	6	3	3	-	-	-	-	-	-
70-74 years-----	14	6	8	13	5	8	1	1	-	1	1	-
75-79 years-----	18	10	8	18	10	8	-	-	-	-	-	-
80-84 years-----	10	3	7	9	3	6	1	-	1	1	-	1
85-89 years-----	7	4	3	5	3	2	2	1	1	2	1	1
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Spinal cord (C72.0)

All ages-----	49	24	25	42	20	22	7	4	3	6	3	3
Under 1 year-----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	2	-	2	2	-	2	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	2	2	-	1	1	-	1	1	-	-	-	-
30-34 years-----	3	1	2	2	-	2	1	1	-	1	1	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	5	4	1	4	3	1	1	1	-	1	1	-
45-49 years-----	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years-----	3	1	2	1	-	1	2	1	1	2	1	1
55-59 years-----	4	1	3	2	1	1	2	-	2	2	-	2
60-64 years-----	2	1	1	2	1	1	-	-	-	-	-	-
65-69 years-----	3	2	1	3	2	1	-	-	-	-	-	-
70-74 years-----	5	1	4	5	1	4	-	-	-	-	-	-
75-79 years-----	8	4	4	8	4	4	-	-	-	-	-	-
80-84 years-----	4	2	2	4	2	2	-	-	-	-	-	-
85-89 years-----	4	2	2	4	2	2	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Cauda equina (C72.1)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Optic nerve (C72.3)												
All ages-----	9	7	2	9	7	2	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years-----	2	2	-	2	2	-	-	-	-	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	2	2	-	2	2	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other and unspecified cranial nerves (C72.5)												
All ages-----	3	3	-	3	3	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Central nervous system, unspecified (C72.9)

All ages-----	67	34	33	59	31	28	8	3	5	7	2	5
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	1	-	-	-	-	1	1	-	-	-	-
5-9 years-----	2	2	-	2	2	-	-	-	-	-	-	-
10-14 years-----	4	-	4	3	-	3	1	-	1	1	-	1
15-19 years-----	2	-	2	1	-	1	1	-	1	1	-	1
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	2	1	1	2	1	1	-	-	-	-	-	-
35-39 years-----	4	4	-	4	4	-	-	-	-	-	-	-
40-44 years-----	2	1	1	2	1	1	-	-	-	-	-	-
45-49 years-----	2	-	2	2	-	2	-	-	-	-	-	-
50-54 years-----	5	3	2	5	3	2	-	-	-	-	-	-
55-59 years-----	4	3	1	4	3	1	-	-	-	-	-	-
60-64 years-----	9	5	4	8	5	3	1	-	1	1	-	1
65-69 years-----	2	-	2	2	-	2	-	-	-	-	-	-
70-74 years-----	8	4	4	7	3	4	1	1	-	1	1	-
75-79 years-----	10	6	4	10	6	4	-	-	-	-	-	-
80-84 years-----	5	1	4	4	1	3	1	-	1	1	-	1
85-89 years-----	2	1	1	-	-	-	2	1	1	2	1	1
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Malignant neoplasm of thyroid gland (C73)												
All ages-----	1,241	512	729	1,085	457	628	156	55	101	109	40	69
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	2	-	2	1	-	1	1	-	1	1	-	1
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	4	3	1	4	3	1	-	-	-	-	-	-
30-34 years-----	5	4	1	5	4	1	-	-	-	-	-	-
35-39 years-----	15	7	8	10	5	5	5	2	3	5	2	3
40-44 years-----	24	14	10	17	9	8	7	5	2	5	4	1
45-49 years-----	36	18	18	31	16	15	5	2	3	5	2	3
50-54 years-----	61	37	24	53	33	20	8	4	4	5	2	3
55-59 years-----	97	44	53	82	35	47	15	9	6	13	8	5
60-64 years-----	120	58	62	100	49	51	20	9	11	13	6	7
65-69 years-----	124	55	69	110	53	57	14	2	12	7	1	6
70-74 years-----	168	87	81	143	78	65	25	9	16	20	7	13
75-79 years-----	205	77	128	178	73	105	27	4	23	15	2	13
80-84 years-----	176	62	114	163	58	105	13	4	9	8	3	5
85-89 years-----	127	29	98	120	26	94	7	3	4	5	2	3
90-94 years-----	63	13	50	56	12	44	7	1	6	6	-	6
95-99 years-----	11	2	9	10	2	8	1	-	1	-	-	-
100 yrs & over---	2	1	1	1	-	1	1	1	-	1	1	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Malignant neoplasm of adrenal gland (C74)

All ages-----	573	289	284	505	251	254	68	38	30	58	32	26
Under 1 year-----	5	3	2	4	2	2	1	1	-	-	-	-
1-4 years-----	71	41	30	63	37	26	8	4	4	7	4	3
5-9 years-----	75	40	35	61	33	28	14	7	7	11	5	6
10-14 years-----	22	12	10	14	6	8	8	6	2	6	5	1
15-19 years-----	8	5	3	5	2	3	3	3	-	3	3	-
20-24 years-----	10	5	5	8	4	4	2	1	1	2	1	1
25-29 years-----	4	3	1	4	3	1	-	-	-	-	-	-
30-34 years-----	13	4	9	11	3	8	2	1	1	1	-	1
35-39 years-----	23	10	13	21	9	12	2	1	1	2	1	1
40-44 years-----	20	12	8	17	11	6	3	1	2	3	1	2
45-49 years-----	33	14	19	31	13	18	2	1	1	2	1	1
50-54 years-----	28	12	16	25	10	15	3	2	1	3	2	1
55-59 years-----	29	12	17	25	10	15	4	2	2	4	2	2
60-64 years-----	36	18	18	33	17	16	3	1	2	3	1	2
65-69 years-----	53	27	26	48	24	24	5	3	2	5	3	2
70-74 years-----	42	21	21	41	20	21	1	1	-	1	1	-
75-79 years-----	48	26	22	47	25	22	1	1	-	1	1	-
80-84 years-----	29	13	16	27	13	14	2	-	2	1	-	1
85-89 years-----	14	7	7	12	6	6	2	1	1	2	1	1
90-94 years-----	5	2	3	3	1	2	2	1	1	1	-	1
95-99 years-----	4	2	2	4	2	2	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Cortex of adrenal gland (C74.0)												
All ages-----	71	29	42	67	27	40	4	2	2	3	2	1
Under 1 year----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	2	1	1	2	1	1	-	-	-	-	-	-
15-19 years-----	2	-	2	2	-	2	-	-	-	-	-	-
20-24 years-----	3	-	3	3	-	3	-	-	-	-	-	-
25-29 years-----	2	1	1	2	1	1	-	-	-	-	-	-
30-34 years-----	2	-	2	2	-	2	-	-	-	-	-	-
35-39 years-----	6	2	4	5	1	4	1	1	-	1	1	-
40-44 years-----	8	4	4	8	4	4	-	-	-	-	-	-
45-49 years-----	11	5	6	11	5	6	-	-	-	-	-	-
50-54 years-----	6	1	5	6	1	5	-	-	-	-	-	-
55-59 years-----	4	2	2	2	1	1	2	1	1	2	1	1
60-64 years-----	5	4	1	5	4	1	-	-	-	-	-	-
65-69 years-----	5	4	1	5	4	1	-	-	-	-	-	-
70-74 years-----	8	2	6	8	2	6	-	-	-	-	-	-
75-79 years-----	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years-----	3	1	2	2	1	1	1	-	1	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Medulla of adrenal gland (C74.1)

All ages-----	29	15	14	22	11	11	7	4	3	6	3	3
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	-	-	-	1	1	-	1	1	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	-	1	-	-	-	1	-	1	1	-	1
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	-	-	-	1	1	-	-	-	-
35-39 years-----	4	3	1	4	3	1	-	-	-	-	-	-
40-44 years-----	1	-	1	-	-	-	1	-	1	1	-	1
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	4	2	2	2	1	1	2	1	1	2	1	1
60-64 years-----	3	1	2	2	-	2	1	1	-	1	1	-
65-69 years-----	3	-	3	3	-	3	-	-	-	-	-	-
70-74 years-----	3	2	1	3	2	1	-	-	-	-	-	-
75-79 years-----	3	2	1	3	2	1	-	-	-	-	-	-
80-84 years-----	3	1	2	3	1	2	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Adrenal gland, unspecified (C74.9)												
All ages-----	473	245	228	416	213	203	57	32	25	49	27	22
Under 1 year-----	4	2	2	3	1	2	1	1	-	-	-	-
1-4 years-----	71	41	30	63	37	26	8	4	4	7	4	3
5-9 years-----	74	40	34	60	33	27	14	7	7	11	5	6
10-14 years-----	19	10	9	12	5	7	7	5	2	5	4	1
15-19 years-----	6	5	1	3	2	1	3	3	-	3	3	-
20-24 years-----	6	5	1	5	4	1	1	1	-	1	1	-
25-29 years-----	2	2	-	2	2	-	-	-	-	-	-	-
30-34 years-----	10	3	7	9	3	6	1	-	1	1	-	1
35-39 years-----	13	5	8	12	5	7	1	-	1	1	-	1
40-44 years-----	11	8	3	9	7	2	2	1	1	2	1	1
45-49 years-----	21	8	13	19	7	12	2	1	1	2	1	1
50-54 years-----	21	10	11	18	8	10	3	2	1	3	2	1
55-59 years-----	21	8	13	21	8	13	-	-	-	-	-	-
60-64 years-----	28	13	15	26	13	13	2	-	2	2	-	2
65-69 years-----	45	23	22	40	20	20	5	3	2	5	3	2
70-74 years-----	31	17	14	30	16	14	1	1	-	1	1	-
75-79 years-----	43	23	20	42	22	20	1	1	-	1	1	-
80-84 years-----	23	11	12	22	11	11	1	-	1	1	-	1
85-89 years-----	14	7	7	12	6	6	2	1	1	2	1	1
90-94 years-----	5	2	3	3	1	2	2	1	1	1	-	1
95-99 years-----	4	2	2	4	2	2	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Malignant neoplasm of other endocrine glands and related structures (C75)

All ages-----	193	112	81	157	94	63	36	18	18	34	17	17
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	3	2	1	2	2	-	1	-	1	1	-	1
5-9 years-----	2	1	1	1	1	-	1	-	1	1	-	1
10-14 years-----	3	2	1	1	1	-	2	1	1	2	1	1
15-19 years-----	3	2	1	2	1	1	1	1	-	1	1	-
20-24 years-----	2	1	1	1	1	-	1	-	1	1	-	1
25-29 years-----	2	-	2	2	-	2	-	-	-	-	-	-
30-34 years-----	3	2	1	1	1	-	2	1	1	2	1	1
35-39 years-----	12	8	4	9	6	3	3	2	1	2	1	1
40-44 years-----	8	4	4	5	3	2	3	1	2	3	1	2
45-49 years-----	16	9	7	14	8	6	2	1	1	1	1	-
50-54 years-----	12	10	2	12	10	2	-	-	-	-	-	-
55-59 years-----	18	11	7	15	9	6	3	2	1	3	2	1
60-64 years-----	17	9	8	14	9	5	3	-	3	3	-	3
65-69 years-----	16	11	5	11	7	4	5	4	1	5	4	1
70-74 years-----	20	11	9	18	9	9	2	2	-	2	2	-
75-79 years-----	31	17	14	28	16	12	3	1	2	3	1	2
80-84 years-----	11	7	4	9	6	3	2	1	1	2	1	1
85-89 years-----	11	4	7	10	3	7	1	1	-	1	1	-
90-94 years-----	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years-----	1	-	1	-	-	-	1	-	1	1	-	1
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Parathyroid gland (C75.0)												
All ages-----	15	10	5	11	7	4	4	3	1	4	3	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	1	1	-	-	-	-	1	1	-	1	1	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	5	5	-	3	3	-	2	2	-	2	2	-
70-74 years-----	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	1	-	1	-	-	-	1	-	1	1	-	1
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Pituitary gland (C75.1)												
All ages-----	30	16	14	24	12	12	6	4	2	6	4	2
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	-	-	-	1	1	-	1	1	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	4	1	3	3	1	2	1	-	1	1	-	1
45-49 years-----	2	-	2	2	-	2	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	1	1	-	-	-	-	1	1	-	1	1	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	1	1	-	-	-	-	1	1	-	1	1	-
70-74 years-----	4	1	3	4	1	3	-	-	-	-	-	-
75-79 years-----	7	3	4	6	3	3	1	-	1	1	-	1
80-84 years-----	6	5	1	5	4	1	1	1	-	1	1	-
85-89 years-----	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Craniopharyngeal duct (C75.2)												
All ages-----	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Pineal gland (C75.3)												
All ages-----	15	9	6	9	8	1	6	1	5	6	1	5
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	3	2	1	2	2	-	1	-	1	1	-	1
5-9 years-----	1	-	1	-	-	-	1	-	1	1	-	1
10-14 years-----	2	1	1	1	1	-	1	-	1	1	-	1
15-19 years-----	2	1	1	1	-	1	1	1	-	1	1	-
20-24 years-----	2	1	1	1	1	-	1	-	1	1	-	1
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	-	1	-	-	-	1	-	1	1	-	1
35-39 years-----	2	2	-	2	2	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Carotid body (C75.4)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Aortic body and other paraganglia (C75.5)

All ages-----	16	9	7	13	7	6	3	2	1	3	2	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	3	2	1	1	1	-	2	1	1	2	1	1
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	3	-	3	3	-	3	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years-----	1	1	-	-	-	-	1	1	-	1	1	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Endocrine gland, unspecified (C75.9)												
All ages-----	114	65	49	97	57	40	17	8	9	15	7	8
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	2	-	2	2	-	2	-	-	-	-	-	-
30-34 years-----	2	2	-	1	1	-	1	1	-	1	1	-
35-39 years-----	7	5	2	4	3	1	3	2	1	2	1	1
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	11	7	4	9	6	3	2	1	1	1	1	-
50-54 years-----	7	5	2	7	5	2	-	-	-	-	-	-
55-59 years-----	15	8	7	14	8	6	1	-	1	1	-	1
60-64 years-----	13	8	5	10	8	2	3	-	3	3	-	3
65-69 years-----	10	5	5	8	4	4	2	1	1	2	1	1
70-74 years-----	11	7	4	9	5	4	2	2	-	2	2	-
75-79 years-----	22	12	10	21	12	9	1	-	1	1	-	1
80-84 years-----	4	1	3	3	1	2	1	-	1	1	-	1
85-89 years-----	7	2	5	6	1	5	1	1	-	1	1	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Malignant neoplasm of other and ill-defined sites (C76)

All ages-----	3,620	1,948	1,672	3,091	1,624	1,467	529	324	205	462	285	177
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	2	1	1	2	1	1	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	2	2	-	1	1	-	1	1	-	-	-	-
20-24 years-----	4	3	1	2	2	-	2	1	1	2	1	1
25-29 years-----	13	7	6	10	5	5	3	2	1	2	1	1
30-34 years-----	19	9	10	16	6	10	3	3	-	2	2	-
35-39 years-----	37	19	18	30	17	13	7	2	5	5	1	4
40-44 years-----	83	53	30	58	37	21	25	16	9	22	14	8
45-49 years-----	144	110	34	93	70	23	51	40	11	47	37	10
50-54 years-----	221	169	52	165	126	39	56	43	13	54	41	13
55-59 years-----	280	193	87	218	151	67	62	42	20	57	40	17
60-64 years-----	341	233	108	277	186	91	64	47	17	57	44	13
65-69 years-----	355	212	143	302	182	120	53	30	23	45	24	21
70-74 years-----	474	282	192	413	241	172	61	41	20	49	35	14
75-79 years-----	488	252	236	435	225	210	53	27	26	47	24	23
80-84 years-----	460	201	259	424	187	237	36	14	22	28	10	18
85-89 years-----	395	133	262	364	123	241	31	10	21	28	8	20
90-94 years-----	227	57	170	212	53	159	15	4	11	12	2	10
95-99 years-----	62	10	52	56	9	47	6	1	5	5	1	4
100 yrs & over---	13	2	11	13	2	11	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Head, face, and neck (C76.0)												
All ages-----	2,024	1,407	617	1,685	1,147	538	339	260	79	311	240	71
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	2	1	1	1	1	-	1	-	1	1	-	1
25-29 years-----	4	2	2	2	1	1	2	1	1	2	1	1
30-34 years-----	10	6	4	8	4	4	2	2	-	1	1	-
35-39 years-----	22	16	6	19	14	5	3	2	1	2	1	1
40-44 years-----	64	45	19	43	29	14	21	16	5	19	14	5
45-49 years-----	113	94	19	68	55	13	45	39	6	42	36	6
50-54 years-----	176	149	27	129	110	19	47	39	8	46	38	8
55-59 years-----	203	159	44	156	124	32	47	35	12	45	35	10
60-64 years-----	250	197	53	198	155	43	52	42	10	48	40	8
65-69 years-----	227	160	67	195	138	57	32	22	10	30	20	10
70-74 years-----	282	197	85	245	166	79	37	31	6	32	27	5
75-79 years-----	251	166	85	226	149	77	25	17	8	23	15	8
80-84 years-----	185	114	71	174	107	67	11	7	4	8	6	2
85-89 years-----	137	65	72	129	60	69	8	5	3	8	5	3
90-94 years-----	73	32	41	68	30	38	5	2	3	3	1	2
95-99 years-----	18	2	16	17	2	15	1	-	1	1	-	1
100 yrs & over---	7	2	5	7	2	5	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Thorax (C76.1)												
All ages-----	94	57	37	87	54	33	7	3	4	4	-	4
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	2	2	-	1	1	-	1	1	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	2	1	1	2	1	1	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	5	3	2	5	3	2	-	-	-	-	-	-
60-64 years-----	5	1	4	4	1	3	1	-	1	1	-	1
65-69 years-----	5	4	1	4	3	1	1	1	-	-	-	-
70-74 years-----	12	9	3	11	9	2	1	-	1	1	-	1
75-79 years-----	17	10	7	17	10	7	-	-	-	-	-	-
80-84 years-----	14	9	5	13	9	4	1	-	1	1	-	1
85-89 years-----	14	11	3	13	10	3	1	1	-	-	-	-
90-94 years-----	12	5	7	12	5	7	-	-	-	-	-	-
95-99 years-----	2	-	2	1	-	1	1	-	1	1	-	1
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Abdomen (C76.2)												
All ages-----	1,067	351	716	933	304	629	134	47	87	105	32	73
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	2	2	-	1	1	-	1	1	-	1	1	-
25-29 years-----	5	3	2	4	2	2	1	1	-	-	-	-
30-34 years-----	4	3	1	3	2	1	1	1	-	1	1	-
35-39 years-----	8	1	7	6	1	5	2	-	2	2	-	2
40-44 years-----	11	4	7	8	4	4	3	-	3	2	-	2
45-49 years-----	17	9	8	14	8	6	3	1	2	3	1	2
50-54 years-----	34	15	19	29	12	17	5	3	2	4	2	2
55-59 years-----	51	25	26	38	18	20	13	7	6	10	5	5
60-64 years-----	66	29	37	58	25	33	8	4	4	6	3	3
65-69 years-----	94	39	55	80	33	47	14	6	8	9	3	6
70-74 years-----	129	51	78	111	43	68	18	8	10	12	6	6
75-79 years-----	161	55	106	139	47	92	22	8	14	20	7	13
80-84 years-----	175	51	124	157	48	109	18	3	15	14	1	13
85-89 years-----	181	40	141	165	39	126	16	1	15	14	-	14
90-94 years-----	94	17	77	88	15	73	6	2	4	5	1	4
95-99 years-----	31	6	25	28	5	23	3	1	2	2	1	1
100 yrs & over---	3	-	3	3	-	3	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Pelvis (C76.3)												
All ages-----	269	53	216	237	46	191	32	7	25	27	7	20
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	2	1	1	2	1	1	-	-	-	-	-	-
30-34 years-----	5	-	5	5	-	5	-	-	-	-	-	-
35-39 years-----	4	-	4	2	-	2	2	-	2	1	-	1
40-44 years-----	5	3	2	4	3	1	1	-	1	1	-	1
45-49 years-----	7	3	4	5	3	2	2	-	2	1	-	1
50-54 years-----	5	1	4	4	1	3	1	-	1	1	-	1
55-59 years-----	12	1	11	11	1	10	1	-	1	1	-	1
60-64 years-----	15	4	11	12	3	9	3	1	2	2	1	1
65-69 years-----	18	3	15	15	3	12	3	-	3	3	-	3
70-74 years-----	24	8	16	19	6	13	5	2	3	4	2	2
75-79 years-----	36	10	26	33	10	23	3	-	3	2	-	2
80-84 years-----	58	14	44	55	12	43	3	2	1	3	2	1
85-89 years-----	35	4	31	31	2	29	4	2	2	4	2	2
90-94 years-----	33	1	32	30	1	29	3	-	3	3	-	3
95-99 years-----	8	-	8	7	-	7	1	-	1	1	-	1
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Upper limb (C76.4)												
All ages-----	11	8	3	10	8	2	1	-	1	1	-	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	-	-	-	1	-	1	1	-	1
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	2	2	-	2	2	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Lower limb (C76.5)												
All ages-----	41	10	31	35	10	25	6	-	6	6	-	6
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	2	1	1	1	1	-	1	-	1	1	-	1
55-59 years-----	2	-	2	2	-	2	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	5	2	3	3	2	1	2	-	2	2	-	2
70-74 years-----	7	2	5	7	2	5	-	-	-	-	-	-
75-79 years-----	3	2	1	3	2	1	-	-	-	-	-	-
80-84 years-----	6	2	4	5	2	3	1	-	1	1	-	1
85-89 years-----	8	1	7	7	1	6	1	-	1	1	-	1
90-94 years-----	6	-	6	5	-	5	1	-	1	1	-	1
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other ill-defined sites (C76.7)												
All ages-----	112	62	50	102	55	47	10	7	3	8	6	2
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	2	2	-	2	2	-	-	-	-	-	-	-
40-44 years-----	2	1	1	2	1	1	-	-	-	-	-	-
45-49 years-----	4	3	1	4	3	1	-	-	-	-	-	-
50-54 years-----	2	1	1	-	-	-	2	1	1	2	1	1
55-59 years-----	6	4	2	5	4	1	1	-	1	1	-	1
60-64 years-----	3	1	2	3	1	2	-	-	-	-	-	-
65-69 years-----	6	4	2	5	3	2	1	1	-	1	1	-
70-74 years-----	19	14	5	19	14	5	-	-	-	-	-	-
75-79 years-----	20	9	11	17	7	10	3	2	1	2	2	-
80-84 years-----	20	10	10	18	8	10	2	2	-	1	1	-
85-89 years-----	18	10	8	17	9	8	1	1	-	1	1	-
90-94 years-----	8	2	6	8	2	6	-	-	-	-	-	-
95-99 years-----	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Overlapping lesion of other and ill-defined sites (C76.8)

All ages-----	2	-	2	2	-	2	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

ALL RACES WHITE ALL OTHER BLACK

Secondary and unspecified malignant neoplasm of lymph nodes (C77)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	43	23	20	37	20	17	6	3	3	6	3	3
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	3	3	-	2	2	-	1	1	-	1	1	-
50-54 years-----	2	1	1	2	1	1	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	4	2	2	3	1	2	1	1	-	1	1	-
65-69 years-----	3	1	2	2	1	1	1	-	1	1	-	1
70-74 years-----	5	2	3	5	2	3	-	-	-	-	-	-
75-79 years-----	8	4	4	7	3	4	1	1	-	1	1	-
80-84 years-----	9	5	4	8	5	3	1	-	1	1	-	1
85-89 years-----	4	3	1	4	3	1	-	-	-	-	-	-
90-94 years-----	2	-	2	1	-	1	1	-	1	1	-	1
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Lymph nodes of head, face, and neck (C77.0)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	6	4	2	5	3	2	1	1	-	1	1	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	-	-	-	1	1	-	1	1	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years-----	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Intrathoracic lymph nodes (C77.1)												
All ages-----	3	-	3	2	-	2	1	-	1	1	-	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	1	-	1	-	-	-	1	-	1	1	-	1
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Intra-abdominal lymph nodes (C77.2)

All ages-----	3	2	1	3	2	1	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Inguinal and lower limb lymph nodes (C77.4)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Intrapelvic lymph nodes (C77.5)

All ages-----	1	-	1	-	-	-	1	-	1	1	-	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	-	-	-	1	-	1	1	-	1
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Lymph nodes of multiple regions (C77.8)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Lymph node, unspecified (C77.9)

All ages-----	28	16	12	25	14	11	3	2	1	3	2	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	3	3	-	2	2	-	1	1	-	1	1	-
50-54 years-----	2	1	1	2	1	1	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	3	1	2	3	1	2	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	4	1	3	4	1	3	-	-	-	-	-	-
75-79 years-----	4	3	1	3	2	1	1	1	-	1	1	-
80-84 years-----	4	3	1	4	3	1	-	-	-	-	-	-
85-89 years-----	3	2	1	3	2	1	-	-	-	-	-	-
90-94 years-----	2	-	2	1	-	1	1	-	1	1	-	1
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Secondary malignant neoplasm of respiratory and digestive organs (C78)												
All ages-----	3,987	1,920	2,067	3,403	1,616	1,787	584	304	280	464	228	236
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	2	2	-	-	-	-	2	2	-	1	1	-
25-29 years-----	4	2	2	2	1	1	2	1	1	2	1	1
30-34 years-----	11	6	5	8	4	4	3	2	1	3	2	1
35-39 years-----	24	14	10	18	11	7	6	3	3	6	3	3
40-44 years-----	60	35	25	40	25	15	20	10	10	16	9	7
45-49 years-----	102	72	30	74	50	24	28	22	6	23	17	6
50-54 years-----	149	86	63	119	69	50	30	17	13	25	13	12
55-59 years-----	244	146	98	184	110	74	60	36	24	46	28	18
60-64 years-----	304	175	129	250	142	108	54	33	21	43	26	17
65-69 years-----	428	239	189	364	202	162	64	37	27	50	29	21
70-74 years-----	618	319	299	536	276	260	82	43	39	65	33	32
75-79 years-----	694	318	376	588	270	318	106	48	58	89	38	51
80-84 years-----	628	265	363	565	241	324	63	24	39	49	14	35
85-89 years-----	456	162	294	416	142	274	40	20	20	27	9	18
90-94 years-----	198	63	135	182	57	125	16	6	10	13	5	8
95-99 years-----	53	13	40	48	13	35	5	-	5	3	-	3
100 yrs & over---	10	1	9	7	1	6	3	-	3	3	-	3
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Secondary malignant neoplasm of lung (C78.0)

All ages-----	764	414	350	684	363	321	80	51	29	67	42	25
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	-	-	-	1	1	-	1	1	-
35-39 years-----	4	1	3	4	1	3	-	-	-	-	-	-
40-44 years-----	11	8	3	8	6	2	3	2	1	3	2	1
45-49 years-----	17	11	6	14	8	6	3	3	-	3	3	-
50-54 years-----	22	11	11	19	10	9	3	1	2	3	1	2
55-59 years-----	60	35	25	52	30	22	8	5	3	6	4	2
60-64 years-----	86	49	37	75	42	33	11	7	4	7	4	3
65-69 years-----	99	59	40	93	56	37	6	3	3	6	3	3
70-74 years-----	129	76	53	115	67	48	14	9	5	14	9	5
75-79 years-----	137	76	61	121	65	56	16	11	5	14	10	4
80-84 years-----	111	54	57	102	48	54	9	6	3	7	4	3
85-89 years-----	62	26	36	57	23	34	5	3	2	3	1	2
90-94 years-----	18	5	13	17	5	12	1	-	1	-	-	-
95-99 years-----	4	1	3	4	1	3	-	-	-	-	-	-
100 yrs & over---	3	1	2	3	1	2	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Secondary malignant neoplasm of mediastinum (C78.1)												
All ages-----	23	10	13	20	7	13	3	3	-	2	2	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	2	2	-	1	1	-	1	1	-	1	1	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	2	2	-	1	1	-	1	1	-	1	1	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	2	1	1	2	1	1	-	-	-	-	-	-
65-69 years-----	2	-	2	2	-	2	-	-	-	-	-	-
70-74 years-----	7	4	3	6	3	3	1	1	-	-	-	-
75-79 years-----	4	-	4	4	-	4	-	-	-	-	-	-
80-84 years-----	3	1	2	3	1	2	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Secondary malignant neoplasm of pleura (C78.2)

All ages-----	138	49	89	125	45	80	13	4	9	10	3	7
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	2	1	1	1	1	-	1	-	1	1	-	1
55-59 years-----	7	4	3	4	3	1	3	1	2	3	1	2
60-64 years-----	3	3	-	3	3	-	-	-	-	-	-	-
65-69 years-----	3	2	1	3	2	1	-	-	-	-	-	-
70-74 years-----	13	1	12	12	1	11	1	-	1	-	-	-
75-79 years-----	25	11	14	23	10	13	2	1	1	2	1	1
80-84 years-----	27	10	17	23	9	14	4	1	3	3	-	3
85-89 years-----	33	9	24	32	8	24	1	1	-	1	1	-
90-94 years-----	19	8	11	19	8	11	-	-	-	-	-	-
95-99 years-----	4	-	4	3	-	3	1	-	1	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

RACE, AND SEX

Secondary malignant neoplasm of other and unspecified respiratory organs (C78.3)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	2	2	-	1	1	-	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	-	-	-	1	1	-	1	1	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Secondary malignant neoplasm of large intestine and rectum (C78.5)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	42	19	23	37	17	20	5	2	3	5	2	3
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	2	-	2	2	-	2	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	6	3	3	5	3	2	1	-	1	1	-	1
65-69 years-----	7	5	2	6	4	2	1	1	-	1	1	-
70-74 years-----	7	5	2	6	5	1	1	-	1	1	-	1
75-79 years-----	4	-	4	4	-	4	-	-	-	-	-	-
80-84 years-----	9	4	5	8	3	5	1	1	-	1	1	-
85-89 years-----	4	-	4	4	-	4	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	1	-	1	-	-	-	1	-	1	1	-	1
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
 ON THE TENTH REVISION
 INTERNATIONAL CLASSIFICATION
 OF DISEASES, 1992),
 RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Secondary malignant neoplasm of retroperitoneum and peritoneum (C78.6)												
All ages-----	314	90	224	277	79	198	37	11	26	35	10	25
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	3	2	1	2	2	-	1	-	1	1	-	1
35-39 years-----	6	2	4	4	1	3	2	1	1	2	1	1
40-44 years-----	7	4	3	5	3	2	2	1	1	2	1	1
45-49 years-----	8	4	4	8	4	4	-	-	-	-	-	-
50-54 years-----	15	7	8	14	7	7	1	-	1	1	-	1
55-59 years-----	21	11	10	16	8	8	5	3	2	4	3	1
60-64 years-----	29	6	23	28	6	22	1	-	1	1	-	1
65-69 years-----	33	9	24	31	9	22	2	-	2	2	-	2
70-74 years-----	47	14	33	42	11	31	5	3	2	4	2	2
75-79 years-----	49	14	35	40	11	29	9	3	6	9	3	6
80-84 years-----	56	10	46	49	10	39	7	-	7	7	-	7
85-89 years-----	19	2	17	18	2	16	1	-	1	1	-	1
90-94 years-----	16	4	12	16	4	12	-	-	-	-	-	-
95-99 years-----	3	-	3	3	-	3	-	-	-	-	-	-
100 yrs & over---	1	-	1	-	-	-	1	-	1	1	-	1
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Secondary malignant neoplasm of liver (C78.7)

All ages-----	2,668	1,318	1,350	2,229	1,089	1,140	439	229	210	339	166	173
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	2	2	-	-	-	-	2	2	-	1	1	-
25-29 years-----	3	1	2	1	-	1	2	1	1	2	1	1
30-34 years-----	6	3	3	5	2	3	1	1	-	1	1	-
35-39 years-----	12	9	3	9	8	1	3	1	2	3	1	2
40-44 years-----	41	23	18	26	16	10	15	7	8	11	6	5
45-49 years-----	73	55	18	48	36	12	25	19	6	20	14	6
50-54 years-----	104	63	41	80	48	32	24	15	9	19	11	8
55-59 years-----	152	92	60	108	65	43	44	27	17	33	20	13
60-64 years-----	176	113	63	136	87	49	40	26	14	33	22	11
65-69 years-----	280	160	120	227	129	98	53	31	22	39	23	16
70-74 years-----	404	214	190	345	185	160	59	29	30	45	21	24
75-79 years-----	470	216	254	394	184	210	76	32	44	62	24	38
80-84 years-----	418	184	234	376	168	208	42	16	26	31	9	22
85-89 years-----	335	124	211	302	108	194	33	16	17	22	7	15
90-94 years-----	144	45	99	129	39	90	15	6	9	13	5	8
95-99 years-----	42	12	30	38	12	26	4	-	4	3	-	3
100 yrs & over---	4	-	4	3	-	3	1	-	1	1	-	1
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Secondary malignant neoplasm of other and unspecified digestive organs (C78.8)												
All ages-----	36	18	18	30	15	15	6	3	3	5	2	3
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years-----	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years-----	2	2	-	2	2	-	-	-	-	-	-	-
60-64 years-----	2	-	2	1	-	1	1	-	1	1	-	1
65-69 years-----	4	4	-	2	2	-	2	2	-	2	2	-
70-74 years-----	10	4	6	10	4	6	-	-	-	-	-	-
75-79 years-----	5	1	4	2	-	2	3	1	2	2	-	2
80-84 years-----	4	2	2	4	2	2	-	-	-	-	-	-
85-89 years-----	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Secondary malignant neoplasm of other sites (C79)

All ages-----	2,836	1,489	1,347	2,484	1,287	1,197	352	202	150	305	168	137
Under 1 year----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	4	3	1	4	3	1	-	-	-	-	-	-
5-9 years-----	2	-	2	2	-	2	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	7	5	2	5	4	1	2	1	1	2	1	1
20-24 years-----	6	3	3	5	3	2	1	-	1	1	-	1
25-29 years-----	7	6	1	6	6	-	1	-	1	1	-	1
30-34 years-----	13	9	4	10	7	3	3	2	1	3	2	1
35-39 years-----	28	15	13	20	10	10	8	5	3	6	3	3
40-44 years-----	60	41	19	48	32	16	12	9	3	10	7	3
45-49 years-----	102	62	40	78	45	33	24	17	7	20	14	6
50-54 years-----	148	95	53	123	79	44	25	16	9	21	13	8
55-59 years-----	221	143	78	182	118	64	39	25	14	36	24	12
60-64 years-----	270	168	102	221	136	85	49	32	17	45	30	15
65-69 years-----	308	177	131	272	155	117	36	22	14	29	19	10
70-74 years-----	410	234	176	366	209	157	44	25	19	39	20	19
75-79 years-----	426	214	212	380	187	193	46	27	19	39	21	18
80-84 years-----	382	160	222	356	149	207	26	11	15	23	9	14
85-89 years-----	273	106	167	254	100	154	19	6	13	14	2	12
90-94 years-----	126	40	86	114	37	77	12	3	9	11	2	9
95-99 years-----	39	6	33	34	5	29	5	1	4	5	1	4
100 yrs & over---	3	1	2	3	1	2	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Secondary malignant neoplasm of kidney and renal pelvis (C79.0)												
All ages-----	316	207	109	280	180	100	36	27	9	28	20	8
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	-	1	-	-	-	1	-	1	1	-	1
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	5	4	1	4	3	1	1	1	-	-	-	-
45-49 years-----	19	15	4	14	10	4	5	5	-	5	5	-
50-54 years-----	19	12	7	14	10	4	5	2	3	3	1	2
55-59 years-----	29	17	12	26	14	12	3	3	-	3	3	-
60-64 years-----	42	25	17	39	22	17	3	3	-	3	3	-
65-69 years-----	35	29	6	33	28	5	2	1	1	1	-	1
70-74 years-----	49	31	18	42	25	17	7	6	1	6	5	1
75-79 years-----	57	38	19	53	34	19	4	4	-	2	2	-
80-84 years-----	31	20	11	29	19	10	2	1	1	2	1	1
85-89 years-----	20	12	8	18	11	7	2	1	1	1	-	1
90-94 years-----	5	2	3	4	2	2	1	-	1	1	-	1
95-99 years-----	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Secondary malignant neoplasm of bladder and other and unspecified urinary organs (C79.1)

All ages-----	13	9	4	13	9	4	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	2	2	-	2	2	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	4	3	1	4	3	1	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Secondary malignant neoplasm of skin (C79.2)												
All ages-----	39	23	16	37	21	16	2	2	-	2	2	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	2	1	1	2	1	1	-	-	-	-	-	-
45-49 years-----	4	4	-	4	4	-	-	-	-	-	-	-
50-54 years-----	2	1	1	2	1	1	-	-	-	-	-	-
55-59 years-----	5	3	2	5	3	2	-	-	-	-	-	-
60-64 years-----	3	2	1	2	1	1	1	1	-	1	1	-
65-69 years-----	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years-----	7	5	2	6	4	2	1	1	-	1	1	-
75-79 years-----	4	1	3	4	1	3	-	-	-	-	-	-
80-84 years-----	5	2	3	5	2	3	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	3	1	2	3	1	2	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Secondary malignant neoplasm of brain and cerebral meninges (C79.3)

All ages-----	831	397	434	727	341	386	104	56	48	93	49	44
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	2	1	1	2	1	1	-	-	-	-	-	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	4	2	2	2	1	1	2	1	1	2	1	1
20-24 years-----	3	2	1	3	2	1	-	-	-	-	-	-
25-29 years-----	2	1	1	1	1	-	1	-	1	1	-	1
30-34 years-----	10	7	3	8	5	3	2	2	-	2	2	-
35-39 years-----	9	8	1	5	4	1	4	4	-	3	3	-
40-44 years-----	14	11	3	11	9	2	3	2	1	3	2	1
45-49 years-----	25	9	16	18	6	12	7	3	4	4	1	3
50-54 years-----	45	23	22	39	19	20	6	4	2	6	4	2
55-59 years-----	53	30	23	43	24	19	10	6	4	8	5	3
60-64 years-----	76	46	30	64	37	27	12	9	3	12	9	3
65-69 years-----	101	50	51	88	43	45	13	7	6	10	6	4
70-74 years-----	115	62	53	104	55	49	11	7	4	10	6	4
75-79 years-----	136	52	84	122	46	76	14	6	8	14	6	8
80-84 years-----	115	53	62	106	49	57	9	4	5	8	3	5
85-89 years-----	78	27	51	71	26	45	7	1	6	7	1	6
90-94 years-----	33	12	21	31	12	19	2	-	2	2	-	2
95-99 years-----	7	-	7	6	-	6	1	-	1	1	-	1
100 yrs & over---	2	1	1	2	1	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Secondary malignant neoplasm of other and unspecified parts of nervous system (C79.4)												
All ages-----	12	6	6	12	6	6	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	2	-	2	2	-	2	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	2	2	-	2	2	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Secondary malignant neoplasm of bone and bone marrow (C79.5)

All ages-----	497	250	247	445	218	227	52	32	20	39	22	17
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	2	2	-	2	2	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	2	2	-	2	2	-	-	-	-	-	-	-
30-34 years-----	2	1	1	1	1	-	1	-	1	1	-	1
35-39 years-----	8	6	2	7	5	2	1	1	-	-	-	-
40-44 years-----	7	4	3	6	3	3	1	1	-	1	1	-
45-49 years-----	13	9	4	10	7	3	3	2	1	3	2	1
50-54 years-----	11	6	5	10	6	4	1	-	1	1	-	1
55-59 years-----	24	18	6	21	15	6	3	3	-	3	3	-
60-64 years-----	34	19	15	29	19	10	5	-	5	4	-	4
65-69 years-----	35	20	15	29	16	13	6	4	2	4	3	1
70-74 years-----	83	45	38	73	39	34	10	6	4	7	3	4
75-79 years-----	77	39	38	67	31	36	10	8	2	8	6	2
80-84 years-----	101	42	59	96	39	57	5	3	2	4	2	2
85-89 years-----	65	23	42	61	21	40	4	2	2	2	1	1
90-94 years-----	28	12	16	26	10	16	2	2	-	1	1	-
95-99 years-----	5	2	3	5	2	3	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Secondary malignant neoplasm of ovary (C79.6)												
All ages-----	9	...	9	8	...	8	1	...	1	1	...	1
Under 1 year----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	1	...	1	1	...	1	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	1	...	1	1	...	1	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	2	...	2	2	...	2	-	...	-	-	...	-
65-69 years-----	1	...	1	-	...	-	1	...	1	1	...	1
70-74 years-----	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years-----	1	...	1	1	...	1	-	...	-	-	...	-
80-84 years-----	2	...	2	2	...	2	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years-----	1	...	1	1	...	1	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Secondary malignant neoplasm of adrenal gland (C79.7)

All ages-----	3	3	-	3	3	-	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
 ON THE TENTH REVISION
 INTERNATIONAL CLASSIFICATION
 OF DISEASES, 1992),
 RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Secondary malignant neoplasm of other specified sites (C79.8)												
All ages-----	1,116	594	522	959	509	450	157	85	72	142	75	67
Under 1 year-----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	2	1	1	2	1	1	-	-	-	-	-	-
25-29 years-----	2	2	-	2	2	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	8	-	8	5	-	5	3	-	3	3	-	3
40-44 years-----	32	21	11	25	16	9	7	5	2	6	4	2
45-49 years-----	39	25	14	30	18	12	9	7	2	8	6	2
50-54 years-----	69	52	17	56	42	14	13	10	3	11	8	3
55-59 years-----	107	73	34	84	60	24	23	13	10	22	13	9
60-64 years-----	112	75	37	84	56	28	28	19	9	25	17	8
65-69 years-----	130	73	57	116	63	53	14	10	4	13	10	3
70-74 years-----	154	89	65	139	84	55	15	5	10	15	5	10
75-79 years-----	146	81	65	128	72	56	18	9	9	15	7	8
80-84 years-----	125	42	83	115	39	76	10	3	7	9	3	6
85-89 years-----	105	41	64	99	39	60	6	2	4	4	-	4
90-94 years-----	56	13	43	49	12	37	7	1	6	7	1	6
95-99 years-----	25	3	22	21	2	19	4	1	3	4	1	3
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Malignant neoplasm without specification of site (C80)

All ages-----	28,463	14,018	14,445	24,690	12,166	12,524	3,773	1,852	1,921	3,231	1,599	1,632
Under 1 year-----	3	2	1	3	2	1	-	-	-	-	-	-
1-4 years-----	9	5	4	6	3	3	3	2	1	2	2	-
5-9 years-----	7	2	5	7	2	5	-	-	-	-	-	-
10-14 years-----	12	10	2	10	8	2	2	2	-	1	1	-
15-19 years-----	16	10	6	14	9	5	2	1	1	1	1	-
20-24 years-----	51	33	18	38	26	12	13	7	6	8	5	3
25-29 years-----	66	39	27	56	36	20	10	3	7	8	1	7
30-34 years-----	125	77	48	101	63	38	24	14	10	16	11	5
35-39 years-----	267	133	134	206	105	101	61	28	33	48	22	26
40-44 years-----	587	281	306	465	223	242	122	58	64	106	48	58
45-49 years-----	910	487	423	716	374	342	194	113	81	174	100	74
50-54 years-----	1,378	748	630	1,105	596	509	273	152	121	229	129	100
55-59 years-----	1,904	1,070	834	1,559	873	686	345	197	148	292	177	115
60-64 years-----	2,543	1,411	1,132	2,111	1,184	927	432	227	205	381	198	183
65-69 years-----	3,439	1,867	1,572	2,965	1,610	1,355	474	257	217	409	230	179
70-74 years-----	4,391	2,343	2,048	3,825	2,061	1,764	566	282	284	475	234	241
75-79 years-----	4,599	2,263	2,336	4,125	2,048	2,077	474	215	259	404	182	222
80-84 years-----	3,943	1,714	2,229	3,576	1,561	2,015	367	153	214	314	134	180
85-89 years-----	2,658	1,055	1,603	2,425	969	1,456	233	86	147	209	75	134
90-94 years-----	1,187	382	805	1,052	335	717	135	47	88	115	42	73
95-99 years-----	329	79	250	293	71	222	36	8	28	32	7	25
100 yrs & over---	38	6	32	31	6	25	7	-	7	7	-	7
Not stated-----	1	1	-	1	1	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Hodgkin's disease (C81)												
All ages-----	1,403	785	618	1,263	708	555	140	77	63	128	75	53
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	9	3	6	7	3	4	2	-	2	1	-	1
15-19 years-----	31	20	11	26	17	9	5	3	2	5	3	2
20-24 years-----	63	35	28	49	28	21	14	7	7	14	7	7
25-29 years-----	77	42	35	60	32	28	17	10	7	17	10	7
30-34 years-----	71	44	27	62	40	22	9	4	5	9	4	5
35-39 years-----	90	56	34	80	49	31	10	7	3	10	7	3
40-44 years-----	75	47	28	66	43	23	9	4	5	8	4	4
45-49 years-----	82	48	34	72	41	31	10	7	3	10	7	3
50-54 years-----	83	50	33	74	42	32	9	8	1	9	8	1
55-59 years-----	87	54	33	78	49	29	9	5	4	9	5	4
60-64 years-----	91	61	30	85	58	27	6	3	3	5	3	2
65-69 years-----	120	72	48	106	64	42	14	8	6	11	8	3
70-74 years-----	163	88	75	154	84	70	9	4	5	7	4	3
75-79 years-----	149	69	80	144	67	77	5	2	3	5	2	3
80-84 years-----	113	50	63	110	49	61	3	1	2	1	1	-
85-89 years-----	70	28	42	62	25	37	8	3	5	6	1	5
90-94 years-----	22	16	6	21	15	6	1	1	-	1	1	-
95-99 years-----	5	1	4	5	1	4	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Nodular sclerosis (C81.1)												
All ages-----	9	2	7	8	2	6	1	-	1	1	-	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	2	-	2	1	-	1	1	-	1	1	-	1
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	2	-	2	2	-	2	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Mixed cellularity (C81.2)												
All ages-----	5	3	2	4	2	2	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	-	-	-	1	1	-	1	1	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	2	-	2	2	-	2	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Lymphocytic depletion (C81.3)												
All ages-----	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Hodgkin's disease, unspecified (C81.9)												
All ages-----	1,387	778	609	1,249	702	547	138	76	62	126	74	52
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	9	3	6	7	3	4	2	-	2	1	-	1
15-19 years-----	31	20	11	26	17	9	5	3	2	5	3	2
20-24 years-----	61	35	26	48	28	20	13	7	6	13	7	6
25-29 years-----	77	42	35	60	32	28	17	10	7	17	10	7
30-34 years-----	71	44	27	62	40	22	9	4	5	9	4	5
35-39 years-----	89	55	34	79	48	31	10	7	3	10	7	3
40-44 years-----	75	47	28	66	43	23	9	4	5	8	4	4
45-49 years-----	81	48	33	71	41	30	10	7	3	10	7	3
50-54 years-----	82	49	33	74	42	32	8	7	1	8	7	1
55-59 years-----	86	53	33	77	48	29	9	5	4	9	5	4
60-64 years-----	91	61	30	85	58	27	6	3	3	5	3	2
65-69 years-----	117	72	45	103	64	39	14	8	6	11	8	3
70-74 years-----	160	87	73	151	83	68	9	4	5	7	4	3
75-79 years-----	148	68	80	143	66	77	5	2	3	5	2	3
80-84 years-----	112	50	62	109	49	60	3	1	2	1	1	-
85-89 years-----	68	26	42	60	23	37	8	3	5	6	1	5
90-94 years-----	22	16	6	21	15	6	1	1	-	1	1	-
95-99 years-----	5	1	4	5	1	4	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Follicular [nodular] non-Hodgkin's lymphoma (C82)												
All ages-----	190	91	99	181	86	95	9	5	4	6	3	3
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	-	1	-	-	1	1	-	1	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	16	11	5	15	10	5	1	1	-	-	-	-
50-54 years-----	10	6	4	9	6	3	1	-	1	1	-	1
55-59 years-----	19	11	8	17	10	7	2	1	1	2	1	1
60-64 years-----	15	9	6	15	9	6	-	-	-	-	-	-
65-69 years-----	23	11	12	22	10	12	1	1	-	1	1	-
70-74 years-----	37	19	18	34	17	17	3	2	1	2	1	1
75-79 years-----	17	5	12	17	5	12	-	-	-	-	-	-
80-84 years-----	28	12	16	28	12	16	-	-	-	-	-	-
85-89 years-----	14	4	10	14	4	10	-	-	-	-	-	-
90-94 years-----	7	1	6	7	1	6	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Small cleaved cell, follicular (C82.0)												
All ages-----	27	12	15	26	11	15	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	3	-	3	3	-	3	-	-	-	-	-	-
50-54 years-----	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years-----	4	4	-	3	3	-	1	1	-	1	1	-
60-64 years-----	2	1	1	2	1	1	-	-	-	-	-	-
65-69 years-----	3	1	2	3	1	2	-	-	-	-	-	-
70-74 years-----	4	1	3	4	1	3	-	-	-	-	-	-
75-79 years-----	3	1	2	3	1	2	-	-	-	-	-	-
80-84 years-----	3	1	2	3	1	2	-	-	-	-	-	-
85-89 years-----	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Mixed small cleaved and large cell, follicular (C82.1)

All ages-----	22	15	7	22	15	7	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years-----	2	2	-	2	2	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	7	5	2	7	5	2	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	5	2	3	5	2	3	-	-	-	-	-	-
85-89 years-----	3	2	1	3	2	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Large cell, follicular (C82.2)												
All ages-----	21	6	15	18	5	13	3	1	2	2	1	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	-	1	-	-	-	1	-	1	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	3	2	1	3	2	1	-	-	-	-	-	-
50-54 years-----	1	-	1	-	-	-	1	-	1	1	-	1
55-59 years-----	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	8	3	5	7	2	5	1	1	-	1	1	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	2	-	2	2	-	2	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other types of follicular non-Hodgkin's lymphoma (C82.7)

All ages-----	5	3	2	5	3	2	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Follicular non-Hodgkin's lymphoma, unspecified (C82.9)												
All ages-----	115	55	60	110	52	58	5	3	2	3	1	2
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	8	7	1	7	6	1	1	1	-	-	-	-
50-54 years-----	6	3	3	6	3	3	-	-	-	-	-	-
55-59 years-----	11	5	6	10	5	5	1	-	1	-	-	1
60-64 years-----	10	6	4	10	6	4	-	-	-	-	-	-
65-69 years-----	12	7	5	12	7	5	-	-	-	-	-	-
70-74 years-----	24	12	12	21	10	11	3	2	1	2	1	1
75-79 years-----	12	3	9	12	3	9	-	-	-	-	-	-
80-84 years-----	16	8	8	16	8	8	-	-	-	-	-	-
85-89 years-----	8	1	7	8	1	7	-	-	-	-	-	-
90-94 years-----	5	1	4	5	1	4	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Diffuse non-Hodgkin's lymphoma (C83)

All ages-----	2,688	1,477	1,211	2,490	1,358	1,132	198	119	79	154	95	59
Under 1 year----	1	-	1	-	-	-	1	-	1	1	-	1
1-4 years-----	5	1	4	3	1	2	-	-	2	1	-	1
5-9 years-----	4	4	-	3	3	-	1	1	-	1	1	-
10-14 years-----	12	12	-	8	8	-	4	4	-	3	3	-
15-19 years-----	18	15	3	15	12	3	3	3	-	2	2	-
20-24 years-----	20	16	4	17	13	4	3	3	-	3	3	-
25-29 years-----	21	15	6	16	11	5	5	4	1	5	4	1
30-34 years-----	22	14	8	15	9	6	7	5	2	7	5	2
35-39 years-----	46	30	16	37	24	13	9	6	3	8	6	2
40-44 years-----	57	41	16	48	34	14	9	7	2	9	7	2
45-49 years-----	97	66	31	80	57	23	17	9	8	13	6	7
50-54 years-----	121	82	39	112	76	36	9	6	3	7	5	2
55-59 years-----	166	102	64	147	91	56	19	11	8	15	9	6
60-64 years-----	208	122	86	191	115	76	17	7	10	13	4	9
65-69 years-----	324	178	146	303	166	137	21	12	9	17	12	5
70-74 years-----	395	239	156	372	224	148	23	15	8	17	11	6
75-79 years-----	469	253	216	452	244	208	17	9	8	12	6	6
80-84 years-----	382	163	219	370	156	214	12	7	5	7	4	3
85-89 years-----	222	89	133	212	83	129	10	6	4	6	4	2
90-94 years-----	71	28	43	66	25	41	5	3	2	4	2	2
95-99 years-----	26	7	19	22	6	16	4	1	3	3	1	2
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Small cell (diffuse) (C83.0)												
All ages-----	286	163	123	264	147	117	22	16	6	18	13	5
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	3	3	-	1	1	-	2	2	-	2	2	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	2	2	-	1	1	-	1	1	-	1	1	-
45-49 years-----	5	4	1	4	3	1	1	1	-	1	1	-
50-54 years-----	7	5	2	7	5	2	-	-	-	-	-	-
55-59 years-----	14	11	3	10	8	2	4	3	1	3	2	1
60-64 years-----	23	13	10	20	12	8	3	1	2	3	1	2
65-69 years-----	42	22	20	40	20	20	2	2	-	2	2	-
70-74 years-----	39	25	14	35	24	11	4	1	3	3	1	2
75-79 years-----	56	33	23	54	31	23	2	2	-	1	1	-
80-84 years-----	45	24	21	45	24	21	-	-	-	-	-	-
85-89 years-----	28	11	17	27	10	17	1	1	-	1	1	-
90-94 years-----	15	8	7	13	6	7	2	2	-	1	1	-
95-99 years-----	6	2	4	6	2	4	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Small cleaved cell (diffuse) (C83.1)												
All ages-----	112	81	31	110	80	30	2	1	1	2	1	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	3	2	1	2	1	1	1	1	-	1	1	-
50-54 years-----	10	8	2	10	8	2	-	-	-	-	-	-
55-59 years-----	11	10	1	11	10	1	-	-	-	-	-	-
60-64 years-----	14	9	5	14	9	5	-	-	-	-	-	-
65-69 years-----	11	10	1	11	10	1	-	-	-	-	-	-
70-74 years-----	29	21	8	29	21	8	-	-	-	-	-	-
75-79 years-----	16	12	4	15	12	3	1	-	1	1	-	1
80-84 years-----	13	7	6	13	7	6	-	-	-	-	-	-
85-89 years-----	4	2	2	4	2	2	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Mixed small and large cell (diffuse) (C83.2)												
All ages-----	51	28	23	47	27	20	4	1	3	4	1	3
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years-----	3	-	3	3	-	3	-	-	-	-	-	-
60-64 years-----	4	2	2	3	2	1	1	-	1	1	-	1
65-69 years-----	9	4	5	7	4	3	2	-	2	2	-	2
70-74 years-----	10	6	4	9	5	4	1	1	-	1	1	-
75-79 years-----	9	6	3	9	6	3	-	-	-	-	-	-
80-84 years-----	10	6	4	10	6	4	-	-	-	-	-	-
85-89 years-----	3	2	1	3	2	1	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Large cell (diffuse) (C83.3)

All ages-----	1,564	781	783	1,450	713	737	114	68	46	85	51	34
Under 1 year----	1	-	1	-	-	-	1	-	1	1	-	1
1-4 years-----	1	-	1	-	-	-	1	-	1	1	-	1
5-9 years-----	2	2	-	2	2	-	-	-	-	-	-	-
10-14 years-----	3	3	-	1	1	-	2	2	-	2	2	-
15-19 years-----	4	2	2	3	1	2	1	1	-	1	1	-
20-24 years-----	9	7	2	8	6	2	1	1	-	1	1	-
25-29 years-----	5	4	1	3	2	1	2	2	-	2	2	-
30-34 years-----	11	5	6	9	4	5	2	1	1	2	1	1
35-39 years-----	24	18	6	16	12	4	8	6	2	7	6	1
40-44 years-----	30	19	11	26	17	9	4	2	2	4	2	2
45-49 years-----	50	32	18	42	27	15	8	5	3	6	3	3
50-54 years-----	62	39	23	58	35	23	4	4	-	3	3	-
55-59 years-----	88	46	42	77	41	36	11	5	6	8	4	4
60-64 years-----	113	66	47	100	60	40	13	6	7	9	3	6
65-69 years-----	172	91	81	162	84	78	10	7	3	9	7	2
70-74 years-----	231	134	97	215	122	93	16	12	4	11	8	3
75-79 years-----	307	154	153	296	148	148	11	6	5	7	4	3
80-84 years-----	238	83	155	229	77	152	9	6	3	5	3	2
85-89 years-----	151	59	92	145	57	88	6	2	4	3	1	2
90-94 years-----	48	16	32	47	16	31	1	-	1	1	-	1
95-99 years-----	13	1	12	10	1	9	3	-	3	2	-	2
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Immunoblastic (diffuse) (C83.4)												
All ages-----	94	41	53	89	40	49	5	1	4	4	1	3
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	-	-	-	1	-	1	1	-	1
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	3	2	1	3	2	1	-	-	-	-	-	-
50-54 years-----	10	3	7	10	3	7	-	-	-	-	-	-
55-59 years-----	11	6	5	10	6	4	1	-	1	1	-	1
60-64 years-----	9	4	5	9	4	5	-	-	-	-	-	-
65-69 years-----	14	7	7	13	6	7	1	1	-	1	1	-
70-74 years-----	12	7	5	12	7	5	-	-	-	-	-	-
75-79 years-----	13	6	7	12	6	6	1	-	1	1	-	1
80-84 years-----	11	3	8	10	3	7	1	-	1	-	-	-
85-89 years-----	5	2	3	5	2	3	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Lymphoblastic (diffuse) (C83.5)												
All ages-----	75	54	21	60	43	17	15	11	4	12	10	2
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	-	1	-	-	-	1	-	1	-	-	-
5-9 years-----	1	1	-	-	-	-	1	1	-	1	1	-
10-14 years-----	3	3	-	2	2	-	1	1	-	-	-	-
15-19 years-----	3	3	-	2	2	-	1	1	-	1	1	-
20-24 years-----	9	8	1	7	6	1	2	2	-	2	2	-
25-29 years-----	7	5	2	6	4	2	1	1	-	1	1	-
30-34 years-----	3	3	-	1	1	-	2	2	-	2	2	-
35-39 years-----	6	3	3	6	3	3	-	-	-	-	-	-
40-44 years-----	3	3	-	2	2	-	1	1	-	1	1	-
45-49 years-----	4	2	2	3	2	1	1	-	1	-	-	-
50-54 years-----	3	2	1	2	1	1	1	1	-	1	1	-
55-59 years-----	3	3	-	2	2	-	1	1	-	1	1	-
60-64 years-----	6	5	1	6	5	1	-	-	-	-	-	-
65-69 years-----	4	3	1	3	3	-	1	-	1	1	-	1
70-74 years-----	8	5	3	7	5	2	1	-	1	1	-	1
75-79 years-----	4	2	2	4	2	2	-	-	-	-	-	-
80-84 years-----	4	3	1	4	3	1	-	-	-	-	-	-
85-89 years-----	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Undifferentiated (diffuse) (C83.6)												
All ages-----	14	10	4	14	10	4	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	3	2	1	3	2	1	-	-	-	-	-	-
75-79 years-----	4	4	-	4	4	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	3	3	-	3	3	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Burkitt's tumor (C83.7)												
All ages-----	167	111	56	149	104	45	18	7	11	13	5	8
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	2	1	1	2	1	1	-	-	-	-	-	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	6	6	-	5	5	-	1	1	-	1	1	-
15-19 years-----	11	10	1	10	9	1	1	1	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	7	5	2	7	5	2	-	-	-	-	-	-
30-34 years-----	5	3	2	4	3	1	1	-	1	1	-	1
35-39 years-----	9	8	1	9	8	1	-	-	-	-	-	-
40-44 years-----	12	9	3	12	9	3	-	-	-	-	-	-
45-49 years-----	20	14	6	16	13	3	4	1	3	4	1	3
50-54 years-----	17	14	3	13	13	-	4	1	3	3	1	2
55-59 years-----	11	7	4	10	6	4	1	1	-	1	1	-
60-64 years-----	7	5	2	7	5	2	-	-	-	-	-	-
65-69 years-----	17	8	9	14	7	7	3	1	2	1	1	-
70-74 years-----	12	6	6	12	6	6	-	-	-	-	-	-
75-79 years-----	10	3	7	10	3	7	-	-	-	-	-	-
80-84 years-----	8	6	2	7	6	1	1	-	1	1	-	1
85-89 years-----	7	2	5	6	1	5	1	1	-	-	-	-
90-94 years-----	4	2	2	3	2	1	1	-	1	1	-	1
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other types of diffuse non-Hodgkin's lymphoma (C83.8)												
All ages-----	262	176	86	249	165	84	13	11	2	11	10	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	4	1	3	3	1	2	1	-	1	1	-	1
40-44 years-----	6	5	1	4	3	1	2	2	-	2	2	-
45-49 years-----	10	9	1	9	8	1	1	1	-	-	-	-
50-54 years-----	7	7	-	7	7	-	-	-	-	-	-	-
55-59 years-----	23	19	4	22	18	4	1	1	-	1	1	-
60-64 years-----	27	16	11	27	16	11	-	-	-	-	-	-
65-69 years-----	46	29	17	44	28	16	2	1	1	1	1	-
70-74 years-----	41	27	14	40	26	14	1	1	-	1	1	-
75-79 years-----	42	28	14	41	27	14	1	1	-	1	1	-
80-84 years-----	41	25	16	41	25	16	-	-	-	-	-	-
85-89 years-----	11	6	5	10	5	5	1	1	-	1	1	-
90-94 years-----	2	2	-	1	1	-	1	1	-	1	1	-
95-99 years-----	1	1	-	-	-	-	1	1	-	1	1	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Diffuse non-Hodgkin's lymphoma, unspecified (C83.9)

All ages-----	63	32	31	58	29	29	5	3	2	5	3	2
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	3	2	1	2	1	1	1	1	-	1	1	-
45-49 years-----	2	1	1	1	1	-	1	-	1	1	-	1
50-54 years-----	3	2	1	3	2	1	-	-	-	-	-	-
55-59 years-----	2	-	2	2	-	2	-	-	-	-	-	-
60-64 years-----	4	2	2	4	2	2	-	-	-	-	-	-
65-69 years-----	8	4	4	8	4	4	-	-	-	-	-	-
70-74 years-----	10	6	4	10	6	4	-	-	-	-	-	-
75-79 years-----	8	5	3	7	5	2	1	-	1	1	-	1
80-84 years-----	12	6	6	11	5	6	1	1	-	1	1	-
85-89 years-----	10	4	6	9	3	6	1	1	-	1	1	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Peripheral and cutaneous T-cell lymphomas (C84)												
All ages-----	638	371	267	504	293	211	134	78	56	117	68	49
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	-	1	-	-	-	1	-	1	1	-	1
10-14 years-----	2	1	1	1	1	-	1	-	1	1	-	1
15-19 years-----	3	-	3	2	-	2	1	-	1	1	-	1
20-24 years-----	3	3	-	1	1	-	2	2	-	2	2	-
25-29 years-----	4	4	-	3	3	-	1	1	-	1	1	-
30-34 years-----	10	7	3	8	6	2	2	1	1	1	1	-
35-39 years-----	17	10	7	10	6	4	7	4	3	6	3	3
40-44 years-----	22	13	9	15	9	6	7	4	3	5	3	2
45-49 years-----	31	21	10	23	17	6	8	4	4	8	4	4
50-54 years-----	33	23	10	25	18	7	8	5	3	8	5	3
55-59 years-----	53	37	16	36	27	9	17	10	7	15	9	6
60-64 years-----	66	40	26	51	29	22	15	11	4	13	9	4
65-69 years-----	67	43	24	52	33	19	15	10	5	13	9	4
70-74 years-----	108	61	47	91	51	40	17	10	7	17	10	7
75-79 years-----	94	55	39	76	43	33	18	12	6	15	10	5
80-84 years-----	62	29	33	55	27	28	7	2	5	5	1	4
85-89 years-----	42	19	23	35	17	18	7	2	5	5	1	4
90-94 years-----	18	5	13	18	5	13	-	-	-	-	-	-
95-99 years-----	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Mycosis fungoides (C84.0)												
All ages-----	102	58	44	81	46	35	21	12	9	17	10	7
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	4	2	2	4	2	2	-	-	-	-	-	-
40-44 years-----	3	1	2	1	-	1	2	1	1	1	1	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	5	5	-	4	4	-	1	1	-	1	1	-
55-59 years-----	8	6	2	4	3	1	4	3	1	4	3	1
60-64 years-----	7	5	2	7	5	2	-	-	-	-	-	-
65-69 years-----	10	5	5	8	5	3	2	-	2	1	-	1
70-74 years-----	17	10	7	11	7	4	6	3	3	6	3	3
75-79 years-----	14	9	5	11	7	4	3	2	1	2	1	1
80-84 years-----	18	9	9	17	8	9	1	1	-	-	-	-
85-89 years-----	11	5	6	9	4	5	2	1	1	2	1	1
90-94 years-----	3	-	3	3	-	3	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Sezary's disease (C84.1)												
All ages-----	20	8	12	17	7	10	3	1	2	3	1	2
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	3	2	1	3	2	1	-	-	-	-	-	-
65-69 years-----	2	-	2	1	-	1	1	-	1	1	-	1
70-74 years-----	5	1	4	4	1	3	1	-	1	1	-	1
75-79 years-----	2	2	-	1	1	-	1	1	-	1	1	-
80-84 years-----	4	1	3	4	1	3	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

T-zone lymphoma (C84.2)

All ages-----	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Lymphoepithelioid lymphoma (C84.3)												
All ages-----	3	3	-	3	3	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Peripheral T-cell lymphoma (C84.4)												
All ages-----	34	23	11	31	21	10	3	2	1	2	1	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	1	1	-	-	-	-	1	1	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	3	3	-	2	2	-	1	1	-	1	1	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	2	2	-	2	2	-	-	-	-	-	-	-
60-64 years-----	6	4	2	6	4	2	-	-	-	-	-	-
65-69 years-----	4	2	2	4	2	2	-	-	-	-	-	-
70-74 years-----	7	3	4	6	3	3	1	-	1	1	-	1
75-79 years-----	6	4	2	6	4	2	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other and unspecified T-cell Lymphomas (C84.5)												
All ages-----	477	278	199	370	215	155	107	63	44	95	56	39
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	-	1	-	-	-	1	-	1	1	-	1
10-14 years-----	2	1	1	1	1	-	1	-	1	1	-	1
15-19 years-----	3	-	3	2	-	2	1	-	1	1	-	1
20-24 years-----	2	2	-	-	-	-	2	2	-	2	2	-
25-29 years-----	3	3	-	2	2	-	1	1	-	1	1	-
30-34 years-----	9	6	3	7	5	2	2	1	1	1	1	-
35-39 years-----	12	7	5	6	4	2	6	3	3	6	3	3
40-44 years-----	19	12	7	14	9	5	5	3	2	4	2	2
45-49 years-----	27	17	10	20	14	6	7	3	4	7	3	4
50-54 years-----	26	17	9	19	13	6	7	4	3	7	4	3
55-59 years-----	41	27	14	28	20	8	13	7	6	11	6	5
60-64 years-----	50	29	21	35	18	17	15	11	4	13	9	4
65-69 years-----	51	36	15	39	26	13	12	10	2	11	9	2
70-74 years-----	79	47	32	70	40	30	9	7	2	9	7	2
75-79 years-----	70	39	31	56	30	26	14	9	5	12	8	4
80-84 years-----	40	19	21	34	18	16	6	1	5	5	1	4
85-89 years-----	28	12	16	23	11	12	5	1	4	3	-	3
90-94 years-----	13	4	9	13	4	9	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other and unspecified types of non-Hodgkin's Lymphoma (C85)

All ages-----	19,286	9,855	9,431	17,766	9,031	8,735	1,520	824	696	1,166	620	546
Under 1 year-----	1	-	1	-	-	-	1	-	1	1	-	1
1-4 years-----	11	8	3	10	7	3	1	1	-	1	1	-
5-9 years-----	7	5	2	5	4	1	2	1	1	1	1	-
10-14 years-----	11	8	3	9	7	2	2	1	1	2	1	1
15-19 years-----	30	15	15	19	10	9	11	5	6	10	4	6
20-24 years-----	69	41	28	55	34	21	14	7	7	14	7	7
25-29 years-----	84	50	34	60	34	26	24	16	8	18	12	6
30-34 years-----	147	88	59	112	67	45	35	21	14	26	16	10
35-39 years-----	260	164	96	205	133	72	55	31	24	48	27	21
40-44 years-----	385	251	134	310	200	110	75	51	24	62	41	21
45-49 years-----	552	361	191	464	302	162	88	59	29	72	49	23
50-54 years-----	881	541	340	776	476	300	105	65	40	83	54	29
55-59 years-----	1,176	701	475	1,051	623	428	125	78	47	106	62	44
60-64 years-----	1,451	825	626	1,310	739	571	141	86	55	100	61	39
65-69 years-----	2,027	1,123	904	1,872	1,039	833	155	84	71	123	68	55
70-74 years-----	2,867	1,502	1,365	2,669	1,413	1,256	198	89	109	141	62	79
75-79 years-----	3,429	1,739	1,690	3,213	1,619	1,594	216	120	96	152	83	69
80-84 years-----	3,073	1,340	1,733	2,946	1,299	1,647	127	41	86	97	28	69
85-89 years-----	1,920	780	1,140	1,828	735	1,093	92	45	47	68	28	40
90-94 years-----	738	258	480	696	242	454	42	16	26	31	9	22
95-99 years-----	150	46	104	141	41	100	9	5	4	8	4	4
100 yrs & over---	17	9	8	15	7	8	2	2	-	2	2	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Lymphosarcoma (C85.0)												
All ages-----	61	24	37	59	24	35	2	-	2	2	-	2
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	2	1	1	2	1	1	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	2	-	2	2	-	2	-	-	-	-	-	-
55-59 years-----	6	4	2	6	4	2	-	-	-	-	-	-
60-64 years-----	5	1	4	5	1	4	-	-	-	-	-	-
65-69 years-----	4	2	2	3	2	1	1	-	1	1	-	1
70-74 years-----	7	3	4	7	3	4	-	-	-	-	-	-
75-79 years-----	15	4	11	14	4	10	1	-	1	1	-	1
80-84 years-----	10	5	5	10	5	5	-	-	-	-	-	-
85-89 years-----	5	2	3	5	2	3	-	-	-	-	-	-
90-94 years-----	3	2	1	3	2	1	-	-	-	-	-	-
95-99 years-----	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

B-cell lymphoma, unspecified (C85.1)

All ages-----	456	232	224	411	210	201	45	22	23	32	13	19
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	2	2	-	1	1	-	1	1	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	2	1	1	1	-	1	1	1	1	1	1	-
30-34 years-----	3	2	1	1	1	-	2	1	1	2	1	1
35-39 years-----	2	2	-	2	2	-	-	-	-	-	-	-
40-44 years-----	7	4	3	7	4	3	-	-	-	-	-	-
45-49 years-----	19	13	6	12	7	5	7	6	1	5	4	1
50-54 years-----	18	10	8	18	10	8	-	-	-	-	-	-
55-59 years-----	25	15	10	23	14	9	2	1	1	2	1	1
60-64 years-----	25	14	11	21	13	8	4	1	3	2	1	1
65-69 years-----	32	18	14	27	14	13	5	4	1	4	3	1
70-74 years-----	61	35	26	55	32	23	6	3	3	4	1	3
75-79 years-----	89	45	44	81	42	39	8	3	5	6	1	5
80-84 years-----	72	29	43	68	29	39	4	-	4	2	-	2
85-89 years-----	62	30	32	60	30	30	2	-	2	2	-	2
90-94 years-----	28	10	18	26	9	17	2	1	1	1	-	1
95-99 years-----	7	1	6	6	1	5	1	-	1	1	-	1
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other specified types of non-Hodgkin's Lymphoma (C85.7)												
All ages-----	14	8	6	13	7	6	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	2	1	1	2	1	1	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	2	2	-	2	2	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	2	2	-	1	1	-	1	1	-	1	1	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Non-Hodgkin's lymphoma, unspecified type (C85.9)

All ages-----	18,755	9,591	9,164	17,283	8,790	8,493	1,472	801	671	1,131	606	525
Under 1 year-----	1	-	1	-	-	-	1	-	1	1	-	1
1-4 years-----	10	8	2	9	7	2	1	1	-	1	1	-
5-9 years-----	7	5	2	5	4	1	2	1	1	1	1	-
10-14 years-----	10	7	3	8	6	2	2	1	1	2	1	1
15-19 years-----	28	13	15	18	9	9	10	4	6	10	4	6
20-24 years-----	69	41	28	55	34	21	14	7	7	14	7	7
25-29 years-----	82	49	33	59	34	25	23	15	8	17	11	6
30-34 years-----	144	86	58	111	66	45	33	20	13	24	15	9
35-39 years-----	258	162	96	203	131	72	55	31	24	48	27	21
40-44 years-----	374	245	129	299	194	105	75	51	24	62	41	21
45-49 years-----	532	348	184	451	295	156	81	53	28	67	45	22
50-54 years-----	860	531	329	755	466	289	105	65	40	83	54	29
55-59 years-----	1,143	680	463	1,020	603	417	123	77	46	104	61	43
60-64 years-----	1,420	809	611	1,283	724	559	137	85	52	98	60	38
65-69 years-----	1,989	1,102	887	1,840	1,022	818	149	80	69	118	65	53
70-74 years-----	2,798	1,464	1,334	2,606	1,378	1,228	192	86	106	137	61	76
75-79 years-----	3,323	1,688	1,635	3,117	1,572	1,545	206	116	90	144	81	63
80-84 years-----	2,991	1,306	1,685	2,868	1,265	1,603	123	41	82	95	28	67
85-89 years-----	1,852	747	1,105	1,762	702	1,060	90	45	45	66	28	38
90-94 years-----	707	246	461	667	231	436	40	15	25	30	9	21
95-99 years-----	140	45	95	132	40	92	8	5	3	7	4	3
100 yrs & over---	17	9	8	15	7	8	2	2	-	2	2	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Malignant immunoproliferative diseases (C88)												
All ages-----	451	246	205	421	228	193	30	18	12	23	13	10
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	-	-	-	1	1	-	1	1	-
35-39 years-----	1	-	1	-	-	-	1	-	1	1	-	1
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	6	3	3	6	3	3	-	-	-	-	-	-
50-54 years-----	10	6	4	6	4	2	4	2	2	4	2	2
55-59 years-----	15	9	6	12	7	5	3	2	1	2	1	1
60-64 years-----	40	26	14	35	22	13	5	4	1	5	4	1
65-69 years-----	33	23	10	32	22	10	1	1	-	1	1	-
70-74 years-----	64	41	23	62	39	23	2	2	-	1	1	-
75-79 years-----	90	50	40	80	45	35	10	5	5	5	2	3
80-84 years-----	79	41	38	78	40	38	1	1	-	1	1	-
85-89 years-----	64	29	35	62	29	33	2	-	2	2	-	2
90-94 years-----	39	16	23	39	16	23	-	-	-	-	-	-
95-99 years-----	9	1	8	9	1	8	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Waldenstrom's macroglobulinemia (C88.0)												
All ages-----	441	240	201	411	222	189	30	18	12	23	13	10
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	-	-	-	1	1	-	1	1	-
35-39 years-----	1	-	1	-	-	-	1	-	1	1	-	1
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	6	3	3	6	3	3	-	-	-	-	-	-
50-54 years-----	10	6	4	6	4	2	4	2	2	4	2	2
55-59 years-----	14	8	6	11	6	5	3	2	1	2	1	1
60-64 years-----	39	26	13	34	22	12	5	4	1	5	4	1
65-69 years-----	32	22	10	31	21	10	1	1	-	1	1	-
70-74 years-----	63	40	23	61	38	23	2	2	-	1	1	-
75-79 years-----	88	48	40	78	43	35	10	5	5	5	2	3
80-84 years-----	76	40	36	75	39	36	1	1	-	1	1	-
85-89 years-----	63	29	34	61	29	32	2	-	2	2	-	2
90-94 years-----	39	16	23	39	16	23	-	-	-	-	-	-
95-99 years-----	9	1	8	9	1	8	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Malignant immunoproliferative disease, unspecified (C88.9)												
All ages-----	10	6	4	10	6	4	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	2	2	-	2	2	-	-	-	-	-	-	-
80-84 years-----	3	1	2	3	1	2	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Multiple myeloma and malignant plasma cell neoplasms (C90)												
All ages-----	10,565	5,338	5,227	8,589	4,423	4,166	1,976	915	1,061	1,780	821	959
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	3	2	1	2	2	-	1	-	1	1	-	1
30-34 years-----	18	13	5	11	7	4	7	6	1	6	6	-
35-39 years-----	46	33	13	35	26	9	11	7	4	9	6	3
40-44 years-----	109	62	47	68	38	30	41	24	17	40	24	16
45-49 years-----	235	129	106	176	99	77	59	30	29	56	28	28
50-54 years-----	414	240	174	293	184	109	121	56	65	113	52	61
55-59 years-----	712	402	310	515	299	216	197	103	94	179	94	85
60-64 years-----	927	531	396	690	419	271	237	112	125	210	98	112
65-69 years-----	1,314	706	608	1,061	588	473	253	118	135	218	100	118
70-74 years-----	1,761	899	862	1,448	745	703	313	154	159	277	137	140
75-79 years-----	1,933	976	957	1,617	837	780	316	139	177	281	123	158
80-84 years-----	1,686	779	907	1,471	689	782	215	90	125	194	84	110
85-89 years-----	976	421	555	835	369	466	141	52	89	135	47	88
90-94 years-----	350	117	233	299	96	203	51	21	30	48	19	29
95-99 years-----	76	25	51	66	24	42	10	1	9	10	1	9
100 yrs & over---	5	3	2	2	1	1	3	2	1	3	2	1
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Multiple myeloma (C90.0)												
All ages-----	10,433	5,270	5,163	8,481	4,367	4,114	1,952	903	1,049	1,758	810	948
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	3	2	1	2	2	-	1	-	1	1	-	1
30-34 years-----	18	13	5	11	7	4	7	6	1	6	6	-
35-39 years-----	44	32	12	34	25	9	10	7	3	9	6	3
40-44 years-----	107	61	46	67	38	29	40	23	17	39	23	16
45-49 years-----	230	126	104	172	97	75	58	29	29	56	28	28
50-54 years-----	405	235	170	287	181	106	118	54	64	110	50	60
55-59 years-----	708	400	308	512	298	214	196	102	94	178	93	85
60-64 years-----	912	522	390	678	411	267	234	111	123	207	97	110
65-69 years-----	1,294	696	598	1,045	579	466	249	117	132	214	99	115
70-74 years-----	1,740	888	852	1,432	737	695	308	151	157	272	134	138
75-79 years-----	1,917	966	951	1,603	827	776	314	139	175	279	123	156
80-84 years-----	1,665	768	897	1,451	679	772	214	89	125	193	83	110
85-89 years-----	966	417	549	826	366	460	140	51	89	134	46	88
90-94 years-----	346	117	229	296	96	200	50	21	29	47	19	28
95-99 years-----	73	24	49	63	23	40	10	1	9	10	1	9
100 yrs & over---	5	3	2	2	1	1	3	2	1	3	2	1
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Plasma cell leukemia (C90.1)												
All ages-----	57	24	33	46	18	28	11	6	5	11	6	5
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	3	3	-	1	1	-	2	2	-	2	2	-
55-59 years-----	3	1	2	2	-	2	1	1	-	1	1	-
60-64 years-----	7	4	3	5	3	2	2	1	1	2	1	1
65-69 years-----	13	5	8	11	5	6	2	-	2	2	-	2
70-74 years-----	12	5	7	9	4	5	3	1	2	3	1	2
75-79 years-----	7	3	4	7	3	4	-	-	-	-	-	-
80-84 years-----	5	3	2	4	2	2	1	1	-	1	1	-
85-89 years-----	3	-	3	3	-	3	-	-	-	-	-	-
90-94 years-----	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Plasmacytoma, extramedullary (C90.2)												
All ages-----	75	44	31	62	38	24	13	6	7	11	5	6
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	2	1	1	1	1	-	1	-	1	-	-	-
40-44 years-----	1	1	-	-	-	-	-	1	-	1	1	-
45-49 years-----	4	3	1	3	2	1	1	1	-	-	-	-
50-54 years-----	6	2	4	5	2	3	1	-	1	1	-	1
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	8	5	3	7	5	2	1	-	1	1	-	1
65-69 years-----	7	5	2	5	4	1	2	1	1	2	1	1
70-74 years-----	9	6	3	7	4	3	2	2	-	2	2	-
75-79 years-----	9	7	2	7	7	-	2	-	2	2	-	2
80-84 years-----	16	8	8	16	8	8	-	-	-	-	-	-
85-89 years-----	7	4	3	6	3	3	1	1	-	1	1	-
90-94 years-----	2	-	2	1	-	1	1	-	1	1	-	1
95-99 years-----	3	1	2	3	1	2	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Lymphoid leukemia (C91)												
All ages-----	6,252	3,597	2,655	5,676	3,266	2,410	576	331	245	507	293	214
Under 1 year----	10	4	6	7	4	3	3	-	3	1	-	1
1-4 years-----	46	26	20	43	24	19	3	2	1	2	1	1
5-9 years-----	65	41	24	58	37	21	7	4	3	6	4	2
10-14 years-----	79	45	34	59	32	27	20	13	7	15	10	5
15-19 years-----	94	65	29	76	50	26	18	15	3	15	13	2
20-24 years-----	99	64	35	83	57	26	16	7	9	13	6	7
25-29 years-----	69	44	25	59	38	21	10	6	4	8	5	3
30-34 years-----	67	43	24	58	37	21	9	6	3	7	5	2
35-39 years-----	78	46	32	62	39	23	16	7	9	14	6	8
40-44 years-----	76	47	29	66	38	28	10	9	1	8	7	1
45-49 years-----	116	71	45	98	60	38	18	11	7	14	9	5
50-54 years-----	179	128	51	155	111	44	24	17	7	21	15	6
55-59 years-----	282	187	95	241	162	79	41	25	16	37	23	14
60-64 years-----	378	259	119	326	227	99	52	32	20	43	26	17
65-69 years-----	572	380	192	506	336	170	66	44	22	63	42	21
70-74 years-----	820	510	310	756	470	286	64	40	24	59	36	23
75-79 years-----	983	576	407	917	539	378	66	37	29	56	32	24
80-84 years-----	961	517	444	900	490	410	61	27	34	56	25	31
85-89 years-----	740	352	388	704	335	369	36	17	19	34	16	18
90-94 years-----	399	147	252	373	138	235	26	9	17	25	9	16
95-99 years-----	120	40	80	112	37	75	8	3	5	8	3	5
100 yrs & over---	19	5	14	17	5	12	2	-	2	2	-	2
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Acute lymphoblastic leukemia (C91.0)												
All ages-----	1,361	779	582	1,189	680	509	172	99	73	132	81	51
Under 1 year-----	10	4	6	7	4	3	3	-	3	1	-	1
1-4 years-----	44	25	19	42	24	18	2	1	1	1	-	1
5-9 years-----	65	41	24	58	37	21	7	4	3	6	4	2
10-14 years-----	75	42	33	56	30	26	19	12	7	14	9	5
15-19 years-----	91	64	27	73	49	24	18	15	3	15	13	2
20-24 years-----	98	63	35	82	56	26	16	7	9	13	6	7
25-29 years-----	69	44	25	59	38	21	10	6	4	8	5	3
30-34 years-----	65	42	23	57	36	21	8	6	2	6	5	1
35-39 years-----	68	40	28	57	35	22	11	5	6	10	5	5
40-44 years-----	56	32	24	47	24	23	9	8	1	7	6	1
45-49 years-----	62	29	33	57	28	29	5	1	4	4	1	3
50-54 years-----	67	38	29	57	34	23	10	4	6	7	2	5
55-59 years-----	87	45	42	75	39	36	12	6	6	9	5	4
60-64 years-----	86	49	37	77	45	32	9	4	5	6	3	3
65-69 years-----	78	42	36	66	34	32	12	8	4	10	6	4
70-74 years-----	94	54	40	90	52	38	4	2	2	3	2	1
75-79 years-----	103	64	39	95	58	37	8	6	2	7	6	1
80-84 years-----	81	33	48	74	30	44	7	3	4	5	3	2
85-89 years-----	43	22	21	41	21	20	2	1	1	-	-	-
90-94 years-----	15	4	11	15	4	11	-	-	-	-	-	-
95-99 years-----	4	2	2	4	2	2	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Chronic lymphocytic leukemia (C91.1)												
All ages-----	4,476	2,559	1,917	4,103	2,346	1,757	373	213	160	347	194	153
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	1	1	-	1	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	2	1	1	1	1	-	1	-	1	1	-	1
35-39 years-----	9	5	4	4	3	1	5	2	3	4	1	3
40-44 years-----	14	9	5	13	8	5	1	1	-	1	1	-
45-49 years-----	47	36	11	36	28	8	11	8	3	8	6	2
50-54 years-----	97	77	20	85	66	19	12	11	1	12	11	1
55-59 years-----	179	132	47	155	116	39	24	16	8	24	16	8
60-64 years-----	268	192	76	228	165	63	40	27	13	35	22	13
65-69 years-----	454	305	149	404	272	132	50	33	17	50	33	17
70-74 years-----	665	418	247	608	382	226	57	36	21	53	32	21
75-79 years-----	821	475	346	766	445	321	55	30	25	46	25	21
80-84 years-----	807	440	367	757	418	339	50	22	28	47	20	27
85-89 years-----	636	298	338	603	283	320	33	15	18	33	15	18
90-94 years-----	351	132	219	326	123	203	25	9	16	24	9	15
95-99 years-----	107	34	73	100	31	69	7	3	4	7	3	4
100 yrs & over---	17	4	13	15	4	11	2	-	2	2	-	2
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Prolymphocytic leukemia (C91.3)												
All ages-----	97	58	39	89	52	37	8	6	2	7	5	2
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	2	1	1	1	-	1	1	1	-	1	1	-
50-54 years-----	6	4	2	5	3	2	1	1	-	1	1	-
55-59 years-----	7	5	2	4	3	1	3	2	1	2	1	1
60-64 years-----	4	3	1	4	3	1	-	-	-	-	-	-
65-69 years-----	14	14	-	12	12	-	2	2	-	2	2	-
70-74 years-----	20	11	9	19	11	8	1	-	1	1	-	1
75-79 years-----	19	9	10	19	9	10	-	-	-	-	-	-
80-84 years-----	16	8	8	16	8	8	-	-	-	-	-	-
85-89 years-----	6	2	4	6	2	4	-	-	-	-	-	-
90-94 years-----	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Hairy-cell leukemia (C91.4)												
All ages-----	105	76	29	95	70	25	10	6	4	9	6	3
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	4	4	-	4	4	-	-	-	-	-	-	-
45-49 years-----	4	4	-	3	3	-	1	1	-	1	1	-
50-54 years-----	4	4	-	3	3	-	1	1	-	1	1	-
55-59 years-----	3	1	2	3	1	2	-	-	-	-	-	-
60-64 years-----	8	5	3	5	4	1	3	1	2	2	1	1
65-69 years-----	7	7	-	7	7	-	-	-	-	-	-	-
70-74 years-----	14	10	4	13	9	4	1	1	-	1	1	-
75-79 years-----	12	8	4	11	7	4	1	1	-	1	1	-
80-84 years-----	17	12	5	15	11	4	2	1	1	2	1	1
85-89 years-----	20	16	4	20	16	4	-	-	-	-	-	-
90-94 years-----	10	4	6	9	4	5	1	-	1	1	-	1
95-99 years-----	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Adult T-cell leukemia (C91.5)												
All ages-----	18	12	6	16	10	6	2	2	-	2	2	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	4	3	1	3	2	1	1	1	-	1	1	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	2	-	2	2	-	2	-	-	-	-	-	-
70-74 years-----	1	1	-	-	-	-	1	1	-	1	1	-
75-79 years-----	4	2	2	4	2	2	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Lymphoid leukemia, unspecified (C91.9)												
All ages-----	195	113	82	184	108	76	11	5	6	10	5	5
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	1	-	-	-	-	1	1	-	1	1	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	2	2	-	2	2	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	3	3	-	3	3	-	-	-	-	-	-	-
55-59 years-----	5	3	2	3	2	1	2	1	1	2	1	1
60-64 years-----	11	9	2	11	9	2	-	-	-	-	-	-
65-69 years-----	17	12	5	15	11	4	2	1	1	1	1	-
70-74 years-----	26	16	10	26	16	10	-	-	-	-	-	-
75-79 years-----	24	18	6	22	18	4	2	-	2	2	-	2
80-84 years-----	39	24	15	37	23	14	2	1	1	2	1	1
85-89 years-----	35	14	21	34	13	21	1	1	-	1	1	-
90-94 years-----	21	6	15	21	6	15	-	-	-	-	-	-
95-99 years-----	8	3	5	7	3	4	1	-	1	1	-	1
100 yrs & over---	1	1	-	1	1	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Myeloid leukemia (C92)												
All ages-----	9,284	5,019	4,265	8,303	4,500	3,803	981	519	462	755	395	360
Under 1 year-----	8	3	5	8	3	5	-	-	-	-	-	-
1-4 years-----	54	29	25	43	21	22	11	8	3	9	6	3
5-9 years-----	32	14	18	21	9	12	11	5	6	10	4	6
10-14 years-----	63	33	30	51	28	23	12	5	7	10	5	5
15-19 years-----	76	38	38	53	27	26	23	11	12	16	8	8
20-24 years-----	112	65	47	84	50	34	28	15	13	27	14	13
25-29 years-----	124	62	62	99	49	50	25	13	12	18	9	9
30-34 years-----	142	76	66	109	56	53	33	20	13	22	14	8
35-39 years-----	220	118	102	185	100	85	35	18	17	27	13	14
40-44 years-----	267	133	134	215	108	107	52	25	27	39	18	21
45-49 years-----	388	203	185	326	168	158	62	35	27	47	27	20
50-54 years-----	423	231	192	353	191	162	70	40	30	49	30	19
55-59 years-----	607	330	277	541	297	244	66	33	33	44	26	18
60-64 years-----	699	405	294	608	352	256	91	53	38	72	41	31
65-69 years-----	1,030	605	425	919	542	377	111	63	48	87	48	39
70-74 years-----	1,348	807	541	1,234	745	489	114	62	52	92	49	43
75-79 years-----	1,430	793	637	1,331	739	592	99	54	45	79	42	37
80-84 years-----	1,197	624	573	1,116	589	527	81	35	46	62	24	38
85-89 years-----	742	337	405	708	322	386	34	15	19	27	11	16
90-94 years-----	251	95	156	232	87	145	19	8	11	15	6	9
95-99 years-----	64	15	49	60	14	46	4	1	3	3	-	3
100 yrs & over---	7	3	4	7	3	4	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Acute myeloid leukemia (C92.0)

All ages-----	6,581	3,526	3,055	5,895	3,176	2,719	686	350	336	524	263	261
Under 1 year-----	8	3	5	8	3	5	-	-	-	-	-	-
1-4 years-----	45	24	21	35	16	19	10	8	2	8	6	2
5-9 years-----	25	11	14	16	7	9	9	4	5	8	3	5
10-14 years-----	52	27	25	43	22	21	9	5	4	7	5	2
15-19 years-----	60	32	28	42	24	18	18	8	10	12	5	7
20-24 years-----	82	44	38	64	36	28	18	8	10	17	7	10
25-29 years-----	79	39	40	67	35	32	12	4	8	9	3	6
30-34 years-----	79	41	38	66	34	32	13	7	6	10	4	6
35-39 years-----	127	61	66	106	52	54	21	9	12	18	8	10
40-44 years-----	179	88	91	150	78	72	29	10	19	23	8	15
45-49 years-----	261	129	132	222	107	115	39	22	17	31	18	13
50-54 years-----	294	159	135	249	132	117	45	27	18	29	19	10
55-59 years-----	447	243	204	399	223	176	48	20	28	31	15	16
60-64 years-----	499	290	209	434	251	183	65	39	26	53	30	23
65-69 years-----	771	449	322	684	399	285	87	50	37	65	37	28
70-74 years-----	985	582	403	899	537	362	86	45	41	67	35	32
75-79 years-----	1,054	570	484	980	531	449	74	39	35	57	29	28
80-84 years-----	835	438	397	767	407	360	68	31	37	51	21	30
85-89 years-----	504	225	279	482	217	265	22	8	14	17	6	11
90-94 years-----	150	56	94	140	51	89	10	5	5	9	4	5
95-99 years-----	43	13	30	40	12	28	3	1	2	2	-	2
100 yrs & over---	2	2	-	2	2	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Chronic myeloid leukemia (C92.1)												
All ages-----	1,788	981	807	1,557	842	715	231	139	92	182	107	75
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	2	1	1	2	1	1	-	-	-	-	-	-
5-9 years-----	4	2	2	3	2	1	1	-	1	1	-	1
10-14 years-----	8	5	3	6	5	1	2	-	2	2	-	2
15-19 years-----	10	5	5	6	2	4	4	3	1	4	3	1
20-24 years-----	23	17	6	13	10	3	10	7	3	10	7	3
25-29 years-----	33	20	13	21	11	10	12	9	3	8	6	2
30-34 years-----	51	29	22	32	17	15	19	12	7	11	9	2
35-39 years-----	81	52	29	68	43	25	13	9	4	8	5	3
40-44 years-----	73	38	35	52	24	28	21	14	7	14	9	5
45-49 years-----	104	59	45	83	48	35	21	11	10	15	8	7
50-54 years-----	115	64	51	96	54	42	19	10	9	17	9	8
55-59 years-----	123	63	60	110	53	57	13	10	3	10	8	2
60-64 years-----	134	79	55	117	69	48	17	10	7	14	9	5
65-69 years-----	172	99	73	154	89	65	18	10	8	17	9	8
70-74 years-----	211	137	74	191	125	66	20	12	8	17	9	8
75-79 years-----	214	128	86	196	117	79	18	11	7	15	9	6
80-84 years-----	215	101	114	206	98	108	9	3	6	8	2	6
85-89 years-----	144	63	81	137	58	79	7	5	2	5	3	2
90-94 years-----	54	17	37	47	14	33	7	3	4	6	2	4
95-99 years-----	14	2	12	14	2	12	-	-	-	-	-	-
100 yrs & over---	3	-	3	3	-	3	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Myeloid sarcoma (C92.3)												
All ages-----	19	10	9	15	9	6	4	1	3	3	1	2
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	-	1	-	-	-	1	-	1	1	-	1
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	-	-	-	1	-	1	1	-	1
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	3	1	2	3	1	2	-	-	-	-	-	-
50-54 years-----	2	1	1	-	-	-	2	1	1	1	1	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	3	3	-	3	3	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	2	-	2	2	-	2	-	-	-	-	-	-
85-89 years-----	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Acute promyelocytic leukemia (C92.4)												
All ages-----	129	62	67	114	58	56	15	4	11	12	4	8
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	2	1	1	1	-	1	1	1	-	1	1	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	5	-	5	4	-	4	1	-	1	-	-	-
20-24 years-----	4	2	2	4	2	2	-	-	-	-	-	-
25-29 years-----	8	1	7	7	1	6	1	-	1	1	-	1
30-34 years-----	6	2	4	6	2	4	-	-	-	-	-	-
35-39 years-----	7	3	4	6	3	3	1	-	1	1	-	1
40-44 years-----	5	3	2	5	3	2	-	-	-	-	-	-
45-49 years-----	12	9	3	12	9	3	-	-	-	-	-	-
50-54 years-----	5	3	2	2	2	-	3	1	2	2	1	1
55-59 years-----	6	2	4	5	1	4	1	1	-	1	1	-
60-64 years-----	15	5	10	11	5	6	4	-	4	3	-	3
65-69 years-----	11	6	5	10	5	5	1	1	-	1	1	-
70-74 years-----	16	9	7	15	9	6	1	-	1	1	-	1
75-79 years-----	12	7	5	12	7	5	-	-	-	-	-	-
80-84 years-----	6	3	3	5	3	2	1	-	1	1	-	1
85-89 years-----	6	4	2	6	4	2	-	-	-	-	-	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Acute myelomonocytic leukemia (C92.5)												
All ages-----	181	95	86	173	91	82	8	4	4	6	3	3
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	2	1	1	2	1	1	-	-	-	-	-	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	2	2	-	2	2	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	4	1	3	4	1	3	-	-	-	-	-	-
40-44 years-----	2	-	2	1	-	1	1	-	1	1	-	1
45-49 years-----	2	-	2	2	-	2	-	-	-	-	-	-
50-54 years-----	3	1	2	2	-	2	1	1	-	-	-	-
55-59 years-----	6	4	2	4	3	1	2	1	1	1	1	-
60-64 years-----	13	4	9	13	4	9	-	-	-	-	-	-
65-69 years-----	17	11	6	16	11	5	1	-	1	1	-	1
70-74 years-----	35	21	14	33	20	13	2	1	1	2	1	1
75-79 years-----	38	24	14	37	23	14	1	1	-	1	1	-
80-84 years-----	28	12	16	28	12	16	-	-	-	-	-	-
85-89 years-----	15	10	5	15	10	5	-	-	-	-	-	-
90-94 years-----	8	4	4	8	4	4	-	-	-	-	-	-
95-99 years-----	4	-	4	4	-	4	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other myeloid leukemia (C92.7)												
All ages-----	356	219	137	340	209	131	16	10	6	12	9	3
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	2	2	-	2	2	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	4	3	1	3	2	1	1	1	-	1	1	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	3	2	1	2	1	1	1	1	-	1	1	-
45-49 years-----	2	2	-	2	2	-	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	17	11	6	15	10	5	2	1	1	1	1	-
60-64 years-----	20	13	7	20	13	7	-	-	-	-	-	-
65-69 years-----	37	24	13	34	22	12	3	2	1	2	1	1
70-74 years-----	69	41	28	66	39	27	3	2	1	3	2	1
75-79 years-----	71	44	27	70	43	27	1	1	-	1	1	-
80-84 years-----	74	49	25	71	48	23	3	1	2	2	1	1
85-89 years-----	36	19	17	35	18	17	1	1	-	1	1	-
90-94 years-----	19	8	11	18	8	10	1	-	1	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Myeloid leukemia, unspecified (C92.9)												
All ages-----	230	126	104	209	115	94	21	11	10	16	8	8
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years-----	4	2	2	4	2	2	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	5	2	3	5	2	3	-	-	-	-	-	-
45-49 years-----	4	3	1	2	1	1	2	2	-	1	1	-
50-54 years-----	3	3	-	3	3	-	-	-	-	-	-	-
55-59 years-----	7	6	1	7	6	1	-	-	-	-	-	-
60-64 years-----	17	13	4	12	9	3	5	4	1	2	2	-
65-69 years-----	21	15	6	20	15	5	1	-	1	1	-	1
70-74 years-----	29	14	15	27	12	15	2	2	-	2	2	-
75-79 years-----	40	20	20	35	18	17	5	2	3	5	2	3
80-84 years-----	37	21	16	37	21	16	-	-	-	-	-	-
85-89 years-----	35	15	20	31	14	17	4	1	3	4	1	3
90-94 years-----	19	9	10	18	9	9	1	-	1	-	-	-
95-99 years-----	3	-	3	2	-	2	1	-	1	1	-	1
100 yrs & over---	2	1	1	2	1	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Monocytic leukemia (C93)												
All ages-----	179	95	84	162	86	76	17	9	8	14	6	8
Under 1 year----	1	-	1	-	-	-	1	-	1	1	-	1
1-4 years-----	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	-	-	-	1	1	-	1	1	-
15-19 years-----	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years-----	3	2	1	3	2	1	-	-	-	-	-	-
25-29 years-----	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	2	1	1	2	1	1	-	-	-	-	-	-
40-44 years-----	2	2	-	2	2	-	-	-	-	-	-	-
45-49 years-----	6	2	4	3	-	3	3	2	1	2	1	1
50-54 years-----	4	2	2	4	2	2	-	-	-	-	-	-
55-59 years-----	7	3	4	6	3	3	1	-	1	1	-	1
60-64 years-----	2	1	1	2	1	1	-	-	-	-	-	-
65-69 years-----	21	11	10	19	11	8	2	-	2	2	-	2
70-74 years-----	25	14	11	23	13	10	2	1	1	2	1	1
75-79 years-----	34	22	12	31	19	12	3	3	-	2	2	-
80-84 years-----	30	17	13	27	16	11	3	1	2	2	-	2
85-89 years-----	23	11	12	23	11	12	-	-	-	-	-	-
90-94 years-----	11	5	6	11	5	6	-	-	-	-	-	-
95-99 years-----	3	-	3	3	-	3	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Acute monocytic leukemia (C93.0)												
All ages-----	136	73	63	123	67	56	13	6	7	10	3	7
Under 1 year----	1	-	1	-	-	-	1	-	1	1	-	1
1-4 years-----	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	-	-	-	1	1	-	1	1	-
15-19 years-----	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years-----	3	2	1	3	2	1	-	-	-	-	-	-
25-29 years-----	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	2	1	1	2	1	1	-	-	-	-	-	-
40-44 years-----	2	2	-	2	2	-	-	-	-	-	-	-
45-49 years-----	4	1	3	2	-	2	2	1	1	1	-	1
50-54 years-----	2	1	1	2	1	1	-	-	-	-	-	-
55-59 years-----	6	2	4	5	2	3	1	-	1	1	-	1
60-64 years-----	2	1	1	2	1	1	-	-	-	-	-	-
65-69 years-----	19	10	9	17	10	7	2	-	2	2	-	2
70-74 years-----	18	11	7	18	11	7	-	-	-	-	-	-
75-79 years-----	27	17	10	25	15	10	2	2	-	1	1	-
80-84 years-----	21	11	10	18	10	8	3	1	2	2	-	2
85-89 years-----	16	9	7	16	9	7	-	-	-	-	-	-
90-94 years-----	6	3	3	6	3	3	-	-	-	-	-	-
95-99 years-----	3	-	3	3	-	3	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Chronic monocytic leukemia (C93.1)												
All ages-----	18	9	9	17	8	9	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	-	-	-	1	1	-	1	1	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	2	-	2	2	-	2	-	-	-	-	-	-
75-79 years-----	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years-----	5	3	2	5	3	2	-	-	-	-	-	-
85-89 years-----	5	1	4	5	1	4	-	-	-	-	-	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Other monocytic leukemia (C93.7)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Monocytic leukemia, unspecified (C93.9)												
All ages-----	24	13	11	21	11	10	3	2	1	3	2	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	2	1	1	2	1	1	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	5	3	2	3	2	1	2	1	1	2	1	1
75-79 years-----	5	4	1	4	3	1	1	1	-	1	1	-
80-84 years-----	4	3	1	4	3	1	-	-	-	-	-	-
85-89 years-----	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years-----	4	1	3	4	1	3	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Other leukemias of specified cell type (C94)												
All ages-----	84	46	38	70	40	30	14	6	8	10	5	5
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	2	-	2	2	-	2	-	-	-	-	-	-
5-9 years-----	2	1	1	2	1	1	-	-	-	-	-	-
10-14 years-----	1	-	1	-	-	-	1	-	1	-	-	-
15-19 years-----	2	-	2	2	-	2	-	-	-	-	-	-
20-24 years-----	2	1	1	1	1	-	1	-	1	1	-	1
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	-	-	-	1	1	-	1	1	-
40-44 years-----	1	-	1	-	-	-	1	-	1	-	-	-
45-49 years-----	1	1	-	-	-	-	1	1	-	1	1	-
50-54 years-----	6	2	4	5	1	4	1	1	-	-	-	-
55-59 years-----	3	1	2	1	-	1	2	1	1	2	1	1
60-64 years-----	4	2	2	3	2	1	1	-	1	-	-	-
65-69 years-----	9	5	4	7	5	2	2	-	2	2	-	2
70-74 years-----	20	14	6	19	14	5	1	-	1	1	-	1
75-79 years-----	16	10	6	14	8	6	2	2	-	2	2	-
80-84 years-----	4	3	1	4	3	1	-	-	-	-	-	-
85-89 years-----	5	3	2	5	3	2	-	-	-	-	-	-
90-94 years-----	3	1	2	3	1	2	-	-	-	-	-	-
95-99 years-----	2	1	1	2	1	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Acute erythremia and erythroleukemia (C94.0)												
All ages-----	23	14	9	21	13	8	2	1	1	2	1	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	2	2	-	2	2	-	-	-	-	-	-	-
70-74 years-----	6	5	1	5	5	-	1	-	1	1	-	1
75-79 years-----	7	3	4	6	2	4	1	1	-	1	1	-
80-84 years-----	3	2	1	3	2	1	-	-	-	-	-	-
85-89 years-----	3	1	2	3	1	2	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Chronic erythremia (C94.1)

All ages-----	6	2	4	5	2	3	1	-	1	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	-	-	-	1	-	1	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Acute megakaryoblastic leukemia (C94.2)												
All ages-----	18	10	8	15	8	7	3	2	1	1	1	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	2	-	2	2	-	2	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	-	-	-	1	-	1	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	2	1	1	1	-	1	1	1	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	5	4	1	5	4	1	-	-	-	-	-	-
75-79 years-----	5	3	2	4	2	2	1	1	-	1	1	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Acute myelofibrosis (C94.5)												
All ages-----	6	2	4	5	2	3	1	-	1	1	-	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	2	-	2	1	-	1	1	-	1	1	-	1
70-74 years-----	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other specified leukemias (C94.7)												
All ages-----	31	18	13	24	15	9	7	3	4	6	3	3
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years-----	2	1	1	1	1	-	1	-	1	1	-	1
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	-	-	-	1	1	-	1	1	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	-	-	-	1	1	-	1	1	-
50-54 years-----	3	1	2	3	1	2	-	-	-	-	-	-
55-59 years-----	3	1	2	1	-	1	2	1	1	2	1	1
60-64 years-----	2	1	1	1	1	-	1	-	1	-	-	-
65-69 years-----	3	1	2	2	1	1	1	-	1	1	-	1
70-74 years-----	6	4	2	6	4	2	-	-	-	-	-	-
75-79 years-----	3	3	-	3	3	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	2	2	-	2	2	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Leukemia of unspecified cell type (C95)												
All ages-----	5,215	2,762	2,453	4,688	2,503	2,185	527	259	268	422	193	229
Under 1 year----	8	4	4	8	4	4	-	-	-	-	-	-
1-4 years-----	16	10	6	14	9	5	2	1	1	2	1	1
5-9 years-----	31	19	12	25	16	9	6	3	3	2	1	1
10-14 years-----	31	19	12	22	11	11	9	8	1	9	8	1
15-19 years-----	48	27	21	38	20	18	10	7	3	5	3	2
20-24 years-----	45	29	16	38	26	12	7	3	4	6	2	4
25-29 years-----	40	21	19	33	17	16	7	4	3	3	1	2
30-34 years-----	56	29	27	42	22	20	14	7	7	9	3	6
35-39 years-----	73	38	35	58	30	28	15	8	7	11	5	6
40-44 years-----	79	49	30	70	44	26	9	5	4	7	4	3
45-49 years-----	115	69	46	97	58	39	18	11	7	15	9	6
50-54 years-----	132	68	64	102	55	47	30	13	17	26	11	15
55-59 years-----	213	115	98	186	101	85	27	14	13	22	11	11
60-64 years-----	321	186	135	282	169	113	39	17	22	31	14	17
65-69 years-----	446	274	172	388	247	141	58	27	31	47	22	25
70-74 years-----	721	434	287	660	401	259	61	33	28	52	26	26
75-79 years-----	938	545	393	873	510	363	65	35	30	57	30	27
80-84 years-----	867	418	449	794	386	408	73	32	41	57	21	36
85-89 years-----	641	261	380	597	240	357	44	21	23	35	15	20
90-94 years-----	320	127	193	296	119	177	24	8	16	18	5	13
95-99 years-----	69	19	50	61	17	44	8	2	6	7	1	6
100 yrs & over---	5	1	4	4	1	3	1	-	1	1	-	1
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Acute leukemia of unspecified cell type (C95.0)												
All ages-----	2,604	1,365	1,239	2,361	1,258	1,103	243	107	136	192	78	114
Under 1 year-----	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years-----	8	5	3	7	4	3	1	1	-	1	1	-
5-9 years-----	12	8	4	10	6	4	2	2	-	1	1	-
10-14 years-----	8	4	4	5	2	3	3	2	1	3	2	1
15-19 years-----	18	12	6	14	8	6	4	4	-	2	2	-
20-24 years-----	28	16	12	24	15	9	4	1	3	3	-	3
25-29 years-----	18	9	9	14	7	7	4	2	2	3	1	2
30-34 years-----	38	22	16	30	18	12	8	4	4	3	-	3
35-39 years-----	39	19	20	32	17	15	7	2	5	4	-	4
40-44 years-----	43	24	19	37	21	16	6	3	3	5	3	2
45-49 years-----	69	40	29	59	34	25	10	6	4	8	5	3
50-54 years-----	75	35	40	59	30	29	16	5	11	14	4	10
55-59 years-----	121	60	61	105	52	53	16	8	8	12	6	6
60-64 years-----	168	94	74	149	87	62	19	7	12	15	6	9
65-69 years-----	239	145	94	213	130	83	26	15	11	21	12	9
70-74 years-----	385	230	155	355	216	139	30	14	16	26	12	14
75-79 years-----	475	277	198	446	263	183	29	14	15	24	12	12
80-84 years-----	435	188	247	397	178	219	38	10	28	29	5	24
85-89 years-----	270	115	155	258	110	148	12	5	7	11	4	7
90-94 years-----	128	54	74	121	52	69	7	2	5	6	2	4
95-99 years-----	24	8	16	24	8	16	-	-	-	-	-	-
100 yrs & over---	2	-	2	1	-	1	1	-	1	1	-	1
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Chronic leukemia of unspecified cell type (C95.1)												
All ages-----	202	117	85	184	104	80	18	13	5	16	12	4
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	2	2	-	2	2	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	-	-	-	1	1	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	3	2	1	3	2	1	-	-	-	-	-	-
50-54 years-----	4	3	1	1	1	-	3	2	1	2	2	-
55-59 years-----	5	4	1	4	3	1	1	1	-	1	1	-
60-64 years-----	5	2	3	4	2	2	1	-	1	1	-	1
65-69 years-----	15	10	5	14	9	5	1	1	-	1	1	-
70-74 years-----	20	15	5	17	12	5	3	3	-	3	3	-
75-79 years-----	40	27	13	37	25	12	3	2	1	3	2	1
80-84 years-----	50	28	22	47	27	20	3	1	2	3	1	2
85-89 years-----	35	12	23	34	11	23	1	1	-	1	1	-
90-94 years-----	20	10	10	19	9	10	1	1	-	1	1	-
95-99 years-----	2	1	1	2	1	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Subacute leukemia of unspecified cell type (C95.2)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other leukemia of unspecified cell type (C95.7)

All ages-----	4	2	2	4	2	2	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Leukemia, unspecified (C95.9)												
All ages-----	2,404	1,277	1,127	2,138	1,138	1,000	266	139	127	214	103	111
Under 1 year-----	7	4	3	7	4	3	-	-	-	-	-	-
1-4 years-----	8	5	3	7	5	2	1	-	1	1	-	1
5-9 years-----	19	11	8	15	10	5	4	1	3	1	-	1
10-14 years-----	23	15	8	17	9	8	6	6	-	6	6	-
15-19 years-----	30	15	15	24	12	12	6	3	3	3	1	2
20-24 years-----	15	11	4	12	9	3	3	2	1	3	2	1
25-29 years-----	22	12	10	19	10	9	3	2	1	-	-	-
30-34 years-----	18	7	11	12	4	8	6	3	3	6	3	3
35-39 years-----	33	18	15	26	13	13	7	5	2	7	5	2
40-44 years-----	36	25	11	33	23	10	3	2	1	2	1	1
45-49 years-----	43	27	16	35	22	13	8	5	3	7	4	3
50-54 years-----	53	30	23	42	24	18	11	6	5	10	5	5
55-59 years-----	87	51	36	77	46	31	10	5	5	9	4	5
60-64 years-----	148	90	58	129	80	49	19	10	9	15	8	7
65-69 years-----	192	119	73	161	108	53	31	11	20	25	9	16
70-74 years-----	314	188	126	286	172	114	28	16	12	23	11	12
75-79 years-----	423	241	182	390	222	168	33	19	14	30	16	14
80-84 years-----	380	200	180	348	179	169	32	21	11	25	15	10
85-89 years-----	335	134	201	304	119	185	31	15	16	23	10	13
90-94 years-----	172	63	109	156	58	98	16	5	11	11	2	9
95-99 years-----	43	10	33	35	8	27	8	2	6	7	1	6
100 yrs & over---	3	1	2	3	1	2	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other and unspecified malignant neoplasms of lymphoid, hematopoietic, and related tissue (C96)

All ages-----	83	39	44	76	36	40	7	3	4	6	3	3
Under 1 year-----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	2	-	2	2	-	2	-	-	-	-	-	-
40-44 years-----	2	1	1	1	1	-	1	-	1	1	-	1
45-49 years-----	3	1	2	2	1	1	1	-	1	1	-	1
50-54 years-----	6	3	3	5	2	3	1	1	-	1	1	-
55-59 years-----	6	5	1	5	4	1	1	1	-	1	1	-
60-64 years-----	6	2	4	6	2	4	-	-	-	-	-	-
65-69 years-----	10	5	5	10	5	5	-	-	-	-	-	-
70-74 years-----	7	3	4	7	3	4	-	-	-	-	-	-
75-79 years-----	14	9	5	13	8	5	1	1	-	1	1	-
80-84 years-----	11	5	6	10	5	5	1	-	1	-	-	-
85-89 years-----	9	3	6	8	3	5	1	-	1	1	-	1
90-94 years-----	4	-	4	4	-	4	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Malignant histiocytosis (C96.1)												
All ages-----	7	2	5	5	2	3	2	-	2	2	-	2
Under 1 year----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	-	-	-	1	-	1	1	-	1
45-49 years-----	1	-	1	-	-	-	1	-	1	1	-	1
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Malignant mast cell tumor (C96.2)

All ages-----	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other specified malignant neoplasms of lymphoid, hematopoietic, and related tissue (C96.7)												
All ages-----	3	1	2	3	1	2	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	2	-	2	2	-	2	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Malignant neoplasms of lymphoid, hematopoietic, and related tissue, unspecified (C96.9)

All ages-----	71	35	36	66	32	34	5	3	2	4	3	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	2	-	2	2	-	2	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years-----	6	3	3	5	2	3	1	1	-	1	1	-
55-59 years-----	5	4	1	4	3	1	1	1	-	1	1	-
60-64 years-----	6	2	4	6	2	4	-	-	-	-	-	-
65-69 years-----	9	5	4	9	5	4	-	-	-	-	-	-
70-74 years-----	4	2	2	4	2	2	-	-	-	-	-	-
75-79 years-----	12	8	4	11	7	4	1	1	-	1	1	-
80-84 years-----	11	5	6	10	5	5	1	-	1	-	-	-
85-89 years-----	8	3	5	7	3	4	1	-	1	1	-	1
90-94 years-----	4	-	4	4	-	4	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Malignant neoplasms of independent (primary) multiple sites (C97)												
All ages-----	4,901	2,751	2,150	4,255	2,408	1,847	646	343	303	562	300	262
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	2	-	2	2	-	2	-	-	-	-	-	-
5-9 years-----	5	5	-	3	3	-	2	2	-	-	-	-
10-14 years-----	8	4	4	5	2	3	3	2	1	2	1	1
15-19 years-----	5	2	3	5	2	3	-	-	-	-	-	-
20-24 years-----	9	5	4	8	4	4	1	1	-	-	-	-
25-29 years-----	10	4	6	10	4	6	-	-	-	-	-	-
30-34 years-----	24	13	11	16	7	9	8	6	2	4	2	2
35-39 years-----	36	15	21	27	11	16	9	4	5	8	3	5
40-44 years-----	69	26	43	46	18	28	23	8	15	20	6	14
45-49 years-----	118	66	52	96	56	40	22	10	12	19	8	11
50-54 years-----	175	86	89	145	72	73	30	14	16	26	13	13
55-59 years-----	243	123	120	197	102	95	46	21	25	44	20	24
60-64 years-----	372	201	171	315	174	141	57	27	30	46	26	20
65-69 years-----	487	271	216	419	233	186	68	38	30	59	36	23
70-74 years-----	688	409	279	595	356	239	93	53	40	81	50	31
75-79 years-----	889	522	367	801	471	330	88	51	37	77	40	37
80-84 years-----	838	506	332	746	459	287	92	47	45	83	43	40
85-89 years-----	593	324	269	526	288	238	67	36	31	62	34	28
90-94 years-----	235	125	110	210	113	97	25	12	13	20	8	12
95-99 years-----	83	41	42	72	30	42	11	11	-	10	10	-
100 yrs & over---	12	3	9	11	3	8	1	-	1	1	-	1
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Carcinoma in situ of oral cavity, esophagus, and stomach (D00)

All ages-----	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Stomach (D00.2)												
All ages-----	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Carcinoma in situ of other and unspecified digestive organs (D01)

All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Colon (D01.0)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Carcinoma in situ of middle ear and respiratory system (D02)

All ages-----	2	1	1	1	-	1	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	-	-	-	1	1	-	1	1	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Trachea (D02.1)												
All ages-----	1	1	-	-	-	-	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	-	-	-	1	1	-	1	1	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Bronchus and lung (D02.2)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Melanoma in situ (D03)												
All ages-----	7	4	3	7	4	3	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	2	1	1	2	1	1	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Melanoma in situ of other and unspecified parts of face (D03.3)

All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Melanoma in situ of trunk (D03.5)												
All ages-----	2	-	2	2	-	2	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Melanoma in situ of lower limb, including hip (D03.7)

All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Melanoma in situ of other sites (D03.8)												
All ages-----	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Melanoma in situ, unspecified (D03.9)

All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Carcinoma in situ of skin (D04)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Skin of other and unspecified parts of face (D04.3)

All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),

RACE, AND SEX - - - ALL RACES - - - - - - WHITE - - - - - - ALL OTHER - - - - - - BLACK - - -

TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Carcinoma in situ of breast (D05)

All ages-----	3	-	3	3	-	3	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Lobular carcinoma in situ (D05.0)

All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

RACE, AND SEX

Carcinoma in situ of breast, unspecified (D05.9)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	2	-	2	2	-	2	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Carcinoma in situ of other and unspecified genital organs (D07)

All ages-----	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other and unspecified female genital organs (D07.3)												
All ages-----	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years-----	1	...	1	1	...	1	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Prostate (D07.5)

All ages-----	1	1	...	1	1	...	-	-	...	-	-	...
Under 1 year-----	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years-----	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years-----	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years-----	1	1	...	1	1	...	-	-	...	-	-	...
70-74 years-----	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years-----	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years-----	-	-	...	-	-	...	-	-	...	-	-	...
85-89 years-----	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years-----	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...	-	-	...

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Carcinoma in situ of other and unspecified sites (D09)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Carcinoma in situ, unspecified (D09.9)

All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Benign neoplasm of major salivary glands (D11)												
All ages-----	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Parotid gland (D11.0)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Major salivary gland, unspecified (D11.9)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Benign neoplasm of colon, rectum, anus, and anal canal (D12)												
All ages-----	58	26	32	48	20	28	10	6	4	9	5	4
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	-	-	-	1	1	-	1	1	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	2	1	1	1	1	-	1	-	1	1	-	1
55-59 years-----	1	-	1	-	-	-	1	-	1	1	-	1
60-64 years-----	2	1	1	1	1	1	1	1	-	1	1	-
65-69 years-----	5	1	4	4	-	4	1	1	-	1	1	-
70-74 years-----	11	8	3	10	7	3	1	1	-	-	-	-
75-79 years-----	13	6	7	12	5	7	1	1	-	1	1	-
80-84 years-----	8	2	6	7	1	6	1	1	-	1	1	-
85-89 years-----	4	1	3	3	1	2	1	-	1	1	-	1
90-94 years-----	9	4	5	8	4	4	1	-	1	1	-	1
95-99 years-----	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Cecum (D12.0)												
All ages-----	2	1	1	1	1	-	1	-	1	1	-	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	2	1	1	1	1	-	1	-	1	1	-	1
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Appendix (D12.1)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Ascending colon (D12.2)												
All ages-----	2	-	2	2	-	2	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Transverse colon (D12.3)

All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Colon, unspecified (D12.6)												
All ages-----	52	23	29	43	17	26	9	6	3	8	5	3
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	-	-	-	1	1	-	1	1	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	2	1	1	1	1	-	1	-	1	1	-	1
55-59 years-----	1	-	1	-	-	-	1	-	1	1	-	1
60-64 years-----	2	1	1	1	-	1	1	1	-	1	1	-
65-69 years-----	5	1	4	4	-	4	1	1	-	1	1	-
70-74 years-----	9	7	2	8	6	2	1	1	-	-	-	-
75-79 years-----	13	6	7	12	5	7	1	1	-	1	1	-
80-84 years-----	6	1	5	5	-	5	1	1	-	1	1	-
85-89 years-----	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years-----	9	4	5	8	4	4	1	-	1	1	-	1
95-99 years-----	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Benign neoplasm of other and ill-defined parts of digestive system (D13)

All ages-----	64	28	36	53	23	30	11	5	6	11	5	6
Under 1 year----	1	-	1	-	-	-	1	-	1	1	-	1
1-4 years-----	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	2	2	-	2	2	-	-	-	-	-	-	-
45-49 years-----	2	1	1	1	1	-	1	-	1	1	-	1
50-54 years-----	5	4	1	5	4	1	-	-	-	-	-	-
55-59 years-----	5	2	3	3	-	3	2	2	-	2	2	-
60-64 years-----	3	2	1	2	1	1	1	1	-	1	1	-
65-69 years-----	4	2	2	3	1	2	1	1	-	1	1	-
70-74 years-----	5	5	-	5	5	-	-	-	-	-	-	-
75-79 years-----	13	3	10	11	3	8	2	-	2	2	-	2
80-84 years-----	4	3	1	3	2	1	1	1	-	1	1	-
85-89 years-----	9	3	6	8	3	5	1	-	1	1	-	1
90-94 years-----	7	1	6	6	1	5	1	-	1	1	-	1
95-99 years-----	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Esophagus (D13.0)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Stomach (D13.1)												
All ages-----	16	7	9	13	6	7	3	1	2	3	1	2
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	1	1	-	-	-	-	1	1	-	1	1	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	2	2	-	2	2	-	-	-	-	-	-	-
75-79 years-----	4	1	3	3	1	2	1	-	1	1	-	1
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	3	1	2	2	1	1	1	-	1	1	-	1
90-94 years-----	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years-----	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Duodenum (D13.2)												
All ages-----	3	-	3	3	-	3	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other and unspecified parts of small intestine (D13.3)

All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Liver (D13.4)												
All ages-----	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Extrahepatic bile ducts (D13.5)												
All ages-----	3	2	1	3	2	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Pancreas (D13.6)												
All ages-----	5	1	4	3	1	2	2	-	2	2	-	2
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	-	-	-	1	-	1	1	-	1
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	1	-	1	-	-	-	1	-	1	1	-	1
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Endocrine pancreas (D13.7)												
All ages-----	32	14	18	26	10	16	6	4	2	6	4	2
Under 1 year----	1	-	1	-	-	-	1	-	1	1	-	1
1-4 years-----	1	-	1	1	-	1	-	1	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	1	-	1	-	-	-	1	-	1	1	-	1
50-54 years-----	4	3	1	4	3	1	-	-	-	-	-	-
55-59 years-----	4	1	3	3	-	3	1	1	-	1	1	-
60-64 years-----	1	1	-	-	-	-	1	1	-	1	1	-
65-69 years-----	3	2	1	2	1	1	1	1	-	1	1	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	6	1	5	6	1	5	-	-	-	-	-	-
80-84 years-----	3	2	1	2	1	1	1	1	-	1	1	-
85-89 years-----	3	1	2	3	1	2	-	-	-	-	-	-
90-94 years-----	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

ALL RACES WHITE ALL OTHER BLACK

Ill-defined sites within the digestive system (D13.9)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Benign neoplasm of middle ear and respiratory system (D14)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	11	7	4	8	5	3	3	2	1	3	2	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years-----	2	1	1	1	-	1	1	1	-	1	1	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	-	-	-	1	1	-	1	1	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	2	2	-	2	2	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	2	1	1	1	1	-	1	-	1	1	-	1
80-84 years-----	3	2	1	3	2	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Middle ear, nasal cavity, and accessory sinuses (D14.0)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Larynx (D14.1)												
All ages-----	4	3	1	2	1	1	2	2	-	2	2	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years-----	1	1	-	-	-	-	1	1	-	1	1	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	-	-	-	1	1	-	1	1	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Bronchus and lung (D14.3)												
All ages-----	6	3	3	5	3	2	1	-	1	1	-	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	2	1	1	1	1	-	1	-	1	1	-	1
80-84 years-----	3	2	1	3	2	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Benign neoplasm of other and unspecified intrathoracic organs (D15)

All ages-----	93	37	56	72	27	45	21	10	11	13	8	5
Under 1 year----	3	2	1	3	2	1	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	2	1	1	-	-	-	2	1	1	-	-	-
35-39 years-----	2	2	-	1	1	-	1	1	-	1	1	-
40-44 years-----	4	2	2	3	1	2	1	1	-	1	1	-
45-49 years-----	8	4	4	7	4	3	1	-	1	-	-	-
50-54 years-----	3	1	2	2	1	1	1	-	1	-	-	-
55-59 years-----	5	4	1	4	3	1	1	1	-	1	1	-
60-64 years-----	8	4	4	4	2	2	4	2	2	2	1	1
65-69 years-----	5	2	3	1	-	1	4	2	2	3	2	1
70-74 years-----	10	4	6	8	3	5	2	1	1	2	1	1
75-79 years-----	10	1	9	9	1	8	1	-	1	1	-	1
80-84 years-----	12	6	6	11	5	6	1	1	-	1	1	-
85-89 years-----	17	3	14	15	3	12	2	-	2	1	-	1
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	2	1	1	2	1	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Thymus (D15.0)												
All ages-----	40	19	21	28	12	16	12	7	5	9	6	3
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	2	1	1	-	-	-	2	1	1	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	3	1	2	2	-	2	1	1	-	1	1	-
45-49 years-----	4	3	1	4	3	1	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	3	2	1	2	1	1	1	1	-	1	1	-
60-64 years-----	3	2	1	1	1	-	2	1	1	2	1	1
65-69 years-----	3	2	1	-	-	-	3	2	1	2	2	-
70-74 years-----	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years-----	5	-	5	4	-	4	1	-	1	1	-	1
80-84 years-----	4	2	2	3	1	2	1	1	-	1	1	-
85-89 years-----	8	3	5	7	3	4	1	-	1	1	-	1
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	2	1	1	2	1	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Heart (D15.1)												
All ages-----	50	17	33	42	14	28	8	3	5	4	2	2
Under 1 year----	2	2	-	2	2	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	2	2	-	1	1	-	1	1	-	1	1	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	4	1	3	3	1	2	1	-	1	-	-	-
50-54 years-----	2	-	2	1	-	1	1	-	1	-	-	-
55-59 years-----	2	2	-	2	2	-	-	-	-	-	-	-
60-64 years-----	5	2	3	3	1	2	2	1	1	-	-	-
65-69 years-----	2	-	2	1	-	1	1	-	1	1	-	1
70-74 years-----	7	2	5	5	1	4	2	1	1	2	1	1
75-79 years-----	5	1	4	5	1	4	-	-	-	-	-	-
80-84 years-----	8	4	4	8	4	4	-	-	-	-	-	-
85-89 years-----	8	-	8	8	-	8	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Mediastinum (D15.2)												
All ages-----	2	-	2	1	-	1	1	-	1	-	-	-
Under 1 year----	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	-	-	-	1	-	1	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Other specified intrathoracic organs (D15.7)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Benign neoplasm of bone and articular cartilage (D16)												
All ages-----	8	5	3	8	5	3	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	3	2	1	3	2	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Bones of skull and face (D16.4)

All ages-----	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Lower jaw bone (D16.5)												
All ages-----	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Vertebral column (D16.6)

All ages-----	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Bone and articular cartilage, unspecified (D16.9)												
All ages-----	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Benign lipomatous neoplasm (D17)

All ages-----	17	6	11	15	6	9	2	-	2	1	-	1
Under 1 year-----	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	1	-	1	-	-	-	1	-	1	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	2	2	-	2	2	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	4	1	3	4	1	3	-	-	-	-	-	-
80-84 years-----	2	-	2	1	-	1	1	-	1	1	-	1
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

ALL RACES WHITE ALL OTHER BLACK

Benign lipomatous neoplasm of skin and subcutaneous tissue of head, face, and neck (D17.0)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Benign lipomatous neoplasm of other sites (D17.7)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	13	5	8	12	5	7	1	-	1	-	-	-
Under 1 year-----	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	1	-	1	-	-	-	1	-	1	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Benign lipomatous neoplasm, unspecified (D17.9)												
All ages-----	3	1	2	2	1	1	1	-	1	1	-	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	1	-	1	-	-	-	1	-	1	1	-	1
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Hemangioma and lymphangioma, any site (D18)

All ages-----	93	48	45	77	37	40	16	11	5	12	8	4
Under 1 year-----	6	3	3	4	2	2	2	1	1	1	-	1
1-4 years-----	3	1	2	2	1	1	1	-	1	1	-	1
5-9 years-----	2	1	1	2	1	1	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	-	1	-	-	-	1	-	1	1	-	1
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	4	2	2	3	1	2	1	1	-	1	1	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	4	3	1	4	3	1	-	-	-	-	-	-
45-49 years-----	2	1	1	1	-	1	1	1	-	1	1	-
50-54 years-----	2	1	1	2	1	1	-	-	-	-	-	-
55-59 years-----	4	2	2	3	1	2	1	1	-	1	1	-
60-64 years-----	5	3	2	4	2	2	1	1	-	1	1	-
65-69 years-----	4	2	2	3	1	2	1	1	-	1	1	-
70-74 years-----	9	6	3	7	4	3	2	2	-	1	1	-
75-79 years-----	12	5	7	10	3	7	2	2	-	1	1	-
80-84 years-----	13	6	7	12	6	6	1	-	1	1	-	1
85-89 years-----	13	8	5	11	7	4	2	1	1	1	1	-
90-94 years-----	6	2	4	6	2	4	-	-	-	-	-	-
95-99 years-----	2	1	1	2	1	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Hemangioma, any site (D18.0)												
All ages-----	55	25	30	46	19	27	9	6	3	7	4	3
Under 1 year----	3	3	-	2	2	-	1	1	-	-	-	-
1-4 years-----	3	1	2	2	1	1	1	-	1	1	-	1
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	-	1	-	-	-	1	-	1	1	-	1
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	4	2	2	3	1	2	1	1	-	1	1	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	3	3	-	3	3	-	-	-	-	-	-	-
45-49 years-----	2	1	1	1	-	1	1	1	-	1	1	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	3	1	2	3	1	2	-	-	-	-	-	-
60-64 years-----	3	2	1	2	1	1	1	1	-	1	1	-
65-69 years-----	4	2	2	3	1	2	1	1	-	1	1	-
70-74 years-----	7	4	3	6	3	3	1	1	-	-	-	-
75-79 years-----	4	1	3	4	1	3	-	-	-	-	-	-
80-84 years-----	6	1	5	5	1	4	1	-	1	1	-	1
85-89 years-----	6	3	3	6	3	3	-	-	-	-	-	-
90-94 years-----	3	-	3	3	-	3	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Lymphangioma, any site (D18.1)												
All ages-----	38	23	15	31	18	13	7	5	2	5	4	1
Under 1 year----	3	-	3	2	-	2	1	-	1	1	-	1
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	2	1	1	2	1	1	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	1	1	-	-	-	-	1	1	-	1	1	-
60-64 years-----	2	1	1	2	1	1	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	2	2	-	1	1	-	1	1	-	1	1	-
75-79 years-----	8	4	4	6	2	4	2	2	-	1	1	-
80-84 years-----	7	5	2	7	5	2	-	-	-	-	-	-
85-89 years-----	7	5	2	5	4	1	2	1	1	1	1	-
90-94 years-----	3	2	1	3	2	1	-	-	-	-	-	-
95-99 years-----	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Benign neoplasm of soft tissue of retroperitoneum and peritoneum (D20)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Retroperitoneum (D20.0)

All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other benign neoplasms of connective and other soft tissue (D21)												
All ages-----	19	7	12	12	4	8	7	3	4	6	2	4
Under 1 year-----	1	1	-	-	-	-	1	1	-	1	1	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	2	1	1	1	1	-	1	-	1	1	-	1
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	2	-	2	-	-	-	2	-	2	2	-	2
35-39 years-----	1	-	1	-	-	-	1	-	1	1	-	1
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	1	1	-	-	-	-	1	1	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	2	1	1	1	-	1	1	1	-	1	1	-
75-79 years-----	3	2	1	3	2	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	3	1	2	3	1	2	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Connective and other soft tissue of head, face, and neck (D21.0)

All ages-----	2	2	-	1	1	-	1	1	-	1	1	-
Under 1 year-----	1	1	-	-	-	-	1	1	-	1	1	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Connective and other soft tissue of lower limb, including hip (D21.2)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Connective and other soft tissue, unspecified (D21.9)

All ages-----	16	5	11	10	3	7	6	2	4	5	1	4
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	-	1	-	-	-	1	-	1	1	-	1
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	2	-	2	-	-	-	2	-	2	2	-	2
35-39 years-----	1	-	1	-	-	-	1	-	1	1	-	1
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	1	1	-	-	-	-	1	1	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	2	1	1	1	-	1	1	1	-	1	1	-
75-79 years-----	3	2	1	3	2	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Melanocytic nevi (D22)												
All ages-----	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Melanocytic nevi, unspecified (D22.9)												
All ages-----	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other benign neoplasms of skin (D23)												
All ages-----	25	10	15	22	10	12	3	-	3	3	-	3
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	-	-	-	1	-	1	1	-	1
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	-	-	-	1	-	1	1	-	1
50-54 years-----	2	1	1	2	1	1	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	3	1	2	3	1	2	-	-	-	-	-	-
65-69 years-----	3	3	-	3	3	-	-	-	-	-	-	-
70-74 years-----	3	1	2	3	1	2	-	-	-	-	-	-
75-79 years-----	3	1	2	2	1	1	1	-	1	1	-	1
80-84 years-----	3	1	2	3	1	2	-	-	-	-	-	-
85-89 years-----	5	2	3	5	2	3	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Skin of eyelid, including canthus (D23.1)

All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Skin of trunk (D23.5)												
All ages-----	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Skin of upper limb, including shoulder (D23.6)

All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Skin of lower limb, including hip (D23.7)												
All ages-----	3	1	2	3	1	2	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Skin, unspecified (D23.9)												
All ages-----	18	6	12	15	6	9	3	-	3	3	-	3
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	-	-	-	1	-	1	1	-	1
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	-	-	-	1	-	1	1	-	1
50-54 years-----	2	1	1	2	1	1	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	3	1	2	3	1	2	-	-	-	-	-	-
65-69 years-----	3	3	-	3	3	-	-	-	-	-	-	-
70-74 years-----	3	1	2	3	1	2	-	-	-	-	-	-
75-79 years-----	2	-	2	1	-	1	1	-	1	1	-	1
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Benign neoplasm of breast (D24)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Leiomyoma of uterus (D25)												
All ages-----	17	...	17	5	...	5	12	...	12	10	...	10
Under 1 year-----	1	...	1	-	...	-	1	...	1	1	...	1
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	1	...	1	1	...	1	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	1	...	1	1	...	1	-	...	-	-	...	-
35-39 years-----	2	...	2	-	...	-	2	...	2	2	...	2
40-44 years-----	5	...	5	-	...	-	5	...	5	4	...	4
45-49 years-----	1	...	1	-	...	-	1	...	1	1	...	1
50-54 years-----	3	...	3	2	...	2	1	...	1	1	...	1
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	1	...	1	-	...	-	1	...	1	1	...	1
70-74 years-----	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years-----	1	...	1	1	...	1	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years-----	1	...	1	-	...	-	1	...	1	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Leiomyoma of uterus, unspecified (D25.9)												
All ages-----	17	...	17	5	...	5	12	...	12	10	...	10
Under 1 year----	1	...	1	-	...	-	1	...	1	1	...	1
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	1	...	1	1	...	1	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	1	...	1	1	...	1	-	...	-	-	...	-
35-39 years-----	2	...	2	-	...	-	2	...	2	2	...	2
40-44 years-----	5	...	5	-	...	-	5	...	5	4	...	4
45-49 years-----	1	...	1	-	...	-	1	...	1	1	...	1
50-54 years-----	3	...	3	2	...	2	1	...	1	1	...	1
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	1	...	1	-	...	-	1	...	1	1	...	1
70-74 years-----	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years-----	1	...	1	1	...	1	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years-----	1	...	1	-	...	-	1	...	1	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-
Other benign neoplasms of uterus (D26)												
All ages-----	1	...	1	-	...	-	1	...	1	1	...	1
Under 1 year----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years-----	1	...	1	-	...	-	1	...	1	1	...	1
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Cervix uteri (D26.0)												
All ages-----	1	...	1	-	...	-	1	...	1	1	...	1
Under 1 year----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years-----	1	...	1	-	...	-	1	...	1	1	...	1
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-
Benign neoplasm of ovary (D27)												
All ages-----	15	...	15	13	...	13	2	...	2	2	...	2
Under 1 year----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	1	...	1	1	...	1	-	...	-	-	...	-
15-19 years-----	1	...	1	1	...	1	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	1	...	1	1	...	1	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	2	...	2	2	...	2	-	...	-	-	...	-
55-59 years-----	2	...	2	1	...	1	1	...	1	1	...	1
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	1	...	1	1	...	1	-	...	-	-	...	-
70-74 years-----	1	...	1	1	...	1	-	...	-	-	...	-
75-79 years-----	1	...	1	1	...	1	-	...	-	-	...	-
80-84 years-----	3	...	3	2	...	2	1	...	1	1	...	1
85-89 years-----	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years-----	2	...	2	2	...	2	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Benign neoplasm of urinary organs (D30)												
All ages-----	4	1	3	3	1	2	1	-	1	1	-	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	2	1	1	1	1	-	1	-	1	1	-	1
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Kidney (D30.0)												
All ages-----	2	-	2	1	-	1	1	-	1	1	-	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	-	-	-	1	-	1	1	-	1
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Bladder (D30.3)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Other urinary organs (D30.7)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Benign neoplasm of eye and adnexa (D31)												
All ages-----	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Ciliary body (D31.4)												
All ages-----	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Benign neoplasm of meninges (D32)												
All ages-----	824	285	539	688	237	451	136	48	88	122	43	79
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	4	1	3	3	1	2	1	-	1	-	-	-
35-39 years-----	12	5	7	8	3	5	4	2	2	3	2	1
40-44 years-----	2	2	-	1	1	-	1	1	-	-	-	-
45-49 years-----	14	4	10	9	3	6	5	1	4	5	1	4
50-54 years-----	21	12	9	14	7	7	7	5	2	6	4	2
55-59 years-----	45	20	25	31	14	17	14	6	8	14	6	8
60-64 years-----	48	15	33	37	12	25	11	3	8	10	3	7
65-69 years-----	79	27	52	63	25	38	16	2	14	14	2	12
70-74 years-----	89	40	49	74	36	38	15	4	11	14	4	10
75-79 years-----	148	50	98	123	39	84	25	11	14	22	11	11
80-84 years-----	153	49	104	134	43	91	19	6	13	18	5	13
85-89 years-----	113	35	78	102	31	71	11	4	7	10	3	7
90-94 years-----	76	18	58	71	16	55	5	2	3	4	1	3
95-99 years-----	18	6	12	16	5	11	2	1	1	2	1	1
100 yrs & over---	1	1	-	1	1	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral meninges (D32.0)												
All ages-----	228	70	158	192	60	132	36	10	26	34	8	26
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	3	1	2	1	-	1	2	1	1	2	1	1
40-44 years-----	1	1	-	-	-	-	1	1	-	-	-	-
45-49 years-----	4	1	3	3	1	2	1	-	1	1	-	1
50-54 years-----	8	2	6	6	1	5	2	1	1	2	1	1
55-59 years-----	10	5	5	7	4	3	3	1	2	3	1	2
60-64 years-----	13	2	11	11	2	9	2	-	2	2	-	2
65-69 years-----	15	7	8	13	7	6	2	-	2	2	-	2
70-74 years-----	29	12	17	27	11	16	2	1	1	2	1	1
75-79 years-----	53	17	36	45	15	30	8	2	6	8	2	6
80-84 years-----	38	10	28	33	9	24	5	1	4	5	1	4
85-89 years-----	31	7	24	27	6	21	4	1	3	4	1	3
90-94 years-----	19	4	15	16	3	13	3	1	2	2	-	2
95-99 years-----	4	1	3	3	1	2	1	-	1	1	-	1
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Spinal meningis (D32.1)												
All ages-----	10	2	8	7	-	7	3	2	1	3	2	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	-	-	-	1	1	-	1	1	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	2	-	2	1	-	1	1	-	1	-	-	1
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	3	1	2	2	-	2	1	1	-	1	1	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Meninges, unspecified (D32.9)												
All ages-----	586	213	373	489	177	312	97	36	61	85	33	52
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	4	1	3	3	1	2	1	-	1	-	-	-
35-39 years-----	9	4	5	7	3	4	2	1	1	1	1	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	9	2	7	6	2	4	3	-	3	3	-	3
50-54 years-----	12	10	2	7	6	1	5	4	1	4	3	1
55-59 years-----	35	15	20	24	10	14	11	5	6	11	5	6
60-64 years-----	35	13	22	26	10	16	9	3	6	8	3	5
65-69 years-----	63	20	43	49	18	31	14	2	12	12	2	10
70-74 years-----	58	28	30	46	25	21	12	3	9	11	3	8
75-79 years-----	94	33	61	77	24	53	17	9	8	14	9	5
80-84 years-----	112	38	74	99	34	65	13	4	9	12	3	9
85-89 years-----	81	28	53	74	25	49	7	3	4	6	2	4
90-94 years-----	57	14	43	55	13	42	2	1	1	2	1	1
95-99 years-----	14	5	9	13	4	9	1	1	-	1	1	-
100 yrs & over---	1	1	-	1	1	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Benign neoplasm of brain and other parts of central nervous system (D33)												
All ages-----	121	55	66	103	48	55	18	7	11	14	5	9
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	3	2	1	2	1	1	1	1	-	1	1	-
30-34 years-----	5	3	2	2	2	-	3	1	2	2	1	1
35-39 years-----	6	4	2	4	2	2	2	2	-	1	1	-
40-44 years-----	2	2	-	2	2	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	9	4	5	7	3	4	2	1	1	2	1	1
55-59 years-----	6	2	4	5	1	4	1	1	-	1	1	-
60-64 years-----	11	5	6	9	5	4	2	-	2	2	-	2
65-69 years-----	11	6	5	9	6	3	2	-	2	2	-	2
70-74 years-----	12	5	7	10	5	5	2	-	2	2	-	2
75-79 years-----	16	7	9	16	7	9	-	-	-	-	-	-
80-84 years-----	17	8	9	15	7	8	2	1	1	-	-	-
85-89 years-----	12	4	8	11	4	7	1	-	1	1	-	1
90-94 years-----	8	2	6	8	2	6	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Brain, supratentorial (D33.0)												
All ages-----	8	5	3	8	5	3	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	4	2	2	4	2	2	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Brain, infratentorial (D33.1)												
All ages-----	3	2	1	3	2	1	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Brain, unspecified (D33.2)

All ages-----	58	30	28	46	24	22	12	6	6	10	4	6
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years-----	3	3	-	2	2	-	1	1	-	1	1	-
35-39 years-----	5	4	1	3	2	1	2	2	-	1	1	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	4	1	3	2	-	2	2	1	1	2	1	1
55-59 years-----	2	-	2	2	-	2	-	-	-	-	-	-
60-64 years-----	5	2	3	4	2	2	1	-	1	1	-	1
65-69 years-----	5	3	2	3	3	-	2	-	2	2	-	2
70-74 years-----	7	4	3	6	4	2	1	-	1	1	-	1
75-79 years-----	6	3	3	6	3	3	-	-	-	-	-	-
80-84 years-----	6	3	3	5	2	3	1	1	-	-	-	-
85-89 years-----	6	2	4	5	2	3	1	-	1	1	-	1
90-94 years-----	5	2	3	5	2	3	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Cranial nerves (D33.3)												
All ages-----	50	18	32	44	17	27	6	1	5	4	1	3
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	2	-	2	-	-	-	2	-	2	1	-	1
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	5	3	2	5	3	2	-	-	-	-	-	-
55-59 years-----	4	2	2	3	1	2	1	1	-	1	1	-
60-64 years-----	4	2	2	3	2	1	1	-	1	1	-	1
65-69 years-----	5	2	3	5	2	3	-	-	-	-	-	-
70-74 years-----	4	-	4	3	-	3	1	-	1	1	-	1
75-79 years-----	6	2	4	6	2	4	-	-	-	-	-	-
80-84 years-----	10	4	6	9	4	5	1	-	1	-	-	-
85-89 years-----	5	2	3	5	2	3	-	-	-	-	-	-
90-94 years-----	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Spinal cord (D33.4)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Central nervous system, unspecified (D33.9)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Benign neoplasm of thyroid gland (D34)												
All ages-----	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Benign neoplasm of other and unspecified endocrine glands (D35)												
All ages-----	123	65	58	93	47	46	30	18	12	24	15	9
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	-	1	-	-	-	1	-	1	1	-	1
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	4	2	2	3	1	2	1	1	-	1	1	-
35-39 years-----	4	2	2	3	1	2	1	1	-	1	1	-
40-44 years-----	6	5	1	5	4	1	1	1	-	1	1	-
45-49 years-----	5	4	1	1	1	-	4	3	1	2	2	-
50-54 years-----	5	1	4	2	-	2	3	1	2	2	-	2
55-59 years-----	9	7	2	6	4	2	3	3	-	3	3	-
60-64 years-----	9	6	3	8	5	3	1	1	-	1	1	-
65-69 years-----	9	4	5	7	3	4	2	1	1	1	-	1
70-74 years-----	16	9	7	12	8	4	4	1	3	2	1	1
75-79 years-----	21	12	9	15	9	6	6	3	3	6	3	3
80-84 years-----	14	4	10	13	4	9	1	-	1	1	-	1
85-89 years-----	14	8	6	12	6	6	2	2	-	2	2	-
90-94 years-----	4	1	3	4	1	3	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Adrenal gland (D35.0)												
All ages-----	28	14	14	19	9	10	9	5	4	8	5	3
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	-	1	-	-	-	1	-	1	1	-	1
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	2	1	1	2	1	1	-	-	-	-	-	-
35-39 years-----	4	2	2	3	1	2	1	1	-	1	1	-
40-44 years-----	5	4	1	5	4	1	-	-	-	-	-	-
45-49 years-----	2	1	1	-	-	-	2	1	1	1	1	-
50-54 years-----	1	-	1	-	-	-	1	-	1	1	-	1
55-59 years-----	3	3	-	1	1	-	2	2	-	2	2	-
60-64 years-----	3	1	2	2	-	2	1	1	-	1	1	-
65-69 years-----	3	1	2	2	1	1	1	-	1	1	-	1
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Parathyroid gland (D35.1)												
All ages-----	7	-	7	6	-	6	1	-	1	1	-	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	1	-	1	-	-	-	1	-	1	1	-	1
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years-----	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Pituitary gland (D35.2)												
All ages-----	88	51	37	68	38	30	20	13	7	15	10	5
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	2	1	1	1	-	1	1	1	-	1	1	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	-	-	-	1	1	-	1	1	-
45-49 years-----	3	3	-	1	1	-	2	2	-	1	1	-
50-54 years-----	4	1	3	2	-	2	2	1	1	1	-	1
55-59 years-----	6	4	2	5	3	2	1	1	-	1	1	-
60-64 years-----	6	5	1	6	5	1	-	-	-	-	-	-
65-69 years-----	6	3	3	5	2	3	1	1	-	-	-	-
70-74 years-----	14	9	5	10	8	2	4	1	3	2	1	1
75-79 years-----	20	12	8	15	9	6	5	3	2	5	3	2
80-84 years-----	13	4	9	12	4	8	1	-	1	1	-	1
85-89 years-----	11	7	4	9	5	4	2	2	-	2	2	-
90-94 years-----	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Benign neoplasm of other and unspecified sites (D36)												
All ages-----	34	19	15	29	17	12	5	2	3	4	2	2
Under 1 year-----	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years-----	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	1	-	1	-	-	-	1	-	1	-	-	-
30-34 years-----	2	1	1	1	-	1	1	1	-	1	1	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	-	-	-	1	-	1	1	-	1
50-54 years-----	3	2	1	2	1	1	1	1	-	1	1	-
55-59 years-----	2	2	-	2	2	-	-	-	-	-	-	-
60-64 years-----	4	4	-	4	4	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years-----	2	-	2	2	-	2	-	-	-	-	-	-
80-84 years-----	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years-----	4	3	1	3	3	-	1	-	1	1	-	1
90-94 years-----	4	1	3	4	1	3	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Peripheral nerves and autonomic nervous system (D36.1)

All ages-----	14	9	5	12	8	4	2	1	1	1	1	-
Under 1 year-----	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	1	-	1	-	-	-	1	-	1	-	-	-
30-34 years-----	2	1	1	1	-	1	1	1	-	1	1	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	2	2	-	2	2	-	-	-	-	-	-	-
60-64 years-----	3	3	-	3	3	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other specified sites (D36.7)												
All ages-----	8	3	5	6	2	4	2	1	1	2	1	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	-	-	-	1	1	-	1	1	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	1	-	1	-	-	-	1	-	1	1	-	1
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Benign neoplasm of unspecified site (D36.9)

All ages-----	12	7	5	11	7	4	1	-	1	1	-	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	-	-	-	1	-	1	1	-	1
50-54 years-----	2	1	1	2	1	1	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	2	2	-	2	2	-	-	-	-	-	-	-
90-94 years-----	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Neoplasm of uncertain or unknown behavior of oral cavity and digestive organs (D37)												
All ages-----	631	277	354	540	230	310	91	47	44	76	37	39
Under 1 year----	6	3	3	5	2	3	1	1	-	1	1	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	4	1	3	-	-	-	4	1	3	4	1	3
40-44 years-----	5	3	2	4	3	1	1	-	1	1	-	1
45-49 years-----	12	7	5	8	5	3	4	2	2	1	-	1
50-54 years-----	17	10	7	13	9	4	4	1	3	3	1	2
55-59 years-----	31	20	11	22	14	8	9	6	3	8	5	3
60-64 years-----	31	12	19	25	9	16	6	3	3	5	3	2
65-69 years-----	40	27	13	33	21	12	7	6	1	6	5	1
70-74 years-----	59	29	30	53	25	28	6	4	2	6	4	2
75-79 years-----	93	46	47	84	39	45	9	7	2	8	6	2
80-84 years-----	93	46	47	81	40	41	12	6	6	10	4	6
85-89 years-----	116	53	63	103	45	58	13	8	5	11	6	5
90-94 years-----	85	15	70	80	13	67	5	2	3	4	1	3
95-99 years-----	36	5	31	28	5	23	8	-	8	6	-	6
100 yrs & over---	3	-	3	1	-	1	2	-	2	2	-	2
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Lip, oral cavity, and pharynx (D37.0)

All ages-----	42	25	17	37	22	15	5	3	2	5	3	2
Under 1 year----	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	2	1	1	1	-	1	1	1	-	1	1	-
55-59 years-----	1	1	-	-	-	-	1	1	-	1	1	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	3	3	-	3	3	-	-	-	-	-	-	-
70-74 years-----	3	2	1	3	2	1	-	-	-	-	-	-
75-79 years-----	3	3	-	3	3	-	-	-	-	-	-	-
80-84 years-----	5	2	3	5	2	3	-	-	-	-	-	-
85-89 years-----	9	6	3	7	5	2	2	1	1	2	1	1
90-94 years-----	7	3	4	7	3	4	-	-	-	-	-	-
95-99 years-----	6	3	3	5	3	2	1	-	1	1	-	1
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Stomach (D37.1)												
All ages-----	41	16	25	35	13	22	6	3	3	6	3	3
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	-	-	-	1	-	1	1	-	1
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	2	-	2	1	-	1	1	-	1	1	-	1
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	5	4	1	3	2	1	2	2	-	2	2	-
70-74 years-----	2	2	-	1	1	-	1	1	-	1	1	-
75-79 years-----	8	3	5	8	3	5	-	-	-	-	-	-
80-84 years-----	7	3	4	7	3	4	-	-	-	-	-	-
85-89 years-----	7	3	4	7	3	4	-	-	-	-	-	-
90-94 years-----	6	-	6	6	-	6	-	-	-	-	-	-
95-99 years-----	1	-	1	-	-	-	1	-	1	1	-	1
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Small intestine (D37.2)												
All ages-----	28	18	10	24	15	9	4	3	1	4	3	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	3	1	2	3	1	2	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	4	-	4	4	-	4	-	-	-	-	-	-
75-79 years-----	8	6	2	8	6	2	-	-	-	-	-	-
80-84 years-----	2	2	-	2	2	-	-	-	-	-	-	-
85-89 years-----	5	3	2	2	1	1	3	2	1	3	2	1
90-94 years-----	2	2	-	1	1	-	1	1	-	1	1	-
95-99 years-----	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Appendix (D37.3)												
All ages-----	9	6	3	8	6	2	1	-	1	1	-	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	-	-	-	1	-	1	1	-	1
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years-----	3	2	1	3	2	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Colon (D37.4)

All ages-----	98	34	64	87	30	57	11	4	7	10	4	6
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	-	-	-	1	-	1	1	-	1
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	3	3	-	3	3	-	-	-	-	-	-	-
60-64 years-----	4	1	3	2	2	2	2	1	1	2	1	1
65-69 years-----	5	2	3	5	2	3	-	-	-	-	-	-
70-74 years-----	12	4	8	10	3	7	2	1	1	2	1	1
75-79 years-----	12	5	7	11	4	7	1	1	-	1	1	-
80-84 years-----	16	7	9	16	7	9	-	-	-	-	-	-
85-89 years-----	17	8	9	16	7	9	1	1	-	1	1	-
90-94 years-----	16	3	13	16	3	13	-	-	-	-	-	-
95-99 years-----	9	-	9	6	-	6	3	-	3	2	-	2
100 yrs & over---	2	-	2	1	-	1	1	-	1	1	-	1
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Rectum (D37.5)												
All ages-----	23	10	13	19	9	10	4	1	3	3	1	2
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	-	-	-	1	-	1	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years-----	3	1	2	2	1	1	1	-	1	1	-	1
80-84 years-----	2	-	2	2	-	2	-	-	-	-	-	-
85-89 years-----	11	8	3	10	7	3	1	1	-	1	1	-
90-94 years-----	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	1	-	1	-	-	-	1	-	1	1	-	1
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Liver, gallbladder, and bile ducts (D37.6)

All ages-----	173	83	90	150	67	83	23	16	7	15	9	6
Under 1 year----	5	3	2	4	2	2	1	1	-	1	1	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	2	1	1	2	1	1	-	-	-	-	-	-
45-49 years-----	6	4	2	4	2	2	2	2	-	-	-	-
50-54 years-----	4	2	2	3	2	1	1	-	1	1	-	1
55-59 years-----	13	7	6	11	5	6	2	2	-	1	1	-
60-64 years-----	7	4	3	6	3	3	1	1	-	1	1	-
65-69 years-----	12	7	5	9	5	4	3	2	1	3	2	1
70-74 years-----	14	12	2	13	11	2	1	1	-	1	1	-
75-79 years-----	32	15	17	31	14	17	1	1	-	1	1	-
80-84 years-----	21	14	7	16	10	6	5	4	1	3	2	1
85-89 years-----	29	9	20	27	8	19	2	1	1	1	-	1
90-94 years-----	18	4	14	17	3	14	1	1	-	-	-	-
95-99 years-----	10	1	9	7	1	6	3	-	3	2	-	2
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other digestive organs (D37.7)												
All ages-----	185	73	112	155	60	95	30	13	17	26	10	16
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	2	1	1	-	-	-	2	1	1	2	1	1
40-44 years-----	2	2	-	2	2	-	-	-	-	-	-	-
45-49 years-----	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years-----	5	3	2	4	3	1	1	-	1	1	-	1
55-59 years-----	8	5	3	5	4	1	3	1	2	3	1	2
60-64 years-----	11	5	6	8	4	4	3	1	2	2	1	1
65-69 years-----	13	10	3	12	9	3	1	1	-	-	-	-
70-74 years-----	19	7	12	17	6	11	2	1	1	2	1	1
75-79 years-----	23	10	13	18	6	12	5	4	1	4	3	1
80-84 years-----	34	17	17	28	15	13	6	2	4	6	2	4
85-89 years-----	29	11	18	25	9	16	4	2	2	3	1	2
90-94 years-----	30	1	29	27	1	26	3	-	3	3	-	3
95-99 years-----	7	-	7	7	-	7	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Digestive organ, unspecified (D37.9)

All ages-----	32	12	20	25	8	17	7	4	3	6	4	2
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	-	-	-	1	-	1	1	-	1
50-54 years-----	3	1	2	2	1	1	1	-	1	-	-	-
55-59 years-----	3	3	-	1	1	-	2	2	-	2	2	-
60-64 years-----	2	-	2	2	-	2	-	-	-	-	-	-
65-69 years-----	2	1	1	1	-	1	1	1	-	1	1	-
70-74 years-----	2	-	2	2	-	2	-	-	-	-	-	-
75-79 years-----	4	3	1	3	2	1	1	1	-	1	1	-
80-84 years-----	5	-	5	4	-	4	1	-	1	1	-	1
85-89 years-----	7	4	3	7	4	3	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

RACE, AND SEX

Neoplasm of uncertain or unknown behavior of middle ear and respiratory and intrathoracic organs (D38)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	670	320	350	593	281	312	77	39	38	66	33	33
Under 1 year----	2	1	1	2	1	1	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years-----	3	2	1	2	1	1	1	1	-	1	1	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	3	2	1	3	2	1	-	-	-	-	-	-
40-44 years-----	4	2	2	4	2	2	-	-	-	-	-	-
45-49 years-----	10	7	3	9	7	2	1	-	1	1	-	1
50-54 years-----	10	6	4	8	5	3	2	1	1	2	1	1
55-59 years-----	20	10	10	17	10	7	3	-	3	3	-	3
60-64 years-----	45	27	18	41	26	15	4	1	3	4	1	3
65-69 years-----	66	43	23	52	33	19	14	10	4	11	9	2
70-74 years-----	98	58	40	82	50	32	16	8	8	13	7	6
75-79 years-----	105	50	55	92	43	49	13	7	6	12	6	6
80-84 years-----	105	50	55	96	45	51	9	5	4	8	4	4
85-89 years-----	107	35	72	101	32	69	6	3	3	5	2	3
90-94 years-----	54	19	35	48	17	31	6	2	4	4	1	3
95-99 years-----	33	7	26	31	6	25	2	1	1	2	1	1
100 yrs & over---	3	-	3	3	-	3	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Larynx (D38.0)

All ages-----	10	8	2	9	7	2	1	1	-	1	1	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	2	2	-	1	1	-	1	1	-	1	1	-
65-69 years-----	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Trachea, bronchus, and lung (D38.1)												
All ages-----	600	281	319	531	246	285	69	35	34	58	29	29
Under 1 year----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	3	2	1	2	1	1	1	1	-	1	1	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	2	1	1	2	1	1	-	-	-	-	-	-
40-44 years-----	3	2	1	3	2	1	-	-	-	-	-	-
45-49 years-----	7	4	3	6	4	2	1	-	1	1	-	1
50-54 years-----	9	5	4	7	4	3	2	1	1	2	1	1
55-59 years-----	17	9	8	15	9	6	2	-	2	2	-	2
60-64 years-----	38	21	17	35	21	14	3	-	3	3	-	3
65-69 years-----	58	38	20	45	29	16	13	9	4	10	8	2
70-74 years-----	87	52	35	73	44	29	14	8	6	11	7	4
75-79 years-----	99	46	53	88	40	48	11	6	5	10	5	5
80-84 years-----	99	47	52	91	43	48	8	4	4	7	3	4
85-89 years-----	96	30	66	90	27	63	6	3	3	5	2	3
90-94 years-----	49	16	33	43	14	29	6	2	4	4	1	3
95-99 years-----	28	6	22	26	5	21	2	1	1	2	1	1
100 yrs & over---	3	-	3	3	-	3	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Pleura (D38.2)												
All ages-----	5	4	1	5	4	1	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	2	2	-	2	2	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Mediastinum (D38.3)												
All ages-----	40	18	22	34	16	18	6	2	4	6	2	4
Under 1 year----	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	2	-	2	1	-	1	1	-	1	1	-	1
60-64 years-----	2	2	-	2	2	-	-	-	-	-	-	-
65-69 years-----	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years-----	7	3	4	5	3	2	2	-	2	2	-	2
75-79 years-----	5	3	2	3	2	1	2	1	1	2	1	1
80-84 years-----	4	2	2	3	1	2	1	1	-	1	1	-
85-89 years-----	10	4	6	10	4	6	-	-	-	-	-	-
90-94 years-----	3	2	1	3	2	1	-	-	-	-	-	-
95-99 years-----	3	-	3	3	-	3	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Other respiratory organs (D38.5)												
All ages-----	12	8	4	11	7	4	1	1	-	1	1	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	3	3	-	2	2	-	1	1	-	1	1	-
70-74 years-----	3	2	1	3	2	1	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	2	1	1	2	1	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Respiratory organ, unspecified (D38.6)												
All ages-----	3	1	2	3	1	2	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Neoplasm of uncertain or unknown behavior of female genital organs (D39)

All ages-----	76	...	76	60	...	60	16	...	16	15	...	15
Under 1 year-----	1	...	1	-	...	-	1	...	1	1	...	1
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	8	...	8	3	...	3	5	...	5	5	...	5
45-49 years-----	2	...	2	2	...	2	-	...	-	-	...	-
50-54 years-----	1	...	1	-	...	-	1	...	1	-	...	-
55-59 years-----	4	...	4	4	...	4	-	...	-	-	...	-
60-64 years-----	3	...	3	2	...	2	1	...	1	1	...	1
65-69 years-----	5	...	5	4	...	4	1	...	1	1	...	1
70-74 years-----	4	...	4	4	...	4	-	...	-	-	...	-
75-79 years-----	8	...	8	6	...	6	2	...	2	2	...	2
80-84 years-----	10	...	10	7	...	7	3	...	3	3	...	3
85-89 years-----	19	...	19	17	...	17	2	...	2	2	...	2
90-94 years-----	7	...	7	7	...	7	-	...	-	-	...	-
95-99 years-----	4	...	4	4	...	4	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Uterus (D39.0)												
All ages-----	26	...	26	17	...	17	9	...	9	9	...	9
Under 1 year-----	1	...	1	-	...	-	1	...	1	1	...	1
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	6	...	6	1	...	1	5	...	5	5	...	5
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----	1	...	1	1	...	1	-	...	-	-	...	-
60-64 years-----	1	...	1	1	...	1	-	...	-	-	...	-
65-69 years-----	2	...	2	1	...	1	1	...	1	1	...	1
70-74 years-----	1	...	1	1	...	1	-	...	-	-	...	-
75-79 years-----	3	...	3	2	...	2	1	...	1	1	...	1
80-84 years-----	2	...	2	2	...	2	-	...	-	-	...	-
85-89 years-----	7	...	7	6	...	6	1	...	1	1	...	1
90-94 years-----	2	...	2	2	...	2	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-
Ovary (D39.1)												
All ages-----	43	...	43	37	...	37	6	...	6	6	...	6
Under 1 year-----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	1	...	1	1	...	1	-	...	-	-	...	-
45-49 years-----	2	...	2	2	...	2	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----	3	...	3	3	...	3	-	...	-	-	...	-
60-64 years-----	2	...	2	1	...	1	1	...	1	1	...	1
65-69 years-----	1	...	1	1	...	1	-	...	-	-	...	-
70-74 years-----	3	...	3	3	...	3	-	...	-	-	...	-
75-79 years-----	5	...	5	4	...	4	1	...	1	1	...	1
80-84 years-----	8	...	8	5	...	5	3	...	3	3	...	3
85-89 years-----	10	...	10	9	...	9	1	...	1	1	...	1
90-94 years-----	5	...	5	5	...	5	-	...	-	-	...	-
95-99 years-----	3	...	3	3	...	3	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Placenta (D39.2)												
All ages-----	2	...	2	1	...	1	1	...	1	-	...	-
Under 1 year----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	1	...	1	-	...	-	1	...	1	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	1	...	1	1	...	1	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-
Other female genital organs (D39.7)												
All ages-----	3	...	3	3	...	3	-	...	-	-	...	-
Under 1 year----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	1	...	1	1	...	1	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years-----	1	...	1	1	...	1	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years-----	1	...	1	1	...	1	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Female genital organ, unspecified (D39.9)												
All ages-----	2	...	2	2	...	2	-	...	-	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	1	...	1	1	...	1	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years-----	1	...	1	1	...	1	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Neoplasm of uncertain or unknown behavior of male genital organs (D40)

All ages-----	17	17	...	12	12	...	5	5	...	4	4	...
Under 1 year-----	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years-----	1	1	...	-	-	...	1	1	...	1	1	...
55-59 years-----	2	2	...	2	2	...	-	-	...	-	-	...
60-64 years-----	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years-----	3	3	...	2	2	...	1	1	...	1	1	...
70-74 years-----	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years-----	3	3	...	1	1	...	2	2	...	2	2	...
80-84 years-----	5	5	...	4	4	...	1	1	...	-	-	...
85-89 years-----	1	1	...	1	1	...	-	-	...	-	-	...
90-94 years-----	2	2	...	2	2	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...	-	-	...

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Prostate (D40.0)												
All ages-----	14	14	...	10	10	...	4	4	...	4	4	...
Under 1 year-----	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years-----	1	1	...	-	-	...	1	1	...	1	1	...
55-59 years-----	2	2	...	2	2	...	-	-	...	-	-	...
60-64 years-----	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years-----	2	2	...	1	1	...	1	1	...	1	1	...
70-74 years-----	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years-----	3	3	...	1	1	...	2	2	...	2	2	...
80-84 years-----	4	4	...	4	4	...	-	-	...	-	-	...
85-89 years-----	1	1	...	1	1	...	-	-	...	-	-	...
90-94 years-----	1	1	...	1	1	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...	-	-	...
Testis (D40.1)												
All ages-----	1	1	...	1	1	...	-	-	...	-	-	...
Under 1 year-----	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years-----	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years-----	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years-----	1	1	...	1	1	...	-	-	...	-	-	...
70-74 years-----	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years-----	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years-----	-	-	...	-	-	...	-	-	...	-	-	...
85-89 years-----	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years-----	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...	-	-	...

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

RACE, AND SEX

Other male genital organs (D40.7)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	1	1	...	1	1	...	-	-	...	-	-	...
Under 1 year-----	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years-----	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years-----	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years-----	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years-----	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years-----	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years-----	-	-	...	-	-	...	-	-	...	-	-	...
85-89 years-----	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years-----	1	1	...	1	1	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...	-	-	...

Male genital organ, unspecified (D40.9)

All ages-----	1	1	...	-	-	...	1	1	...	-	-	...
Under 1 year-----	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years-----	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years-----	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years-----	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years-----	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years-----	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years-----	1	1	...	-	-	...	1	1	...	-	-	...
85-89 years-----	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years-----	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...	-	-	...

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Neoplasm of uncertain or unknown behavior of urinary organs (D41)												
All ages-----	154	77	77	136	69	67	18	8	10	16	7	9
Under 1 year----	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years-----	2	1	1	1	-	1	1	1	-	1	1	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	-	-	-	1	1	-	1	1	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	1	1	-	-	-	-	1	1	-	1	1	-
50-54 years-----	3	3	-	2	2	-	1	1	-	1	1	-
55-59 years-----	3	3	-	3	3	-	-	-	-	-	-	-
60-64 years-----	6	5	1	5	5	-	1	-	1	1	-	1
65-69 years-----	4	2	2	3	2	1	1	-	1	1	-	1
70-74 years-----	11	7	4	10	6	4	1	1	-	1	1	-
75-79 years-----	13	6	7	10	5	5	3	1	2	1	-	1
80-84 years-----	24	11	13	22	11	11	2	-	2	2	-	2
85-89 years-----	41	22	19	38	20	18	3	2	1	3	2	1
90-94 years-----	26	9	17	24	9	15	2	-	2	2	-	2
95-99 years-----	15	5	10	14	5	9	1	-	1	1	-	1
100 yrs & over---	2	1	1	2	1	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Kidney (D41.0)

All ages-----	74	35	39	63	28	35	11	7	4	10	6	4
Under 1 year----	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years-----	2	1	1	1	-	1	1	1	-	1	1	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	-	-	-	1	1	-	1	1	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	1	1	-	-	-	-	1	1	-	1	1	-
50-54 years-----	2	2	-	1	1	-	1	1	-	1	1	-
55-59 years-----	3	3	-	3	3	-	-	-	-	-	-	-
60-64 years-----	4	3	1	3	3	-	1	-	1	1	-	1
65-69 years-----	3	2	1	2	2	-	1	-	1	1	-	1
70-74 years-----	6	3	3	6	3	3	-	-	-	-	-	-
75-79 years-----	5	3	2	4	2	2	1	1	-	-	-	-
80-84 years-----	7	5	2	7	5	2	-	-	-	-	-	-
85-89 years-----	17	7	10	15	5	10	2	2	-	2	2	-
90-94 years-----	12	3	9	11	3	8	1	-	1	1	-	1
95-99 years-----	9	1	8	8	1	7	1	-	1	1	-	1
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Renal pelvis (D41.1)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Ureter (D41.2)												
All ages-----	2	-	2	2	-	2	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Bladder (D41.4)												
All ages-----	77	42	35	70	41	29	7	1	6	6	1	5
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	2	2	-	2	2	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	5	4	1	4	3	1	1	1	-	1	1	-
75-79 years-----	7	3	4	5	3	2	2	-	2	1	-	1
80-84 years-----	17	6	11	15	6	9	2	-	2	2	-	2
85-89 years-----	24	15	9	23	15	8	1	-	1	1	-	1
90-94 years-----	13	6	7	12	6	6	1	-	1	1	-	1
95-99 years-----	5	4	1	5	4	1	-	-	-	-	-	-
100 yrs & over---	2	1	1	2	1	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Neoplasm of uncertain or unknown behavior of meninges (D42)

All ages-----	8	4	4	7	3	4	1	1	-	1	1	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	1	1	-	-	-	-	1	1	-	1	1	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	2	1	1	2	1	1	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Cerebral meninges (D42.0)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Spinal meninges (D42.1)

All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Meninges, unspecified (D42.9)												
All ages-----	6	3	3	5	2	3	1	1	-	1	1	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	1	1	-	-	-	-	1	1	-	1	1	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	2	1	1	2	1	1	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Neoplasm of uncertain or unknown behavior of brain and central nervous system (D43)

All ages-----	2,976	1,401	1,575	2,643	1,259	1,384	333	142	191	286	117	169
Under 1 year----	19	13	6	11	8	3	8	5	3	7	5	2
1-4 years-----	41	21	20	31	14	17	10	7	3	8	6	2
5-9 years-----	49	23	26	39	19	20	10	4	6	10	4	6
10-14 years-----	24	12	12	21	10	11	3	2	1	3	2	1
15-19 years-----	24	11	13	18	8	10	6	3	3	5	3	2
20-24 years-----	18	13	5	14	10	4	4	3	1	4	3	1
25-29 years-----	27	17	10	21	11	10	6	6	-	3	3	-
30-34 years-----	49	31	18	39	24	15	10	7	3	7	5	2
35-39 years-----	68	40	28	58	35	23	10	5	5	9	5	4
40-44 years-----	102	67	35	82	54	28	20	13	7	18	12	6
45-49 years-----	115	57	58	95	50	45	20	7	13	17	5	12
50-54 years-----	153	94	59	135	86	49	18	8	10	17	7	10
55-59 years-----	159	88	71	140	80	60	19	8	11	14	6	8
60-64 years-----	210	128	82	179	115	64	31	13	18	27	10	17
65-69 years-----	266	141	125	231	122	109	35	19	16	30	16	14
70-74 years-----	358	178	180	329	166	163	29	12	17	25	9	16
75-79 years-----	388	166	222	356	159	197	32	7	25	30	6	24
80-84 years-----	417	158	259	386	151	235	31	7	24	25	5	20
85-89 years-----	330	101	229	308	97	211	22	4	18	18	3	15
90-94 years-----	125	33	92	118	32	86	7	1	6	7	1	6
95-99 years-----	32	8	24	30	7	23	2	1	1	2	1	1
100 yrs & over---	2	1	1	2	1	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Brain, supratentorial (D43.0)												
All ages-----	171	76	95	155	69	86	16	7	9	14	5	9
Under 1 year-----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	2	1	1	1	-	1	1	1	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	2	1	1	2	1	1	-	-	-	-	-	-
35-39 years-----	4	3	1	2	2	-	2	1	1	2	1	1
40-44 years-----	2	-	2	2	-	2	-	-	-	-	-	-
45-49 years-----	8	4	4	6	3	3	2	1	1	2	1	1
50-54 years-----	9	3	6	7	2	5	2	1	1	2	1	1
55-59 years-----	7	4	3	6	4	2	1	-	1	1	-	1
60-64 years-----	9	7	2	8	7	1	1	-	1	1	-	1
65-69 years-----	15	5	10	13	5	8	2	-	2	2	-	2
70-74 years-----	26	13	13	25	12	13	1	1	-	-	-	-
75-79 years-----	30	19	11	29	18	11	1	1	-	1	1	-
80-84 years-----	29	8	21	28	8	20	1	-	1	1	-	1
85-89 years-----	18	5	13	17	4	13	1	1	-	1	1	-
90-94 years-----	7	2	5	6	2	4	1	-	1	1	-	1
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Brain, infratentorial (D43.1)

All ages-----	107	48	59	95	43	52	12	5	7	11	5	6
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	4	2	2	4	2	2	-	-	-	-	-	-
5-9 years-----	12	6	6	11	5	6	1	1	-	1	1	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	2	-	2	2	-	2	-	-	-	-	-	-
20-24 years-----	2	2	-	2	2	-	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	3	1	2	3	1	2	-	-	-	-	-	-
35-39 years-----	4	3	1	3	2	1	1	1	-	1	1	-
40-44 years-----	8	6	2	7	5	2	1	1	-	1	1	-
45-49 years-----	3	1	2	-	-	-	3	1	2	2	1	1
50-54 years-----	3	1	2	2	1	1	1	-	1	1	-	1
55-59 years-----	2	2	-	2	2	-	-	-	-	-	-	-
60-64 years-----	9	5	4	7	4	3	2	1	1	2	1	1
65-69 years-----	6	3	3	6	3	3	-	-	-	-	-	-
70-74 years-----	6	4	2	6	4	2	-	-	-	-	-	-
75-79 years-----	10	2	8	8	2	6	2	-	2	2	-	2
80-84 years-----	14	5	9	13	5	8	1	-	1	1	-	1
85-89 years-----	14	5	9	14	5	9	-	-	-	-	-	-
90-94 years-----	4	-	4	4	-	4	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Brain, unspecified (D43.2)												
All ages-----	2,609	1,234	1,375	2,314	1,111	1,203	295	123	172	252	101	151
Under 1 year-----	15	10	5	9	7	2	6	3	3	5	3	2
1-4 years-----	35	18	17	26	12	14	9	6	3	8	6	2
5-9 years-----	36	17	19	27	14	13	9	3	6	9	3	6
10-14 years-----	24	12	12	21	10	11	3	2	1	3	2	1
15-19 years-----	20	9	11	15	7	8	5	2	3	4	2	2
20-24 years-----	16	11	5	12	8	4	4	3	1	4	3	1
25-29 years-----	24	16	8	18	10	8	6	6	-	3	3	-
30-34 years-----	44	29	15	34	22	12	10	7	3	7	5	2
35-39 years-----	57	32	25	50	29	21	7	3	4	6	3	3
40-44 years-----	89	58	31	71	47	24	18	11	7	16	10	6
45-49 years-----	102	50	52	88	46	42	14	4	10	12	2	10
50-54 years-----	138	87	51	123	80	43	15	7	8	14	6	8
55-59 years-----	146	80	66	128	72	56	18	8	10	13	6	7
60-64 years-----	189	114	75	161	102	59	28	12	16	24	9	15
65-69 years-----	233	125	108	202	108	94	31	17	14	27	15	12
70-74 years-----	319	158	161	291	147	144	28	11	17	25	9	16
75-79 years-----	331	141	190	304	135	169	27	6	21	25	5	20
80-84 years-----	360	141	219	332	134	198	28	7	21	22	5	17
85-89 years-----	290	86	204	269	83	186	21	3	18	17	2	15
90-94 years-----	109	31	78	103	30	73	6	1	5	6	1	5
95-99 years-----	30	8	22	28	7	21	2	1	1	2	1	1
100 yrs & over---	2	1	1	2	1	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Cranial nerves (D43.3)												
All ages-----	4	3	1	4	3	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Spinal cord (D43.4)												
All ages-----	48	23	25	43	20	23	5	3	2	4	2	2
Under 1 year-----	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	3	2	1	3	2	1	-	-	-	-	-	-
40-44 years-----	2	2	-	1	1	-	1	1	-	1	1	-
45-49 years-----	2	2	-	1	1	-	1	1	-	1	1	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	3	2	1	3	2	1	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	6	5	1	5	4	1	1	1	-	-	-	-
70-74 years-----	3	1	2	3	1	2	-	-	-	-	-	-
75-79 years-----	11	2	9	9	2	7	2	-	2	2	-	2
80-84 years-----	6	1	5	6	1	5	-	-	-	-	-	-
85-89 years-----	5	3	2	5	3	2	-	-	-	-	-	-
90-94 years-----	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Central nervous system, unspecified (D43.9)												
All ages-----	37	17	20	32	13	19	5	4	1	5	4	1
Under 1 year-----	2	2	-	-	-	-	2	2	-	2	2	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	2	2	-	1	1	-	1	1	-	1	1	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	2	1	1	2	1	1	-	-	-	-	-	-
65-69 years-----	6	3	3	5	2	3	1	1	-	1	1	-
70-74 years-----	3	1	2	3	1	2	-	-	-	-	-	-
75-79 years-----	6	2	4	6	2	4	-	-	-	-	-	-
80-84 years-----	6	2	4	5	2	3	1	-	1	1	-	1
85-89 years-----	3	2	1	3	2	1	-	-	-	-	-	-
90-94 years-----	3	-	3	3	-	3	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Neoplasm of uncertain or unknown behavior of endocrine glands (D44)												
All ages-----	191	92	99	158	75	83	33	17	16	31	15	16
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	2	2	-	2	2	-	-	-	-	-	-	-
15-19 years-----	5	2	3	5	2	3	-	-	-	-	-	-
20-24 years-----	7	2	5	6	2	4	1	-	1	1	-	1
25-29 years-----	2	2	-	2	2	-	-	-	-	-	-	-
30-34 years-----	9	2	7	7	2	5	2	-	2	2	-	2
35-39 years-----	7	3	4	6	3	3	1	-	1	1	-	1
40-44 years-----	8	3	5	7	3	4	2	-	1	1	-	1
45-49 years-----	11	6	5	9	6	3	2	-	2	2	-	2
50-54 years-----	17	12	5	12	8	4	5	4	1	5	4	1
55-59 years-----	6	3	3	6	3	3	-	-	-	-	-	-
60-64 years-----	13	8	5	8	4	4	5	4	1	3	2	1
65-69 years-----	11	5	6	8	3	5	3	2	1	3	2	1
70-74 years-----	26	18	8	21	14	7	5	4	1	5	4	1
75-79 years-----	22	8	14	20	6	14	2	2	-	2	2	-
80-84 years-----	20	7	13	19	7	12	1	-	1	1	-	1
85-89 years-----	9	1	8	6	1	5	3	-	3	3	-	3
90-94 years-----	12	6	6	11	6	5	1	-	1	1	-	1
95-99 years-----	2	1	1	1	-	1	1	1	-	1	1	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Thyroid gland (D44.0)

All ages-----	6	-	6	6	-	6	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	2	-	2	2	-	2	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Adrenal gland (D44.1)												
All ages-----	9	2	7	8	2	6	1	-	1	1	-	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	3	-	3	3	-	3	-	-	-	-	-	-
80-84 years-----	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years-----	1	-	1	-	-	1	1	-	1	1	-	1
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Parathyroid gland (D44.2)

All ages-----	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Pituitary gland (D44.3)												
All ages-----	85	45	40	65	32	33	20	13	7	18	11	7
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	2	-	2	-	-	-	2	-	2	2	-	2
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	2	1	1	2	1	1	-	-	-	-	-	-
45-49 years-----	3	-	3	2	-	2	1	-	1	1	-	1
50-54 years-----	10	9	1	8	7	1	2	2	-	2	2	-
55-59 years-----	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years-----	8	5	3	3	1	2	5	4	1	3	2	1
65-69 years-----	5	4	1	3	2	1	2	2	-	2	2	-
70-74 years-----	13	9	4	11	7	4	2	2	-	2	2	-
75-79 years-----	15	7	8	13	5	8	2	2	-	2	2	-
80-84 years-----	11	4	7	10	4	6	1	-	1	1	-	1
85-89 years-----	3	-	3	2	-	2	1	-	1	1	-	1
90-94 years-----	9	4	5	8	4	4	1	-	1	1	-	1
95-99 years-----	1	1	-	-	-	-	1	1	-	1	1	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Craniopharyngeal duct (D44.4)												
All ages-----	58	26	32	49	24	25	9	2	7	9	2	7
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	2	2	-	2	2	-	-	-	-	-	-	-
15-19 years-----	3	1	2	3	1	2	-	-	-	-	-	-
20-24 years-----	5	2	3	5	2	3	-	-	-	-	-	-
25-29 years-----	2	2	-	2	2	-	-	-	-	-	-	-
30-34 years-----	7	2	5	7	2	5	-	-	-	-	-	-
35-39 years-----	5	3	2	4	3	1	1	-	1	1	-	1
40-44 years-----	5	2	3	4	2	2	1	-	1	1	-	1
45-49 years-----	3	2	1	2	2	-	1	-	1	1	-	1
50-54 years-----	4	1	3	2	-	2	2	1	1	2	1	1
55-59 years-----	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	4	-	4	3	-	3	1	-	1	1	-	1
70-74 years-----	5	4	1	3	3	-	2	1	1	2	1	1
75-79 years-----	4	1	3	4	1	3	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	3	1	2	2	1	1	1	-	1	1	-	1
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Pineal gland (D44.5)												
All ages-----	15	9	6	14	8	6	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	3	2	1	3	2	1	-	-	-	-	-	-
50-54 years-----	1	1	-	-	-	-	1	1	-	1	1	-
55-59 years-----	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years-----	2	1	1	2	1	1	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	3	2	1	3	2	1	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Aortic body and other paraganglia (D44.7)

All ages-----	6	3	3	5	3	2	1	-	1	1	-	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	-	1	-	-	-	1	-	1	1	-	1
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Pluriglandular involvement (D44.8)												
All ages-----	3	2	1	3	2	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Endocrine gland, unspecified (D44.9)

All ages-----	7	4	3	6	3	3	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years-----	1	1	-	-	-	-	1	1	-	1	1	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Polycythemia vera (D45)												
All ages-----	320	131	189	300	122	178	20	9	11	18	9	9
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	2	1	1	1	-	1	1	1	-	1	1	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	2	2	-	2	2	-	-	-	-	-	-	-
45-49 years-----	3	2	1	2	1	1	1	1	-	1	1	-
50-54 years-----	12	4	8	10	3	7	2	1	1	2	1	1
55-59 years-----	9	2	7	8	2	6	1	-	1	1	-	1
60-64 years-----	8	4	4	8	4	4	-	-	-	-	-	-
65-69 years-----	22	15	7	19	12	7	3	3	-	3	3	-
70-74 years-----	41	17	24	37	17	20	4	-	4	2	-	2
75-79 years-----	54	25	29	52	24	28	2	1	1	2	1	1
80-84 years-----	65	28	37	63	26	37	2	2	-	2	2	-
85-89 years-----	54	19	35	52	19	33	2	-	2	2	-	2
90-94 years-----	34	9	25	33	9	24	1	-	1	1	-	1
95-99 years-----	13	3	10	12	3	9	1	-	1	1	-	1
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Myelodysplastic syndromes (D46)												
All ages-----	4,452	2,521	1,931	4,168	2,372	1,796	284	149	135	229	113	116
Under 1 year-----	2	1	1	1	1	-	1	-	1	1	-	1
1-4 years-----	4	3	1	4	3	1	-	-	-	-	-	-
5-9 years-----	2	1	1	2	1	1	-	-	-	-	-	-
10-14 years-----	4	3	1	4	3	1	-	-	-	-	-	-
15-19 years-----	8	3	5	5	1	4	3	2	1	3	2	1
20-24 years-----	8	5	3	6	5	1	2	-	2	2	-	2
25-29 years-----	6	3	3	5	2	3	1	1	-	1	1	-
30-34 years-----	12	7	5	10	5	5	2	2	-	1	1	-
35-39 years-----	15	9	6	13	8	5	2	1	1	2	1	1
40-44 years-----	25	14	11	25	14	11	-	-	-	-	-	-
45-49 years-----	50	25	25	43	21	22	7	4	3	4	2	2
50-54 years-----	55	33	22	48	27	21	7	6	1	3	2	1
55-59 years-----	87	52	35	81	48	33	6	4	2	5	4	1
60-64 years-----	150	99	51	139	92	47	11	7	4	8	5	3
65-69 years-----	332	208	124	300	192	108	32	16	16	28	14	14
70-74 years-----	603	386	217	564	365	199	39	21	18	32	16	16
75-79 years-----	829	512	317	776	482	294	53	30	23	43	23	20
80-84 years-----	913	515	398	869	490	379	44	25	19	36	19	17
85-89 years-----	804	417	387	763	397	366	41	20	21	34	16	18
90-94 years-----	402	183	219	383	176	207	19	7	12	15	5	10
95-99 years-----	117	33	84	105	31	74	12	2	10	10	2	8
100 yrs & over---	24	9	15	22	8	14	2	1	1	1	-	1
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Refractory anemia with sideroblasts (D46.1)												
All ages-----	8	3	5	6	3	3	2	-	2	1	-	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	2	1	1	1	1	-	1	-	1	-	-	-
80-84 years-----	2	-	2	1	-	1	1	-	1	1	-	1
85-89 years-----	3	1	2	3	1	2	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Refractory anemia with excess of blasts (D46.2)

All ages-----	15	7	8	15	7	8	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	2	-	2	2	-	2	-	-	-	-	-	-
60-64 years-----	2	-	2	2	-	2	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	2	2	-	2	2	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	3	1	2	3	1	2	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Refractory anemia with excess of blasts with transformation (D46.3)												
All ages-----	5	2	3	4	2	2	1	-	1	1	-	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	-	-	-	1	-	1	1	-	1
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Refractory anemia, unspecified (D46.4)

All ages-----	254	128	126	239	123	116	15	5	10	12	4	8
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	4	3	1	4	3	1	-	-	-	-	-	-
55-59 years-----	6	2	4	5	2	3	1	-	1	-	-	-
60-64 years-----	9	5	4	9	5	4	-	-	-	-	-	-
65-69 years-----	20	13	7	16	12	4	4	1	3	4	1	3
70-74 years-----	41	22	19	41	22	19	-	-	-	-	-	-
75-79 years-----	46	23	23	44	22	22	2	1	1	2	1	1
80-84 years-----	44	22	22	42	22	20	2	-	2	1	-	1
85-89 years-----	51	25	26	46	23	23	5	2	3	4	1	3
90-94 years-----	24	11	13	23	10	13	1	1	-	1	1	-
95-99 years-----	5	2	3	5	2	3	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other myelodysplastic syndromes (D46.7)												
All ages-----	11	8	3	8	6	2	3	2	1	1	-	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	3	3	-	2	2	-	1	1	-	-	-	-
80-84 years-----	3	3	-	2	2	-	1	1	-	-	-	-
85-89 years-----	1	-	1	-	-	-	1	-	1	1	-	1
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Myelodysplastic syndrome, unspecified (D46.9)

All ages-----	4,159	2,373	1,786	3,896	2,231	1,665	263	142	121	214	109	105
Under 1 year-----	2	1	1	1	1	-	1	-	1	1	-	1
1-4 years-----	4	3	1	4	3	1	-	-	-	-	-	-
5-9 years-----	2	1	1	2	1	1	-	-	-	-	-	-
10-14 years-----	4	3	1	4	3	1	-	-	-	-	-	-
15-19 years-----	8	3	5	5	1	4	3	2	1	3	2	1
20-24 years-----	8	5	3	6	5	1	2	-	2	2	-	2
25-29 years-----	6	3	3	5	2	3	1	1	-	1	1	-
30-34 years-----	12	7	5	10	5	5	2	2	-	1	1	-
35-39 years-----	12	8	4	11	7	4	1	1	-	1	1	-
40-44 years-----	24	14	10	24	14	10	-	-	-	-	-	-
45-49 years-----	49	25	24	42	21	21	7	4	3	4	2	2
50-54 years-----	50	30	20	43	24	19	7	6	1	3	2	1
55-59 years-----	79	50	29	74	46	28	5	4	1	5	4	1
60-64 years-----	138	94	44	127	87	40	11	7	4	8	5	3
65-69 years-----	307	191	116	279	176	103	28	15	13	24	13	11
70-74 years-----	558	361	197	519	340	179	39	21	18	32	16	16
75-79 years-----	776	484	292	727	456	271	49	28	21	41	22	19
80-84 years-----	861	489	372	821	465	356	40	24	16	34	19	15
85-89 years-----	748	390	358	713	372	341	35	18	17	29	15	14
90-94 years-----	376	171	205	358	165	193	18	6	12	14	4	10
95-99 years-----	112	31	81	100	29	71	12	2	10	10	2	8
100 yrs & over---	23	9	14	21	8	13	2	1	1	1	-	1
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other neoplasms of uncertain or unknown behavior of lymphoid, hematopoietic, and related tissue (D47)												
All ages-----	1,649	862	787	1,513	794	719	136	68	68	120	59	61
Under 1 year-----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	5	4	1	3	2	1	2	2	-	2	2	-
5-9 years-----	1	1	-	-	-	-	1	1	-	1	1	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	2	2	-	-	-	-	2	2	-	1	1	-
20-24 years-----	2	2	-	1	1	-	1	1	-	1	1	-
25-29 years-----	1	-	1	-	-	-	1	-	1	-	-	-
30-34 years-----	9	5	4	6	4	2	3	1	2	2	-	2
35-39 years-----	4	3	1	3	2	1	1	1	-	1	1	-
40-44 years-----	7	3	4	5	3	2	2	-	2	2	-	2
45-49 years-----	15	11	4	10	7	3	5	4	1	5	4	1
50-54 years-----	31	16	15	28	15	13	3	1	2	3	1	2
55-59 years-----	39	25	14	32	19	13	7	6	1	7	6	1
60-64 years-----	76	55	21	64	48	16	12	7	5	11	7	4
65-69 years-----	120	76	44	107	69	38	13	7	6	11	6	5
70-74 years-----	237	134	103	215	122	93	22	12	10	21	11	10
75-79 years-----	316	184	132	291	171	120	25	13	12	19	9	10
80-84 years-----	356	171	185	335	164	171	21	7	14	18	6	12
85-89 years-----	246	106	140	240	104	136	6	2	4	6	2	4
90-94 years-----	139	52	87	132	51	81	7	1	6	7	1	6
95-99 years-----	35	9	26	33	9	24	2	-	2	2	-	2
100 yrs & over---	6	2	4	6	2	4	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Chronic myeloproliferative disease (D47.1)

All ages-----	1,449	769	680	1,340	714	626	109	55	54	97	48	49
Under 1 year-----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	-	-	-	1	1	-	1	1	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	3	1	2	2	1	1	1	-	1	1	-	1
35-39 years-----	3	2	1	2	1	1	1	1	-	1	1	-
40-44 years-----	7	3	4	5	3	2	2	-	2	2	-	2
45-49 years-----	12	8	4	7	4	3	5	4	1	5	4	1
50-54 years-----	27	15	12	24	14	10	3	1	2	3	1	2
55-59 years-----	28	17	11	23	13	10	5	4	1	5	4	1
60-64 years-----	66	46	20	55	40	15	11	6	5	10	6	4
65-69 years-----	112	73	39	101	67	34	11	6	5	9	5	4
70-74 years-----	222	125	97	202	113	89	20	12	8	19	11	8
75-79 years-----	284	173	111	262	160	102	22	13	9	16	9	7
80-84 years-----	313	153	160	297	148	149	16	5	11	14	4	10
85-89 years-----	216	97	119	213	96	117	3	1	2	3	1	2
90-94 years-----	115	44	71	109	43	66	6	1	5	6	1	5
95-99 years-----	34	9	25	32	9	23	2	-	2	2	-	2
100 yrs & over---	5	1	4	5	1	4	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Monoclonal gammopathy (D47.2)												
All ages-----	61	26	35	52	22	30	9	4	5	9	4	5
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	2	2	-	2	2	-	-	-	-	-	-	-
60-64 years-----	3	3	-	2	2	-	1	1	-	1	1	-
65-69 years-----	2	1	1	-	-	-	2	1	1	2	1	1
70-74 years-----	4	1	3	3	1	2	1	-	1	1	-	1
75-79 years-----	15	5	10	12	5	7	3	-	3	3	-	3
80-84 years-----	13	6	7	12	5	7	1	1	-	1	1	-
85-89 years-----	12	4	8	11	3	8	1	1	-	1	1	-
90-94 years-----	10	4	6	10	4	6	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Essential (hemorrhagic) thrombocythemia (D47.3)

All ages-----	24	9	15	23	8	15	1	1	-	1	1	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	3	2	1	3	2	1	-	-	-	-	-	-
75-79 years-----	5	3	2	5	3	2	-	-	-	-	-	-
80-84 years-----	5	2	3	4	1	3	1	1	-	1	1	-
85-89 years-----	5	1	4	5	1	4	-	-	-	-	-	-
90-94 years-----	4	1	3	4	1	3	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other specified neoplasms of uncertain or unknown behavior of lymphoid, hematopoietic, and related tissue (D47.7)												
All ages-----	18	10	8	13	8	5	5	2	3	4	2	2
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	2	1	1	1	1	-	1	-	1	1	-	1
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	2	-	2	2	-	2	-	-	-	-	-	-
55-59 years-----	3	3	-	1	1	-	2	2	-	2	2	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	3	2	1	2	2	-	1	-	1	1	-	1
75-79 years-----	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years-----	4	3	1	3	3	-	1	-	1	-	-	-
85-89 years-----	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Neoplasm of uncertain or unknown behavior of lymphoid, hematopoietic, and related tissue, unspecified (D47.9)

All ages-----	97	48	49	85	42	43	12	6	6	9	4	5
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	5	4	1	3	2	1	2	2	-	2	2	-
5-9 years-----	1	1	-	-	-	-	1	1	-	1	1	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	2	2	-	-	-	-	2	2	-	1	1	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	1	-	1	-	-	-	1	-	1	-	-	-
30-34 years-----	4	3	1	3	2	1	1	1	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	3	3	-	3	3	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	6	3	3	6	3	3	-	-	-	-	-	-
60-64 years-----	7	6	1	7	6	1	-	-	-	-	-	-
65-69 years-----	5	2	3	5	2	3	-	-	-	-	-	-
70-74 years-----	5	4	1	5	4	1	-	-	-	-	-	-
75-79 years-----	10	2	8	10	2	8	-	-	-	-	-	-
80-84 years-----	21	7	14	19	7	12	2	-	2	2	-	2
85-89 years-----	11	4	7	9	4	5	2	-	2	2	-	2
90-94 years-----	10	3	7	9	3	6	1	-	1	1	-	1
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	1	1	-	1	1	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Neoplasm of uncertain or unknown behavior of other and unspecified sites (D48)												
All ages-----	527	201	326	442	170	272	85	31	54	74	30	44
Under 1 year-----	12	5	7	11	4	7	1	1	-	1	1	-
1-4 years-----	2	1	1	1	-	1	1	1	-	1	1	-
5-9 years-----	6	3	3	6	3	3	-	-	-	-	-	-
10-14 years-----	4	2	2	2	1	1	2	1	1	2	1	1
15-19 years-----	7	5	2	4	3	1	3	2	1	3	2	1
20-24 years-----	2	2	-	1	1	-	1	1	-	1	1	-
25-29 years-----	8	5	3	4	3	1	4	2	2	3	2	1
30-34 years-----	8	6	2	6	4	2	2	2	-	1	1	-
35-39 years-----	7	5	2	5	4	1	2	1	1	2	1	1
40-44 years-----	9	4	5	7	4	3	2	-	2	2	-	2
45-49 years-----	15	7	8	10	5	5	5	2	3	5	2	3
50-54 years-----	26	12	14	21	11	10	5	1	4	5	1	4
55-59 years-----	18	8	10	15	7	8	3	1	2	3	1	2
60-64 years-----	34	19	15	27	16	11	7	3	4	6	3	3
65-69 years-----	30	20	10	25	18	7	5	2	3	5	2	3
70-74 years-----	53	24	29	46	20	26	7	4	3	7	4	3
75-79 years-----	65	26	39	55	21	34	10	5	5	9	5	4
80-84 years-----	74	22	52	68	21	47	6	1	5	4	1	3
85-89 years-----	69	14	55	61	13	48	8	1	7	6	1	5
90-94 years-----	52	8	44	44	8	36	8	-	8	5	-	5
95-99 years-----	20	2	18	18	2	16	2	-	2	2	-	2
100 yrs & over---	6	1	5	5	1	4	1	-	1	1	-	1
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Bone and articular cartilage (D48.0)

All ages-----	34	15	19	30	13	17	4	2	2	4	2	2
Under 1 year-----	5	1	4	5	1	4	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	-	-	-	1	-	1	1	-	1
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	4	3	1	3	2	1	1	1	-	1	1	-
65-69 years-----	2	2	-	1	1	-	1	1	-	1	1	-
70-74 years-----	3	1	2	3	1	2	-	-	-	-	-	-
75-79 years-----	4	2	2	4	2	2	-	-	-	-	-	-
80-84 years-----	4	3	1	4	3	1	-	-	-	-	-	-
85-89 years-----	6	2	4	6	2	4	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	1	-	1	-	-	-	1	-	1	1	-	1
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Connective and other soft tissue (D48.1)												
All ages-----	49	28	21	38	23	15	11	5	6	9	5	4
Under 1 year----	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	2	1	1	2	1	1	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	4	2	2	4	-	1	3	2	1	2	2	-
30-34 years-----	4	3	1	3	2	1	1	1	-	1	1	-
35-39 years-----	2	2	-	2	2	-	-	-	-	-	-	-
40-44 years-----	2	1	1	2	1	1	-	-	-	-	-	-
45-49 years-----	4	1	3	3	1	2	1	-	1	1	-	1
50-54 years-----	5	1	4	3	1	2	2	-	2	2	-	2
55-59 years-----	3	2	1	3	2	1	-	-	-	-	-	-
60-64 years-----	2	2	-	2	2	-	-	-	-	-	-	-
65-69 years-----	5	3	2	4	3	1	1	-	1	1	-	1
70-74 years-----	7	6	1	6	5	1	1	1	-	1	1	-
75-79 years-----	2	2	-	1	1	-	1	1	-	1	1	-
80-84 years-----	1	-	1	-	-	-	1	-	1	-	-	-
85-89 years-----	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Peripheral nerves and autonomic nervous system (D48.2)

All ages-----	5	3	2	4	3	1	1	-	1	1	-	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	2	2	-	2	2	-	-	-	-	-	-	-
40-44 years-----	1	-	1	-	-	-	1	-	1	1	-	1
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Retroperitoneum (D48.3)												
All ages-----	15	5	10	11	4	7	4	1	3	4	1	3
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	2	-	2	1	-	1	1	-	1	1	-	1
75-79 years-----	3	2	1	2	1	1	1	1	-	1	1	-
80-84 years-----	3	1	2	3	1	2	-	-	-	-	-	-
85-89 years-----	1	-	1	-	-	-	1	-	1	1	-	1
90-94 years-----	4	1	3	3	1	2	1	-	1	1	-	1
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Peritoneum (D48.4)												
All ages-----	8	2	6	6	1	5	2	1	1	2	1	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	-	-	-	1	1	-	1	1	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	3	1	2	2	1	1	1	-	1	1	-	1
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	2	-	2	2	-	2	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Skin (D48.5)												
All ages-----	3	1	2	3	1	2	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Breast (D48.6)												
All ages-----	24	2	22	23	2	21	1	-	1	1	-	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	1	-	1	-	-	-	1	-	1	1	-	1
50-54 years-----	2	-	2	2	-	2	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	2	-	2	2	-	2	-	-	-	-	-	-
65-69 years-----	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	6	1	5	6	1	5	-	-	-	-	-	-
85-89 years-----	3	-	3	3	-	3	-	-	-	-	-	-
90-94 years-----	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years-----	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other specified sites (D48.7)												
All ages-----	232	68	164	195	59	136	37	9	28	30	8	22
Under 1 year-----	3	2	1	3	2	1	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	3	2	1	2	1	1	1	1	-	1	1	-
15-19 years-----	2	1	1	-	-	-	2	1	1	2	1	1
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	1	1	-	-	-	-	1	1	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	2	1	1	1	1	-	1	-	1	1	-	1
45-49 years-----	4	1	3	3	1	2	1	-	1	1	-	1
50-54 years-----	9	6	3	8	6	2	1	-	1	1	-	1
55-59 years-----	5	2	3	3	1	2	2	1	1	2	1	1
60-64 years-----	11	5	6	9	4	5	2	1	1	1	1	-
65-69 years-----	9	7	2	7	6	1	2	1	1	2	1	1
70-74 years-----	25	10	15	21	8	13	4	2	2	4	2	2
75-79 years-----	34	7	27	29	6	23	5	1	4	4	1	3
80-84 years-----	37	12	25	33	12	21	4	-	4	3	-	3
85-89 years-----	41	8	33	37	8	29	4	-	4	3	-	3
90-94 years-----	30	1	29	24	1	23	6	-	6	4	-	4
95-99 years-----	11	1	10	10	1	9	1	-	1	1	-	1
100 yrs & over---	3	-	3	3	-	3	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Neoplasms of uncertain or unknown behavior, unspecified (D48.9)

All ages-----	157	77	80	132	64	68	25	13	12	23	13	10
Under 1 year-----	3	2	1	2	1	1	1	1	-	1	1	-
1-4 years-----	2	1	1	1	-	1	1	1	-	1	1	-
5-9 years-----	2	2	-	2	2	-	-	-	-	-	-	-
10-14 years-----	1	-	1	-	-	-	1	-	1	1	-	1
15-19 years-----	2	2	-	1	1	-	1	1	-	1	1	-
20-24 years-----	1	1	-	-	-	-	1	1	-	1	1	-
25-29 years-----	2	2	-	2	2	-	-	-	-	-	-	-
30-34 years-----	3	2	1	3	2	1	-	-	-	-	-	-
35-39 years-----	2	-	2	1	-	1	1	-	1	1	-	1
40-44 years-----	3	2	1	3	2	1	-	-	-	-	-	-
45-49 years-----	5	5	-	3	3	-	2	2	-	2	2	-
50-54 years-----	10	5	5	8	4	4	2	1	1	2	1	1
55-59 years-----	7	4	3	6	4	2	1	-	1	1	-	1
60-64 years-----	11	7	4	8	6	2	3	1	2	3	1	2
65-69 years-----	12	7	5	11	7	4	1	-	1	1	-	1
70-74 years-----	15	7	8	14	6	8	1	1	-	1	1	-
75-79 years-----	19	11	8	16	9	7	3	2	1	3	2	1
80-84 years-----	20	5	15	19	4	15	1	1	-	1	1	-
85-89 years-----	14	4	10	11	3	8	3	1	2	2	1	1
90-94 years-----	14	6	8	13	6	7	1	-	1	-	-	-
95-99 years-----	6	1	5	6	1	5	-	-	-	-	-	-
100 yrs & over---	3	1	2	2	1	1	1	-	1	1	-	1
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Iron deficiency anemia (D50)												
All ages-----	118	38	80	106	35	71	12	3	9	11	3	8
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years-----	1	-	1	-	-	-	1	-	1	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	3	-	3	3	-	3	-	-	-	-	-	-
70-74 years-----	8	4	4	7	3	4	1	1	-	1	1	-
75-79 years-----	13	9	4	12	8	4	1	1	-	1	1	-
80-84 years-----	23	7	16	19	6	13	4	1	3	4	1	3
85-89 years-----	19	8	11	18	8	10	1	-	1	1	-	1
90-94 years-----	29	7	22	27	7	20	2	-	2	2	-	2
95-99 years-----	13	1	12	13	1	12	-	-	-	-	-	-
100 yrs & over---	6	-	6	4	-	4	2	-	2	2	-	2
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Iron deficiency anemia secondary to blood loss (chronic) (D50.0)

All ages-----	54	25	29	49	23	26	5	2	3	5	2	3
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	2	-	2	2	-	2	-	-	-	-	-	-
70-74 years-----	4	3	1	3	2	1	1	1	-	1	1	-
75-79 years-----	9	7	2	9	7	2	-	-	-	-	-	-
80-84 years-----	12	6	6	10	5	5	2	1	1	2	1	1
85-89 years-----	9	4	5	8	4	4	1	-	1	1	-	1
90-94 years-----	10	3	7	9	3	6	1	-	1	1	-	1
95-99 years-----	5	-	5	5	-	5	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other iron deficiency anemias (D50.8)												
All ages-----	12	2	10	10	2	8	2	-	2	1	-	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	-	1	-	-	-	1	-	1	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	4	1	3	4	1	3	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	5	1	4	4	1	3	1	-	1	1	-	1
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Iron deficiency anemia, unspecified (D50.9)												
All ages-----	52	11	41	47	10	37	5	1	4	5	1	4
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	4	1	3	4	1	3	-	-	-	-	-	-
75-79 years-----	4	2	2	3	1	2	1	1	-	1	1	-
80-84 years-----	7	-	7	5	-	5	2	-	2	2	-	2
85-89 years-----	9	4	5	9	4	5	-	-	-	-	-	-
90-94 years-----	14	3	11	14	3	11	-	-	-	-	-	-
95-99 years-----	7	1	6	7	1	6	-	-	-	-	-	-
100 yrs & over---	6	-	6	4	-	4	2	-	2	2	-	2
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Vitamin B- 12 deficiency anemia (D51)												
All ages-----	91	27	64	80	25	55	11	2	9	10	2	8
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	-	-	-	1	1	-	1	1	-
55-59 years-----	1	-	1	-	-	-	1	-	1	1	-	1
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	3	2	1	3	2	1	-	-	-	-	-	-
75-79 years-----	10	3	7	7	2	5	3	1	2	3	1	2
80-84 years-----	18	6	12	18	6	12	-	-	-	-	-	-
85-89 years-----	15	6	9	14	6	8	1	-	1	1	-	1
90-94 years-----	20	6	14	17	6	11	3	-	3	2	-	2
95-99 years-----	17	3	14	15	3	12	2	-	2	2	-	2
100 yrs & over---	5	-	5	5	-	5	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Vitamin B- 12 deficiency anemia due to intrinsic factor deficiency (D51.0)

All ages-----	88	27	61	78	25	53	10	2	8	9	2	7
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	-	-	-	1	1	-	1	1	-
55-59 years-----	1	-	1	-	-	-	1	-	1	1	-	1
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	3	2	1	3	2	1	-	-	-	-	-	-
75-79 years-----	10	3	7	7	2	5	3	1	2	3	1	2
80-84 years-----	18	6	12	18	6	12	-	-	-	-	-	-
85-89 years-----	15	6	9	14	6	8	1	-	1	1	-	1
90-94 years-----	19	6	13	16	6	10	3	-	3	2	-	2
95-99 years-----	15	3	12	14	3	11	1	-	1	1	-	1
100 yrs & over---	5	-	5	5	-	5	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

RACE, AND SEX

Vitamin B- 12 deficiency anemia due to selective vitamin B12 malabsorption with proteinuria (D51.1)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	1	-	1	-	-	-	1	-	1	1	-	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	1	-	1	-	-	-	1	-	1	1	-	1
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Vitamin B- 12 deficiency anemia, unspecified (D51.9)

All ages-----	2	-	2	2	-	2	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Folate deficiency anemia (D52)												
All ages-----	8	4	4	7	3	4	1	1	-	1	1	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	2	2	-	2	2	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years-----	3	-	3	3	-	3	-	-	-	-	-	-
90-94 years-----	1	1	-	-	-	-	1	1	-	1	1	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Folate deficiency anemia, unspecified (D52.9)

All ages-----	8	4	4	7	3	4	1	1	-	1	1	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	2	2	-	2	2	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years-----	3	-	3	3	-	3	-	-	-	-	-	-
90-94 years-----	1	1	-	-	-	-	1	1	-	1	1	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other nutritional anemias (D53)												
All ages-----	70	30	40	52	21	31	18	9	9	15	7	8
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	-	1	-	-	-	1	-	1	1	-	1
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years-----	3	3	-	1	1	-	2	2	-	1	1	-
65-69 years-----	2	1	1	1	1	-	1	-	1	-	-	-
70-74 years-----	7	1	6	5	-	5	2	1	1	2	1	1
75-79 years-----	5	4	1	3	2	1	2	2	-	2	2	-
80-84 years-----	13	5	8	10	3	7	3	2	1	3	2	1
85-89 years-----	15	9	6	13	8	5	2	1	1	2	1	1
90-94 years-----	14	2	12	11	2	9	3	-	3	3	-	3
95-99 years-----	7	3	4	5	2	3	2	1	1	1	-	1
100 yrs & over---	1	1	-	1	1	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Protein deficiency anemia (D53.0)												
All ages-----	28	12	16	17	7	10	11	5	6	10	4	6
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	-	1	-	-	-	1	-	1	1	-	1
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	2	2	-	1	1	-	1	1	-	1	1	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	3	1	2	2	-	2	1	1	-	1	1	-
75-79 years-----	2	1	1	1	-	1	1	1	-	1	1	-
80-84 years-----	2	1	1	-	-	-	2	1	1	2	1	1
85-89 years-----	7	3	4	6	3	3	1	-	1	1	-	1
90-94 years-----	6	1	5	4	1	3	2	-	2	2	-	2
95-99 years-----	5	3	2	3	2	1	2	1	1	1	-	1
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other megaloblastic anemias, not elsewhere classified (D53.1)												
All ages-----	10	5	5	10	5	5	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years-----	3	2	1	3	2	1	-	-	-	-	-	-
90-94 years-----	3	1	2	3	1	2	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	1	1	-	1	1	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Nutritional anemia, unspecified (D53.9)												
All ages-----	32	13	19	25	9	16	7	4	3	5	3	2
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	1	1	-	-	-	-	1	1	-	-	-	-
65-69 years-----	2	1	1	1	1	-	1	-	1	-	-	-
70-74 years-----	4	-	4	3	-	3	1	-	1	1	-	1
75-79 years-----	3	3	-	2	2	-	1	1	-	1	1	-
80-84 years-----	9	3	6	8	2	6	1	1	-	1	1	-
85-89 years-----	5	4	1	4	3	1	1	1	-	1	1	-
90-94 years-----	5	-	5	4	-	4	1	-	1	1	-	1
95-99 years-----	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Thalassemia (D56)												
All ages-----	20	10	10	9	2	7	11	8	3	9	6	3
Under 1 year----	2	2	-	1	1	-	1	1	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	-	-	-	1	-	1	1	-	1
15-19 years-----	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years-----	2	2	-	-	-	-	2	2	-	2	2	-
25-29 years-----	3	2	1	1	-	1	2	2	-	1	1	-
30-34 years-----	2	-	2	1	-	1	1	-	1	1	-	1
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	2	-	2	1	-	1	1	-	1	1	-	1
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	3	2	1	1	-	1	2	2	-	2	2	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	-	-	-	1	1	-	1	1	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Alpha thalassemia (D56.0)												
All ages-----	2	2	-	1	1	-	1	1	-	-	-	-
Under 1 year----	2	2	-	1	1	-	1	1	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Beta thalassemia (D56.1)												
All ages-----	12	6	6	4	1	3	8	5	3	7	4	3
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	-	-	-	1	-	1	1	-	1
15-19 years-----	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years-----	2	2	-	-	-	-	2	2	-	2	2	-
25-29 years-----	3	2	1	1	-	1	2	2	-	1	1	-
30-34 years-----	1	-	1	-	-	-	1	-	1	1	-	1
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	-	-	-	1	-	1	1	-	1
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	2	1	1	1	-	1	1	1	-	1	1	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Delta-beta thalassemia (D56.2)

All ages-----	1	1	-	-	-	-	1	1	-	1	1	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	-	-	-	1	1	-	1	1	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Thalassemia, unspecified (D56.9)												
All ages-----	5	1	4	4	-	4	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	-	-	-	1	1	-	1	1	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Sickle-cell disorders (D57)

All ages-----	509	266	243	13	6	7	496	260	236	495	260	235
Under 1 year-----	3	2	1	-	-	-	3	2	1	3	2	1
1-4 years-----	20	11	9	-	-	-	20	11	9	20	11	9
5-9 years-----	16	7	9	-	-	-	16	7	9	16	7	9
10-14 years-----	6	3	3	-	-	-	6	3	3	6	3	3
15-19 years-----	17	12	5	-	-	-	17	12	5	17	12	5
20-24 years-----	52	34	18	2	1	1	50	33	17	50	33	17
25-29 years-----	54	27	27	2	-	2	52	27	25	52	27	25
30-34 years-----	77	42	35	1	1	-	76	41	35	76	41	35
35-39 years-----	58	30	28	-	-	-	58	30	28	58	30	28
40-44 years-----	63	32	31	2	-	2	61	32	29	61	32	29
45-49 years-----	60	27	33	4	3	1	56	24	32	55	24	31
50-54 years-----	29	14	15	-	-	-	29	14	15	29	14	15
55-59 years-----	31	14	17	-	-	-	31	14	17	31	14	17
60-64 years-----	12	6	6	1	-	1	11	6	5	11	6	5
65-69 years-----	4	2	2	-	-	-	4	2	2	4	2	2
70-74 years-----	2	-	2	-	-	-	2	-	2	2	-	2
75-79 years-----	2	-	2	-	-	-	2	-	2	2	-	2
80-84 years-----	2	2	-	1	1	-	1	1	-	1	1	-
85-89 years-----	1	1	-	-	-	-	1	1	-	1	1	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Sickle-cell anemia with crisis (D57.0)												
All ages-----	113	58	55	7	2	5	106	56	50	106	56	50
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	1	-	-	-	-	1	1	-	1	1	-
5-9 years-----	3	2	1	-	-	-	3	2	1	3	2	1
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	3	2	1	-	-	-	3	2	1	3	2	1
20-24 years-----	15	11	4	-	-	-	15	11	4	15	11	4
25-29 years-----	10	5	5	2	-	2	8	5	3	8	5	3
30-34 years-----	21	10	11	-	-	-	21	10	11	21	10	11
35-39 years-----	13	9	4	-	-	-	13	9	4	13	9	4
40-44 years-----	10	4	6	1	-	1	9	4	5	9	4	5
45-49 years-----	20	8	12	2	1	1	18	7	11	18	7	11
50-54 years-----	5	2	3	-	-	-	5	2	3	5	2	3
55-59 years-----	6	2	4	-	-	-	6	2	4	6	2	4
60-64 years-----	4	1	3	1	-	1	3	1	2	3	1	2
65-69 years-----	1	-	1	-	-	-	1	-	1	1	-	1
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Sickle-cell anemia without crisis (D57.1)

All ages-----	388	204	184	6	4	2	382	200	182	381	200	181
Under 1 year----	3	2	1	-	-	-	3	2	1	3	2	1
1-4 years-----	19	10	9	-	-	-	19	10	9	19	10	9
5-9 years-----	12	5	7	-	-	-	12	5	7	12	5	7
10-14 years-----	6	3	3	-	-	-	6	3	3	6	3	3
15-19 years-----	13	9	4	-	-	-	13	9	4	13	9	4
20-24 years-----	37	23	14	2	1	1	35	22	13	35	22	13
25-29 years-----	44	22	22	-	-	-	44	22	22	44	22	22
30-34 years-----	56	32	24	1	1	-	55	31	24	55	31	24
35-39 years-----	44	21	23	-	-	-	44	21	23	44	21	23
40-44 years-----	51	27	24	1	-	1	50	27	23	50	27	23
45-49 years-----	38	18	20	2	2	-	36	16	20	35	16	19
50-54 years-----	24	12	12	-	-	-	24	12	12	24	12	12
55-59 years-----	24	11	13	-	-	-	24	11	13	24	11	13
60-64 years-----	8	5	3	-	-	-	8	5	3	8	5	3
65-69 years-----	3	2	1	-	-	-	3	2	1	3	2	1
70-74 years-----	2	-	2	-	-	-	2	-	2	2	-	2
75-79 years-----	2	-	2	-	-	-	2	-	2	2	-	2
80-84 years-----	1	1	-	-	-	-	1	1	-	1	1	-
85-89 years-----	1	1	-	-	-	-	1	1	-	1	1	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Double heterozygous sickling disorders (D57.2)												
All ages-----	2	1	1	-	-	-	2	1	1	2	1	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	-	1	-	-	-	1	-	1	1	-	1
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	-	-	-	1	1	-	1	1	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Sickle-cell trait (D57.3)												
All ages-----	6	3	3	-	-	-	6	3	3	6	3	3
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	-	-	-	1	1	-	1	1	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	-	-	-	1	-	1	1	-	1
40-44 years-----	2	1	1	-	-	-	2	1	1	2	1	1
45-49 years-----	1	-	1	-	-	-	1	-	1	1	-	1
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	-	-	-	1	1	-	1	1	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other hereditary hemolytic anemias (D58)												
All ages-----	158	60	98	134	45	89	24	15	9	19	12	7
Under 1 year----	2	1	1	-	-	-	2	1	1	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	-	-	-	1	1	-	1	1	-
15-19 years-----	2	1	1	-	-	-	2	1	1	2	1	1
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	-	1	-	-	-	1	-	1	1	-	1
35-39 years-----	3	2	1	-	-	-	3	2	1	3	2	1
40-44 years-----	5	3	2	4	2	2	1	1	-	1	1	-
45-49 years-----	5	5	-	3	3	-	2	2	-	1	1	-
50-54 years-----	3	2	1	3	2	1	-	-	-	-	-	-
55-59 years-----	3	1	2	2	1	1	1	-	1	-	-	-
60-64 years-----	5	2	3	4	1	3	1	1	-	1	1	-
65-69 years-----	6	2	4	4	1	3	2	1	1	2	1	1
70-74 years-----	18	6	12	15	3	12	3	3	-	2	2	-
75-79 years-----	28	14	14	27	13	14	1	1	-	1	1	-
80-84 years-----	26	10	16	24	10	14	2	-	2	2	-	2
85-89 years-----	29	6	23	27	5	22	2	1	1	2	1	1
90-94 years-----	13	3	10	13	3	10	-	-	-	-	-	-
95-99 years-----	7	1	6	7	1	6	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Hereditary spherocytosis (D58.0)												
All ages-----	4	4	-	2	2	-	2	2	-	1	1	-
Under 1 year----	1	1	-	-	-	-	1	1	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	-	-	-	1	1	-	1	1	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other hemoglobinopathies (D58.2)												
All ages-----	4	1	3	-	-	-	4	1	3	3	1	2
Under 1 year-----	1	-	1	-	-	-	1	-	1	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	-	1	-	-	-	1	-	1	1	-	1
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	-	-	-	1	1	-	1	1	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	-	1	-	-	-	1	-	1	1	-	1
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other specified hereditary hemolytic anemias (D58.8)

All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Hereditary hemolytic anemia, unspecified (D58.9)												
All ages-----	149	55	94	131	43	88	18	12	6	15	10	5
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	-	-	-	1	1	-	1	1	-
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	-	1	-	-	-	1	-	1	1	-	1
35-39 years-----	3	2	1	-	-	-	3	2	1	3	2	1
40-44 years-----	4	2	2	3	1	2	1	1	-	1	1	-
45-49 years-----	4	4	-	3	3	-	1	1	-	-	-	-
50-54 years-----	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years-----	3	1	2	2	1	1	1	-	1	-	-	-
60-64 years-----	5	2	3	4	1	3	1	1	-	1	1	-
65-69 years-----	6	2	4	4	1	3	2	1	1	2	1	1
70-74 years-----	18	6	12	15	3	12	3	3	-	2	2	-
75-79 years-----	27	13	14	26	12	14	1	1	-	1	1	-
80-84 years-----	25	10	15	24	10	14	1	-	1	1	-	1
85-89 years-----	29	6	23	27	5	22	2	1	1	2	1	1
90-94 years-----	13	3	10	13	3	10	-	-	-	-	-	-
95-99 years-----	7	1	6	7	1	6	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Acquired hemolytic anemia (D59)												
All ages-----	179	72	107	160	64	96	19	8	11	15	6	9
Under 1 year----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	2	-	2	2	-	2	-	-	-	-	-	-
5-9 years-----	2	-	2	2	-	2	-	-	-	-	-	-
10-14 years-----	3	2	1	1	-	1	2	2	-	2	2	-
15-19 years-----	4	1	3	3	1	2	1	-	1	1	-	1
20-24 years-----	2	1	1	2	1	1	-	-	-	-	-	-
25-29 years-----	2	2	-	1	1	-	1	1	-	-	-	-
30-34 years-----	2	-	2	1	-	1	1	-	1	-	-	-
35-39 years-----	2	1	1	1	-	1	1	1	-	-	-	-
40-44 years-----	6	4	2	5	3	2	1	1	-	1	1	-
45-49 years-----	6	2	4	5	2	3	1	-	1	1	-	1
50-54 years-----	3	2	1	2	2	-	1	-	1	1	-	1
55-59 years-----	9	3	6	5	2	3	4	1	3	4	1	3
60-64 years-----	8	4	4	7	4	3	1	-	1	-	-	-
65-69 years-----	17	7	10	16	6	10	1	1	-	1	1	-
70-74 years-----	16	7	9	16	7	9	-	-	-	-	-	-
75-79 years-----	24	11	13	23	11	12	1	-	1	1	-	1
80-84 years-----	29	14	15	26	13	13	3	1	2	3	1	2
85-89 years-----	25	4	21	25	4	21	-	-	-	-	-	-
90-94 years-----	11	4	7	11	4	7	-	-	-	-	-	-
95-99 years-----	5	2	3	5	2	3	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Drug-induced autoimmune hemolytic anemia (D59.0)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Other autoimmune hemolytic anemias (D59.1)												
All ages-----	116	45	71	108	42	66	8	3	5	7	3	4
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	2	2	-	-	-	-	2	2	-	2	2	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	-	1	-	-	-	1	-	1	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	3	-	3	2	-	2	1	-	1	1	-	1
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	5	3	2	4	2	2	1	1	-	1	1	-
60-64 years-----	5	3	2	5	3	2	-	-	-	-	-	-
65-69 years-----	12	5	7	12	5	7	-	-	-	-	-	-
70-74 years-----	11	5	6	11	5	6	-	-	-	-	-	-
75-79 years-----	16	8	8	15	8	7	1	-	1	1	-	1
80-84 years-----	24	9	15	22	9	13	2	-	2	2	-	2
85-89 years-----	22	3	19	22	3	19	-	-	-	-	-	-
90-94 years-----	9	3	6	9	3	6	-	-	-	-	-	-
95-99 years-----	4	2	2	4	2	2	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Hemolytic-uremic syndrome (D59.3)												
All ages-----	35	10	25	28	7	21	7	3	4	4	1	3
Under 1 year----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	2	-	2	2	-	2	-	-	-	-	-	-
5-9 years-----	2	-	2	2	-	2	-	-	-	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	2	-	2	1	-	1	1	-	1	1	-	1
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	-	-	-	1	1	-	-	-	-
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	2	1	1	1	-	1	1	1	-	-	-	-
40-44 years-----	3	2	1	2	1	1	1	1	-	1	1	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	3	-	3	1	-	1	2	-	2	2	-	2
60-64 years-----	1	-	1	-	-	-	1	-	1	-	-	-
65-69 years-----	3	1	2	3	1	2	-	-	-	-	-	-
70-74 years-----	4	2	2	4	2	2	-	-	-	-	-	-
75-79 years-----	3	-	3	3	-	3	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other nonautoimmune hemolytic anemias (D59.4)

All ages-----	4	3	1	3	2	1	1	1	-	1	1	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	2	2	-	1	1	-	1	1	-	1	1	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Paroxysmal nocturnal hemoglobinuria [Marchiafava-Micheli] (D59.5)												
All ages-----	12	7	5	11	7	4	1	-	1	1	-	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	2	1	1	2	1	1	-	-	-	-	-	-
20-24 years-----	2	1	1	2	1	1	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	1	-	1	-	-	-	1	-	1	1	-	1
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	3	2	1	3	2	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Acquired hemolytic anemia, unspecified (D59.9)

All ages-----	11	7	4	9	6	3	2	1	1	2	1	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	-	1	-	-	-	1	-	1	1	-	1
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	2	1	1	1	-	1	1	1	-	1	1	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	2	2	-	2	2	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Acquired pure red cell aplasia [erythroblastopenia] (D60)												
All ages-----	14	8	6	12	7	5	2	1	1	1	1	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years-----	4	2	2	4	2	2	-	-	-	-	-	-
80-84 years-----	1	-	1	-	-	-	1	-	1	-	-	-
85-89 years-----	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	1	1	-	-	-	-	1	1	-	1	1	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Acquired pure red cell aplasia, unspecified (D60.9)

All ages-----	14	8	6	12	7	5	2	1	1	1	1	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years-----	4	2	2	4	2	2	-	-	-	-	-	-
80-84 years-----	1	-	1	-	-	-	1	-	1	-	-	-
85-89 years-----	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	1	1	-	-	-	-	1	1	-	1	1	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other aplastic anemias (D61)												
All ages-----	1,055	471	584	910	405	505	145	66	79	116	50	66
Under 1 year-----	4	2	2	4	2	2	-	-	-	-	-	-
1-4 years-----	8	6	2	7	6	1	1	-	1	1	-	1
5-9 years-----	6	1	5	5	1	4	1	-	1	1	-	1
10-14 years-----	15	7	8	11	5	6	4	2	2	4	2	2
15-19 years-----	18	9	9	13	7	6	5	2	3	3	-	3
20-24 years-----	14	6	8	8	3	5	6	3	3	5	2	3
25-29 years-----	4	1	3	2	-	2	2	1	1	2	1	1
30-34 years-----	10	5	5	7	4	3	3	1	2	3	1	2
35-39 years-----	22	11	11	18	8	10	4	3	1	4	3	1
40-44 years-----	13	7	6	10	7	3	3	-	3	3	-	3
45-49 years-----	29	15	14	22	11	11	7	4	3	5	4	1
50-54 years-----	24	11	13	20	8	12	4	3	1	2	2	-
55-59 years-----	31	12	19	19	7	12	12	5	7	10	4	6
60-64 years-----	49	25	24	34	16	18	15	9	6	13	9	4
65-69 years-----	65	43	22	54	38	16	11	5	6	8	3	5
70-74 years-----	110	46	64	94	37	57	16	9	7	13	8	5
75-79 years-----	146	69	77	130	63	67	16	6	10	11	2	9
80-84 years-----	169	77	92	159	72	87	10	5	5	8	3	5
85-89 years-----	154	68	86	140	63	77	14	5	9	11	4	7
90-94 years-----	108	33	75	102	31	71	6	2	4	5	1	4
95-99 years-----	44	14	30	40	13	27	4	1	3	3	1	2
100 yrs & over---	12	3	9	11	3	8	1	-	1	1	-	1
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Constitutional aplastic anemia (D61.0)

All ages-----	22	9	13	18	8	10	4	1	3	4	1	3
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	3	-	3	3	-	3	-	-	-	-	-	-
10-14 years-----	4	2	2	3	1	2	1	1	-	1	1	-
15-19 years-----	4	2	2	3	2	1	1	-	1	1	-	1
20-24 years-----	2	-	2	1	-	1	1	-	1	1	-	1
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	2	-	2	2	-	2	-	-	-	-	-	-
40-44 years-----	2	1	1	1	1	-	1	-	1	1	-	1
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	2	1	1	2	1	1	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Drug-induced aplastic anemia (D61.1)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Aplastic anemia due to other external agents (D61.2)

All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Idiopathic aplastic anemia (D61.3)												
All ages-----	7	1	6	7	1	6	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	2	-	2	2	-	2	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	2	-	2	2	-	2	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Other specified aplastic anemias (D61.8)												
All ages-----	1	1	-	-	-	-	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	-	-	-	1	1	-	1	1	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Aplastic anemia, unspecified (D61.9)												
All ages-----	1,023	458	565	883	394	489	140	64	76	111	48	63
Under 1 year-----	4	2	2	4	2	2	-	-	-	-	-	-
1-4 years-----	7	5	2	6	5	1	1	-	1	1	-	1
5-9 years-----	3	1	2	2	1	1	1	-	1	1	-	1
10-14 years-----	11	5	6	8	4	4	3	1	2	3	1	2
15-19 years-----	14	7	7	10	5	5	4	2	2	2	-	2
20-24 years-----	12	6	6	7	3	4	5	3	2	4	2	2
25-29 years-----	4	1	3	2	-	2	2	1	1	2	1	1
30-34 years-----	9	4	5	6	3	3	3	1	2	3	1	2
35-39 years-----	20	11	9	16	8	8	4	3	1	4	3	1
40-44 years-----	11	6	5	9	6	3	2	-	2	2	-	2
45-49 years-----	29	15	14	22	11	11	7	4	3	5	4	1
50-54 years-----	24	11	13	20	8	12	4	3	1	2	2	-
55-59 years-----	29	11	18	17	6	11	12	5	7	10	4	6
60-64 years-----	46	23	23	32	15	17	14	8	6	12	8	4
65-69 years-----	65	43	22	54	38	16	11	5	6	8	3	5
70-74 years-----	108	46	62	92	37	55	16	9	7	13	8	5
75-79 years-----	144	67	77	128	61	67	16	6	10	11	2	9
80-84 years-----	167	77	90	157	72	85	10	5	5	8	3	5
85-89 years-----	152	67	85	138	62	76	14	5	9	11	4	7
90-94 years-----	108	33	75	102	31	71	6	2	4	5	1	4
95-99 years-----	44	14	30	40	13	27	4	1	3	3	1	2
100 yrs & over---	12	3	9	11	3	8	1	-	1	1	-	1
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Acute posthemorrhagic anemia (D62)												
All ages-----	9	1	8	9	1	8	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	3	1	2	3	1	2	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other anemias (D64)												
All ages-----	2,272	759	1,513	1,901	630	1,271	371	129	242	327	109	218
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	3	2	1	1	1	-	2	1	1	2	1	1
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	6	-	6	3	-	3	3	-	3	3	-	3
25-29 years-----	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years-----	4	1	3	1	-	1	3	1	2	3	1	2
35-39 years-----	5	3	2	3	2	1	2	1	1	1	-	1
40-44 years-----	15	8	7	4	2	2	11	6	5	9	4	5
45-49 years-----	29	16	13	16	9	7	13	7	6	12	6	6
50-54 years-----	34	16	18	15	8	7	19	8	11	17	7	10
55-59 years-----	28	12	16	18	5	13	10	7	3	9	6	3
60-64 years-----	45	20	25	25	8	17	20	12	8	20	12	8
65-69 years-----	75	35	40	55	28	27	20	7	13	17	6	11
70-74 years-----	142	65	77	109	52	57	33	13	20	29	11	18
75-79 years-----	264	105	159	221	89	132	43	16	27	43	16	27
80-84 years-----	383	145	238	344	132	212	39	13	26	36	11	25
85-89 years-----	508	157	351	446	134	312	62	23	39	49	18	31
90-94 years-----	451	116	335	402	107	295	49	9	40	44	7	37
95-99 years-----	220	48	172	190	44	146	30	4	26	23	2	21
100 yrs & over---	58	8	50	47	8	39	11	-	11	9	-	9
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Other sideroblastic anemias (D64.3)												
All ages-----	71	38	33	69	36	33	2	2	-	2	2	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	1	1	-	-	-	-	1	1	-	1	1	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	2	2	-	1	1	-	1	1	-	1	1	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	8	5	3	8	5	3	-	-	-	-	-	-
75-79 years-----	11	7	4	11	7	4	-	-	-	-	-	-
80-84 years-----	14	8	6	14	8	6	-	-	-	-	-	-
85-89 years-----	18	11	7	18	11	7	-	-	-	-	-	-
90-94 years-----	9	2	7	9	2	7	-	-	-	-	-	-
95-99 years-----	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other specified anemias (D64.8)												
All ages-----	40	17	23	38	17	21	2	-	2	1	-	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	-	1	-	-	-	1	-	1	1	-	1
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	2	-	2	1	-	1	1	-	1	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years-----	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years-----	7	3	4	7	3	4	-	-	-	-	-	-
80-84 years-----	9	6	3	9	6	3	-	-	-	-	-	-
85-89 years-----	9	3	6	9	3	6	-	-	-	-	-	-
90-94 years-----	6	3	3	6	3	3	-	-	-	-	-	-
95-99 years-----	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Anemia, unspecified (D64.9)												
All ages-----	2,161	704	1,457	1,794	577	1,217	367	127	240	324	107	217
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	3	2	1	1	1	-	2	1	1	2	1	1
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	4	-	4	2	-	2	2	-	2	2	-	2
25-29 years-----	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years-----	4	1	3	1	-	1	3	1	2	3	1	2
35-39 years-----	5	3	2	3	2	1	2	1	1	1	-	1
40-44 years-----	14	8	6	3	2	1	11	6	5	9	4	5
45-49 years-----	28	15	13	15	8	7	13	7	6	12	6	6
50-54 years-----	31	15	16	14	8	6	17	7	10	16	6	10
55-59 years-----	27	12	15	17	5	12	10	7	3	9	6	3
60-64 years-----	43	18	25	24	7	17	19	11	8	19	11	8
65-69 years-----	72	34	38	52	27	25	20	7	13	17	6	11
70-74 years-----	132	59	73	99	46	53	33	13	20	29	11	18
75-79 years-----	246	95	151	203	79	124	43	16	27	43	16	27
80-84 years-----	360	131	229	321	118	203	39	13	26	36	11	25
85-89 years-----	481	143	338	419	120	299	62	23	39	49	18	31
90-94 years-----	436	111	325	387	102	285	49	9	40	44	7	37
95-99 years-----	216	48	168	186	44	142	30	4	26	23	2	21
100 yrs & over---	58	8	50	47	8	39	11	-	11	9	-	9
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Disseminated intravascular coagulation [defibrination syndrome] (D65)												
All ages-----	663	289	374	519	224	295	144	65	79	120	53	67
Under 1 year-----	14	9	5	6	4	2	8	5	3	6	4	2
1-4 years-----	6	1	5	5	1	4	1	-	1	1	-	1
5-9 years-----	3	1	2	3	1	2	-	-	-	-	-	-
10-14 years-----	2	2	-	1	1	-	1	1	-	1	1	-
15-19 years-----	6	4	2	6	4	2	-	-	-	-	-	-
20-24 years-----	8	5	3	6	4	2	2	1	1	2	1	1
25-29 years-----	8	3	5	5	3	2	3	-	3	-	-	-
30-34 years-----	8	4	4	7	3	4	1	1	-	1	1	-
35-39 years-----	15	6	9	7	5	2	8	1	7	7	1	6
40-44 years-----	24	9	15	16	6	10	8	3	5	7	3	4
45-49 years-----	30	19	11	23	13	10	7	6	1	6	5	1
50-54 years-----	35	21	14	20	14	6	15	7	8	14	6	8
55-59 years-----	40	16	24	29	13	16	11	3	8	10	2	8
60-64 years-----	54	19	35	46	14	32	8	5	3	8	5	3
65-69 years-----	51	23	28	38	16	22	13	7	6	13	7	6
70-74 years-----	92	42	50	73	31	42	19	11	8	13	7	6
75-79 years-----	110	43	67	92	36	56	18	7	11	14	5	9
80-84 years-----	67	25	42	58	20	38	9	5	4	6	3	3
85-89 years-----	60	25	35	54	24	30	6	1	5	5	1	4
90-94 years-----	25	9	16	21	9	12	4	-	4	4	-	4
95-99 years-----	5	3	2	3	2	1	2	1	1	2	1	1
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Hereditary factor VIII deficiency (D66)												
All ages-----	78	45	33	56	30	26	22	15	7	20	13	7
Under 1 year-----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	1	1	-	-	-	-	1	1	-	1	1	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	2	2	-	-	-	-	2	2	-	1	1	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	2	2	-	1	1	-	1	1	-	1	1	-
25-29 years-----	3	3	-	2	2	-	1	1	-	1	1	-
30-34 years-----	3	3	-	2	2	-	1	1	-	1	1	-
35-39 years-----	6	5	1	5	4	1	1	1	-	1	1	-
40-44 years-----	5	5	-	4	4	-	1	1	-	1	1	-
45-49 years-----	2	2	-	1	1	-	1	1	-	1	1	-
50-54 years-----	3	2	1	3	2	1	-	-	-	-	-	-
55-59 years-----	3	3	-	1	1	-	2	2	-	2	2	-
60-64 years-----	2	1	1	2	1	1	-	-	-	-	-	-
65-69 years-----	2	-	2	1	-	1	1	-	1	1	-	1
70-74 years-----	13	6	7	10	5	5	3	1	2	2	-	2
75-79 years-----	6	1	5	5	1	4	1	-	1	1	-	1
80-84 years-----	8	4	4	6	3	3	2	1	1	2	1	1
85-89 years-----	8	2	6	4	-	4	4	2	2	4	2	2
90-94 years-----	5	1	4	5	1	4	-	-	-	-	-	-
95-99 years-----	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Hereditary factor IX deficiency (D67)												
All ages-----	3	3	-	3	3	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	2	2	-	2	2	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Other coagulation defects (D68)												
All ages-----	937	407	530	754	331	423	183	76	107	162	65	97
Under 1 year-----	20	12	8	15	9	6	5	3	2	5	3	2
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	3	3	-	3	3	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	2	-	2	2	-	2	-	-	-	-	-	-
20-24 years-----	5	3	2	-	-	-	5	3	2	5	3	2
25-29 years-----	4	1	3	3	1	2	1	-	1	1	-	1
30-34 years-----	15	4	11	11	4	7	4	-	4	4	-	4
35-39 years-----	20	11	9	13	8	5	7	3	4	7	3	4
40-44 years-----	45	23	22	28	16	12	17	7	10	17	7	10
45-49 years-----	55	28	27	41	23	18	14	5	9	12	4	8
50-54 years-----	57	30	27	40	23	17	17	7	10	14	6	8
55-59 years-----	51	28	23	34	19	15	17	9	8	14	7	7
60-64 years-----	62	26	36	50	21	29	12	5	7	9	2	7
65-69 years-----	87	36	51	71	30	41	16	6	10	11	5	6
70-74 years-----	115	60	55	99	54	45	16	6	10	14	5	9
75-79 years-----	157	68	89	136	57	79	21	11	10	19	9	10
80-84 years-----	117	33	84	104	28	76	13	5	8	13	5	8
85-89 years-----	70	26	44	61	23	38	9	3	6	9	3	6
90-94 years-----	32	9	23	25	7	18	7	2	5	6	2	4
95-99 years-----	14	2	12	13	2	11	1	-	1	1	-	1
100 yrs & over---	5	3	2	4	2	2	1	1	-	1	1	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Von Willebrand's disease (D68.0)												
All ages-----	13	5	8	12	5	7	1	-	1	1	-	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	3	1	2	2	1	1	1	-	1	1	-	1
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	1	1	-	1	1	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Hereditary factor XI deficiency (D68.1)

All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Hereditary deficiency of other clotting factors (D68.2)												
All ages-----	43	16	27	35	11	24	8	5	3	7	4	3
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	3	2	1	3	2	1	-	-	-	-	-	-
55-59 years-----	2	2	-	1	1	-	1	1	-	1	1	-
60-64 years-----	1	1	-	-	-	-	1	1	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	12	6	6	10	4	6	2	2	-	2	2	-
75-79 years-----	3	1	2	3	1	2	-	-	-	-	-	-
80-84 years-----	8	2	6	6	2	4	2	-	2	2	-	2
85-89 years-----	8	1	7	6	-	6	2	1	1	2	1	1
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	2	1	1	2	1	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Hemorrhagic disorder due to circulating anticoagulants (D68.3)

All ages-----	5	2	3	3	2	1	2	-	2	2	-	2
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	2	1	1	1	1	-	1	-	1	1	-	1
75-79 years-----	3	1	2	2	1	1	1	-	1	1	-	1
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Acquired coagulation factor deficiency (D68.4)												
All ages-----	12	3	9	10	3	7	2	-	2	1	-	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	2	1	1	2	1	1	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	-	1	-	-	-	1	-	1	1	-	1
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	2	1	1	1	1	-	1	-	1	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	3	1	2	3	1	2	-	-	-	-	-	-
80-84 years-----	2	-	2	2	-	2	-	-	-	-	-	-
85-89 years-----	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Other specified coagulation defects (D68.8)												
All ages-----	45	21	24	41	21	20	4	-	4	4	-	4
Under 1 year-----	2	2	-	2	2	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	-	1	-	-	-	1	-	1	1	-	1
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	3	1	2	2	1	1	1	-	1	1	-	1
35-39 years-----	2	1	1	2	1	1	-	-	-	-	-	-
40-44 years-----	4	2	2	3	2	1	1	-	1	1	-	1
45-49 years-----	5	3	2	5	3	2	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	6	2	4	5	2	3	1	-	1	1	-	1
60-64 years-----	5	1	4	5	1	4	-	-	-	-	-	-
65-69 years-----	5	1	4	5	1	4	-	-	-	-	-	-
70-74 years-----	5	4	1	5	4	1	-	-	-	-	-	-
75-79 years-----	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years-----	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Coagulation defect, unspecified (D68.9)												
All ages-----	818	359	459	652	288	364	166	71	95	147	61	86
Under 1 year-----	18	10	8	13	7	6	5	3	2	5	3	2
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	3	3	-	3	3	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	2	-	2	2	-	2	-	-	-	-	-	-
20-24 years-----	4	3	1	-	-	-	4	3	1	4	3	1
25-29 years-----	4	1	3	3	1	2	1	1	1	1	-	1
30-34 years-----	12	3	9	9	3	6	3	-	3	3	-	3
35-39 years-----	18	10	8	11	7	4	7	3	4	7	3	4
40-44 years-----	38	20	18	22	13	9	16	7	9	16	7	9
45-49 years-----	48	24	24	34	19	15	14	5	9	12	4	8
50-54 years-----	53	27	26	36	20	16	17	7	10	14	6	8
55-59 years-----	41	24	17	27	16	11	14	8	6	11	6	5
60-64 years-----	55	23	32	44	19	25	11	4	7	9	2	7
65-69 years-----	78	34	44	63	28	35	15	6	9	11	5	6
70-74 years-----	93	48	45	81	44	37	12	4	8	10	3	7
75-79 years-----	145	64	81	125	53	72	20	11	9	18	9	9
80-84 years-----	103	29	74	92	24	68	11	5	6	11	5	6
85-89 years-----	58	24	34	51	22	29	7	2	5	7	2	5
90-94 years-----	30	8	22	23	6	17	7	2	5	6	2	4
95-99 years-----	12	2	10	11	2	9	1	-	1	1	-	1
100 yrs & over---	2	1	1	1	-	1	1	1	-	1	1	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Purpura and other hemorrhagic conditions (D69)

All ages-----	920	403	517	780	343	437	140	60	80	122	53	69
Under 1 year-----	8	5	3	4	3	1	4	2	2	4	2	2
1-4 years-----	3	1	2	2	1	1	1	-	1	1	-	1
5-9 years-----	7	4	3	7	4	3	-	-	-	-	-	-
10-14 years-----	4	4	-	3	3	-	1	1	-	1	1	-
15-19 years-----	7	2	5	7	2	5	-	-	-	-	-	-
20-24 years-----	6	2	4	3	2	1	3	-	3	1	-	1
25-29 years-----	5	4	1	2	2	-	3	2	1	3	2	1
30-34 years-----	13	4	9	6	2	4	7	2	5	7	2	5
35-39 years-----	25	12	13	14	7	7	11	5	6	10	5	5
40-44 years-----	24	10	14	18	10	8	6	-	6	5	-	5
45-49 years-----	25	9	16	15	6	9	10	3	7	7	2	5
50-54 years-----	24	10	14	20	8	12	4	2	2	4	2	2
55-59 years-----	35	17	18	24	12	12	11	5	6	11	5	6
60-64 years-----	46	18	28	38	15	23	8	3	5	8	3	5
65-69 years-----	68	36	32	49	26	23	19	10	9	17	9	8
70-74 years-----	107	53	54	92	47	45	15	6	9	11	4	7
75-79 years-----	119	60	59	106	52	54	13	8	5	12	7	5
80-84 years-----	144	61	83	131	53	78	13	8	5	9	6	3
85-89 years-----	126	53	73	119	50	69	7	3	4	7	3	4
90-94 years-----	89	31	58	87	31	56	2	-	2	2	-	2
95-99 years-----	33	7	26	31	7	24	2	-	2	2	-	2
100 yrs & over---	2	-	2	2	-	2	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Allergic purpura (D69.0)												
All ages-----	10	5	5	9	5	4	1	-	1	1	-	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	-	1	-	-	-	1	-	1	1	-	1
55-59 years-----	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Qualitative platelet defects (D69.1)												
All ages-----	1	-	1	-	-	-	1	-	1	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	-	-	-	1	-	1	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other nonthrombocytopenic purpura (D69.2)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Idiopathic thrombocytopenic purpura (D69.3)

All ages-----	327	146	181	287	130	157	40	16	24	32	12	20
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	6	4	2	6	4	2	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	3	-	3	3	-	3	-	-	-	-	-	-
20-24 years-----	4	1	3	1	1	-	3	-	3	1	-	1
25-29 years-----	4	3	1	1	1	-	3	2	1	3	2	1
30-34 years-----	5	1	4	1	-	1	4	1	3	4	1	3
35-39 years-----	8	4	4	5	2	3	3	2	1	3	2	1
40-44 years-----	12	6	6	12	6	6	-	-	-	-	-	-
45-49 years-----	15	4	11	9	2	7	6	2	4	5	2	3
50-54 years-----	6	3	3	6	3	3	-	-	-	-	-	-
55-59 years-----	8	4	4	5	3	2	3	1	2	3	1	2
60-64 years-----	12	3	9	12	3	9	-	-	-	-	-	-
65-69 years-----	21	10	11	17	10	7	4	-	4	3	-	3
70-74 years-----	33	16	17	29	14	15	4	2	2	2	-	2
75-79 years-----	38	18	20	36	18	18	2	-	2	2	-	2
80-84 years-----	52	29	23	47	24	23	5	5	-	3	3	-
85-89 years-----	48	20	28	45	19	26	3	1	2	3	1	2
90-94 years-----	38	15	23	38	15	23	-	-	-	-	-	-
95-99 years-----	12	4	8	12	4	8	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other primary thrombocytopenia (D69.4)												
All ages-----	26	12	14	22	10	12	4	2	2	4	2	2
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	-	-	-	1	1	-	1	1	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	2	1	1	2	1	1	-	-	-	-	-	-
40-44 years-----	2	1	1	1	1	-	1	-	1	1	-	1
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	3	1	2	2	1	1	1	-	1	1	-	1
55-59 years-----	1	1	-	-	-	-	1	1	-	1	1	-
60-64 years-----	2	1	1	2	1	1	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years-----	5	2	3	5	2	3	-	-	-	-	-	-
80-84 years-----	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years-----	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Secondary thrombocytopenia (D69.5)

All ages-----	10	5	5	9	5	4	1	-	1	1	-	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	3	1	2	2	1	1	1	-	1	1	-	1
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	3	2	1	3	2	1	-	-	-	-	-	-
75-79 years-----	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Thrombocytopenia, unspecified (D69.6)												
All ages-----	519	226	293	430	186	244	89	40	49	81	38	43
Under 1 year-----	6	4	2	3	2	1	3	2	1	3	2	1
1-4 years-----	3	1	2	2	1	1	1	-	1	1	-	1
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	2	2	-	2	2	-	-	-	-	-	-	-
15-19 years-----	3	1	2	3	1	2	-	-	-	-	-	-
20-24 years-----	2	1	1	2	1	1	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	7	2	5	4	1	3	3	1	2	3	1	2
35-39 years-----	14	6	8	6	3	3	8	3	5	7	3	4
40-44 years-----	9	3	6	5	3	2	4	-	4	4	-	4
45-49 years-----	10	5	5	6	4	2	4	1	3	2	-	2
50-54 years-----	12	6	6	10	4	6	2	2	-	2	2	-
55-59 years-----	21	10	11	15	7	8	6	3	3	6	3	3
60-64 years-----	28	13	15	20	10	10	8	3	5	8	3	5
65-69 years-----	42	23	19	28	14	14	14	9	5	14	9	5
70-74 years-----	63	31	32	53	28	25	10	3	7	8	3	5
75-79 years-----	70	37	33	59	29	30	11	8	3	10	7	3
80-84 years-----	81	29	52	74	26	48	7	3	4	5	3	2
85-89 years-----	76	33	43	72	31	41	4	2	2	4	2	2
90-94 years-----	48	15	33	46	15	31	2	-	2	2	-	2
95-99 years-----	20	3	17	18	3	15	2	-	2	2	-	2
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Hemorrhagic condition, unspecified (D69.9)

All ages-----	26	8	18	22	6	16	4	2	2	3	1	2
Under 1 year-----	1	-	1	-	-	-	1	-	1	1	-	1
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	2	-	2	2	-	2	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	2	-	2	2	-	2	-	-	-	-	-	-
65-69 years-----	3	3	-	2	2	-	1	1	-	-	-	-
70-74 years-----	5	2	3	4	1	3	1	1	-	1	1	-
75-79 years-----	3	1	2	3	1	2	-	-	-	-	-	-
80-84 years-----	6	1	5	5	1	4	1	-	1	1	-	1
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Agranulocytosis (D70)												
All ages-----	338	160	178	286	132	154	52	28	24	45	24	21
Under 1 year-----	3	2	1	1	1	-	2	1	1	2	1	1
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	2	-	2	2	-	2	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	3	1	2	3	1	2	-	-	-	-	-	-
20-24 years-----	5	4	1	3	2	1	2	2	-	1	1	-
25-29 years-----	5	4	1	5	4	1	-	-	-	-	-	-
30-34 years-----	6	3	3	5	2	3	1	1	-	1	1	-
35-39 years-----	5	4	1	3	2	1	2	2	-	2	2	-
40-44 years-----	10	4	6	10	4	6	4	-	-	-	-	-
45-49 years-----	6	5	1	4	3	1	2	2	-	2	2	-
50-54 years-----	19	5	14	14	2	12	5	3	2	4	3	1
55-59 years-----	24	13	11	18	10	8	6	3	3	6	3	3
60-64 years-----	28	15	13	22	13	9	6	2	4	6	2	4
65-69 years-----	29	11	18	23	8	15	6	3	3	6	3	3
70-74 years-----	53	29	24	46	27	19	7	2	5	5	1	4
75-79 years-----	39	23	16	37	22	15	2	1	1	2	1	1
80-84 years-----	42	14	28	38	12	26	4	2	2	4	2	2
85-89 years-----	34	11	23	30	8	22	4	3	1	2	1	1
90-94 years-----	18	8	10	16	7	9	2	1	1	1	1	-
95-99 years-----	5	3	2	4	3	1	1	-	1	1	-	1
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Functional disorders of polymorphonuclear neutrophils (D71)

All ages-----	12	7	5	8	5	3	4	2	2	4	2	2
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	2	1	1	2	1	1	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	-	-	-	1	1	-	1	1	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	1	1	-	-	-	-	1	1	-	1	1	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	1	-	1	-	-	-	1	-	1	1	-	1
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	-	-	-	1	-	1	1	-	1
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other disorders of white blood cells (D72)												
All ages-----	67	33	34	58	29	29	9	4	5	9	4	5
Under 1 year-----	3	2	1	1	1	-	2	1	1	2	1	1
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	3	3	2	2	2	-	1	1	-	1	1	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	2	2	-	2	2	-	-	-	-	-	-	-
40-44 years-----	4	1	3	3	-	3	1	1	-	1	1	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	5	2	3	4	2	2	1	-	1	1	-	1
55-59 years-----	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years-----	3	2	1	2	2	-	1	-	1	1	-	1
65-69 years-----	4	2	2	4	2	2	-	-	-	-	-	-
70-74 years-----	8	5	3	7	4	3	1	1	-	1	1	-
75-79 years-----	5	4	1	5	4	1	-	-	-	-	-	-
80-84 years-----	7	4	3	6	4	2	1	-	1	1	-	1
85-89 years-----	13	2	11	12	2	10	1	-	1	1	-	1
90-94 years-----	4	1	3	4	1	3	-	-	-	-	-	-
95-99 years-----	4	2	2	4	2	2	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Eosinophilia (D72.1)												
All ages-----	26	17	9	21	15	6	5	2	3	5	2	3
Under 1 year-----	2	2	-	1	1	-	1	1	-	1	1	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	2	2	-	2	2	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	2	2	-	2	2	-	-	-	-	-	-	-
40-44 years-----	2	1	1	1	-	1	1	1	-	1	1	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	3	1	2	2	1	1	1	-	1	1	-	1
55-59 years-----	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years-----	2	1	1	1	1	-	1	-	1	1	-	1
65-69 years-----	3	2	1	3	2	1	-	-	-	-	-	-
70-74 years-----	2	2	-	2	2	-	-	-	-	-	-	-
75-79 years-----	3	2	1	3	2	1	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	2	-	2	1	-	1	1	-	1	1	-	1
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other specified disorders of white blood cells (D72.8)												
All ages-----	41	16	25	37	14	23	4	2	2	4	2	2
Under 1 year----	1	-	1	-	-	-	1	-	1	1	-	1
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	2	-	2	2	-	2	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	2	1	1	2	1	1	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	6	3	3	5	2	3	1	1	-	1	1	-
75-79 years-----	2	2	-	2	2	-	-	-	-	-	-	-
80-84 years-----	6	3	3	5	3	2	1	-	1	1	-	1
85-89 years-----	11	2	9	11	2	9	-	-	-	-	-	-
90-94 years-----	4	1	3	4	1	3	-	-	-	-	-	-
95-99 years-----	4	2	2	4	2	2	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of spleen (D73)												
All ages-----	169	95	74	150	85	65	19	10	9	16	8	8
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	2	-	2	2	-	2	-	-	-	-	-	-
15-19 years-----	2	1	1	2	1	1	-	-	-	-	-	-
20-24 years-----	2	2	-	2	2	-	-	-	-	-	-	-
25-29 years-----	4	2	2	3	1	2	1	1	-	1	1	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	9	7	2	5	5	-	4	2	2	3	2	1
40-44 years-----	3	2	1	3	2	1	-	-	-	-	-	-
45-49 years-----	8	4	4	6	3	3	2	1	1	2	1	1
50-54 years-----	11	5	6	9	5	4	2	-	2	2	-	2
55-59 years-----	17	7	10	13	6	7	4	1	3	4	1	3
60-64 years-----	9	5	4	9	5	4	-	-	-	-	-	-
65-69 years-----	10	6	4	10	6	4	-	-	-	-	-	-
70-74 years-----	29	18	11	27	17	10	2	1	1	2	1	1
75-79 years-----	27	17	10	26	16	10	1	1	-	-	-	-
80-84 years-----	23	15	8	20	12	8	3	3	-	2	2	-
85-89 years-----	9	3	6	9	3	6	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Hypersplenism (D73.1)												
All ages-----	82	53	29	78	51	27	4	2	2	4	2	2
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	3	2	1	2	2	-	1	-	1	1	-	1
55-59 years-----	3	2	1	3	2	1	-	-	-	-	-	-
60-64 years-----	3	2	1	3	2	1	-	-	-	-	-	-
65-69 years-----	4	3	1	4	3	1	-	-	-	-	-	-
70-74 years-----	22	14	8	21	14	7	1	-	1	1	-	1
75-79 years-----	20	12	8	20	12	8	-	-	-	-	-	-
80-84 years-----	17	13	4	15	11	4	2	2	-	2	2	-
85-89 years-----	4	3	1	4	3	1	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Chronic congestive splenomegaly (D73.2)

All ages-----	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	2	2	-	2	2	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Abscess of spleen (D73.3)												
All ages-----	9	3	6	7	1	6	2	2	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	3	-	3	3	-	3	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	2	1	1	1	1	1	1	1	-	1	1	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	1	1	-	-	-	-	1	1	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Cyst of spleen (D73.4)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Infarction of spleen (D73.5)												
All ages-----	32	13	19	28	11	17	4	2	2	4	2	2
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	2	-	2	2	-	2	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	2	1	1	-	-	-	2	1	1	2	1	1
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	-	-	-	1	1	-	1	1	-
50-54 years-----	2	1	1	2	1	1	-	-	-	-	-	-
55-59 years-----	5	2	3	4	2	2	1	-	1	1	-	1
60-64 years-----	4	2	2	4	2	2	-	-	-	-	-	-
65-69 years-----	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years-----	3	3	-	3	3	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	4	-	4	4	-	4	-	-	-	-	-	-
85-89 years-----	3	-	3	3	-	3	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of spleen (D73.8)												
All ages-----	3	2	1	1	1	-	2	1	1	2	1	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	-	1	-	-	-	1	-	1	1	-	1
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Disease of spleen, unspecified (D73.9)												
All ages-----	40	22	18	33	19	14	7	3	4	5	2	3
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	4	3	1	2	2	-	2	1	1	1	1	-
40-44 years-----	2	2	-	2	2	-	-	-	-	-	-	-
45-49 years-----	6	3	3	5	3	2	1	-	1	1	-	1
50-54 years-----	5	2	3	4	2	2	1	-	1	1	-	1
55-59 years-----	5	3	2	3	2	1	2	1	1	2	1	1
60-64 years-----	2	1	1	2	1	1	-	-	-	-	-	-
65-69 years-----	3	1	2	3	1	2	-	-	-	-	-	-
70-74 years-----	2	-	2	2	-	2	-	-	-	-	-	-
75-79 years-----	5	4	1	4	3	1	1	1	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Methemoglobinemia (D74)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Methemoglobinemia, unspecified (D74.9)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other diseases of blood and blood-forming organs (D75)

All ages-----	164	67	97	153	61	92	11	6	5	11	6	5
Under 1 year-----	1	1	-	-	-	-	1	1	-	1	1	-
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	1	-	1	-	-	-	1	-	1	1	-	1
25-29 years-----	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years-----	2	2	-	2	2	-	-	-	-	-	-	-
35-39 years-----	2	1	1	1	-	1	1	1	-	1	1	-
40-44 years-----	6	1	5	5	1	4	1	-	1	1	-	1
45-49 years-----	6	2	4	5	2	3	1	-	1	1	-	1
50-54 years-----	3	1	2	3	1	2	-	-	-	-	-	-
55-59 years-----	8	5	3	7	4	3	1	1	-	1	1	-
60-64 years-----	3	2	1	3	2	1	-	-	-	-	-	-
65-69 years-----	6	2	4	5	1	4	1	1	-	1	1	-
70-74 years-----	9	5	4	9	5	4	-	-	-	-	-	-
75-79 years-----	23	9	14	23	9	14	-	-	-	-	-	-
80-84 years-----	32	15	17	32	15	17	-	-	-	-	-	-
85-89 years-----	39	15	24	38	15	23	1	-	1	1	-	1
90-94 years-----	16	3	13	14	2	12	2	1	1	2	1	1
95-99 years-----	3	-	3	3	-	3	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Secondary polycythemia (D75.1)												
All ages-----	5	1	4	4	1	3	1	-	1	1	-	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	-	-	-	1	-	1	1	-	1
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Essential thrombocytosis (D75.2)												
All ages-----	35	8	27	35	8	27	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years-----	7	2	5	7	2	5	-	-	-	-	-	-
80-84 years-----	10	4	6	10	4	6	-	-	-	-	-	-
85-89 years-----	9	1	8	9	1	8	-	-	-	-	-	-
90-94 years-----	3	-	3	3	-	3	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Other specified diseases of blood and blood-forming organs (D75.8)

All ages-----	74	31	43	68	26	42	6	5	1	6	5	1
Under 1 year----	1	1	-	-	-	-	1	1	-	1	1	-
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	1	1	-	-	-	-	1	1	-	1	1	-
40-44 years-----	2	-	2	2	-	2	-	-	-	-	-	-
45-49 years-----	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	3	2	1	2	1	1	1	1	-	1	1	-
60-64 years-----	2	1	1	2	1	1	-	-	-	-	-	-
65-69 years-----	3	1	2	2	-	2	1	1	-	1	1	-
70-74 years-----	5	2	3	5	2	3	-	-	-	-	-	-
75-79 years-----	14	5	9	14	5	9	-	-	-	-	-	-
80-84 years-----	12	6	6	12	6	6	-	-	-	-	-	-
85-89 years-----	17	8	9	17	8	9	-	-	-	-	-	-
90-94 years-----	9	1	8	7	-	7	2	1	1	2	1	1
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Disease of blood and blood-forming organs, unspecified (D75.9)

All ages-----	50	27	23	46	26	20	4	1	3	4	1	3
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	1	-	1	-	-	-	1	-	1	1	-	1
25-29 years-----	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	4	1	3	3	1	2	1	-	1	1	-	1
45-49 years-----	3	1	2	3	1	2	-	-	-	-	-	-
50-54 years-----	2	1	1	2	1	1	-	-	-	-	-	-
55-59 years-----	3	3	-	3	3	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years-----	2	2	-	2	2	-	-	-	-	-	-	-
75-79 years-----	2	2	-	2	2	-	-	-	-	-	-	-
80-84 years-----	9	5	4	9	5	4	-	-	-	-	-	-
85-89 years-----	11	5	6	10	5	5	1	-	1	1	-	1
90-94 years-----	4	2	2	4	2	2	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Certain diseases involving lymphoreticular tissue and reticulohistiocytic system (D76)

All ages-----	55	32	23	40	26	14	15	6	9	11	4	7
Under 1 year----	14	6	8	8	4	4	6	2	4	4	1	3
1-4 years-----	14	9	5	11	7	4	3	2	1	3	2	1
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	2	2	-	2	2	-	-	-	-	-	-	-
15-19 years-----	3	3	-	3	3	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	2	1	1	2	1	1	-	-	-	-	-	-
40-44 years-----	3	3	-	2	2	-	1	1	-	1	1	-
45-49 years-----	2	1	1	1	1	-	1	-	1	-	-	-
50-54 years-----	1	1	-	-	-	-	1	1	-	-	-	-
55-59 years-----	3	1	2	1	1	-	2	-	2	2	-	2
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years-----	5	2	3	4	2	2	1	-	1	1	-	1
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Langerhans' cell histiocytosis, not elsewhere classified (D76.0)

All ages-----	17	10	7	13	8	5	4	2	2	3	2	1
Under 1 year----	3	2	1	3	2	1	-	-	-	-	-	-
1-4 years-----	4	1	3	3	-	3	1	1	-	1	1	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	2	2	-	1	1	-	1	1	-	1	1	-
45-49 years-----	2	1	1	1	1	-	1	-	1	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	2	1	1	1	1	-	1	-	1	1	-	1
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Hemophagocytic lymphohistiocytosis (D76.1)												
All ages-----	11	7	4	8	6	2	3	1	2	3	1	2
Under 1 year-----	5	2	3	2	1	1	3	1	2	3	1	2
1-4 years-----	5	4	1	5	4	1	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Hemophagocytic syndrome, infection-associated (D76.2)												
All ages-----	4	2	2	3	1	2	1	1	-	-	-	-
Under 1 year-----	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	-	-	-	1	1	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

RACE, AND SEX

Other histiocytosis syndromes (D76.3)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	23	13	10	16	11	5	7	2	5	5	1	4
Under 1 year----	5	2	3	2	1	1	3	1	2	1	-	1
1-4 years-----	5	4	1	3	3	-	2	1	1	2	1	1
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	2	2	-	2	2	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	-	1	-	-	-	1	-	1	1	-	1
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	5	2	3	4	2	2	1	-	1	1	-	1
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Immunodeficiency with predominantly antibody defects (D80)

All ages-----	35	17	18	31	14	17	4	3	1	4	3	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	1	-	-	-	-	1	1	-	1	1	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years-----	4	3	1	4	3	1	-	-	-	-	-	-
35-39 years-----	1	1	-	-	-	-	1	1	-	1	1	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	6	2	4	5	2	3	1	-	1	1	-	1
50-54 years-----	4	1	3	4	1	3	-	-	-	-	-	-
55-59 years-----	2	-	2	2	-	2	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	5	3	2	5	3	2	-	-	-	-	-	-
70-74 years-----	3	2	1	3	2	1	-	-	-	-	-	-
75-79 years-----	5	3	2	5	3	2	-	-	-	-	-	-
80-84 years-----	2	-	2	2	-	2	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Hereditary hypogammaglobulinemia (D80.0)												
All ages-----	5	4	1	2	1	1	3	3	-	3	3	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	1	-	-	-	-	1	1	-	1	1	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	1	1	-	-	-	-	1	1	-	1	1	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Nonfamilial hypogammaglobulinemia (D80.1)												
All ages-----	18	10	8	18	10	8	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	4	1	3	4	1	3	-	-	-	-	-	-
50-54 years-----	2	1	1	2	1	1	-	-	-	-	-	-
55-59 years-----	2	-	2	2	-	2	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	3	2	1	3	2	1	-	-	-	-	-	-
70-74 years-----	2	2	-	2	2	-	-	-	-	-	-	-
75-79 years-----	3	3	-	3	3	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Selective deficiency of immunoglobulin A [IgA] (D80.2)												
All ages-----	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Selective deficiency of immunoglobulin G [IgG] subclasses (D80.3)

All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other immunodeficiencies with predominantly antibody defects (D80.8)												
All ages-----	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Immunodeficiency with predominantly antibody defects, unspecified (D80.9)

All ages-----	7	1	6	6	1	5	1	-	1	1	-	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	2	1	1	2	1	1	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	-	-	-	1	-	1	1	-	1
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	2	-	2	2	-	2	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Combined immunodeficiencies (D81)												
All ages-----	22	12	10	14	7	7	8	5	3	6	4	2
Under 1 year----	7	5	2	4	3	1	3	2	1	3	2	1
1-4 years-----	7	4	3	4	2	2	3	2	1	2	1	1
5-9 years-----	2	1	1	1	1	-	1	-	1	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	2	2	-	1	1	-	1	1	-	1	1	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	2	-	2	2	-	2	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Purine nucleoside phosphorylase [PNP] deficiency (D81.5)

All ages-----	1	-	1	-	-	-	1	-	1	1	-	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	-	1	-	-	-	1	-	1	1	-	1
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Major histocompatibility complex class I deficiency (D81.6)												
All ages-----	1	1	-	-	-	-	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	1	-	-	-	-	1	1	-	1	1	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Combined immunodeficiency, unspecified (D81.9)

All ages-----	20	11	9	14	7	7	6	4	2	4	3	1
Under 1 year-----	7	5	2	4	3	1	3	2	1	3	2	1
1-4 years-----	5	3	2	4	2	2	1	1	-	-	-	-
5-9 years-----	2	1	1	1	1	-	1	-	1	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	2	2	-	1	1	-	1	1	-	1	1	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	2	-	2	2	-	2	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Immunodeficiency associated with other major defects (D82)

All ages-----	22	15	7	15	9	6	7	6	1	6	5	1
Under 1 year----	6	4	2	3	1	2	3	3	-	3	3	-
1-4 years-----	8	7	1	6	5	1	2	2	-	1	1	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	2	1	1	2	1	1	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	1	-	-	-	1	-	1	1	-	1
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Wiskott-Aldrich syndrome (D82.0)

All ages-----	12	9	3	8	6	2	4	3	1	3	2	1
Under 1 year----	1	1	-	-	-	-	1	1	-	1	1	-
1-4 years-----	5	5	-	4	4	-	1	1	-	-	-	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	1	-	-	-	1	-	1	1	-	1
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Di George's syndrome (D82.1)												
All ages-----	8	5	3	5	2	3	3	3	-	3	3	-
Under 1 year-----	5	3	2	3	1	2	2	2	-	2	2	-
1-4 years-----	3	2	1	2	1	1	1	1	-	1	1	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Hyperimmunoglobulin E [IgE] syndrome (D82.4)

All ages-----	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Common variable immunodeficiency (D83)												
All ages-----	12	4	8	8	3	5	4	1	3	4	1	3
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	1	1	-	-	-	-	1	1	-	1	1	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	-	1	-	-	-	1	-	1	1	-	1
55-59 years-----	1	-	1	-	-	-	1	-	1	1	-	1
60-64 years-----	2	2	-	2	2	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	2	-	2	1	-	1	1	-	1	1	-	1
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Common variable immunodeficiency with predominant abnormalities of B-cell numbers and function (D83.0)

All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE

Common variable immunodeficiency, unspecified (D83.9)

All ages-----	11	4	7	7	3	4	4	1	3	4	1	3
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	1	1	-	-	-	-	1	1	-	1	1	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	-	1	-	-	-	1	-	1	1	-	1
55-59 years-----	1	-	1	-	-	-	1	-	1	1	-	1
60-64 years-----	2	2	-	2	2	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	2	-	2	1	-	1	1	-	1	1	-	1
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other immunodeficiencies (D84)

All ages-----	446	258	188	298	179	119	148	79	69	136	73	63
Under 1 year-----	4	2	2	3	1	2	1	1	-	-	-	-
1-4 years-----	10	7	3	6	4	2	4	3	1	4	3	1
5-9 years-----	4	2	2	2	1	1	2	1	1	2	1	1
10-14 years-----	7	4	3	4	2	2	3	2	1	1	1	-
15-19 years-----	8	4	4	4	2	2	4	2	2	4	2	2
20-24 years-----	3	1	2	2	1	1	1	-	1	1	-	1
25-29 years-----	12	7	5	7	6	1	5	1	4	5	1	4
30-34 years-----	30	17	13	13	10	3	17	7	10	17	7	10
35-39 years-----	46	30	16	24	19	5	22	11	11	21	10	11
40-44 years-----	49	28	21	18	12	6	31	16	15	31	16	15
45-49 years-----	51	36	15	30	22	8	21	14	7	19	13	6
50-54 years-----	29	24	5	19	16	3	10	8	2	10	8	2
55-59 years-----	25	16	9	18	13	5	7	3	4	6	3	3
60-64 years-----	25	10	15	20	8	12	5	2	3	3	1	2
65-69 years-----	25	14	11	23	13	10	2	1	1	2	1	1
70-74 years-----	30	16	14	25	12	13	5	4	1	3	3	-
75-79 years-----	33	14	19	29	12	17	4	2	2	4	2	2
80-84 years-----	21	13	8	19	12	7	2	1	1	1	1	-
85-89 years-----	15	8	7	15	8	7	-	-	-	-	-	-
90-94 years-----	13	4	9	11	4	7	2	-	2	2	-	2
95-99 years-----	5	1	4	5	1	4	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Defects in the complement system (D84.1)												
All ages-----	38	16	22	32	16	16	6	-	6	4	-	4
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	-	-	-	1	-	1	-	-	-
15-19 years-----	1	-	1	-	-	-	1	-	1	1	-	1
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	2	-	2	1	-	1	1	-	1	1	-	1
35-39 years-----	4	4	-	4	4	-	-	-	-	-	-	-
40-44 years-----	3	1	2	2	1	1	1	-	1	1	-	1
45-49 years-----	4	2	2	3	2	1	1	-	1	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years-----	3	-	3	2	-	2	1	-	1	1	-	1
65-69 years-----	4	3	1	4	3	1	-	-	-	-	-	-
70-74 years-----	2	-	2	2	-	2	-	-	-	-	-	-
75-79 years-----	5	2	3	5	2	3	-	-	-	-	-	-
80-84 years-----	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other specified immunodeficiencies (D84.8)

All ages-----	3	1	2	3	1	2	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Immunodeficiency, unspecified (D84.9)												
All ages-----	405	241	164	263	162	101	142	79	63	132	73	59
Under 1 year----	4	2	2	3	1	2	1	1	-	-	-	-
1-4 years-----	8	5	3	4	2	2	4	3	1	4	3	1
5-9 years-----	4	2	2	2	1	1	2	1	1	2	1	1
10-14 years-----	6	4	2	4	2	2	2	2	-	1	1	-
15-19 years-----	6	4	2	3	2	1	3	2	1	3	2	1
20-24 years-----	2	1	1	1	1	-	1	-	1	1	-	1
25-29 years-----	12	7	5	7	6	1	5	1	4	5	1	4
30-34 years-----	28	17	11	12	10	2	16	7	9	16	7	9
35-39 years-----	42	26	16	20	15	5	22	11	11	21	10	11
40-44 years-----	46	27	19	16	11	5	30	16	14	30	16	14
45-49 years-----	47	34	13	27	20	7	20	14	6	19	13	6
50-54 years-----	28	23	5	18	15	3	10	8	2	10	8	2
55-59 years-----	23	15	8	16	12	4	7	3	4	6	3	3
60-64 years-----	22	10	12	18	8	10	4	2	2	2	1	1
65-69 years-----	21	11	10	19	10	9	2	1	1	2	1	1
70-74 years-----	27	16	11	22	12	10	5	4	1	3	3	-
75-79 years-----	28	12	16	24	10	14	4	2	2	4	2	2
80-84 years-----	19	12	7	17	11	6	2	1	1	1	1	-
85-89 years-----	15	8	7	15	8	7	-	-	-	-	-	-
90-94 years-----	11	4	7	9	4	5	2	-	2	2	-	2
95-99 years-----	5	1	4	5	1	4	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Sarcoidosis (D86)												
All ages-----	572	210	362	189	76	113	383	134	249	380	133	247
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	4	1	3	1	-	1	3	1	2	3	1	2
25-29 years-----	10	6	4	2	2	-	8	4	4	8	4	4
30-34 years-----	29	18	11	6	4	2	23	14	9	23	14	9
35-39 years-----	54	28	26	3	2	1	51	26	25	51	26	25
40-44 years-----	78	30	48	14	10	4	64	20	44	63	20	43
45-49 years-----	77	33	44	11	8	3	66	25	41	65	24	41
50-54 years-----	64	21	43	12	5	7	52	16	36	52	16	36
55-59 years-----	53	17	36	17	6	11	36	11	25	36	11	25
60-64 years-----	47	18	29	24	13	11	23	5	18	23	5	18
65-69 years-----	47	11	36	21	6	15	26	5	21	26	5	21
70-74 years-----	36	10	26	22	6	16	14	4	10	13	4	9
75-79 years-----	34	10	24	26	8	18	8	2	6	8	2	6
80-84 years-----	21	4	17	16	3	13	5	1	4	5	1	4
85-89 years-----	15	3	12	12	3	9	3	-	3	3	-	3
90-94 years-----	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	1	-	1	-	-	-	1	-	1	1	-	1
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Sarcoidosis of lung (D86.0)												
All ages-----	74	23	51	16	5	11	58	18	40	57	18	39
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	-	-	-	1	-	1	1	-	1
30-34 years-----	1	-	1	-	-	-	1	-	1	1	-	1
35-39 years-----	5	3	2	-	-	-	5	3	2	5	3	2
40-44 years-----	12	2	10	-	-	-	12	2	10	11	2	9
45-49 years-----	8	3	5	-	-	-	8	3	5	8	3	5
50-54 years-----	12	3	9	-	-	-	12	3	9	12	3	9
55-59 years-----	10	3	7	2	1	1	8	2	6	8	2	6
60-64 years-----	6	4	2	3	2	1	3	2	1	3	2	1
65-69 years-----	3	1	2	2	1	1	1	-	1	1	-	1
70-74 years-----	7	2	5	4	-	4	3	2	1	3	2	1
75-79 years-----	2	-	2	1	-	1	1	-	1	1	-	1
80-84 years-----	5	2	3	3	1	2	2	1	1	2	1	1
85-89 years-----	2	-	2	1	-	1	1	-	1	1	-	1
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Sarcoidosis of other and combined sites (D86.8)

All ages-----	67	32	35	27	15	12	40	17	23	39	16	23
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	-	1	-	-	-	1	-	1	1	-	1
25-29 years-----	2	2	-	-	-	-	2	2	-	2	2	-
30-34 years-----	3	3	-	3	3	-	-	-	-	-	-	-
35-39 years-----	13	6	7	2	1	1	11	5	6	11	5	6
40-44 years-----	13	8	5	5	3	2	8	5	3	8	5	3
45-49 years-----	8	5	3	2	2	-	6	3	3	5	2	3
50-54 years-----	10	3	7	4	1	3	6	2	4	6	2	4
55-59 years-----	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years-----	5	-	5	2	-	2	3	-	3	3	-	3
65-69 years-----	3	2	1	2	2	-	1	-	1	1	-	1
70-74 years-----	2	-	2	1	-	1	1	-	1	1	-	1
75-79 years-----	3	2	1	2	2	-	1	-	1	1	-	1
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Sarcoidosis, unspecified (D86.9)												
All ages-----	431	155	276	146	56	90	285	99	186	284	99	185
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	3	1	2	1	-	1	2	1	1	2	1	1
25-29 years-----	7	4	3	2	2	-	5	2	3	5	2	3
30-34 years-----	25	15	10	3	1	2	22	14	8	22	14	8
35-39 years-----	36	19	17	1	1	-	35	18	17	35	18	17
40-44 years-----	53	20	33	9	7	2	44	13	31	44	13	31
45-49 years-----	61	25	36	9	6	3	52	19	33	52	19	33
50-54 years-----	42	15	27	8	4	4	34	11	23	34	11	23
55-59 years-----	41	13	28	13	4	9	28	9	19	28	9	19
60-64 years-----	36	14	22	19	11	8	17	3	14	17	3	14
65-69 years-----	41	8	33	17	3	14	24	5	19	24	5	19
70-74 years-----	27	8	19	17	6	11	10	2	8	9	2	7
75-79 years-----	29	8	21	23	6	17	6	2	4	6	2	4
80-84 years-----	16	2	14	13	2	11	3	-	3	3	-	3
85-89 years-----	11	3	8	9	3	6	2	-	2	2	-	2
90-94 years-----	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	1	-	1	-	-	-	1	-	1	1	-	1
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other disorders involving the immune mechanism, not elsewhere classified (D89)

All ages-----	48	23	25	44	20	24	4	3	1	4	3	1
Under 1 year-----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	2	2	-	1	1	-	1	1	-	1	1	-
40-44 years-----	2	2	-	2	2	-	-	-	-	-	-	-
45-49 years-----	4	2	2	4	2	2	-	-	-	-	-	-
50-54 years-----	4	2	2	4	2	2	-	-	-	-	-	-
55-59 years-----	4	3	1	4	3	1	-	-	-	-	-	-
60-64 years-----	5	4	1	3	2	1	2	2	-	2	2	-
65-69 years-----	4	1	3	4	1	3	-	-	-	-	-	-
70-74 years-----	8	2	6	8	2	6	-	-	-	-	-	-
75-79 years-----	3	2	1	3	2	1	-	-	-	-	-	-
80-84 years-----	5	1	4	4	1	3	1	-	1	1	-	1
85-89 years-----	5	1	4	5	1	4	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Polyclonal hypergammaglobulinemia (D89.0)												
All ages-----	3	2	1	3	2	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Cryoglobulinemia (D89.1)												
All ages-----	29	13	16	28	12	16	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	-	-	-	1	1	-	1	1	-
40-44 years-----	2	2	-	2	2	-	-	-	-	-	-	-
45-49 years-----	3	1	2	3	1	2	-	-	-	-	-	-
50-54 years-----	3	1	2	3	1	2	-	-	-	-	-	-
55-59 years-----	3	3	-	3	3	-	-	-	-	-	-	-
60-64 years-----	2	2	-	2	2	-	-	-	-	-	-	-
65-69 years-----	4	1	3	4	1	3	-	-	-	-	-	-
70-74 years-----	5	1	4	5	1	4	-	-	-	-	-	-
75-79 years-----	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years-----	2	-	2	2	-	2	-	-	-	-	-	-
85-89 years-----	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Hypergammaglobulinemia, unspecified (D89.2)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other specified disorders involving the immune mechanism, not elsewhere classified (D89.8)

All ages-----	4	-	4	3	-	3	1	-	1	1	-	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	2	-	2	1	-	1	1	-	1	1	-	1
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Disorder involving the immune mechanism, unspecified (D89.9)												
All ages-----	11	7	4	9	5	4	2	2	-	2	2	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	2	2	-	-	-	-	2	2	-	2	2	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	3	1	2	3	1	2	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Other hypothyroidism (E03)												
All ages-----	1,426	315	1,111	1,294	273	1,021	132	42	90	119	35	84
Under 1 year-----	2	1	1	2	1	1	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years-----	4	1	3	3	1	2	1	-	1	1	-	1
30-34 years-----	1	-	1	-	-	-	1	-	1	1	-	1
35-39 years-----	2	2	-	2	2	-	-	-	-	-	-	-
40-44 years-----	6	2	4	3	-	3	3	2	1	3	2	1
45-49 years-----	16	3	13	11	2	9	5	1	4	5	1	4
50-54 years-----	17	6	11	11	4	7	6	2	4	5	1	4
55-59 years-----	30	9	21	19	4	15	11	5	6	11	5	6
60-64 years-----	23	9	14	19	8	11	4	1	3	4	1	3
65-69 years-----	50	18	32	42	12	30	8	6	2	7	5	2
70-74 years-----	95	24	71	85	22	63	10	2	8	10	2	8
75-79 years-----	138	34	104	124	30	94	14	4	10	11	3	8
80-84 years-----	246	67	179	224	58	166	22	9	13	18	7	11
85-89 years-----	297	61	236	282	57	225	15	4	11	14	3	11
90-94 years-----	323	51	272	305	47	258	18	4	14	17	4	13
95-99 years-----	133	22	111	125	21	104	8	1	7	7	-	7
100 yrs & over---	42	5	37	36	4	32	6	1	5	5	1	4
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Congenital hypothyroidism without goiter (E03.1)												
All ages-----	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Atrophy of thyroid (acquired) (E03.4)												
All ages-----	2	-	2	2	-	2	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Myxedema coma (E03.5)												
All ages-----	21	4	17	20	3	17	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	3	-	3	3	-	3	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	4	1	3	3	-	3	1	1	-	1	1	-
80-84 years-----	3	-	3	3	-	3	-	-	-	-	-	-
85-89 years-----	7	2	5	7	2	5	-	-	-	-	-	-
90-94 years-----	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Hypothyroidism, unspecified (E03.9)

All ages-----	1,401	310	1,091	1,270	269	1,001	131	41	90	118	34	84
Under 1 year-----	2	1	1	2	1	1	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years-----	3	-	3	2	-	2	1	-	1	1	-	1
30-34 years-----	1	-	1	-	-	-	1	-	1	1	-	1
35-39 years-----	2	2	-	2	2	-	-	-	-	-	-	-
40-44 years-----	6	2	4	3	-	3	3	2	1	3	2	1
45-49 years-----	16	3	13	11	2	9	5	1	4	5	1	4
50-54 years-----	15	5	10	9	3	6	6	2	4	5	1	4
55-59 years-----	29	9	20	18	4	14	11	5	6	11	5	6
60-64 years-----	23	9	14	19	8	11	4	1	3	4	1	3
65-69 years-----	47	18	29	39	12	27	8	6	2	7	5	2
70-74 years-----	94	24	70	84	22	62	10	2	8	10	2	8
75-79 years-----	134	33	101	121	30	91	13	3	10	10	2	8
80-84 years-----	243	67	176	221	58	163	22	9	13	18	7	11
85-89 years-----	289	59	230	274	55	219	15	4	11	14	3	11
90-94 years-----	321	51	270	303	47	256	18	4	14	17	4	13
95-99 years-----	133	22	111	125	21	104	8	1	7	7	-	7
100 yrs & over---	42	5	37	36	4	32	6	1	5	5	1	4
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other nontoxic goiter (E04)												
All ages-----	49	12	37	38	8	30	11	4	7	11	4	7
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	-	1	-	-	-	1	-	1	1	-	1
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	3	-	3	3	-	3	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	-	-	-	1	1	-	1	1	-
55-59 years-----	1	-	1	-	-	-	1	-	1	1	-	1
60-64 years-----	1	1	-	-	-	-	1	1	-	1	1	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	10	4	6	8	3	5	2	1	1	2	1	1
80-84 years-----	5	3	2	3	2	1	2	1	1	2	1	1
85-89 years-----	10	-	10	9	-	9	1	-	1	1	-	1
90-94 years-----	9	1	8	8	1	7	1	-	1	1	-	1
95-99 years-----	3	-	3	3	-	3	-	-	-	-	-	-
100 yrs & over---	2	-	2	1	-	1	1	-	1	1	-	1
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Nontoxic single thyroid nodule (E04.1)

All ages-----	3	1	2	3	1	2	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	2	-	2	2	-	2	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Nontoxic multinodular goiter (E04.2)												
All ages-----	8	1	7	7	1	6	1	-	1	1	-	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	3	-	3	2	-	2	1	-	1	1	-	1
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Other specified nontoxic goiter (E04.8)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Nontoxic goiter, unspecified (E04.9)												
All ages-----	37	9	28	27	5	22	10	4	6	10	4	6
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	-	1	-	-	-	1	-	1	1	-	1
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	-	-	-	1	1	-	1	1	-
55-59 years-----	1	-	1	-	-	-	1	-	1	1	-	1
60-64 years-----	1	1	-	-	-	-	1	1	-	1	1	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	9	4	5	7	3	4	2	1	1	2	1	1
80-84 years-----	4	2	2	2	1	1	2	1	1	2	1	1
85-89 years-----	7	-	7	7	-	7	-	-	-	-	-	-
90-94 years-----	7	-	7	6	-	6	1	-	1	1	-	1
95-99 years-----	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over---	2	-	2	1	-	1	1	-	1	1	-	1
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Thyrotoxicosis [hyperthyroidism] (E05)

All ages-----	299	72	227	223	52	171	76	20	56	65	14	51
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	-	-	-	1	1	-	1	1	-
20-24 years-----	3	-	3	1	-	1	2	-	2	2	-	2
25-29 years-----	8	4	4	3	2	1	5	2	3	4	1	3
30-34 years-----	6	3	3	1	1	-	5	2	3	4	1	3
35-39 years-----	10	3	7	5	1	4	5	2	3	5	2	3
40-44 years-----	11	3	8	6	2	4	5	1	4	4	-	4
45-49 years-----	20	8	12	8	5	3	12	3	9	10	2	8
50-54 years-----	12	6	6	10	6	4	2	-	2	1	-	1
55-59 years-----	10	3	7	7	1	6	3	2	1	3	2	1
60-64 years-----	10	3	7	8	3	5	2	-	2	2	-	2
65-69 years-----	9	2	7	6	-	6	3	2	1	2	1	1
70-74 years-----	17	6	11	12	5	7	5	1	4	4	1	3
75-79 years-----	34	7	27	28	7	21	6	-	6	5	-	5
80-84 years-----	45	9	36	37	6	31	8	3	5	7	2	5
85-89 years-----	49	7	42	43	7	36	6	-	6	6	-	6
90-94 years-----	35	3	32	31	2	29	4	1	3	3	1	2
95-99 years-----	15	4	11	13	4	9	2	-	2	2	-	2
100 yrs & over---	3	-	3	3	-	3	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Thyrototoxicosis with diffuse goiter (E05.0)												
All ages-----	47	11	36	30	6	24	17	5	12	15	3	12
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	-	1	-	-	-	1	-	1	1	-	1
25-29 years-----	4	2	2	1	-	1	3	2	1	2	1	1
30-34 years-----	1	1	-	-	-	-	1	1	-	-	-	-
35-39 years-----	6	2	4	2	-	2	4	2	2	4	2	2
40-44 years-----	5	2	3	4	2	2	1	-	1	1	-	1
45-49 years-----	8	2	6	4	2	2	4	-	4	4	-	4
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	2	-	2	1	-	1	1	-	1	1	-	1
80-84 years-----	4	1	3	4	1	3	-	-	-	-	-	-
85-89 years-----	4	-	4	3	-	3	1	-	1	1	-	1
90-94 years-----	8	1	7	7	1	6	1	-	1	1	-	1
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Thyrototoxicosis with toxic multinodular goiter (E05.2)

All ages-----	8	2	6	5	2	3	3	-	3	3	-	3
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	3	1	2	2	1	1	1	-	1	1	-	1
80-84 years-----	1	-	1	-	-	-	1	-	1	1	-	1
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	2	-	2	1	-	1	1	-	1	1	-	1
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Thyroid crisis or storm (E05.5)												
All ages-----	16	5	11	10	5	5	6	-	6	4	-	4
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	-	1	-	-	-	1	-	1	1	-	1
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	2	1	1	1	1	-	1	-	1	1	-	1
50-54 years-----	3	2	1	2	2	-	1	-	1	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	1	-	1	-	-	-	1	-	1	-	-	-
75-79 years-----	4	1	3	2	1	1	2	-	2	2	-	2
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Thyrotoxicosis, unspecified (E05.9)

All ages-----	228	54	174	178	39	139	50	15	35	43	11	32
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	-	-	-	1	1	-	1	1	-
20-24 years-----	2	-	2	1	-	1	1	-	1	1	-	1
25-29 years-----	4	2	2	2	2	-	2	-	2	2	-	2
30-34 years-----	4	2	2	1	1	-	3	1	2	3	1	2
35-39 years-----	4	1	3	3	1	2	1	-	1	1	-	1
40-44 years-----	6	1	5	2	-	2	4	1	3	3	-	3
45-49 years-----	10	5	5	3	2	1	7	3	4	5	2	3
50-54 years-----	8	4	4	7	4	3	1	-	1	1	-	1
55-59 years-----	8	3	5	5	1	4	3	2	1	3	2	1
60-64 years-----	10	3	7	8	3	5	2	-	2	2	-	2
65-69 years-----	8	2	6	5	-	5	3	2	1	2	1	1
70-74 years-----	14	5	9	10	4	6	4	1	3	4	1	3
75-79 years-----	25	5	20	23	5	18	2	-	2	1	-	1
80-84 years-----	39	7	32	32	4	28	7	3	4	6	2	4
85-89 years-----	43	7	36	38	7	31	5	-	5	5	-	5
90-94 years-----	25	2	23	23	1	22	2	1	1	1	1	-
95-99 years-----	13	4	9	11	4	7	2	-	2	2	-	2
100 yrs & over---	3	-	3	3	-	3	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Thyroiditis (E06)												
All ages-----	7	1	6	7	1	6	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Autoimmune thyroiditis (E06.3)												
All ages-----	3	1	2	3	1	2	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other chronic thyroiditis (E06.5)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Thyroiditis, unspecified (E06.9)												
All ages-----	3	-	3	3	-	3	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other disorders of thyroid (E07)												
All ages-----	30	3	27	19	2	17	11	1	10	10	1	9
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	3	-	3	1	-	1	2	-	2	2	-	2
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	2	1	1	-	-	-	2	1	1	2	1	1
50-54 years-----	2	-	2	1	-	1	1	-	1	1	-	1
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	2	1	1	1	1	-	1	-	1	1	-	1
75-79 years-----	2	-	2	2	-	2	-	-	-	-	-	-
80-84 years-----	7	1	6	4	1	3	3	-	3	2	-	2
85-89 years-----	6	-	6	5	-	5	1	-	1	1	-	1
90-94 years-----	2	-	2	1	-	1	1	-	1	1	-	1
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other specified disorders of thyroid (E07.8)

All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Disorder of thyroid, unspecified (E07.9)												
All ages-----	29	2	27	18	1	17	11	1	10	10	1	9
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	3	-	3	1	-	1	2	-	2	2	-	2
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	2	1	1	-	-	-	2	1	1	2	1	1
50-54 years-----	2	-	2	1	-	1	1	-	1	1	-	1
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	-	-	-	1	-	1	1	-	1
75-79 years-----	2	-	2	2	-	2	-	-	-	-	-	-
80-84 years-----	7	1	6	4	1	3	3	-	3	2	-	2
85-89 years-----	6	-	6	5	-	5	1	-	1	1	-	1
90-94 years-----	2	-	2	1	-	1	1	-	1	1	-	1
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Insulin-dependent diabetes mellitus (E10)

All ages-----	8,508	3,776	4,732	7,010	3,162	3,848	1,498	614	884	1,371	556	815
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	5	2	3	4	1	3	1	1	-	1	1	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	9	3	6	5	2	3	4	1	3	4	1	3
15-19 years-----	14	5	9	10	5	5	4	-	4	4	-	4
20-24 years-----	26	10	16	20	9	11	6	1	5	6	1	5
25-29 years-----	71	35	36	51	26	25	20	9	11	20	9	11
30-34 years-----	88	48	40	68	35	33	20	13	7	17	11	6
35-39 years-----	194	122	72	149	97	52	45	25	20	42	25	17
40-44 years-----	267	153	114	216	126	90	51	27	24	48	24	24
45-49 years-----	364	222	142	290	174	116	74	48	26	67	43	24
50-54 years-----	429	239	190	322	186	136	107	53	54	105	52	53
55-59 years-----	549	309	240	422	245	177	127	64	63	109	55	54
60-64 years-----	625	315	310	480	253	227	145	62	83	136	58	78
65-69 years-----	857	397	460	686	337	349	171	60	111	154	55	99
70-74 years-----	1,113	504	609	906	416	490	207	88	119	187	79	108
75-79 years-----	1,317	556	761	1,131	477	654	186	79	107	166	66	100
80-84 years-----	1,133	421	712	989	377	612	144	44	100	134	39	95
85-89 years-----	908	311	597	789	284	505	119	27	92	107	25	82
90-94 years-----	399	99	300	353	89	264	46	10	36	43	10	33
95-99 years-----	128	23	105	109	21	88	19	2	17	19	2	17
100 yrs & over---	10	1	9	8	1	7	2	-	2	2	-	2
Not stated-----	1	1	-	1	1	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
With coma (E10.0)												
All ages-----	52	26	26	34	18	16	18	8	10	17	8	9
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	4	2	2	3	1	2	1	1	-	1	1	-
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	4	3	1	4	3	1	-	-	-	-	-	-
40-44 years-----	3	3	-	1	1	-	2	2	-	2	2	-
45-49 years-----	2	2	-	-	-	-	2	2	-	2	2	-
50-54 years-----	4	3	1	3	2	1	1	1	-	1	1	-
55-59 years-----	3	1	2	-	-	-	3	1	2	3	1	2
60-64 years-----	4	1	3	2	1	1	2	-	2	2	-	2
65-69 years-----	3	1	2	2	1	1	1	-	1	1	-	1
70-74 years-----	3	-	3	3	-	3	-	-	-	-	-	-
75-79 years-----	8	5	3	6	5	1	2	-	2	1	-	1
80-84 years-----	5	2	3	3	1	2	2	1	1	2	1	1
85-89 years-----	3	2	1	2	2	-	1	-	1	1	-	1
90-94 years-----	2	-	2	1	-	1	1	-	1	1	-	1
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
With ketoacidosis (E10.1)												
All ages-----	235	121	114	182	98	84	53	23	30	47	20	27
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	3	1	2	3	1	2	-	-	-	-	-	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	6	2	4	3	1	2	3	1	2	3	1	2
15-19 years-----	6	4	2	5	4	1	1	-	1	1	-	1
20-24 years-----	8	4	4	6	3	3	2	1	1	2	1	1
25-29 years-----	12	7	5	6	3	3	6	4	2	6	4	2
30-34 years-----	14	10	4	12	9	3	2	1	1	1	1	-
35-39 years-----	24	15	9	18	12	6	6	3	3	6	3	3
40-44 years-----	25	16	9	20	14	6	5	2	3	5	2	3
45-49 years-----	23	15	8	19	12	7	4	3	1	3	2	1
50-54 years-----	16	11	5	10	8	2	6	3	3	6	3	3
55-59 years-----	9	7	2	3	2	1	6	5	1	4	3	1
60-64 years-----	10	4	6	9	4	5	1	-	1	1	-	1
65-69 years-----	14	7	7	13	7	6	1	-	1	-	-	-
70-74 years-----	12	7	5	12	7	5	-	-	-	-	-	-
75-79 years-----	16	1	15	11	1	10	5	-	5	5	-	5
80-84 years-----	13	5	8	12	5	7	1	-	1	1	-	1
85-89 years-----	15	5	10	14	5	9	1	-	1	-	-	-
90-94 years-----	8	-	8	5	-	5	3	-	3	3	-	3
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

RACE, AND SEX

With renal complications (E10.2)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	232	114	118	201	97	104	31	17	14	28	16	12
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	2	1	1	2	1	1	-	-	-	-	-	-
30-34 years-----	4	4	-	3	3	-	1	1	-	1	1	-
35-39 years-----	12	6	6	10	4	6	2	2	-	2	2	-
40-44 years-----	15	10	5	14	9	5	1	1	-	1	1	-
45-49 years-----	16	10	6	13	8	5	3	2	1	3	2	1
50-54 years-----	13	7	6	12	7	5	1	-	1	1	-	1
55-59 years-----	17	9	8	14	8	6	3	1	2	3	1	2
60-64 years-----	18	11	7	15	9	6	3	2	1	3	2	1
65-69 years-----	28	13	15	24	10	14	4	3	1	3	2	1
70-74 years-----	33	17	16	27	14	13	6	3	3	5	3	2
75-79 years-----	34	14	20	32	14	18	2	-	2	1	-	1
80-84 years-----	24	9	15	22	7	15	2	2	-	2	2	-
85-89 years-----	11	2	9	9	2	7	2	-	2	2	-	2
90-94 years-----	3	1	2	3	1	2	-	-	-	-	-	-
95-99 years-----	2	-	2	1	-	1	1	-	1	1	-	1
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

With ophthalmic complications (E10.3)

All ages-----	12	8	4	11	7	4	1	1	-	1	1	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years-----	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years-----	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years-----	2	1	1	2	1	1	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	2	1	1	1	-	1	1	1	-	1	1	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
With neurological complications (E10.4)												
All ages-----	77	45	32	70	42	28	7	3	4	7	3	4
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	2	1	1	2	1	1	-	-	-	-	-	-
35-39 years-----	3	2	1	3	2	1	-	-	-	-	-	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	6	3	3	4	3	1	2	-	2	2	-	2
50-54 years-----	7	3	4	6	3	3	1	-	1	1	-	1
55-59 years-----	7	5	2	7	5	2	-	-	-	-	-	-
60-64 years-----	5	3	2	5	3	2	-	-	-	-	-	-
65-69 years-----	9	5	4	8	5	3	1	-	1	1	-	1
70-74 years-----	9	6	3	9	6	3	-	-	-	-	-	-
75-79 years-----	9	5	4	8	4	4	1	1	-	1	1	-
80-84 years-----	8	5	3	8	5	3	-	-	-	-	-	-
85-89 years-----	7	4	3	6	3	3	1	1	-	1	1	-
90-94 years-----	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years-----	1	1	-	-	-	-	1	1	-	1	1	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

With peripheral circulatory complications (E10.5)

All ages-----	1,037	474	563	847	404	443	190	70	120	174	60	114
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	4	2	2	2	1	1	2	1	1	1	-	1
35-39 years-----	9	5	4	7	5	2	2	-	2	2	-	2
40-44 years-----	23	11	12	18	9	9	5	2	3	5	2	3
45-49 years-----	43	21	22	32	19	13	11	2	9	10	1	9
50-54 years-----	40	23	17	31	19	12	9	4	5	9	4	5
55-59 years-----	66	34	32	51	27	24	15	7	8	14	6	8
60-64 years-----	75	45	30	58	34	24	17	11	6	16	11	5
65-69 years-----	109	53	56	89	45	44	20	8	12	18	7	11
70-74 years-----	140	69	71	107	54	53	33	15	18	28	12	16
75-79 years-----	174	78	96	154	72	82	20	6	14	18	4	14
80-84 years-----	147	62	85	121	55	66	26	7	19	24	7	17
85-89 years-----	143	58	85	120	52	68	23	6	17	22	5	17
90-94 years-----	50	12	38	44	11	33	6	1	5	6	1	5
95-99 years-----	11	-	11	11	-	11	-	-	-	-	-	-
100 yrs & over---	2	-	2	1	-	1	1	-	1	1	-	1
Not stated-----	1	1	-	1	1	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
With other specified complications (E10.6)												
All ages-----	31	10	21	25	10	15	6	-	6	6	-	6
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	-	1	-	-	-	1	-	1	1	-	1
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	2	-	2	1	-	1	1	-	1	1	-	1
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	2	-	2	1	-	1	1	-	1	1	-	1
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	3	2	1	3	2	1	-	-	-	-	-	-
75-79 years-----	4	3	1	4	3	1	-	-	-	-	-	-
80-84 years-----	7	1	6	4	1	3	3	-	3	3	-	3
85-89 years-----	7	3	4	7	3	4	-	-	-	-	-	-
90-94 years-----	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

With multiple complications (E10.7)

All ages-----	141	65	76	123	58	65	18	7	11	15	7	8
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	3	-	3	2	-	2	1	-	1	1	-	1
30-34 years-----	5	1	4	5	1	4	-	-	-	-	-	-
35-39 years-----	11	8	3	10	7	3	1	1	-	1	1	-
40-44 years-----	8	5	3	8	5	3	-	-	-	-	-	-
45-49 years-----	12	8	4	11	7	4	1	1	-	1	1	-
50-54 years-----	11	6	5	11	6	5	-	-	-	-	-	-
55-59 years-----	15	10	5	12	7	5	3	3	-	3	3	-
60-64 years-----	13	5	8	13	5	8	-	-	-	-	-	-
65-69 years-----	18	5	13	13	5	8	5	-	5	3	-	3
70-74 years-----	13	4	9	12	3	9	1	1	-	1	1	-
75-79 years-----	10	6	4	9	6	3	1	-	1	-	-	-
80-84 years-----	7	1	6	5	1	4	2	-	2	2	-	2
85-89 years-----	10	5	5	7	4	3	3	1	2	3	1	2
90-94 years-----	3	-	3	3	-	3	-	-	-	-	-	-
95-99 years-----	2	1	1	2	1	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
With unspecified complications (E10.8)												
All ages-----	13	8	5	12	8	4	1	-	1	1	-	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	2	1	1	1	1	-	1	-	1	1	-	1
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	2	1	1	2	1	1	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Without complications (E10.9)												
All ages-----	6,678	2,905	3,773	5,505	2,420	3,085	1,173	485	688	1,075	441	634
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	2	1	1	1	-	1	1	1	-	1	1	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	3	1	2	2	1	1	1	-	1	1	-	1
15-19 years-----	7	1	6	4	1	3	3	-	3	3	-	3
20-24 years-----	14	3	11	11	3	8	3	-	3	3	-	3
25-29 years-----	49	24	25	37	20	17	12	4	8	12	4	8
30-34 years-----	56	29	27	42	19	23	14	10	4	13	9	4
35-39 years-----	129	82	47	95	63	32	34	19	15	31	19	12
40-44 years-----	190	107	83	152	87	65	38	20	18	35	17	18
45-49 years-----	257	161	96	207	123	84	50	38	12	45	35	10
50-54 years-----	334	183	151	245	138	107	89	45	44	87	44	43
55-59 years-----	429	242	187	332	195	137	97	47	50	82	41	41
60-64 years-----	496	245	251	375	196	179	121	49	72	113	45	68
65-69 years-----	675	313	362	536	264	272	139	49	90	128	46	82
70-74 years-----	898	398	500	731	329	402	167	69	98	153	63	90
75-79 years-----	1,059	442	617	905	371	534	154	71	83	139	60	79
80-84 years-----	922	336	586	814	302	512	108	34	74	100	29	71
85-89 years-----	711	232	479	623	213	410	88	19	69	78	18	60
90-94 years-----	329	84	245	293	75	218	36	9	27	33	9	24
95-99 years-----	110	20	90	93	19	74	17	1	16	17	1	16
100 yrs & over---	8	1	7	7	1	6	1	-	1	1	-	1
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Noninsulin-dependent diabetes mellitus (E11)												
All ages-----	10,094	4,520	5,574	8,524	3,913	4,611	1,570	607	963	1,299	487	812
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	-	1	-	-	-	1	-	1	1	-	1
25-29 years-----	2	1	1	-	-	-	2	1	1	2	1	1
30-34 years-----	5	5	-	4	4	-	1	1	-	1	1	-
35-39 years-----	30	14	16	20	10	10	10	4	6	10	4	6
40-44 years-----	59	35	24	39	22	17	20	13	7	20	13	7
45-49 years-----	139	82	57	101	65	36	38	17	21	30	14	16
50-54 years-----	273	157	116	205	119	86	68	38	30	58	30	28
55-59 years-----	434	241	193	312	184	128	122	57	65	104	50	54
60-64 years-----	658	351	307	521	284	237	137	67	70	110	51	59
65-69 years-----	945	491	454	766	410	356	179	81	98	150	66	84
70-74 years-----	1,416	695	721	1,164	598	566	252	97	155	201	77	124
75-79 years-----	1,736	840	896	1,496	755	741	240	85	155	191	69	122
80-84 years-----	1,834	779	1,055	1,626	712	914	208	67	141	173	51	122
85-89 years-----	1,524	559	965	1,357	509	848	167	50	117	137	37	100
90-94 years-----	738	208	530	649	187	462	89	21	68	80	17	63
95-99 years-----	251	52	199	227	46	181	24	6	18	20	4	16
100 yrs & over---	48	10	38	37	8	29	11	2	9	10	2	8
Not stated-----	1	-	1	-	-	-	1	-	1	1	-	1

With coma (E11.0)

All ages-----	89	41	48	73	32	41	16	9	7	15	9	6
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	2	2	-	1	1	-	1	1	-	1	1	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	2	2	-	2	2	-	-	-	-	-	-	-
50-54 years-----	4	4	-	2	2	-	2	2	-	2	2	-
55-59 years-----	2	2	-	1	1	-	1	1	-	1	1	-
60-64 years-----	2	2	-	2	2	-	-	-	-	-	-	-
65-69 years-----	2	1	1	1	-	1	1	1	-	1	1	-
70-74 years-----	11	5	6	9	4	5	2	1	1	2	1	1
75-79 years-----	15	10	5	13	8	5	2	2	-	2	2	-
80-84 years-----	17	5	12	15	5	10	2	-	2	2	-	2
85-89 years-----	14	4	10	13	4	9	1	-	1	1	-	1
90-94 years-----	9	3	6	7	3	4	2	-	2	2	-	2
95-99 years-----	7	-	7	6	-	6	1	-	1	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
With ketoacidosis (E11.1)												
All ages-----	83	26	57	63	20	43	20	6	14	17	5	12
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	3	2	1	1	1	-	2	1	1	2	1	1
45-49 years-----	4	2	2	2	1	1	2	1	1	1	1	-
50-54 years-----	4	3	1	2	2	-	2	1	1	2	1	1
55-59 years-----	6	3	3	3	1	2	3	2	1	3	2	1
60-64 years-----	4	1	3	2	1	1	2	-	2	1	-	1
65-69 years-----	8	3	5	7	3	4	1	-	1	1	-	1
70-74 years-----	6	1	5	4	1	3	2	-	2	2	-	2
75-79 years-----	8	4	4	7	3	4	1	1	-	-	-	-
80-84 years-----	19	4	15	18	4	14	1	-	1	1	-	1
85-89 years-----	12	1	11	9	1	8	3	-	3	3	-	3
90-94 years-----	7	1	6	6	1	5	1	-	1	1	-	1
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
With renal complications (E11.2)												
All ages-----	225	97	128	184	81	103	41	16	25	29	14	15
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	2	2	-	1	1	-	1	1	-	1	1	-
40-44 years-----	2	1	1	1	-	1	1	1	-	1	1	-
45-49 years-----	5	1	4	5	1	4	-	-	-	-	-	-
50-54 years-----	9	2	7	7	2	5	2	-	2	2	-	2
55-59 years-----	17	9	8	10	3	7	7	6	1	6	6	-
60-64 years-----	16	6	10	12	4	8	4	2	2	4	2	2
65-69 years-----	27	15	12	23	13	10	4	2	2	3	1	2
70-74 years-----	41	14	27	34	12	22	7	2	5	3	2	1
75-79 years-----	42	17	25	35	17	18	7	-	7	4	-	4
80-84 years-----	31	12	19	27	12	15	4	-	4	3	-	3
85-89 years-----	21	13	8	19	12	7	2	1	1	-	-	-
90-94 years-----	10	4	6	8	3	5	2	1	1	2	1	1
95-99 years-----	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
With ophthalmic complications (E11.3)												
All ages-----	9	5	4	5	2	3	4	3	1	3	2	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	3	2	1	1	-	1	2	2	-	1	1	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	-	-	-	1	1	-	1	1	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	3	1	2	3	1	2	-	-	-	-	-	-
85-89 years-----	1	-	1	-	-	-	1	-	1	1	-	1
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

With neurological complications (E11.4)

All ages-----	68	34	34	58	32	26	10	2	8	10	2	8
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	6	3	3	4	2	2	2	1	1	2	1	1
55-59 years-----	2	1	1	1	1	-	1	-	1	1	-	1
60-64 years-----	2	1	1	2	1	1	-	-	-	-	-	-
65-69 years-----	9	6	3	9	6	3	-	-	-	-	-	-
70-74 years-----	8	5	3	7	5	2	1	-	1	1	-	1
75-79 years-----	7	3	4	5	3	2	2	-	2	2	-	2
80-84 years-----	18	9	9	18	9	9	-	-	-	-	-	-
85-89 years-----	12	5	7	10	4	6	2	1	1	2	1	1
90-94 years-----	3	1	2	2	1	1	1	-	1	1	-	1
95-99 years-----	1	-	1	-	-	-	1	-	1	1	-	1
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
With peripheral circulatory complications (E11.5)												
All ages-----	1,068	521	547	862	437	425	206	84	122	178	69	109
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	-	-	-	1	-	1	1	-	1
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	3	1	2	2	1	1	1	-	1	1	-	1
40-44 years-----	4	2	2	3	1	2	1	1	-	1	1	-
45-49 years-----	13	9	4	7	4	3	6	5	1	4	3	1
50-54 years-----	23	10	13	20	9	11	3	1	2	2	1	1
55-59 years-----	34	20	14	28	16	12	6	4	2	5	3	2
60-64 years-----	58	38	20	42	30	12	16	8	8	14	7	7
65-69 years-----	94	51	43	72	43	29	22	8	14	21	7	14
70-74 years-----	158	75	83	126	62	64	32	13	19	26	9	17
75-79 years-----	207	116	91	167	100	67	40	16	24	34	14	20
80-84 years-----	223	118	105	189	102	87	34	16	18	28	13	15
85-89 years-----	163	60	103	135	49	86	28	11	17	26	10	16
90-94 years-----	65	18	47	55	17	38	10	1	9	9	1	8
95-99 years-----	19	3	16	15	3	12	4	-	4	4	-	4
100 yrs & over---	3	-	3	1	-	1	2	-	2	2	-	2
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

With other specified complications (E11.6)

All ages-----	51	20	31	47	19	28	4	1	3	3	1	2
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	2	-	2	1	-	1	1	-	1	1	-	1
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	5	4	1	5	4	1	-	-	-	-	-	-
55-59 years-----	3	1	2	3	1	2	-	-	-	-	-	-
60-64 years-----	3	2	1	3	2	1	-	-	-	-	-	-
65-69 years-----	5	2	3	5	2	3	-	-	-	-	-	-
70-74 years-----	3	-	3	3	-	3	-	-	-	-	-	-
75-79 years-----	6	4	2	5	4	1	1	-	1	1	-	1
80-84 years-----	7	1	6	7	1	6	-	-	-	-	-	-
85-89 years-----	10	4	6	10	4	6	-	-	-	-	-	-
90-94 years-----	4	1	3	3	-	3	1	1	-	1	1	-
95-99 years-----	3	1	2	2	1	1	1	-	1	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
With multiple complications (E11.7)												
All ages-----	141	62	79	119	53	66	22	9	13	20	9	11
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	5	-	5	3	-	3	2	-	2	2	-	2
50-54 years-----	4	2	2	3	2	1	1	-	1	1	-	1
55-59 years-----	12	6	6	9	4	5	3	2	1	3	2	1
60-64 years-----	20	5	15	18	5	13	2	-	2	2	-	2
65-69 years-----	18	10	8	16	8	8	2	2	-	2	2	-
70-74 years-----	25	13	12	19	11	8	6	2	4	5	2	3
75-79 years-----	27	12	15	25	12	13	2	-	2	1	-	1
80-84 years-----	17	9	8	16	8	8	1	1	-	1	1	-
85-89 years-----	7	2	5	6	1	5	1	1	-	1	1	-
90-94 years-----	4	2	2	3	1	2	1	1	-	1	1	-
95-99 years-----	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over---	1	-	1	-	-	-	1	-	1	1	-	1
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

With unspecified complications (E11.8)

All ages-----	3	2	1	3	2	1	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Without complications (E11.9)												
All ages-----	8,357	3,712	4,645	7,110	3,235	3,875	1,247	477	770	1,024	376	648
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	-	1	-	-	-	1	-	1	1	-	1
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	5	5	-	4	4	-	1	1	-	1	1	-
35-39 years-----	20	8	12	14	6	8	6	2	4	6	2	4
40-44 years-----	50	30	20	34	20	14	16	10	6	16	10	6
45-49 years-----	109	67	42	81	56	25	28	11	17	23	10	13
50-54 years-----	218	129	89	162	96	66	56	33	23	47	25	22
55-59 years-----	355	197	158	256	157	99	99	40	59	84	35	49
60-64 years-----	553	296	257	440	239	201	113	57	56	89	42	47
65-69 years-----	781	402	379	633	335	298	148	67	81	121	54	67
70-74 years-----	1,162	580	582	960	501	459	202	79	123	162	63	99
75-79 years-----	1,424	674	750	1,239	608	631	185	66	119	147	53	94
80-84 years-----	1,499	620	879	1,333	570	763	166	50	116	138	37	101
85-89 years-----	1,283	470	813	1,154	434	720	129	36	93	103	25	78
90-94 years-----	636	178	458	565	161	404	71	17	54	63	13	50
95-99 years-----	218	46	172	201	40	161	17	6	11	15	4	11
100 yrs & over---	42	10	32	34	8	26	8	2	6	7	2	5
Not stated-----	1	-	1	-	-	-	1	-	1	1	-	1

Malnutrition-related diabetes mellitus (E12)

All ages-----	4	2	2	4	2	2	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Without complications (E12.9)												
All ages-----	4	2	2	4	2	2	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Other specified diabetes mellitus (E13)												
All ages-----	14	9	5	10	6	4	4	3	1	4	3	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	2	1	1	1	1	-	1	-	1	1	-	1
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	4	4	-	2	2	-	2	2	-	2	2	-
70-74 years-----	4	2	2	3	1	2	1	1	-	1	1	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
With peripheral circulatory complications (E13.5)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

With unspecified complications (E13.8)

All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Without complications (E13.9)												
All ages-----	12	9	3	8	6	2	4	3	1	4	3	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	2	1	1	1	1	-	1	-	1	1	-	1
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	4	4	-	2	2	-	2	2	-	2	2	-
70-74 years-----	3	2	1	2	1	1	1	1	-	1	1	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Unspecified diabetes mellitus (E14)												
All ages-----	49,779	22,843	26,936	39,051	18,462	20,589	10,728	4,381	6,347	9,253	3,713	5,540
Under 1 year-----	2	-	2	2	-	2	-	-	-	-	-	-
1-4 years-----	3	2	1	2	2	-	1	-	1	1	-	1
5-9 years-----	8	4	4	7	4	3	1	-	1	1	-	1
10-14 years-----	14	9	5	9	4	5	5	5	-	5	5	-
15-19 years-----	37	20	17	28	16	12	9	4	5	9	4	5
20-24 years-----	77	45	32	49	29	20	28	16	12	24	14	10
25-29 years-----	116	58	58	86	46	40	30	12	18	27	11	16
30-34 years-----	298	171	127	199	114	85	99	57	42	94	53	41
35-39 years-----	505	300	205	345	210	135	160	90	70	143	78	65
40-44 years-----	886	514	372	614	363	251	272	151	121	244	133	111
45-49 years-----	1,438	885	553	975	625	350	463	260	203	418	235	183
50-54 years-----	2,090	1,205	885	1,460	885	575	630	320	310	553	276	277
55-59 years-----	2,882	1,570	1,312	2,020	1,153	867	862	417	445	741	356	385
60-64 years-----	3,948	2,069	1,879	2,853	1,564	1,289	1,095	505	590	951	425	526
65-69 years-----	5,409	2,738	2,671	4,093	2,157	1,936	1,316	581	735	1,138	508	630
70-74 years-----	7,159	3,447	3,712	5,609	2,865	2,744	1,550	582	968	1,304	480	824
75-79 years-----	8,216	3,794	4,422	6,688	3,223	3,465	1,528	571	957	1,295	460	835
80-84 years-----	7,521	3,149	4,372	6,287	2,749	3,538	1,234	400	834	1,063	339	724
85-89 years-----	5,459	1,946	3,513	4,598	1,681	2,917	861	265	596	738	219	519
90-94 years-----	2,805	764	2,041	2,376	648	1,728	429	116	313	373	96	277
95-99 years-----	786	135	651	659	111	548	127	24	103	105	17	88
100 yrs & over---	119	17	102	92	13	79	27	4	23	25	3	22
Not stated-----	1	1	-	-	-	-	1	1	-	1	1	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
With coma (E14.0)												
All ages-----	547	209	338	424	154	270	123	55	68	102	47	55
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	-	1	-	-	-	1	-	1	1	-	1
10-14 years-----	1	1	-	-	-	-	1	1	-	1	1	-
15-19 years-----	1	-	1	-	-	-	1	-	1	1	-	1
20-24 years-----	3	2	1	2	1	1	1	1	-	-	-	-
25-29 years-----	2	2	-	1	1	-	1	1	-	1	1	-
30-34 years-----	7	4	3	3	2	1	4	2	2	4	2	2
35-39 years-----	8	6	2	6	4	2	2	2	-	1	1	-
40-44 years-----	19	12	7	13	7	6	6	5	1	6	5	1
45-49 years-----	14	7	7	11	6	5	3	1	2	3	1	2
50-54 years-----	20	9	11	14	7	7	6	2	4	6	2	4
55-59 years-----	18	9	9	11	7	4	7	2	5	5	2	3
60-64 years-----	25	15	10	17	10	7	8	5	3	5	4	1
65-69 years-----	37	26	11	23	15	8	14	11	3	13	11	2
70-74 years-----	49	21	28	34	14	20	15	7	8	15	7	8
75-79 years-----	75	26	49	63	21	42	12	5	7	9	2	7
80-84 years-----	100	24	76	86	21	65	14	3	11	13	3	10
85-89 years-----	84	31	53	71	26	45	13	5	8	8	4	4
90-94 years-----	52	12	40	46	11	35	6	1	5	6	1	5
95-99 years-----	26	2	24	19	1	18	7	1	6	3	-	3
100 yrs & over---	5	-	5	4	-	4	1	-	1	1	-	1
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
With ketoacidosis (E14.1)												
All ages-----	1,576	838	738	1,120	589	531	456	249	207	429	240	189
Under 1 year-----	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years-----	2	1	1	1	1	-	1	-	1	1	-	1
5-9 years-----	7	4	3	7	4	3	-	-	-	-	-	-
10-14 years-----	10	8	2	6	4	2	4	4	-	4	4	-
15-19 years-----	30	17	13	22	13	9	8	4	4	8	4	4
20-24 years-----	43	25	18	28	16	12	15	9	6	13	8	5
25-29 years-----	36	23	13	31	21	10	5	2	3	5	2	3
30-34 years-----	92	61	31	56	38	18	36	23	13	35	22	13
35-39 years-----	105	75	30	76	56	20	29	19	10	28	18	10
40-44 years-----	141	97	44	93	65	28	48	32	16	47	32	15
45-49 years-----	150	105	45	89	64	25	61	41	20	60	41	19
50-54 years-----	127	76	51	80	50	30	47	26	21	45	26	19
55-59 years-----	120	59	61	86	42	44	34	17	17	32	17	15
60-64 years-----	103	54	49	72	38	34	31	16	15	29	15	14
65-69 years-----	104	43	61	73	29	44	31	14	17	28	14	14
70-74 years-----	120	53	67	91	37	54	29	16	13	25	14	11
75-79 years-----	132	55	77	101	45	56	31	10	21	28	9	19
80-84 years-----	108	45	63	91	40	51	17	5	12	14	4	10
85-89 years-----	86	25	61	71	18	53	15	7	8	14	6	8
90-94 years-----	41	8	33	32	7	25	9	1	8	8	1	7
95-99 years-----	15	3	12	11	1	10	4	2	2	4	2	2
100 yrs & over---	2	-	2	2	-	2	-	-	-	-	-	-
Not stated-----	1	1	-	-	-	-	1	1	-	1	1	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Withrenal complications (E14.2)												
All ages-----	1,273	545	728	973	425	548	300	120	180	243	94	149
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	2	-	2	2	-	2	-	-	-	-	-	-
30-34 years-----	9	7	2	5	3	2	4	4	-	3	3	-
35-39 years-----	19	12	7	13	8	5	6	4	2	5	4	1
40-44 years-----	30	15	15	20	11	9	10	4	6	10	4	6
45-49 years-----	57	35	22	38	22	16	19	13	6	15	10	5
50-54 years-----	75	45	30	59	38	21	16	7	9	15	6	9
55-59 years-----	81	40	41	56	27	29	25	13	12	19	9	10
60-64 years-----	119	51	68	81	35	46	38	16	22	33	13	20
65-69 years-----	145	57	88	112	46	66	33	11	22	27	10	17
70-74 years-----	213	78	135	165	59	106	48	19	29	40	15	25
75-79 years-----	218	89	129	178	79	99	40	10	30	26	5	21
80-84 years-----	174	69	105	140	60	80	34	9	25	28	8	20
85-89 years-----	84	34	50	70	28	42	14	6	8	11	4	7
90-94 years-----	40	10	30	28	7	21	12	3	9	11	3	8
95-99 years-----	5	2	3	4	1	3	1	1	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

With ophthalmic complications (E14.3)

All ages-----	28	9	19	23	5	18	5	4	1	4	3	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	-	-	-	1	1	-	1	1	-
45-49 years-----	2	1	1	1	-	1	1	1	-	1	1	-
50-54 years-----	2	-	2	2	-	2	-	-	-	-	-	-
55-59 years-----	3	2	1	2	1	1	1	1	-	1	1	-
60-64 years-----	1	1	-	-	-	-	1	1	-	-	-	-
65-69 years-----	3	1	2	3	1	2	-	-	-	-	-	-
70-74 years-----	6	-	6	6	-	6	-	-	-	-	-	-
75-79 years-----	5	1	4	4	1	3	1	-	1	1	-	1
80-84 years-----	4	1	3	4	1	3	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
With neurological complications (E14.4)												
All ages-----	247	122	125	208	102	106	39	20	19	32	14	18
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	4	1	3	4	1	3	-	-	-	-	-	-
40-44 years-----	5	2	3	4	1	3	1	1	-	1	1	-
45-49 years-----	8	5	3	3	3	-	5	2	3	5	2	3
50-54 years-----	10	7	3	8	5	3	2	2	-	2	2	-
55-59 years-----	14	9	5	12	7	5	2	2	-	1	1	-
60-64 years-----	26	13	13	20	9	11	6	4	2	3	1	2
65-69 years-----	33	16	17	29	14	15	4	2	2	3	2	1
70-74 years-----	45	16	29	39	16	23	6	-	6	6	-	6
75-79 years-----	41	26	15	36	22	14	5	4	1	4	3	1
80-84 years-----	27	13	14	24	12	12	3	1	2	3	1	2
85-89 years-----	21	13	8	18	11	7	3	2	1	2	1	1
90-94 years-----	11	1	10	10	1	9	1	-	1	1	-	1
95-99 years-----	2	-	2	1	-	1	1	-	1	1	-	1
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

With peripheral circulatory complications (E14.5)

All ages-----	5,496	2,574	2,922	4,202	2,090	2,112	1,294	484	810	1,152	419	733
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	3	1	2	3	1	2	-	-	-	-	-	-
30-34 years-----	11	5	6	10	5	5	1	-	1	1	-	1
35-39 years-----	26	12	14	19	10	9	7	2	5	5	1	4
40-44 years-----	57	31	26	41	23	18	16	8	8	13	5	8
45-49 years-----	100	58	42	77	45	32	23	13	10	20	11	9
50-54 years-----	188	100	88	134	80	54	54	20	34	50	17	33
55-59 years-----	316	151	165	219	116	103	97	35	62	88	31	57
60-64 years-----	433	219	214	311	166	145	122	53	69	109	46	63
65-69 years-----	634	302	332	466	224	242	168	78	90	148	68	80
70-74 years-----	812	418	394	624	351	273	188	67	121	159	53	106
75-79 years-----	975	480	495	769	397	372	206	83	123	188	76	112
80-84 years-----	860	387	473	673	322	351	187	65	122	171	59	112
85-89 years-----	661	282	379	528	246	282	133	36	97	120	31	89
90-94 years-----	335	113	222	262	91	171	73	22	51	63	19	44
95-99 years-----	78	14	64	61	12	49	17	2	15	15	2	13
100 yrs & over---	7	1	6	5	1	4	2	-	2	2	-	2
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
With other specified complications (E14.6)												
All ages-----	192	80	112	158	69	89	34	11	23	31	9	22
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	2	1	1	2	1	1	-	-	-	-	-	-
30-34 years-----	4	2	2	3	2	1	1	-	1	1	-	1
35-39 years-----	3	2	1	2	2	-	1	-	1	1	-	1
40-44 years-----	2	2	-	1	1	-	1	1	-	1	1	-
45-49 years-----	6	2	4	2	1	1	4	1	3	4	1	3
50-54 years-----	2	2	-	1	1	-	1	1	-	1	1	-
55-59 years-----	8	5	3	4	2	2	4	3	1	4	3	1
60-64 years-----	10	4	6	9	4	5	1	-	1	1	-	1
65-69 years-----	14	3	11	11	3	8	3	-	3	3	-	3
70-74 years-----	19	6	13	17	6	11	2	-	2	2	-	2
75-79 years-----	35	19	16	28	17	11	7	2	5	5	1	4
80-84 years-----	35	14	21	30	12	18	5	2	3	4	1	3
85-89 years-----	36	12	24	32	11	21	4	1	3	4	1	3
90-94 years-----	11	4	7	11	4	7	-	-	-	-	-	-
95-99 years-----	4	1	3	4	1	3	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

With multiple complications (E14.7)

All ages-----	512	253	259	408	214	194	104	39	65	89	36	53
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years-----	2	1	1	2	1	1	-	-	-	-	-	-
30-34 years-----	9	3	6	8	3	5	1	-	1	1	-	1
35-39 years-----	5	3	2	4	2	2	1	1	-	1	1	-
40-44 years-----	14	7	7	7	3	4	7	4	3	7	4	3
45-49 years-----	17	11	6	15	11	4	2	-	2	2	-	2
50-54 years-----	34	20	14	25	18	7	9	2	7	8	2	6
55-59 years-----	39	19	20	33	18	15	6	1	5	5	1	4
60-64 years-----	56	37	19	41	30	11	15	7	8	10	5	5
65-69 years-----	67	39	28	51	27	24	16	12	4	14	12	2
70-74 years-----	76	34	42	62	33	29	14	1	13	12	1	11
75-79 years-----	78	36	42	61	29	32	17	7	10	13	6	7
80-84 years-----	69	31	38	58	27	31	11	4	7	11	4	7
85-89 years-----	28	10	18	25	10	15	3	-	3	3	-	3
90-94 years-----	15	2	13	14	2	12	1	-	1	1	-	1
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	2	-	2	1	-	1	1	-	1	1	-	1
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
With unspecified complications (E14.8)												
All ages-----	160	76	84	131	63	68	29	13	16	24	11	13
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	-	1	-	-	-	1	-	1	1	-	1
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	5	4	1	3	3	-	2	1	1	2	1	1
35-39 years-----	7	4	3	5	3	2	2	1	1	1	-	1
40-44 years-----	7	5	2	6	4	2	1	1	-	1	1	-
45-49 years-----	11	6	5	8	4	4	3	2	1	3	2	1
50-54 years-----	12	4	8	11	4	7	1	-	1	1	-	1
55-59 years-----	14	12	2	12	10	2	2	2	-	2	2	-
60-64 years-----	15	6	9	13	5	8	2	1	1	2	1	1
65-69 years-----	19	9	10	17	9	8	2	-	2	2	-	2
70-74 years-----	13	5	8	11	5	6	2	-	2	-	-	-
75-79 years-----	21	12	9	16	9	7	5	3	2	4	2	2
80-84 years-----	17	4	13	13	3	10	4	1	3	4	1	3
85-89 years-----	9	5	4	7	4	3	2	1	1	1	1	-
90-94 years-----	7	-	7	7	-	7	-	-	-	-	-	-
95-99 years-----	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Without complications (E14.9)												
All ages-----	39,748	18,137	21,611	31,404	14,751	16,653	8,344	3,386	4,958	7,147	2,840	4,307
Under 1 year-----	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	3	-	3	3	-	3	-	-	-	-	-	-
15-19 years-----	5	2	3	5	2	3	-	-	-	-	-	-
20-24 years-----	28	17	11	17	11	6	11	6	5	10	6	4
25-29 years-----	69	30	39	45	21	24	24	9	15	21	8	13
30-34 years-----	160	84	76	110	57	53	50	27	23	47	25	22
35-39 years-----	328	185	143	216	124	92	112	61	51	101	53	48
40-44 years-----	610	342	268	429	248	181	181	94	87	157	79	78
45-49 years-----	1,073	655	418	731	469	262	342	186	156	305	166	139
50-54 years-----	1,620	942	678	1,126	682	444	494	260	234	425	220	205
55-59 years-----	2,269	1,264	1,005	1,585	923	662	684	341	343	584	289	295
60-64 years-----	3,160	1,669	1,491	2,289	1,267	1,022	871	402	469	759	340	419
65-69 years-----	4,353	2,242	2,111	3,308	1,789	1,519	1,045	453	592	900	391	509
70-74 years-----	5,806	2,816	2,990	4,560	2,344	2,216	1,246	472	774	1,045	390	655
75-79 years-----	6,636	3,050	3,586	5,432	2,603	2,829	1,204	447	757	1,017	356	661
80-84 years-----	6,127	2,561	3,566	5,168	2,251	2,917	959	310	649	815	258	557
85-89 years-----	4,450	1,534	2,916	3,776	1,327	2,449	674	207	467	575	171	404
90-94 years-----	2,293	614	1,679	1,966	525	1,441	327	89	238	283	72	211
95-99 years-----	654	113	541	557	95	462	97	18	79	82	13	69
100 yrs & over---	102	16	86	79	12	67	23	4	19	21	3	18
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Nondiabetic hypoglycemic coma (E15)												
All ages-----	22	7	15	16	3	13	6	4	2	6	4	2
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	-	-	-	1	1	-	1	1	-
45-49 years-----	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years-----	2	-	2	2	-	2	-	-	-	-	-	-
55-59 years-----	1	1	-	-	-	-	1	1	-	1	1	-
60-64 years-----	3	-	3	2	-	2	1	-	1	1	-	1
65-69 years-----	1	1	-	-	-	-	1	1	-	1	1	-
70-74 years-----	2	-	2	2	-	2	-	-	-	-	-	-
75-79 years-----	4	2	2	2	1	1	2	1	1	2	1	1
80-84 years-----	3	1	2	3	1	2	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other disorders of pancreatic internal secretion (E16)

All ages-----	202	107	95	141	69	72	61	38	23	60	38	22
Under 1 year----	2	1	1	1	-	1	1	1	-	1	1	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	2	1	1	2	1	1	-	-	-	-	-	-
20-24 years-----	2	2	-	2	2	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	4	2	2	1	-	1	3	2	1	3	2	1
35-39 years-----	8	4	4	5	2	3	3	2	1	3	2	1
40-44 years-----	8	5	3	6	5	1	2	-	2	2	-	2
45-49 years-----	13	5	8	11	4	7	2	1	1	2	1	1
50-54 years-----	17	11	6	11	6	5	6	5	1	6	5	1
55-59 years-----	14	9	5	9	6	3	5	3	2	5	3	2
60-64 years-----	12	9	3	6	4	2	6	5	1	6	5	1
65-69 years-----	13	9	4	8	4	4	5	5	-	5	5	-
70-74 years-----	28	16	12	18	9	9	10	7	3	10	7	3
75-79 years-----	18	9	9	15	8	7	3	1	2	2	1	1
80-84 years-----	27	15	12	19	12	7	8	3	5	8	3	5
85-89 years-----	19	5	14	16	3	13	3	2	1	3	2	1
90-94 years-----	12	3	9	9	2	7	3	1	2	3	1	2
95-99 years-----	2	-	2	1	-	1	1	-	1	1	-	1
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Drug-induced hypoglycemia without coma (E16.0)												
All ages-----	5	3	2	4	3	1	1	-	1	1	-	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	-	-	-	1	-	1	1	-	1
40-44 years-----	2	2	-	2	2	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Other hypoglycemia (E16.1)												
All ages-----	3	1	2	3	1	2	-	-	-	-	-	-
Under 1 year-----	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Hypoglycemia, unspecified (E16.2)												
All ages-----	180	96	84	123	59	64	57	37	20	56	37	19
Under 1 year----	1	1	-	-	-	-	1	1	-	1	1	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	2	1	1	2	1	1	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	4	2	2	1	-	1	3	2	1	3	2	1
35-39 years-----	7	4	3	5	2	3	2	2	-	2	2	-
40-44 years-----	6	3	3	4	3	1	2	-	2	2	-	2
45-49 years-----	13	5	8	11	4	7	2	1	1	2	1	1
50-54 years-----	16	10	6	11	6	5	5	4	1	5	4	1
55-59 years-----	12	8	4	8	5	3	4	3	1	4	3	1
60-64 years-----	11	8	3	5	3	2	6	5	1	6	5	1
65-69 years-----	13	9	4	8	4	4	5	5	-	5	5	-
70-74 years-----	26	16	10	16	9	7	10	7	3	10	7	3
75-79 years-----	15	8	7	12	7	5	3	1	2	2	1	1
80-84 years-----	21	11	10	14	8	6	7	3	4	7	3	4
85-89 years-----	18	5	13	15	3	12	3	2	1	3	2	1
90-94 years-----	11	3	8	8	2	6	3	1	2	3	1	2
95-99 years-----	2	-	2	1	-	1	1	-	1	1	-	1
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other specified disorders of pancreatic internal secretion (E16.8)

All ages-----	14	7	7	11	6	5	3	1	2	3	1	2
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	-	-	-	1	1	-	1	1	-
55-59 years-----	2	1	1	1	1	-	1	-	1	1	-	1
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years-----	6	4	2	5	4	1	1	-	1	1	-	1
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Hypoparathyroidism (E20)												
All ages-----	22	6	16	19	5	14	3	1	2	3	1	2
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	-	-	-	1	-	1	1	-	1
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	2	1	1	1	-	1	1	1	-	1	1	-
80-84 years-----	7	3	4	7	3	4	-	-	-	-	-	-
85-89 years-----	3	-	3	2	-	2	1	-	1	1	-	1
90-94 years-----	4	-	4	4	-	4	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Pseudohypoparathyroidism (E20.1)

All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other hypoparathyroidism (E20.8)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Hypoparathyroidism, unspecified (E20.9)												
All ages-----	20	6	14	17	5	12	3	1	2	3	1	2
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	-	-	-	1	-	1	1	-	1
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	2	1	1	1	-	1	1	1	-	1	1	-
80-84 years-----	7	3	4	7	3	4	-	-	-	-	-	-
85-89 years-----	3	-	3	2	-	2	1	-	1	1	-	1
90-94 years-----	3	-	3	3	-	3	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

RACE, AND SEX

Hyperparathyroidism and other disorders of parathyroid gland (E21)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	83	24	59	67	18	49	16	6	10	14	4	10
Under 1 year-----	1	1	-	-	-	-	1	1	-	1	1	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	-	1	-	-	-	1	-	1	1	-	1
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	-	-	-	1	-	1	1	-	1
30-34 years-----	1	-	1	-	-	-	1	-	1	1	-	1
35-39 years-----	2	1	1	2	1	1	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	2	-	2	1	-	1	1	-	1	1	-	1
50-54 years-----	4	1	3	2	-	2	2	1	1	2	1	1
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	4	1	3	4	1	3	-	-	-	-	-	-
65-69 years-----	3	-	3	3	-	3	-	-	-	-	-	-
70-74 years-----	5	2	3	3	1	2	2	1	1	2	1	1
75-79 years-----	12	4	8	11	4	7	1	-	1	1	-	1
80-84 years-----	18	6	12	15	6	9	3	-	3	3	-	3
85-89 years-----	18	6	12	17	5	12	1	1	-	1	1	-
90-94 years-----	5	1	4	4	-	4	1	1	-	-	-	-
95-99 years-----	5	1	4	4	-	4	1	1	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Primary hyperparathyroidism (E21.0)

All ages-----	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Hyperparathyroidism, unspecified (E21.3)												
All ages-----	76	23	53	62	17	45	14	6	8	12	4	8
Under 1 year-----	1	1	-	-	-	-	1	1	-	1	1	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	-	1	-	-	-	1	-	1	1	-	1
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	-	-	-	1	-	1	1	-	1
30-34 years-----	1	-	1	-	-	-	1	-	1	1	-	1
35-39 years-----	2	1	1	2	1	1	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	3	1	2	2	-	2	1	1	-	1	1	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	4	1	3	4	1	3	-	-	-	-	-	-
65-69 years-----	2	-	2	2	-	2	-	-	-	-	-	-
70-74 years-----	5	2	3	3	1	2	2	1	1	2	1	1
75-79 years-----	10	4	6	9	4	5	1	-	1	1	-	1
80-84 years-----	17	5	12	14	5	9	3	-	3	3	-	3
85-89 years-----	18	6	12	17	5	12	1	1	-	1	1	-
90-94 years-----	5	1	4	4	-	4	1	1	-	-	-	-
95-99 years-----	4	1	3	3	-	3	1	1	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Disorder of parathyroid gland, unspecified (E21.5)

All ages-----	5	-	5	3	-	3	2	-	2	2	-	2
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	-	-	-	1	-	1	1	-	1
50-54 years-----	1	-	1	-	-	-	1	-	1	1	-	1
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Hyperfunction of pituitary gland (E22)												
All ages-----	65	23	42	55	17	38	10	6	4	7	4	3
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	1	-	1	-	-	-	1	-	1	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	-	-	-	1	1	-	1	1	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	3	2	1	3	2	1	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	2	1	1	1	1	-	1	-	1	1	-	1
65-69 years-----	5	4	1	3	2	1	2	2	-	2	2	-
70-74 years-----	4	1	3	4	1	3	-	-	-	-	-	-
75-79 years-----	10	5	5	7	4	3	3	1	2	2	-	2
80-84 years-----	12	4	8	10	2	8	2	2	-	1	1	-
85-89 years-----	15	3	12	15	3	12	-	-	-	-	-	-
90-94 years-----	9	-	9	9	-	9	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Acromegaly and pituitary gigantism (E22.0)

All ages-----	9	7	2	7	5	2	2	2	-	2	2	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	2	2	-	1	1	-	1	1	-	1	1	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	2	1	1	1	-	1	1	1	-	1	1	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Hyperprolactinemia (E22.1)												
All ages-----	2	1	1	1	1	-	1	-	1	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	-	1	-	-	-	1	-	1	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Syndrome of inappropriate secretion of antidiuretic hormone (E22.2)												
All ages-----	54	15	39	47	11	36	7	4	3	5	2	3
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	-	-	-	1	1	-	1	1	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	2	1	1	1	1	-	1	-	1	1	-	1
65-69 years-----	3	2	1	2	1	1	1	1	-	1	1	-
70-74 years-----	4	1	3	4	1	3	-	-	-	-	-	-
75-79 years-----	10	5	5	7	4	3	3	1	2	2	-	2
80-84 years-----	10	3	7	9	2	7	1	1	-	-	-	-
85-89 years-----	14	2	12	14	2	12	-	-	-	-	-	-
90-94 years-----	8	-	8	8	-	8	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Hypofunction and other disorders of the pituitary gland (E23)												
All ages-----	158	65	93	112	47	65	46	18	28	39	17	22
Under 1 year-----	4	1	3	4	1	3	-	-	-	-	-	-
1-4 years-----	8	4	4	6	4	2	2	-	2	2	-	2
5-9 years-----	2	-	2	-	-	-	2	-	2	1	-	1
10-14 years-----	2	-	2	1	-	1	1	-	1	-	-	-
15-19 years-----	2	-	2	1	-	1	1	-	1	1	-	1
20-24 years-----	2	-	2	1	-	1	1	-	1	-	-	-
25-29 years-----	4	2	2	2	1	1	2	1	1	2	1	1
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	6	2	4	2	-	2	4	2	2	4	2	2
40-44 years-----	4	-	4	2	-	2	2	-	2	2	-	2
45-49 years-----	6	3	3	2	1	1	4	2	2	4	2	2
50-54 years-----	2	-	2	1	-	1	1	-	1	1	-	1
55-59 years-----	11	3	8	8	2	6	3	1	2	2	1	1
60-64 years-----	13	7	6	9	5	4	4	2	2	4	2	2
65-69 years-----	15	3	12	11	1	10	4	2	2	4	2	2
70-74 years-----	18	7	11	14	5	9	4	2	2	2	1	1
75-79 years-----	25	17	8	18	12	6	7	5	2	6	5	1
80-84 years-----	13	9	4	11	8	3	2	1	1	2	1	1
85-89 years-----	13	3	10	11	3	8	2	-	2	2	-	2
90-94 years-----	5	3	2	5	3	2	-	-	-	-	-	-
95-99 years-----	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Hypopituitarism (E23.0)

All ages-----	97	43	54	69	32	37	28	11	17	24	10	14
Under 1 year-----	3	1	2	3	1	2	-	-	-	-	-	-
1-4 years-----	7	4	3	6	4	2	1	-	1	1	-	1
5-9 years-----	1	-	1	-	-	-	1	-	1	1	-	1
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	3	2	1	1	1	-	2	1	1	2	1	1
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	5	2	3	2	-	2	3	2	1	3	2	1
40-44 years-----	3	-	3	1	-	1	2	-	2	2	-	2
45-49 years-----	3	1	2	1	1	-	2	-	2	2	-	2
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	7	2	5	4	1	3	3	1	2	2	1	1
60-64 years-----	9	5	4	7	4	3	2	1	1	2	1	1
65-69 years-----	12	3	9	9	1	8	3	2	1	3	2	1
70-74 years-----	11	6	5	7	4	3	4	2	2	2	1	1
75-79 years-----	13	8	5	11	7	4	2	1	1	1	1	-
80-84 years-----	7	5	2	5	4	1	2	1	1	2	1	1
85-89 years-----	7	1	6	6	1	5	1	-	1	1	-	1
90-94 years-----	2	2	-	2	2	-	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Diabetes insipidus (E23.2)												
All ages-----	40	14	26	27	9	18	13	5	8	11	5	6
Under 1 year-----	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years-----	1	-	1	-	-	-	1	-	1	1	-	1
5-9 years-----	1	-	1	-	-	-	1	-	1	-	-	-
10-14 years-----	1	-	1	-	-	-	1	-	1	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	-	1	-	-	-	1	-	1	1	-	1
55-59 years-----	4	1	3	4	1	3	-	-	-	-	-	-
60-64 years-----	3	1	2	1	-	1	2	1	1	2	1	1
65-69 years-----	1	-	1	-	-	-	1	-	1	1	-	1
70-74 years-----	5	-	5	5	-	5	-	-	-	-	-	-
75-79 years-----	9	8	1	4	4	-	5	4	1	5	4	1
80-84 years-----	4	2	2	4	2	2	-	-	-	-	-	-
85-89 years-----	4	1	3	3	1	2	1	-	1	1	-	1
90-94 years-----	3	1	2	3	1	2	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Hypothalamic dysfunction, not elsewhere classified (E23.3)												
All ages-----	5	2	3	4	1	3	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	-	-	-	1	1	-	1	1	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other disorders of pituitary gland (E23.6)												
All ages-----	11	4	7	8	3	5	3	1	2	2	1	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	-	1	-	-	-	1	-	1	1	-	1
20-24 years-----	1	-	1	-	-	-	1	-	1	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	2	1	1	1	-	1	1	1	-	1	1	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	2	-	2	2	-	2	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Disorder of pituitary gland, unspecified (E23.7)

All ages-----	5	2	3	4	2	2	1	-	1	1	-	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	-	-	-	1	-	1	1	-	1
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Cushing's syndrome (E24)												
All ages-----	34	13	21	29	10	19	5	3	2	5	3	2
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	-	-	-	1	1	-	1	1	-
25-29 years-----	1	-	1	-	-	-	1	-	1	1	-	1
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	2	1	1	2	1	1	-	-	-	-	-	-
40-44 years-----	2	1	1	2	1	1	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	3	2	1	3	2	1	-	-	-	-	-	-
55-59 years-----	2	1	1	-	-	-	2	1	1	2	1	1
60-64 years-----	3	1	2	3	1	2	-	-	-	-	-	-
65-69 years-----	3	1	2	3	1	2	-	-	-	-	-	-
70-74 years-----	5	1	4	4	-	4	1	1	-	1	1	-
75-79 years-----	8	2	6	8	2	6	-	-	-	-	-	-
80-84 years-----	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Nelson's syndrome (E24.1)

All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Drug-induced Cushing's syndrome (E24.2)												
All ages-----	3	1	2	2	-	2	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	2	1	1	1	-	1	1	1	-	1	1	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Ectopic ACTH syndrome (E24.3)

All ages-----	5	3	2	5	3	2	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	2	2	-	2	2	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Cushing's syndrome, unspecified (E24.9)												
All ages-----	25	9	16	21	7	14	4	2	2	4	2	2
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	-	-	-	1	1	-	1	1	-
25-29 years-----	1	-	1	-	-	-	1	-	1	1	-	1
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	2	1	1	2	1	1	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	3	2	1	3	2	1	-	-	-	-	-	-
55-59 years-----	2	1	1	-	-	-	2	1	-	2	1	1
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	3	1	2	3	1	2	-	-	-	-	-	-
70-74 years-----	3	-	3	3	-	3	-	-	-	-	-	-
75-79 years-----	5	-	5	5	-	5	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Adrenogenital disorders (E25)

All ages-----	6	5	1	3	3	-	3	2	1	2	1	1
Under 1 year-----	2	2	-	-	-	-	2	2	-	1	1	-
1-4 years-----	3	3	-	3	3	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	-	-	-	1	-	1	1	-	1
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

RACE, AND SEX

Congenital adrenogenital disorders associated with enzyme deficiency (E25.0)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	6	5	1	3	3	-	3	2	1	2	1	1
Under 1 year----	2	2	-	-	-	-	2	2	-	1	1	-
1-4 years-----	3	3	-	3	3	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	-	-	-	1	-	1	1	-	1
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Hyperaldosteronism (E26)

All ages-----	5	1	4	4	1	3	1	-	1	1	-	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	-	-	-	1	-	1	1	-	1
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Primary hyperaldosteronism (E26.0)												
All ages-----	2	1	1	1	1	-	1	-	1	1	-	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	-	-	-	1	-	1	1	-	1
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Other hyperaldosteronism (E26.8)												
All ages-----	2	-	2	2	-	2	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Hyperaldosteronism, unspecified (E26.9)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Other disorders of adrenal gland (E27)												
All ages-----	208	82	126	186	73	113	22	9	13	21	9	12
Under 1 year-----	2	-	2	2	-	2	-	-	-	-	-	-
1-4 years-----	1	-	1	-	-	-	1	-	1	1	-	1
5-9 years-----	2	1	1	1	-	1	1	1	-	1	1	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	2	2	-	2	2	-	-	-	-	-	-	-
20-24 years-----	8	3	5	7	3	4	1	-	1	-	-	-
25-29 years-----	5	4	1	5	4	1	-	-	-	-	-	-
30-34 years-----	4	2	2	4	2	2	-	-	-	-	-	-
35-39 years-----	6	3	3	5	2	3	1	1	-	1	1	-
40-44 years-----	7	6	1	6	5	1	1	1	-	1	1	-
45-49 years-----	6	-	6	6	-	6	-	-	-	-	-	-
50-54 years-----	16	8	8	16	8	8	-	-	-	-	-	-
55-59 years-----	6	3	3	4	2	2	2	1	1	2	1	1
60-64 years-----	9	5	4	8	5	3	1	-	1	1	-	1
65-69 years-----	22	7	15	19	6	13	3	1	2	3	1	2
70-74 years-----	21	5	16	17	5	12	4	-	4	4	-	4
75-79 years-----	32	14	18	30	13	17	2	1	1	2	1	1
80-84 years-----	19	11	8	18	10	8	1	1	-	1	1	-
85-89 years-----	22	6	16	20	5	15	2	1	1	2	1	1
90-94 years-----	12	2	10	10	1	9	2	1	1	2	1	1
95-99 years-----	3	-	3	3	-	3	-	-	-	-	-	-
100 yrs & over---	2	-	2	2	-	2	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Primary adrenocortical insufficiency (E27.1)												
All ages-----	80	30	50	70	25	45	10	5	5	10	5	5
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	4	3	1	4	3	1	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	5	3	2	4	2	2	1	1	-	1	1	-
40-44 years-----	4	3	1	4	3	1	-	-	-	-	-	-
45-49 years-----	3	-	3	3	-	3	-	-	-	-	-	-
50-54 years-----	9	4	5	9	4	5	-	-	-	-	-	-
55-59 years-----	3	1	2	1	-	1	2	1	1	2	1	1
60-64 years-----	3	1	2	3	1	2	-	-	-	-	-	-
65-69 years-----	7	1	6	7	1	6	-	-	-	-	-	-
70-74 years-----	9	2	7	7	2	5	2	-	2	2	-	2
75-79 years-----	11	4	7	9	3	6	2	1	1	2	1	1
80-84 years-----	7	3	4	6	2	4	1	1	-	1	1	-
85-89 years-----	7	2	5	7	2	5	-	-	-	-	-	-
90-94 years-----	3	1	2	1	-	1	2	1	1	2	1	1
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Addisonian crisis (E27.2)												
All ages-----	9	3	6	7	1	6	2	2	-	2	2	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	1	-	-	-	-	1	1	-	1	1	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	2	-	2	2	-	2	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	2	1	1	1	-	1	1	1	-	1	1	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Drug-induced adrenocortical insufficiency (E27.3)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Other and unspecified adrenocortical insufficiency (E27.4)												
All ages-----	103	42	61	95	41	54	8	1	7	7	1	6
Under 1 year-----	2	-	2	2	-	2	-	-	-	-	-	-
1-4 years-----	1	-	1	-	-	-	1	-	1	1	-	1
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	6	2	4	5	2	3	1	-	1	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	2	-	2	2	-	2	-	-	-	-	-	-
50-54 years-----	6	4	2	6	4	2	-	-	-	-	-	-
55-59 years-----	2	2	-	2	2	-	-	-	-	-	-	-
60-64 years-----	5	4	1	4	4	-	1	-	1	1	-	1
65-69 years-----	11	5	6	10	5	5	1	-	1	1	-	1
70-74 years-----	9	2	7	7	2	5	2	-	2	2	-	2
75-79 years-----	19	8	11	19	8	11	-	-	-	-	-	-
80-84 years-----	11	8	3	11	8	3	-	-	-	-	-	-
85-89 years-----	14	4	10	12	3	9	2	1	1	2	1	1
90-94 years-----	8	-	8	8	-	8	-	-	-	-	-	-
95-99 years-----	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

RACE, AND SEX

Adrenomedullary hyperfunction (E27.5)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other specified disorders of adrenal gland (E27.8)

All ages-----	4	1	3	3	1	2	1	-	1	1	-	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	-	-	-	1	-	1	1	-	1
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Disorder of adrenal gland, unspecified (E27.9)												
All ages-----	10	5	5	9	4	5	1	1	-	1	1	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	-	-	-	1	1	-	1	1	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	3	1	2	3	1	2	-	-	-	-	-	-
75-79 years-----	2	2	-	2	2	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Ovarian dysfunction (E28)

All ages-----	4	...	4	2	...	2	2	...	2	2	...	2
Under 1 year----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	1	...	1	-	...	-	1	...	1	1	...	1
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	1	...	1	-	...	-	1	...	1	1	...	1
55-59 years-----	1	...	1	1	...	1	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years-----	1	...	1	1	...	1	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Polycystic ovarian syndrome (E28.2)												
All ages-----	2	...	2	-	...	-	2	...	2	2	...	2
Under 1 year----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	1	...	1	-	...	-	1	...	1	1	...	1
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	1	...	1	-	...	-	1	...	1	1	...	1
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-
Primary ovarian failure (E28.3)												
All ages-----	2	...	2	2	...	2	-	...	-	-	...	-
Under 1 year----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----	1	...	1	1	...	1	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years-----	1	...	1	1	...	1	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Testicular dysfunction (E29)												
All ages-----	3	3	...	3	3	...	-	-	...	-	-	...
Under 1 year-----	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years-----	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years-----	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years-----	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years-----	1	1	...	1	1	...	-	-	...	-	-	...
75-79 years-----	2	2	...	2	2	...	-	-	...	-	-	...
80-84 years-----	-	-	...	-	-	...	-	-	...	-	-	...
85-89 years-----	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years-----	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...	-	-	...

Testicular hypofunction (E29.1)

All ages-----	3	3	...	3	3	...	-	-	...	-	-	...
Under 1 year-----	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years-----	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years-----	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years-----	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years-----	1	1	...	1	1	...	-	-	...	-	-	...
75-79 years-----	2	2	...	2	2	...	-	-	...	-	-	...
80-84 years-----	-	-	...	-	-	...	-	-	...	-	-	...
85-89 years-----	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years-----	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...	-	-	...

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Polyglandular dysfunction (E31)												
All ages-----	4	1	3	4	1	3	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Autoimmune polyglandular failure (E31.0)

All ages-----	4	1	3	4	1	3	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Diseases of thymus (E32)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of thymus (E32.8)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other endocrine disorders (E34)												
All ages-----	82	38	44	72	34	38	10	4	6	10	4	6
Under 1 year-----	24	9	15	18	7	11	6	2	4	6	2	4
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	3	1	2	3	1	2	-	-	-	-	-	-
45-49 years-----	2	1	1	1	-	1	1	1	-	1	1	-
50-54 years-----	4	2	2	3	2	1	1	-	1	1	-	1
55-59 years-----	3	3	-	3	3	-	-	-	-	-	-	-
60-64 years-----	4	1	3	4	1	3	-	-	-	-	-	-
65-69 years-----	5	2	3	5	2	3	-	-	-	-	-	-
70-74 years-----	11	8	3	10	7	3	1	1	-	1	1	-
75-79 years-----	11	6	5	11	6	5	-	-	-	-	-	-
80-84 years-----	6	1	5	5	1	4	1	-	1	1	-	1
85-89 years-----	6	3	3	6	3	3	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Carcinoid syndrome (E34.0)												
All ages-----	50	26	24	46	24	22	4	2	2	4	2	2
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	2	-	2	2	-	2	-	-	-	-	-	-
45-49 years-----	1	1	-	-	-	-	1	1	-	1	1	-
50-54 years-----	4	2	2	3	2	1	1	-	1	1	-	1
55-59 years-----	3	3	-	3	3	-	-	-	-	-	-	-
60-64 years-----	4	1	3	4	1	3	-	-	-	-	-	-
65-69 years-----	5	2	3	5	2	3	-	-	-	-	-	-
70-74 years-----	8	7	1	7	6	1	1	1	-	1	1	-
75-79 years-----	11	6	5	11	6	5	-	-	-	-	-	-
80-84 years-----	5	1	4	4	1	3	1	-	1	1	-	1
85-89 years-----	6	3	3	6	3	3	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

RACE, AND SEX

Ectopic hormone secretion, not elsewhere classified (E34.2)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Short stature, not elsewhere classified (E34.3)

All ages-----	24	9	15	18	7	11	6	2	4	6	2	4
Under 1 year-----	24	9	15	18	7	11	6	2	4	6	2	4
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other specified endocrine disorders (E34.8)												
All ages-----	4	2	2	4	2	2	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Endocrine disorder, unspecified (E34.9)												
All ages-----	3	-	3	3	-	3	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Kwashiorkor (E40)												
All ages-----	16	3	13	14	3	11	2	-	2	2	-	2
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	2	1	1	2	1	1	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	3	-	3	2	-	2	1	-	1	1	-	1
85-89 years-----	4	-	4	4	-	4	-	-	-	-	-	-
90-94 years-----	3	1	2	3	1	2	-	-	-	-	-	-
95-99 years-----	2	1	1	1	1	-	1	-	1	1	-	1
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Nutritional marasmus (E41)												
All ages-----	200	82	118	167	68	99	33	14	19	30	11	19
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	2	1	1	1	1	-	1	-	1	1	-	1
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	2	1	1	1	-	1	1	1	-	1	1	-
45-49 years-----	3	1	2	2	1	1	1	-	1	1	-	1
50-54 years-----	2	-	2	1	-	1	1	-	1	1	-	1
55-59 years-----	4	3	1	3	2	1	1	1	-	1	1	-
60-64 years-----	2	2	-	1	1	-	1	1	-	1	1	-
65-69 years-----	6	3	3	4	2	2	2	1	1	1	-	1
70-74 years-----	19	11	8	15	9	6	4	2	2	4	2	2
75-79 years-----	20	6	14	12	5	7	8	1	7	8	1	7
80-84 years-----	38	18	20	36	16	20	2	2	-	1	1	-
85-89 years-----	38	16	22	35	14	21	3	2	1	3	2	1
90-94 years-----	38	13	25	33	12	21	5	1	4	5	1	4
95-99 years-----	24	7	17	22	5	17	2	2	-	1	1	-
100 yrs & over---	2	-	2	1	-	1	1	-	1	1	-	1
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Marasmic kwashiorkor (E42)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Unspecified severe protein-energy malnutrition (E43)

All ages-----	389	150	239	323	120	203	66	30	36	58	27	31
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	1	-	1	-	-	-	1	-	1	1	-	1
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	1	-	1	-	-	-	1	-	1	1	-	1
35-39 years-----	3	2	1	2	1	1	1	1	-	1	1	-
40-44 years-----	9	5	4	8	4	4	1	1	-	1	1	-
45-49 years-----	13	4	9	9	4	5	4	-	4	4	-	4
50-54 years-----	14	6	8	10	4	6	4	2	2	4	2	2
55-59 years-----	14	10	4	7	5	2	7	5	2	7	5	2
60-64 years-----	17	10	7	16	10	6	1	-	1	1	-	1
65-69 years-----	18	11	7	14	8	6	4	3	1	3	2	1
70-74 years-----	25	11	14	17	7	10	8	4	4	5	3	2
75-79 years-----	60	28	32	55	25	30	5	3	2	4	3	1
80-84 years-----	73	26	47	62	20	42	11	6	5	11	6	5
85-89 years-----	72	21	51	63	19	44	9	2	7	6	1	5
90-94 years-----	47	12	35	43	10	33	4	2	2	4	2	2
95-99 years-----	17	2	15	14	2	12	3	-	3	3	-	3
100 yrs & over---	3	1	2	1	-	1	2	1	1	2	1	1
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Protein-energy malnutrition of moderate and mild degree (E44)												
All ages-----	3	2	1	2	1	1	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	1	1	-	-	-	-	1	1	-	1	1	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Moderate protein-energy malnutrition (E44.0)

All ages-----	3	2	1	2	1	1	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	1	1	-	-	-	-	1	1	-	1	1	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Retarded development following protein-energy malnutrition (E45)												
All ages-----	87	26	61	72	18	54	15	8	7	13	8	5
Under 1 year----	2	2	-	-	-	-	2	2	-	2	2	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	2	2	-	1	1	-	1	1	-	1	1	-
60-64 years-----	3	2	1	1	-	1	2	2	-	2	2	-
65-69 years-----	3	1	2	2	-	2	1	1	-	1	1	-
70-74 years-----	4	1	3	3	1	2	1	-	1	-	-	1
75-79 years-----	10	5	5	8	3	5	2	2	-	2	2	-
80-84 years-----	15	4	11	14	4	10	1	-	1	1	-	1
85-89 years-----	17	4	13	16	4	12	1	-	1	1	-	1
90-94 years-----	14	3	11	12	3	9	2	-	2	1	-	1
95-99 years-----	12	1	11	11	1	10	1	-	1	-	-	-
100 yrs & over---	4	1	3	3	1	2	1	-	1	1	-	1
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Unspecified protein-energy malnutrition (E46)

All ages-----	3,289	1,107	2,182	2,789	889	1,900	500	218	282	443	187	256
Under 1 year----	5	2	3	4	2	2	1	-	1	1	-	1
1-4 years-----	2	2	-	1	1	-	-	1	-	1	1	-
5-9 years-----	1	1	-	-	-	-	1	1	-	1	1	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	3	2	1	2	1	1	1	1	-	1	1	-
25-29 years-----	3	1	2	2	-	2	1	1	-	1	1	-
30-34 years-----	4	2	2	4	2	2	-	-	-	-	-	-
35-39 years-----	17	6	11	13	4	9	4	2	2	4	2	2
40-44 years-----	30	13	17	23	10	13	7	3	4	7	3	4
45-49 years-----	26	16	10	16	10	6	10	6	4	8	5	3
50-54 years-----	39	20	19	33	16	17	6	4	2	6	4	2
55-59 years-----	45	23	22	29	12	17	16	11	5	12	8	4
60-64 years-----	66	40	26	48	30	18	18	10	8	17	9	8
65-69 years-----	113	52	61	86	37	49	27	15	12	24	14	10
70-74 years-----	218	116	102	163	81	82	55	35	20	49	31	18
75-79 years-----	347	146	201	289	118	171	58	28	30	48	22	26
80-84 years-----	591	218	373	496	181	315	95	37	58	86	31	55
85-89 years-----	752	241	511	661	210	451	91	31	60	80	26	54
90-94 years-----	652	146	506	597	128	469	55	18	37	49	16	33
95-99 years-----	297	53	244	254	40	214	43	13	30	38	11	27
100 yrs & over---	77	6	71	67	5	62	10	1	9	10	1	9
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Vitamin A deficiency (E50)												
All ages-----	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Vitamin A deficiency with conjunctival xerosis (E50.0)

All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

RACE, AND SEX

Other manifestations of vitamin A deficiency (E50.8)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Thiamin deficiency (E51)

All ages-----	15	12	3	13	10	3	2	2	-	2	2	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	-	-	-	1	1	-	1	1	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	-	-	-	1	1	-	1	1	-
60-64 years-----	2	1	1	2	1	1	-	-	-	-	-	-
65-69 years-----	2	2	-	2	2	-	-	-	-	-	-	-
70-74 years-----	3	2	1	3	2	1	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	4	4	-	4	4	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Beriberi (E51.1)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Wernicke's encephalopathy (E51.2)												
All ages-----	14	11	3	12	9	3	2	2	-	2	2	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	-	-	-	1	1	-	1	1	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	-	-	-	1	1	-	1	1	-
60-64 years-----	2	1	1	2	1	1	-	-	-	-	-	-
65-69 years-----	2	2	-	2	2	-	-	-	-	-	-	-
70-74 years-----	3	2	1	3	2	1	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	4	4	-	4	4	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Deficiency of other B group vitamins (E53)												
All ages-----	24	10	14	22	9	13	2	1	1	2	1	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	1	1	-	-	-	-	1	1	-	1	1	-
80-84 years-----	4	1	3	4	1	3	-	-	-	-	-	-
85-89 years-----	5	2	3	5	2	3	-	-	-	-	-	-
90-94 years-----	9	4	5	8	4	4	1	-	1	1	-	1
95-99 years-----	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Riboflavin deficiency (E53.0)

All ages-----	1	-	1	-	-	-	1	-	1	1	-	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	-	1	-	-	-	1	-	1	1	-	1
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

ALL RACES WHITE ALL OTHER BLACK

Deficiency of other specified B group vitamins (E53.8)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	23	10	13	22	9	13	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	1	1	-	-	-	-	1	1	-	1	1	-
80-84 years-----	4	1	3	4	1	3	-	-	-	-	-	-
85-89 years-----	5	2	3	5	2	3	-	-	-	-	-	-
90-94 years-----	8	4	4	8	4	4	-	-	-	-	-	-
95-99 years-----	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Ascorbic acid deficiency (E54)

All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Vitamin D deficiency (E55)												
All ages-----	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Rickets, active (E55.0)												
All ages-----	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other vitamin deficiencies (E56)												
All ages-----	2	-	2	2	-	2	-	-	-	-	-	-
Under 1 year----	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Deficiency of vitamin K (E56.1)												
All ages-----	2	-	2	2	-	2	-	-	-	-	-	-
Under 1 year----	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Dietary selenium deficiency (E59)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Deficiency of other nutrient elements (E61)												
All ages-----	7	6	1	6	5	1	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	-	-	-	1	1	-	1	1	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years-----	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Iron deficiency (E61.1)												
All ages-----	7	6	1	6	5	1	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	-	-	-	1	1	-	1	1	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years-----	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Other nutritional deficiencies (E63)												
All ages-----	151	44	107	131	40	91	20	4	16	20	4	16
Under 1 year-----	1	-	1	-	-	-	1	-	1	1	-	1
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	1	-	1	-	-	-	1	-	1	1	-	1
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	3	-	3	2	-	2	1	-	1	1	-	1
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	4	1	3	4	1	3	-	-	-	-	-	-
70-74 years-----	5	4	1	4	3	1	1	1	-	1	1	-
75-79 years-----	16	7	9	13	5	8	3	2	1	3	2	1
80-84 years-----	25	5	20	20	4	16	5	1	4	5	1	4
85-89 years-----	27	6	21	24	6	18	3	-	3	3	-	3
90-94 years-----	44	14	30	40	14	26	4	-	4	4	-	4
95-99 years-----	15	4	11	14	4	10	1	-	1	1	-	1
100 yrs & over---	8	1	7	8	1	7	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Nutritional deficiency, unspecified (E63.9)												
All ages-----	151	44	107	131	40	91	20	4	16	20	4	16
Under 1 year-----	1	-	1	-	-	-	1	-	1	1	-	1
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	1	-	1	-	-	-	1	-	1	1	-	1
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	3	-	3	2	-	2	1	-	1	1	-	1
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	4	1	3	4	1	3	-	-	-	-	-	-
70-74 years-----	5	4	1	4	3	1	1	1	-	1	1	-
75-79 years-----	16	7	9	13	5	8	3	2	1	3	2	1
80-84 years-----	25	5	20	20	4	16	5	1	4	5	1	4
85-89 years-----	27	6	21	24	6	18	3	-	3	3	-	3
90-94 years-----	44	14	30	40	14	26	4	-	4	4	-	4
95-99 years-----	15	4	11	14	4	10	1	-	1	1	-	1
100 yrs & over---	8	1	7	8	1	7	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Sequelae of malnutrition and other nutritional deficiencies (E64)

All ages-----	99	40	59	80	32	48	19	8	11	17	8	9
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	-	-	-	1	-	1	1	-	1
45-49 years-----	1	-	1	-	-	-	1	-	1	1	-	1
50-54 years-----	2	1	1	-	-	-	2	1	1	1	1	-
55-59 years-----	6	3	3	3	1	2	3	2	1	3	2	1
60-64 years-----	3	1	2	3	1	2	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	5	3	2	4	2	2	1	1	-	1	1	-
75-79 years-----	14	9	5	12	7	5	2	2	-	2	2	-
80-84 years-----	20	10	10	17	9	8	3	1	2	2	1	1
85-89 years-----	27	10	17	23	9	14	4	1	3	4	1	3
90-94 years-----	11	2	9	11	2	9	-	-	-	-	-	-
95-99 years-----	8	1	7	6	1	5	2	-	2	2	-	2
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Sequelae of protein-energy malnutrition (E64.0)												
All ages-----	90	35	55	71	27	44	19	8	11	17	8	9
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	-	-	-	1	-	1	1	-	1
45-49 years-----	1	-	1	-	-	-	1	-	1	1	-	1
50-54 years-----	2	1	1	-	-	-	2	1	1	1	1	-
55-59 years-----	6	3	3	3	1	2	3	2	1	3	2	1
60-64 years-----	3	1	2	3	1	2	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	5	3	2	4	2	2	1	1	-	1	1	-
75-79 years-----	14	9	5	12	7	5	2	2	-	2	2	-
80-84 years-----	20	10	10	17	9	8	3	1	2	2	1	1
85-89 years-----	21	7	14	17	6	11	4	1	3	4	1	3
90-94 years-----	10	1	9	10	1	9	-	-	-	-	-	-
95-99 years-----	6	-	6	4	-	4	2	-	2	2	-	2
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Sequelae of other nutritional deficiencies (E64.8)

All ages-----	5	3	2	5	3	2	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	4	2	2	4	2	2	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

ALL RACES WHITE ALL OTHER BLACK

Sequelae of unspecified nutritional deficiency (E64.9)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	4	2	2	4	2	2	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Localized adiposity (E65)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Obesity (E66)												
All ages-----	2,599	1,218	1,381	2,055	1,008	1,047	544	210	334	513	194	319
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	19	11	8	10	7	3	9	4	5	6	3	3
20-24 years-----	34	14	20	20	7	13	14	7	7	14	7	7
25-29 years-----	74	39	35	41	24	17	33	15	18	32	14	18
30-34 years-----	115	79	36	76	52	24	39	27	12	35	24	11
35-39 years-----	190	113	77	129	80	49	61	33	28	57	30	27
40-44 years-----	293	175	118	228	148	80	65	27	38	63	26	37
45-49 years-----	285	148	137	224	123	101	61	25	36	58	23	35
50-54 years-----	333	158	175	271	139	132	62	19	43	59	18	41
55-59 years-----	287	157	130	242	138	104	45	19	26	43	18	25
60-64 years-----	221	95	126	181	81	100	40	14	26	38	13	25
65-69 years-----	213	84	129	181	76	105	32	8	24	31	7	24
70-74 years-----	216	75	141	176	69	107	40	6	34	38	6	32
75-79 years-----	159	47	112	135	42	93	24	5	19	22	4	18
80-84 years-----	99	19	80	86	18	68	13	1	12	12	1	11
85-89 years-----	42	1	41	36	1	35	6	-	6	5	-	5
90-94 years-----	14	3	11	14	3	11	-	-	-	-	-	-
95-99 years-----	3	-	3	3	-	3	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Obesity due to excess calories (E66.0)

All ages-----	54	27	27	45	24	21	9	3	6	9	3	6
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	-	-	-	1	1	-	1	1	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	2	1	1	2	1	1	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	7	3	4	5	2	3	2	1	1	2	1	1
40-44 years-----	5	5	-	5	5	-	-	-	-	-	-	-
45-49 years-----	5	2	3	3	2	1	2	-	2	2	-	2
50-54 years-----	6	4	2	5	4	1	1	-	1	1	-	1
55-59 years-----	9	4	5	7	3	4	2	1	1	2	1	1
60-64 years-----	4	1	3	4	1	3	-	-	-	-	-	-
65-69 years-----	3	1	2	2	1	1	1	-	1	1	-	1
70-74 years-----	4	3	1	4	3	1	-	-	-	-	-	-
75-79 years-----	3	1	2	3	1	2	-	-	-	-	-	-
80-84 years-----	4	-	4	4	-	4	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Extreme obesity with alveolar hypoventilation (E66.2)												
All ages-----	100	42	58	87	36	51	13	6	7	11	5	6
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	-	-	-	1	1	-	1	1	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	3	2	1	3	2	1	-	-	-	-	-	-
30-34 years-----	2	1	1	1	-	1	1	1	-	1	1	-
35-39 years-----	2	2	-	2	2	-	-	-	-	-	-	-
40-44 years-----	6	2	4	5	2	3	1	-	1	-	-	-
45-49 years-----	6	5	1	5	4	1	1	1	-	1	1	-
50-54 years-----	7	3	4	6	3	3	1	-	1	1	-	1
55-59 years-----	11	5	6	6	3	3	5	2	3	5	2	3
60-64 years-----	13	4	9	13	4	9	-	-	-	-	-	-
65-69 years-----	14	6	8	13	6	7	1	-	1	1	-	1
70-74 years-----	14	6	8	13	6	7	1	-	1	1	-	1
75-79 years-----	8	1	7	7	-	7	1	1	-	-	-	-
80-84 years-----	9	4	5	9	4	5	-	-	-	-	-	-
85-89 years-----	4	-	4	4	-	4	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Other obesity (E66.8)												
All ages-----	1,446	719	727	1,130	598	532	316	121	195	297	112	185
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	12	4	8	7	4	3	5	-	5	3	-	3
20-24 years-----	22	10	12	13	5	8	9	5	4	9	5	4
25-29 years-----	46	23	23	22	13	9	24	10	14	23	9	14
30-34 years-----	93	63	30	63	43	20	30	20	10	26	17	9
35-39 years-----	128	73	55	86	52	34	42	21	21	40	20	20
40-44 years-----	202	128	74	154	106	48	48	22	26	47	21	26
45-49 years-----	186	96	90	148	80	68	38	16	22	35	14	21
50-54 years-----	202	99	103	172	91	81	30	8	22	29	8	21
55-59 years-----	145	83	62	127	76	51	18	7	11	16	6	10
60-64 years-----	111	46	65	93	42	51	18	4	14	18	4	14
65-69 years-----	94	40	54	81	38	43	13	2	11	13	2	11
70-74 years-----	89	28	61	70	24	46	19	4	15	18	4	14
75-79 years-----	63	18	45	51	16	35	12	2	10	12	2	10
80-84 years-----	34	6	28	26	6	20	8	-	8	7	-	7
85-89 years-----	11	-	11	9	-	9	2	-	2	1	-	1
90-94 years-----	7	2	5	7	2	5	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Obesity, unspecified (E66.9)												
All ages-----	999	430	569	793	350	443	206	80	126	196	74	122
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	5	5	-	3	3	-	2	2	-	1	1	-
20-24 years-----	11	3	8	6	1	5	5	2	3	5	2	3
25-29 years-----	23	13	10	14	8	6	9	5	4	9	5	4
30-34 years-----	20	15	5	12	9	3	8	6	2	8	6	2
35-39 years-----	53	35	18	36	24	12	17	11	6	15	9	6
40-44 years-----	80	40	40	64	35	29	16	5	11	16	5	11
45-49 years-----	88	45	43	68	37	31	20	8	12	20	8	12
50-54 years-----	118	52	66	88	41	47	30	11	19	28	10	18
55-59 years-----	122	65	57	102	56	46	20	9	11	20	9	11
60-64 years-----	93	44	49	71	34	37	22	10	12	20	9	11
65-69 years-----	102	37	65	85	31	54	17	6	11	16	5	11
70-74 years-----	109	38	71	89	36	53	20	2	18	19	2	17
75-79 years-----	85	27	58	74	25	49	11	2	9	10	2	8
80-84 years-----	52	9	43	47	8	39	5	1	4	5	1	4
85-89 years-----	27	1	26	23	1	22	4	-	4	4	-	4
90-94 years-----	7	1	6	7	1	6	-	-	-	-	-	-
95-99 years-----	3	-	3	3	-	3	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Disorders of aromatic amino-acid metabolism (E70)

All ages-----	5	2	3	4	2	2	1	-	1	1	-	1
Under 1 year-----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	-	1	-	-	-	1	-	1	1	-	1
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Disorders of tyrosine metabolism (E70.2)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Albinism (E70.3)												
All ages-----	3	1	2	2	1	1	1	-	1	1	-	1
Under 1 year-----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	-	1	-	-	-	1	-	1	1	-	1
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other disorders of aromatic amino-acid metabolism (E70.8)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Disorders of branched-chain amino-acid metabolism and fatty-acid metabolism (E71)

All ages-----	37	24	13	25	19	6	12	5	7	11	5	6
Under 1 year-----	9	5	4	4	3	1	5	2	3	4	2	2
1-4 years-----	4	1	3	4	1	3	-	-	-	-	-	-
5-9 years-----	7	4	3	5	4	1	2	-	2	2	-	2
10-14 years-----	5	5	-	3	3	-	2	2	-	2	2	-
15-19 years-----	3	2	1	2	2	-	1	-	1	1	-	1
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	3	2	1	2	2	-	1	-	1	1	-	1
30-34 years-----	1	1	-	-	-	-	1	1	-	1	1	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Maple-syrup-urine disease (E71.0)												
All ages-----	3	1	2	2	1	1	1	-	1	1	-	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	2	1	1	2	1	1	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	-	-	-	1	-	1	1	-	1
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Other disorders of branched-chain amino-acid metabolism (E71.1)												
All ages-----	7	3	4	3	1	2	4	2	2	4	2	2
Under 1 year----	4	3	1	1	1	-	3	2	1	3	2	1
1-4 years-----	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	-	1	-	-	-	1	-	1	1	-	1
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Disorders of fatty-acid metabolism (E71.3)												
All ages-----	27	20	7	20	17	3	7	3	4	6	3	3
Under 1 year-----	5	2	3	3	2	1	2	-	2	1	-	1
1-4 years-----	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years-----	6	4	2	4	4	-	2	-	2	2	-	2
10-14 years-----	5	5	-	3	3	-	2	2	-	2	2	-
15-19 years-----	2	2	-	2	2	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	2	2	-	2	2	-	-	-	-	-	-	-
30-34 years-----	1	1	-	-	-	-	1	1	-	1	1	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other disorders of amino-acid metabolism (E72)

All ages-----	70	37	33	56	31	25	14	6	8	12	6	6
Under 1 year-----	22	14	8	16	10	6	6	4	2	6	4	2
1-4 years-----	2	2	-	2	2	-	-	-	-	-	-	-
5-9 years-----	4	2	2	3	2	1	1	-	1	1	-	1
10-14 years-----	3	1	2	3	1	2	-	-	-	-	-	-
15-19 years-----	5	2	3	3	2	1	2	-	2	1	-	1
20-24 years-----	2	-	2	2	-	2	-	-	-	-	-	-
25-29 years-----	4	2	2	4	2	2	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	1	-	1	-	-	-	1	-	1	-	-	-
40-44 years-----	3	1	2	3	1	2	-	-	-	-	-	-
45-49 years-----	2	2	-	1	1	-	1	1	-	1	1	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	4	2	2	3	2	1	1	-	1	1	-	1
65-69 years-----	4	1	3	3	1	2	1	-	1	1	-	1
70-74 years-----	1	1	-	-	-	-	1	1	-	1	1	-
75-79 years-----	6	3	3	6	3	3	-	-	-	-	-	-
80-84 years-----	3	2	1	3	2	1	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Disorders of amino-acid transport (E72.0)												
All ages-----	8	6	2	8	6	2	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	2	2	-	2	2	-	-	-	-	-	-	-
10-14 years-----	2	1	1	2	1	1	-	-	-	-	-	-
15-19 years-----	2	1	1	2	1	1	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Disorders of sulphur-bearing amino-acid metabolism (E72.1)												
All ages-----	5	3	2	5	3	2	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	2	1	1	2	1	1	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Disorders of urea cycle metabolism (E72.2)												
All ages-----	36	15	21	27	12	15	9	3	6	8	3	5
Under 1 year----	9	4	5	6	3	3	3	1	2	3	1	2
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	2	-	2	1	-	1	1	-	1	1	-	1
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	3	1	2	1	1	-	2	-	2	1	-	1
20-24 years-----	2	-	2	2	-	2	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	2	1	1	2	1	1	-	-	-	-	-	-
45-49 years-----	1	1	-	-	-	-	1	1	-	1	1	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	3	2	1	3	2	1	-	-	-	-	-	-
65-69 years-----	4	1	3	3	1	2	1	-	1	1	-	1
70-74 years-----	1	1	-	-	-	-	1	1	-	1	1	-
75-79 years-----	5	2	3	5	2	3	-	-	-	-	-	-
80-84 years-----	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Disorders of lysine and hydroxylysine metabolism (E72.3)

All ages-----	4	1	3	4	1	3	-	-	-	-	-	-
Under 1 year----	2	1	1	2	1	1	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Disorders of ornithine metabolism (E72.4)												
All ages-----	6	5	1	3	2	1	3	3	-	3	3	-
Under 1 year----	5	5	-	2	2	-	3	3	-	3	3	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Disorders of glycine metabolism (E72.5)

All ages-----	8	5	3	6	5	1	2	-	2	1	-	1
Under 1 year----	4	3	1	4	3	1	-	-	-	-	-	-
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	-	-	-	1	-	1	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	1	-	-	-	1	-	1	1	-	1
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other specified disorders of amino-acid metabolism (E72.8)												
All ages-----	3	2	1	3	2	1	-	-	-	-	-	-
Under 1 year-----	2	1	1	2	1	1	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Lactose intolerance (E73)												
All ages-----	4	1	3	4	1	3	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Congenital lactase deficiency (E73.0)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Lactose intolerance, unspecified (E73.9)												
All ages-----	3	-	3	3	-	3	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other disorders of carbohydrate metabolism (E74)												
All ages-----	71	31	40	48	21	27	23	10	13	16	6	10
Under 1 year-----	23	10	13	11	5	6	12	5	7	8	4	4
1-4 years-----	5	3	2	4	3	1	1	-	1	1	-	1
5-9 years-----	1	-	1	-	-	-	1	-	1	1	-	1
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years-----	2	1	1	-	-	-	2	1	1	1	-	1
30-34 years-----	2	-	2	1	-	1	1	-	1	1	-	1
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	4	3	1	3	2	1	1	1	-	1	1	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	4	2	2	3	2	1	1	-	1	1	-	1
65-69 years-----	4	2	2	3	1	2	1	1	-	1	1	-
70-74 years-----	5	3	2	4	2	2	1	1	-	-	-	-
75-79 years-----	4	2	2	4	2	2	-	-	-	-	-	-
80-84 years-----	5	1	4	5	1	4	-	-	-	-	-	-
85-89 years-----	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years-----	2	-	2	1	-	1	1	-	1	1	-	1
95-99 years-----	3	1	2	2	-	2	1	1	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Glycogen storage disease (E74.0)

All ages-----	32	16	16	19	10	9	13	6	7	11	5	6
Under 1 year-----	17	9	8	8	4	4	9	5	4	7	4	3
1-4 years-----	4	2	2	3	2	1	1	-	1	1	-	1
5-9 years-----	1	-	1	-	-	-	1	-	1	1	-	1
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years-----	1	-	1	-	-	-	1	-	1	1	-	1
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	-	-	-	1	1	-	1	1	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

ALL RACES WHITE ALL OTHER BLACK

Other disorders of intestinal carbohydrate absorption (E74.3)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	21	6	15	16	4	12	5	2	3	3	-	3
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	-	1	-	-	-	1	-	1	1	-	1
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	2	1	1	1	1	-	1	-	1	1	-	1
65-69 years-----	3	1	2	3	1	2	-	-	-	-	-	-
70-74 years-----	2	1	1	1	-	1	1	1	-	-	-	-
75-79 years-----	3	1	2	3	1	2	-	-	-	-	-	-
80-84 years-----	3	1	2	3	1	2	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	2	-	2	1	-	1	1	-	1	1	-	1
95-99 years-----	3	1	2	2	-	2	1	1	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Disorders of pyruvate metabolism and gluconeogenesis (E74.4)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	9	4	5	5	3	2	4	1	3	1	-	1
Under 1 year----	6	1	5	3	1	2	3	-	3	1	-	1
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	-	-	-	1	1	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

ALL RACES WHITE ALL OTHER BLACK

Other specified disorders of carbohydrate metabolism (E74.8)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	8	4	4	7	3	4	1	1	-	1	1	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	2	2	-	1	1	-	1	1	-	1	1	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	2	1	1	2	1	1	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Disorder of carbohydrate metabolism, unspecified (E74.9)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

ALL RACES - - - - - - - WHITE - - - - - - - - ALL OTHER - - - - - - - BLACK - - - -

TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Disorders of sphingolipid metabolism and other lipid storage disorders (E75)

All ages-----	176	90	86	153	80	73	23	10	13	16	6	10
Under 1 year-----	20	13	7	16	11	5	4	2	2	3	2	1
1-4 years-----	53	29	24	43	23	20	10	6	4	7	3	4
5-9 years-----	26	10	16	21	9	12	5	1	4	3	-	3
10-14 years-----	21	9	12	19	9	10	2	-	2	2	-	2
15-19 years-----	13	9	4	12	9	3	1	-	1	-	-	-
20-24 years-----	5	2	3	5	2	3	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	7	1	6	7	1	6	-	-	-	-	-	-
35-39 years-----	2	2	-	2	2	-	-	-	-	-	-	-
40-44 years-----	3	2	1	2	1	1	1	1	-	1	1	-
45-49 years-----	3	2	1	3	2	1	-	-	-	-	-	-
50-54 years-----	4	3	1	4	3	1	-	-	-	-	-	-
55-59 years-----	4	4	-	4	4	-	-	-	-	-	-	-
60-64 years-----	3	1	2	3	1	2	-	-	-	-	-	-
65-69 years-----	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years-----	4	-	4	4	-	4	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	4	1	3	4	1	3	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

GM 2 gangliosidosis (E75.0)

All ages-----	21	12	9	21	12	9	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	18	11	7	18	11	7	-	-	-	-	-	-
5-9 years-----	2	1	1	2	1	1	-	-	-	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other gangliosidosis (E75.1)												
All ages-----	8	3	5	5	3	2	3	-	3	3	-	3
Under 1 year-----	2	1	1	1	1	-	1	-	1	1	-	1
1-4 years-----	4	1	3	2	1	1	2	-	2	2	-	2
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Other sphingolipidosis (E75.2)												
All ages-----	112	56	56	95	47	48	17	9	8	13	6	7
Under 1 year-----	17	11	6	14	9	5	3	2	1	2	2	-
1-4 years-----	29	15	14	22	10	12	7	5	2	5	3	2
5-9 years-----	12	4	8	8	3	5	4	1	3	3	-	3
10-14 years-----	12	4	8	10	4	6	2	-	2	2	-	2
15-19 years-----	9	6	3	9	6	3	-	-	-	-	-	-
20-24 years-----	5	2	3	5	2	3	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	5	-	5	5	-	5	-	-	-	-	-	-
35-39 years-----	2	2	-	2	2	-	-	-	-	-	-	-
40-44 years-----	2	2	-	1	1	-	1	1	-	1	1	-
45-49 years-----	3	2	1	3	2	1	-	-	-	-	-	-
50-54 years-----	4	3	1	4	3	1	-	-	-	-	-	-
55-59 years-----	3	3	-	3	3	-	-	-	-	-	-	-
60-64 years-----	2	1	1	2	1	1	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	4	-	4	4	-	4	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	2	-	2	2	-	2	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Neuronal ceroid lipofuscinosis (E75.4)												
All ages-----	27	15	12	24	14	10	3	1	2	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	1	-	-	-	-	1	1	-	-	-	-
5-9 years-----	11	5	6	10	5	5	1	-	1	-	-	-
10-14 years-----	8	5	3	8	5	3	-	-	-	-	-	-
15-19 years-----	4	3	1	3	3	-	1	-	1	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Other lipid storage disorders (E75.5)												
All ages-----	3	1	2	3	1	2	-	-	-	-	-	-
Under 1 year-----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Lipid storage disorder, unspecified (E75.6)												
All ages-----	5	3	2	5	3	2	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Disorders of glycosaminoglycan metabolism (E76)												
All ages-----	52	33	19	44	25	19	8	8	-	8	8	-
Under 1 year-----	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years-----	5	1	4	5	1	4	-	-	-	-	-	-
5-9 years-----	8	6	2	5	3	2	3	3	-	3	3	-
10-14 years-----	14	8	6	12	6	6	2	2	-	2	2	-
15-19 years-----	8	6	2	6	4	2	2	2	-	2	2	-
20-24 years-----	5	3	2	4	2	2	1	1	-	1	1	-
25-29 years-----	2	1	1	2	1	1	-	-	-	-	-	-
30-34 years-----	3	3	-	3	3	-	-	-	-	-	-	-
35-39 years-----	2	2	-	2	2	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	2	2	-	2	2	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Mucopolysaccharidosis, type I (E76.0)												
All ages-----	14	8	6	12	6	6	2	2	-	2	2	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	5	1	4	5	1	4	-	-	-	-	-	-
5-9 years-----	3	2	1	2	1	1	1	1	-	1	1	-
10-14 years-----	3	2	1	3	2	1	-	-	-	-	-	-
15-19 years-----	1	1	-	-	-	-	1	1	-	1	1	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Mucopolysaccharidosis, type II (E76.1)

All ages-----	11	10	1	8	7	1	3	3	-	3	3	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	1	-	-	-	-	1	1	-	1	1	-
10-14 years-----	4	4	-	3	3	-	1	1	-	1	1	-
15-19 years-----	3	3	-	2	2	-	1	1	-	1	1	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other mucopolysaccharidoses (E76.2)												
All ages-----	13	9	4	11	7	4	2	2	-	2	2	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	3	2	1	2	1	1	1	1	-	1	1	-
15-19 years-----	2	1	1	2	1	1	-	-	-	-	-	-
20-24 years-----	3	2	1	2	1	1	1	1	-	1	1	-
25-29 years-----	2	1	1	2	1	1	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Mucopolysaccharidosis, unspecified (E76.3)												
All ages-----	14	6	8	13	5	8	1	1	-	1	1	-
Under 1 year-----	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	4	3	1	3	2	1	1	1	-	1	1	-
10-14 years-----	4	-	4	4	-	4	-	-	-	-	-	-
15-19 years-----	2	1	1	2	1	1	-	-	-	-	-	-
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Disorders of glycoprotein metabolism (E77)												
All ages-----	52	19	33	48	17	31	4	2	2	3	2	1
Under 1 year-----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	2	2	-	2	2	-	-	-	-	-	-	-
5-9 years-----	5	4	1	4	3	1	1	1	-	1	1	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	3	1	2	2	1	1	1	-	1	-	-	-
70-74 years-----	4	4	-	4	4	-	-	-	-	-	-	-
75-79 years-----	5	1	4	4	1	3	1	-	1	1	-	1
80-84 years-----	9	2	7	9	2	7	-	-	-	-	-	-
85-89 years-----	10	1	9	10	1	9	-	-	-	-	-	-
90-94 years-----	7	2	5	7	2	5	-	-	-	-	-	-
95-99 years-----	3	-	3	3	-	3	-	-	-	-	-	-
100 yrs & over---	2	1	1	1	-	1	1	1	-	1	1	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Defects in posttranslational modification of lysosomal enzymes (E77.0)

All ages-----	7	5	2	6	4	2	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	2	2	-	2	2	-	-	-	-	-	-	-
5-9 years-----	4	3	1	3	2	1	1	1	-	1	1	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

RACE, AND SEX

Defects in glycoprotein degradation (E77.1)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other disorders of glycoprotein metabolism (E77.8)

All ages-----	44	13	31	41	12	29	3	1	2	2	1	1
Under 1 year-----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	3	1	2	2	1	1	1	-	1	-	-	-
70-74 years-----	4	4	-	4	4	-	-	-	-	-	-	-
75-79 years-----	5	1	4	4	1	3	1	-	1	1	-	1
80-84 years-----	9	2	7	9	2	7	-	-	-	-	-	-
85-89 years-----	10	1	9	10	1	9	-	-	-	-	-	-
90-94 years-----	7	2	5	7	2	5	-	-	-	-	-	-
95-99 years-----	3	-	3	3	-	3	-	-	-	-	-	-
100 yrs & over---	2	1	1	1	-	1	1	1	-	1	1	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Disorders of lipoprotein metabolism and other lipidemias (E78)												
All ages-----	3,799	1,994	1,805	3,431	1,826	1,605	368	168	200	306	130	176
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	6	4	2	4	2	2	2	2	-	2	2	-
30-34 years-----	7	5	2	4	2	2	3	3	-	3	3	-
35-39 years-----	21	16	5	18	15	3	3	1	2	3	1	2
40-44 years-----	36	26	10	32	25	7	4	1	3	4	1	3
45-49 years-----	94	74	20	77	62	15	17	12	5	11	8	3
50-54 years-----	173	130	43	147	118	29	26	12	14	24	11	13
55-59 years-----	225	154	71	199	140	59	26	14	12	21	10	11
60-64 years-----	350	242	108	315	222	93	35	20	15	29	16	13
65-69 years-----	415	260	155	371	236	135	44	24	20	39	20	19
70-74 years-----	563	330	233	505	303	202	58	27	31	48	20	28
75-79 years-----	660	311	349	612	290	322	48	21	27	43	18	25
80-84 years-----	561	244	317	509	224	285	52	20	32	35	10	25
85-89 years-----	442	146	296	415	139	276	27	7	20	25	7	18
90-94 years-----	187	46	141	173	45	128	14	1	13	13	1	12
95-99 years-----	51	6	45	44	3	41	7	3	4	5	2	3
100 yrs & over---	8	-	8	6	-	6	2	-	2	1	-	1
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Pure hypercholesterolemia (E78.0)

All ages-----	1,353	698	655	1,194	625	569	159	73	86	126	52	74
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	6	5	1	6	5	1	-	-	-	-	-	-
40-44 years-----	16	10	6	14	9	5	2	1	1	2	1	1
45-49 years-----	34	24	10	26	20	6	8	4	4	7	4	3
50-54 years-----	63	49	14	51	46	5	12	3	9	10	2	8
55-59 years-----	64	43	21	56	38	18	8	5	3	5	2	3
60-64 years-----	127	90	37	109	80	29	18	10	8	14	8	6
65-69 years-----	141	95	46	120	80	40	21	15	6	16	11	5
70-74 years-----	220	121	99	196	108	88	24	13	11	19	8	11
75-79 years-----	257	119	138	231	109	122	26	10	16	23	8	15
80-84 years-----	191	77	114	174	71	103	17	6	11	9	2	7
85-89 years-----	150	48	102	137	44	93	13	4	9	12	4	8
90-94 years-----	60	13	47	55	13	42	5	-	5	5	-	5
95-99 years-----	21	3	18	17	2	15	4	1	3	3	1	2
100 yrs & over---	2	-	2	2	-	2	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Pure hyperglyceridemia (E78.1)												
All ages-----	44	26	18	37	20	17	7	6	1	6	5	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	3	1	2	3	1	2	-	-	-	-	-	-
30-34 years-----	4	3	1	3	2	1	1	1	-	1	1	-
35-39 years-----	2	1	1	2	1	1	-	-	-	-	-	-
40-44 years-----	4	4	-	4	4	-	-	-	-	-	-	-
45-49 years-----	7	6	1	6	5	1	1	1	-	1	1	-
50-54 years-----	4	2	2	3	1	2	1	1	-	1	1	-
55-59 years-----	5	1	4	4	1	3	1	-	1	1	-	1
60-64 years-----	5	3	2	3	1	2	2	2	-	2	2	-
65-69 years-----	2	2	-	2	2	-	-	-	-	-	-	-
70-74 years-----	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years-----	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years-----	2	1	1	1	-	1	1	1	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Mixed hyperlipidemia (E78.2)												
All ages-----	14	6	8	13	6	7	1	-	1	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	3	-	3	2	-	2	1	-	1	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Hyperchylomicronemia (E78.3)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Other hyperlipidemia (E78.4)												
All ages-----	6	3	3	5	3	2	1	-	1	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	-	-	-	1	-	1	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Hyperlipidemia, unspecified (E78.5)												
All ages-----	2,261	1,202	1,059	2,067	1,116	951	194	86	108	169	71	98
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years-----	3	2	1	1	-	1	2	2	-	2	2	-
35-39 years-----	12	9	3	9	8	1	3	1	2	3	1	2
40-44 years-----	14	10	4	12	10	2	2	2	2	2	-	2
45-49 years-----	48	41	7	41	34	7	7	7	-	3	3	-
50-54 years-----	100	74	26	87	66	21	13	8	5	13	8	5
55-59 years-----	146	103	43	129	94	35	17	9	8	15	8	7
60-64 years-----	206	142	64	193	135	58	13	7	6	12	6	6
65-69 years-----	259	153	106	237	145	92	22	8	14	22	8	14
70-74 years-----	326	201	125	294	188	106	32	13	19	27	11	16
75-79 years-----	380	183	197	359	172	187	21	11	10	19	10	9
80-84 years-----	347	160	187	314	147	167	33	13	20	26	8	18
85-89 years-----	269	90	179	255	87	168	14	3	11	13	3	10
90-94 years-----	116	30	86	107	29	78	9	1	8	8	1	7
95-99 years-----	28	3	25	25	1	24	3	2	1	2	1	1
100 yrs & over---	6	-	6	4	-	4	2	-	2	1	-	1
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Lipoprotein deficiency (E78.6)												
All ages-----	7	3	4	7	3	4	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Disorder of lipoprotein metabolism, unspecified (E78.9)												
All ages-----	113	55	58	107	52	55	6	3	3	5	2	3
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years-----	4	3	1	4	3	1	-	-	-	-	-	-
55-59 years-----	9	6	3	9	6	3	-	-	-	-	-	-
60-64 years-----	9	6	3	7	5	2	2	1	1	1	-	1
65-69 years-----	12	9	3	11	8	3	1	1	-	1	1	-
70-74 years-----	12	5	7	10	4	6	2	1	1	2	1	1
75-79 years-----	17	7	10	16	7	9	1	-	1	1	-	1
80-84 years-----	16	5	11	16	5	11	-	-	-	-	-	-
85-89 years-----	20	8	12	20	8	12	-	-	-	-	-	-
90-94 years-----	9	3	6	9	3	6	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Disorders of purine and pyrimidine metabolism (E79)

All ages-----	14	13	1	10	10	-	4	3	1	3	2	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	1	1	-	-	-	-	1	1	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	2	2	-	2	2	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	2	2	-	1	1	-	1	1	-	1	1	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	3	3	-	2	2	-	1	1	-	1	1	-
80-84 years-----	2	2	-	2	2	-	-	-	-	-	-	-
85-89 years-----	1	-	1	-	-	-	1	-	1	1	-	1
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

ALL RACES - - - - - - - WHITE - - - - - - - - ALL OTHER - - - - - - - BLACK - - - -

TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Hyperuricemia without signs of inflammatory arthritis and tophaceous disease (E79.0)

All ages-----	7	6	1	5	5	-	2	1	1	2	1	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	3	3	-	2	2	-	1	1	-	1	1	-
80-84 years-----	2	2	-	2	2	-	-	-	-	-	-	-
85-89 years-----	1	-	1	-	-	-	1	-	1	1	-	1
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Lesch-Nyhan syndrome (E79.1)

All ages-----	7	7	-	5	5	-	2	2	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	1	1	-	-	-	-	1	1	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	2	2	-	2	2	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	2	2	-	1	1	-	1	1	-	1	1	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Disorders of porphyrin and bilirubin metabolism (E80)												
All ages-----	16	3	13	13	3	10	3	-	3	2	-	2
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	2	-	2	2	-	2	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	3	-	3	2	-	2	1	-	1	1	-	1
45-49 years-----	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years-----	2	1	1	1	1	-	1	-	1	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	2	1	1	1	1	-	1	-	1	1	-	1
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Other porphyria (E80.2)												
All ages-----	13	3	10	10	3	7	3	-	3	2	-	2
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	2	-	2	2	-	2	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	3	-	3	2	-	2	1	-	1	1	-	1
45-49 years-----	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years-----	2	1	1	1	1	-	1	-	1	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	2	1	1	1	1	-	1	-	1	1	-	1
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Defects of catalase and peroxydase (E80.3)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Gilbert's syndrome (E80.4)												
All ages-----	2	-	2	2	-	2	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Disorders of mineral metabolism (E83)												
All ages-----	425	215	210	378	196	182	47	19	28	39	16	23
Under 1 year----	10	3	7	6	2	4	4	1	3	3	1	2
1-4 years-----	10	9	1	9	9	-	1	-	1	-	-	-
5-9 years-----	3	2	1	1	1	-	2	1	1	2	1	1
10-14 years-----	3	2	1	3	2	1	-	-	-	-	-	-
15-19 years-----	7	4	3	4	1	3	3	3	-	2	2	-
20-24 years-----	6	2	4	5	2	3	1	-	1	1	-	1
25-29 years-----	4	1	3	3	-	3	1	1	-	1	1	-
30-34 years-----	2	1	1	2	1	1	-	-	-	-	-	-
35-39 years-----	9	4	5	6	3	3	3	1	2	2	-	2
40-44 years-----	16	7	9	9	6	3	7	1	6	6	1	5
45-49 years-----	22	16	6	21	15	6	1	1	-	1	1	-
50-54 years-----	16	11	5	13	9	4	3	2	1	3	2	1
55-59 years-----	16	10	6	14	10	4	2	-	2	1	-	1
60-64 years-----	30	16	14	29	15	14	1	1	-	1	1	-
65-69 years-----	48	28	20	44	26	18	4	2	2	4	2	2
70-74 years-----	58	38	20	54	36	18	4	2	2	4	2	2
75-79 years-----	52	27	25	48	26	22	4	1	3	3	1	2
80-84 years-----	46	17	29	46	17	29	-	-	-	-	-	-
85-89 years-----	33	8	25	31	8	23	2	-	2	2	-	2
90-94 years-----	20	6	14	18	4	14	2	2	-	1	1	-
95-99 years-----	14	3	11	12	3	9	2	-	2	2	-	2
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Disorders of copper metabolism (E83.0)												
All ages-----	22	14	8	19	13	6	3	1	2	2	1	1
Under 1 year----	1	1	-	-	-	-	1	1	-	1	1	-
1-4 years-----	8	8	-	8	8	-	-	-	-	-	-	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	2	-	2	2	-	2	-	-	-	-	-	-
20-24 years-----	1	-	1	-	-	-	1	-	1	1	-	1
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	3	1	2	3	1	2	-	-	-	-	-	-
40-44 years-----	1	-	1	-	-	-	1	-	1	-	-	-
45-49 years-----	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Disorders of iron metabolism (E83.1)												
All ages-----	238	137	101	216	127	89	22	10	12	16	7	9
Under 1 year-----	7	1	6	4	1	3	3	-	3	2	-	2
1-4 years-----	2	1	1	1	1	-	1	-	1	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	5	4	1	2	1	1	3	3	-	2	2	-
20-24 years-----	4	2	2	4	2	2	-	-	-	-	-	-
25-29 years-----	3	1	2	2	-	2	1	1	-	1	1	-
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	5	2	3	2	1	1	3	1	2	2	-	2
40-44 years-----	12	7	5	7	6	1	5	1	4	5	1	4
45-49 years-----	14	11	3	14	11	3	-	-	-	-	-	-
50-54 years-----	11	8	3	9	7	2	2	1	1	2	1	1
55-59 years-----	13	9	4	13	9	4	-	-	-	-	-	-
60-64 years-----	26	15	11	25	14	11	1	1	-	1	1	-
65-69 years-----	30	19	11	30	19	11	-	-	-	-	-	-
70-74 years-----	38	25	13	38	25	13	-	-	-	-	-	-
75-79 years-----	37	21	16	35	20	15	2	1	1	1	1	-
80-84 years-----	17	6	11	17	6	11	-	-	-	-	-	-
85-89 years-----	8	3	5	8	3	5	-	-	-	-	-	-
90-94 years-----	3	1	2	2	-	2	1	1	-	-	-	-
95-99 years-----	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Disorders of phosphorus metabolism (E83.3)

All ages-----	4	2	2	4	2	2	-	-	-	-	-	-
Under 1 year-----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Disorders of magnesium metabolism (E83.4)												
All ages-----	4	1	3	4	1	3	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Disorders of calcium metabolism (E83.5)

All ages-----	157	61	96	135	53	82	22	8	14	21	8	13
Under 1 year-----	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	2	1	1	-	-	-	2	1	1	2	1	1
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	3	-	3	2	-	2	1	-	1	1	-	1
45-49 years-----	6	4	2	5	3	2	1	1	-	1	1	-
50-54 years-----	5	3	2	4	2	2	1	1	-	1	1	-
55-59 years-----	3	1	2	1	1	-	2	-	2	1	-	1
60-64 years-----	3	1	2	3	1	2	-	-	-	-	-	-
65-69 years-----	17	9	8	13	7	6	4	2	2	4	2	2
70-74 years-----	19	13	6	15	11	4	4	2	2	4	2	2
75-79 years-----	15	6	9	13	6	7	2	-	2	2	-	2
80-84 years-----	27	10	17	27	10	17	-	-	-	-	-	-
85-89 years-----	24	4	20	22	4	18	2	-	2	2	-	2
90-94 years-----	16	5	11	15	4	11	1	1	-	1	1	-
95-99 years-----	13	2	11	11	2	9	2	-	2	2	-	2
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Cystic fibrosis (E84)												
All ages-----	485	234	251	470	226	244	15	8	7	12	6	6
Under 1 year-----	12	6	6	12	6	6	-	-	-	-	-	-
1-4 years-----	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years-----	14	5	9	13	4	9	1	1	-	-	-	-
10-14 years-----	36	17	19	34	17	17	2	-	2	2	-	2
15-19 years-----	81	34	47	77	32	45	4	2	2	3	2	1
20-24 years-----	102	48	54	98	45	53	4	3	1	3	2	1
25-29 years-----	83	43	40	83	43	40	-	-	-	-	-	-
30-34 years-----	53	29	24	51	28	23	2	1	1	2	1	1
35-39 years-----	38	18	20	38	18	20	-	-	-	-	-	-
40-44 years-----	25	16	9	25	16	9	-	-	-	-	-	-
45-49 years-----	9	3	6	9	3	6	-	-	-	-	-	-
50-54 years-----	15	6	9	13	5	8	2	1	1	2	1	1
55-59 years-----	5	2	3	5	2	3	-	-	-	-	-	-
60-64 years-----	3	1	2	3	1	2	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	2	2	-	2	2	-	-	-	-	-	-	-
75-79 years-----	3	2	1	3	2	1	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Cystic fibrosis with pulmonary manifestations (E84.0)

All ages-----	242	127	115	236	124	112	6	3	3	4	1	3
Under 1 year-----	5	2	3	5	2	3	-	-	-	-	-	-
1-4 years-----	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years-----	8	5	3	7	4	3	1	1	-	-	-	-
10-14 years-----	27	14	13	26	14	12	1	-	1	1	-	1
15-19 years-----	40	17	23	39	17	22	1	-	1	1	-	1
20-24 years-----	43	23	20	40	21	19	3	2	1	2	1	1
25-29 years-----	45	28	17	45	28	17	-	-	-	-	-	-
30-34 years-----	24	12	12	24	12	12	-	-	-	-	-	-
35-39 years-----	17	9	8	17	9	8	-	-	-	-	-	-
40-44 years-----	14	8	6	14	8	6	-	-	-	-	-	-
45-49 years-----	3	2	1	3	2	1	-	-	-	-	-	-
50-54 years-----	8	4	4	8	4	4	-	-	-	-	-	-
55-59 years-----	3	1	2	3	1	2	-	-	-	-	-	-
60-64 years-----	2	1	1	2	1	1	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Cystic fibrosis with intestinal manifestations (E84.1)												
All ages-----	19	9	10	19	9	10	-	-	-	-	-	-
Under 1 year----	4	3	1	4	3	1	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	4	1	3	4	1	3	-	-	-	-	-	-
20-24 years-----	4	1	3	4	1	3	-	-	-	-	-	-
25-29 years-----	2	2	-	2	2	-	-	-	-	-	-	-
30-34 years-----	3	2	1	3	2	1	-	-	-	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Cystic fibrosis with other manifestations (E84.8)

All ages-----	24	11	13	22	9	13	2	2	-	2	2	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	2	-	2	2	-	2	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	7	3	4	6	2	4	1	1	-	1	1	-
20-24 years-----	4	3	1	4	3	1	-	-	-	-	-	-
25-29 years-----	2	-	2	2	-	2	-	-	-	-	-	-
30-34 years-----	2	2	-	2	2	-	-	-	-	-	-	-
35-39 years-----	4	2	2	4	2	2	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	2	-	2	2	-	2	-	-	-	-	-	-
50-54 years-----	1	1	-	-	-	-	1	1	-	1	1	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Cystic fibrosis, unspecified (E84.9)												
All ages-----	200	87	113	193	84	109	7	3	4	6	3	3
Under 1 year-----	3	1	2	3	1	2	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	4	-	4	4	-	4	-	-	-	-	-	-
10-14 years-----	9	3	6	8	3	5	1	-	1	1	-	1
15-19 years-----	30	13	17	28	12	16	2	1	1	1	1	-
20-24 years-----	51	21	30	50	20	30	1	1	-	1	1	-
25-29 years-----	34	13	21	34	13	21	-	-	-	-	-	-
30-34 years-----	24	13	11	22	12	10	2	1	1	2	1	1
35-39 years-----	16	7	9	16	7	9	-	-	-	-	-	-
40-44 years-----	11	8	3	11	8	3	-	-	-	-	-	-
45-49 years-----	4	1	3	4	1	3	-	-	-	-	-	-
50-54 years-----	6	1	5	5	1	4	1	-	1	1	-	1
55-59 years-----	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	2	2	-	2	2	-	-	-	-	-	-	-
75-79 years-----	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Amyloidosis (E85)												
All ages-----	896	480	416	766	418	348	130	62	68	118	56	62
Under 1 year-----	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	2	1	1	2	1	1	-	-	-	-	-	-
35-39 years-----	9	4	5	9	4	5	-	-	-	-	-	-
40-44 years-----	19	15	4	14	13	1	5	2	3	5	2	3
45-49 years-----	22	11	11	14	5	9	8	6	2	6	4	2
50-54 years-----	48	24	24	38	18	20	10	6	4	10	6	4
55-59 years-----	67	36	31	56	29	27	11	7	4	10	7	3
60-64 years-----	84	49	35	68	40	28	16	9	7	16	9	7
65-69 years-----	105	65	40	91	61	30	14	4	10	14	4	10
70-74 years-----	145	86	59	128	78	50	17	8	9	17	8	9
75-79 years-----	173	91	82	153	82	71	20	9	11	15	6	9
80-84 years-----	123	60	63	107	53	54	16	7	9	14	7	7
85-89 years-----	69	28	41	58	24	34	11	4	7	9	3	6
90-94 years-----	13	5	8	13	5	8	-	-	-	-	-	-
95-99 years-----	14	5	9	12	5	7	2	-	2	2	-	2
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Nonneuropathic hereditary amyloidosis (E85.0)												
All ages-----	6	3	3	6	3	3	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Neuropathic hereditary amyloidosis (E85.1)												
All ages-----	5	5	-	4	4	-	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	1	1	-	-	-	-	1	1	-	1	1	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Hereditary familial amyloidosis, unspecified (E85.2)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Secondary systemic amyloidosis (E85.3)												
All ages-----	82	47	35	73	41	32	9	6	3	9	6	3
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	4	4	-	4	4	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	8	3	5	7	2	5	1	1	-	1	1	-
55-59 years-----	5	4	1	4	3	1	1	1	-	1	1	-
60-64 years-----	13	7	6	10	5	5	3	2	1	3	2	1
65-69 years-----	12	8	4	11	8	3	1	-	1	1	-	1
70-74 years-----	12	8	4	12	8	4	-	-	-	-	-	-
75-79 years-----	16	7	9	16	7	9	-	-	-	-	-	-
80-84 years-----	8	4	4	7	3	4	1	1	-	1	1	-
85-89 years-----	3	2	1	1	1	-	2	1	1	2	1	1
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Organ-limited amyloidosis (E85.4)												
All ages-----	401	211	190	346	185	161	55	26	29	48	23	25
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	6	2	4	6	2	4	-	-	-	-	-	-
40-44 years-----	7	5	2	4	3	1	3	2	1	3	2	1
45-49 years-----	7	3	4	5	1	4	2	2	-	-	-	-
50-54 years-----	15	6	9	12	4	8	3	2	1	3	2	1
55-59 years-----	20	10	10	16	9	7	4	1	3	3	1	2
60-64 years-----	24	17	7	23	16	7	1	1	-	1	1	-
65-69 years-----	38	26	12	33	25	8	5	1	4	5	1	4
70-74 years-----	73	43	30	63	36	27	10	7	3	10	7	3
75-79 years-----	87	45	42	78	41	37	9	4	5	8	3	5
80-84 years-----	66	32	34	56	27	29	10	5	5	8	5	3
85-89 years-----	40	17	23	34	16	18	6	1	5	5	1	4
90-94 years-----	5	2	3	5	2	3	-	-	-	-	-	-
95-99 years-----	10	2	8	8	2	6	2	-	2	2	-	2
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Other amyloidosis (E85.8)												
All ages-----	16	7	9	13	6	7	3	1	2	3	1	2
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	2	2	-	1	1	-	1	1	-	1	1	-
65-69 years-----	4	2	2	3	2	1	1	-	1	1	-	1
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	5	1	4	4	1	3	1	-	1	1	-	1
90-94 years-----	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Amyloidosis, unspecified (E85.9)												
All ages-----	385	206	179	323	178	145	62	28	34	57	25	32
Under 1 year-----	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	3	2	1	3	2	1	-	-	-	-	-	-
40-44 years-----	6	4	2	4	4	-	2	-	2	2	-	2
45-49 years-----	14	7	7	8	3	5	6	4	2	6	4	2
50-54 years-----	24	14	10	18	11	7	6	3	3	6	3	3
55-59 years-----	38	19	19	33	15	18	5	4	1	5	4	1
60-64 years-----	43	22	21	32	17	15	11	5	6	11	5	6
65-69 years-----	49	28	21	42	25	17	7	3	4	7	3	4
70-74 years-----	60	35	25	53	34	19	7	1	6	7	1	6
75-79 years-----	68	38	30	57	33	24	11	5	6	7	3	4
80-84 years-----	49	24	25	44	23	21	5	1	4	5	1	4
85-89 years-----	20	7	13	18	5	13	2	2	-	1	1	-
90-94 years-----	5	3	2	5	3	2	-	-	-	-	-	-
95-99 years-----	4	3	1	4	3	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Volume depletion (E86)												
All ages-----	4,943	1,481	3,462	4,427	1,260	3,167	516	221	295	461	192	269
Under 1 year-----	18	11	7	7	5	2	11	6	5	8	4	4
1-4 years-----	12	6	6	10	5	5	2	1	1	2	1	1
5-9 years-----	3	1	2	2	1	1	1	-	1	1	-	1
10-14 years-----	2	1	1	1	-	1	1	1	-	1	1	-
15-19 years-----	3	3	-	2	2	-	1	1	-	1	1	-
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years-----	5	5	-	4	4	-	1	1	-	1	1	-
30-34 years-----	2	1	1	1	1	1	1	1	-	1	1	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	8	4	4	6	3	3	2	1	1	2	1	1
45-49 years-----	18	12	6	13	8	5	5	4	1	4	3	1
50-54 years-----	21	12	9	17	11	6	4	1	3	4	1	3
55-59 years-----	22	10	12	17	7	10	5	3	2	5	3	2
60-64 years-----	51	17	34	33	11	22	18	6	12	16	6	10
65-69 years-----	96	48	48	67	30	37	29	18	11	28	17	11
70-74 years-----	236	122	114	201	97	104	35	25	10	34	24	10
75-79 years-----	487	224	263	433	195	238	54	29	25	47	25	22
80-84 years-----	853	306	547	772	267	505	81	39	42	71	31	40
85-89 years-----	1,230	331	899	1,123	292	831	107	39	68	95	35	60
90-94 years-----	1,155	246	909	1,065	218	847	90	28	62	82	23	59
95-99 years-----	571	104	467	521	92	429	50	12	38	43	11	32
100 yrs & over---	149	17	132	131	12	119	18	5	13	15	3	12
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other disorders of fluid, electrolyte, and acid-base balance (E87)												
All ages-----	3,220	1,216	2,004	2,657	949	1,708	563	267	296	516	243	273
Under 1 year-----	55	34	21	33	20	13	22	14	8	21	13	8
1-4 years-----	10	5	5	5	1	4	5	4	1	4	3	1
5-9 years-----	4	4	-	3	3	-	1	1	-	1	1	-
10-14 years-----	5	5	-	2	2	-	3	3	-	3	3	-
15-19 years-----	10	4	6	9	3	6	1	1	-	-	-	-
20-24 years-----	12	6	6	7	3	4	5	3	2	4	2	2
25-29 years-----	12	6	6	9	3	6	3	3	-	2	2	-
30-34 years-----	18	7	11	13	5	8	5	2	3	5	2	3
35-39 years-----	48	25	23	29	13	16	19	12	7	17	11	6
40-44 years-----	57	36	21	30	17	13	27	19	8	27	19	8
45-49 years-----	64	38	26	45	29	16	19	9	10	19	9	10
50-54 years-----	91	56	35	60	38	22	31	18	13	29	17	12
55-59 years-----	89	57	32	67	42	25	22	15	7	21	15	6
60-64 years-----	101	52	49	73	39	34	28	13	15	27	13	14
65-69 years-----	186	87	99	138	59	79	48	28	20	43	27	16
70-74 years-----	255	120	135	205	97	108	50	23	27	47	20	27
75-79 years-----	390	174	216	318	139	179	72	35	37	64	31	33
80-84 years-----	497	184	313	435	161	274	62	23	39	56	20	36
85-89 years-----	611	167	444	546	151	395	65	16	49	59	14	45
90-94 years-----	448	103	345	407	83	324	41	20	21	35	16	19
95-99 years-----	212	40	172	188	35	153	24	5	19	22	5	17
100 yrs & over---	45	6	39	35	6	29	10	-	10	10	-	10
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Hyperosmolality and hyponatremia (E87.0)												
All ages-----	557	216	341	465	177	288	92	39	53	82	34	48
Under 1 year-----	4	3	1	2	1	1	2	2	-	2	2	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	-	-	-	1	-	1	1	-	1
40-44 years-----	5	5	-	3	3	-	2	2	-	2	2	-
45-49 years-----	4	3	1	3	3	-	1	-	1	1	-	1
50-54 years-----	2	1	1	2	1	1	-	-	-	-	-	-
55-59 years-----	4	2	2	4	2	2	-	-	-	-	-	-
60-64 years-----	6	3	3	5	3	2	1	-	1	1	-	1
65-69 years-----	21	10	11	16	7	9	5	3	2	4	3	1
70-74 years-----	37	23	14	29	17	12	8	6	2	7	5	2
75-79 years-----	70	35	35	55	28	27	15	7	8	13	6	7
80-84 years-----	97	42	55	84	36	48	13	6	7	11	5	6
85-89 years-----	145	53	92	125	47	78	20	6	14	20	6	14
90-94 years-----	102	26	76	90	21	69	12	5	7	10	3	7
95-99 years-----	47	9	38	38	7	31	9	2	7	7	2	5
100 yrs & over---	11	1	10	8	1	7	3	-	3	3	-	3
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Hypo-osmolality and hyponatremia (E87.1)												
All ages-----	222	62	160	190	49	141	32	13	19	25	10	15
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	2	1	1	1	-	1	1	1	-	1	1	-
40-44 years-----	3	3	-	2	2	-	1	1	-	1	1	-
45-49 years-----	5	4	1	5	4	1	-	-	-	-	-	-
50-54 years-----	7	5	2	6	4	2	1	1	-	1	1	-
55-59 years-----	9	6	3	9	6	3	-	-	-	-	-	-
60-64 years-----	6	1	5	6	1	5	-	-	-	-	-	-
65-69 years-----	15	4	11	15	4	11	-	-	-	-	-	-
70-74 years-----	22	8	14	18	7	11	4	1	3	4	1	3
75-79 years-----	18	6	12	10	2	8	8	4	4	6	3	3
80-84 years-----	33	8	25	30	7	23	3	1	2	2	1	1
85-89 years-----	48	8	40	43	7	36	5	1	4	3	-	3
90-94 years-----	32	6	26	27	3	24	5	3	2	3	2	1
95-99 years-----	19	1	18	16	1	15	3	-	3	3	-	3
100 yrs & over---	2	1	1	1	1	-	1	-	1	1	-	1
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Acidosis (E87.2)

All ages-----	901	410	491	686	306	380	215	104	111	199	95	104
Under 1 year-----	23	13	10	14	8	6	9	5	4	9	5	4
1-4 years-----	7	3	4	4	1	3	3	2	1	2	1	1
5-9 years-----	3	3	-	3	3	-	-	-	-	-	-	-
10-14 years-----	2	2	-	1	1	-	1	1	-	1	1	-
15-19 years-----	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years-----	6	4	2	1	1	-	5	3	2	4	2	2
25-29 years-----	4	3	1	3	2	1	1	1	-	1	1	-
30-34 years-----	4	2	2	2	1	1	2	1	1	2	1	1
35-39 years-----	29	17	12	16	8	8	13	9	4	12	8	4
40-44 years-----	25	18	7	12	8	4	13	10	3	13	10	3
45-49 years-----	30	19	11	20	14	6	10	5	5	10	5	5
50-54 years-----	41	26	15	24	16	8	17	10	7	16	10	6
55-59 years-----	34	21	13	25	17	8	9	4	5	9	4	5
60-64 years-----	49	26	23	32	18	14	17	8	9	16	8	8
65-69 years-----	70	35	35	47	23	24	23	12	11	19	11	8
70-74 years-----	97	42	55	69	29	40	28	13	15	26	11	15
75-79 years-----	132	67	65	117	58	59	15	9	6	13	8	5
80-84 years-----	145	53	92	121	50	71	24	3	21	22	2	20
85-89 years-----	105	37	68	89	32	57	16	5	11	16	5	11
90-94 years-----	66	15	51	61	12	49	5	3	2	4	2	2
95-99 years-----	26	4	22	24	4	20	2	-	2	2	-	2
100 yrs & over---	2	-	2	-	-	-	2	-	2	2	-	2
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Alkalosis (E87.3)												
All ages-----	7	1	6	5	-	5	2	1	1	2	1	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	-	-	-	1	1	-	1	1	-
60-64 years-----	1	-	1	-	-	-	1	-	1	1	-	1
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	3	-	3	3	-	3	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Mixed disorder of acid-base balance (E87.4)

All ages-----	4	4	-	2	2	-	2	2	-	2	2	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	-	-	-	1	1	-	1	1	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	2	2	-	1	1	-	1	1	-	1	1	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Hyperkalemia (E87.5)												
All ages-----	370	165	205	290	120	170	80	45	35	78	43	35
Under 1 year-----	17	12	5	10	7	3	7	5	2	7	5	2
1-4 years-----	2	2	-	-	-	-	2	2	-	2	2	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	4	2	2	3	1	2	1	1	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years-----	3	1	2	2	1	1	1	-	1	1	-	1
35-39 years-----	5	3	2	4	2	2	1	1	-	1	1	-
40-44 years-----	9	5	4	3	1	2	6	4	2	6	4	2
45-49 years-----	10	5	5	5	2	3	5	3	2	5	3	2
50-54 years-----	16	9	7	11	6	5	5	3	2	4	2	2
55-59 years-----	16	12	4	12	9	3	4	3	1	4	3	1
60-64 years-----	17	10	7	13	8	5	4	2	2	4	2	2
65-69 years-----	37	18	19	26	10	16	11	8	3	11	8	3
70-74 years-----	38	17	21	33	15	18	5	2	3	5	2	3
75-79 years-----	46	19	27	37	17	20	9	2	7	9	2	7
80-84 years-----	53	20	33	44	15	29	9	5	4	9	5	4
85-89 years-----	48	14	34	44	14	30	4	-	4	4	-	4
90-94 years-----	31	9	22	29	8	21	2	1	1	2	1	1
95-99 years-----	15	6	9	12	4	8	3	2	1	3	2	1
100 yrs & over---	2	-	2	2	-	2	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Hypokalemia (E87.6)												
All ages-----	146	45	101	126	35	91	20	10	10	18	9	9
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	2	1	1	2	1	1	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	3	1	2	3	1	2	-	-	-	-	-	-
30-34 years-----	5	1	4	5	1	4	-	-	-	-	-	-
35-39 years-----	5	2	3	3	1	2	2	1	1	1	1	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	6	2	4	5	2	3	1	-	1	1	-	1
50-54 years-----	11	4	7	8	3	5	3	1	2	3	1	2
55-59 years-----	5	4	1	4	3	1	1	1	-	1	1	-
60-64 years-----	6	2	4	5	1	4	1	1	-	1	1	-
65-69 years-----	14	3	11	13	3	10	1	-	1	1	-	1
70-74 years-----	8	2	6	8	2	6	-	-	-	-	-	-
75-79 years-----	18	5	13	13	3	10	5	2	3	5	2	3
80-84 years-----	20	7	13	17	5	12	3	2	1	3	2	1
85-89 years-----	17	6	11	16	5	11	1	1	-	-	-	-
90-94 years-----	14	3	11	13	2	11	1	1	-	1	1	-
95-99 years-----	8	1	7	8	1	7	-	-	-	-	-	-
100 yrs & over---	1	-	1	-	-	-	1	-	1	1	-	1
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Fluid overload (E87.7)												
All ages-----	58	24	34	41	17	24	17	7	10	16	7	9
Under 1 year----	2	1	1	-	-	-	2	1	1	2	1	1
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	2	-	2	2	-	2	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	6	3	3	5	2	3	1	1	-	1	1	-
45-49 years-----	4	2	2	2	1	1	2	1	1	2	1	1
50-54 years-----	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years-----	1	1	-	-	-	-	1	1	-	1	1	-
60-64 years-----	4	2	2	3	2	1	1	-	1	1	-	1
65-69 years-----	4	2	2	2	1	1	2	1	1	2	1	1
70-74 years-----	2	2	-	2	2	-	-	-	-	-	-	-
75-79 years-----	8	3	5	5	2	3	3	1	2	3	1	2
80-84 years-----	7	3	4	6	2	4	1	1	-	1	1	-
85-89 years-----	11	2	9	10	2	8	1	-	1	1	-	1
90-94 years-----	4	-	4	1	-	1	3	-	3	2	-	2
95-99 years-----	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other disorders of electrolyte and fluid balance, not elsewhere classified (E87.8)

All ages-----	955	289	666	852	243	609	103	46	57	94	42	52
Under 1 year----	9	5	4	7	4	3	2	1	1	1	-	1
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	1	-	-	-	-	1	1	-	1	1	-
10-14 years-----	2	2	-	1	1	-	1	1	-	1	1	-
15-19 years-----	3	1	2	3	1	2	-	-	-	-	-	-
20-24 years-----	3	1	2	3	1	2	-	-	-	-	-	-
25-29 years-----	3	1	2	2	-	2	1	1	-	-	-	-
30-34 years-----	5	3	2	3	2	1	2	1	1	2	1	1
35-39 years-----	6	2	4	5	2	3	1	-	1	1	-	1
40-44 years-----	8	2	6	4	1	3	4	1	3	4	1	3
45-49 years-----	5	3	2	5	3	2	-	-	-	-	-	-
50-54 years-----	12	9	3	7	6	1	5	3	2	5	3	2
55-59 years-----	19	10	9	13	5	8	6	5	1	5	5	-
60-64 years-----	12	8	4	9	6	3	3	2	1	3	2	1
65-69 years-----	24	14	10	18	10	8	6	4	2	6	4	2
70-74 years-----	51	26	25	46	25	21	5	1	4	5	1	4
75-79 years-----	95	37	58	79	28	51	16	9	7	14	8	6
80-84 years-----	142	51	91	133	46	87	9	5	4	8	4	4
85-89 years-----	234	47	187	216	44	172	18	3	15	15	3	12
90-94 years-----	198	44	154	185	37	148	13	7	6	13	7	6
95-99 years-----	96	18	78	89	17	72	7	1	6	7	1	6
100 yrs & over---	27	4	23	24	4	20	3	-	3	3	-	3
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other metabolic disorders (E88)												
All ages-----	609	284	325	536	248	288	73	36	37	63	28	35
Under 1 year-----	40	24	16	36	21	15	4	3	1	3	2	1
1-4 years-----	23	14	9	22	13	9	1	1	-	1	1	-
5-9 years-----	5	3	2	5	3	2	-	-	-	-	-	-
10-14 years-----	4	3	1	3	2	1	1	1	-	-	-	-
15-19 years-----	6	4	2	5	3	2	1	1	-	1	1	-
20-24 years-----	3	2	1	2	2	-	1	-	1	-	-	-
25-29 years-----	3	2	1	3	2	1	-	-	-	-	-	-
30-34 years-----	5	1	4	3	-	3	2	1	1	2	1	1
35-39 years-----	12	8	4	6	4	2	6	4	2	5	3	2
40-44 years-----	23	9	14	21	9	12	2	-	2	2	-	2
45-49 years-----	27	15	12	26	14	12	1	1	-	1	1	-
50-54 years-----	24	9	15	20	8	12	4	1	3	4	1	3
55-59 years-----	30	23	7	27	21	6	3	2	1	3	2	1
60-64 years-----	26	12	14	22	9	13	4	3	1	2	2	-
65-69 years-----	40	17	23	34	15	19	6	2	4	5	1	4
70-74 years-----	64	31	33	60	28	32	4	3	1	3	2	1
75-79 years-----	72	37	35	63	33	30	9	4	5	9	4	5
80-84 years-----	78	25	53	66	21	45	12	4	8	11	3	8
85-89 years-----	66	20	46	59	17	42	7	3	4	6	2	4
90-94 years-----	47	21	26	43	20	23	4	1	3	4	1	3
95-99 years-----	10	4	6	9	3	6	1	1	-	1	1	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Disorders of plasma-protein metabolism, not elsewhere classified (E88.0)

All ages-----	258	114	144	242	106	136	16	8	8	13	5	8
Under 1 year-----	8	6	2	8	6	2	-	-	-	-	-	-
1-4 years-----	2	-	2	2	-	2	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years-----	2	2	-	2	2	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	2	-	2	2	-	2	-	-	-	-	-	-
35-39 years-----	4	3	1	4	3	1	-	-	-	-	-	-
40-44 years-----	18	8	10	18	8	10	-	-	-	-	-	-
45-49 years-----	15	7	8	15	7	8	-	-	-	-	-	-
50-54 years-----	15	5	10	15	5	10	-	-	-	-	-	-
55-59 years-----	21	15	6	21	15	6	-	-	-	-	-	-
60-64 years-----	20	10	10	17	7	10	3	3	-	2	2	-
65-69 years-----	19	8	11	18	7	11	1	1	-	1	1	-
70-74 years-----	24	12	12	23	11	12	1	1	-	-	-	-
75-79 years-----	27	12	15	25	11	14	2	1	1	2	1	1
80-84 years-----	28	10	18	26	9	17	2	1	1	1	-	1
85-89 years-----	28	7	21	25	7	18	3	-	3	3	-	3
90-94 years-----	18	6	12	15	6	9	3	-	3	3	-	3
95-99 years-----	5	2	3	4	1	3	1	1	-	1	1	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Lipodystrophy, not elsewhere classified (E88.1)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Other specified metabolic disorders (E88.8)												
All ages-----	24	10	14	22	9	13	2	1	1	1	-	1
Under 1 year-----	7	2	5	7	2	5	-	-	-	-	-	-
1-4 years-----	5	4	1	5	4	1	-	-	-	-	-	-
5-9 years-----	2	1	1	2	1	1	-	-	-	-	-	-
10-14 years-----	2	1	1	1	-	1	1	1	-	-	-	-
15-19 years-----	3	2	1	3	2	1	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	1	-	1	-	-	-	1	-	1	1	-	1
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Metabolic disorder, unspecified (E88.9)												
All ages-----	326	160	166	271	133	138	55	27	28	49	23	26
Under 1 year-----	25	16	9	21	13	8	4	3	1	3	2	1
1-4 years-----	16	10	6	15	9	6	1	1	-	1	1	-
5-9 years-----	3	2	1	3	2	1	-	-	-	-	-	-
10-14 years-----	2	2	-	2	2	-	-	-	-	-	-	-
15-19 years-----	2	2	-	1	1	-	1	1	-	1	1	-
20-24 years-----	1	-	1	-	-	-	1	-	1	-	-	-
25-29 years-----	2	1	1	2	1	1	-	-	-	-	-	-
30-34 years-----	3	1	2	1	-	1	2	1	1	2	1	1
35-39 years-----	7	5	2	1	1	-	6	4	2	5	3	2
40-44 years-----	5	1	4	3	1	2	2	-	2	2	-	2
45-49 years-----	11	8	3	10	7	3	1	1	-	1	1	-
50-54 years-----	9	4	5	5	3	2	4	1	3	4	1	3
55-59 years-----	9	8	1	6	6	-	3	2	1	3	2	1
60-64 years-----	6	2	4	5	2	3	1	-	1	-	-	-
65-69 years-----	21	9	12	16	8	8	5	1	4	4	-	4
70-74 years-----	38	19	19	35	17	18	3	2	1	3	2	1
75-79 years-----	44	25	19	38	22	16	6	3	3	6	3	3
80-84 years-----	50	15	35	40	12	28	10	3	7	10	3	7
85-89 years-----	37	13	24	33	10	23	4	3	1	3	2	1
90-94 years-----	29	15	14	28	14	14	1	1	-	1	1	-
95-99 years-----	5	2	3	5	2	3	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Vascular dementia (F01)												
All ages-----	620	235	385	559	212	347	61	23	38	57	22	35
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	2	2	-	2	2	-	-	-	-	-	-	-
60-64 years-----	3	2	1	3	2	1	-	-	-	-	-	-
65-69 years-----	11	5	6	9	5	4	2	-	2	2	-	2
70-74 years-----	44	31	13	34	22	12	10	9	1	10	9	1
75-79 years-----	88	52	36	78	50	28	10	2	8	10	2	8
80-84 years-----	117	53	64	107	48	59	10	5	5	9	5	4
85-89 years-----	163	43	120	147	37	110	16	6	10	16	6	10
90-94 years-----	127	35	92	118	34	84	9	1	8	7	-	7
95-99 years-----	48	10	38	45	10	35	3	-	3	2	-	2
100 yrs & over---	15	1	14	14	1	13	1	-	1	1	-	1
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Multi-infarct dementia (F01.1)												
All ages-----	58	25	33	54	23	31	4	2	2	4	2	2
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years-----	5	5	-	4	4	-	1	1	-	1	1	-
75-79 years-----	6	6	-	6	6	-	-	-	-	-	-	-
80-84 years-----	7	3	4	6	2	4	1	1	-	1	1	-
85-89 years-----	18	6	12	17	6	11	1	-	1	1	-	1
90-94 years-----	11	2	9	11	2	9	-	-	-	-	-	-
95-99 years-----	7	1	6	6	1	5	1	-	1	1	-	1
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Subcortical vascular dementia (F01.2)

All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Mixed cortical and subcortical vascular dementia (F01.3)												
All ages-----	2	1	1	1	1	-	1	-	1	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	1	-	1	-	-	-	1	-	1	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Other vascular dementia (F01.8)												
All ages-----	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Vascular dementia, unspecified (F01.9)												
All ages-----	557	208	349	501	187	314	56	21	35	53	20	33
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	2	2	-	2	2	-	-	-	-	-	-	-
65-69 years-----	9	4	5	7	4	3	2	-	2	2	-	2
70-74 years-----	39	26	13	30	18	12	9	8	1	9	8	1
75-79 years-----	82	46	36	72	44	28	10	2	8	10	2	8
80-84 years-----	110	50	60	101	46	55	9	4	5	8	4	4
85-89 years-----	143	35	108	128	29	99	15	6	9	15	6	9
90-94 years-----	115	33	82	106	32	74	9	1	8	7	-	7
95-99 years-----	40	9	31	39	9	30	1	-	1	1	-	1
100 yrs & over---	15	1	14	14	1	13	1	-	1	1	-	1
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Unspecified dementia (F03)												
All ages-----	28,089	8,242	19,847	26,092	7,553	18,539	1,997	689	1,308	1,742	586	1,156
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	2	1	1	1	-	1	1	1	-	1	1	-
40-44 years-----	5	5	-	5	5	-	-	-	-	-	-	-
45-49 years-----	8	3	5	5	2	3	3	1	2	3	1	2
50-54 years-----	27	17	10	25	15	10	2	2	-	2	2	-
55-59 years-----	57	39	18	49	33	16	8	6	2	8	6	2
60-64 years-----	146	84	62	125	73	52	21	11	10	18	10	8
65-69 years-----	367	211	156	309	180	129	58	31	27	52	29	23
70-74 years-----	1,111	563	548	978	497	481	133	66	67	121	59	62
75-79 years-----	2,684	1,167	1,517	2,423	1,045	1,378	261	122	139	230	106	124
80-84 years-----	5,161	1,925	3,236	4,750	1,752	2,998	411	173	238	363	151	212
85-89 years-----	7,680	2,220	5,460	7,208	2,074	5,134	472	146	326	394	123	271
90-94 years-----	6,847	1,453	5,394	6,502	1,369	5,133	345	84	261	305	66	239
95-99 years-----	3,240	469	2,771	3,032	431	2,601	208	38	170	181	27	154
100 yrs & over---	754	85	669	680	77	603	74	8	66	64	5	59
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Delirium, not induced by alcohol and other psychoactive substances (F05)												
All ages-----	99	65	34	86	57	29	13	8	5	11	8	3
Under 1 year----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	2	2	-	1	1	-	1	1	-	1	1	-
25-29 years-----	2	2	-	2	2	-	-	-	-	-	-	-
30-34 years-----	2	2	-	1	1	-	1	1	-	1	1	-
35-39 years-----	3	3	-	2	2	-	1	1	-	1	1	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	2	2	-	-	-	-	2	2	-	2	2	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	2	2	-	2	2	-	-	-	-	-	-	-
60-64 years-----	2	2	-	2	2	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	7	3	4	6	3	3	1	-	1	-	-	-
75-79 years-----	13	6	7	12	6	6	1	-	1	1	-	1
80-84 years-----	22	18	4	22	18	4	-	-	-	-	-	-
85-89 years-----	11	7	4	9	6	3	2	1	1	1	1	-
90-94 years-----	17	8	9	15	8	7	2	-	2	2	-	2
95-99 years-----	8	4	4	7	3	4	1	1	-	1	1	-
100 yrs & over---	2	-	2	2	-	2	-	-	-	-	-	-
Not stated-----	1	1	-	-	-	-	1	1	-	1	1	-

Delirium superimposed on dementia (F05.1)

All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Delirium, unspecified (F05.9)												
All ages-----	98	64	34	85	56	29	13	8	5	11	8	3
Under 1 year-----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	2	2	-	1	1	-	1	1	-	1	1	-
25-29 years-----	2	2	-	2	2	-	-	-	-	-	-	-
30-34 years-----	2	2	-	1	1	-	1	1	-	1	1	-
35-39 years-----	3	3	-	2	2	-	1	1	-	1	1	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	2	2	-	-	-	-	2	2	-	2	2	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	2	2	-	2	2	-	-	-	-	-	-	-
60-64 years-----	2	2	-	2	2	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	7	3	4	6	3	3	1	-	1	-	-	-
75-79 years-----	13	6	7	12	6	6	1	-	1	1	-	1
80-84 years-----	21	17	4	21	17	4	-	-	-	-	-	-
85-89 years-----	11	7	4	9	6	3	2	1	1	1	1	-
90-94 years-----	17	8	9	15	8	7	2	-	2	2	-	2
95-99 years-----	8	4	4	7	3	4	1	1	-	1	1	-
100 yrs & over---	2	-	2	2	-	2	-	-	-	-	-	-
Not stated-----	1	1	-	-	-	-	1	1	-	1	1	-

Other mental disorders due to brain damage and dysfunction and to physical disease (F06)

All ages-----	2,340	685	1,655	2,147	607	1,540	193	78	115	177	70	107
Under 1 year-----	1	-	1	-	-	-	1	-	1	1	-	1
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	2	2	-	1	1	-	1	1	-	1	1	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	2	2	-	1	1	-	1	1	-	1	1	-
40-44 years-----	4	4	-	3	3	-	1	1	-	1	1	-
45-49 years-----	5	3	2	4	3	1	1	-	1	1	-	1
50-54 years-----	7	4	3	7	4	3	-	-	-	-	-	-
55-59 years-----	11	6	5	8	6	2	3	-	3	3	-	3
60-64 years-----	21	14	7	19	12	7	2	2	-	2	2	-
65-69 years-----	38	22	16	29	17	12	9	5	4	9	5	4
70-74 years-----	98	48	50	84	42	42	14	6	8	13	6	7
75-79 years-----	225	100	125	200	84	116	25	16	9	23	15	8
80-84 years-----	402	145	257	364	128	236	38	17	21	36	16	20
85-89 years-----	612	168	444	569	151	418	43	17	26	38	13	25
90-94 years-----	574	129	445	541	120	421	33	9	24	30	8	22
95-99 years-----	269	32	237	256	30	226	13	2	11	12	2	10
100 yrs & over---	69	6	63	61	5	56	8	1	7	6	-	6
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Organic mood [affective] disorders (F06.3)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other specified mental disorders due to brain damage and dysfunction and to physical disease (F06.8)

All ages-----	2	2	-	1	1	-	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

RACE, AND SEX

Unspecified mental disorder due to brain damage and dysfunction and to physical disease (F06.9)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	2,337	682	1,655	2,145	605	1,540	192	77	115	176	69	107
Under 1 year-----	1	-	1	-	-	-	1	-	1	1	-	1
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	2	2	-	1	1	-	1	1	-	1	1	-
40-44 years-----	4	4	-	3	3	-	1	1	-	1	1	-
45-49 years-----	5	3	2	4	3	1	1	-	1	1	-	1
50-54 years-----	7	4	3	7	4	3	-	-	-	-	-	-
55-59 years-----	11	6	5	8	6	2	3	-	3	3	-	3
60-64 years-----	21	14	7	19	12	7	2	2	-	2	2	-
65-69 years-----	38	22	16	29	17	12	9	5	4	9	5	4
70-74 years-----	98	48	50	84	42	42	14	6	8	13	6	7
75-79 years-----	225	100	125	200	84	116	25	16	9	23	15	8
80-84 years-----	401	144	257	363	127	236	38	17	21	36	16	20
85-89 years-----	612	168	444	569	151	418	43	17	26	38	13	25
90-94 years-----	573	128	445	540	119	421	33	9	24	30	8	22
95-99 years-----	269	32	237	256	30	226	13	2	11	12	2	10
100 yrs & over---	69	6	63	61	5	56	8	1	7	6	-	6
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Personality and behavioral disorders due to brain disease, damage, and dysfunction (F07)

All ages-----	4	3	1	4	3	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Postencephalitic syndrome (F07.1)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Postconcussional syndrome (F07.2)												
All ages-----	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

RACE, AND SEX

Unspecified organic personality and behavioral disorder due to brain disease, damage, and dysfunction (F07.9)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Unspecified organic or symptomatic mental disorder (F09)

All ages-----	12	5	7	11	4	7	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	1	1	-	-	-	-	1	1	-	1	1	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	3	-	3	3	-	3	-	-	-	-	-	-
85-89 years-----	4	2	2	4	2	2	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Mental and behavioral disorders due to use of alcohol (F10)												
All ages-----	6,157	4,858	1,299	4,846	3,837	1,009	1,311	1,021	290	1,089	847	242
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	17	13	4	14	10	4	3	3	-	1	1	-
20-24 years-----	46	37	9	40	32	8	6	5	1	2	1	1
25-29 years-----	83	72	11	69	61	8	14	11	3	7	5	2
30-34 years-----	209	148	61	173	125	48	36	23	13	23	15	8
35-39 years-----	517	391	126	395	307	88	122	84	38	95	66	29
40-44 years-----	810	646	164	632	513	119	178	133	45	134	97	37
45-49 years-----	996	787	209	774	618	156	222	169	53	182	137	45
50-54 years-----	838	695	143	647	546	101	191	149	42	157	123	34
55-59 years-----	697	562	135	532	421	111	165	141	24	152	129	23
60-64 years-----	612	492	120	476	383	93	136	109	27	121	99	22
65-69 years-----	469	368	101	372	284	88	97	84	13	87	75	12
70-74 years-----	339	259	80	273	205	68	66	54	12	62	51	11
75-79 years-----	281	217	64	236	182	54	45	35	10	40	30	10
80-84 years-----	143	111	32	122	97	25	21	14	7	19	13	6
85-89 years-----	69	47	22	60	40	20	9	7	2	7	5	2
90-94 years-----	18	9	9	18	9	9	-	-	-	-	-	-
95-99 years-----	8	2	6	8	2	6	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	3	2	1	3	2	1	-	-	-	-	-	-

Acute intoxication (F10.0)

All ages-----	585	476	109	484	397	87	101	79	22	64	47	17
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	14	10	4	11	7	4	3	3	-	1	1	-
20-24 years-----	24	20	4	22	18	4	2	2	-	-	-	-
25-29 years-----	28	27	1	26	25	1	2	2	-	1	1	-
30-34 years-----	50	42	8	39	34	5	11	8	3	5	4	1
35-39 years-----	81	69	12	67	59	8	14	10	4	7	4	3
40-44 years-----	99	84	15	82	71	11	17	13	4	11	8	3
45-49 years-----	109	88	21	95	79	16	14	9	5	14	9	5
50-54 years-----	64	53	11	49	39	10	15	14	1	8	7	1
55-59 years-----	41	32	9	35	27	8	6	5	1	5	4	1
60-64 years-----	30	22	8	21	14	7	9	8	1	7	7	-
65-69 years-----	19	13	6	17	12	5	2	1	1	1	-	1
70-74 years-----	13	10	3	9	7	2	4	3	1	2	1	1
75-79 years-----	6	4	2	5	3	2	1	1	-	1	1	-
80-84 years-----	4	1	3	3	1	2	1	-	1	1	-	1
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	1	1	-	1	1	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Harmful use (F10.1)												
All ages-----	1,499	1,178	321	1,109	874	235	390	304	86	342	270	72
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	8	6	2	7	5	2	1	1	-	1	1	-
25-29 years-----	18	15	3	14	13	1	4	2	2	3	1	2
30-34 years-----	36	21	15	28	18	10	8	3	5	6	3	3
35-39 years-----	104	77	27	77	59	18	27	18	9	22	16	6
40-44 years-----	199	150	49	139	106	33	60	44	16	47	34	13
45-49 years-----	248	193	55	188	148	40	60	45	15	49	37	12
50-54 years-----	208	177	31	145	127	18	63	50	13	56	44	12
55-59 years-----	183	157	26	130	109	21	53	48	5	51	46	5
60-64 years-----	150	125	25	113	95	18	37	30	7	33	28	5
65-69 years-----	126	99	27	90	67	23	36	32	4	35	31	4
70-74 years-----	88	61	27	67	46	21	21	15	6	21	15	6
75-79 years-----	74	52	22	58	40	18	16	12	4	14	10	4
80-84 years-----	36	30	6	32	26	6	4	4	-	4	4	-
85-89 years-----	13	11	2	13	11	2	-	-	-	-	-	-
90-94 years-----	6	3	3	6	3	3	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Dependence syndrome (F10.2)												
All ages-----	3,340	2,637	703	2,669	2,120	549	671	517	154	564	436	128
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	8	5	3	7	5	2	1	-	1	1	-	1
25-29 years-----	29	24	5	24	20	4	5	4	1	2	2	-
30-34 years-----	108	73	35	92	62	30	16	11	5	12	8	4
35-39 years-----	289	209	80	219	162	57	70	47	23	56	38	18
40-44 years-----	445	364	81	364	303	61	81	61	20	61	44	17
45-49 years-----	562	449	113	436	353	83	126	96	30	101	76	25
50-54 years-----	485	403	82	394	332	62	91	71	20	77	62	15
55-59 years-----	394	307	87	308	238	70	86	69	17	79	63	16
60-64 years-----	362	289	73	285	227	58	77	62	15	70	57	13
65-69 years-----	270	214	56	218	169	49	52	45	7	44	38	6
70-74 years-----	173	139	34	143	112	31	30	27	3	28	26	2
75-79 years-----	128	101	27	105	84	21	23	17	6	23	17	6
80-84 years-----	56	42	14	46	37	9	10	5	5	8	4	4
85-89 years-----	23	15	8	20	13	7	3	2	1	2	1	1
90-94 years-----	3	2	1	3	2	1	-	-	-	-	-	-
95-99 years-----	3	-	3	3	-	3	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	2	1	1	2	1	1	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Withdrawal state (F10.3)												
All ages-----	91	77	14	73	64	9	18	13	5	15	10	5
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years-----	3	2	1	2	1	1	1	1	-	-	-	-
35-39 years-----	9	7	2	8	7	1	1	-	1	1	-	1
40-44 years-----	11	10	1	11	10	1	-	-	-	-	-	-
45-49 years-----	7	6	1	6	5	1	1	1	-	1	1	-
50-54 years-----	11	8	3	8	6	2	3	2	1	2	1	1
55-59 years-----	20	19	1	13	12	1	7	7	-	6	6	-
60-64 years-----	10	8	2	9	8	1	1	-	1	1	-	1
65-69 years-----	4	4	-	4	4	-	-	-	-	-	-	-
70-74 years-----	6	5	1	5	5	-	1	-	1	1	-	1
75-79 years-----	4	3	1	3	2	1	1	1	-	1	1	-
80-84 years-----	3	2	1	2	2	-	1	-	1	1	-	1
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Withdrawal state with delirium (F10.4)

All ages-----	99	81	18	82	68	14	17	13	4	17	13	4
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	4	4	-	2	2	-	2	2	-	2	2	-
40-44 years-----	10	7	3	7	6	1	3	1	2	3	1	2
45-49 years-----	17	11	6	16	10	6	1	1	-	1	1	-
50-54 years-----	9	7	2	6	6	-	3	1	2	3	1	2
55-59 years-----	12	11	1	8	7	1	4	4	-	4	4	-
60-64 years-----	9	9	-	8	8	-	1	1	-	1	1	-
65-69 years-----	6	4	2	6	4	2	-	-	-	-	-	-
70-74 years-----	13	11	2	10	8	2	3	3	-	3	3	-
75-79 years-----	12	12	-	12	12	-	-	-	-	-	-	-
80-84 years-----	2	2	-	2	2	-	-	-	-	-	-	-
85-89 years-----	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Psychotic disorder (F10.5)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Amnesic syndrome (F10.6)												
All ages-----	22	16	6	21	15	6	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	2	2	-	2	2	-	-	-	-	-	-	-
65-69 years-----	3	3	-	2	2	-	1	1	-	1	1	-
70-74 years-----	5	3	2	5	3	2	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	4	3	1	4	3	1	-	-	-	-	-	-
85-89 years-----	3	1	2	3	1	2	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Residual and late-onset psychotic disorder (F10.7)												
All ages-----	151	117	34	130	99	31	21	18	3	18	15	3
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	2	1	1	2	1	1	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	3	2	1	-	-	-	3	2	1	3	2	1
55-59 years-----	4	4	-	3	3	-	1	1	-	1	1	-
60-64 years-----	8	7	1	7	6	1	1	1	-	1	1	-
65-69 years-----	11	9	2	8	7	1	3	2	1	3	2	1
70-74 years-----	26	19	7	25	18	7	1	1	-	1	1	-
75-79 years-----	39	30	9	37	28	9	2	2	-	-	-	-
80-84 years-----	30	25	5	25	20	5	5	5	-	5	5	-
85-89 years-----	19	14	5	14	10	4	5	4	1	4	3	1
90-94 years-----	6	4	2	6	4	2	-	-	-	-	-	-
95-99 years-----	2	1	1	2	1	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other mental and behavioral disorders (F10.8)

All ages-----	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Unspecified mental and behavioral disorder (F10.9)												
All ages-----	367	274	93	275	198	77	92	76	16	68	55	13
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	2	2	-	2	2	-	-	-	-	-	-	-
20-24 years-----	5	5	-	3	3	-	2	2	-	-	-	-
25-29 years-----	7	5	2	5	3	2	2	2	-	-	-	-
30-34 years-----	9	7	2	9	7	2	-	-	-	-	-	-
35-39 years-----	30	25	5	22	18	4	8	7	1	7	6	1
40-44 years-----	43	29	14	26	15	11	17	14	3	12	10	2
45-49 years-----	52	39	13	32	22	10	20	17	3	16	13	3
50-54 years-----	56	43	13	43	34	9	13	9	4	8	6	2
55-59 years-----	42	31	11	34	24	10	8	7	1	6	5	1
60-64 years-----	40	30	10	30	23	7	10	7	3	8	5	3
65-69 years-----	30	22	8	27	19	8	3	3	-	3	3	-
70-74 years-----	15	11	4	9	6	3	6	5	1	6	5	1
75-79 years-----	17	15	2	15	13	2	2	2	-	1	1	-
80-84 years-----	8	6	2	8	6	2	-	-	-	-	-	-
85-89 years-----	7	4	3	6	3	3	1	1	-	1	1	-
90-94 years-----	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Mental and behavioral disorders due to use of opioids (F11)

All ages-----	251	202	49	198	168	30	53	34	19	48	32	16
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	6	6	-	6	6	-	-	-	-	-	-	-
20-24 years-----	8	7	1	7	6	1	1	1	-	1	1	-
25-29 years-----	18	13	5	15	11	4	3	2	1	3	2	1
30-34 years-----	34	28	6	30	25	5	4	3	1	4	3	1
35-39 years-----	49	35	14	40	31	9	9	4	5	7	3	4
40-44 years-----	49	42	7	40	37	3	9	5	4	7	4	3
45-49 years-----	36	30	6	23	21	2	13	9	4	12	9	3
50-54 years-----	24	20	4	15	13	2	9	7	2	9	7	2
55-59 years-----	14	12	2	9	9	-	5	3	2	5	3	2
60-64 years-----	4	3	1	4	3	1	-	-	-	-	-	-
65-69 years-----	8	6	2	8	6	2	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Harmful use (F11.1)												
All ages-----	122	96	26	87	73	14	35	23	12	31	21	10
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	3	3	-	3	3	-	-	-	-	-	-	-
20-24 years-----	4	3	1	3	2	1	1	1	-	1	1	-
25-29 years-----	14	9	5	12	8	4	2	1	1	2	1	1
30-34 years-----	18	15	3	16	13	3	2	2	-	2	2	-
35-39 years-----	21	14	7	15	12	3	6	2	4	4	1	3
40-44 years-----	25	20	5	18	16	2	7	4	3	5	3	2
45-49 years-----	16	13	3	8	8	-	8	5	3	8	5	3
50-54 years-----	13	12	1	6	6	-	7	6	1	7	6	1
55-59 years-----	5	5	-	3	3	-	2	2	-	2	2	-
60-64 years-----	2	1	1	2	1	1	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Dependence syndrome (F11.2)												
All ages-----	83	66	17	67	57	10	16	9	7	15	9	6
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	2	2	-	2	2	-	-	-	-	-	-	-
20-24 years-----	4	4	-	4	4	-	-	-	-	-	-	-
25-29 years-----	4	4	-	3	3	-	1	1	-	1	1	-
30-34 years-----	13	11	2	11	10	1	2	1	1	2	1	1
35-39 years-----	14	9	5	11	7	4	3	2	1	3	2	1
40-44 years-----	17	16	1	15	15	-	2	1	1	2	1	1
45-49 years-----	12	9	3	8	6	2	4	3	1	3	3	-
50-54 years-----	9	7	2	7	6	1	2	1	1	2	1	1
55-59 years-----	4	2	2	2	2	-	2	-	2	2	-	2
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	3	2	1	3	2	1	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Withdrawal state (F11.3)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Unspecified mental and behavioral disorder (F11.9)												
All ages-----	45	39	6	43	37	6	2	2	-	2	2	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	3	2	1	3	2	1	-	-	-	-	-	-
35-39 years-----	14	12	2	14	12	2	-	-	-	-	-	-
40-44 years-----	7	6	1	7	6	1	-	-	-	-	-	-
45-49 years-----	8	8	-	7	7	-	1	1	-	1	1	-
50-54 years-----	2	1	1	2	1	1	-	-	-	-	-	-
55-59 years-----	5	5	-	4	4	-	1	1	-	1	1	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	4	3	1	4	3	1	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Mental and behavioral disorders due to use of cannabinoids (F12)												
All ages-----	5	5	-	3	3	-	2	2	-	2	2	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	-	-	-	1	1	-	1	1	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	2	2	-	1	1	-	1	1	-	1	1	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Harmful use (F12.1)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Dependence syndrome (F12.2)												
All ages-----	2	2	-	1	1	-	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	-	-	-	1	1	-	1	1	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Unspecified mental and behavioral disorder (F12.9)

All ages-----	2	2	-	1	1	-	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	1	1	-	-	-	-	1	1	-	1	1	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Mental and behavioral disorders due to use of sedatives or hypnotics (F13)												
All ages-----	3	2	1	3	2	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Harmful use (F13.1)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Dependence syndrome (F13.2)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Unspecified mental and behavioral disorder (F13.9)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Mental and behavioral disorders due to use of cocaine (F14)												
All ages-----	444	322	122	217	171	46	227	151	76	225	150	75
Under 1 year----	1	-	1	-	-	-	1	-	1	1	-	1
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	7	6	1	6	5	1	1	1	-	1	1	-
20-24 years-----	18	10	8	14	7	7	4	3	1	4	3	1
25-29 years-----	37	31	6	25	20	5	12	11	1	12	11	1
30-34 years-----	47	29	18	31	22	9	16	7	9	15	7	8
35-39 years-----	80	60	20	44	36	8	36	24	12	36	24	12
40-44 years-----	112	81	31	53	43	10	59	38	21	58	37	21
45-49 years-----	81	55	26	26	22	4	55	33	22	55	33	22
50-54 years-----	31	25	6	11	10	1	20	15	5	20	15	5
55-59 years-----	16	14	2	1	1	-	15	13	2	15	13	2
60-64 years-----	5	4	1	2	2	-	3	2	1	3	2	1
65-69 years-----	4	3	1	1	1	-	3	2	1	3	2	1
70-74 years-----	2	2	-	1	1	-	1	1	-	1	1	-
75-79 years-----	2	2	-	1	1	-	1	1	-	1	1	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	1	-	1	1	-	1	-	-	-	-	-	-

Acute intoxication (F14.0)

All ages-----	13	12	1	6	5	1	7	7	-	7	7	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	3	3	-	2	2	-	1	1	-	1	1	-
30-34 years-----	3	3	-	1	1	-	2	2	-	2	2	-
35-39 years-----	3	3	-	1	1	-	2	2	-	2	2	-
40-44 years-----	4	3	1	2	1	1	2	2	-	2	2	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Harmful use (F14.1)												
All ages-----	288	210	78	140	112	28	148	98	50	147	97	50
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	2	2	-	1	1	-	1	1	-	1	1	-
20-24 years-----	15	9	6	12	6	6	3	3	-	3	3	-
25-29 years-----	22	18	4	16	13	3	6	5	1	6	5	1
30-34 years-----	24	17	7	18	13	5	6	4	2	6	4	2
35-39 years-----	56	43	13	34	28	6	22	15	7	22	15	7
40-44 years-----	80	56	24	38	32	6	42	24	18	41	23	18
45-49 years-----	44	27	17	8	7	1	36	20	16	36	20	16
50-54 years-----	23	20	3	8	8	-	15	12	3	15	12	3
55-59 years-----	12	10	2	1	1	-	11	9	2	11	9	2
60-64 years-----	2	2	-	-	-	-	2	2	-	2	2	-
65-69 years-----	3	2	1	1	1	-	2	1	1	2	1	1
70-74 years-----	2	2	-	1	1	-	1	1	-	1	1	-
75-79 years-----	2	2	-	1	1	-	1	1	-	1	1	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	1	-	1	1	-	1	-	-	-	-	-	-
Dependence syndrome (F14.2)												
All ages-----	43	32	11	24	19	5	19	13	6	18	13	5
Under 1 year-----	1	-	1	-	-	-	1	-	1	1	-	1
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	2	2	-	2	2	-	-	-	-	-	-	-
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years-----	4	3	1	3	2	1	1	1	-	1	1	-
30-34 years-----	6	3	3	4	3	1	2	-	2	1	-	1
35-39 years-----	6	6	-	2	2	-	4	4	-	4	4	-
40-44 years-----	5	3	2	4	3	1	1	-	1	1	-	1
45-49 years-----	12	10	2	6	5	1	6	5	1	6	5	1
50-54 years-----	2	1	1	1	1	-	1	-	1	1	-	1
55-59 years-----	3	3	-	-	-	-	3	3	-	3	3	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Withdrawal state with delirium (F14.4)												
All ages-----	2	2	-	1	1	-	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	-	-	-	1	1	-	1	1	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Psychotic disorder (F14.5)												
All ages-----	4	4	-	1	1	-	3	3	-	3	3	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	3	3	-	1	1	-	2	2	-	2	2	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	-	-	-	1	1	-	1	1	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Unspecified mental and behavioral disorder (F14.9)												
All ages-----	94	62	32	45	33	12	49	29	20	49	29	20
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	3	2	1	3	2	1	-	-	-	-	-	-
20-24 years-----	2	1	1	1	1	-	1	-	1	1	-	1
25-29 years-----	5	4	1	3	2	1	2	2	-	2	2	-
30-34 years-----	14	6	8	8	5	3	6	1	5	6	1	5
35-39 years-----	15	8	7	7	5	2	8	3	5	8	3	5
40-44 years-----	22	18	4	9	7	2	13	11	2	13	11	2
45-49 years-----	24	17	7	11	9	2	13	8	5	13	8	5
50-54 years-----	6	4	2	2	1	1	4	3	1	4	3	1
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	2	1	1	1	1	-	1	-	1	1	-	1
65-69 years-----	1	1	-	-	-	-	1	1	-	1	1	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Mental and behavioral disorders due to use of other stimulants, including caffeine (F15)

All ages-----	26	21	5	23	18	5	3	3	-	2	2	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	2	2	-	2	2	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	3	2	1	2	1	1	1	1	-	1	1	-
35-39 years-----	4	4	-	4	4	-	-	-	-	-	-	-
40-44 years-----	8	8	-	8	8	-	-	-	-	-	-	-
45-49 years-----	5	1	4	5	1	4	-	-	-	-	-	-
50-54 years-----	1	1	-	-	-	-	1	1	-	-	-	-
55-59 years-----	2	2	-	1	1	-	1	1	-	1	1	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Harmful use (F15.1)												
All ages-----	15	13	2	14	12	2	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	2	2	-	2	2	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	-	-	-	1	1	-	1	1	-
35-39 years-----	4	4	-	4	4	-	-	-	-	-	-	-
40-44 years-----	5	5	-	5	5	-	-	-	-	-	-	-
45-49 years-----	2	-	2	2	-	2	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Dependence syndrome (F15.2)												
All ages-----	3	3	-	2	2	-	1	1	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	1	1	-	-	-	-	1	1	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Unspecified mental and behavioral disorder (F15.9)												
All ages-----	8	5	3	7	4	3	1	1	-	1	1	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	2	1	1	2	1	1	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	2	2	-	2	2	-	-	-	-	-	-	-
45-49 years-----	2	-	2	2	-	2	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	2	2	-	1	1	-	1	1	-	1	1	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Mental and behavioral disorders due to use of hallucinogens (F16)

All ages-----	3	3	-	2	2	-	1	1	-	1	1	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	-	-	-	1	1	-	1	1	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Harmful use (F16.1)												
All ages-----	3	3	-	2	2	-	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	-	-	-	1	1	-	1	1	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Mental and behavioral disorders due to use of tobacco (F17)

All ages-----	530	305	225	490	276	214	40	29	11	34	24	10
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	-	-	-	1	1	-	1	1	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	2	2	-	1	1	-	1	1	-	1	1	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	14	10	4	12	8	4	2	2	-	1	1	-
45-49 years-----	21	15	6	16	11	5	5	4	1	3	3	-
50-54 years-----	20	14	6	18	14	4	2	-	2	2	-	2
55-59 years-----	39	24	15	31	18	13	8	6	2	7	5	2
60-64 years-----	54	38	16	53	37	16	1	1	-	1	1	-
65-69 years-----	64	35	29	60	33	27	4	2	2	4	2	2
70-74 years-----	93	50	43	86	45	41	7	5	2	6	4	2
75-79 years-----	95	48	47	91	44	47	4	4	-	3	3	-
80-84 years-----	69	40	29	67	38	29	2	2	-	2	2	-
85-89 years-----	43	18	25	40	17	23	3	1	2	3	1	2
90-94 years-----	9	6	3	9	6	3	-	-	-	-	-	-
95-99 years-----	4	3	1	4	3	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Harmful use (F17.1)												
All ages-----	139	82	57	130	76	54	9	6	3	7	5	2
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	3	2	1	3	2	1	-	-	-	-	-	-
45-49 years-----	8	7	1	4	4	-	4	3	1	2	2	-
50-54 years-----	5	2	3	4	2	2	1	-	1	1	-	1
55-59 years-----	11	7	4	10	7	3	1	-	1	1	-	1
60-64 years-----	13	8	5	13	8	5	-	-	-	-	-	-
65-69 years-----	16	9	7	15	8	7	1	1	-	1	1	-
70-74 years-----	32	20	12	30	18	12	2	2	-	2	2	-
75-79 years-----	22	9	13	22	9	13	-	-	-	-	-	-
80-84 years-----	14	10	4	14	10	4	-	-	-	-	-	-
85-89 years-----	10	4	6	10	4	6	-	-	-	-	-	-
90-94 years-----	3	2	1	3	2	1	-	-	-	-	-	-
95-99 years-----	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Dependence syndrome (F17.2)

All ages-----	70	49	21	62	41	21	8	8	-	8	8	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	3	2	1	2	1	1	1	1	-	1	1	-
45-49 years-----	2	1	1	1	-	1	1	1	-	1	1	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	7	6	1	5	4	1	2	2	-	2	2	-
60-64 years-----	7	5	2	6	4	2	1	1	-	1	1	-
65-69 years-----	9	7	2	9	7	2	-	-	-	-	-	-
70-74 years-----	11	9	2	10	8	2	1	1	-	1	1	-
75-79 years-----	13	7	6	12	6	6	1	1	-	1	1	-
80-84 years-----	11	7	4	10	6	4	1	1	-	1	1	-
85-89 years-----	6	4	2	6	4	2	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Withdrawal state with delirium (F17.4)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Residual and late-onset psychotic disorder (F17.7)

All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Unspecified mental and behavioral disorder (F17.9)												
All ages-----	319	174	145	296	159	137	23	15	8	19	11	8
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	-	-	-	1	1	-	1	1	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	1	1	-	-	-	-	1	1	-	1	1	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	8	6	2	7	5	2	1	1	-	-	-	-
45-49 years-----	11	7	4	11	7	4	-	-	-	-	-	-
50-54 years-----	14	11	3	13	11	2	1	-	1	1	-	1
55-59 years-----	21	11	10	16	7	9	5	4	1	4	3	1
60-64 years-----	34	25	9	34	25	9	-	-	-	-	-	-
65-69 years-----	39	19	20	36	18	18	3	1	2	3	1	2
70-74 years-----	49	21	28	45	19	26	4	2	2	3	1	2
75-79 years-----	60	32	28	57	29	28	3	3	-	2	2	-
80-84 years-----	44	23	21	43	22	21	1	1	-	1	1	-
85-89 years-----	26	10	16	23	9	14	3	1	2	3	1	2
90-94 years-----	6	4	2	6	4	2	-	-	-	-	-	-
95-99 years-----	3	2	1	3	2	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Mental and behavioral disorders due to use of volatile solvents (F18)

All ages-----	2	2	-	1	1	-	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	2	2	-	1	1	-	1	1	-	1	1	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Harmful use (F18.1)												
All ages-----	2	2	-	1	1	-	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	2	2	-	1	1	-	1	1	-	1	1	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Mental and behavioral disorders due to multiple-drug use and use of other psychoactive substances (F19)

All ages-----	1,198	884	314	866	650	216	332	234	98	308	214	94
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	17	13	4	15	11	4	2	2	-	2	2	-
20-24 years-----	47	37	10	38	31	7	9	6	3	8	5	3
25-29 years-----	69	54	15	58	46	12	11	8	3	7	5	2
30-34 years-----	132	98	34	113	88	25	19	10	9	17	9	8
35-39 years-----	207	149	58	158	114	44	49	35	14	45	32	13
40-44 years-----	273	201	72	185	139	46	88	62	26	80	54	26
45-49 years-----	223	168	55	144	112	32	79	56	23	76	54	22
50-54 years-----	127	89	38	82	57	25	45	32	13	43	30	13
55-59 years-----	43	30	13	27	18	9	16	12	4	16	12	4
60-64 years-----	28	25	3	20	19	1	8	6	2	8	6	2
65-69 years-----	8	5	3	4	1	3	4	4	-	4	4	-
70-74 years-----	8	6	2	7	6	1	1	-	1	1	-	1
75-79 years-----	7	3	4	6	2	4	1	1	-	1	1	-
80-84 years-----	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years-----	3	3	-	3	3	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	1	1	-	1	1	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Acute intoxication (F19.0)												
All ages-----	2	2	-	1	1	-	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	-	-	-	1	1	-	1	1	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Harmful use (F19.1)												
All ages-----	799	573	226	552	400	152	247	173	74	232	161	71
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	7	5	2	6	4	2	1	1	-	1	1	-
20-24 years-----	34	26	8	27	21	6	7	5	2	6	4	2
25-29 years-----	45	32	13	36	26	10	9	6	3	7	5	2
30-34 years-----	90	63	27	75	55	20	15	8	7	14	7	7
35-39 years-----	133	89	44	98	65	33	35	24	11	33	23	10
40-44 years-----	185	136	49	121	93	28	64	43	21	58	37	21
45-49 years-----	154	115	39	94	73	21	60	42	18	59	42	17
50-54 years-----	82	53	29	50	30	20	32	23	9	30	21	9
55-59 years-----	35	24	11	21	13	8	14	11	3	14	11	3
60-64 years-----	18	17	1	12	11	1	6	6	-	6	6	-
65-69 years-----	5	4	1	2	1	1	3	3	-	3	3	-
70-74 years-----	6	5	1	6	5	1	-	-	-	-	-	-
75-79 years-----	2	2	-	1	1	-	1	1	-	1	1	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	1	1	-	1	1	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Dependence syndrome (F19.2)												
All ages-----	299	243	56	237	198	39	62	45	17	55	39	16
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	9	7	2	8	6	2	1	1	-	1	1	-
20-24 years-----	9	8	1	7	7	-	2	1	1	2	1	1
25-29 years-----	17	15	2	16	14	2	1	1	-	-	-	-
30-34 years-----	31	26	5	28	25	3	3	1	2	2	1	1
35-39 years-----	59	49	10	47	39	8	12	10	2	10	8	2
40-44 years-----	67	53	14	48	38	10	19	15	4	18	14	4
45-49 years-----	50	45	5	36	33	3	14	12	2	12	10	2
50-54 years-----	33	27	6	27	23	4	6	4	2	6	4	2
55-59 years-----	4	3	1	3	3	-	1	-	1	1	-	1
60-64 years-----	8	6	2	6	6	-	2	-	2	2	-	2
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	2	1	1	1	1	-	1	-	1	1	-	1
75-79 years-----	5	1	4	5	1	4	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	2	2	-	2	2	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Withdrawal state (F19.3)

All ages-----	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Unspecified mental and behavioral disorder (F19.9)												
All ages-----	96	65	31	74	50	24	22	15	7	20	13	7
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	4	3	1	4	3	1	-	-	-	-	-	-
25-29 years-----	6	6	-	5	5	-	1	1	-	-	-	-
30-34 years-----	10	8	2	9	7	2	1	1	-	1	1	-
35-39 years-----	15	11	4	13	10	3	2	1	1	2	1	1
40-44 years-----	20	11	9	16	8	8	4	3	1	3	2	1
45-49 years-----	18	8	10	13	6	7	5	2	3	5	2	3
50-54 years-----	12	9	3	5	4	1	7	5	2	7	5	2
55-59 years-----	4	3	1	3	2	1	1	1	-	1	1	-
60-64 years-----	2	2	-	2	2	-	-	-	-	-	-	-
65-69 years-----	2	1	1	1	-	1	1	1	-	1	1	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Schizophrenia (F20)												
All ages-----	481	185	296	427	158	269	54	27	27	47	20	27
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	4	4	-	3	3	-	1	1	-	1	1	-
35-39 years-----	13	11	2	9	8	1	4	3	1	3	2	1
40-44 years-----	6	4	2	5	4	1	1	-	1	1	-	1
45-49 years-----	14	7	7	13	7	6	1	-	1	1	-	1
50-54 years-----	18	12	6	11	6	5	7	6	1	5	4	1
55-59 years-----	17	10	7	16	10	6	1	-	1	1	-	1
60-64 years-----	15	7	8	12	6	6	3	1	2	2	-	2
65-69 years-----	22	10	12	21	10	11	1	-	1	1	-	1
70-74 years-----	44	22	22	38	19	19	6	3	3	6	3	3
75-79 years-----	61	25	36	52	18	34	9	7	2	7	5	2
80-84 years-----	85	24	61	77	21	56	8	3	5	8	3	5
85-89 years-----	94	29	65	86	27	59	8	2	6	7	1	6
90-94 years-----	58	13	45	57	13	44	1	-	1	1	-	1
95-99 years-----	26	5	21	23	4	19	3	1	2	3	1	2
100 yrs & over---	3	1	2	3	1	2	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Paranoid schizophrenia (F20.0)												
All ages-----	28	10	18	22	8	14	6	2	4	6	2	4
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	-	-	-	1	1	-	1	1	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	3	2	1	2	2	-	1	-	1	1	-	1
70-74 years-----	4	1	3	3	1	2	1	-	1	1	-	1
75-79 years-----	4	1	3	3	-	3	1	1	-	1	1	-
80-84 years-----	4	2	2	3	2	1	1	-	1	1	-	1
85-89 years-----	5	1	4	5	1	4	-	-	-	-	-	-
90-94 years-----	3	-	3	3	-	3	-	-	-	-	-	-
95-99 years-----	1	-	1	-	-	-	1	-	1	1	-	1
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Catatonic schizophrenia (F20.2)

All ages-----	18	8	10	14	5	9	4	3	1	4	3	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	-	-	-	1	1	-	1	1	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	2	-	2	1	-	1	1	-	1	1	-	1
50-54 years-----	2	1	1	1	-	1	1	1	-	1	1	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	2	2	-	2	2	-	-	-	-	-	-	-
70-74 years-----	3	2	1	2	1	1	1	1	-	1	1	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	4	-	4	4	-	4	-	-	-	-	-	-
85-89 years-----	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Undifferentiated schizophrenia (F20.3)												
All ages-----	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Postschizophrenic depression (F20.4)												
All ages-----	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Residual schizophrenia (F20.5)												
All ages-----	47	23	24	40	17	23	7	6	1	5	4	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	3	2	1	2	1	1	1	1	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	3	2	1	3	2	1	-	-	-	-	-	-
70-74 years-----	3	2	1	2	1	1	1	1	-	1	1	-
75-79 years-----	10	7	3	7	5	2	3	2	1	2	1	1
80-84 years-----	12	7	5	11	6	5	1	1	-	1	1	-
85-89 years-----	5	-	5	5	-	5	-	-	-	-	-	-
90-94 years-----	6	-	6	6	-	6	-	-	-	-	-	-
95-99 years-----	2	1	1	1	-	1	1	1	-	1	1	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Simple schizophrenia (F20.6)												
All ages-----	125	33	92	121	32	89	4	1	3	3	-	3
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	2	-	2	2	-	2	-	-	-	-	-	-
70-74 years-----	5	3	2	5	3	2	-	-	-	-	-	-
75-79 years-----	9	3	6	9	3	6	-	-	-	-	-	-
80-84 years-----	18	3	15	18	3	15	-	-	-	-	-	-
85-89 years-----	41	14	27	38	13	25	3	1	2	2	-	2
90-94 years-----	30	6	24	29	6	23	1	-	1	1	-	1
95-99 years-----	16	3	13	16	3	13	-	-	-	-	-	-
100 yrs & over---	3	1	2	3	1	2	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Schizophrenia, unspecified (F20.9)												
All ages-----	259	108	151	226	93	133	33	15	18	29	11	18
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	3	3	-	3	3	-	-	-	-	-	-	-
35-39 years-----	9	8	1	6	6	-	3	2	1	2	1	1
40-44 years-----	5	3	2	4	3	1	1	-	1	1	-	1
45-49 years-----	11	7	4	11	7	4	-	-	-	-	-	-
50-54 years-----	12	8	4	7	4	3	5	4	1	4	3	1
55-59 years-----	16	9	7	15	9	6	1	-	1	1	-	1
60-64 years-----	12	6	6	9	5	4	3	1	2	2	-	2
65-69 years-----	12	4	8	12	4	8	-	-	-	-	-	-
70-74 years-----	28	13	15	25	12	13	3	1	2	3	1	2
75-79 years-----	37	13	24	32	9	23	5	4	1	4	3	1
80-84 years-----	46	12	34	40	10	30	6	2	4	6	2	4
85-89 years-----	41	13	28	36	12	24	5	1	4	5	1	4
90-94 years-----	19	7	12	19	7	12	-	-	-	-	-	-
95-99 years-----	7	1	6	6	1	5	1	-	1	1	-	1
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Schizotypal disorder (F21)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Persistent delusional disorders (F22)												
All ages-----	22	7	15	19	6	13	3	1	2	3	1	2
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	2	2	-	1	1	-	1	1	-	1	1	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years-----	8	-	8	7	-	7	1	-	1	1	-	1
85-89 years-----	3	1	2	3	1	2	-	-	-	-	-	-
90-94 years-----	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years-----	3	-	3	2	-	2	1	-	1	1	-	1
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Delusional disorder (F22.0)												
All ages-----	22	7	15	19	6	13	3	1	2	3	1	2
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	2	2	-	1	1	-	1	1	-	1	1	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years-----	8	-	8	7	-	7	1	-	1	1	-	1
85-89 years-----	3	1	2	3	1	2	-	-	-	-	-	-
90-94 years-----	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years-----	3	-	3	2	-	2	1	-	1	1	-	1
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Acute and transient psychotic disorders (F23)												
All ages-----	5	1	4	5	1	4	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Acute and transient psychotic disorder, unspecified (F23.9)

All ages-----	5	1	4	5	1	4	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Schizoaffective disorders (F25)												
All ages-----	16	5	11	16	5	11	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	2	2	-	2	2	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	4	-	4	4	-	4	-	-	-	-	-	-
85-89 years-----	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Schizoaffective disorder, manic type (F25.0)

All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Schizoaffective disorder, unspecified (F25.9)												
All ages-----	15	4	11	15	4	11	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	4	-	4	4	-	4	-	-	-	-	-	-
85-89 years-----	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Unspecified nonorganic psychosis (F29)

All ages-----	32	12	20	30	11	19	2	1	1	2	1	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	1	-	1	-	-	-	1	-	1	1	-	1
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	7	3	4	7	3	4	-	-	-	-	-	-
75-79 years-----	7	2	5	7	2	5	-	-	-	-	-	-
80-84 years-----	5	2	3	5	2	3	-	-	-	-	-	-
85-89 years-----	6	4	2	6	4	2	-	-	-	-	-	-
90-94 years-----	3	1	2	2	-	2	1	1	-	1	1	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Manic episode (F30)												
All ages-----	4	2	2	4	2	2	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Mania with psychotic symptoms (F30.2)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Manic episode, unspecified (F30.9)												
All ages-----	3	1	2	3	1	2	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Bipolar affective disorder (F31)												
All ages-----	51	16	35	50	15	35	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	2	2	-	2	2	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	2	1	1	1	-	1	1	1	-	1	1	-
55-59 years-----	3	2	1	3	2	1	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	3	1	2	3	1	2	-	-	-	-	-	-
70-74 years-----	10	2	8	10	2	8	-	-	-	-	-	-
75-79 years-----	8	2	6	8	2	6	-	-	-	-	-	-
80-84 years-----	9	3	6	9	3	6	-	-	-	-	-	-
85-89 years-----	7	-	7	7	-	7	-	-	-	-	-	-
90-94 years-----	4	1	3	4	1	3	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Bipolar affective disorder, current episode manic without psychotic symptoms (F31.1)												
All ages-----	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Other bipolar affective disorders (F31.8)												
All ages-----	5	2	3	5	2	3	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Bipolar affective disorder, unspecified (F31.9)												
All ages-----	44	13	31	43	12	31	1	1	-	1	1	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	2	1	1	1	-	1	1	1	-	1	1	-
55-59 years-----	3	2	1	3	2	1	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	3	1	2	3	1	2	-	-	-	-	-	-
70-74 years-----	8	1	7	8	1	7	-	-	-	-	-	-
75-79 years-----	6	1	5	6	1	5	-	-	-	-	-	-
80-84 years-----	8	3	5	8	3	5	-	-	-	-	-	-
85-89 years-----	6	-	6	6	-	6	-	-	-	-	-	-
90-94 years-----	4	1	3	4	1	3	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Depressive episode (F32)												
All ages-----	760	270	490	734	258	476	26	12	14	23	11	12
Under 1 year----	6	5	1	4	3	1	2	2	-	2	2	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	3	2	1	3	2	1	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	4	4	-	4	4	-	-	-	-	-	-	-
30-34 years-----	5	4	1	5	4	1	-	-	-	-	-	-
35-39 years-----	6	5	1	6	5	1	-	-	-	-	-	-
40-44 years-----	11	7	4	10	7	3	1	-	1	1	-	1
45-49 years-----	7	6	1	7	6	1	-	-	-	-	-	-
50-54 years-----	9	7	2	8	6	2	1	1	-	1	1	-
55-59 years-----	11	8	3	9	6	3	2	2	-	1	1	-
60-64 years-----	12	8	4	11	8	3	1	-	1	1	-	1
65-69 years-----	27	11	16	24	11	13	3	-	3	3	-	3
70-74 years-----	37	16	21	36	16	20	1	-	1	1	-	1
75-79 years-----	106	43	63	103	41	62	3	2	1	3	2	1
80-84 years-----	147	42	105	143	40	103	4	2	2	3	2	1
85-89 years-----	159	53	106	156	52	104	3	1	2	2	1	1
90-94 years-----	140	39	101	136	37	99	4	2	2	4	2	2
95-99 years-----	57	9	48	56	9	47	1	-	1	1	-	1
100 yrs & over---	12	-	12	12	-	12	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Severe depressive episode without psychotic symptoms (F32.2)												
All ages-----	69	24	45	69	24	45	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	4	2	2	4	2	2	-	-	-	-	-	-
70-74 years-----	3	3	-	3	3	-	-	-	-	-	-	-
75-79 years-----	13	4	9	13	4	9	-	-	-	-	-	-
80-84 years-----	18	3	15	18	3	15	-	-	-	-	-	-
85-89 years-----	17	8	9	17	8	9	-	-	-	-	-	-
90-94 years-----	7	-	7	7	-	7	-	-	-	-	-	-
95-99 years-----	3	1	2	3	1	2	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Severe depressive episode with psychotic symptoms (F32.3)

All ages-----	11	3	8	9	3	6	2	-	2	2	-	2
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	3	-	3	2	-	2	1	-	1	1	-	1
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	3	-	3	3	-	3	-	-	-	-	-	-
90-94 years-----	2	-	2	1	-	1	1	-	1	1	-	1
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other depressive episodes (F32.8)												
All ages-----	7	6	1	7	6	1	-	-	-	-	-	-
Under 1 year-----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	3	2	1	3	2	1	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Depressive episode, unspecified (F32.9)												
All ages-----	673	237	436	649	225	424	24	12	12	21	11	10
Under 1 year-----	5	4	1	3	2	1	2	2	-	2	2	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	3	2	1	3	2	1	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	4	4	-	4	4	-	-	-	-	-	-	-
30-34 years-----	5	4	1	5	4	1	-	-	-	-	-	-
35-39 years-----	6	5	1	6	5	1	-	-	-	-	-	-
40-44 years-----	10	6	4	9	6	3	1	-	1	1	-	1
45-49 years-----	7	6	1	7	6	1	-	-	-	-	-	-
50-54 years-----	8	6	2	7	5	2	1	1	-	1	1	-
55-59 years-----	9	7	2	7	5	2	2	2	-	1	1	-
60-64 years-----	11	7	4	10	7	3	1	-	1	1	-	1
65-69 years-----	20	9	11	18	9	9	2	-	2	2	-	2
70-74 years-----	32	11	21	31	11	20	1	-	1	1	-	1
75-79 years-----	92	38	54	89	36	53	3	2	1	3	2	1
80-84 years-----	125	36	89	121	34	87	4	2	2	3	2	1
85-89 years-----	138	44	94	135	43	92	3	1	2	2	1	1
90-94 years-----	131	39	92	128	37	91	3	2	1	3	2	1
95-99 years-----	54	8	46	53	8	45	1	-	1	1	-	1
100 yrs & over---	12	-	12	12	-	12	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Recurrent depressive disorder (F33)												
All ages-----	12	4	8	11	4	7	1	-	1	1	-	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	3	1	2	3	1	2	-	-	-	-	-	-
80-84 years-----	3	1	2	3	1	2	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	3	-	3	2	-	2	1	-	1	1	-	1
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Recurrent depressive disorder, current episode severe without psychotic symptoms (F33.2)

All ages-----	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Recurrent depressive disorder, unspecified (F33.9)												
All ages-----	10	3	7	9	3	6	1	-	1	1	-	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	2	-	2	2	-	2	-	-	-	-	-	-
80-84 years-----	3	1	2	3	1	2	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	2	-	2	1	-	1	1	-	1	1	-	1
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Persistent mood [affective] disorders (F34)												
All ages-----	21	7	14	18	6	12	3	1	2	2	1	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	1	1	-	-	-	-	1	1	-	1	1	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	-	-	-	1	-	1	1	-	1
75-79 years-----	4	2	2	4	2	2	-	-	-	-	-	-
80-84 years-----	9	3	6	8	3	5	1	-	1	-	-	-
85-89 years-----	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years-----	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Cyclothymia (F34.0)												
All ages-----	18	6	12	16	5	11	2	1	1	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	1	1	-	-	-	-	1	1	-	1	1	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	4	2	2	4	2	2	-	-	-	-	-	-
80-84 years-----	8	2	6	7	2	5	1	-	1	-	-	-
85-89 years-----	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years-----	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Dysthymia (F34.1)												
All ages-----	1	-	1	-	-	-	1	-	1	1	-	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	-	-	-	1	-	1	1	-	1
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Persistent mood [affective] disorder, unspecified (F34.9)												
All ages-----	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Unspecified mood [affective] disorder (F39)

All ages-----	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other anxiety disorders (F41)												
All ages-----	38	10	28	38	10	28	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	3	-	3	3	-	3	-	-	-	-	-	-
65-69 years-----	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years-----	6	3	3	6	3	3	-	-	-	-	-	-
75-79 years-----	5	2	3	5	2	3	-	-	-	-	-	-
80-84 years-----	3	1	2	3	1	2	-	-	-	-	-	-
85-89 years-----	8	1	7	8	1	7	-	-	-	-	-	-
90-94 years-----	8	1	7	8	1	7	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Panic disorder [episodic paroxysmal anxiety] (F41.0)

All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Generalized anxiety disorder (F41.1)												
All ages-----	2	-	2	2	-	2	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Mixed anxiety and depressive disorder (F41.2)												
All ages-----	13	-	13	13	-	13	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	3	-	3	3	-	3	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	3	-	3	3	-	3	-	-	-	-	-	-
90-94 years-----	5	-	5	5	-	5	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Anxiety disorder, unspecified (F41.9)												
All ages-----	22	9	13	22	9	13	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	5	3	2	5	3	2	-	-	-	-	-	-
75-79 years-----	4	2	2	4	2	2	-	-	-	-	-	-
80-84 years-----	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years-----	5	1	4	5	1	4	-	-	-	-	-	-
90-94 years-----	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Obsessive-compulsive disorder (F42)												
All ages-----	5	1	4	5	1	4	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Obsessive-compulsive disorder, unspecified (F42.9)												
All ages-----	5	1	4	5	1	4	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Reaction to severe stress, and adjustment disorders (F43)

All ages-----	31	18	13	30	17	13	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	4	4	-	3	3	-	1	1	-	1	1	-
55-59 years-----	2	2	-	2	2	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	2	-	2	2	-	2	-	-	-	-	-	-
75-79 years-----	6	4	2	6	4	2	-	-	-	-	-	-
80-84 years-----	6	3	3	6	3	3	-	-	-	-	-	-
85-89 years-----	4	1	3	4	1	3	-	-	-	-	-	-
90-94 years-----	3	1	2	3	1	2	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Posttraumatic stress disorder (F43.1)												
All ages-----	10	10	-	9	9	-	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	4	4	-	3	3	-	1	1	-	1	1	-
55-59 years-----	2	2	-	2	2	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	2	2	-	2	2	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Adjustment disorders (F43.2)												
All ages-----	13	4	9	13	4	9	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	2	-	2	2	-	2	-	-	-	-	-	-
80-84 years-----	4	2	2	4	2	2	-	-	-	-	-	-
85-89 years-----	3	1	2	3	1	2	-	-	-	-	-	-
90-94 years-----	3	1	2	3	1	2	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Reaction to severe stress, unspecified (F43.9)												
All ages-----	8	4	4	8	4	4	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	2	2	-	2	2	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Dissociative [conversion] disorders (F44)												
All ages-----	5	4	1	5	4	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	2	2	-	2	2	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	2	2	-	2	2	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Dissociative convulsions (F44.5)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Dissociative anesthesia and sensory loss (F44.6)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other dissociative [conversion] disorders (F44.8)												
All ages-----	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Dissociative [conversion] disorder, unspecified (F44.9)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Somatoform disorders (F45)												
All ages-----	10	4	6	6	3	3	4	1	3	2	1	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	-	-	-	1	1	-	1	1	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	2	1	1	1	1	-	1	-	1	1	-	1
80-84 years-----	2	-	2	2	-	2	-	-	-	-	-	-
85-89 years-----	2	1	1	1	1	-	1	-	1	-	-	-
90-94 years-----	1	-	1	-	-	-	1	-	1	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Somatoform autonomic dysfunction (F45.3)

All ages-----	7	4	3	5	3	2	2	1	1	2	1	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	-	-	-	1	1	-	1	1	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	2	1	1	1	1	-	1	-	1	1	-	1
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other somatoform disorders (F45.8)												
All ages-----	2	-	2	-	-	-	2	-	2	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	-	-	-	1	-	1	-	-	-
90-94 years-----	1	-	1	-	-	-	1	-	1	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Somatoform disorder, unspecified (F45.9)

All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other neurotic disorders (F48)												
All ages-----	8	5	3	7	4	3	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	3	1	2	2	-	2	1	1	-	1	1	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other specified neurotic disorders (F48.8)

All ages-----	1	1	-	-	-	-	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	-	-	-	1	1	-	1	1	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Neurotic disorder, unspecified (F48.9)												
All ages-----	7	4	3	7	4	3	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	2	-	2	2	-	2	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Eating disorders (F50)												
All ages-----	256	54	202	246	51	195	10	3	7	4	1	3
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	2	-	2	2	-	2	-	-	-	-	-	-
20-24 years-----	3	-	3	2	-	2	1	-	1	-	-	-
25-29 years-----	7	-	7	7	-	7	-	-	-	-	-	-
30-34 years-----	6	-	6	5	-	5	1	-	1	-	-	-
35-39 years-----	6	1	5	6	1	5	-	-	-	-	-	-
40-44 years-----	12	2	10	12	2	10	-	-	-	-	-	-
45-49 years-----	9	3	6	8	2	6	1	1	-	1	1	-
50-54 years-----	7	1	6	7	1	6	-	-	-	-	-	-
55-59 years-----	2	-	2	2	-	2	-	-	-	-	-	-
60-64 years-----	2	-	2	2	-	2	-	-	-	-	-	-
65-69 years-----	6	4	2	6	4	2	-	-	-	-	-	-
70-74 years-----	18	8	10	17	7	10	1	1	-	-	-	-
75-79 years-----	14	6	8	13	6	7	1	-	1	-	-	-
80-84 years-----	33	9	24	33	9	24	-	-	-	-	-	-
85-89 years-----	51	9	42	49	8	41	2	1	1	1	-	1
90-94 years-----	45	8	37	44	8	36	1	-	1	-	-	-
95-99 years-----	24	3	21	23	3	20	1	-	1	1	-	1
100 yrs & over---	8	-	8	7	-	7	1	-	1	1	-	1
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Anorexia nervosa (F50.0)												
All ages-----	59	6	53	57	6	51	2	-	2	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years-----	3	-	3	2	-	2	1	-	1	-	-	-
25-29 years-----	5	-	5	5	-	5	-	-	-	-	-	-
30-34 years-----	5	-	5	4	-	4	1	-	1	-	-	-
35-39 years-----	5	-	5	5	-	5	-	-	-	-	-	-
40-44 years-----	10	2	8	10	2	8	-	-	-	-	-	-
45-49 years-----	6	2	4	6	2	4	-	-	-	-	-	-
50-54 years-----	5	-	5	5	-	5	-	-	-	-	-	-
55-59 years-----	2	-	2	2	-	2	-	-	-	-	-	-
60-64 years-----	2	-	2	2	-	2	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	5	-	5	5	-	5	-	-	-	-	-	-
75-79 years-----	2	2	-	2	2	-	-	-	-	-	-	-
80-84 years-----	3	-	3	3	-	3	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	3	-	3	3	-	3	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Bulimia nervosa (F50.2)												
All ages-----	7	1	6	6	-	6	1	1	-	1	1	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	3	1	2	2	-	2	1	1	-	1	1	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other eating disorders (F50.8)												
All ages-----	183	46	137	176	44	132	7	2	5	3	-	3
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	2	1	1	2	1	1	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	4	3	1	4	3	1	-	-	-	-	-	-
70-74 years-----	13	8	5	12	7	5	1	1	-	-	-	-
75-79 years-----	12	4	8	11	4	7	1	-	1	-	-	-
80-84 years-----	29	9	20	29	9	20	-	-	-	-	-	-
85-89 years-----	50	9	41	48	8	40	2	1	1	1	-	1
90-94 years-----	41	8	33	40	8	32	1	-	1	-	-	-
95-99 years-----	23	3	20	22	3	19	1	-	1	1	-	1
100 yrs & over---	8	-	8	7	-	7	1	-	1	1	-	1
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Eating disorder, unspecified (F50.9)												
All ages-----	7	1	6	7	1	6	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

ALL RACES WHITE ALL OTHER BLACK

Psychological and behavioral factors associated with disorders or diseases classified elsewhere (F54)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	89	35	54	71	25	46	18	10	8	18	10	8
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	2	1	1	1	-	1	1	1	-	1	1	-
40-44 years-----	3	2	1	1	-	1	2	2	-	2	2	-
45-49 years-----	3	2	1	-	-	-	3	2	1	3	2	1
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	3	1	2	1	-	1	2	1	1	2	1	1
60-64 years-----	2	1	1	-	-	-	2	1	1	2	1	1
65-69 years-----	7	4	3	4	2	2	3	2	1	3	2	1
70-74 years-----	13	8	5	11	8	3	2	-	2	2	-	2
75-79 years-----	16	6	10	16	6	10	-	-	-	-	-	-
80-84 years-----	13	4	9	11	3	8	2	1	1	2	1	1
85-89 years-----	12	1	11	11	1	10	1	-	1	1	-	1
90-94 years-----	8	3	5	8	3	5	-	-	-	-	-	-
95-99 years-----	5	2	3	5	2	3	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Abuse of non-dependence-producing substances (F55)

All ages-----	3	3	-	2	2	-	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	-	-	-	1	1	-	1	1	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),

RACE, AND SEX - - - ALL RACES - - - - - - WHITE - - - - - - ALL OTHER - - - - - - BLACK - - -

TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Unspecified behavioral syndromes associated with physiological disturbances and physical factors (F59)

All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Specific personality disorders (F60)

All ages-----	2	-	2	2	-	2	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Schizoid personality disorder (F60.1)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Personality disorder, unspecified (F60.9)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Habit and impulse disorders (F63)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Pathological gambling (F63.0)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Psychological and behavioral disorders associated with sexual development and orientation (F66)												
All ages-----	1	-	1	-	-	-	1	-	1	1	-	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	-	-	-	1	-	1	1	-	1
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Psychosexual development disorder, unspecified (F66.9)

All ages-----	1	-	1	-	-	-	1	-	1	1	-	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	-	-	-	1	-	1	1	-	1
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Unspecified disorder of adult personality and behavior (F69)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Mild mental retardation (F70)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Moderate mental retardation (F71)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Severe mental retardation (F72)												
All ages-----	67	43	24	55	37	18	12	6	6	9	6	3
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	3	1	2	2	1	1	1	-	1	-	-	-
5-9 years-----	4	2	2	3	2	1	1	-	1	-	-	-
10-14 years-----	5	3	2	3	2	1	2	1	1	1	1	-
15-19 years-----	3	3	-	3	3	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	5	2	3	3	2	1	2	-	2	2	-	2
30-34 years-----	3	3	-	3	3	-	-	-	-	-	-	-
35-39 years-----	5	1	4	5	1	4	-	-	-	-	-	-
40-44 years-----	3	1	2	3	1	2	-	-	-	-	-	-
45-49 years-----	3	3	-	3	3	-	-	-	-	-	-	-
50-54 years-----	9	5	4	8	4	4	1	1	-	1	1	-
55-59 years-----	5	4	1	5	4	1	-	-	-	-	-	-
60-64 years-----	4	2	2	2	1	1	2	1	1	2	1	1
65-69 years-----	4	4	-	2	2	-	2	2	-	2	2	-
70-74 years-----	3	2	1	2	1	1	1	1	-	1	1	-
75-79 years-----	4	3	1	4	3	1	-	-	-	-	-	-
80-84 years-----	2	2	-	2	2	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Profound mental retardation (F73)												
All ages-----	54	32	22	50	28	22	4	4	-	4	4	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	2	1	1	2	1	1	-	-	-	-	-	-
5-9 years-----	1	1	-	-	-	-	1	1	-	1	1	-
10-14 years-----	2	2	-	1	1	-	1	1	-	1	1	-
15-19 years-----	5	4	1	5	4	1	-	-	-	-	-	-
20-24 years-----	5	4	1	4	3	1	1	1	-	1	1	-
25-29 years-----	2	2	-	2	2	-	-	-	-	-	-	-
30-34 years-----	3	-	3	3	-	3	-	-	-	-	-	-
35-39 years-----	5	3	2	4	2	2	1	1	-	1	1	-
40-44 years-----	9	5	4	9	5	4	-	-	-	-	-	-
45-49 years-----	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years-----	2	1	1	2	1	1	-	-	-	-	-	-
55-59 years-----	5	3	2	5	3	2	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	5	1	4	5	1	4	-	-	-	-	-	-
75-79 years-----	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Other mental retardation (F78)												
All ages-----	3	3	-	2	2	-	1	1	-	1	1	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	-	-	-	1	1	-	1	1	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Unspecified mental retardation (F79)												
All ages-----	321	182	139	268	158	110	53	24	29	51	24	27
Under 1 year-----	2	2	-	2	2	-	-	-	-	-	-	-
1-4 years-----	2	-	2	-	-	-	2	-	2	2	-	2
5-9 years-----	3	1	2	2	1	1	1	-	1	1	-	1
10-14 years-----	10	6	4	7	6	1	3	-	3	2	-	2
15-19 years-----	5	3	2	4	2	2	1	1	-	1	1	-
20-24 years-----	11	4	7	7	3	4	4	1	3	4	1	3
25-29 years-----	18	9	9	14	7	7	4	2	2	4	2	2
30-34 years-----	21	10	11	18	8	10	3	2	1	3	2	1
35-39 years-----	24	12	12	16	9	7	8	3	5	8	3	5
40-44 years-----	25	14	11	22	12	10	3	2	1	3	2	1
45-49 years-----	29	18	11	23	15	8	6	3	3	6	3	3
50-54 years-----	23	17	6	20	15	5	3	2	1	3	2	1
55-59 years-----	23	13	10	18	11	7	5	2	3	5	2	3
60-64 years-----	27	13	14	24	12	12	3	1	2	2	1	1
65-69 years-----	24	16	8	24	16	8	-	-	-	-	-	-
70-74 years-----	23	16	7	20	13	7	3	3	-	3	3	-
75-79 years-----	18	12	6	15	10	5	3	2	1	3	2	1
80-84 years-----	23	12	11	22	12	10	1	-	1	1	-	1
85-89 years-----	6	1	5	6	1	5	-	-	-	-	-	-
90-94 years-----	3	2	1	3	2	1	-	-	-	-	-	-
95-99 years-----	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Specific developmental disorders of scholastic skills (F81)

All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Specific disorder of arithmetical skills (F81.2)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Specific developmental disorder of motor function (F82)

All ages-----	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Pervasive developmental disorders (F84)												
All ages-----	10	1	9	8	-	8	2	1	1	2	1	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	2	-	2	2	-	2	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	3	1	2	2	-	2	1	1	-	1	1	-
25-29 years-----	3	-	3	3	-	3	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	-	-	-	1	-	1	1	-	1
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Childhood autism (F84.0)												
All ages-----	3	1	2	1	-	1	2	1	1	2	1	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	2	1	1	1	-	1	1	1	-	1	1	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	-	-	-	1	-	1	1	-	1
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Rett's syndrome (F84.2)												
All ages-----	7	-	7	7	-	7	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	2	-	2	2	-	2	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years-----	3	-	3	3	-	3	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Unspecified disorder of psychological development (F89)												
All ages-----	3	1	2	2	-	2	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	2	-	2	2	-	2	-	-	-	-	-	-
5-9 years-----	1	1	-	-	-	-	1	1	-	1	1	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Hyperkinetic disorders (F90)												
All ages-----	4	3	1	3	2	1	1	1	-	-	-	-
Under 1 year-----	1	1	-	-	-	-	1	1	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Disturbance of activity and attention (F90.0)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Hyperkinetic disorder, unspecified (F90.9)												
All ages-----	3	2	1	2	1	1	1	1	-	-	-	-
Under 1 year-----	1	1	-	-	-	-	1	1	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Conduct disorders (F91)												
All ages-----	3	2	1	3	2	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years-----	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Oppositional defiant disorder (F91.3)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Conduct disorder, unspecified (F91.9)												
All ages-----	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Other behavioral and emotional disorders with onset usually occurring in childhood and adolescence (F98)

All ages-----	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other specified behavioral and emotional disorders with onset usually occurring in childhood and adolescence (F98.8)

All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Unspecified behavioral and emotional disorders with onset usually occurring in childhood and adolescence (F98.9)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Mental disorder, not otherwise specified (F99)

All ages-----	15	9	6	15	9	6	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	2	2	-	2	2	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	2	2	-	2	2	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	3	1	2	3	1	2	-	-	-	-	-	-
90-94 years-----	3	-	3	3	-	3	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Bacterial meningitis, not elsewhere classified (G00)												
All ages-----	473	244	229	338	173	165	135	71	64	120	64	56
Under 1 year-----	88	45	43	52	34	18	36	11	25	31	9	22
1-4 years-----	25	13	12	19	11	8	6	2	4	5	2	3
5-9 years-----	10	6	4	7	4	3	3	2	1	3	2	1
10-14 years-----	7	6	1	7	6	1	-	-	-	-	-	-
15-19 years-----	6	3	3	4	2	2	2	1	1	2	1	1
20-24 years-----	11	6	5	7	4	3	4	2	2	4	2	2
25-29 years-----	9	3	6	9	3	6	-	-	-	-	-	-
30-34 years-----	15	6	9	12	4	8	3	2	1	-	-	-
35-39 years-----	21	12	9	15	9	6	6	3	3	5	3	2
40-44 years-----	21	16	5	13	10	3	8	6	2	7	5	2
45-49 years-----	42	29	13	26	16	10	16	13	3	15	13	2
50-54 years-----	33	21	12	23	13	10	10	8	2	10	8	2
55-59 years-----	20	11	9	18	10	8	2	1	1	1	1	-
60-64 years-----	28	10	18	21	8	13	7	2	5	7	2	5
65-69 years-----	25	16	9	19	11	8	6	5	1	5	4	1
70-74 years-----	34	15	19	27	11	16	7	4	3	6	3	3
75-79 years-----	31	11	20	21	5	16	10	6	4	10	6	4
80-84 years-----	21	9	12	18	8	10	3	1	2	3	1	2
85-89 years-----	18	4	14	17	4	13	1	-	1	1	-	1
90-94 years-----	8	2	6	3	-	3	5	2	3	5	2	3
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Hemophilus meningitis (G00.0)

All ages-----	5	2	3	3	1	2	2	1	1	2	1	1
Under 1 year-----	3	2	1	1	1	-	2	1	1	2	1	1
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Pneumococcal meningitis (G00.1)												
All ages-----	146	77	69	105	55	50	41	22	19	33	19	14
Under 1 year-----	17	9	8	12	9	3	5	-	5	3	-	3
1-4 years-----	17	10	7	12	8	4	5	2	3	4	2	2
5-9 years-----	6	4	2	3	2	1	3	2	1	3	2	1
10-14 years-----	2	2	-	2	2	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	2	1	1	2	1	1	-	-	-	-	-	-
25-29 years-----	4	1	3	4	1	3	-	-	-	-	-	-
30-34 years-----	4	1	3	4	1	3	-	-	-	-	-	-
35-39 years-----	7	4	3	3	2	1	4	2	2	3	2	1
40-44 years-----	4	3	1	2	1	1	2	2	-	1	1	-
45-49 years-----	16	12	4	9	5	4	7	7	-	7	7	-
50-54 years-----	15	10	5	10	6	4	5	4	1	5	4	1
55-59 years-----	8	4	4	7	4	3	1	-	1	-	-	-
60-64 years-----	5	1	4	2	1	1	3	-	3	3	-	3
65-69 years-----	5	2	3	4	1	3	1	1	-	-	-	-
70-74 years-----	10	2	8	8	1	7	2	1	1	1	-	1
75-79 years-----	6	3	3	5	3	2	1	-	1	1	-	1
80-84 years-----	10	6	4	8	5	3	2	1	1	2	1	1
85-89 years-----	5	2	3	5	2	3	-	-	-	-	-	-
90-94 years-----	3	-	3	3	-	3	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal meningitis (G00.2)												
All ages-----	88	43	45	57	29	28	31	14	17	28	11	17
Under 1 year-----	34	18	16	17	11	6	17	7	10	15	5	10
1-4 years-----	6	2	4	5	2	3	1	-	1	1	-	1
5-9 years-----	2	1	1	2	1	1	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	2	1	1	1	1	-	1	-	1	1	-	1
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	1	1	-	-	-	-	1	1	-	-	-	-
35-39 years-----	3	2	1	2	1	1	1	1	-	1	1	-
40-44 years-----	4	3	1	3	3	-	1	-	1	1	-	1
45-49 years-----	4	3	1	3	3	-	1	-	1	1	-	1
50-54 years-----	6	3	3	3	1	2	3	2	1	3	2	1
55-59 years-----	3	1	2	3	1	2	-	-	-	-	-	-
60-64 years-----	3	1	2	3	1	2	-	-	-	-	-	-
65-69 years-----	7	4	3	6	3	3	1	1	-	1	1	-
70-74 years-----	4	1	3	2	-	2	2	1	1	2	1	1
75-79 years-----	4	1	3	3	-	3	1	1	-	1	1	-
80-84 years-----	2	-	2	1	-	1	1	-	1	1	-	1
85-89 years-----	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Staphylococcal meningitis (G00.3)												
All ages-----	19	13	6	17	11	6	2	2	-	2	2	-
Under 1 year----	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	3	1	2	2	-	2	1	1	-	1	1	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	2	2	-	1	1	-	1	1	-	1	1	-
65-69 years-----	4	4	-	4	4	-	-	-	-	-	-	-
70-74 years-----	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Other bacterial meningitis (G00.8)												
All ages-----	26	13	13	21	10	11	5	3	2	4	3	1
Under 1 year----	12	6	6	9	4	5	3	2	1	2	2	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	2	2	-	2	2	-	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	1	-	1	-	-	-	1	-	1	-	-	1
65-69 years-----	2	2	-	2	2	-	-	-	-	-	-	-
70-74 years-----	1	1	-	-	-	-	1	1	-	1	1	-
75-79 years-----	2	-	2	2	-	2	-	-	-	-	-	-
80-84 years-----	2	-	2	2	-	2	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Bacterial meningitis, unspecified (G00.9)												
All ages-----	189	96	93	135	67	68	54	29	25	51	28	23
Under 1 year----	21	10	11	12	9	3	9	1	8	9	1	8
1-4 years-----	2	1	1	2	1	1	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	5	4	1	5	4	1	-	-	-	-	-	-
15-19 years-----	6	3	3	4	2	2	2	1	1	2	1	1
20-24 years-----	7	4	3	4	2	2	3	2	1	3	2	1
25-29 years-----	3	1	2	3	1	2	-	-	-	-	-	-
30-34 years-----	9	4	5	7	3	4	2	1	1	-	-	-
35-39 years-----	11	6	5	10	6	4	1	-	1	1	-	1
40-44 years-----	13	10	3	8	6	2	5	4	1	5	4	1
45-49 years-----	17	11	6	10	6	4	7	5	2	6	5	1
50-54 years-----	10	7	3	8	5	3	2	2	-	2	2	-
55-59 years-----	7	4	3	6	3	3	1	1	-	1	1	-
60-64 years-----	16	6	10	14	5	9	2	1	1	2	1	1
65-69 years-----	7	4	3	3	1	2	4	3	1	4	3	1
70-74 years-----	17	10	7	15	9	6	2	1	1	2	1	1
75-79 years-----	18	6	12	10	1	9	8	5	3	8	5	3
80-84 years-----	6	2	4	6	2	4	-	-	-	-	-	-
85-89 years-----	9	1	8	8	1	7	1	-	1	1	-	1
90-94 years-----	5	2	3	-	-	-	5	2	3	5	2	3
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Meningitis due to other and unspecified causes (G03)

All ages-----	377	198	179	263	135	128	114	63	51	102	57	45
Under 1 year----	28	16	12	16	12	4	12	4	8	11	4	7
1-4 years-----	20	13	7	14	9	5	6	4	2	6	4	2
5-9 years-----	4	3	1	2	1	1	2	2	-	2	2	-
10-14 years-----	6	3	3	3	1	2	3	2	1	3	2	1
15-19 years-----	13	7	6	6	3	3	7	4	3	7	4	3
20-24 years-----	11	10	1	4	3	1	7	7	-	4	4	-
25-29 years-----	12	5	7	7	1	6	5	4	1	5	4	1
30-34 years-----	12	10	2	6	5	1	6	5	1	6	5	1
35-39 years-----	12	6	6	7	3	4	5	3	2	5	3	2
40-44 years-----	22	11	11	14	5	9	8	6	2	5	4	1
45-49 years-----	20	10	10	13	6	7	7	4	3	7	4	3
50-54 years-----	13	8	5	10	6	4	3	2	1	3	2	1
55-59 years-----	21	13	8	14	10	4	7	3	4	7	3	4
60-64 years-----	21	11	10	18	9	9	3	2	1	3	2	1
65-69 years-----	24	12	12	19	10	9	5	2	3	4	2	2
70-74 years-----	32	17	15	24	14	10	8	3	5	6	3	3
75-79 years-----	34	15	19	26	12	14	8	3	5	7	2	5
80-84 years-----	36	14	22	30	13	17	6	1	5	5	1	4
85-89 years-----	22	9	13	19	8	11	3	1	2	3	1	2
90-94 years-----	12	5	7	9	4	5	3	1	2	3	1	2
95-99 years-----	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Nonpyogenic meningitis (G03.0)												
All ages-----	14	7	7	11	5	6	3	2	1	2	1	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	1	-	-	-	-	1	1	-	1	1	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	2	1	1	1	-	1	1	1	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	-	1	-	-	-	1	-	1	1	-	1
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years-----	3	1	2	3	1	2	-	-	-	-	-	-
85-89 years-----	2	2	-	2	2	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Chronic meningitis (G03.1)												
All ages-----	10	5	5	9	4	5	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	1	-	-	-	-	1	1	-	1	1	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years-----	2	-	2	2	-	2	-	-	-	-	-	-
80-84 years-----	3	2	1	3	2	1	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Benign recurrent meningitis [Mollaret] (G03.2)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Meningitis due to other specified causes (G03.8)

All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Meningitis, unspecified (G03.9)												
All ages-----	351	185	166	241	125	116	110	60	50	99	55	44
Under 1 year-----	28	16	12	16	12	4	12	4	8	11	4	7
1-4 years-----	18	11	7	14	9	5	4	2	2	4	2	2
5-9 years-----	4	3	1	2	1	1	2	2	-	2	2	-
10-14 years-----	6	3	3	3	1	2	3	2	1	3	2	1
15-19 years-----	13	7	6	6	3	3	7	4	3	7	4	3
20-24 years-----	10	10	-	3	3	-	7	7	-	4	4	-
25-29 years-----	12	5	7	7	1	6	5	4	1	5	4	1
30-34 years-----	12	10	2	6	5	1	6	5	1	6	5	1
35-39 years-----	12	6	6	7	3	4	5	3	2	5	3	2
40-44 years-----	20	10	10	13	5	8	7	5	2	5	4	1
45-49 years-----	19	10	9	12	6	6	7	4	3	7	4	3
50-54 years-----	13	8	5	10	6	4	3	2	1	3	2	1
55-59 years-----	20	13	7	14	10	4	6	3	3	6	3	3
60-64 years-----	21	11	10	18	9	9	3	2	1	3	2	1
65-69 years-----	21	10	11	16	8	8	5	2	3	4	2	2
70-74 years-----	30	16	14	22	13	9	8	3	5	6	3	3
75-79 years-----	30	14	16	22	11	11	8	3	5	7	2	5
80-84 years-----	30	11	19	24	10	14	6	1	5	5	1	4
85-89 years-----	18	6	12	15	5	10	3	1	2	3	1	2
90-94 years-----	12	5	7	9	4	5	3	1	2	3	1	2
95-99 years-----	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Encephalitis, myelitis, and encephalomyelitis (G04)

All ages-----	270	135	135	216	110	106	54	25	29	48	20	28
Under 1 year-----	4	1	3	4	1	3	-	-	-	-	-	-
1-4 years-----	10	7	3	6	3	3	4	4	-	3	3	-
5-9 years-----	15	10	5	12	8	4	3	2	1	3	2	1
10-14 years-----	5	2	3	4	2	2	1	-	1	1	-	1
15-19 years-----	8	3	5	6	2	4	2	1	1	1	-	1
20-24 years-----	6	3	3	4	2	2	2	1	1	2	1	1
25-29 years-----	5	3	2	3	2	1	2	1	1	2	1	1
30-34 years-----	8	6	2	4	3	1	4	3	1	3	2	1
35-39 years-----	12	7	5	7	5	2	5	2	3	5	2	3
40-44 years-----	16	8	8	11	5	6	5	3	2	5	3	2
45-49 years-----	16	8	8	13	6	7	3	2	1	3	2	1
50-54 years-----	13	6	7	10	6	4	3	-	3	3	-	3
55-59 years-----	11	7	4	7	5	2	4	2	2	4	2	2
60-64 years-----	19	9	10	14	8	6	5	1	4	5	1	4
65-69 years-----	23	11	12	21	10	11	2	1	1	2	1	1
70-74 years-----	24	9	15	22	9	13	2	-	2	2	-	2
75-79 years-----	23	12	11	21	12	9	2	-	2	2	-	2
80-84 years-----	28	13	15	25	12	13	3	1	2	1	-	1
85-89 years-----	18	7	11	16	6	10	2	1	1	1	-	1
90-94 years-----	4	2	2	4	2	2	-	-	-	-	-	-
95-99 years-----	2	1	1	2	1	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Acute disseminated encephalitis (G04.0)												
All ages-----	5	4	1	4	3	1	1	1	-	1	1	-
Under 1 year----	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	1	-	-	-	-	1	1	-	1	1	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Bacterial meningoenephalitis and meningomyelitis, not elsewhere classified (G04.2)

All ages-----	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other encephalitis, myelitis, and encephalomyelitis (G04.8)												
All ages-----	12	6	6	11	5	6	1	1	-	1	1	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	2	-	2	2	-	2	-	-	-	-	-	-
45-49 years-----	1	1	-	-	-	-	1	1	-	1	1	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	3	2	1	3	2	1	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Encephalitis, myelitis, and encephalomyelitis, unspecified (G04.9)

All ages-----	251	124	127	199	101	98	52	23	29	46	18	28
Under 1 year----	3	1	2	3	1	2	-	-	-	-	-	-
1-4 years-----	10	7	3	6	3	3	4	4	-	3	3	-
5-9 years-----	13	8	5	11	7	4	2	1	1	2	1	1
10-14 years-----	4	1	3	3	1	2	1	-	1	1	-	1
15-19 years-----	7	3	4	5	2	3	2	1	1	1	-	1
20-24 years-----	6	3	3	4	2	2	2	1	1	2	1	1
25-29 years-----	4	3	1	2	2	-	2	1	1	2	1	1
30-34 years-----	8	6	2	4	3	1	4	3	1	3	2	1
35-39 years-----	11	6	5	6	4	2	5	2	3	5	2	3
40-44 years-----	13	8	5	8	5	3	5	3	2	5	3	2
45-49 years-----	14	6	8	12	5	7	2	1	1	2	1	1
50-54 years-----	12	5	7	9	5	4	3	-	3	3	-	3
55-59 years-----	10	6	4	6	4	2	4	2	2	4	2	2
60-64 years-----	19	9	10	14	8	6	5	1	4	5	1	4
65-69 years-----	19	8	11	17	7	10	2	1	1	2	1	1
70-74 years-----	23	9	14	21	9	12	2	-	2	2	-	2
75-79 years-----	23	12	11	21	12	9	2	-	2	2	-	2
80-84 years-----	28	13	15	25	12	13	3	1	2	1	-	1
85-89 years-----	18	7	11	16	6	10	2	1	1	1	-	1
90-94 years-----	4	2	2	4	2	2	-	-	-	-	-	-
95-99 years-----	2	1	1	2	1	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Intracranial and intraspinal abscess and granuloma (G06)												
All ages-----	174	98	76	133	73	60	41	25	16	37	24	13
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	-	1	-	-	-	1	-	1	1	-	1
5-9 years-----	1	-	1	-	-	-	1	-	1	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	2	1	1	2	1	1	-	-	-	-	-	-
20-24 years-----	6	3	3	3	2	1	3	1	2	3	1	2
25-29 years-----	5	1	4	4	1	3	1	-	1	1	-	1
30-34 years-----	2	2	-	1	1	-	1	1	-	1	1	-
35-39 years-----	7	5	2	5	3	2	2	2	-	2	2	-
40-44 years-----	10	9	1	5	4	1	5	5	-	5	5	-
45-49 years-----	11	8	3	9	6	3	2	2	-	2	2	-
50-54 years-----	12	7	5	11	6	5	1	1	-	1	1	-
55-59 years-----	18	15	3	13	10	3	5	5	-	4	4	-
60-64 years-----	13	5	8	9	4	5	4	1	3	3	1	2
65-69 years-----	17	11	6	13	8	5	4	3	1	4	3	1
70-74 years-----	22	7	15	16	6	10	6	1	5	5	1	4
75-79 years-----	20	10	10	17	9	8	3	1	2	3	1	2
80-84 years-----	15	10	5	14	9	5	1	1	-	1	1	-
85-89 years-----	7	2	5	6	1	5	1	1	-	1	1	-
90-94 years-----	3	2	1	3	2	1	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Intracranial abscess and granuloma (G06.0)

All ages-----	99	59	40	77	43	34	22	16	6	20	16	4
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	-	1	-	-	-	1	-	1	1	-	1
5-9 years-----	1	-	1	-	-	-	1	-	1	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	2	1	1	2	1	1	-	-	-	-	-	-
20-24 years-----	5	3	2	3	2	1	2	1	1	2	1	1
25-29 years-----	4	-	4	3	-	3	1	-	1	1	-	1
30-34 years-----	2	2	-	1	1	-	1	1	-	1	1	-
35-39 years-----	6	4	2	5	3	2	1	1	-	1	1	-
40-44 years-----	10	9	1	5	4	1	5	5	-	5	5	-
45-49 years-----	7	5	2	7	5	2	-	-	-	-	-	-
50-54 years-----	6	4	2	6	4	2	-	-	-	-	-	-
55-59 years-----	9	8	1	5	4	1	4	4	-	4	4	-
60-64 years-----	7	4	3	5	4	1	2	-	2	1	-	1
65-69 years-----	8	5	3	6	3	3	2	2	-	2	2	-
70-74 years-----	10	5	5	9	4	5	1	1	-	1	1	-
75-79 years-----	11	4	7	11	4	7	-	-	-	-	-	-
80-84 years-----	5	4	1	4	3	1	1	1	-	1	1	-
85-89 years-----	3	1	2	3	1	2	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

RACE, AND SEX

Intraspinal abscess and granuloma (G06.1)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	23	11	12	15	8	7	8	3	5	7	3	4
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	2	2	-	2	2	-	-	-	-	-	-	-
60-64 years-----	4	1	3	2	-	2	2	1	1	2	1	1
65-69 years-----	3	2	1	2	1	1	1	1	-	1	1	-
70-74 years-----	5	1	4	2	1	1	3	-	3	2	-	2
75-79 years-----	2	1	1	-	-	-	2	1	1	2	1	1
80-84 years-----	3	3	-	3	3	-	-	-	-	-	-	-
85-89 years-----	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Extradural and subdural abscess, unspecified (G06.2)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	52	28	24	41	22	19	11	6	5	10	5	5
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	-	1	-	-	-	1	-	1	1	-	1
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	-	-	-	1	1	-	1	1	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	3	3	-	1	1	-	2	2	-	2	2	-
50-54 years-----	5	2	3	4	1	3	1	1	-	1	1	-
55-59 years-----	7	5	2	6	4	2	1	1	-	-	-	-
60-64 years-----	2	-	2	2	-	2	-	-	-	-	-	-
65-69 years-----	6	4	2	5	4	1	1	-	1	1	-	1
70-74 years-----	7	1	6	5	1	4	2	-	2	2	-	2
75-79 years-----	7	5	2	6	5	1	1	-	1	1	-	1
80-84 years-----	7	3	4	7	3	4	-	-	-	-	-	-
85-89 years-----	2	1	1	1	-	1	1	1	-	1	1	-
90-94 years-----	3	2	1	3	2	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Intracranial and intraspinal phlebitis and thrombophlebitis (G08)												
All ages-----	16	5	11	14	4	10	2	1	1	2	1	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years-----	2	1	1	1	1	-	1	-	1	1	-	1
30-34 years-----	2	-	2	2	-	2	-	-	-	-	-	-
35-39 years-----	2	1	1	2	1	1	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	3	1	2	2	-	2	1	1	-	1	1	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Sequelae of inflammatory diseases of central nervous system (G09)

All ages-----	108	65	43	89	53	36	19	12	7	17	11	6
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	8	5	3	5	4	1	3	1	2	2	-	2
5-9 years-----	7	5	2	5	3	2	2	2	-	2	2	-
10-14 years-----	5	4	1	4	3	1	1	1	-	1	1	-
15-19 years-----	3	1	2	3	1	2	-	-	-	-	-	-
20-24 years-----	3	3	-	1	1	-	2	2	-	2	2	-
25-29 years-----	2	2	-	2	2	-	-	-	-	-	-	-
30-34 years-----	5	3	2	3	2	1	2	1	1	2	1	1
35-39 years-----	4	2	2	3	2	1	1	-	1	1	-	1
40-44 years-----	7	5	2	6	4	2	1	1	-	1	1	-
45-49 years-----	4	-	4	3	-	3	1	-	1	1	-	1
50-54 years-----	8	5	3	6	4	2	2	1	1	2	1	1
55-59 years-----	9	8	1	9	8	1	-	-	-	-	-	-
60-64 years-----	2	-	2	2	-	2	-	-	-	-	-	-
65-69 years-----	4	3	1	3	2	1	1	1	-	1	1	-
70-74 years-----	15	7	8	13	6	7	2	1	1	1	1	-
75-79 years-----	7	4	3	7	4	3	-	-	-	-	-	-
80-84 years-----	7	4	3	7	4	3	-	-	-	-	-	-
85-89 years-----	4	4	-	3	3	-	1	1	-	1	1	-
90-94 years-----	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years-----	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Huntington's disease (G10)												
All ages-----	596	299	297	551	284	267	45	15	30	40	15	25
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	2	2	-	1	1	-	1	1	-	1	1	-
10-14 years-----	3	1	2	3	1	2	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	4	2	2	4	2	2	-	-	-	-	-	-
25-29 years-----	7	5	2	7	5	2	-	-	-	-	-	-
30-34 years-----	10	4	6	8	4	4	2	-	2	2	-	2
35-39 years-----	28	12	16	25	10	15	3	2	1	3	2	1
40-44 years-----	49	29	20	45	28	17	4	1	3	3	1	2
45-49 years-----	53	27	26	47	24	23	6	3	3	6	3	3
50-54 years-----	99	51	48	88	48	40	11	3	8	11	3	8
55-59 years-----	58	31	27	55	30	25	3	1	2	2	1	1
60-64 years-----	65	30	35	62	29	33	3	1	2	2	1	1
65-69 years-----	59	35	24	57	34	23	2	1	1	2	1	1
70-74 years-----	61	30	31	58	29	29	3	1	2	3	1	2
75-79 years-----	42	18	24	41	18	23	1	-	1	-	-	-
80-84 years-----	30	14	16	28	13	15	2	1	1	2	1	1
85-89 years-----	17	7	10	14	7	7	3	-	3	2	-	2
90-94 years-----	8	1	7	7	1	6	1	-	1	1	-	1
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Hereditary ataxia (G11)												
All ages-----	126	58	68	118	54	64	8	4	4	8	4	4
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	2	-	2	-	-	-	2	-	2	2	-	2
5-9 years-----	3	1	2	3	1	2	-	-	-	-	-	-
10-14 years-----	1	1	-	-	-	-	1	1	-	1	1	-
15-19 years-----	2	1	1	2	1	1	-	-	-	-	-	-
20-24 years-----	2	1	1	2	1	1	-	-	-	-	-	-
25-29 years-----	8	3	5	8	3	5	-	-	-	-	-	-
30-34 years-----	7	1	6	7	1	6	-	-	-	-	-	-
35-39 years-----	6	2	4	4	1	3	2	1	1	2	1	1
40-44 years-----	12	8	4	12	8	4	-	-	-	-	-	-
45-49 years-----	13	4	9	12	3	9	1	1	-	1	1	-
50-54 years-----	7	4	3	7	4	3	-	-	-	-	-	-
55-59 years-----	8	3	5	8	3	5	-	-	-	-	-	-
60-64 years-----	8	4	4	7	3	4	1	1	-	1	1	-
65-69 years-----	10	6	4	10	6	4	-	-	-	-	-	-
70-74 years-----	14	9	5	14	9	5	-	-	-	-	-	-
75-79 years-----	7	4	3	7	4	3	-	-	-	-	-	-
80-84 years-----	8	2	6	7	2	5	1	-	1	1	-	1
85-89 years-----	7	4	3	7	4	3	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Congenital nonprogressive ataxia (G11.0)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Early-onset cerebellar ataxia (G11.1)												
All ages-----	69	29	40	64	26	38	5	3	2	5	3	2
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	2	-	2	-	-	-	2	-	2	2	-	2
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	1	1	-	-	-	-	1	1	-	1	1	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	2	1	1	2	1	1	-	-	-	-	-	-
25-29 years-----	6	2	4	6	2	4	-	-	-	-	-	-
30-34 years-----	7	1	6	7	1	6	-	-	-	-	-	-
35-39 years-----	5	2	3	4	1	3	1	1	-	1	1	-
40-44 years-----	9	6	3	9	6	3	-	-	-	-	-	-
45-49 years-----	10	3	7	9	2	7	1	1	-	1	1	-
50-54 years-----	5	4	1	5	4	1	-	-	-	-	-	-
55-59 years-----	6	3	3	6	3	3	-	-	-	-	-	-
60-64 years-----	3	1	2	3	1	2	-	-	-	-	-	-
65-69 years-----	4	1	3	4	1	3	-	-	-	-	-	-
70-74 years-----	5	2	3	5	2	3	-	-	-	-	-	-
75-79 years-----	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),

RACE, AND SEX - - - ALL RACES - - - - - - WHITE - - - - - - ALL OTHER - - - - - - BLACK - - -

TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Late-onset cerebellar ataxia (G11.2)

All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Cerebellar ataxia with defective DNA repair (G11.3)

All ages-----	6	2	4	6	2	4	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	2	-	2	2	-	2	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	2	1	1	2	1	1	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	2	1	1	2	1	1	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Hereditary spastic paraplegia (G11.4)												
All ages-----	4	2	2	4	2	2	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Other hereditary ataxias (G11.8)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Hereditary ataxia, unspecified (G11.9)												
All ages-----	44	25	19	41	24	17	3	1	2	3	1	2
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	-	-	-	1	-	1	1	-	1
40-44 years-----	3	2	1	3	2	1	-	-	-	-	-	-
45-49 years-----	2	-	2	2	-	2	-	-	-	-	-	-
50-54 years-----	2	-	2	2	-	2	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	4	3	1	3	2	1	1	1	-	1	1	-
65-69 years-----	5	5	-	5	5	-	-	-	-	-	-	-
70-74 years-----	8	6	2	8	6	2	-	-	-	-	-	-
75-79 years-----	5	3	2	5	3	2	-	-	-	-	-	-
80-84 years-----	7	2	5	6	2	4	1	-	1	1	-	1
85-89 years-----	6	4	2	6	4	2	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Spinal muscular atrophy and related syndromes (G12)

All ages-----	5,304	2,799	2,505	4,957	2,618	2,339	347	181	166	268	141	127
Under 1 year-----	108	62	46	94	56	38	14	6	8	11	5	6
1-4 years-----	30	12	18	24	10	14	6	2	4	6	2	4
5-9 years-----	9	6	3	6	6	-	3	-	3	3	-	3
10-14 years-----	2	1	1	1	1	-	1	-	1	1	-	1
15-19 years-----	9	6	3	7	5	2	2	1	1	1	-	1
20-24 years-----	4	3	1	3	3	-	1	-	1	-	-	-
25-29 years-----	4	4	-	4	4	-	-	-	-	-	-	-
30-34 years-----	28	20	8	23	15	8	5	5	-	4	4	-
35-39 years-----	69	57	12	63	52	11	6	5	1	4	3	1
40-44 years-----	135	85	50	120	76	44	15	9	6	11	6	5
45-49 years-----	193	120	73	163	107	56	30	13	17	28	13	15
50-54 years-----	297	182	115	262	158	104	35	24	11	30	23	7
55-59 years-----	387	223	164	353	206	147	34	17	17	26	12	14
60-64 years-----	471	258	213	440	239	201	31	19	12	24	15	9
65-69 years-----	765	421	344	718	396	322	47	25	22	35	18	17
70-74 years-----	938	461	477	888	434	454	50	27	23	39	20	19
75-79 years-----	937	453	484	900	435	465	37	18	19	23	14	9
80-84 years-----	583	283	300	565	279	286	18	4	14	14	3	11
85-89 years-----	266	115	151	256	110	146	10	5	5	7	2	5
90-94 years-----	62	26	36	61	25	36	1	1	-	1	1	-
95-99 years-----	6	1	5	5	1	4	1	-	1	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Infantile spinal muscular atrophy, type I [Werdnig-Hoffman] (G12.0)												
All ages-----	62	33	29	48	28	20	14	5	9	12	4	8
Under 1 year-----	42	25	17	35	21	14	7	4	3	5	3	2
1-4 years-----	10	3	7	7	2	5	3	1	2	3	1	2
5-9 years-----	5	2	3	2	2	-	3	-	3	3	-	3
10-14 years-----	2	1	1	1	1	-	1	-	1	1	-	1
15-19 years-----	2	1	1	2	1	1	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Other inherited spinal muscular atrophy (G12.1)												
All ages-----	13	9	4	11	8	3	2	1	1	2	1	1
Under 1 year-----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	3	2	1	2	2	-	1	-	1	1	-	1
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	3	3	-	2	2	-	1	1	-	1	1	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Motor neuron disease (G12.2)												
All ages-----	5,127	2,702	2,425	4,809	2,531	2,278	318	171	147	244	133	111
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	3	2	1	2	1	1	1	1	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	4	4	-	4	4	-	-	-	-	-	-	-
30-34 years-----	26	19	7	21	14	7	5	5	-	4	4	-
35-39 years-----	69	57	12	63	52	11	6	5	1	4	3	1
40-44 years-----	133	85	48	118	76	42	15	9	6	11	6	5
45-49 years-----	193	120	73	163	107	56	30	13	17	28	13	15
50-54 years-----	296	182	114	261	158	103	35	24	11	30	23	7
55-59 years-----	385	222	163	352	205	147	33	17	16	25	12	13
60-64 years-----	465	252	213	435	234	201	30	18	12	23	14	9
65-69 years-----	763	420	343	717	396	321	46	24	22	35	18	17
70-74 years-----	937	461	476	887	434	453	50	27	23	39	20	19
75-79 years-----	936	453	483	899	435	464	37	18	19	23	14	9
80-84 years-----	581	281	300	563	277	286	18	4	14	14	3	11
85-89 years-----	264	114	150	254	109	145	10	5	5	7	2	5
90-94 years-----	62	26	36	61	25	36	1	1	-	1	1	-
95-99 years-----	6	1	5	5	1	4	1	-	1	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other spinal muscular atrophies and related syndromes (G12.8)

All ages-----	2	1	1	1	1	-	1	-	1	-	-	-
Under 1 year----	1	-	1	-	-	-	1	-	1	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Spinal muscular atrophy, unspecified (G12.9)												
All ages-----	100	54	46	88	50	38	12	4	8	10	3	7
Under 1 year-----	64	36	28	58	34	24	6	2	4	6	2	4
1-4 years-----	18	7	11	15	6	9	3	1	2	3	1	2
5-9 years-----	3	3	-	3	3	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	3	2	1	2	2	-	1	-	1	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	-	1	-	-	-	1	-	1	1	-	1
60-64 years-----	3	3	-	3	3	-	-	-	-	-	-	-
65-69 years-----	2	1	1	1	-	1	1	1	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Parkinson's disease (G20)

All ages-----	14,511	8,221	6,290	13,810	7,843	5,967	701	378	323	502	267	235
Under 1 year-----	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	3	1	2	3	1	2	-	-	-	-	-	-
45-49 years-----	8	5	3	8	5	3	-	-	-	-	-	-
50-54 years-----	35	25	10	31	24	7	4	1	3	4	1	3
55-59 years-----	71	42	29	63	39	24	8	3	5	7	3	4
60-64 years-----	166	115	51	149	105	44	17	10	7	13	9	4
65-69 years-----	535	335	200	495	311	184	40	24	16	32	22	10
70-74 years-----	1,474	959	515	1,390	916	474	84	43	41	64	37	27
75-79 years-----	3,049	1,931	1,118	2,894	1,834	1,060	155	97	58	108	66	42
80-84 years-----	4,028	2,360	1,668	3,861	2,274	1,587	167	86	81	112	56	56
85-89 years-----	3,320	1,696	1,624	3,180	1,622	1,558	140	74	66	94	47	47
90-94 years-----	1,477	635	842	1,412	603	809	65	32	33	51	21	30
95-99 years-----	311	109	202	292	101	191	19	8	11	15	5	10
100 yrs & over---	31	6	25	29	6	23	2	-	2	2	-	2
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Secondary parkinsonism (G21)												
All ages-----	82	41	41	76	37	39	6	4	2	5	3	2
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	1	1	-	-	-	-	1	1	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	2	2	-	2	2	-	-	-	-	-	-	-
60-64 years-----	3	2	1	1	1	-	2	1	1	2	1	1
65-69 years-----	4	3	1	3	3	-	1	-	1	1	-	1
70-74 years-----	7	6	1	7	6	1	-	-	-	-	-	-
75-79 years-----	17	9	8	16	8	8	1	1	-	1	1	-
80-84 years-----	16	7	9	16	7	9	-	-	-	-	-	-
85-89 years-----	12	3	9	12	3	9	-	-	-	-	-	-
90-94 years-----	15	4	11	14	3	11	1	1	-	1	1	-
95-99 years-----	2	1	1	2	1	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Malignant neuroleptic syndrome (G21.0)

All ages-----	10	9	1	8	7	1	2	2	-	1	1	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	1	1	-	-	-	-	1	1	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	2	2	-	1	1	-	1	1	-	1	1	-
65-69 years-----	2	2	-	2	2	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

RACE, AND SEX

Other drug-induced secondary parkinsonism (G21.1)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Secondary parkinsonism due to other external agents (G21.2)

All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other secondary parkinsonism (G21.8)												
All ages-----	39	14	25	37	13	24	2	1	1	2	1	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	1	-	1	-	-	-	1	-	1	1	-	1
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	7	3	4	7	3	4	-	-	-	-	-	-
80-84 years-----	9	4	5	9	4	5	-	-	-	-	-	-
85-89 years-----	8	2	6	8	2	6	-	-	-	-	-	-
90-94 years-----	11	3	8	10	2	8	1	1	-	1	1	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Secondary parkinsonism, unspecified (G21.9)

All ages-----	31	17	14	29	16	13	2	1	1	2	1	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	2	1	1	1	1	-	1	-	1	1	-	1
70-74 years-----	6	5	1	6	5	1	-	-	-	-	-	-
75-79 years-----	10	6	4	9	5	4	1	1	-	1	1	-
80-84 years-----	5	2	3	5	2	3	-	-	-	-	-	-
85-89 years-----	4	1	3	4	1	3	-	-	-	-	-	-
90-94 years-----	3	1	2	3	1	2	-	-	-	-	-	-
95-99 years-----	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other degenerative diseases of basal ganglia (G23)												
All ages-----	162	76	86	142	70	72	20	6	14	11	3	8
Under 1 year-----	2	2	-	2	2	-	-	-	-	-	-	-
1-4 years-----	1	-	1	-	-	-	1	-	1	-	-	-
5-9 years-----	1	-	1	-	-	-	1	-	1	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	3	1	2	1	-	1	2	1	1	1	1	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	6	4	2	4	2	2	2	2	-	1	1	-
40-44 years-----	6	3	3	3	2	1	3	1	2	3	1	2
45-49 years-----	4	2	2	2	1	1	2	1	1	1	-	1
50-54 years-----	6	2	4	6	2	4	-	-	-	-	-	-
55-59 years-----	17	12	5	14	12	2	3	-	3	3	-	3
60-64 years-----	15	8	7	13	7	6	2	1	1	-	-	-
65-69 years-----	25	11	14	22	11	11	3	-	3	1	-	1
70-74 years-----	28	10	18	27	10	17	1	-	1	1	-	1
75-79 years-----	22	13	9	22	13	9	-	-	-	-	-	-
80-84 years-----	16	4	12	16	4	12	-	-	-	-	-	-
85-89 years-----	7	3	4	7	3	4	-	-	-	-	-	-
90-94 years-----	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Hallervorden-Spatz disease (G23.0)

All ages-----	7	2	5	4	1	3	3	1	2	2	1	1
Under 1 year-----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	-	1	-	-	-	1	-	1	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	2	1	1	1	-	1	1	1	-	1	1	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	-	-	-	1	-	1	1	-	1
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Progressive supranuclear ophthalmoplegia [Steele-Richardson-Olszewski] (G23.1)												
All ages-----	4	3	1	4	3	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	2	2	-	2	2	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Striatonigral degeneration (G23.2)

All ages-----	15	5	10	15	5	10	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	2	-	2	2	-	2	-	-	-	-	-	-
65-69 years-----	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years-----	3	-	3	3	-	3	-	-	-	-	-	-
75-79 years-----	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years-----	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years-----	3	1	2	3	1	2	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

ALL RACES WHITE ALL OTHER BLACK

Other specified degenerative diseases of basal ganglia (G23.8)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	117	59	58	100	54	46	17	5	12	9	2	7
Under 1 year----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	1	-	1	-	-	-	1	-	1	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	-	1	-	-	-	1	-	1	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	6	4	2	4	2	2	2	2	-	1	1	-
40-44 years-----	5	3	2	3	2	1	2	1	1	2	1	1
45-49 years-----	3	2	1	1	1	-	2	1	1	1	-	1
50-54 years-----	5	2	3	5	2	3	-	-	-	-	-	-
55-59 years-----	14	10	4	11	10	1	3	-	3	3	-	3
60-64 years-----	12	7	5	10	6	4	2	1	1	-	-	-
65-69 years-----	20	10	10	17	10	7	3	-	3	1	-	1
70-74 years-----	18	8	10	17	8	9	1	-	1	1	-	1
75-79 years-----	17	9	8	17	9	8	-	-	-	-	-	-
80-84 years-----	9	1	8	9	1	8	-	-	-	-	-	-
85-89 years-----	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years-----	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Degenerative disease of basal ganglia, unspecified (G23.9)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	19	7	12	19	7	12	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	3	-	3	3	-	3	-	-	-	-	-	-
70-74 years-----	5	-	5	5	-	5	-	-	-	-	-	-
75-79 years-----	2	2	-	2	2	-	-	-	-	-	-	-
80-84 years-----	4	2	2	4	2	2	-	-	-	-	-	-
85-89 years-----	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Dystonia (G24)												
All ages-----	56	18	38	51	16	35	5	2	3	4	2	2
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	4	3	1	4	3	1	-	-	-	-	-	-
65-69 years-----	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years-----	3	3	-	3	3	-	-	-	-	-	-	-
75-79 years-----	9	2	7	6	1	5	3	1	2	3	1	2
80-84 years-----	16	3	13	14	2	12	2	1	1	1	1	-
85-89 years-----	8	2	6	8	2	6	-	-	-	-	-	-
90-94 years-----	6	2	4	6	2	4	-	-	-	-	-	-
95-99 years-----	3	-	3	3	-	3	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Drug-induced dystonia (G24.0)

All ages-----	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Idiopathic familial dystonia (G24.1)												
All ages-----	3	2	1	3	2	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Idiopathic orofacial dystonia (G24.4)												
All ages-----	32	10	22	28	8	20	4	2	2	4	2	2
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	2	2	-	2	2	-	-	-	-	-	-	-
75-79 years-----	7	2	5	4	1	3	3	1	2	3	1	2
80-84 years-----	9	1	8	8	-	8	1	1	-	1	1	-
85-89 years-----	5	2	3	5	2	3	-	-	-	-	-	-
90-94 years-----	5	2	3	5	2	3	-	-	-	-	-	-
95-99 years-----	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other dystonia (G24.8)												
All ages-----	3	2	1	3	2	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Dystonia, unspecified (G24.9)												
All ages-----	16	3	13	15	3	12	1	-	1	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	2	1	1	2	1	1	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	5	1	4	4	1	3	1	-	1	-	-	-
85-89 years-----	3	-	3	3	-	3	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other extrapyramidal and movement disorders (G25)												
All ages-----	61	21	40	58	21	37	3	-	3	3	-	3
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	-	-	-	1	-	1	1	-	1
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	4	3	1	3	3	-	1	-	1	1	-	1
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	4	2	2	4	2	2	-	-	-	-	-	-
65-69 years-----	4	2	2	4	2	2	-	-	-	-	-	-
70-74 years-----	4	1	3	4	1	3	-	-	-	-	-	-
75-79 years-----	11	4	7	10	4	6	1	-	1	1	-	1
80-84 years-----	13	5	8	13	5	8	-	-	-	-	-	-
85-89 years-----	10	2	8	10	2	8	-	-	-	-	-	-
90-94 years-----	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years-----	3	-	3	3	-	3	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Essential tremor (G25.0)												
All ages-----	2	-	2	2	-	2	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

RACE, AND SEX

Other specified forms of tremor (G25.2)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Myoclonus (G25.3)

All ages-----	11	7	4	10	7	3	1	-	1	1	-	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	4	3	1	3	3	-	1	-	1	1	-	1
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other chorea (G25.5)												
All ages-----	10	3	7	10	3	7	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	5	3	2	5	3	2	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other specified extrapyramidal and movement disorders (G25.8)

All ages-----	11	2	9	10	2	8	1	-	1	1	-	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	-	-	-	1	-	1	1	-	1
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	2	-	2	2	-	2	-	-	-	-	-	-
75-79 years-----	2	-	2	2	-	2	-	-	-	-	-	-
80-84 years-----	2	-	2	2	-	2	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Extrapyramidal and movement disorder, unspecified (G25.9)												
All ages-----	25	7	18	24	7	17	1	-	1	1	-	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	3	2	1	3	2	1	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	8	3	5	7	3	4	1	-	1	1	-	1
80-84 years-----	4	1	3	4	1	3	-	-	-	-	-	-
85-89 years-----	6	1	5	6	1	5	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Alzheimer's disease (G30)												
All ages-----	44,536	13,391	31,145	41,877	12,585	29,292	2,659	806	1,853	2,342	692	1,650
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	6	3	3	4	2	2	2	1	1	1	-	1
45-49 years-----	20	10	10	18	10	8	2	-	2	2	-	2
50-54 years-----	40	18	22	35	16	19	5	2	3	3	2	1
55-59 years-----	125	68	57	113	61	52	12	7	5	10	6	4
60-64 years-----	323	154	169	300	144	156	23	10	13	19	9	10
65-69 years-----	830	389	441	757	355	402	73	34	39	62	31	31
70-74 years-----	2,374	1,048	1,326	2,169	961	1,208	205	87	118	187	81	106
75-79 years-----	5,769	2,332	3,437	5,363	2,180	3,183	406	152	254	364	132	232
80-84 years-----	10,067	3,572	6,495	9,470	3,384	6,086	597	188	409	526	160	366
85-89 years-----	11,862	3,382	8,480	11,216	3,198	8,018	646	184	462	569	158	411
90-94 years-----	9,041	1,861	7,180	8,611	1,763	6,848	430	98	332	367	75	292
95-99 years-----	3,473	505	2,968	3,267	469	2,798	206	36	170	184	31	153
100 yrs & over---	604	48	556	552	41	511	52	7	45	48	7	41
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Alzheimer's disease with early onset (G30.0)												
All ages-----	7	4	3	7	4	3	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	4	2	2	4	2	2	-	-	-	-	-	-
65-69 years-----	2	2	-	2	2	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Alzheimer's disease with late onset (G30.1)

All ages-----	1,846	464	1,382	1,754	445	1,309	92	19	73	78	15	63
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	2	2	-	2	2	-	-	-	-	-	-	-
60-64 years-----	8	4	4	6	4	2	2	-	2	2	-	2
65-69 years-----	21	9	12	20	9	11	1	-	1	1	-	1
70-74 years-----	65	31	34	59	28	31	6	3	3	6	3	3
75-79 years-----	181	68	113	171	67	104	10	1	9	9	1	8
80-84 years-----	355	120	235	341	116	225	14	4	10	12	3	9
85-89 years-----	504	128	376	477	121	356	27	7	20	24	5	19
90-94 years-----	473	78	395	454	76	378	19	2	17	15	2	13
95-99 years-----	190	22	168	181	20	161	9	2	7	6	1	5
100 yrs & over---	47	2	45	43	2	41	4	-	4	3	-	3
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other Alzheimer's disease (G30.8)												
All ages-----	8	3	5	6	2	4	2	1	1	2	1	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	2	2	-	2	2	-	-	-	-	-	-	-
85-89 years-----	2	-	2	1	-	1	1	-	1	1	-	1
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	2	1	1	1	-	1	1	1	-	1	1	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Alzheimer's disease, unspecified (G30.9)												
All ages-----	42,675	12,920	29,755	40,110	12,134	27,976	2,565	786	1,779	2,262	676	1,586
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	6	3	3	4	2	2	2	1	1	1	-	1
45-49 years-----	20	10	10	18	10	8	2	-	2	2	-	2
50-54 years-----	40	18	22	35	16	19	5	2	3	3	2	1
55-59 years-----	123	66	57	111	59	52	12	7	5	10	6	4
60-64 years-----	311	148	163	290	138	152	21	10	11	17	9	8
65-69 years-----	807	378	429	735	344	391	72	34	38	61	31	30
70-74 years-----	2,309	1,017	1,292	2,110	933	1,177	199	84	115	181	78	103
75-79 years-----	5,587	2,264	3,323	5,191	2,113	3,078	396	151	245	355	131	224
80-84 years-----	9,710	3,450	6,260	9,127	3,266	5,861	583	184	399	514	157	357
85-89 years-----	11,356	3,254	8,102	10,738	3,077	7,661	618	177	441	544	153	391
90-94 years-----	8,567	1,783	6,784	8,156	1,687	6,469	411	96	315	352	73	279
95-99 years-----	3,280	482	2,798	3,084	449	2,635	196	33	163	177	29	148
100 yrs & over---	557	46	511	509	39	470	48	7	41	45	7	38
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other degenerative diseases of nervous system, not elsewhere classified (G31)												
All ages-----	1,141	512	629	1,047	466	581	94	46	48	66	30	36
Under 1 year-----	16	7	9	13	6	7	3	1	2	1	-	1
1-4 years-----	28	13	15	19	10	9	9	3	6	2	1	1
5-9 years-----	12	6	6	6	4	2	6	2	4	5	1	4
10-14 years-----	9	4	5	7	3	4	2	1	1	1	1	-
15-19 years-----	6	2	4	3	1	2	3	1	2	2	1	1
20-24 years-----	10	6	4	9	6	3	1	-	1	1	-	1
25-29 years-----	3	1	2	3	1	2	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	16	8	8	13	6	7	3	2	1	3	2	1
40-44 years-----	13	11	2	10	8	2	3	3	-	3	3	-
45-49 years-----	29	15	14	26	14	12	3	1	2	3	1	2
50-54 years-----	38	20	18	33	17	16	5	3	2	4	2	2
55-59 years-----	66	35	31	56	29	27	10	6	4	8	4	4
60-64 years-----	77	42	35	71	39	32	6	3	3	3	2	1
65-69 years-----	97	51	46	91	46	45	6	5	1	2	1	1
70-74 years-----	136	61	75	126	56	70	10	5	5	8	3	5
75-79 years-----	155	83	72	148	80	68	7	3	4	6	3	3
80-84 years-----	146	59	87	143	57	86	3	2	1	2	1	1
85-89 years-----	154	61	93	150	61	89	4	-	4	3	-	3
90-94 years-----	89	23	66	85	19	66	4	4	-	3	3	-
95-99 years-----	30	3	27	27	2	25	3	1	2	3	1	2
100 yrs & over---	10	-	10	7	-	7	3	-	3	3	-	3
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Circumscribed brain atrophy (G31.0)

All ages-----	107	46	61	103	44	59	4	2	2	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	3	-	3	3	-	3	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	2	2	-	2	2	-	-	-	-	-	-	-
50-54 years-----	3	-	3	3	-	3	-	-	-	-	-	-
55-59 years-----	13	6	7	13	6	7	-	-	-	-	-	-
60-64 years-----	20	10	10	19	10	9	1	-	1	-	-	-
65-69 years-----	13	4	9	12	3	9	1	1	-	-	-	-
70-74 years-----	23	8	15	22	7	15	1	1	-	-	-	-
75-79 years-----	13	7	6	13	7	6	-	-	-	-	-	-
80-84 years-----	8	5	3	8	5	3	-	-	-	-	-	-
85-89 years-----	7	4	3	6	4	2	1	-	1	-	-	-
90-94 years-----	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Senile degeneration of brain, not elsewhere classified (G31.1)												
All ages-----	34	5	29	29	4	25	5	1	4	5	1	4
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	1	-	1	-	-	-	1	-	1	1	-	1
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	11	2	9	9	2	7	2	-	2	2	-	2
90-94 years-----	11	3	8	10	2	8	1	1	-	1	1	-
95-99 years-----	6	-	6	6	-	6	-	-	-	-	-	-
100 yrs & over---	3	-	3	2	-	2	1	-	1	1	-	1
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Degeneration of nervous system due to alcohol (G31.2)

All ages-----	105	84	21	90	72	18	15	12	3	12	9	3
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	-	1	-	-	-	1	-	1	1	-	1
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	2	2	-	1	1	-	1	1	-	1	1	-
40-44 years-----	7	6	1	6	5	1	1	1	-	1	1	-
45-49 years-----	8	6	2	7	5	2	1	1	-	1	1	-
50-54 years-----	13	8	5	10	5	5	3	3	-	2	2	-
55-59 years-----	19	16	3	14	12	2	5	4	1	4	3	1
60-64 years-----	7	6	1	7	6	1	-	-	-	-	-	-
65-69 years-----	16	16	-	15	15	-	1	1	-	1	1	-
70-74 years-----	12	8	4	11	7	4	1	1	-	-	-	-
75-79 years-----	12	9	3	11	9	2	1	-	1	1	-	1
80-84 years-----	2	2	-	2	2	-	-	-	-	-	-	-
85-89 years-----	4	3	1	4	3	1	-	-	-	-	-	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other specified degenerative diseases of nervous system (G31.8)												
All ages-----	95	36	59	88	35	53	7	1	6	4	1	3
Under 1 year----	3	1	2	2	1	1	1	-	1	1	-	1
1-4 years-----	14	4	10	10	4	6	4	-	4	1	-	1
5-9 years-----	3	2	1	3	2	1	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years-----	2	1	1	2	1	1	-	-	-	-	-	-
55-59 years-----	5	2	3	5	2	3	-	-	-	-	-	-
60-64 years-----	3	1	2	3	1	2	-	-	-	-	-	-
65-69 years-----	11	6	5	11	6	5	-	-	-	-	-	-
70-74 years-----	17	5	12	15	4	11	2	1	1	2	1	1
75-79 years-----	16	7	9	16	7	9	-	-	-	-	-	-
80-84 years-----	11	1	10	11	1	10	-	-	-	-	-	-
85-89 years-----	5	2	3	5	2	3	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Degenerative disease of nervous system, unspecified (G31.9)

All ages-----	800	341	459	737	311	426	63	30	33	45	19	26
Under 1 year----	13	6	7	11	5	6	2	1	1	-	-	-
1-4 years-----	14	9	5	9	6	3	5	3	2	1	1	-
5-9 years-----	9	4	5	3	2	1	6	2	4	5	1	4
10-14 years-----	8	3	5	6	2	4	2	1	1	1	1	-
15-19 years-----	5	1	4	2	-	2	3	1	2	2	1	1
20-24 years-----	8	5	3	8	5	3	-	-	-	-	-	-
25-29 years-----	3	1	2	3	1	2	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	11	6	5	9	5	4	2	1	1	2	1	1
40-44 years-----	6	5	1	4	3	1	2	2	-	2	2	-
45-49 years-----	17	6	11	15	6	9	2	-	2	2	-	2
50-54 years-----	20	11	9	18	11	7	2	-	2	2	-	2
55-59 years-----	29	11	18	24	9	15	5	2	3	4	1	3
60-64 years-----	47	25	22	42	22	20	5	3	2	3	2	1
65-69 years-----	56	25	31	52	22	30	4	3	1	1	-	1
70-74 years-----	83	40	43	78	38	40	5	2	3	5	2	3
75-79 years-----	114	60	54	108	57	51	6	3	3	5	3	2
80-84 years-----	124	51	73	121	49	72	3	2	1	2	1	1
85-89 years-----	127	50	77	126	50	76	1	-	1	1	-	1
90-94 years-----	75	19	56	72	16	56	3	3	-	2	2	-
95-99 years-----	24	3	21	21	2	19	3	1	2	3	1	2
100 yrs & over---	7	-	7	5	-	5	2	-	2	2	-	2
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Multiple sclerosis (G35)												
All ages-----	2,651	886	1,765	2,391	809	1,582	260	77	183	247	76	171
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	5	1	4	3	1	2	2	-	2	2	-	2
20-24 years-----	9	3	6	4	1	3	5	2	3	5	2	3
25-29 years-----	9	1	8	5	1	4	4	-	4	4	-	4
30-34 years-----	37	12	25	26	9	17	11	3	8	10	2	8
35-39 years-----	97	35	62	75	31	44	22	4	18	22	4	18
40-44 years-----	207	74	133	171	62	109	36	12	24	35	12	23
45-49 years-----	284	80	204	249	70	179	35	10	25	32	10	22
50-54 years-----	406	146	260	355	128	227	51	18	33	45	18	27
55-59 years-----	319	121	198	299	114	185	20	7	13	20	7	13
60-64 years-----	290	92	198	266	83	183	24	9	15	24	9	15
65-69 years-----	282	104	178	259	100	159	23	4	19	23	4	19
70-74 years-----	247	92	155	231	87	144	16	5	11	16	5	11
75-79 years-----	236	70	166	229	67	162	7	3	4	6	3	3
80-84 years-----	136	39	97	134	39	95	2	-	2	1	-	1
85-89 years-----	70	14	56	68	14	54	2	-	2	2	-	2
90-94 years-----	13	2	11	13	2	11	-	-	-	-	-	-
95-99 years-----	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other acute disseminated demyelination (G36)

All ages-----	4	2	2	1	1	-	3	1	2	3	1	2
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	-	1	-	-	-	1	-	1	1	-	1
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	-	-	-	1	-	1	1	-	1
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	-	-	-	1	1	-	1	1	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Neuromyelitis optica [Devic] (G36.0)												
All ages-----	3	2	1	1	1	-	2	1	1	2	1	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	-	1	-	-	-	1	-	1	1	-	1
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	-	-	-	1	1	-	1	1	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Acute and subacute hemorrhagic leukoencephalitis [Hurst] (G36.1)

All ages-----	1	-	1	-	-	-	1	-	1	1	-	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	-	-	-	1	-	1	1	-	1
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other demyelinating diseases of central nervous system (G37)												
All ages-----	107	43	64	94	38	56	13	5	8	12	5	7
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	1	1	-	-	-	-	1	1	-	1	1	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	2	2	-	2	2	-	-	-	-	-	-	-
25-29 years-----	3	-	3	3	-	3	-	-	-	-	-	-
30-34 years-----	3	2	1	3	2	1	-	-	-	-	-	-
35-39 years-----	3	1	2	3	1	2	-	-	-	-	-	-
40-44 years-----	4	2	2	4	2	2	-	-	-	-	-	-
45-49 years-----	7	4	3	6	4	2	1	-	1	1	-	1
50-54 years-----	11	6	5	10	5	5	1	1	-	1	1	-
55-59 years-----	3	-	3	2	-	2	1	-	1	1	-	1
60-64 years-----	13	8	5	11	7	4	2	1	1	2	1	1
65-69 years-----	5	1	4	5	1	4	-	-	-	-	-	-
70-74 years-----	12	3	9	12	3	9	-	-	-	-	-	-
75-79 years-----	11	5	6	8	4	4	3	1	2	3	1	2
80-84 years-----	10	4	6	9	4	5	1	-	1	1	-	1
85-89 years-----	13	2	11	12	2	10	1	-	1	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	2	-	2	1	-	1	1	-	1	1	-	1
100 yrs & over---	1	1	-	-	-	-	1	1	-	1	1	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Diffuse sclerosis (G37.0)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Central demyelination of corpus callosum (G37.1)												
All ages-----	3	2	1	3	2	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Central pontine myelinolysis (G37.2)

All ages-----	27	12	15	21	9	12	6	3	3	5	3	2
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	2	1	1	2	1	1	-	-	-	-	-	-
45-49 years-----	3	1	2	2	1	1	1	-	1	1	-	1
50-54 years-----	4	2	2	3	1	2	1	1	-	1	1	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	7	5	2	6	4	2	1	1	-	1	1	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	2	-	2	2	-	2	-	-	-	-	-	-
75-79 years-----	3	2	1	2	2	-	1	-	1	1	-	1
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	1	-	1	-	-	-	1	-	1	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	1	1	-	-	-	-	1	1	-	1	1	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Acute transverse myelitis in demyelinating disease of central nervous system (G37.3)

All ages-----	4	2	2	3	2	1	1	-	1	1	-	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	-	-	-	1	-	1	1	-	1
80-84 years-----	2	2	-	2	2	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other specified demyelinating diseases of central nervous system (G37.8)

All ages-----	9	5	4	8	5	3	1	-	1	1	-	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	2	1	1	1	1	-	1	-	1	1	-	1
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Demyelinating disease of central nervous system, unspecified (G37.9)												
All ages-----	63	22	41	58	20	38	5	2	3	5	2	3
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	1	1	-	-	-	-	1	1	-	1	1	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	3	2	1	3	2	1	-	-	-	-	-	-
35-39 years-----	3	1	2	3	1	2	-	-	-	-	-	-
40-44 years-----	2	1	1	2	1	1	-	-	-	-	-	-
45-49 years-----	3	3	-	3	3	-	-	-	-	-	-	-
50-54 years-----	3	1	2	3	1	2	-	-	-	-	-	-
55-59 years-----	2	-	2	1	-	1	1	-	1	1	-	1
60-64 years-----	4	2	2	4	2	2	-	-	-	-	-	-
65-69 years-----	3	1	2	3	1	2	-	-	-	-	-	-
70-74 years-----	9	2	7	9	2	7	-	-	-	-	-	-
75-79 years-----	6	3	3	5	2	3	1	1	-	1	1	-
80-84 years-----	6	2	4	5	2	3	1	-	1	1	-	1
85-89 years-----	12	2	10	12	2	10	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	2	-	2	1	-	1	1	-	1	1	-	1
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy (G40)												
All ages-----	841	493	348	618	354	264	223	139	84	202	126	76
Under 1 year-----	6	3	3	4	2	2	2	1	1	2	1	1
1-4 years-----	15	9	6	14	9	5	1	-	1	1	-	1
5-9 years-----	6	3	3	4	2	2	2	1	1	1	1	-
10-14 years-----	13	6	7	10	5	5	3	1	2	3	1	2
15-19 years-----	34	24	10	24	16	8	10	8	2	7	6	1
20-24 years-----	48	31	17	38	23	15	10	8	2	10	8	2
25-29 years-----	69	50	19	46	32	14	23	18	5	22	18	4
30-34 years-----	71	43	28	53	35	18	18	8	10	14	6	8
35-39 years-----	90	62	28	69	46	23	21	16	5	19	14	5
40-44 years-----	102	65	37	74	44	30	28	21	7	23	17	6
45-49 years-----	84	53	31	63	40	23	21	13	8	20	13	7
50-54 years-----	63	30	33	42	20	22	21	10	11	21	10	11
55-59 years-----	36	20	16	26	13	13	10	7	3	8	5	3
60-64 years-----	38	25	13	23	14	9	15	11	4	13	10	3
65-69 years-----	31	14	17	22	10	12	9	4	5	9	4	5
70-74 years-----	37	22	15	26	17	9	11	5	6	11	5	6
75-79 years-----	28	11	17	21	7	14	7	4	3	7	4	3
80-84 years-----	31	10	21	25	8	17	6	2	4	6	2	4
85-89 years-----	19	4	15	16	4	12	3	-	3	3	-	3
90-94 years-----	16	7	9	14	6	8	2	1	1	2	1	1
95-99 years-----	4	1	3	4	1	3	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Localization-related (focal) (partial) idiopathic epilepsy and epileptic syndromes with seizures of localized onset (G40.0)												
All ages-----	1	-	1	-	-	-	1	-	1	1	-	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	-	-	-	1	-	1	1	-	1
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Localization-related (focal) (partial) symptomatic epilepsy and epileptic syndromes with complex partial seizures (G40.2)

All ages-----	1	-	1	-	-	-	1	-	1	1	-	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	-	-	-	1	-	1	1	-	1
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Generalized idiopathic epilepsy and epileptic syndromes (G40.3)												
All ages-----	26	17	9	22	13	9	4	4	-	4	4	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	2	1	1	2	1	1	-	-	-	-	-	-
20-24 years-----	3	3	-	3	3	-	-	-	-	-	-	-
25-29 years-----	2	1	1	2	1	1	-	-	-	-	-	-
30-34 years-----	2	2	-	2	2	-	-	-	-	-	-	-
35-39 years-----	2	1	1	2	1	1	-	-	-	-	-	-
40-44 years-----	2	1	1	1	-	1	1	1	-	1	1	-
45-49 years-----	3	3	-	2	2	-	1	1	-	1	1	-
50-54 years-----	2	-	2	2	-	2	-	-	-	-	-	-
55-59 years-----	2	1	1	1	-	1	1	1	-	1	1	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	2	1	1	1	-	1	1	1	-	1	1	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other generalized epilepsy and epileptic syndromes (G40.4)

All ages-----	12	7	5	10	6	4	2	1	1	2	1	1
Under 1 year----	2	-	2	1	-	1	1	-	1	1	-	1
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	2	2	-	2	2	-	-	-	-	-	-	-
25-29 years-----	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Special epileptic syndromes (G40.5)												
All ages-----	6	6	-	2	2	-	4	4	-	4	4	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	-	-	-	1	1	-	1	1	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	1	1	-	-	-	-	1	1	-	1	1	-
50-54 years-----	2	2	-	-	-	-	2	2	-	2	2	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Grand mal seizures, unspecified (with or without petit mal) (G40.6)

All ages-----	213	124	89	148	83	65	65	41	24	58	36	22
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	2	1	1	2	1	1	-	-	-	-	-	-
5-9 years-----	1	1	-	-	-	-	1	1	-	1	1	-
10-14 years-----	2	2	-	1	1	-	1	1	-	1	1	-
15-19 years-----	10	6	4	6	4	2	4	2	2	3	2	1
20-24 years-----	7	6	1	5	4	1	2	2	-	2	2	-
25-29 years-----	13	7	6	9	5	4	4	2	2	3	2	1
30-34 years-----	14	9	5	8	5	3	6	4	2	5	3	2
35-39 years-----	18	13	5	14	10	4	4	3	1	3	2	1
40-44 years-----	22	15	7	17	11	6	5	4	1	3	2	1
45-49 years-----	17	14	3	11	8	3	6	6	-	6	6	-
50-54 years-----	17	7	10	12	5	7	5	2	3	5	2	3
55-59 years-----	9	5	4	4	2	2	5	3	2	4	2	2
60-64 years-----	10	5	5	6	3	3	4	2	2	4	2	2
65-69 years-----	13	4	9	9	2	7	4	2	2	4	2	2
70-74 years-----	17	12	5	14	10	4	3	2	1	3	2	1
75-79 years-----	13	7	6	8	4	4	5	3	2	5	3	2
80-84 years-----	10	3	7	8	2	6	2	1	1	2	1	1
85-89 years-----	8	3	5	6	3	3	2	-	2	2	-	2
90-94 years-----	9	4	5	7	3	4	2	1	1	2	1	1
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Petit mal, unspecified, without grand mal seizures (G40.7)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Other epilepsy (G40.8)												
All ages-----	2	1	1	1	-	1	1	1	-	1	1	-
Under 1 year-----	1	1	-	-	-	-	1	1	-	1	1	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Epilepsy, unspecified (G40.9)												
All ages-----	579	338	241	434	250	184	145	88	57	131	80	51
Under 1 year-----	3	2	1	3	2	1	-	-	-	-	-	-
1-4 years-----	11	6	5	10	6	4	1	-	1	1	-	1
5-9 years-----	3	1	2	2	1	1	1	-	1	-	-	-
10-14 years-----	10	3	7	8	3	5	2	-	2	2	-	2
15-19 years-----	21	16	5	15	10	5	6	6	-	4	4	-
20-24 years-----	35	20	15	27	14	13	8	6	2	8	6	2
25-29 years-----	53	41	12	35	26	9	18	15	3	18	15	3
30-34 years-----	54	31	23	42	27	15	12	4	8	9	3	6
35-39 years-----	69	47	22	53	35	18	16	12	4	15	11	4
40-44 years-----	77	48	29	55	32	23	22	16	6	19	14	5
45-49 years-----	61	35	26	49	30	19	12	5	7	11	5	6
50-54 years-----	41	21	20	27	15	12	14	6	8	14	6	8
55-59 years-----	25	14	11	21	11	10	4	3	1	3	2	1
60-64 years-----	27	19	8	16	10	6	11	9	2	9	8	1
65-69 years-----	16	9	7	12	8	4	4	1	3	4	1	3
70-74 years-----	18	9	9	11	6	5	7	3	4	7	3	4
75-79 years-----	15	4	11	13	3	10	2	1	1	2	1	1
80-84 years-----	20	7	13	16	6	10	4	1	3	4	1	3
85-89 years-----	10	1	9	9	1	8	1	-	1	1	-	1
90-94 years-----	7	3	4	7	3	4	-	-	-	-	-	-
95-99 years-----	3	1	2	3	1	2	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Status epilepticus (G41)												
All ages-----	497	237	260	361	175	186	136	62	74	130	62	68
Under 1 year-----	8	1	7	4	1	3	4	-	4	2	-	2
1-4 years-----	16	12	4	13	11	2	3	1	2	2	1	1
5-9 years-----	15	6	9	12	5	7	3	1	2	3	1	2
10-14 years-----	11	6	5	7	4	3	4	2	2	3	2	1
15-19 years-----	9	7	2	5	4	1	4	3	1	4	3	1
20-24 years-----	11	3	8	7	2	5	4	1	3	4	1	3
25-29 years-----	17	9	8	13	8	5	4	1	3	4	1	3
30-34 years-----	15	8	7	11	6	5	4	2	2	4	2	2
35-39 years-----	30	19	11	19	11	8	11	8	3	11	8	3
40-44 years-----	23	15	8	14	10	4	9	5	4	9	5	4
45-49 years-----	24	16	8	18	11	7	6	5	1	6	5	1
50-54 years-----	35	21	14	26	15	11	9	6	3	9	6	3
55-59 years-----	33	15	18	24	9	15	9	6	3	9	6	3
60-64 years-----	27	10	17	13	5	8	14	5	9	12	5	7
65-69 years-----	43	26	17	30	18	12	13	8	5	13	8	5
70-74 years-----	50	18	32	39	16	23	11	2	9	11	2	9
75-79 years-----	50	16	34	38	12	26	12	4	8	12	4	8
80-84 years-----	43	14	29	37	13	24	6	1	5	6	1	5
85-89 years-----	26	14	12	22	13	9	4	1	3	4	1	3
90-94 years-----	6	-	6	6	-	6	-	-	-	-	-	-
95-99 years-----	4	1	3	2	1	1	2	-	2	2	-	2
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Grand mal status epilepticus (G41.0)												
All ages-----	5	4	1	3	3	-	2	1	1	1	1	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	1	-	-	-	1	-	1	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	-	-	-	1	1	-	1	1	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Other status epilepticus (G41.8)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Status epilepticus, unspecified (G41.9)												
All ages-----	491	233	258	357	172	185	134	61	73	129	61	68
Under 1 year-----	8	1	7	4	1	3	4	-	4	2	-	2
1-4 years-----	16	12	4	13	11	2	3	1	2	2	1	1
5-9 years-----	15	6	9	12	5	7	3	1	2	3	1	2
10-14 years-----	11	6	5	7	4	3	4	2	2	3	2	1
15-19 years-----	9	7	2	5	4	1	4	3	1	4	3	1
20-24 years-----	11	3	8	7	2	5	4	1	3	4	1	3
25-29 years-----	17	9	8	13	8	5	4	1	3	4	1	3
30-34 years-----	15	8	7	11	6	5	4	2	2	4	2	2
35-39 years-----	30	19	11	19	11	8	11	8	3	11	8	3
40-44 years-----	22	14	8	13	9	4	9	5	4	9	5	4
45-49 years-----	24	16	8	18	11	7	6	5	1	6	5	1
50-54 years-----	33	19	14	24	13	11	9	6	3	9	6	3
55-59 years-----	33	15	18	24	9	15	9	6	3	9	6	3
60-64 years-----	26	10	16	13	5	8	13	5	8	12	5	7
65-69 years-----	43	26	17	30	18	12	13	8	5	13	8	5
70-74 years-----	49	17	32	39	16	23	10	1	9	10	1	9
75-79 years-----	49	16	33	37	12	25	12	4	8	12	4	8
80-84 years-----	43	14	29	37	13	24	6	1	5	6	1	5
85-89 years-----	26	14	12	22	13	9	4	1	3	4	1	3
90-94 years-----	6	-	6	6	-	6	-	-	-	-	-	-
95-99 years-----	4	1	3	2	1	1	2	-	2	2	-	2
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Transient cerebral ischemic attacks and related syndromes (G45)

All ages-----	317	107	210	300	99	201	17	8	9	16	7	9
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	2	-	2	-	-	-	2	-	2	2	-	2
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	2	1	1	1	1	-	1	-	1	1	-	1
50-54 years-----	5	2	3	4	1	3	1	1	-	1	1	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	7	6	1	5	5	-	2	1	1	2	1	1
65-69 years-----	12	5	7	11	4	7	1	1	-	1	1	-
70-74 years-----	16	5	11	15	5	10	1	-	1	1	-	1
75-79 years-----	30	21	9	27	19	8	3	2	1	3	2	1
80-84 years-----	50	22	28	49	22	27	1	-	1	1	-	1
85-89 years-----	78	22	56	76	22	54	2	-	2	2	-	2
90-94 years-----	76	18	58	74	16	58	2	2	-	1	1	-
95-99 years-----	32	5	27	31	4	27	1	1	-	1	1	-
100 yrs & over---	4	-	4	4	-	4	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Vertebro-basilar artery syndrome (G45.0)												
All ages-----	37	16	21	35	15	20	2	1	1	2	1	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	3	2	1	2	2	-	1	-	1	1	-	1
65-69 years-----	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years-----	4	2	2	4	2	2	-	-	-	-	-	-
75-79 years-----	7	5	2	6	4	2	1	1	-	1	1	-
80-84 years-----	3	-	3	3	-	3	-	-	-	-	-	-
85-89 years-----	7	3	4	7	3	4	-	-	-	-	-	-
90-94 years-----	7	1	6	7	1	6	-	-	-	-	-	-
95-99 years-----	2	1	1	2	1	1	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Carotid artery syndrome (hemispheric) (G45.1)

All ages-----	3	2	1	2	1	1	1	1	-	1	1	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	-	-	-	1	1	-	1	1	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Transient cerebral ischemic attack, unspecified (G45.9)												
All ages-----	277	89	188	263	83	180	14	6	8	13	5	8
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	2	-	2	-	-	-	2	-	2	2	-	2
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	2	1	1	1	1	-	1	-	1	1	-	1
50-54 years-----	4	1	3	3	-	3	1	1	-	1	1	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	4	4	-	3	3	-	1	1	-	1	1	-
65-69 years-----	10	4	6	9	3	6	1	1	-	1	1	-
70-74 years-----	12	3	9	11	3	8	1	-	1	1	-	1
75-79 years-----	22	15	7	21	15	6	1	-	1	1	-	1
80-84 years-----	47	22	25	46	22	24	1	-	1	1	-	1
85-89 years-----	70	18	52	68	18	50	2	-	2	2	-	2
90-94 years-----	69	17	52	67	15	52	2	2	-	1	1	-
95-99 years-----	29	4	25	28	3	25	1	1	-	1	1	-
100 yrs & over---	3	-	3	3	-	3	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Sleep disorders (G47)

All ages-----	350	209	141	291	178	113	59	31	28	57	29	28
Under 1 year-----	1	1	-	-	-	-	1	1	-	1	1	-
1-4 years-----	1	-	1	-	-	-	1	-	1	1	-	1
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	2	1	1	2	1	1	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	6	4	2	5	4	1	1	-	1	1	-	1
25-29 years-----	9	5	4	9	5	4	-	-	-	-	-	-
30-34 years-----	15	13	2	9	7	2	6	6	-	5	5	-
35-39 years-----	17	14	3	14	11	3	3	3	-	3	3	-
40-44 years-----	26	18	8	20	14	6	6	4	2	6	4	2
45-49 years-----	32	19	13	24	15	9	8	4	4	8	4	4
50-54 years-----	33	23	10	25	20	5	8	3	5	7	2	5
55-59 years-----	36	19	17	32	19	13	4	-	4	4	-	4
60-64 years-----	25	16	9	18	11	7	7	5	2	7	5	2
65-69 years-----	37	20	17	30	15	15	7	5	2	7	5	2
70-74 years-----	37	19	18	32	19	13	5	-	5	5	-	5
75-79 years-----	33	16	17	32	16	16	1	-	1	1	-	1
80-84 years-----	25	13	12	24	13	11	1	-	1	1	-	1
85-89 years-----	10	5	5	10	5	5	-	-	-	-	-	-
90-94 years-----	4	2	2	4	2	2	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Disorders of initiating and maintaining sleep [insomnias] (G47.0)												
All ages-----	3	1	2	3	1	2	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Disorders of excessive somnolence [hypersomnias] (G47.1)

All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Sleep apnea (G47.3)												
All ages-----	343	206	137	284	175	109	59	31	28	57	29	28
Under 1 year-----	1	1	-	-	-	-	1	1	-	1	1	-
1-4 years-----	1	-	1	-	-	-	1	-	1	1	-	1
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	2	1	1	2	1	1	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	6	4	2	5	4	1	1	-	1	1	-	1
25-29 years-----	9	5	4	9	5	4	-	-	-	-	-	-
30-34 years-----	15	13	2	9	7	2	6	6	-	5	5	-
35-39 years-----	17	14	3	14	11	3	3	3	-	3	3	-
40-44 years-----	25	17	8	19	13	6	6	4	2	6	4	2
45-49 years-----	30	18	12	22	14	8	8	4	4	8	4	4
50-54 years-----	33	23	10	25	20	5	8	3	5	7	2	5
55-59 years-----	36	19	17	32	19	13	4	-	4	4	-	4
60-64 years-----	25	16	9	18	11	7	7	5	2	7	5	2
65-69 years-----	37	20	17	30	15	15	7	5	2	7	5	2
70-74 years-----	35	19	16	30	19	11	5	-	5	5	-	5
75-79 years-----	33	16	17	32	16	16	1	-	1	1	-	1
80-84 years-----	25	13	12	24	13	11	1	-	1	1	-	1
85-89 years-----	9	4	5	9	4	5	-	-	-	-	-	-
90-94 years-----	3	2	1	3	2	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Narcolepsy and cataplexy (G47.4)

All ages-----	3	1	2	3	1	2	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	2	-	2	2	-	2	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Disorders of trigeminal nerve (G50)												
All ages-----	7	3	4	7	3	4	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	3	2	1	3	2	1	-	-	-	-	-	-
85-89 years-----	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Trigeminal neuralgia (G50.0)												
All ages-----	6	2	4	6	2	4	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years-----	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Atypical facial pain (G50.1)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Facial nerve disorders (G51)												
All ages-----	5	4	1	4	3	1	1	1	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	2	2	-	1	1	-	1	1	-	-	-	-
75-79 years-----	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Bell's palsy (G51.0)												
All ages-----	4	3	1	3	2	1	1	1	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	2	2	-	1	1	-	1	1	-	-	-	-
75-79 years-----	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Other disorders of facial nerve (G51.8)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Disorders of other cranial nerves (G52)												
All ages-----	11	3	8	10	3	7	1	-	1	1	-	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	3	-	3	2	-	2	1	-	1	1	-	1
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years-----	2	-	2	2	-	2	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Disorders of glossopharyngeal nerve (G52.1)

All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Disorders of vagus nerve (G52.2)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Disorders of hypoglossal nerve (G52.3)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Disorders of multiple cranial nerves (G52.7)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Cranial nerve disorder, unspecified (G52.9)												
All ages-----	7	2	5	6	2	4	1	-	1	1	-	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	2	-	2	1	-	1	1	-	1	1	-	1
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Nerve root and plexus disorders (G54)												
All ages-----	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Brachial plexus disorders (G54.0)

All ages-----	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Mononeuropathies of upper limb (G56)												
All ages-----	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Carpal tunnel syndrome (G56.0)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Lesion of radial nerve (G56.3)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other mononeuropathies (G58)

All ages-----	31	15	16	30	14	16	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	1	-	-	-	-	1	1	-	1	1	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	2	-	2	2	-	2	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	4	2	2	4	2	2	-	-	-	-	-	-
70-74 years-----	4	1	3	4	1	3	-	-	-	-	-	-
75-79 years-----	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years-----	5	3	2	5	3	2	-	-	-	-	-	-
85-89 years-----	6	5	1	6	5	1	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Mononeuritis multiplex (G58.7)												
All ages-----	2	-	2	2	-	2	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Other specified mononeuropathies (G58.8)												
All ages-----	7	3	4	7	3	4	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	2	-	2	2	-	2	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Mononeuropathy, unspecified (G58.9)												
All ages-----	22	12	10	21	11	10	1	1	-	1	1	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	1	-	-	-	-	1	1	-	1	1	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	2	-	2	2	-	2	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years-----	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years-----	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years-----	4	2	2	4	2	2	-	-	-	-	-	-
85-89 years-----	5	5	-	5	5	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Hereditary and idiopathic neuropathy (G60)

All ages-----	74	37	37	70	36	34	4	1	3	3	-	3
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	2	-	2	2	-	2	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	2	1	1	2	1	1	-	-	-	-	-	-
40-44 years-----	2	1	1	1	1	-	1	-	1	1	-	1
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	2	1	1	2	1	1	-	-	-	-	-	-
55-59 years-----	7	3	4	7	3	4	-	-	-	-	-	-
60-64 years-----	6	2	4	5	1	4	1	1	-	-	-	-
65-69 years-----	6	4	2	5	4	1	1	-	1	1	-	1
70-74 years-----	8	4	4	7	4	3	1	-	1	1	-	1
75-79 years-----	11	5	6	11	5	6	-	-	-	-	-	-
80-84 years-----	15	10	5	15	10	5	-	-	-	-	-	-
85-89 years-----	4	2	2	4	2	2	-	-	-	-	-	-
90-94 years-----	5	2	3	5	2	3	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Hereditary motor and sensory neuropathy (G60.0)												
All ages-----	47	23	24	45	23	22	2	-	2	2	-	2
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	6	2	4	6	2	4	-	-	-	-	-	-
60-64 years-----	4	1	3	4	1	3	-	-	-	-	-	-
65-69 years-----	4	2	2	3	2	1	1	-	1	1	-	1
70-74 years-----	7	3	4	6	3	3	1	-	1	1	-	1
75-79 years-----	6	3	3	6	3	3	-	-	-	-	-	-
80-84 years-----	8	7	1	8	7	1	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	3	1	2	3	1	2	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Idiopathic progressive neuropathy (G60.3)

All ages-----	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other hereditary and idiopathic neuropathies (G60.8)												
All ages-----	4	2	2	3	2	1	1	-	1	1	-	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	-	-	-	1	-	1	1	-	1
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Hereditary and idiopathic neuropathy, unspecified (G60.9)												
All ages-----	21	11	10	20	10	10	1	1	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	-	-	-	1	1	-	-	-	-
65-69 years-----	2	2	-	2	2	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	3	1	2	3	1	2	-	-	-	-	-	-
80-84 years-----	6	2	4	6	2	4	-	-	-	-	-	-
85-89 years-----	3	2	1	3	2	1	-	-	-	-	-	-
90-94 years-----	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Inflammatory polyneuropathy (G61)												
All ages-----	215	128	87	182	107	75	33	21	12	31	19	12
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	1	-	-	-	-	1	1	-	1	1	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	-	-	-	1	1	-	1	1	-
25-29 years-----	2	-	2	2	-	2	-	-	-	-	-	-
30-34 years-----	4	3	1	4	3	1	-	-	-	-	-	-
35-39 years-----	4	2	2	1	1	-	3	1	2	3	1	2
40-44 years-----	4	3	1	3	2	1	1	1	-	1	1	-
45-49 years-----	4	3	1	2	1	1	2	2	-	2	2	-
50-54 years-----	6	2	4	4	1	3	2	1	1	1	-	1
55-59 years-----	13	8	5	10	6	4	3	2	1	3	2	1
60-64 years-----	18	11	7	16	9	7	2	2	-	1	1	-
65-69 years-----	26	18	8	21	14	7	5	4	1	5	4	1
70-74 years-----	33	20	13	27	17	10	6	3	3	6	3	3
75-79 years-----	45	30	15	39	28	11	6	2	4	6	2	4
80-84 years-----	33	16	17	32	15	17	1	1	-	1	1	-
85-89 years-----	17	8	9	17	8	9	-	-	-	-	-	-
90-94 years-----	3	1	2	3	1	2	-	-	-	-	-	-
95-99 years-----	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Guillain-Barre syndrome (G61.0)												
All ages-----	209	124	85	178	105	73	31	19	12	30	18	12
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	1	-	-	-	-	1	1	-	1	1	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	-	-	-	1	1	-	1	1	-
25-29 years-----	2	-	2	2	-	2	-	-	-	-	-	-
30-34 years-----	4	3	1	4	3	1	-	-	-	-	-	-
35-39 years-----	4	2	2	1	1	-	3	1	2	3	1	2
40-44 years-----	4	3	1	3	2	1	1	1	-	1	1	-
45-49 years-----	4	3	1	2	1	1	2	2	-	2	2	-
50-54 years-----	6	2	4	4	1	3	2	1	1	1	-	1
55-59 years-----	13	8	5	10	6	4	3	2	1	3	2	1
60-64 years-----	16	9	7	16	9	7	-	-	-	-	-	-
65-69 years-----	25	17	8	20	13	7	5	4	1	5	4	1
70-74 years-----	32	20	12	26	17	9	6	3	3	6	3	3
75-79 years-----	44	29	15	38	27	11	6	2	4	6	2	4
80-84 years-----	32	16	16	31	15	16	1	1	-	1	1	-
85-89 years-----	17	8	9	17	8	9	-	-	-	-	-	-
90-94 years-----	3	1	2	3	1	2	-	-	-	-	-	-
95-99 years-----	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other inflammatory polyneuropathies (G61.8)												
All ages-----	6	4	2	4	2	2	2	2	-	1	1	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	2	2	-	-	-	-	2	2	-	1	1	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other polyneuropathies (G62)

All ages-----	303	157	146	268	143	125	35	14	21	27	10	17
Under 1 year----	2	1	1	1	1	-	1	-	1	-	-	-
1-4 years-----	1	-	1	-	-	-	1	-	1	-	-	-
5-9 years-----	2	-	2	2	-	2	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	2	1	1	-	-	-	2	1	1	-	-	-
20-24 years-----	1	1	-	-	-	-	1	1	-	1	1	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	2	1	1	2	1	1	-	-	-	-	-	-
35-39 years-----	1	-	1	-	-	-	1	-	1	1	-	1
40-44 years-----	4	1	3	3	1	2	1	-	1	1	-	1
45-49 years-----	8	3	5	6	3	3	2	-	2	2	-	2
50-54 years-----	12	8	4	9	8	1	3	-	3	3	-	3
55-59 years-----	11	6	5	10	5	5	1	1	-	1	1	-
60-64 years-----	17	14	3	16	13	3	1	1	-	-	-	-
65-69 years-----	21	11	10	19	10	9	2	1	1	2	1	1
70-74 years-----	47	28	19	39	24	15	8	4	4	7	3	4
75-79 years-----	49	25	24	46	23	23	3	2	1	3	2	1
80-84 years-----	57	30	27	53	28	25	4	2	2	3	1	2
85-89 years-----	42	23	19	41	22	19	1	1	-	1	1	-
90-94 years-----	21	4	17	18	4	14	3	-	3	2	-	2
95-99 years-----	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Alcoholic polyneuropathy (G62.1)												
All ages-----	5	4	1	2	2	-	3	2	1	3	2	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	-	1	-	-	-	1	-	1	1	-	1
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	2	2	-	1	1	-	1	1	-	1	1	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	-	-	-	1	1	-	1	1	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Polyneuropathy due to other toxic agents (G62.2)

All ages-----	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

RACE, AND SEX

Other specified polyneuropathies (G62.8)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	66	42	24	56	36	20	10	6	4	8	4	4
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	-	-	-	1	1	-	-	-	-
20-24 years-----	1	1	-	-	-	-	1	1	-	1	1	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	4	1	3	3	1	2	1	-	1	1	-	1
45-49 years-----	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years-----	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years-----	3	2	1	3	2	1	-	-	-	-	-	-
60-64 years-----	6	5	1	6	5	1	-	-	-	-	-	-
65-69 years-----	3	2	1	3	2	1	-	-	-	-	-	-
70-74 years-----	12	8	4	8	6	2	4	2	2	3	1	2
75-79 years-----	12	8	4	11	7	4	1	1	-	1	1	-
80-84 years-----	6	4	2	5	3	2	1	1	-	1	1	-
85-89 years-----	10	6	4	10	6	4	-	-	-	-	-	-
90-94 years-----	3	1	2	2	1	1	1	-	1	1	-	1
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Polyneuropathy, unspecified (G62.9)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	230	109	121	208	103	105	22	6	16	16	4	12
Under 1 year----	2	1	1	1	1	-	1	-	1	-	-	-
1-4 years-----	1	-	1	-	-	-	1	-	1	-	-	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	-	1	-	-	-	1	-	1	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	1	-	1	-	-	-	1	-	1	1	-	1
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	5	1	4	3	1	2	2	-	2	2	-	2
50-54 years-----	9	6	3	7	6	1	2	-	2	2	-	2
55-59 years-----	8	4	4	7	3	4	1	1	-	1	1	-
60-64 years-----	11	9	2	10	8	2	1	1	-	-	-	-
65-69 years-----	15	6	9	14	6	8	1	-	1	1	-	1
70-74 years-----	35	20	15	31	18	13	4	2	2	4	2	2
75-79 years-----	36	16	20	35	16	19	1	-	1	1	-	1
80-84 years-----	51	26	25	48	25	23	3	1	2	2	-	2
85-89 years-----	32	17	15	31	16	15	1	1	-	1	1	-
90-94 years-----	18	3	15	16	3	13	2	-	2	1	-	1
95-99 years-----	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other disorders of peripheral nervous system (G64)												
All ages-----	1	1	-	-	-	-	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	-	-	-	1	1	-	1	1	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Myasthenia gravis and other myoneural disorders (G70)

All ages-----	680	331	349	630	310	320	50	21	29	36	17	19
Under 1 year-----	10	7	3	8	5	3	2	2	-	1	1	-
1-4 years-----	5	3	2	4	3	1	1	-	1	-	-	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	2	1	1	-	-	-	2	1	1	1	1	-
15-19 years-----	7	4	3	7	4	3	-	-	-	-	-	-
20-24 years-----	3	2	1	2	2	-	1	-	1	-	-	-
25-29 years-----	3	-	3	2	-	2	1	-	1	1	-	1
30-34 years-----	3	1	2	-	-	-	3	1	2	3	1	2
35-39 years-----	1	-	1	-	-	-	1	-	1	1	-	1
40-44 years-----	9	1	8	7	-	7	2	1	1	1	1	-
45-49 years-----	15	7	8	8	5	3	7	2	5	5	2	3
50-54 years-----	9	4	5	9	4	5	-	-	-	-	-	-
55-59 years-----	15	4	11	13	4	9	2	-	2	2	-	2
60-64 years-----	28	19	9	24	15	9	4	4	-	4	4	-
65-69 years-----	43	24	19	39	24	15	4	-	4	2	-	2
70-74 years-----	73	34	39	70	34	36	3	-	3	3	-	3
75-79 years-----	136	65	71	127	62	65	9	3	6	7	3	4
80-84 years-----	154	84	70	149	79	70	5	5	-	3	3	-
85-89 years-----	99	46	53	96	44	52	3	2	1	2	1	1
90-94 years-----	54	23	31	54	23	31	-	-	-	-	-	-
95-99 years-----	9	2	7	9	2	7	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Myasthenia gravis (G70.0)												
All ages-----	491	238	253	463	226	237	28	12	16	22	10	12
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	1	1	-	-	-	-	1	1	-	1	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	2	-	2	1	-	1	1	-	1	1	-	1
30-34 years-----	3	1	2	-	-	-	3	1	2	3	1	2
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	5	-	5	4	-	4	1	-	1	-	-	-
45-49 years-----	8	5	3	4	3	1	4	2	2	3	2	1
50-54 years-----	5	3	2	5	3	2	-	-	-	-	-	-
55-59 years-----	9	2	7	9	2	7	-	-	-	-	-	-
60-64 years-----	19	12	7	16	9	7	3	3	-	3	3	-
65-69 years-----	28	15	13	26	15	11	2	-	2	1	-	1
70-74 years-----	55	24	31	52	24	28	3	-	3	3	-	3
75-79 years-----	89	42	47	83	41	42	6	1	5	5	1	4
80-84 years-----	125	69	56	122	66	56	3	3	-	1	1	-
85-89 years-----	87	41	46	86	40	46	1	1	-	1	1	-
90-94 years-----	45	21	24	45	21	24	-	-	-	-	-	-
95-99 years-----	8	1	7	8	1	7	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Other specified myoneural disorders (G70.8)												
All ages-----	9	4	5	8	3	5	1	1	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years-----	2	2	-	2	2	-	-	-	-	-	-	-
85-89 years-----	2	1	1	1	-	1	1	1	-	-	-	-
90-94 years-----	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Myoneural disorder, unspecified (G70.9)												
All ages-----	180	89	91	159	81	78	21	8	13	14	7	7
Under 1 year----	10	7	3	8	5	3	2	2	-	1	1	-
1-4 years-----	5	3	2	4	3	1	1	-	1	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	-	-	-	1	-	1	-	-	-
15-19 years-----	5	3	2	5	3	2	-	-	-	-	-	-
20-24 years-----	3	2	1	2	2	-	1	-	1	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	-	-	-	1	-	1	1	-	1
40-44 years-----	4	1	3	3	-	3	1	1	-	1	1	-
45-49 years-----	7	2	5	4	2	2	3	-	3	2	-	2
50-54 years-----	4	1	3	4	1	3	-	-	-	-	-	-
55-59 years-----	6	2	4	4	2	2	2	-	2	2	-	2
60-64 years-----	9	7	2	8	6	2	1	1	-	1	1	-
65-69 years-----	15	9	6	13	9	4	2	-	2	1	-	1
70-74 years-----	18	10	8	18	10	8	-	-	-	-	-	-
75-79 years-----	45	22	23	42	20	22	3	2	1	2	2	-
80-84 years-----	27	13	14	25	11	14	2	2	-	2	2	-
85-89 years-----	10	4	6	9	4	5	1	-	1	1	-	1
90-94 years-----	7	2	5	7	2	5	2	-	-	-	-	-
95-99 years-----	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Primary disorders of muscles (G71)

All ages-----	934	639	295	846	569	277	88	70	18	75	60	15
Under 1 year----	38	22	16	31	16	15	7	6	1	7	6	1
1-4 years-----	12	6	6	11	5	6	1	1	-	1	1	-
5-9 years-----	11	8	3	8	5	3	3	3	-	3	3	-
10-14 years-----	32	26	6	23	18	5	9	8	1	9	8	1
15-19 years-----	96	91	5	87	83	4	9	8	1	7	7	-
20-24 years-----	105	100	5	88	83	5	17	17	-	16	16	-
25-29 years-----	51	46	5	46	43	3	5	3	2	3	2	1
30-34 years-----	33	29	4	30	26	4	3	3	-	1	1	-
35-39 years-----	43	25	18	41	25	16	2	-	2	2	-	2
40-44 years-----	49	31	18	43	28	15	6	3	3	5	2	3
45-49 years-----	57	33	24	53	31	22	4	2	2	4	2	2
50-54 years-----	93	49	44	91	47	44	2	2	-	1	1	-
55-59 years-----	73	45	28	67	40	27	6	5	1	5	4	1
60-64 years-----	50	33	17	46	31	15	4	2	2	3	2	1
65-69 years-----	63	32	31	61	30	31	2	2	-	1	1	-
70-74 years-----	31	15	16	27	13	14	4	2	2	3	1	2
75-79 years-----	43	25	18	41	24	17	2	1	1	2	1	1
80-84 years-----	33	14	19	32	13	19	1	1	-	1	1	-
85-89 years-----	13	6	7	13	6	7	-	-	-	-	-	-
90-94 years-----	5	1	4	5	1	4	-	-	-	-	-	-
95-99 years-----	3	2	1	2	1	1	1	1	-	1	1	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Muscular dystrophy (G71.0)												
All ages-----	595	429	166	540	386	154	55	43	12	47	36	11
Under 1 year----	3	1	2	3	1	2	-	-	-	-	-	-
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	4	3	1	2	1	1	2	2	-	2	2	-
10-14 years-----	14	13	1	9	8	1	5	5	-	5	5	-
15-19 years-----	77	74	3	70	67	3	7	7	-	6	6	-
20-24 years-----	88	85	3	77	74	3	11	11	-	10	10	-
25-29 years-----	38	36	2	36	35	1	2	1	1	2	1	1
30-34 years-----	26	24	2	24	22	2	2	2	-	1	1	-
35-39 years-----	28	17	11	26	17	9	2	-	2	2	-	2
40-44 years-----	28	19	9	23	17	6	5	2	3	5	2	3
45-49 years-----	30	16	14	27	15	12	3	1	2	3	1	2
50-54 years-----	55	30	25	54	29	25	1	1	-	-	-	-
55-59 years-----	32	23	9	28	19	9	4	4	-	3	3	-
60-64 years-----	29	16	13	25	14	11	4	2	2	3	2	1
65-69 years-----	37	21	16	35	19	16	2	2	-	1	1	-
70-74 years-----	24	13	11	22	12	10	2	1	1	1	-	1
75-79 years-----	35	19	16	33	18	15	2	1	1	2	1	1
80-84 years-----	29	12	17	28	11	17	1	1	-	1	1	-
85-89 years-----	11	4	7	11	4	7	-	-	-	-	-	-
90-94 years-----	4	1	3	4	1	3	-	-	-	-	-	-
95-99 years-----	2	1	1	2	1	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Myotonic disorders (G71.1)												
All ages-----	192	109	83	183	102	81	9	7	2	7	5	2
Under 1 year----	7	-	7	6	-	6	1	-	1	1	-	1
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	4	2	2	3	1	2	1	1	-	1	1	-
15-19 years-----	2	2	-	2	2	-	-	-	-	-	-	-
20-24 years-----	2	2	-	1	1	-	1	1	-	1	1	-
25-29 years-----	3	3	-	2	2	-	1	1	-	-	-	-
30-34 years-----	5	3	2	5	3	2	-	-	-	-	-	-
35-39 years-----	7	5	2	7	5	2	-	-	-	-	-	-
40-44 years-----	18	11	7	17	10	7	1	1	-	-	-	-
45-49 years-----	25	16	9	24	15	9	1	1	-	1	1	-
50-54 years-----	34	18	16	33	17	16	1	1	-	1	1	-
55-59 years-----	35	18	17	33	17	16	2	1	1	2	1	1
60-64 years-----	17	15	2	17	15	2	-	-	-	-	-	-
65-69 years-----	19	8	11	19	8	11	-	-	-	-	-	-
70-74 years-----	4	1	3	4	1	3	-	-	-	-	-	-
75-79 years-----	7	5	2	7	5	2	-	-	-	-	-	-
80-84 years-----	2	-	2	2	-	2	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Congenital myopathies (G71.2)												
All ages-----	118	90	28	98	72	26	20	18	2	18	17	1
Under 1 year-----	26	20	6	20	14	6	6	6	-	6	6	-
1-4 years-----	8	3	5	8	3	5	-	-	-	-	-	-
5-9 years-----	5	5	-	4	4	-	1	1	-	1	1	-
10-14 years-----	14	11	3	11	9	2	3	2	1	3	2	1
15-19 years-----	14	13	1	14	13	1	-	-	-	-	-	-
20-24 years-----	14	13	1	9	8	1	5	5	-	5	5	-
25-29 years-----	9	7	2	7	6	1	2	1	1	1	1	-
30-34 years-----	2	2	-	1	1	-	1	1	-	-	-	-
35-39 years-----	7	3	4	7	3	4	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	3	1	2	3	1	2	-	-	-	-	-	-
55-59 years-----	5	4	1	5	4	1	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	4	2	2	4	2	2	-	-	-	-	-	-
70-74 years-----	2	1	1	1	-	1	1	1	-	1	1	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	2	2	-	2	2	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	1	1	-	-	-	-	1	1	-	1	1	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Mitochondrial myopathy, not elsewhere classified (G71.3)

All ages-----	16	6	10	13	4	9	3	2	1	2	2	-
Under 1 year-----	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years-----	3	2	1	2	1	1	1	1	-	1	1	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	3	2	1	1	1	-	2	1	1	1	1	-
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	2	2	-	2	2	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),

RACE, AND SEX - - - ALL RACES - - - - - - WHITE - - - - - - ALL OTHER - - - - - - BLACK - - -

Other primary disorders of muscles (G71.8)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	8	3	5	8	3	5	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	3	1	2	3	1	2	-	-	-	-	-	-
65-69 years-----	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Primary disorder of muscle, unspecified (G71.9)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	5	2	3	4	2	2	1	-	1	1	-	1
Under 1 year-----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	1	-	1	-	-	-	1	-	1	1	-	1
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other myopathies (G72)												
All ages-----	126	66	60	111	63	48	15	3	12	12	2	10
Under 1 year-----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	2	2	-	2	2	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	6	2	4	4	1	3	2	1	1	1	-	1
50-54 years-----	6	3	3	4	3	1	2	-	2	2	-	2
55-59 years-----	6	5	1	5	4	1	1	1	-	1	1	-
60-64 years-----	12	7	5	9	6	3	3	1	2	2	1	1
65-69 years-----	18	11	7	17	11	6	1	-	1	1	-	1
70-74 years-----	11	7	4	11	7	4	-	-	-	-	-	-
75-79 years-----	23	10	13	21	10	11	2	-	2	1	-	1
80-84 years-----	22	8	14	19	8	11	3	-	3	3	-	3
85-89 years-----	11	5	6	10	5	5	1	-	1	1	-	1
90-94 years-----	6	3	3	6	3	3	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Drug-induced myopathy (G72.0)												
All ages-----	6	1	5	5	-	5	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	-	-	-	1	1	-	1	1	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	3	-	3	3	-	3	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Alcoholic myopathy (G72.1)												
All ages-----	3	1	2	2	1	1	1	-	1	1	-	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	2	-	2	1	-	1	1	-	1	1	-	1
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Periodic paralysis (G72.3)												
All ages-----	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Inflammatory myopathy, not elsewhere classified (G72.4)												
All ages-----	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Other specified myopathies (G72.8)												
All ages-----	43	26	17	38	26	12	5	-	5	3	-	3
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years-----	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	7	3	4	5	3	2	2	-	2	1	-	1
65-69 years-----	9	6	3	8	6	2	1	-	1	1	-	1
70-74 years-----	4	3	1	4	3	1	-	-	-	-	-	-
75-79 years-----	5	2	3	3	2	1	2	-	2	1	-	1
80-84 years-----	9	4	5	9	4	5	-	-	-	-	-	-
85-89 years-----	3	3	-	3	3	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Myopathy, unspecified (G72.9)												
All ages-----	70	36	34	62	34	28	8	2	6	7	1	6
Under 1 year-----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	4	1	3	2	-	2	2	1	1	1	-	1
50-54 years-----	1	-	1	-	-	-	1	-	1	1	-	1
55-59 years-----	5	4	1	4	3	1	1	1	-	1	1	-
60-64 years-----	3	2	1	3	2	1	-	-	-	-	-	-
65-69 years-----	8	5	3	8	5	3	-	-	-	-	-	-
70-74 years-----	7	4	3	7	4	3	-	-	-	-	-	-
75-79 years-----	15	8	7	15	8	7	-	-	-	-	-	-
80-84 years-----	12	4	8	9	4	5	3	-	3	3	-	3
85-89 years-----	5	1	4	4	1	3	1	-	1	1	-	1
90-94 years-----	6	3	3	6	3	3	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Infantile cerebral palsy (G80)												
All ages-----	1,008	572	436	799	446	353	209	126	83	190	115	75
Under 1 year-----	13	5	8	6	2	4	7	3	4	7	3	4
1-4 years-----	83	50	33	54	35	19	29	15	14	28	15	13
5-9 years-----	92	55	37	62	34	28	30	21	9	25	18	7
10-14 years-----	93	50	43	68	34	34	25	16	9	21	13	8
15-19 years-----	107	65	42	75	47	28	32	18	14	29	17	12
20-24 years-----	84	54	30	60	38	22	24	16	8	22	15	7
25-29 years-----	79	44	35	63	33	30	16	11	5	12	8	4
30-34 years-----	59	32	27	50	28	22	9	4	5	9	4	5
35-39 years-----	60	28	32	55	27	28	5	1	4	5	1	4
40-44 years-----	47	24	23	37	15	22	10	9	1	10	9	1
45-49 years-----	49	26	23	44	25	19	5	1	4	5	1	4
50-54 years-----	39	26	13	32	20	12	7	6	1	7	6	1
55-59 years-----	32	20	12	30	20	10	2	-	2	2	-	2
60-64 years-----	31	22	9	29	21	8	2	1	1	2	1	1
65-69 years-----	33	22	11	31	20	11	2	2	-	2	2	-
70-74 years-----	35	17	18	32	16	16	3	1	2	3	1	2
75-79 years-----	30	16	14	29	15	14	1	1	-	1	1	-
80-84 years-----	22	10	12	22	10	12	-	-	-	-	-	-
85-89 years-----	17	5	12	17	5	12	-	-	-	-	-	-
90-94 years-----	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Spastic cerebral palsy (G80.0)												
All ages-----	6	3	3	5	2	3	1	1	-	1	1	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	2	2	-	2	2	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years-----	1	1	-	-	-	-	1	1	-	1	1	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Spastic diplegia (G80.1)												
All ages-----	4	4	-	3	3	-	1	1	-	1	1	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	-	-	-	1	1	-	1	1	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Infantile hemiplegia (G80.2)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Dyskinetic cerebral palsy (G80.3)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other infantile cerebral palsy (G80.8)												
All ages-----	34	20	14	27	17	10	7	3	4	6	2	4
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	3	2	1	3	2	1	-	-	-	-	-	-
5-9 years-----	2	-	2	1	-	1	1	-	1	1	-	1
10-14 years-----	3	1	2	2	1	1	1	-	1	1	-	1
15-19 years-----	6	4	2	4	3	1	2	1	1	2	1	1
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	7	4	3	6	3	3	1	1	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	3	1	2	3	1	2	-	-	-	-	-	-
40-44 years-----	3	3	-	2	2	-	1	1	-	1	1	-
45-49 years-----	1	-	1	-	-	-	1	-	1	1	-	1
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Infantile cerebral palsy, unspecified (G80.9)

All ages-----	962	544	418	762	423	339	200	121	79	182	111	71
Under 1 year-----	13	5	8	6	2	4	7	3	4	7	3	4
1-4 years-----	78	46	32	49	31	18	29	15	14	28	15	13
5-9 years-----	87	52	35	58	31	27	29	21	8	24	18	6
10-14 years-----	90	49	41	66	33	33	24	16	8	20	13	7
15-19 years-----	100	61	39	70	44	26	30	17	13	27	16	11
20-24 years-----	82	52	30	60	38	22	22	14	8	20	13	7
25-29 years-----	71	40	31	56	30	26	15	10	5	12	8	4
30-34 years-----	58	31	27	49	27	22	9	4	5	9	4	5
35-39 years-----	57	27	30	52	26	26	5	1	4	5	1	4
40-44 years-----	43	21	22	34	13	21	9	8	1	9	8	1
45-49 years-----	48	26	22	44	25	19	4	1	3	4	1	3
50-54 years-----	39	26	13	32	20	12	7	6	1	7	6	1
55-59 years-----	30	19	11	28	19	9	2	-	2	2	-	2
60-64 years-----	30	21	9	28	20	8	2	1	1	2	1	1
65-69 years-----	32	21	11	30	19	11	2	2	-	2	2	-
70-74 years-----	33	16	17	30	15	15	3	1	2	3	1	2
75-79 years-----	30	16	14	29	15	14	1	1	-	1	1	-
80-84 years-----	21	9	12	21	9	12	-	-	-	-	-	-
85-89 years-----	17	5	12	17	5	12	-	-	-	-	-	-
90-94 years-----	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Hemiplegia (G81)												
All ages-----	145	56	89	129	47	82	16	9	7	13	8	5
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	2	1	1	1	-	1	1	1	-	1	1	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	1	1	-	-	-	-	1	1	-	-	-	-
65-69 years-----	8	7	1	5	4	1	3	3	-	3	3	-
70-74 years-----	10	5	5	8	3	5	2	2	-	2	2	-
75-79 years-----	29	16	13	26	15	11	3	1	2	3	1	2
80-84 years-----	40	13	27	38	12	26	2	1	1	1	1	-
85-89 years-----	24	6	18	21	6	15	3	-	3	2	-	2
90-94 years-----	21	5	16	21	5	16	-	-	-	-	-	-
95-99 years-----	7	1	6	6	1	5	1	-	1	1	-	1
100 yrs & over---	2	-	2	2	-	2	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Flaccid hemiplegia (G81.0)

All ages-----	2	-	2	2	-	2	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Spastic hemiplegia (G81.1)												
All ages-----	2	-	2	1	-	1	1	-	1	1	-	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	1	-	1	-	-	-	1	-	1	1	-	1
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Hemiplegia, unspecified (G81.9)												
All ages-----	141	56	85	126	47	79	15	9	6	12	8	4
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	2	1	1	1	-	1	1	1	-	1	1	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	1	1	-	-	-	-	1	1	-	-	-	-
65-69 years-----	8	7	1	5	4	1	3	3	-	3	3	-
70-74 years-----	9	5	4	7	3	4	2	2	-	2	2	-
75-79 years-----	28	16	12	25	15	10	3	1	2	3	1	2
80-84 years-----	39	13	26	37	12	25	2	1	1	1	1	-
85-89 years-----	24	6	18	21	6	15	3	-	3	2	-	2
90-94 years-----	21	5	16	21	5	16	-	-	-	-	-	-
95-99 years-----	6	1	5	6	1	5	-	-	-	-	-	-
100 yrs & over---	2	-	2	2	-	2	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Paraplegia and tetraplegia (G82)												
All ages-----	650	459	191	538	381	157	112	78	34	99	68	31
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	4	2	2	3	2	1	1	-	1	1	-	1
5-9 years-----	4	1	3	3	-	3	1	1	-	1	1	-
10-14 years-----	6	3	3	4	2	2	2	1	1	-	-	-
15-19 years-----	11	9	2	7	6	1	4	3	1	3	2	1
20-24 years-----	16	11	5	15	10	5	1	1	-	-	-	-
25-29 years-----	9	8	1	8	7	1	1	1	-	1	1	-
30-34 years-----	16	13	3	15	13	2	1	-	1	1	-	1
35-39 years-----	32	26	6	26	21	5	6	5	1	4	3	1
40-44 years-----	40	30	10	31	24	7	9	6	3	9	6	3
45-49 years-----	50	41	9	42	34	8	8	7	1	8	7	1
50-54 years-----	51	40	11	42	35	7	9	5	4	9	5	4
55-59 years-----	47	40	7	36	31	5	11	9	2	7	6	1
60-64 years-----	48	37	11	39	30	9	9	7	2	9	7	2
65-69 years-----	64	44	20	55	38	17	9	6	3	9	6	3
70-74 years-----	75	51	24	59	38	21	16	13	3	15	12	3
75-79 years-----	70	43	27	58	37	21	12	6	6	12	6	6
80-84 years-----	56	33	23	50	30	20	6	3	3	4	2	2
85-89 years-----	36	23	13	31	19	12	5	4	1	5	4	1
90-94 years-----	12	3	9	11	3	8	1	-	1	1	-	1
95-99 years-----	2	1	1	2	1	1	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Spastic paraplegia (G82.1)

All ages-----	7	2	5	5	1	4	2	1	1	2	1	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	-	1	-	-	-	1	-	1	1	-	1
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	1	1	-	-	-	-	1	1	-	1	1	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Paraplegia, unspecified (G82.2)												
All ages-----	245	163	82	215	139	76	30	24	6	26	20	6
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	5	4	1	5	4	1	-	-	-	-	-	-
35-39 years-----	8	7	1	6	5	1	2	2	-	1	1	-
40-44 years-----	13	8	5	12	8	4	1	-	1	1	-	1
45-49 years-----	10	7	3	9	6	3	1	1	-	1	1	-
50-54 years-----	15	11	4	14	10	4	1	1	-	1	1	-
55-59 years-----	15	13	2	12	10	2	3	3	-	2	2	-
60-64 years-----	21	17	4	19	15	4	2	2	-	2	2	-
65-69 years-----	28	19	9	26	18	8	2	1	1	2	1	1
70-74 years-----	37	24	13	30	18	12	7	6	1	6	5	1
75-79 years-----	34	20	14	29	17	12	5	3	2	5	3	2
80-84 years-----	30	16	14	27	14	13	3	2	1	2	1	1
85-89 years-----	22	14	8	19	11	8	3	3	-	3	3	-
90-94 years-----	3	1	2	3	1	2	-	-	-	-	-	-
95-99 years-----	2	1	1	2	1	1	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Spastic tetraplegia (G82.4)

All ages-----	52	37	15	40	28	12	12	9	3	7	5	2
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	4	2	2	3	2	1	1	-	1	1	-	1
5-9 years-----	3	1	2	2	-	2	1	1	-	1	1	-
10-14 years-----	6	3	3	4	2	2	2	1	1	-	-	-
15-19 years-----	10	8	2	7	6	1	3	2	1	2	1	1
20-24 years-----	6	5	1	5	4	1	1	1	-	-	-	-
25-29 years-----	4	3	1	3	2	1	1	1	-	1	1	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	4	4	-	3	3	-	1	1	-	-	-	-
40-44 years-----	2	1	1	1	-	1	1	1	-	1	1	-
45-49 years-----	2	2	-	2	2	-	-	-	-	-	-	-
50-54 years-----	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years-----	2	2	-	2	2	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	1	1	-	-	-	-	1	1	-	1	1	-
80-84 years-----	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Tetraplegia, unspecified (G82.5)												
All ages-----	346	257	89	278	213	65	68	44	24	64	42	22
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	-	-	-	1	1	-	1	1	-
20-24 years-----	9	5	4	9	5	4	-	-	-	-	-	-
25-29 years-----	5	5	-	5	5	-	-	-	-	-	-	-
30-34 years-----	11	9	2	10	9	1	1	-	1	1	-	1
35-39 years-----	19	15	4	16	13	3	3	2	1	3	2	1
40-44 years-----	25	21	4	18	16	2	7	5	2	7	5	2
45-49 years-----	38	32	6	31	26	5	7	6	1	7	6	1
50-54 years-----	34	27	7	26	23	3	8	4	4	8	4	4
55-59 years-----	29	25	4	22	19	3	7	6	1	4	4	-
60-64 years-----	26	20	6	19	15	4	7	5	2	7	5	2
65-69 years-----	34	24	10	27	19	8	7	5	2	7	5	2
70-74 years-----	36	26	10	27	19	8	9	7	2	9	7	2
75-79 years-----	34	21	13	29	20	9	5	1	4	5	1	4
80-84 years-----	23	15	8	20	14	6	3	1	2	2	1	1
85-89 years-----	13	9	4	11	8	3	2	1	1	2	1	1
90-94 years-----	8	2	6	7	2	5	1	-	1	1	-	1
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Other paralytic syndromes (G83)												
All ages-----	279	120	159	257	110	147	22	10	12	21	9	12
Under 1 year-----	1	-	1	-	-	-	1	-	1	1	-	1
1-4 years-----	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	-	-	-	1	1	-	1	1	-
40-44 years-----	2	1	1	1	1	-	1	-	1	1	-	1
45-49 years-----	3	2	1	2	2	-	1	-	1	1	-	1
50-54 years-----	10	5	5	9	5	4	1	-	1	1	-	1
55-59 years-----	9	4	5	8	4	4	1	-	1	1	-	1
60-64 years-----	17	10	7	17	10	7	-	-	-	-	-	-
65-69 years-----	24	10	14	19	8	11	5	2	3	5	2	3
70-74 years-----	28	16	12	28	16	12	-	-	-	-	-	-
75-79 years-----	50	24	26	43	18	25	7	6	1	6	5	1
80-84 years-----	37	18	19	36	18	18	1	-	1	1	-	1
85-89 years-----	41	14	27	40	13	27	1	1	-	1	1	-
90-94 years-----	43	12	31	41	12	29	2	-	2	2	-	2
95-99 years-----	10	2	8	10	2	8	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Diplegia of upper limbs (G83.0)												
All ages-----	2	-	2	2	-	2	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Monoplegia of lower limb (G83.1)												
All ages-----	3	3	-	3	3	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Monoplegia of upper limb (G83.2)												
All ages-----	2	-	2	2	-	2	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Monoplegia, unspecified (G83.3)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Cauda equina syndrome (G83.4)												
All ages-----	5	1	4	4	1	3	1	-	1	1	-	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	-	-	-	1	-	1	1	-	1
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Other specified paralytic syndromes (G83.8)												
All ages-----	227	93	134	212	87	125	15	6	9	15	6	9
Under 1 year----	1	-	1	-	-	-	1	-	1	1	-	1
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	-	-	-	1	1	-	1	1	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	2	1	1	1	1	-	1	-	1	1	-	1
50-54 years-----	5	4	1	5	4	1	-	-	-	-	-	-
55-59 years-----	6	2	4	5	2	3	1	-	1	1	-	1
60-64 years-----	15	8	7	15	8	7	-	-	-	-	-	-
65-69 years-----	14	4	10	10	2	8	4	2	2	4	2	2
70-74 years-----	23	11	12	23	11	12	-	-	-	-	-	-
75-79 years-----	42	19	23	39	17	22	3	2	1	3	2	1
80-84 years-----	33	16	17	32	16	16	1	-	1	1	-	1
85-89 years-----	36	13	23	35	12	23	1	1	-	1	1	-
90-94 years-----	40	12	28	38	12	26	2	-	2	2	-	2
95-99 years-----	9	2	7	9	2	7	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Paralytic syndrome, unspecified (G83.9)												
All ages-----	39	23	16	33	19	14	6	4	2	5	3	2
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	5	1	4	4	1	3	1	-	1	1	-	1
55-59 years-----	3	2	1	3	2	1	-	-	-	-	-	-
60-64 years-----	2	2	-	2	2	-	-	-	-	-	-	-
65-69 years-----	8	4	4	7	4	3	1	-	1	1	-	1
70-74 years-----	4	4	-	4	4	-	-	-	-	-	-	-
75-79 years-----	6	5	1	2	1	1	4	4	-	3	3	-
80-84 years-----	3	2	1	3	2	1	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Disorders of autonomic nervous system (G90)												
All ages-----	247	136	111	230	130	100	17	6	11	13	3	10
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	3	-	3	3	-	3	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	2	1	1	2	1	1	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	-	-	-	1	1	-	1	1	-
40-44 years-----	2	1	1	2	1	1	-	-	-	-	-	-
45-49 years-----	4	2	2	3	1	2	1	1	-	-	-	-
50-54 years-----	8	2	6	6	2	4	2	-	2	1	-	1
55-59 years-----	7	3	4	7	3	4	-	-	-	-	-	-
60-64 years-----	27	14	13	22	14	8	5	-	5	5	-	5
65-69 years-----	21	14	7	19	12	7	2	2	-	1	1	-
70-74 years-----	42	25	17	40	24	16	2	1	1	1	-	1
75-79 years-----	55	32	23	55	32	23	-	-	-	-	-	-
80-84 years-----	34	20	14	32	20	12	2	-	2	2	-	2
85-89 years-----	32	17	15	30	16	14	2	1	1	2	1	1
90-94 years-----	6	3	3	6	3	3	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

RACE, AND SEX

Idiopathic peripheral autonomic neuropathy (G90.0)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Familial dysautonomia [Riley-Day] (G90.1)

All ages-----	19	8	11	16	8	8	3	-	3	3	-	3
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	3	-	3	3	-	3	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	2	1	1	2	1	1	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	-	1	-	-	-	1	-	1	1	-	1
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	1	-	1	-	-	-	1	-	1	1	-	1
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years-----	2	1	1	1	1	-	1	-	1	1	-	1
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Multisystem degeneration (G90.3)												
All ages-----	184	113	71	175	107	68	9	6	3	6	3	3
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	-	-	-	1	1	-	1	1	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	3	2	1	2	1	1	1	1	-	-	-	-
50-54 years-----	4	1	3	4	1	3	-	-	-	-	-	-
55-59 years-----	5	2	3	5	2	3	-	-	-	-	-	-
60-64 years-----	22	14	8	20	14	6	2	-	2	2	-	2
65-69 years-----	17	12	5	15	10	5	2	2	-	1	1	-
70-74 years-----	39	22	17	37	21	16	2	1	1	1	-	1
75-79 years-----	40	25	15	40	25	15	-	-	-	-	-	-
80-84 years-----	24	18	6	24	18	6	-	-	-	-	-	-
85-89 years-----	27	16	11	26	15	11	1	1	-	1	1	-
90-94 years-----	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other disorders of autonomic nervous system (G90.8)

All ages-----	21	10	11	18	10	8	3	-	3	2	-	2
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	2	1	1	1	1	-	1	-	1	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	3	-	3	2	-	2	1	-	1	1	-	1
65-69 years-----	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	6	3	3	6	3	3	-	-	-	-	-	-
80-84 years-----	3	1	2	2	1	1	1	-	1	1	-	1
85-89 years-----	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years-----	2	2	-	2	2	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Disorder of autonomic nervous system, unspecified (G90.9)												
All ages-----	22	4	18	20	4	16	2	-	2	2	-	2
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	1	-	1	-	-	-	1	-	1	1	-	1
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	7	3	4	7	3	4	-	-	-	-	-	-
80-84 years-----	5	-	5	5	-	5	-	-	-	-	-	-
85-89 years-----	2	-	2	1	-	1	1	-	1	1	-	1
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Hydrocephalus (G91)

All ages-----	692	365	327	585	311	274	107	54	53	99	49	50
Under 1 year----	22	12	10	9	5	4	13	7	6	13	7	6
1-4 years-----	14	8	6	8	4	4	6	4	2	5	3	2
5-9 years-----	19	10	9	13	8	5	6	2	4	6	2	4
10-14 years-----	17	9	8	10	4	6	7	5	2	5	3	2
15-19 years-----	15	10	5	12	9	3	3	1	2	3	1	2
20-24 years-----	13	5	8	10	4	6	3	1	2	2	1	1
25-29 years-----	3	2	1	3	2	1	-	-	-	-	-	-
30-34 years-----	9	5	4	8	4	4	1	1	-	1	1	-
35-39 years-----	14	6	8	6	1	5	8	5	3	8	5	3
40-44 years-----	13	5	8	10	3	7	3	2	1	3	2	1
45-49 years-----	10	4	6	9	4	5	1	-	1	1	-	1
50-54 years-----	18	8	10	11	5	6	7	3	4	7	3	4
55-59 years-----	27	20	7	23	16	7	4	4	-	4	4	-
60-64 years-----	21	11	10	18	11	7	3	-	3	3	-	3
65-69 years-----	32	17	15	27	14	13	5	3	2	4	2	2
70-74 years-----	64	37	27	58	34	24	6	3	3	5	3	2
75-79 years-----	115	68	47	106	65	41	9	3	6	9	3	6
80-84 years-----	118	60	58	111	57	54	7	3	4	5	2	3
85-89 years-----	110	50	60	97	45	52	13	5	8	13	5	8
90-94 years-----	35	18	17	33	16	17	2	2	-	2	2	-
95-99 years-----	3	-	3	3	-	3	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Communicating hydrocephalus (G91.0)												
All ages-----	8	6	2	7	5	2	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	1	-	-	-	-	1	1	-	1	1	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	2	2	-	2	2	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Obstructive hydrocephalus (G91.1)												
All ages-----	46	29	17	36	21	15	10	8	2	10	8	2
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	3	2	1	2	1	1	1	1	-	1	1	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	5	3	2	3	1	2	2	2	-	2	2	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	3	1	2	1	-	1	2	1	1	2	1	1
55-59 years-----	3	3	-	2	2	-	1	1	-	1	1	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	4	3	1	3	2	1	1	1	-	1	1	-
70-74 years-----	5	3	2	5	3	2	-	-	-	-	-	-
75-79 years-----	5	5	-	5	5	-	-	-	-	-	-	-
80-84 years-----	3	2	1	3	2	1	-	-	-	-	-	-
85-89 years-----	6	2	4	3	-	3	3	2	1	3	2	1
90-94 years-----	3	1	2	3	1	2	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Normal-pressure hydrocephalus (G91.2)												
All ages-----	265	138	127	245	128	117	20	10	10	18	8	10
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	6	4	2	6	4	2	-	-	-	-	-	-
60-64 years-----	5	2	3	4	2	2	1	-	1	1	-	1
65-69 years-----	11	5	6	10	4	6	1	1	-	-	-	-
70-74 years-----	20	12	8	18	10	8	2	2	-	2	2	-
75-79 years-----	68	40	28	62	37	25	6	3	3	6	3	3
80-84 years-----	65	32	33	61	30	31	4	2	2	3	1	2
85-89 years-----	64	31	33	59	30	29	5	1	4	5	1	4
90-94 years-----	22	11	11	21	10	11	1	1	-	1	1	-
95-99 years-----	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Other hydrocephalus (G91.8)												
All ages-----	18	6	12	16	6	10	2	-	2	2	-	2
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	2	1	1	2	1	1	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	-	-	-	1	-	1	1	-	1
70-74 years-----	3	2	1	3	2	1	-	-	-	-	-	-
75-79 years-----	3	1	2	2	1	1	1	-	1	1	-	1
80-84 years-----	2	-	2	2	-	2	-	-	-	-	-	-
85-89 years-----	5	2	3	5	2	3	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),

RACE, AND SEX - - - ALL RACES - - - - - - WHITE - - - - - - ALL OTHER - - - - - - BLACK - - -

TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Hydrocephalus, unspecified (G91.9)

All ages-----	355	186	169	281	151	130	74	35	39	68	32	36
Under 1 year----	22	12	10	9	5	4	13	7	6	13	7	6
1-4 years-----	14	8	6	8	4	4	6	4	2	5	3	2
5-9 years-----	15	7	8	11	7	4	4	-	4	4	-	4
10-14 years-----	14	7	7	7	2	5	7	5	2	5	3	2
15-19 years-----	14	9	5	11	8	3	3	1	2	3	1	2
20-24 years-----	13	5	8	10	4	6	3	1	2	2	1	1
25-29 years-----	2	1	1	2	1	1	-	-	-	-	-	-
30-34 years-----	8	5	3	7	4	3	1	1	-	1	1	-
35-39 years-----	8	3	5	2	-	2	6	3	3	6	3	3
40-44 years-----	11	5	6	8	3	5	3	2	1	3	2	1
45-49 years-----	9	3	6	8	3	5	1	-	1	1	-	1
50-54 years-----	14	6	8	9	4	5	5	2	3	5	2	3
55-59 years-----	17	13	4	14	10	4	3	3	-	3	3	-
60-64 years-----	16	9	7	14	9	5	2	-	2	2	-	2
65-69 years-----	14	7	7	12	6	6	2	1	1	2	1	1
70-74 years-----	35	19	16	31	18	13	4	1	3	3	1	2
75-79 years-----	38	21	17	36	21	15	2	-	2	2	-	2
80-84 years-----	47	25	22	44	24	20	3	1	2	2	1	1
85-89 years-----	34	15	19	29	13	16	5	2	3	5	2	3
90-94 years-----	9	6	3	8	5	3	1	1	-	1	1	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Toxic encephalopathy (G92)

All ages-----	73	34	39	61	29	32	12	5	7	12	5	7
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	1	-	1	-	-	-	1	-	1	1	-	1
35-39 years-----	1	-	1	-	-	-	1	-	1	1	-	1
40-44 years-----	1	1	-	-	-	-	1	1	-	1	1	-
45-49 years-----	4	1	3	4	1	3	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	7	1	6	5	1	4	2	-	2	2	-	2
60-64 years-----	4	2	2	4	2	2	-	-	-	-	-	-
65-69 years-----	2	2	-	2	2	-	-	-	-	-	-	-
70-74 years-----	12	8	4	10	7	3	2	1	1	2	1	1
75-79 years-----	16	6	10	14	4	10	2	2	-	2	2	-
80-84 years-----	12	7	5	10	7	3	2	-	2	2	-	2
85-89 years-----	8	4	4	7	3	4	1	1	-	1	1	-
90-94 years-----	3	1	2	3	1	2	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other disorders of brain (G93)												
All ages-----	5,477	2,728	2,749	4,229	2,174	2,055	1,248	554	694	1,119	484	635
Under 1 year-----	84	45	39	60	33	27	24	12	12	18	10	8
1-4 years-----	77	43	34	58	32	26	19	11	8	15	7	8
5-9 years-----	39	24	15	32	20	12	7	4	3	7	4	3
10-14 years-----	33	17	16	24	11	13	9	6	3	8	5	3
15-19 years-----	36	23	13	28	19	9	8	4	4	8	4	4
20-24 years-----	46	24	22	28	14	14	18	10	8	16	10	6
25-29 years-----	63	32	31	45	25	20	18	7	11	17	6	11
30-34 years-----	83	44	39	52	28	24	31	16	15	29	16	13
35-39 years-----	142	79	63	103	62	41	39	17	22	38	16	22
40-44 years-----	187	102	85	136	73	63	51	29	22	47	26	21
45-49 years-----	292	146	146	182	99	83	110	47	63	101	45	56
50-54 years-----	322	179	143	230	129	101	92	50	42	86	48	38
55-59 years-----	363	184	179	254	137	117	109	47	62	99	41	58
60-64 years-----	446	238	208	326	180	146	120	58	62	107	48	59
65-69 years-----	519	259	260	388	205	183	131	54	77	115	44	71
70-74 years-----	681	362	319	544	308	236	137	54	83	123	47	76
75-79 years-----	753	395	358	612	331	281	141	64	77	122	53	69
80-84 years-----	585	276	309	506	247	259	79	29	50	70	25	45
85-89 years-----	445	180	265	379	155	224	66	25	41	57	19	38
90-94 years-----	201	57	144	174	51	123	27	6	21	26	6	20
95-99 years-----	72	17	55	60	13	47	12	4	8	10	4	6
100 yrs & over---	8	2	6	8	2	6	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral cysts (G93.0)												
All ages-----	23	11	12	22	10	12	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	2	-	2	2	-	2	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	2	1	1	1	-	1	1	1	-	1	1	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years-----	4	3	1	4	3	1	-	-	-	-	-	-
75-79 years-----	4	1	3	4	1	3	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years-----	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Anoxic brain damage, not elsewhere classified (G93.1)												
All ages-----	3,800	1,919	1,881	2,846	1,511	1,335	954	408	546	866	362	504
Under 1 year-----	39	20	19	22	12	10	17	8	9	12	7	5
1-4 years-----	26	14	12	21	11	10	5	3	2	5	3	2
5-9 years-----	8	5	3	5	4	1	3	1	2	3	1	2
10-14 years-----	11	3	8	9	3	6	2	-	2	2	-	2
15-19 years-----	15	9	6	10	7	3	5	2	3	5	2	3
20-24 years-----	21	13	8	12	7	5	9	6	3	8	6	2
25-29 years-----	37	16	21	22	11	11	15	5	10	14	4	10
30-34 years-----	55	30	25	32	18	14	23	12	11	21	12	9
35-39 years-----	96	57	39	72	44	28	24	13	11	23	12	11
40-44 years-----	132	75	57	95	53	42	37	22	15	33	19	14
45-49 years-----	204	105	99	119	70	49	85	35	50	80	34	46
50-54 years-----	256	147	109	182	107	75	74	40	34	70	39	31
55-59 years-----	279	134	145	187	96	91	92	38	54	84	33	51
60-64 years-----	346	184	162	248	139	109	98	45	53	91	40	51
65-69 years-----	405	208	197	301	164	137	104	44	60	91	37	54
70-74 years-----	519	273	246	407	234	173	112	39	73	103	34	69
75-79 years-----	546	269	277	435	223	212	111	46	65	96	38	58
80-84 years-----	398	198	200	334	173	161	64	25	39	57	21	36
85-89 years-----	272	122	150	219	104	115	53	18	35	47	14	33
90-94 years-----	101	29	72	88	26	62	13	3	10	13	3	10
95-99 years-----	32	8	24	24	5	19	8	3	5	8	3	5
100 yrs & over---	2	-	2	2	-	2	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Benign intracranial hypertension (G93.2)

All ages-----	57	35	22	46	28	18	11	7	4	8	6	2
Under 1 year-----	1	1	-	-	-	-	1	1	-	1	1	-
1-4 years-----	2	2	-	1	1	-	1	1	-	-	-	-
5-9 years-----	4	4	-	4	4	-	-	-	-	-	-	-
10-14 years-----	2	1	1	1	-	1	1	1	-	1	1	-
15-19 years-----	2	1	1	2	1	1	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	3	1	2	3	1	2	-	-	-	-	-	-
30-34 years-----	3	2	1	2	1	1	1	1	-	1	1	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	3	2	1	2	2	-	1	-	1	1	-	1
45-49 years-----	8	3	5	4	2	2	4	1	3	2	1	1
50-54 years-----	6	3	3	5	2	3	1	1	-	1	1	-
55-59 years-----	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	2	2	-	2	2	-	-	-	-	-	-	-
70-74 years-----	6	3	3	6	3	3	-	-	-	-	-	-
75-79 years-----	3	3	-	2	2	-	1	1	-	1	1	-
80-84 years-----	2	-	2	2	-	2	-	-	-	-	-	-
85-89 years-----	5	4	1	5	4	1	-	-	-	-	-	-
90-94 years-----	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Encephalopathy, unspecified (G93.4)												
All ages-----	746	373	373	628	311	317	118	62	56	102	52	50
Under 1 year-----	25	16	9	23	15	8	2	1	1	2	1	1
1-4 years-----	23	12	11	16	8	8	7	4	3	6	3	3
5-9 years-----	9	7	2	6	4	2	3	3	-	3	3	-
10-14 years-----	9	6	3	6	4	2	3	2	1	2	1	1
15-19 years-----	7	5	2	7	5	2	-	-	-	-	-	-
20-24 years-----	5	3	2	4	2	2	1	1	-	1	1	-
25-29 years-----	6	4	2	5	3	2	1	1	-	1	1	-
30-34 years-----	9	2	7	7	1	6	2	1	1	2	1	1
35-39 years-----	5	2	3	3	2	1	2	-	2	2	-	2
40-44 years-----	23	14	9	17	10	7	6	4	2	6	4	2
45-49 years-----	28	13	15	24	11	13	4	2	2	4	2	2
50-54 years-----	25	15	10	19	11	8	6	4	2	5	3	2
55-59 years-----	32	21	11	29	20	9	3	1	2	2	1	1
60-64 years-----	47	24	23	38	18	20	9	6	3	7	4	3
65-69 years-----	63	30	33	47	24	23	16	6	10	14	4	10
70-74 years-----	78	41	37	65	35	30	13	6	7	9	5	4
75-79 years-----	112	63	49	97	55	42	15	8	7	13	7	6
80-84 years-----	101	47	54	93	44	49	8	3	5	7	3	4
85-89 years-----	91	28	63	82	23	59	9	5	4	8	4	4
90-94 years-----	39	17	22	33	14	19	6	3	3	6	3	3
95-99 years-----	9	3	6	7	2	5	2	1	1	2	1	1
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Compression of brain (G93.5)												
All ages-----	186	89	97	142	69	73	44	20	24	40	17	23
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	4	1	3	1	-	1	3	1	2	2	-	2
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	2	2	-	1	1	-	1	1	-	1	1	-
15-19 years-----	2	2	-	1	1	-	1	1	-	1	1	-
20-24 years-----	3	1	2	3	1	2	-	-	-	-	-	-
25-29 years-----	3	2	1	3	2	1	-	-	-	-	-	-
30-34 years-----	6	2	4	3	1	2	3	1	2	3	1	2
35-39 years-----	13	4	9	7	3	4	6	1	5	6	1	5
40-44 years-----	7	2	5	3	-	3	4	2	2	4	2	2
45-49 years-----	14	5	9	8	2	6	6	3	3	6	3	3
50-54 years-----	13	5	8	9	4	5	4	1	3	3	1	2
55-59 years-----	16	10	6	12	7	5	4	3	1	3	2	1
60-64 years-----	17	8	9	15	7	8	2	1	1	1	-	1
65-69 years-----	19	9	10	16	8	8	3	1	2	3	1	2
70-74 years-----	16	9	7	15	8	7	1	1	-	1	1	-
75-79 years-----	26	17	9	21	14	7	5	3	2	5	3	2
80-84 years-----	16	7	9	15	7	8	1	-	1	1	-	1
85-89 years-----	8	3	5	8	3	5	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Cerebral edema (G93.6)												
All ages-----	217	107	110	167	80	87	50	27	23	43	22	21
Under 1 year-----	5	3	2	5	3	2	-	-	-	-	-	-
1-4 years-----	15	12	3	13	10	3	2	2	-	1	1	-
5-9 years-----	14	7	7	13	7	6	1	-	1	1	-	1
10-14 years-----	8	5	3	6	3	3	2	2	-	2	2	-
15-19 years-----	6	2	4	4	1	3	2	1	1	2	1	1
20-24 years-----	14	6	8	8	3	5	6	3	3	5	3	2
25-29 years-----	8	4	4	7	4	3	1	-	1	1	-	1
30-34 years-----	4	3	1	2	2	-	2	1	1	2	1	1
35-39 years-----	13	6	7	11	5	6	2	1	1	2	1	1
40-44 years-----	13	6	7	11	6	5	2	-	2	2	-	2
45-49 years-----	27	13	14	18	9	9	9	4	5	7	3	4
50-54 years-----	15	7	8	11	4	7	4	3	1	4	3	1
55-59 years-----	15	5	10	10	4	6	5	1	4	5	1	4
60-64 years-----	14	10	4	8	5	3	6	5	1	4	3	1
65-69 years-----	8	2	6	8	2	6	-	-	-	-	-	-
70-74 years-----	13	8	5	10	5	5	3	3	-	2	2	-
75-79 years-----	7	3	4	7	3	4	-	-	-	-	-	-
80-84 years-----	7	3	4	5	3	2	2	-	2	2	-	2
85-89 years-----	7	2	5	6	1	5	1	1	-	1	1	-
90-94 years-----	4	-	4	4	-	4	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Reye's syndrome (G93.7)												
All ages-----	8	3	5	7	3	4	1	-	1	1	-	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	3	1	2	3	1	2	-	-	-	-	-	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	-	-	-	1	-	1	1	-	1
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other specified disorders of brain (G93.8)												
All ages-----	135	67	68	112	58	54	23	9	14	20	7	13
Under 1 year----	13	4	9	9	2	7	4	2	2	3	1	2
1-4 years-----	3	1	2	3	1	2	-	-	-	-	-	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	2	2	-	2	2	-	-	-	-	-	-	-
20-24 years-----	1	-	1	-	-	-	1	-	1	1	-	1
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	5	4	1	5	4	1	-	-	-	-	-	-
35-39 years-----	5	3	2	4	3	1	1	-	1	1	-	1
40-44 years-----	3	1	2	3	1	2	-	-	-	-	-	-
45-49 years-----	4	2	2	3	1	2	1	1	-	1	1	-
50-54 years-----	2	1	1	1	-	1	1	1	-	1	1	-
55-59 years-----	10	7	3	8	6	2	2	1	1	2	1	1
60-64 years-----	6	1	5	3	1	2	3	-	3	2	-	2
65-69 years-----	5	2	3	2	1	1	3	1	2	3	1	2
70-74 years-----	15	10	5	11	8	3	4	2	2	4	2	2
75-79 years-----	13	9	4	12	9	3	1	-	1	1	-	1
80-84 years-----	15	8	7	15	8	7	-	-	-	-	-	-
85-89 years-----	18	7	11	17	6	11	1	1	-	-	-	-
90-94 years-----	11	2	9	10	2	8	1	-	1	1	-	1
95-99 years-----	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over---	1	1	-	1	1	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Disorder of brain, unspecified (G93.9)

All ages-----	305	124	181	259	104	155	46	20	26	38	17	21
Under 1 year----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	1	-	1	-	-	-	1	-	1	1	-	1
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	2	2	-	2	2	-	-	-	-	-	-	-
20-24 years-----	1	-	1	-	-	-	1	-	1	1	-	1
25-29 years-----	4	4	-	3	3	-	1	1	-	1	1	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	7	6	1	4	4	-	3	2	1	3	2	1
40-44 years-----	4	2	2	3	1	2	1	1	-	1	1	-
45-49 years-----	5	3	2	4	2	2	1	1	-	1	1	-
50-54 years-----	4	1	3	2	1	1	2	-	2	2	-	2
55-59 years-----	7	5	2	5	3	2	2	2	-	2	2	-
60-64 years-----	15	11	4	13	10	3	2	1	1	2	1	1
65-69 years-----	15	5	10	10	3	7	5	2	3	4	1	3
70-74 years-----	30	15	15	26	12	14	4	3	1	4	3	1
75-79 years-----	42	30	12	34	24	10	8	6	2	6	4	2
80-84 years-----	45	12	33	41	11	30	4	1	3	3	1	2
85-89 years-----	42	13	29	40	13	27	2	-	2	1	-	1
90-94 years-----	42	7	35	35	7	28	7	-	7	6	-	6
95-99 years-----	30	5	25	28	5	23	2	-	2	-	-	-
100 yrs & over---	5	1	4	5	1	4	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other diseases of spinal cord (G95)												
All ages-----	247	143	104	214	125	89	33	18	15	28	14	14
Under 1 year----	1	1	-	-	-	-	1	1	-	1	1	-
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	2	-	2	1	-	1	1	-	1	1	-	1
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	2	2	-	1	1	-	1	1	-	1	1	-
40-44 years-----	1	1	-	-	-	-	1	1	-	-	-	-
45-49 years-----	10	9	1	10	9	1	-	-	-	-	-	-
50-54 years-----	7	3	4	6	3	3	1	-	1	-	-	-
55-59 years-----	15	9	6	12	8	4	3	1	2	3	1	2
60-64 years-----	13	6	7	9	5	4	4	1	3	4	1	3
65-69 years-----	22	15	7	16	10	6	6	5	1	6	5	1
70-74 years-----	40	29	11	33	26	7	7	3	4	6	2	4
75-79 years-----	47	21	26	45	20	25	2	1	1	2	1	1
80-84 years-----	53	31	22	50	28	22	3	3	-	1	1	-
85-89 years-----	19	10	9	17	10	7	2	-	2	2	-	2
90-94 years-----	11	5	6	10	4	6	1	1	-	1	1	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Syringomyelia and syringobulbia (G95.0)

All ages-----	54	28	26	45	25	20	9	3	6	8	2	6
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	1	1	-	-	-	-	1	1	-	-	-	-
45-49 years-----	3	2	1	3	2	1	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	6	2	4	4	2	2	2	-	2	2	-	2
60-64 years-----	2	-	2	1	-	1	1	-	1	1	-	1
65-69 years-----	5	4	1	4	3	1	1	1	-	1	1	-
70-74 years-----	14	10	4	10	9	1	4	1	3	4	1	3
75-79 years-----	11	3	8	11	3	8	-	-	-	-	-	-
80-84 years-----	5	4	1	5	4	1	-	-	-	-	-	-
85-89 years-----	3	1	2	3	1	2	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Vascular myelopathies (G95.1)												
All ages-----	38	23	15	35	21	14	3	2	1	1	1	-
Under 1 year----	1	1	-	-	-	-	1	1	-	1	1	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	-	1	-	-	-	1	-	1	-	-	-
55-59 years-----	2	2	-	2	2	-	-	-	-	-	-	-
60-64 years-----	4	3	1	4	3	1	-	-	-	-	-	-
65-69 years-----	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years-----	6	5	1	6	5	1	-	-	-	-	-	-
75-79 years-----	7	3	4	7	3	4	-	-	-	-	-	-
80-84 years-----	11	6	5	10	5	5	1	1	-	-	-	-
85-89 years-----	3	2	1	3	2	1	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Cord compression, unspecified (G95.2)												
All ages-----	42	25	17	36	20	16	6	5	1	5	4	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	2	2	-	2	2	-	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	1	1	-	-	-	-	1	1	-	1	1	-
60-64 years-----	3	2	1	1	1	-	2	1	1	2	1	1
65-69 years-----	7	5	2	6	4	2	1	1	-	1	1	-
70-74 years-----	3	3	-	1	1	-	2	2	-	1	1	-
75-79 years-----	13	7	6	13	7	6	-	-	-	-	-	-
80-84 years-----	7	4	3	7	4	3	-	-	-	-	-	-
85-89 years-----	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years-----	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other specified diseases of spinal cord (G95.8)												
All ages-----	12	8	4	12	8	4	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	2	2	-	2	2	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	3	2	1	3	2	1	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Disease of spinal cord, unspecified (G95.9)

All ages-----	101	59	42	86	51	35	15	8	7	14	7	7
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	1	-	1	-	-	-	1	-	1	1	-	1
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	-	-	-	1	1	-	1	1	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	4	4	-	4	4	-	-	-	-	-	-	-
50-54 years-----	2	1	1	2	1	1	-	-	-	-	-	-
55-59 years-----	5	4	1	5	4	1	-	-	-	-	-	-
60-64 years-----	4	1	3	3	1	2	1	-	1	1	-	1
65-69 years-----	8	5	3	4	2	2	4	3	1	4	3	1
70-74 years-----	15	9	6	14	9	5	1	-	1	1	-	1
75-79 years-----	16	8	8	14	7	7	2	1	1	2	1	1
80-84 years-----	27	15	12	25	13	12	2	2	-	1	1	-
85-89 years-----	10	6	4	8	6	2	2	-	2	2	-	2
90-94 years-----	6	4	2	5	3	2	1	1	-	1	1	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other disorders of central nervous system (G96)												
All ages-----	42	16	26	39	13	26	3	3	-	2	2	-
Under 1 year-----	4	4	-	3	3	-	1	1	-	1	1	-
1-4 years-----	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years-----	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years-----	2	-	2	2	-	2	-	-	-	-	-	-
35-39 years-----	3	2	1	3	2	1	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years-----	3	2	1	3	2	1	-	-	-	-	-	-
65-69 years-----	2	2	-	1	1	-	1	1	-	-	-	-
70-74 years-----	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years-----	4	1	3	4	1	3	-	-	-	-	-	-
80-84 years-----	3	1	2	3	1	2	-	-	-	-	-	-
85-89 years-----	7	1	6	7	1	6	-	-	-	-	-	-
90-94 years-----	6	-	6	6	-	6	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrospinal fluid leak (G96.0)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Disorders of meninges, not elsewhere classified (G96.1)												
All ages-----	4	1	3	4	1	3	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Other specified disorders of central nervous system (G96.8)												
All ages-----	9	2	7	9	2	7	-	-	-	-	-	-
Under 1 year-----	2	2	-	2	2	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	3	-	3	3	-	3	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Disorder of central nervous system, unspecified (G96.9)												
All ages-----	28	12	16	25	9	16	3	3	-	2	2	-
Under 1 year----	2	2	-	1	1	-	1	1	-	1	1	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years-----	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	2	2	-	2	2	-	-	-	-	-	-	-
65-69 years-----	1	1	-	-	-	-	1	1	-	-	-	-
70-74 years-----	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years-----	3	1	2	3	1	2	-	-	-	-	-	-
80-84 years-----	3	1	2	3	1	2	-	-	-	-	-	-
85-89 years-----	6	1	5	6	1	5	-	-	-	-	-	-
90-94 years-----	3	-	3	3	-	3	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other disorders of nervous system, not elsewhere classified (G98)

All ages-----	66	34	32	59	28	31	7	6	1	5	4	1
Under 1 year----	3	2	1	2	1	1	1	1	-	-	-	-
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	4	1	3	4	1	3	-	-	-	-	-	-
60-64 years-----	4	-	4	4	-	4	-	-	-	-	-	-
65-69 years-----	5	2	3	4	1	3	1	1	-	1	1	-
70-74 years-----	8	5	3	6	3	3	2	2	-	1	1	-
75-79 years-----	10	7	3	9	6	3	1	1	-	1	1	-
80-84 years-----	9	6	3	8	6	2	1	-	1	1	-	1
85-89 years-----	10	6	4	10	6	4	-	-	-	-	-	-
90-94 years-----	7	1	6	6	-	6	1	1	-	1	1	-
95-99 years-----	2	2	-	2	2	-	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Disorders of orbit (H05)												
All ages-----	6	2	4	5	2	3	1	-	1	1	-	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	-	-	-	1	-	1	1	-	1
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	3	1	2	3	1	2	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Acute inflammation of orbit (H05.0)												
All ages-----	6	2	4	5	2	3	1	-	1	1	-	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	-	-	-	1	-	1	1	-	1
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	3	1	2	3	1	2	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Keratitis (H16)												
All ages-----	2	-	2	2	-	2	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Keratoconjunctivitis (H16.2)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Interstitial and deep keratitis (H16.3)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Other cataract (H26)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Cataract, unspecified (H26.9)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Chorioretinal inflammation (H30)

All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),

RACE, AND SEX - - - ALL RACES - - - - - - WHITE - - - - - - ALL OTHER - - - - - - BLACK - - -

TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Chorioretinal inflammation, unspecified (H30.9)

All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Retinal detachments and breaks (H33)

All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Serous retinal detachment (H33.2)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Other retinal disorders (H35)												
All ages-----	2	-	2	2	-	2	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Degeneration of macula and posterior pole (H35.3)												
All ages-----	2	-	2	2	-	2	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Glaucoma (H40)												
All ages-----	11	6	5	8	4	4	3	2	1	3	2	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	-	-	-	1	1	-	1	1	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	2	1	1	1	1	-	1	-	1	1	-	1
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	3	1	2	3	1	2	-	-	-	-	-	-
90-94 years-----	2	1	1	1	-	1	1	1	-	1	1	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Primary open-angle glaucoma (H40.1)												
All ages-----	1	-	1	-	-	-	1	-	1	1	-	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	-	-	-	1	-	1	1	-	1
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Glaucoma, unspecified (H40.9)												
All ages-----	10	6	4	8	4	4	2	2	-	2	2	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	-	-	-	1	1	-	1	1	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	3	1	2	3	1	2	-	-	-	-	-	-
90-94 years-----	2	1	1	1	-	1	1	1	-	1	1	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Disorders of globe (H44)												
All ages-----	7	2	5	4	1	3	3	1	2	2	1	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	2	1	1	-	-	-	2	1	1	1	1	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	2	-	2	1	-	1	1	-	1	1	-	1
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Purulent endophthalmitis (H44.0)

All ages-----	7	2	5	4	1	3	3	1	2	2	1	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	2	1	1	-	-	-	2	1	1	1	1	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	2	-	2	1	-	1	1	-	1	1	-	1
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Optic neuritis (H46)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Paralytic strabismus (H49)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other paralytic strabismus (H49.8)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Blindness and low vision (H54)

All ages-----	10	4	6	6	2	4	4	2	2	4	2	2
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	-	1	-	-	-	1	-	1	1	-	1
60-64 years-----	1	1	-	-	-	-	1	1	-	1	1	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	5	1	4	3	-	3	2	1	1	2	1	1
100 yrs & over---	1	1	-	1	1	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Blindness, both eyes (H54.0)												
All ages-----	10	4	6	6	2	4	4	2	2	4	2	2
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	-	1	-	-	-	1	-	1	1	-	1
60-64 years-----	1	1	-	-	-	-	1	1	-	1	1	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	5	1	4	3	-	3	2	1	1	2	1	1
100 yrs & over---	1	1	-	1	1	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other disorders of eye and adnexa (H57)

All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),

RACE, AND SEX - - - ALL RACES - - - - - - WHITE - - - - - - ALL OTHER - - - - - - BLACK - - -

Disorder of eye and adnexa, unspecified (H57.9)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Otitis externa (H60)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Otitis externa, unspecified (H60.9)												
All ages-----	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Suppurative and unspecified otitis media (H66)

All ages-----	40	23	17	29	19	10	11	4	7	9	3	6
Under 1 year-----	3	3	-	2	2	-	1	1	-	-	-	-
1-4 years-----	2	1	1	2	1	1	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	2	1	1	1	1	-	1	-	1	1	-	1
20-24 years-----	1	1	-	-	-	-	1	1	-	1	1	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	6	2	4	5	2	3	1	-	1	1	-	1
35-39 years-----	3	2	1	2	2	-	1	-	1	1	-	1
40-44 years-----	3	2	1	1	1	-	2	1	1	2	1	1
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years-----	5	1	4	3	1	2	2	-	2	1	-	1
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years-----	2	2	-	2	2	-	-	-	-	-	-	-
75-79 years-----	3	1	2	2	1	1	1	-	1	1	-	1
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	2	2	-	1	1	-	1	1	-	1	1	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Suppurative otitis media, unspecified (H66.4)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Otitis media, unspecified (H66.9)

All ages-----	39	22	17	28	18	10	11	4	7	9	3	6
Under 1 year-----	3	3	-	2	2	-	1	1	-	-	-	-
1-4 years-----	2	1	1	2	1	1	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	2	1	1	1	1	-	1	-	1	1	-	1
20-24 years-----	1	1	-	-	-	-	1	1	-	1	1	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	6	2	4	5	2	3	1	-	1	1	-	1
35-39 years-----	3	2	1	2	2	-	1	-	1	1	-	1
40-44 years-----	3	2	1	1	1	-	2	1	1	2	1	1
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years-----	5	1	4	3	1	2	2	-	2	1	-	1
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years-----	2	2	-	2	2	-	-	-	-	-	-	-
75-79 years-----	3	1	2	2	1	1	1	-	1	1	-	1
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	1	-	-	-	-	1	1	-	1	1	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Mastoiditis and related conditions (H70)												
All ages-----	24	9	15	18	9	9	6	-	6	5	-	5
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	-	1	-	-	-	1	-	1	1	-	1
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	2	-	2	2	-	2	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	1	-	1	-	-	-	1	-	1	1	-	1
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	2	1	1	1	1	-	1	-	1	1	-	1
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	2	-	2	-	-	-	2	-	2	1	-	1
80-84 years-----	2	2	-	2	2	-	-	-	-	-	-	-
85-89 years-----	4	1	3	4	1	3	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	1	-	1	-	-	-	1	-	1	1	-	1
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Acute mastoiditis (H70.0)

All ages-----	1	-	1	-	-	-	1	-	1	1	-	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	1	-	1	-	-	-	1	-	1	1	-	1
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Chronic mastoiditis (H70.1)												
All ages-----	4	2	2	3	2	1	1	-	1	1	-	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	-	-	-	1	-	1	1	-	1
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Petrositis (H70.2)

All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other mastoiditis and related conditions (H70.8)												
All ages-----	1	-	1	-	-	-	1	-	1	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	-	-	-	1	-	1	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Mastoiditis, unspecified (H70.9)												
All ages-----	17	6	11	14	6	8	3	-	3	3	-	3
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	-	1	-	-	-	1	-	1	1	-	1
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	1	-	1	-	-	-	1	-	1	1	-	1
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	1	-	1	-	-	-	1	-	1	1	-	1
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	2	2	-	2	2	-	-	-	-	-	-	-
85-89 years-----	3	-	3	3	-	3	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Cholesteatoma of middle ear (H71)												
All ages-----	4	3	1	3	2	1	1	1	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	-	-	-	1	1	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Perforation of tympanic membrane (H72)

All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),

RACE, AND SEX - - - ALL RACES - - - - - - WHITE - - - - - - ALL OTHER - - - - - - BLACK - - -

TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Perforation of tympanic membrane, unspecified (H72.9)

All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other disorders of tympanic membrane (H73)

All ages-----	1	1	-	-	-	-	1	1	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	-	-	-	1	1	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Disorder of tympanic membrane, unspecified (H73.9)												
All ages-----	1	1	-	-	-	-	1	1	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	-	-	-	1	1	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Other hearing loss (H91)												
All ages-----	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Hearing loss, unspecified (H91.9)												
All ages-----	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Rheumatic fever without mention of heart involvement (I00)

All ages-----	23	10	13	18	8	10	5	2	3	5	2	3
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	2	1	1	1	-	1	1	1	-	1	1	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	-	-	-	1	-	1	1	-	1
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	3	2	1	3	2	1	-	-	-	-	-	-
55-59 years-----	3	3	-	2	2	-	1	1	-	1	1	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	4	1	3	4	1	3	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	4	2	2	4	2	2	-	-	-	-	-	-
85-89 years-----	3	-	3	2	-	2	1	-	1	1	-	1
90-94 years-----	1	-	1	-	-	-	1	-	1	1	-	1
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Rheumatic fever with heart involvement (I01)												
All ages-----	6	3	3	4	2	2	2	1	1	2	1	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	-	1	-	-	-	1	-	1	1	-	1
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	2	1	1	1	-	1	1	1	-	1	1	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Acute rheumatic endocarditis (I01.1)

All ages-----	5	2	3	4	2	2	1	-	1	1	-	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	-	1	-	-	-	1	-	1	1	-	1
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Acute rheumatic myocarditis (I01.2)												
All ages-----	1	1	-	-	-	-	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	-	-	-	1	1	-	1	1	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic chorea (I02)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Rheumatic chorea with heart involvement (I02.0)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Rheumatic mitral valve diseases (I05)

All ages-----	2,050	562	1,488	1,838	503	1,335	212	59	153	166	53	113
Under 1 year-----	6	2	4	4	1	3	2	1	1	1	1	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	3	2	1	2	1	1	1	1	-	1	1	-
20-24 years-----	4	3	1	3	2	1	1	1	-	1	1	-
25-29 years-----	7	3	4	5	3	2	2	-	2	2	-	2
30-34 years-----	12	4	8	6	3	3	6	1	5	4	-	4
35-39 years-----	24	10	14	19	8	11	5	2	3	5	2	3
40-44 years-----	37	14	23	26	11	15	11	3	8	8	3	5
45-49 years-----	67	27	40	54	23	31	13	4	9	11	4	7
50-54 years-----	93	32	61	64	26	38	29	6	23	24	6	18
55-59 years-----	111	37	74	91	29	62	20	8	12	17	6	11
60-64 years-----	128	36	92	106	31	75	22	5	17	13	4	9
65-69 years-----	203	64	139	179	58	121	24	6	18	21	5	16
70-74 years-----	285	94	191	259	86	173	26	8	18	22	8	14
75-79 years-----	361	97	264	342	88	254	19	9	10	14	8	6
80-84 years-----	334	79	255	319	76	243	15	3	12	8	3	5
85-89 years-----	232	41	191	222	40	182	10	1	9	8	1	7
90-94 years-----	112	14	98	111	14	97	1	-	1	1	-	1
95-99 years-----	28	3	25	24	3	21	4	-	4	4	-	4
100 yrs & over---	2	-	2	1	-	1	1	-	1	1	-	1
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Mitral stenosis (I05.0)												
All ages-----	830	174	656	759	153	606	71	21	50	56	20	36
Under 1 year----	4	2	2	3	1	2	1	1	-	1	1	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years-----	2	2	-	1	1	-	1	1	-	1	1	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	4	1	3	2	1	1	2	-	2	2	-	2
35-39 years-----	7	2	5	5	1	4	2	1	1	2	1	1
40-44 years-----	15	5	10	13	5	8	2	-	2	1	-	1
45-49 years-----	31	12	19	26	10	16	5	2	3	5	2	3
50-54 years-----	43	12	31	31	10	21	12	2	10	10	2	8
55-59 years-----	37	11	26	32	6	26	5	5	-	4	4	-
60-64 years-----	49	8	41	41	5	36	8	3	5	5	3	2
65-69 years-----	85	21	64	76	19	57	9	2	7	7	2	5
70-74 years-----	103	30	73	95	27	68	8	3	5	6	3	3
75-79 years-----	135	28	107	132	27	105	3	1	2	3	1	2
80-84 years-----	144	21	123	139	21	118	5	-	5	2	-	2
85-89 years-----	113	12	101	108	12	96	5	-	5	4	-	4
90-94 years-----	45	6	39	44	6	38	1	-	1	1	-	1
95-99 years-----	11	1	10	9	1	8	2	-	2	2	-	2
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic mitral insufficiency (I05.1)												
All ages-----	19	6	13	17	6	11	2	-	2	2	-	2
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	2	1	1	1	1	-	1	-	1	1	-	1
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	2	1	1	1	1	-	1	-	1	1	-	1
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	3	1	2	3	1	2	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	3	-	3	3	-	3	-	-	-	-	-	-
80-84 years-----	4	1	3	4	1	3	-	-	-	-	-	-
85-89 years-----	3	1	2	3	1	2	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Mitral stenosis with insufficiency (I05.2)												
All ages-----	9	2	7	7	2	5	2	-	2	1	-	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	-	-	-	1	-	1	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	2	-	2	1	-	1	1	-	1	1	-	1
75-79 years-----	3	2	1	3	2	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other mitral valve diseases (I05.8)

All ages-----	22	14	8	20	13	7	2	1	1	2	1	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	-	-	-	1	-	1	1	-	1
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	2	2	-	1	1	-	1	1	-	1	1	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	5	3	2	5	3	2	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	4	2	2	4	2	2	-	-	-	-	-	-
80-84 years-----	3	2	1	3	2	1	-	-	-	-	-	-
85-89 years-----	3	2	1	3	2	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Mitral valve disease, unspecified (I05.9)												
All ages-----	1,170	366	804	1,035	329	706	135	37	98	105	32	73
Under 1 year-----	2	-	2	1	-	1	1	-	1	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	2	2	-	1	1	-	1	1	-	1	1	-
20-24 years-----	2	1	1	2	1	1	-	-	-	-	-	-
25-29 years-----	6	3	3	5	3	2	1	-	1	1	-	1
30-34 years-----	8	3	5	4	2	2	4	1	3	2	-	2
35-39 years-----	15	7	8	12	6	6	3	1	2	3	1	2
40-44 years-----	21	8	13	12	5	7	9	3	6	7	3	4
45-49 years-----	33	14	19	27	12	15	6	2	4	5	2	3
50-54 years-----	48	18	30	32	15	17	16	3	13	13	3	10
55-59 years-----	70	24	46	56	21	35	14	3	11	12	2	10
60-64 years-----	73	25	48	59	23	36	14	2	12	8	1	7
65-69 years-----	114	42	72	99	38	61	15	4	11	14	3	11
70-74 years-----	179	63	116	162	58	104	17	5	12	15	5	10
75-79 years-----	216	65	151	200	57	143	16	8	8	11	7	4
80-84 years-----	183	55	128	173	52	121	10	3	7	6	3	3
85-89 years-----	113	26	87	108	25	83	5	1	4	4	1	3
90-94 years-----	66	8	58	66	8	58	-	-	-	-	-	-
95-99 years-----	17	2	15	15	2	13	2	-	2	2	-	2
100 yrs & over---	1	-	1	-	-	-	1	-	1	1	-	1
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Rheumatic aortic valve diseases (I06)

All ages-----	53	18	35	50	17	33	3	1	2	3	1	2
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	2	-	2	1	-	1	1	-	1	1	-	1
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	2	2	-	2	2	-	-	-	-	-	-	-
60-64 years-----	2	1	1	2	1	1	-	-	-	-	-	-
65-69 years-----	6	2	4	5	2	3	1	-	1	1	-	1
70-74 years-----	9	1	8	9	1	8	-	-	-	-	-	-
75-79 years-----	8	2	6	8	2	6	-	-	-	-	-	-
80-84 years-----	8	5	3	7	4	3	1	1	-	1	1	-
85-89 years-----	8	2	6	8	2	6	-	-	-	-	-	-
90-94 years-----	3	-	3	3	-	3	-	-	-	-	-	-
95-99 years-----	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Rheumatic aortic stenosis (I06.0)												
All ages-----	22	5	17	21	4	17	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	3	1	2	3	1	2	-	-	-	-	-	-
70-74 years-----	4	-	4	4	-	4	-	-	-	-	-	-
75-79 years-----	3	-	3	3	-	3	-	-	-	-	-	-
80-84 years-----	5	4	1	4	3	1	1	1	-	1	1	-
85-89 years-----	5	-	5	5	-	5	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Rheumatic aortic insufficiency (I06.1)

All ages-----	7	3	4	6	3	3	1	-	1	1	-	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	-	-	-	1	-	1	1	-	1
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Rheumatic aortic valve disease, unspecified (I06.9)												
All ages-----	24	10	14	23	10	13	1	-	1	1	-	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	2	2	-	2	2	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	2	-	2	1	-	1	1	-	1	1	-	1
70-74 years-----	5	1	4	5	1	4	-	-	-	-	-	-
75-79 years-----	5	2	3	5	2	3	-	-	-	-	-	-
80-84 years-----	3	1	2	3	1	2	-	-	-	-	-	-
85-89 years-----	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Rheumatic tricuspid valve diseases (I07)

All ages-----	225	74	151	194	63	131	31	11	20	22	8	14
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	-	-	-	1	1	-	1	1	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	2	-	2	1	-	1	1	-	1	1	-	1
30-34 years-----	4	-	4	2	-	2	2	-	2	1	-	1
35-39 years-----	7	3	4	6	3	3	1	-	1	1	-	1
40-44 years-----	7	5	2	6	4	2	1	1	-	1	1	-
45-49 years-----	9	4	5	7	3	4	2	1	1	2	1	1
50-54 years-----	4	1	3	2	-	2	2	1	1	2	1	1
55-59 years-----	4	2	2	3	1	2	1	1	-	1	1	-
60-64 years-----	10	1	9	7	-	7	3	1	2	3	1	2
65-69 years-----	15	6	9	12	6	6	3	-	3	1	-	1
70-74 years-----	33	17	16	30	14	16	3	3	-	1	1	-
75-79 years-----	21	5	16	18	4	14	3	1	2	3	1	2
80-84 years-----	30	10	20	27	9	18	3	1	2	1	-	1
85-89 years-----	41	11	30	38	11	27	3	-	3	3	-	3
90-94 years-----	27	6	21	26	6	20	1	-	1	-	-	-
95-99 years-----	8	1	7	7	1	6	1	-	1	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Tricuspid stenosis (I07.0)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Tricuspid insufficiency (I07.1)

All ages-----	184	55	129	163	50	113	21	5	16	13	3	10
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	-	-	-	1	1	-	1	1	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	3	-	3	1	-	1	2	-	2	1	-	1
35-39 years-----	2	-	2	1	-	1	1	-	1	1	-	1
40-44 years-----	2	1	1	2	1	1	-	-	-	-	-	-
45-49 years-----	4	1	3	4	1	3	-	-	-	-	-	-
50-54 years-----	4	1	3	2	-	2	2	1	1	2	1	1
55-59 years-----	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years-----	7	-	7	6	-	6	1	-	1	1	-	1
65-69 years-----	12	5	7	9	5	4	3	-	3	1	-	1
70-74 years-----	26	13	13	24	11	13	2	2	-	1	1	-
75-79 years-----	15	3	12	14	3	11	1	-	1	1	-	1
80-84 years-----	29	10	19	26	9	17	3	1	2	1	-	1
85-89 years-----	40	11	29	37	11	26	3	-	3	3	-	3
90-94 years-----	27	6	21	26	6	20	1	-	1	-	-	-
95-99 years-----	8	1	7	7	1	6	1	-	1	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other tricuspid valve diseases (I07.8)												
All ages-----	26	15	11	19	10	9	7	5	2	6	4	2
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	3	2	1	3	2	1	-	-	-	-	-	-
40-44 years-----	4	3	1	3	2	1	1	1	-	1	1	-
45-49 years-----	4	2	2	3	2	1	1	-	1	1	-	1
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	-	-	1	1	1	-	1	1	-
60-64 years-----	3	1	2	1	-	1	2	1	1	2	1	1
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	4	3	1	3	2	1	1	1	-	-	-	-
75-79 years-----	3	2	1	2	1	1	1	1	-	1	1	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Tricuspid valve disease, unspecified (I07.9)

All ages-----	14	4	10	11	3	8	3	1	2	3	1	2
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	-	-	-	1	-	1	1	-	1
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	2	1	1	2	1	1	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	1	1	-	-	-	-	1	1	-	1	1	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	3	1	2	3	1	2	-	-	-	-	-	-
75-79 years-----	3	-	3	2	-	2	1	-	1	1	-	1
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Multiple valve diseases (I08)												
All ages-----	420	142	278	372	128	244	48	14	34	34	11	23
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years-----	2	2	-	1	1	-	1	1	-	1	1	-
30-34 years-----	4	2	2	3	1	2	1	1	-	1	1	-
35-39 years-----	2	1	1	1	1	-	1	-	1	1	-	1
40-44 years-----	12	6	6	7	4	3	5	2	3	5	2	3
45-49 years-----	9	4	5	7	2	5	2	2	-	2	2	-
50-54 years-----	12	3	9	10	2	8	2	1	1	1	1	-
55-59 years-----	17	6	11	13	5	8	4	1	3	4	1	3
60-64 years-----	29	11	18	25	9	16	4	2	2	3	2	1
65-69 years-----	33	11	22	30	11	19	3	-	3	1	-	1
70-74 years-----	66	29	37	58	27	31	8	2	6	4	1	3
75-79 years-----	63	20	43	59	20	39	4	-	4	3	-	3
80-84 years-----	71	23	48	64	22	42	7	1	6	5	-	5
85-89 years-----	56	20	36	52	19	33	4	1	3	2	-	2
90-94 years-----	28	2	26	26	2	24	2	-	2	1	-	1
95-99 years-----	10	1	9	10	1	9	-	-	-	-	-	-
100 yrs & over---	4	-	4	4	-	4	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Disorders of both mitral and aortic valves (I08.0)

All ages-----	325	119	206	291	108	183	34	11	23	23	10	13
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years-----	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years-----	3	2	1	2	1	1	1	1	-	1	1	-
35-39 years-----	2	1	1	1	1	-	1	-	1	1	-	1
40-44 years-----	12	6	6	7	4	3	5	2	3	5	2	3
45-49 years-----	8	4	4	6	2	4	2	2	-	2	2	-
50-54 years-----	10	3	7	8	2	6	2	1	1	1	1	-
55-59 years-----	15	6	9	13	5	8	2	1	1	2	1	1
60-64 years-----	20	9	11	17	8	9	3	1	2	2	1	1
65-69 years-----	21	10	11	18	10	8	3	-	3	1	-	1
70-74 years-----	53	24	29	48	23	25	5	1	4	2	1	1
75-79 years-----	40	15	25	39	15	24	1	-	1	-	-	-
80-84 years-----	55	18	37	51	17	34	4	1	3	3	-	3
85-89 years-----	49	16	33	47	16	31	2	-	2	1	-	1
90-94 years-----	21	2	19	19	2	17	2	-	2	1	-	1
95-99 years-----	9	1	8	9	1	8	-	-	-	-	-	-
100 yrs & over---	4	-	4	4	-	4	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Disorders of both mitral and tricuspid valves (I08.1)												
All ages-----	60	13	47	52	11	41	8	2	6	5	-	5
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	2	-	2	2	-	2	-	-	-	-	-	-
55-59 years-----	1	-	1	-	-	-	1	-	1	1	-	1
60-64 years-----	7	-	7	7	-	7	-	-	-	-	-	-
65-69 years-----	10	1	9	10	1	9	-	-	-	-	-	-
70-74 years-----	8	3	5	6	2	4	2	1	1	1	-	1
75-79 years-----	15	3	12	14	3	11	1	-	1	1	-	1
80-84 years-----	8	3	5	6	3	3	2	-	2	1	-	1
85-89 years-----	3	2	1	1	1	-	2	1	1	1	-	1
90-94 years-----	3	-	3	3	-	3	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Disorders of both aortic and tricuspid valves (I08.2)

All ages-----	4	1	3	2	1	1	2	-	2	2	-	2
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	2	1	1	1	1	-	1	-	1	1	-	1
75-79 years-----	1	-	1	-	-	-	1	-	1	1	-	1
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

RACE, AND SEX

Combined disorders of mitral, aortic, and tricuspid valves (I08.3)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	29	8	21	25	7	18	4	1	3	4	1	3
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	-	1	-	-	-	1	-	1	1	-	1
60-64 years-----	2	2	-	1	1	-	1	1	-	1	1	-
65-69 years-----	2	-	2	2	-	2	-	-	-	-	-	-
70-74 years-----	3	1	2	3	1	2	-	-	-	-	-	-
75-79 years-----	6	1	5	5	1	4	1	-	1	1	-	1
80-84 years-----	7	2	5	6	2	4	1	-	1	1	-	1
85-89 years-----	4	2	2	4	2	2	-	-	-	-	-	-
90-94 years-----	4	-	4	4	-	4	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Multiple valve disease, unspecified (I08.9)

All ages-----	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other rheumatic heart diseases (I09)												
All ages-----	898	232	666	825	211	614	73	21	52	43	12	31
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	1	-	-	-	-	1	1	-	1	1	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	-	-	-	1	1	-	-	-	-
20-24 years-----	1	1	-	-	-	-	1	1	-	1	1	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	9	6	3	5	4	1	4	2	2	3	1	2
35-39 years-----	13	4	9	6	1	5	7	3	4	5	2	3
40-44 years-----	19	4	15	11	1	10	8	3	5	5	2	3
45-49 years-----	13	4	9	9	3	6	4	1	3	4	1	3
50-54 years-----	32	12	20	29	10	19	3	2	1	2	2	-
55-59 years-----	51	14	37	45	14	31	6	-	6	5	-	5
60-64 years-----	52	19	33	44	16	28	8	3	5	4	1	3
65-69 years-----	81	24	57	76	23	53	5	1	4	1	1	-
70-74 years-----	118	40	78	113	40	73	5	-	5	4	-	4
75-79 years-----	157	38	119	148	36	112	9	2	7	3	-	3
80-84 years-----	166	42	124	162	42	120	4	-	4	1	-	1
85-89 years-----	102	15	87	99	15	84	3	-	3	2	-	2
90-94 years-----	64	4	60	61	4	57	3	-	3	2	-	2
95-99 years-----	15	3	12	14	2	12	1	1	-	-	-	-
100 yrs & over---	2	-	2	2	-	2	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic myocarditis (I09.0)												
All ages-----	13	4	9	12	4	8	1	-	1	1	-	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	3	1	2	2	1	1	1	-	1	1	-	1
75-79 years-----	3	1	2	3	1	2	-	-	-	-	-	-
80-84 years-----	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years-----	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Rheumatic diseases of endocardium, valve unspecified (I09.1)												
All ages-----	132	32	100	124	30	94	8	2	6	5	1	4
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	-	-	-	1	1	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	2	-	2	2	-	2	-	-	-	-	-	-
40-44 years-----	1	-	1	-	-	-	1	-	1	-	-	-
45-49 years-----	5	2	3	4	1	3	1	1	-	1	1	-
50-54 years-----	4	-	4	4	-	4	-	-	-	-	-	-
55-59 years-----	10	2	8	9	2	7	1	-	1	1	-	1
60-64 years-----	8	2	6	7	2	5	1	-	1	1	-	1
65-69 years-----	14	6	8	13	6	7	1	-	1	-	-	-
70-74 years-----	15	4	11	14	4	10	1	-	1	1	-	1
75-79 years-----	20	6	14	20	6	14	-	-	-	-	-	-
80-84 years-----	22	4	18	22	4	18	-	-	-	-	-	-
85-89 years-----	17	2	15	17	2	15	-	-	-	-	-	-
90-94 years-----	11	3	8	10	3	7	1	-	1	1	-	1
95-99 years-----	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other specified rheumatic heart diseases (I09.8)

All ages-----	1	1	-	-	-	-	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	-	-	-	1	1	-	1	1	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Rheumatic heart disease, unspecified (I09.9)												
All ages-----	752	195	557	689	177	512	63	18	45	36	10	26
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	1	-	-	-	-	1	1	-	1	1	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	-	-	-	1	1	-	1	1	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	9	6	3	5	4	1	4	2	2	3	1	2
35-39 years-----	11	4	7	4	1	3	7	3	4	5	2	3
40-44 years-----	17	3	14	11	1	10	6	2	4	4	1	3
45-49 years-----	8	2	6	5	2	3	3	-	3	3	-	3
50-54 years-----	28	12	16	25	10	15	3	2	1	2	2	-
55-59 years-----	41	12	29	36	12	24	5	-	5	4	-	4
60-64 years-----	43	17	26	36	14	22	7	3	4	3	1	2
65-69 years-----	67	18	49	63	17	46	4	1	3	1	1	-
70-74 years-----	100	35	65	97	35	62	3	-	3	2	-	2
75-79 years-----	134	31	103	125	29	96	9	2	7	3	-	3
80-84 years-----	142	37	105	138	37	101	4	-	4	1	-	1
85-89 years-----	83	12	71	80	12	68	3	-	3	2	-	2
90-94 years-----	52	1	51	50	1	49	2	-	2	1	-	1
95-99 years-----	13	3	10	12	2	10	1	1	-	-	-	-
100 yrs & over---	2	-	2	2	-	2	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Essential (primary) hypertension (I10)

All ages-----	9,917	3,457	6,460	8,047	2,706	5,341	1,870	751	1,119	1,667	661	1,006
Under 1 year-----	3	2	1	2	1	1	1	1	-	1	1	-
1-4 years-----	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	3	2	1	3	2	1	-	-	-	-	-	-
20-24 years-----	3	2	1	1	-	1	2	2	-	2	2	-
25-29 years-----	6	3	3	2	2	-	4	1	3	4	1	3
30-34 years-----	23	14	9	10	9	1	13	5	8	12	5	7
35-39 years-----	42	26	16	19	15	4	23	11	12	23	11	12
40-44 years-----	89	56	33	48	33	15	41	23	18	40	22	18
45-49 years-----	177	109	68	117	77	40	60	32	28	54	28	26
50-54 years-----	270	155	115	159	102	57	111	53	58	106	51	55
55-59 years-----	330	201	129	222	144	78	108	57	51	105	56	49
60-64 years-----	464	261	203	331	191	140	133	70	63	120	64	56
65-69 years-----	636	343	293	468	259	209	168	84	84	146	73	73
70-74 years-----	861	417	444	684	332	352	177	85	92	164	78	86
75-79 years-----	1,323	518	805	1,058	417	641	265	101	164	237	87	150
80-84 years-----	1,609	535	1,074	1,370	445	925	239	90	149	204	76	128
85-89 years-----	1,796	444	1,352	1,546	363	1,183	250	81	169	212	64	148
90-94 years-----	1,449	268	1,181	1,288	234	1,054	161	34	127	140	25	115
95-99 years-----	661	94	567	577	74	503	84	20	64	72	16	56
100 yrs & over---	171	7	164	141	6	135	30	1	29	25	1	24
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Hypertensive heart disease (I11)												
All ages-----	22,702	9,316	13,386	16,646	6,499	10,147	6,056	2,817	3,239	5,619	2,606	3,013
Under 1 year-----	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	6	6	-	2	2	-	4	4	-	3	3	-
20-24 years-----	27	19	8	10	7	3	17	12	5	17	12	5
25-29 years-----	50	41	9	24	22	2	26	19	7	26	19	7
30-34 years-----	160	108	52	85	69	16	75	39	36	72	36	36
35-39 years-----	347	232	115	170	125	45	177	107	70	169	101	68
40-44 years-----	617	428	189	321	245	76	296	183	113	281	169	112
45-49 years-----	889	586	303	469	340	129	420	246	174	409	239	170
50-54 years-----	1,041	673	368	590	409	181	451	264	187	439	254	185
55-59 years-----	1,260	800	460	728	488	240	532	312	220	499	292	207
60-64 years-----	1,277	760	517	801	499	302	476	261	215	446	245	201
65-69 years-----	1,553	858	695	997	556	441	556	302	254	521	281	240
70-74 years-----	1,964	958	1,006	1,329	667	662	635	291	344	584	266	318
75-79 years-----	2,672	1,185	1,487	1,976	883	1,093	696	302	394	637	272	365
80-84 years-----	3,158	1,067	2,091	2,541	852	1,689	617	215	402	558	191	367
85-89 years-----	3,498	912	2,586	2,983	757	2,226	515	155	360	456	132	324
90-94 years-----	2,710	499	2,211	2,371	430	1,941	339	69	270	299	60	239
95-99 years-----	1,188	160	1,028	1,017	129	888	171	31	140	156	30	126
100 yrs & over---	283	23	260	231	19	212	52	4	48	46	3	43
Not stated-----	1	1	-	-	-	-	1	1	-	1	1	-

Hypertensive heart disease with (congestive) heart failure (I11.0)

All ages-----	8,104	2,394	5,710	6,561	1,854	4,707	1,543	540	1,003	1,415	491	924
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	3	2	1	-	-	-	3	2	1	3	2	1
25-29 years-----	6	5	1	3	3	-	3	2	1	3	2	1
30-34 years-----	15	8	7	5	4	1	10	4	6	10	4	6
35-39 years-----	25	18	7	10	7	3	15	11	4	12	8	4
40-44 years-----	51	32	19	19	10	9	32	22	10	32	22	10
45-49 years-----	100	52	48	41	27	14	59	25	34	58	25	33
50-54 years-----	114	67	47	52	33	19	62	34	28	61	33	28
55-59 years-----	174	86	88	90	54	36	84	32	52	81	31	50
60-64 years-----	217	111	106	125	75	50	92	36	56	87	34	53
65-69 years-----	319	170	149	220	120	100	99	50	49	95	48	47
70-74 years-----	536	252	284	370	183	187	166	69	97	155	64	91
75-79 years-----	898	361	537	675	280	395	223	81	142	205	73	132
80-84 years-----	1,346	400	946	1,136	335	801	210	65	145	193	57	136
85-89 years-----	1,820	442	1,378	1,622	391	1,231	198	51	147	169	41	128
90-94 years-----	1,587	285	1,302	1,407	246	1,161	180	39	141	155	32	123
95-99 years-----	716	87	629	633	73	560	83	14	69	77	13	64
100 yrs & over---	177	16	161	153	13	140	24	3	21	19	2	17
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Hypertensive heart disease without (congestive) heart failure (I11.9)												
All ages-----	14,598	6,922	7,676	10,085	4,645	5,440	4,513	2,277	2,236	4,204	2,115	2,089
Under 1 year-----	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	6	6	-	2	2	-	4	4	-	3	3	-
20-24 years-----	24	17	7	10	7	3	14	10	4	14	10	4
25-29 years-----	44	36	8	21	19	2	23	17	6	23	17	6
30-34 years-----	145	100	45	80	65	15	65	35	30	62	32	30
35-39 years-----	322	214	108	160	118	42	162	96	66	157	93	64
40-44 years-----	566	396	170	302	235	67	264	161	103	249	147	102
45-49 years-----	789	534	255	428	313	115	361	221	140	351	214	137
50-54 years-----	927	606	321	538	376	162	389	230	159	378	221	157
55-59 years-----	1,086	714	372	638	434	204	448	280	168	418	261	157
60-64 years-----	1,060	649	411	676	424	252	384	225	159	359	211	148
65-69 years-----	1,234	688	546	777	436	341	457	252	205	426	233	193
70-74 years-----	1,428	706	722	959	484	475	469	222	247	429	202	227
75-79 years-----	1,774	824	950	1,301	603	698	473	221	252	432	199	233
80-84 years-----	1,812	667	1,145	1,405	517	888	407	150	257	365	134	231
85-89 years-----	1,678	470	1,208	1,361	366	995	317	104	213	287	91	196
90-94 years-----	1,123	214	909	964	184	780	159	30	129	144	28	116
95-99 years-----	472	73	399	384	56	328	88	17	71	79	17	62
100 yrs & over---	106	7	99	78	6	72	28	1	27	27	1	26
Not stated-----	1	1	-	-	-	-	1	1	-	1	1	-

Hypertensive renal disease (I12)

All ages-----	7,051	3,031	4,020	4,783	2,038	2,745	2,268	993	1,275	2,065	904	1,161
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	2	1	1	-	-	-	2	1	1	1	1	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	-	-	-	1	1	-	1	1	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	7	4	3	3	1	2	4	3	1	4	3	1
25-29 years-----	18	10	8	10	5	5	8	5	3	7	4	3
30-34 years-----	31	21	10	14	11	3	17	10	7	15	8	7
35-39 years-----	63	43	20	18	14	4	45	29	16	43	27	16
40-44 years-----	119	70	49	46	30	16	73	40	33	71	38	33
45-49 years-----	152	87	65	55	32	23	97	55	42	91	55	36
50-54 years-----	200	131	69	76	44	32	124	87	37	120	84	36
55-59 years-----	208	115	93	82	49	33	126	66	60	118	59	59
60-64 years-----	316	155	161	129	64	65	187	91	96	170	82	88
65-69 years-----	510	246	264	287	144	143	223	102	121	198	93	105
70-74 years-----	792	366	426	510	247	263	282	119	163	259	105	154
75-79 years-----	1,077	478	599	761	349	412	316	129	187	295	121	174
80-84 years-----	1,315	536	779	995	419	576	320	117	203	276	102	174
85-89 years-----	1,153	434	719	924	359	565	229	75	154	206	67	139
90-94 years-----	759	253	506	616	209	407	143	44	99	127	37	90
95-99 years-----	281	67	214	220	51	169	61	16	45	53	14	39
100 yrs & over---	47	13	34	37	10	27	10	3	7	10	3	7
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Hypertensive renal disease with renal failure (I12.0)												
All ages-----	6,800	2,938	3,862	4,581	1,964	2,617	2,219	974	1,245	2,021	887	1,134
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	1	-	-	-	-	1	1	-	1	1	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	-	-	-	1	1	-	1	1	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	6	4	2	2	1	1	4	3	1	4	3	1
25-29 years-----	18	10	8	10	5	5	8	5	3	7	4	3
30-34 years-----	30	21	9	14	11	3	16	10	6	14	8	6
35-39 years-----	61	42	19	18	14	4	43	28	15	41	26	15
40-44 years-----	116	68	48	45	29	16	71	39	32	69	37	32
45-49 years-----	148	84	64	54	31	23	94	53	41	88	53	35
50-54 years-----	196	128	68	73	42	31	123	86	37	119	83	36
55-59 years-----	202	111	91	79	46	33	123	65	58	115	58	57
60-64 years-----	308	151	157	124	61	63	184	90	94	167	81	86
65-69 years-----	493	237	256	276	139	137	217	98	119	192	89	103
70-74 years-----	763	353	410	486	236	250	277	117	160	256	104	152
75-79 years-----	1,041	464	577	730	337	393	311	127	184	290	119	171
80-84 years-----	1,269	522	747	952	405	547	317	117	200	274	102	172
85-89 years-----	1,111	422	689	888	349	539	223	73	150	200	65	135
90-94 years-----	721	241	480	584	198	386	137	43	94	122	37	85
95-99 years-----	270	65	205	211	50	161	59	15	44	51	13	38
100 yrs & over---	45	13	32	35	10	25	10	3	7	10	3	7
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Hypertensive renal disease without renal failure (I12.9)

All ages-----	251	93	158	202	74	128	49	19	30	44	17	27
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	-	1	-	-	-	1	-	1	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	-	1	-	-	-	1	-	1	1	-	1
35-39 years-----	2	1	1	-	-	-	2	1	1	2	1	1
40-44 years-----	3	2	1	1	1	-	2	1	1	2	1	1
45-49 years-----	4	3	1	1	1	-	3	2	1	3	2	1
50-54 years-----	4	3	1	3	2	1	1	1	-	1	1	-
55-59 years-----	6	4	2	3	3	-	3	1	2	3	1	2
60-64 years-----	8	4	4	5	3	2	3	1	2	3	1	2
65-69 years-----	17	9	8	11	5	6	6	4	2	6	4	2
70-74 years-----	29	13	16	24	11	13	5	2	3	3	1	2
75-79 years-----	36	14	22	31	12	19	5	2	3	5	2	3
80-84 years-----	46	14	32	43	14	29	3	-	3	2	-	2
85-89 years-----	42	12	30	36	10	26	6	2	4	6	2	4
90-94 years-----	38	12	26	32	11	21	6	1	5	5	-	5
95-99 years-----	11	2	9	9	1	8	2	1	1	2	1	1
100 yrs & over---	2	-	2	2	-	2	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Hypertensive heart and renal disease (I13)												
All ages-----	3,327	1,390	1,937	2,235	906	1,329	1,092	484	608	1,000	434	566
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	2	1	1	1	1	-	1	-	1	1	-	1
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	2	1	1	-	-	-	2	1	1	2	1	1
20-24 years-----	4	2	2	-	-	-	4	2	2	4	2	2
25-29 years-----	5	3	2	1	1	-	4	2	2	3	1	2
30-34 years-----	16	13	3	6	5	1	10	8	2	10	8	2
35-39 years-----	43	24	19	14	7	7	29	17	12	28	16	12
40-44 years-----	71	43	28	14	10	4	57	33	24	57	33	24
45-49 years-----	80	50	30	21	11	10	59	39	20	57	37	20
50-54 years-----	76	50	26	31	19	12	45	31	14	40	28	12
55-59 years-----	116	66	50	47	26	21	69	40	29	66	37	29
60-64 years-----	146	80	66	63	34	29	83	46	37	78	44	34
65-69 years-----	201	99	102	101	54	47	100	45	55	91	41	50
70-74 years-----	269	124	145	148	69	79	121	55	66	114	51	63
75-79 years-----	487	221	266	343	159	184	144	62	82	122	50	72
80-84 years-----	600	239	361	463	199	264	137	40	97	122	34	88
85-89 years-----	600	205	395	473	167	306	127	38	89	114	29	85
90-94 years-----	411	123	288	351	108	243	60	15	45	52	13	39
95-99 years-----	162	41	121	129	31	98	33	10	23	32	9	23
100 yrs & over---	36	5	31	29	5	24	7	-	7	7	-	7
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Hypertensive heart and renal disease with (congestive) heart failure (I13.0)

All ages-----	43	14	29	36	12	24	7	2	5	4	-	4
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	2	-	2	2	-	2	-	-	-	-	-	-
60-64 years-----	2	-	2	2	-	2	-	-	-	-	-	-
65-69 years-----	5	3	2	3	3	-	2	-	2	2	-	2
70-74 years-----	2	2	-	2	2	-	-	-	-	-	-	-
75-79 years-----	8	3	5	6	1	5	2	2	-	-	-	-
80-84 years-----	9	2	7	8	2	6	1	-	1	1	-	1
85-89 years-----	7	3	4	6	3	3	1	-	1	-	-	-
90-94 years-----	3	-	3	3	-	3	-	-	-	-	-	-
95-99 years-----	3	-	3	2	-	2	1	-	1	1	-	1
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Hypertensive heart and renal disease with renal failure (I13.1)												
All ages-----	1,168	553	615	618	280	338	550	273	277	511	251	260
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	2	1	1	1	1	-	1	-	1	1	-	1
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	2	1	1	-	-	-	2	1	1	2	1	1
20-24 years-----	1	1	-	-	-	-	1	1	-	1	1	-
25-29 years-----	5	3	2	1	1	-	4	2	2	3	1	2
30-34 years-----	11	8	3	4	3	1	7	5	2	7	5	2
35-39 years-----	33	18	15	11	6	5	22	12	10	22	12	10
40-44 years-----	54	33	21	11	9	2	43	24	19	43	24	19
45-49 years-----	55	33	22	12	6	6	43	27	16	42	26	16
50-54 years-----	51	37	14	15	11	4	36	26	10	33	24	9
55-59 years-----	57	40	17	19	11	8	38	29	9	36	27	9
60-64 years-----	79	45	34	29	19	10	50	26	24	47	25	22
65-69 years-----	81	39	42	30	17	13	51	22	29	48	21	27
70-74 years-----	119	57	62	52	25	27	67	32	35	63	30	33
75-79 years-----	162	73	89	94	46	48	68	27	41	59	23	36
80-84 years-----	172	74	98	128	57	71	44	17	27	37	14	23
85-89 years-----	154	55	99	113	42	71	41	13	28	38	10	28
90-94 years-----	86	25	61	67	18	49	19	7	12	16	5	11
95-99 years-----	36	9	27	25	7	18	11	2	9	11	2	9
100 yrs & over---	8	1	7	6	1	5	2	-	2	2	-	2
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Hypertensive heart and renal disease with both (congestive) heart failure and renal failure (I13.2)

All ages-----	2,005	774	1,231	1,497	577	920	508	197	311	458	171	287
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	3	1	2	-	-	-	3	1	2	3	1	2
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	5	5	-	2	2	-	3	3	-	3	3	-
35-39 years-----	7	5	2	2	1	1	5	4	1	4	3	1
40-44 years-----	14	8	6	3	1	2	11	7	4	11	7	4
45-49 years-----	20	14	6	7	4	3	13	10	3	12	9	3
50-54 years-----	22	10	12	13	5	8	9	5	4	7	4	3
55-59 years-----	52	24	28	22	13	9	30	11	19	29	10	19
60-64 years-----	61	32	29	29	13	16	32	19	13	30	18	12
65-69 years-----	106	53	53	63	32	31	43	21	22	37	18	19
70-74 years-----	136	58	78	85	37	48	51	21	30	48	19	29
75-79 years-----	301	139	162	228	107	121	73	32	41	62	26	36
80-84 years-----	400	154	246	312	131	181	88	23	65	80	20	60
85-89 years-----	421	140	281	339	116	223	82	24	58	73	18	55
90-94 years-----	313	96	217	272	88	184	41	8	33	36	8	28
95-99 years-----	120	31	89	99	23	76	21	8	13	20	7	13
100 yrs & over---	24	4	20	21	4	17	3	-	3	3	-	3
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Hypertensive heart and renal disease, unspecified (I13.9)												
All ages-----	111	49	62	84	37	47	27	12	15	27	12	15
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	3	1	2	1	-	1	2	1	1	2	1	1
40-44 years-----	3	2	1	-	-	-	3	2	1	3	2	1
45-49 years-----	5	3	2	2	1	1	3	2	1	3	2	1
50-54 years-----	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years-----	5	2	3	4	2	2	1	-	1	1	-	1
60-64 years-----	4	3	1	3	2	1	1	1	-	1	1	-
65-69 years-----	9	4	5	5	2	3	4	2	2	4	2	2
70-74 years-----	12	7	5	9	5	4	3	2	1	3	2	1
75-79 years-----	16	6	10	15	5	10	1	1	-	1	1	-
80-84 years-----	19	9	10	15	9	6	4	-	4	4	-	4
85-89 years-----	18	7	11	15	6	9	3	1	2	3	1	2
90-94 years-----	9	2	7	9	2	7	-	-	-	-	-	-
95-99 years-----	3	1	2	3	1	2	-	-	-	-	-	-
100 yrs & over---	3	-	3	1	-	1	2	-	2	2	-	2
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (I20)												
All ages-----	503	188	315	455	172	283	48	16	32	41	12	29
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	-	-	-	1	-	1	1	-	1
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	5	3	2	4	3	1	1	-	1	1	-	1
45-49 years-----	5	4	1	4	4	-	1	-	1	1	-	1
50-54 years-----	11	7	4	8	5	3	3	2	1	2	1	1
55-59 years-----	8	4	4	5	3	2	3	1	2	3	1	2
60-64 years-----	20	13	7	20	13	7	-	-	-	-	-	-
65-69 years-----	30	14	16	29	14	15	1	-	1	1	-	1
70-74 years-----	40	21	19	34	19	15	6	2	4	6	2	4
75-79 years-----	66	33	33	55	29	26	11	4	7	10	4	6
80-84 years-----	80	33	47	75	30	45	5	3	2	3	2	1
85-89 years-----	104	33	71	99	31	68	5	2	3	3	1	2
90-94 years-----	84	17	67	78	15	63	6	2	4	5	1	4
95-99 years-----	36	5	31	33	5	28	3	-	3	3	-	3
100 yrs & over---	12	-	12	10	-	10	2	-	2	2	-	2
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Unstable angina (I20.0)												
All ages-----	114	55	59	104	51	53	10	4	6	9	4	5
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	-	-	-	1	-	1	1	-	1
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	1	1	-	-	-	-	1	1	-	1	1	-
55-59 years-----	1	-	1	-	-	-	1	-	1	1	-	1
60-64 years-----	8	6	2	8	6	2	-	-	-	-	-	-
65-69 years-----	14	8	6	14	8	6	-	-	-	-	-	-
70-74 years-----	14	8	6	12	7	5	2	1	1	2	1	1
75-79 years-----	20	12	8	17	11	6	3	1	2	3	1	2
80-84 years-----	18	7	11	18	7	11	-	-	-	-	-	-
85-89 years-----	23	11	12	21	10	11	2	1	1	1	1	-
90-94 years-----	10	1	9	10	1	9	-	-	-	-	-	-
95-99 years-----	3	-	3	3	-	3	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Angina pectoris with documented spasm (I20.1)

All ages-----	18	6	12	16	6	10	2	-	2	2	-	2
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	4	3	1	3	3	-	1	-	1	1	-	1
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	2	1	1	2	1	1	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	3	1	2	3	1	2	-	-	-	-	-	-
70-74 years-----	3	-	3	2	-	2	1	-	1	1	-	1
75-79 years-----	2	-	2	2	-	2	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Angina pectoris, unspecified (I20.9)												
All ages-----	371	127	244	335	115	220	36	12	24	30	8	22
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	3	2	1	2	2	-	1	-	1	1	-	1
50-54 years-----	8	5	3	6	4	2	2	1	1	1	-	1
55-59 years-----	6	4	2	4	3	1	2	1	1	2	1	1
60-64 years-----	11	7	4	11	7	4	-	-	-	-	-	-
65-69 years-----	13	5	8	12	5	7	1	-	1	1	-	1
70-74 years-----	23	13	10	20	12	8	3	1	2	3	1	2
75-79 years-----	44	21	23	36	18	18	8	3	5	7	3	4
80-84 years-----	61	26	35	56	23	33	5	3	2	3	2	1
85-89 years-----	81	22	59	78	21	57	3	1	2	2	-	2
90-94 years-----	74	16	58	68	14	54	6	2	4	5	1	4
95-99 years-----	33	5	28	30	5	25	3	-	3	3	-	3
100 yrs & over---	12	-	12	10	-	10	2	-	2	2	-	2
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Acute myocardial infarction (I21)

All ages-----	199,450	104,167	95,283	177,071	93,187	83,884	22,379	10,980	11,399	19,276	9,186	10,090
Under 1 year-----	13	6	7	9	3	6	4	3	1	4	3	1
1-4 years-----	2	1	1	2	1	1	-	-	-	-	-	-
5-9 years-----	5	3	2	3	1	2	2	2	-	2	2	-
10-14 years-----	6	4	2	3	3	-	3	1	2	3	1	2
15-19 years-----	25	16	9	19	13	6	6	3	3	6	3	3
20-24 years-----	35	24	11	20	16	4	15	8	7	13	7	6
25-29 years-----	101	68	33	76	51	25	25	17	8	22	16	6
30-34 years-----	333	238	95	249	178	71	84	60	24	66	45	21
35-39 years-----	935	707	228	757	585	172	178	122	56	163	107	56
40-44 years-----	2,314	1,763	551	1,839	1,447	392	475	316	159	424	272	152
45-49 years-----	4,224	3,260	964	3,452	2,756	696	772	504	268	688	436	252
50-54 years-----	6,598	5,039	1,559	5,500	4,319	1,181	1,098	720	378	971	624	347
55-59 years-----	9,123	6,654	2,469	7,659	5,690	1,969	1,464	964	500	1,271	819	452
60-64 years-----	12,282	8,375	3,907	10,424	7,277	3,147	1,858	1,098	760	1,611	937	674
65-69 years-----	17,333	11,154	6,179	14,982	9,830	5,152	2,351	1,324	1,027	2,027	1,120	907
70-74 years-----	24,107	14,554	9,553	21,123	13,039	8,084	2,984	1,515	1,469	2,569	1,284	1,285
75-79 years-----	31,053	16,991	14,062	27,778	15,479	12,299	3,275	1,512	1,763	2,773	1,246	1,527
80-84 years-----	33,658	15,952	17,706	30,704	14,755	15,949	2,954	1,197	1,757	2,525	984	1,541
85-89 years-----	30,710	12,065	18,645	28,101	11,086	17,015	2,609	979	1,630	2,183	765	1,418
90-94 years-----	18,472	5,566	12,906	17,028	5,116	11,912	1,444	450	994	1,254	356	898
95-99 years-----	6,765	1,523	5,242	6,167	1,375	4,792	598	148	450	540	128	412
100 yrs & over---	1,349	202	1,147	1,171	166	1,005	178	36	142	159	30	129
Not stated-----	7	2	5	5	1	4	2	1	1	2	1	1

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Acute transmural myocardial infarction of anterior wall (I21.0)												
All ages-----	16	10	6	14	8	6	2	2	-	2	2	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	2	2	-	-	-	-	2	2	-	2	2	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	4	1	3	4	1	3	-	-	-	-	-	-
80-84 years-----	3	1	2	3	1	2	-	-	-	-	-	-
85-89 years-----	3	2	1	3	2	1	-	-	-	-	-	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Acute transmural myocardial infarction of inferior wall (I21.1)

All ages-----	6	4	2	6	4	2	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	2	2	-	2	2	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	2	-	2	2	-	2	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Acute transmural myocardial infarction of other sites (I21.2)												
All ages-----	7	4	3	4	3	1	3	1	2	3	1	2
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	2	2	-	2	2	-	-	-	-	-	-	-
50-54 years-----	1	1	-	-	-	-	1	1	-	1	1	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	-	-	-	1	-	1	1	-	1
75-79 years-----	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years-----	1	-	1	-	-	-	1	-	1	1	-	1
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Acute transmural myocardial infarction of unspecified site (I21.3)

All ages-----	32	18	14	28	16	12	4	2	2	3	1	2
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	-	-	-	1	-	1	1	-	1
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	2	2	-	2	2	-	-	-	-	-	-	-
50-54 years-----	3	3	-	3	3	-	-	-	-	-	-	-
55-59 years-----	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years-----	3	1	2	3	1	2	-	-	-	-	-	-
65-69 years-----	3	2	1	3	2	1	-	-	-	-	-	-
70-74 years-----	2	-	2	2	-	2	-	-	-	-	-	-
75-79 years-----	7	4	3	5	3	2	2	1	1	2	1	1
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	6	3	3	5	2	3	1	1	-	-	-	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Acute subendocardial myocardial infarction (I21.4)												
All ages-----	306	152	154	270	138	132	36	14	22	32	12	20
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	3	2	1	1	1	-	2	1	1	2	1	1
45-49 years-----	2	1	1	1	1	-	1	-	1	1	-	1
50-54 years-----	5	2	3	3	2	1	2	-	2	1	-	1
55-59 years-----	7	5	2	6	4	2	1	1	-	1	1	-
60-64 years-----	18	10	8	13	8	5	5	2	3	5	2	3
65-69 years-----	25	12	13	20	11	9	5	1	4	5	1	4
70-74 years-----	36	25	11	31	21	10	5	4	1	4	4	-
75-79 years-----	59	30	29	51	27	24	8	3	5	6	1	5
80-84 years-----	46	21	25	45	21	24	1	-	1	1	-	1
85-89 years-----	53	26	27	51	25	26	2	1	1	2	1	1
90-94 years-----	35	10	25	32	10	22	3	-	3	3	-	3
95-99 years-----	14	5	9	14	5	9	-	-	-	-	-	-
100 yrs & over---	1	1	-	1	1	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Acute myocardial infarction, unspecified (I21.9)

All ages-----	199,083	103,979	95,104	176,749	93,018	83,731	22,334	10,961	11,373	19,236	9,170	10,066
Under 1 year-----	13	6	7	9	3	6	4	3	1	4	3	1
1-4 years-----	2	1	1	2	1	1	-	-	-	-	-	-
5-9 years-----	5	3	2	3	1	2	2	2	-	2	2	-
10-14 years-----	6	4	2	3	3	-	3	1	2	3	1	2
15-19 years-----	25	16	9	19	13	6	6	3	3	6	3	3
20-24 years-----	35	24	11	20	16	4	15	8	7	13	7	6
25-29 years-----	100	67	33	76	51	25	24	16	8	21	15	6
30-34 years-----	331	236	95	249	178	71	82	58	24	64	43	21
35-39 years-----	933	706	227	756	584	172	177	122	55	162	107	55
40-44 years-----	2,310	1,760	550	1,837	1,445	392	473	315	158	422	271	151
45-49 years-----	4,218	3,255	963	3,447	2,751	696	771	504	267	687	436	251
50-54 years-----	6,588	5,032	1,556	5,493	4,313	1,180	1,095	719	376	969	623	346
55-59 years-----	9,113	6,647	2,466	7,650	5,684	1,966	1,463	963	500	1,270	818	452
60-64 years-----	12,258	8,361	3,897	10,405	7,265	3,140	1,853	1,096	757	1,606	935	671
65-69 years-----	17,304	11,139	6,165	14,958	9,816	5,142	2,346	1,323	1,023	2,022	1,119	903
70-74 years-----	24,068	14,529	9,539	21,090	13,018	8,072	2,978	1,511	1,467	2,564	1,280	1,284
75-79 years-----	30,980	16,954	14,026	27,715	15,446	12,269	3,265	1,508	1,757	2,765	1,244	1,521
80-84 years-----	33,605	15,930	17,675	30,653	14,733	15,920	2,952	1,197	1,755	2,523	984	1,539
85-89 years-----	30,648	12,034	18,614	28,042	11,057	16,985	2,606	977	1,629	2,181	764	1,417
90-94 years-----	18,435	5,554	12,881	16,994	5,104	11,890	1,441	450	991	1,251	356	895
95-99 years-----	6,751	1,518	5,233	6,153	1,370	4,783	598	148	450	540	128	412
100 yrs & over---	1,348	201	1,147	1,170	165	1,005	178	36	142	159	30	129
Not stated-----	7	2	5	5	1	4	2	1	1	2	1	1

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Subsequent myocardial infarction (I22)												
All ages-----	4	2	2	4	2	2	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Subsequent myocardial infarction of inferior wall (I22.1)

All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Subsequent myocardial infarction of unspecified site (I22.9)												
All ages-----	3	2	1	3	2	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other acute ischemic heart diseases (I24)

All ages-----	3,232	1,665	1,567	2,752	1,389	1,363	480	276	204	431	248	183
Under 1 year-----	3	1	2	1	1	-	2	-	2	2	-	2
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	3	3	-	3	3	-	-	-	-	-	-	-
25-29 years-----	2	1	1	2	1	1	-	-	-	-	-	-
30-34 years-----	4	3	1	3	3	-	1	-	1	1	-	1
35-39 years-----	25	19	6	13	10	3	12	9	3	12	9	3
40-44 years-----	56	44	12	40	31	9	16	13	3	14	11	3
45-49 years-----	92	69	23	56	42	14	36	27	9	34	26	8
50-54 years-----	160	109	51	120	85	35	40	24	16	39	23	16
55-59 years-----	209	159	50	162	122	40	47	37	10	43	34	9
60-64 years-----	239	156	83	195	124	71	44	32	12	42	31	11
65-69 years-----	294	191	103	247	160	87	47	31	16	39	26	13
70-74 years-----	380	219	161	316	183	133	64	36	28	54	30	24
75-79 years-----	406	229	177	354	206	148	52	23	29	49	21	28
80-84 years-----	449	194	255	396	169	227	53	25	28	48	20	28
85-89 years-----	474	170	304	438	159	279	36	11	25	28	10	18
90-94 years-----	296	75	221	279	69	210	17	6	11	15	5	10
95-99 years-----	116	19	97	104	17	87	12	2	10	10	2	8
100 yrs & over---	22	2	20	21	2	19	1	-	1	1	-	1
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Dressler's syndrome (I24.1)												
All ages-----	6	3	3	6	3	3	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other forms of acute ischemic heart disease (I24.8)

All ages-----	2,603	1,376	1,227	2,196	1,132	1,064	407	244	163	367	220	147
Under 1 year-----	2	-	2	-	-	-	2	-	2	2	-	2
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	3	3	-	3	3	-	-	-	-	-	-	-
25-29 years-----	2	1	1	2	1	1	-	-	-	-	-	-
30-34 years-----	4	3	1	3	3	-	1	-	1	1	-	1
35-39 years-----	22	16	6	10	7	3	12	9	3	12	9	3
40-44 years-----	45	35	10	31	23	8	14	12	2	12	10	2
45-49 years-----	77	59	18	47	36	11	30	23	7	29	22	7
50-54 years-----	139	95	44	102	73	29	37	22	15	37	22	15
55-59 years-----	175	136	39	134	103	31	41	33	8	37	30	7
60-64 years-----	207	141	66	169	112	57	38	29	9	36	28	8
65-69 years-----	243	162	81	201	132	69	42	30	12	35	26	9
70-74 years-----	313	183	130	262	154	108	51	29	22	43	24	19
75-79 years-----	314	182	132	273	160	113	41	22	19	38	20	18
80-84 years-----	343	146	197	297	127	170	46	19	27	41	14	27
85-89 years-----	368	136	232	340	125	215	28	11	17	23	10	13
90-94 years-----	239	61	178	226	57	169	13	4	9	12	4	8
95-99 years-----	90	14	76	80	13	67	10	1	9	8	1	7
100 yrs & over---	16	2	14	15	2	13	1	-	1	1	-	1
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Acute ischemic heart disease, unspecified (I24.9)												
All ages-----	623	286	337	550	254	296	73	32	41	64	28	36
Under 1 year-----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	3	3	-	3	3	-	-	-	-	-	-	-
40-44 years-----	11	9	2	9	8	1	2	1	1	2	1	1
45-49 years-----	15	10	5	9	6	3	6	4	2	5	4	1
50-54 years-----	20	14	6	17	12	5	3	2	1	2	1	1
55-59 years-----	34	23	11	28	19	9	6	4	2	6	4	2
60-64 years-----	31	14	17	25	11	14	6	3	3	6	3	3
65-69 years-----	50	29	21	45	28	17	5	1	4	4	-	4
70-74 years-----	67	36	31	54	29	25	13	7	6	11	6	5
75-79 years-----	91	46	45	80	45	35	11	1	10	11	1	10
80-84 years-----	106	48	58	99	42	57	7	6	1	7	6	1
85-89 years-----	104	33	71	96	33	63	8	-	8	5	-	5
90-94 years-----	57	14	43	53	12	41	4	2	2	3	1	2
95-99 years-----	26	5	21	24	4	20	2	1	1	2	1	1
100 yrs & over---	6	-	6	6	-	6	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Chronic ischemic heart disease (I25)

All ages-----	326,470	161,246	165,224	288,867	142,443	146,424	37,603	18,803	18,800	32,247	15,658	16,589
Under 1 year-----	11	6	5	8	4	4	3	2	1	2	1	1
1-4 years-----	2	1	1	1	1	-	1	-	1	1	-	1
5-9 years-----	7	6	1	5	5	-	2	1	1	2	1	1
10-14 years-----	2	2	-	1	1	-	1	1	-	1	1	-
15-19 years-----	27	20	7	17	12	5	10	8	2	8	6	2
20-24 years-----	47	30	17	26	19	7	21	11	10	20	10	10
25-29 years-----	141	100	41	102	72	30	39	28	11	30	22	8
30-34 years-----	432	329	103	321	250	71	111	79	32	93	65	28
35-39 years-----	1,427	1,075	352	1,085	830	255	342	245	97	299	207	92
40-44 years-----	2,989	2,359	630	2,250	1,836	414	739	523	216	657	451	206
45-49 years-----	5,202	4,113	1,089	4,028	3,286	742	1,174	827	347	1,038	709	329
50-54 years-----	8,482	6,459	2,023	6,644	5,174	1,470	1,838	1,285	553	1,630	1,119	511
55-59 years-----	11,235	8,204	3,031	8,907	6,672	2,235	2,328	1,532	796	2,075	1,343	732
60-64 years-----	15,260	10,558	4,702	12,293	8,647	3,646	2,967	1,911	1,056	2,587	1,641	946
65-69 years-----	22,423	14,825	7,598	18,636	12,648	5,988	3,787	2,177	1,610	3,328	1,892	1,436
70-74 years-----	34,232	21,209	13,023	29,485	18,600	10,885	4,747	2,609	2,138	4,070	2,189	1,881
75-79 years-----	47,854	26,788	21,066	42,444	24,123	18,321	5,410	2,665	2,745	4,570	2,162	2,408
80-84 years-----	55,730	27,085	28,645	50,824	25,032	25,792	4,906	2,053	2,853	4,093	1,646	2,447
85-89 years-----	56,869	21,899	34,970	52,427	20,330	32,097	4,442	1,569	2,873	3,717	1,223	2,494
90-94 years-----	41,650	11,814	29,836	38,740	10,926	27,814	2,910	888	2,022	2,423	660	1,763
95-99 years-----	18,066	3,698	14,368	16,681	3,386	13,295	1,385	312	1,073	1,209	245	964
100 yrs & over---	4,350	637	3,713	3,920	569	3,351	430	68	362	384	56	328
Not stated-----	32	29	3	22	20	2	10	9	1	10	9	1

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Atherosclerotic cardiovascular disease, so described (I25.0)												
All ages-----	71,926	36,633	35,293	59,711	29,977	29,734	12,215	6,656	5,559	10,823	5,815	5,008
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	-	1	-	-	-	1	-	1	1	-	1
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	13	10	3	5	5	-	8	5	3	8	5	3
25-29 years-----	32	21	11	20	14	6	12	7	5	8	5	3
30-34 years-----	128	98	30	90	71	19	38	27	11	33	22	11
35-39 years-----	453	355	98	336	269	67	117	86	31	110	80	30
40-44 years-----	1,035	837	198	761	640	121	274	197	77	251	177	74
45-49 years-----	1,792	1,438	354	1,305	1,076	229	487	362	125	437	317	120
50-54 years-----	2,945	2,314	631	2,183	1,763	420	762	551	211	680	485	195
55-59 years-----	3,747	2,842	905	2,765	2,156	609	982	686	296	889	612	277
60-64 years-----	4,636	3,281	1,355	3,446	2,477	969	1,190	804	386	1,053	697	356
65-69 years-----	5,691	3,842	1,849	4,342	3,001	1,341	1,349	841	508	1,212	760	452
70-74 years-----	7,704	4,704	3,000	6,130	3,800	2,330	1,574	904	670	1,396	799	597
75-79 years-----	9,666	5,200	4,466	8,014	4,348	3,666	1,652	852	800	1,466	737	729
80-84 years-----	10,655	4,763	5,892	9,303	4,178	5,125	1,352	585	767	1,173	499	674
85-89 years-----	10,745	3,895	6,850	9,568	3,478	6,090	1,177	417	760	1,019	350	669
90-94 years-----	8,204	2,196	6,008	7,430	1,964	5,466	774	232	542	671	188	483
95-99 years-----	3,591	692	2,899	3,248	615	2,633	343	77	266	304	64	240
100 yrs & over---	863	122	741	749	108	641	114	14	100	103	9	94
Not stated-----	24	22	2	15	13	2	9	9	-	9	9	-

Atherosclerotic heart disease (I25.1)

All ages-----	227,487	109,518	117,969	204,739	98,766	105,973	22,748	10,752	11,996	19,185	8,706	10,479
Under 1 year-----	4	2	2	3	1	2	1	1	-	-	-	-
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	5	4	1	3	3	-	2	1	1	2	1	1
10-14 years-----	1	1	-	-	-	-	1	1	-	1	1	-
15-19 years-----	18	12	6	10	6	4	8	6	2	6	4	2
20-24 years-----	26	18	8	17	14	3	9	4	5	8	3	5
25-29 years-----	95	71	24	73	53	20	22	18	4	18	15	3
30-34 years-----	274	211	63	214	168	46	60	43	17	48	35	13
35-39 years-----	864	647	217	671	509	162	193	138	55	159	108	51
40-44 years-----	1,772	1,386	386	1,368	1,098	270	404	288	116	356	246	110
45-49 years-----	3,036	2,402	634	2,445	1,997	448	591	405	186	515	340	175
50-54 years-----	4,866	3,635	1,231	3,956	3,020	936	910	615	295	799	528	271
55-59 years-----	6,563	4,692	1,871	5,385	3,953	1,432	1,178	739	439	1,031	634	397
60-64 years-----	9,243	6,285	2,958	7,664	5,307	2,357	1,579	978	601	1,363	832	531
65-69 years-----	14,642	9,552	5,090	12,472	8,367	4,105	2,170	1,185	985	1,884	1,007	877
70-74 years-----	23,194	14,277	8,917	20,382	12,788	7,594	2,812	1,489	1,323	2,373	1,217	1,156
75-79 years-----	33,730	18,824	14,906	30,391	17,220	13,171	3,339	1,604	1,735	2,759	1,265	1,494
80-84 years-----	40,095	19,568	20,527	36,875	18,244	18,631	3,220	1,324	1,896	2,644	1,038	1,606
85-89 years-----	41,584	16,004	25,580	38,595	14,968	23,627	2,989	1,036	1,953	2,471	784	1,687
90-94 years-----	30,716	8,695	22,021	28,738	8,084	20,654	1,978	611	1,367	1,623	439	1,184
95-99 years-----	13,452	2,749	10,703	12,467	2,531	9,936	985	218	767	862	168	694
100 yrs & over---	3,298	475	2,823	3,002	427	2,575	296	48	248	262	41	221
Not stated-----	8	7	1	7	7	-	1	-	1	1	-	1

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Old myocardial infarction (I25.2)												
All ages-----	364	232	132	310	199	111	54	33	21	44	26	18
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	4	4	-	3	3	-	1	1	-	1	1	-
20-24 years-----	2	1	1	1	-	1	1	1	-	1	1	-
25-29 years-----	1	1	-	1	-	-	1	1	-	1	1	-
30-34 years-----	4	1	3	1	-	1	3	1	2	3	1	2
35-39 years-----	7	6	1	5	4	1	2	2	-	2	2	-
40-44 years-----	14	11	3	10	9	1	4	2	2	2	1	1
45-49 years-----	16	13	3	12	10	2	4	3	1	4	3	1
50-54 years-----	12	10	2	10	9	1	2	1	1	2	1	1
55-59 years-----	21	18	3	17	14	3	4	4	-	2	2	-
60-64 years-----	19	14	5	15	12	3	4	2	2	3	1	2
65-69 years-----	23	17	6	20	16	4	3	1	2	2	1	1
70-74 years-----	51	36	15	45	31	14	6	5	1	5	4	1
75-79 years-----	47	32	15	40	27	13	7	5	2	6	4	2
80-84 years-----	54	33	21	49	31	18	5	2	3	5	2	3
85-89 years-----	49	19	30	45	18	27	4	1	3	2	-	2
90-94 years-----	28	13	15	26	13	13	2	-	2	2	-	2
95-99 years-----	8	3	5	7	2	5	1	1	-	1	1	-
100 yrs & over---	4	-	4	4	-	4	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Aneurysm of heart (I25.3)												
All ages-----	120	63	57	111	59	52	9	4	5	9	4	5
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	-	-	-	1	1	-	1	1	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	-	-	-	1	1	-	1	1	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	2	1	1	1	1	-	1	-	1	1	-	1
45-49 years-----	4	2	2	3	2	1	1	-	1	1	-	1
50-54 years-----	3	3	-	3	3	-	-	-	-	-	-	-
55-59 years-----	7	6	1	7	6	1	-	-	-	-	-	-
60-64 years-----	9	7	2	9	7	2	-	-	-	-	-	-
65-69 years-----	12	8	4	11	8	3	1	-	1	1	-	1
70-74 years-----	13	4	9	13	4	9	-	-	-	-	-	-
75-79 years-----	24	10	14	22	10	12	2	-	2	2	-	2
80-84 years-----	17	8	9	15	6	9	2	2	-	2	2	-
85-89 years-----	17	8	9	17	8	9	-	-	-	-	-	-
90-94 years-----	5	1	4	5	1	4	-	-	-	-	-	-
95-99 years-----	4	3	1	4	3	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Coronary artery aneurysm (I25.4)												
All ages-----	19	6	13	15	4	11	4	2	2	4	2	2
Under 1 year----	1	1	-	-	-	-	1	1	-	1	1	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	5	-	5	4	-	4	1	-	1	1	-	1
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	3	1	2	3	1	2	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	3	2	1	2	1	1	1	1	-	1	1	-
60-64 years-----	1	-	1	-	-	-	1	-	1	1	-	1
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Ischemic cardiomyopathy (I25.5)

All ages-----	12,566	7,456	5,110	11,529	6,901	4,628	1,037	555	482	871	436	435
Under 1 year----	3	2	1	3	2	1	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	4	-	4	2	-	2	2	-	2	2	-	2
25-29 years-----	4	1	3	3	1	2	1	-	1	1	-	1
30-34 years-----	8	5	3	3	2	1	5	3	2	5	3	2
35-39 years-----	25	15	10	17	11	6	8	4	4	7	3	4
40-44 years-----	43	29	14	32	23	9	11	6	5	11	6	5
45-49 years-----	113	82	31	78	58	20	35	24	11	30	20	10
50-54 years-----	247	191	56	196	152	44	51	39	12	46	35	11
55-59 years-----	374	269	105	316	236	80	58	33	25	53	28	25
60-64 years-----	641	468	173	565	413	152	76	55	21	67	48	19
65-69 years-----	1,012	723	289	906	666	240	106	57	49	94	49	45
70-74 years-----	1,702	1,185	517	1,546	1,091	455	156	94	62	126	72	54
75-79 years-----	2,294	1,504	790	2,097	1,403	694	197	101	96	162	77	85
80-84 years-----	2,467	1,445	1,022	2,322	1,387	935	145	58	87	118	39	79
85-89 years-----	2,109	1,013	1,096	2,000	961	1,039	109	52	57	84	36	48
90-94 years-----	1,100	408	692	1,044	384	660	56	24	32	45	16	29
95-99 years-----	366	106	260	350	101	249	16	5	11	15	4	11
100 yrs & over---	53	9	44	48	9	39	5	-	5	5	-	5
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other forms of chronic ischemic heart disease (I25.8)												
All ages-----	1,805	951	854	1,615	853	762	190	98	92	139	68	71
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	2	2	-	1	1	-	1	1	-	1	1	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	2	1	1	-	-	-	2	1	1	1	-	1
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	10	5	5	7	3	4	3	2	1	3	2	1
40-44 years-----	10	8	2	8	8	-	2	-	2	2	-	2
45-49 years-----	23	16	7	20	15	5	3	1	2	1	-	1
50-54 years-----	51	36	15	40	29	11	11	7	4	8	5	3
55-59 years-----	61	40	21	50	34	16	11	6	5	9	5	4
60-64 years-----	84	60	24	75	57	18	9	3	6	8	2	6
65-69 years-----	134	90	44	111	74	37	23	16	7	17	11	6
70-74 years-----	206	137	69	182	124	58	24	13	11	17	10	7
75-79 years-----	307	167	140	272	147	125	35	20	15	24	13	11
80-84 years-----	335	174	161	308	160	148	27	14	13	18	9	9
85-89 years-----	320	132	188	294	120	174	26	12	14	20	9	11
90-94 years-----	183	63	120	174	62	112	9	1	8	7	-	7
95-99 years-----	59	16	43	55	15	40	4	1	3	3	1	2
100 yrs & over---	18	4	14	18	4	14	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Chronic ischemic heart disease, unspecified (I25.9)

All ages-----	12,183	6,387	5,796	10,837	5,684	5,153	1,346	703	643	1,172	601	571
Under 1 year-----	3	1	2	2	1	1	1	-	1	1	-	1
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	2	2	-	2	2	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years-----	6	5	1	5	4	1	1	1	-	1	1	-
30-34 years-----	16	13	3	12	9	3	4	4	-	3	3	-
35-39 years-----	62	47	15	44	34	10	18	13	5	17	12	5
40-44 years-----	113	87	26	70	57	13	43	30	13	34	21	13
45-49 years-----	215	159	56	162	127	35	53	32	21	50	29	21
50-54 years-----	358	270	88	256	198	58	102	72	30	95	65	30
55-59 years-----	459	335	124	365	272	93	94	63	31	90	61	29
60-64 years-----	627	443	184	519	374	145	108	69	39	92	61	31
65-69 years-----	909	593	316	774	516	258	135	77	58	118	64	54
70-74 years-----	1,361	865	496	1,186	761	425	175	104	71	153	87	66
75-79 years-----	1,785	1,051	734	1,607	968	639	178	83	95	151	66	85
80-84 years-----	2,106	1,094	1,012	1,951	1,026	925	155	68	87	133	57	76
85-89 years-----	2,045	828	1,217	1,908	777	1,131	137	51	86	121	44	77
90-94 years-----	1,414	438	976	1,323	418	905	91	20	71	75	17	58
95-99 years-----	586	129	457	550	119	431	36	10	26	24	7	17
100 yrs & over---	114	27	87	99	21	78	15	6	9	14	6	8
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Pulmonary embolism (I26)												
All ages-----	9,008	3,724	5,284	7,377	3,044	4,333	1,631	680	951	1,553	651	902
Under 1 year-----	2	-	2	1	-	1	1	-	1	1	-	1
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	2	1	1	2	1	1	-	-	-	-	-	-
15-19 years-----	31	12	19	21	6	15	10	6	4	9	5	4
20-24 years-----	65	24	41	40	13	27	25	11	14	21	9	12
25-29 years-----	86	31	55	49	18	31	37	13	24	34	13	21
30-34 years-----	145	65	80	88	39	49	57	26	31	56	26	30
35-39 years-----	217	100	117	150	76	74	67	24	43	60	20	40
40-44 years-----	310	136	174	218	103	115	92	33	59	88	33	55
45-49 years-----	389	183	206	281	139	142	108	44	64	101	40	61
50-54 years-----	452	213	239	343	162	181	109	51	58	106	48	58
55-59 years-----	516	256	260	393	200	193	123	56	67	115	52	63
60-64 years-----	601	318	283	465	253	212	136	65	71	130	63	67
65-69 years-----	753	367	386	608	295	313	145	72	73	142	72	70
70-74 years-----	1,115	533	582	912	445	467	203	88	115	195	86	109
75-79 years-----	1,315	545	770	1,121	468	653	194	77	117	187	75	112
80-84 years-----	1,260	437	823	1,113	378	735	147	59	88	141	57	84
85-89 years-----	1,006	317	689	903	282	621	103	35	68	97	32	65
90-94 years-----	533	141	392	474	125	349	59	16	43	55	16	39
95-99 years-----	174	36	138	162	33	129	12	3	9	12	3	9
100 yrs & over---	33	7	26	30	6	24	3	1	2	3	1	2
Not stated-----	2	2	-	2	2	-	-	-	-	-	-	-

Pulmonary embolism with mention of acute cor pulmonale (I26.0)

All ages-----	22	15	7	18	13	5	4	2	2	4	2	2
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	2	2	-	2	2	-	-	-	-	-	-	-
40-44 years-----	2	2	-	2	2	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	2	1	1	1	1	-	1	-	1	1	-	1
55-59 years-----	1	1	-	-	-	-	1	1	-	1	1	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	2	2	-	2	2	-	-	-	-	-	-	-
70-74 years-----	3	2	1	2	2	-	1	-	1	1	-	1
75-79 years-----	4	2	2	3	1	2	1	1	-	1	1	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Pulmonary embolism without mention of acute cor pulmonale (I26.9)												
All ages-----	8,986	3,709	5,277	7,359	3,031	4,328	1,627	678	949	1,549	649	900
Under 1 year-----	2	-	2	1	-	1	1	-	1	1	-	1
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	2	1	1	2	1	1	-	-	-	-	-	-
15-19 years-----	31	12	19	21	6	15	10	6	4	9	5	4
20-24 years-----	64	24	40	39	13	26	25	11	14	21	9	12
25-29 years-----	86	31	55	49	18	31	37	13	24	34	13	21
30-34 years-----	145	65	80	88	39	49	57	26	31	56	26	30
35-39 years-----	215	98	117	148	74	74	67	24	43	60	20	40
40-44 years-----	308	134	174	216	101	115	92	33	59	88	33	55
45-49 years-----	389	183	206	281	139	142	108	44	64	101	40	61
50-54 years-----	450	212	238	342	161	181	108	51	57	105	48	57
55-59 years-----	515	255	260	393	200	193	122	55	67	114	51	63
60-64 years-----	600	317	283	464	252	212	136	65	71	130	63	67
65-69 years-----	751	365	386	606	293	313	145	72	73	142	72	70
70-74 years-----	1,112	531	581	910	443	467	202	88	114	194	86	108
75-79 years-----	1,311	543	768	1,118	467	651	193	76	117	186	74	112
80-84 years-----	1,259	436	823	1,112	377	735	147	59	88	141	57	84
85-89 years-----	1,004	316	688	901	281	620	103	35	68	97	32	65
90-94 years-----	532	141	391	473	125	348	59	16	43	55	16	39
95-99 years-----	174	36	138	162	33	129	12	3	9	12	3	9
100 yrs & over---	33	7	26	30	6	24	3	1	2	3	1	2
Not stated-----	2	2	-	2	2	-	-	-	-	-	-	-
Other pulmonary heart diseases (I27)												
All ages-----	4,172	1,618	2,554	3,400	1,363	2,037	772	255	517	685	221	464
Under 1 year-----	215	113	102	152	82	70	63	31	32	56	27	29
1-4 years-----	19	11	8	13	8	5	6	3	3	4	2	2
5-9 years-----	20	12	8	17	10	7	3	2	1	2	1	1
10-14 years-----	11	3	8	10	2	8	1	1	-	1	1	-
15-19 years-----	29	14	15	28	14	14	1	-	1	1	-	1
20-24 years-----	28	7	21	22	5	17	6	2	4	6	2	4
25-29 years-----	45	14	31	28	11	17	17	3	14	15	3	12
30-34 years-----	65	18	47	45	11	34	20	7	13	17	7	10
35-39 years-----	118	45	73	81	33	48	37	12	25	36	12	24
40-44 years-----	147	60	87	93	39	54	54	21	33	46	18	28
45-49 years-----	167	63	104	117	49	68	50	14	36	42	13	29
50-54 years-----	206	87	119	155	71	84	51	16	35	45	15	30
55-59 years-----	215	80	135	159	69	90	56	11	45	50	9	41
60-64 years-----	255	116	139	195	89	106	60	27	33	56	25	31
65-69 years-----	377	160	217	301	135	166	76	25	51	65	20	45
70-74 years-----	463	184	279	390	157	233	73	27	46	68	26	42
75-79 years-----	558	222	336	494	202	292	64	20	44	58	16	42
80-84 years-----	515	194	321	447	175	272	68	19	49	59	15	44
85-89 years-----	395	119	276	348	112	236	47	7	40	42	4	38
90-94 years-----	235	77	158	223	71	152	12	6	6	11	5	6
95-99 years-----	79	17	62	72	16	56	7	1	6	5	-	5
100 yrs & over---	10	2	8	10	2	8	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Primary pulmonary hypertension (I27.0)												
All ages-----	2,725	933	1,792	2,130	755	1,375	595	178	417	529	158	371
Under 1 year-----	213	111	102	150	80	70	63	31	32	56	27	29
1-4 years-----	18	11	7	12	8	4	6	3	3	4	2	2
5-9 years-----	20	12	8	17	10	7	3	2	1	2	1	1
10-14 years-----	9	2	7	9	2	7	-	-	-	-	-	-
15-19 years-----	27	13	14	26	13	13	1	-	1	1	-	1
20-24 years-----	22	5	17	18	4	14	4	1	3	4	1	3
25-29 years-----	42	12	30	25	9	16	17	3	14	15	3	12
30-34 years-----	60	14	46	41	8	33	19	6	13	16	6	10
35-39 years-----	102	34	68	70	24	46	32	10	22	31	10	21
40-44 years-----	127	50	77	81	33	48	46	17	29	41	16	25
45-49 years-----	139	47	92	94	36	58	45	11	34	37	10	27
50-54 years-----	160	60	100	125	54	71	35	6	29	30	6	24
55-59 years-----	152	49	103	107	41	66	45	8	37	39	6	33
60-64 years-----	159	67	92	112	44	68	47	23	24	45	22	23
65-69 years-----	215	80	135	162	64	98	53	16	37	44	13	31
70-74 years-----	270	83	187	218	68	150	52	15	37	49	14	35
75-79 years-----	301	99	202	259	90	169	42	9	33	39	8	31
80-84 years-----	299	92	207	250	80	170	49	12	37	42	9	33
85-89 years-----	223	60	163	195	56	139	28	4	24	26	3	23
90-94 years-----	120	23	97	115	22	93	5	1	4	5	1	4
95-99 years-----	43	8	35	40	8	32	3	-	3	3	-	3
100 yrs & over---	4	1	3	4	1	3	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Kyphoscoliotic heart disease (I27.1)

All ages-----	84	17	67	77	15	62	7	2	5	7	2	5
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	-	-	-	1	1	-	1	1	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	2	-	2	2	-	2	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	8	3	5	7	3	4	1	-	1	1	-	1
70-74 years-----	9	3	6	8	2	6	1	1	-	1	1	-
75-79 years-----	13	3	10	11	3	8	2	-	2	2	-	2
80-84 years-----	19	3	16	19	3	16	-	-	-	-	-	-
85-89 years-----	12	1	11	12	1	11	-	-	-	-	-	-
90-94 years-----	9	1	8	8	1	7	1	-	1	1	-	1
95-99 years-----	4	-	4	3	-	3	1	-	1	1	-	1
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other specified pulmonary heart diseases (I27.8)												
All ages-----	3	1	2	3	1	2	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Pulmonary heart disease, unspecified (I27.9)

All ages-----	1,360	667	693	1,190	592	598	170	75	95	149	61	88
Under 1 year-----	2	2	-	2	2	-	-	-	-	-	-	-
1-4 years-----	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years-----	5	2	3	3	1	2	2	1	1	2	1	1
25-29 years-----	3	2	1	3	2	1	-	-	-	-	-	-
30-34 years-----	5	4	1	4	3	1	1	1	-	1	1	-
35-39 years-----	15	11	4	10	9	1	5	2	3	5	2	3
40-44 years-----	19	10	9	11	6	5	8	4	4	5	2	3
45-49 years-----	27	16	11	22	13	9	5	3	2	5	3	2
50-54 years-----	43	26	17	27	16	11	16	10	6	15	9	6
55-59 years-----	62	30	32	51	27	24	11	3	8	11	3	8
60-64 years-----	95	49	46	82	45	37	13	4	9	11	3	8
65-69 years-----	154	77	77	132	68	64	22	9	13	20	7	13
70-74 years-----	184	98	86	164	87	77	20	11	9	18	11	7
75-79 years-----	244	120	124	224	109	115	20	11	9	17	8	9
80-84 years-----	196	99	97	177	92	85	19	7	12	17	6	11
85-89 years-----	160	58	102	141	55	86	19	3	16	16	1	15
90-94 years-----	106	53	53	100	48	52	6	5	1	5	4	1
95-99 years-----	32	9	23	29	8	21	3	1	2	1	-	1
100 yrs & over---	5	1	4	5	1	4	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other diseases of pulmonary vessels (I28)												
All ages-----	64	27	37	55	21	34	9	6	3	8	5	3
Under 1 year----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	4	2	2	3	1	2	1	1	-	1	1	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	4	2	2	3	1	2	1	1	-	1	1	-
40-44 years-----	2	1	1	2	1	1	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	1	1	-	-	-	-	1	1	-	1	1	-
55-59 years-----	2	-	2	2	-	2	-	-	-	-	-	-
60-64 years-----	3	2	1	2	1	1	1	1	-	1	1	-
65-69 years-----	4	1	3	3	1	2	1	-	1	1	-	1
70-74 years-----	12	5	7	9	3	6	3	2	1	2	1	1
75-79 years-----	13	2	11	13	2	11	-	-	-	-	-	-
80-84 years-----	5	3	2	5	3	2	-	-	-	-	-	-
85-89 years-----	4	1	3	3	1	2	1	-	1	1	-	1
90-94 years-----	4	3	1	4	3	1	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Arteriovenous fistula of pulmonary vessels (I28.0)

All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Aneurysm of pulmonary artery (I28.1)												
All ages-----	16	8	8	11	5	6	5	3	2	5	3	2
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	2	1	1	1	-	1	1	1	-	1	1	-
40-44 years-----	2	1	1	2	1	1	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	-	-	-	1	1	-	1	1	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	2	2	-	1	1	-	1	1	-	1	1	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	-	-	-	1	-	1	-	-	1
75-79 years-----	2	-	2	2	-	2	-	-	-	-	-	-
80-84 years-----	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years-----	2	-	2	1	-	1	1	-	1	-	-	1
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other specified diseases of pulmonary vessels (I28.8)

All ages-----	25	8	17	24	7	17	1	1	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	2	1	1	2	1	1	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	2	-	2	2	-	2	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	7	2	5	6	1	5	1	1	-	-	-	-
75-79 years-----	8	1	7	8	1	7	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Disease of pulmonary vessels, unspecified (I28.9)												
All ages-----	22	10	12	19	8	11	3	2	1	3	2	1
Under 1 year----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	2	1	1	1	-	1	1	1	-	1	1	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	3	1	2	2	1	1	1	-	1	1	-	1
70-74 years-----	3	2	1	2	1	1	1	1	-	1	1	-
75-79 years-----	3	1	2	3	1	2	-	-	-	-	-	-
80-84 years-----	3	2	1	3	2	1	-	-	-	-	-	-
85-89 years-----	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years-----	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Acute pericarditis (I30)												
All ages-----	61	32	29	48	29	19	13	3	10	12	3	9
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	1	-	-	-	-	1	1	-	1	1	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	2	1	1	1	1	-	1	-	1	1	-	1
30-34 years-----	2	1	1	-	-	1	2	1	1	1	1	-
35-39 years-----	6	5	1	5	5	-	1	-	1	1	-	1
40-44 years-----	7	3	4	4	3	1	3	-	3	3	-	3
45-49 years-----	3	1	2	2	1	1	1	-	1	1	-	1
50-54 years-----	4	2	2	3	1	2	1	1	-	1	1	-
55-59 years-----	7	3	4	7	3	4	-	-	-	-	-	-
60-64 years-----	3	1	2	1	1	-	2	-	2	2	-	2
65-69 years-----	6	2	4	6	2	4	-	-	-	-	-	-
70-74 years-----	7	6	1	7	6	1	-	-	-	-	-	-
75-79 years-----	5	4	1	5	4	1	-	-	-	-	-	-
80-84 years-----	4	1	3	3	1	2	1	-	1	1	-	1
85-89 years-----	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Acute nonspecific idiopathic pericarditis (I30.0)												
All ages-----	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Infective pericarditis (I30.1)												
All ages-----	25	14	11	20	12	8	5	2	3	5	2	3
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	1	-	-	-	-	1	1	-	1	1	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	2	1	1	1	1	-	1	-	1	1	-	1
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	2	-	2	1	-	1	1	-	1	1	-	1
50-54 years-----	3	2	1	2	1	1	1	1	-	1	1	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	1	-	1	-	-	-	1	-	1	1	-	1
65-69 years-----	2	-	2	2	-	2	-	-	-	-	-	-
70-74 years-----	4	3	1	4	3	1	-	-	-	-	-	-
75-79 years-----	4	3	1	4	3	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other forms of acute pericarditis (I30.8)												
All ages-----	14	8	6	10	8	2	4	-	4	3	-	3
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	-	-	-	1	-	1	1	-	1
30-34 years-----	1	-	1	-	-	-	1	-	1	-	-	-
35-39 years-----	2	2	-	2	2	-	-	-	-	-	-	-
40-44 years-----	3	1	2	2	1	1	1	-	1	1	-	1
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	2	2	-	2	2	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	1	-	1	-	-	-	1	-	1	1	-	1
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Acute pericarditis, unspecified (I30.9)												
All ages-----	20	8	12	16	7	9	4	1	3	4	1	3
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	-	-	-	1	1	-	1	1	-
35-39 years-----	2	2	-	2	2	-	-	-	-	-	-	-
40-44 years-----	2	-	2	-	-	-	2	-	2	2	-	2
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	4	-	4	4	-	4	-	-	-	-	-	-
60-64 years-----	2	1	1	1	1	-	1	-	1	1	-	1
65-69 years-----	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years-----	2	2	-	2	2	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	3	1	2	3	1	2	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other diseases of pericardium (I31)												
All ages-----	505	247	258	417	206	211	88	41	47	76	36	40
Under 1 year----	9	3	6	4	2	2	5	1	4	2	-	2
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	2	1	1	2	1	1	-	-	-	-	-	-
15-19 years-----	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years-----	4	3	1	4	3	1	-	-	-	-	-	-
25-29 years-----	2	2	-	1	1	-	1	1	-	1	1	-
30-34 years-----	9	5	4	6	2	4	3	3	-	3	3	-
35-39 years-----	16	10	6	12	8	4	4	2	2	4	2	2
40-44 years-----	21	10	11	15	7	8	6	3	3	6	3	3
45-49 years-----	23	15	8	17	11	6	6	4	2	4	2	2
50-54 years-----	26	19	7	18	14	4	8	5	3	8	5	3
55-59 years-----	37	24	13	32	21	11	5	3	2	5	3	2
60-64 years-----	46	25	21	39	22	17	7	3	4	6	3	3
65-69 years-----	51	25	26	40	19	21	11	6	5	10	6	4
70-74 years-----	65	28	37	54	23	31	11	5	6	9	5	4
75-79 years-----	67	30	37	58	28	30	9	7	7	8	1	7
80-84 years-----	55	22	33	49	20	29	6	2	4	5	2	3
85-89 years-----	45	15	30	42	15	27	3	-	3	3	-	3
90-94 years-----	22	9	13	19	8	11	3	1	2	2	-	2
95-99 years-----	3	-	3	3	-	3	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Chronic adhesive pericarditis (I31.0)												
All ages-----	4	3	1	2	1	1	2	2	-	2	2	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	2	2	-	-	-	-	2	2	-	2	2	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Chronic constrictive pericarditis (I31.1)												
All ages-----	59	30	29	56	29	27	3	1	2	3	1	2
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	5	3	2	3	2	1	2	1	1	2	1	1
45-49 years-----	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years-----	2	1	1	2	1	1	-	-	-	-	-	-
55-59 years-----	7	4	3	7	4	3	-	-	-	-	-	-
60-64 years-----	6	2	4	6	2	4	-	-	-	-	-	-
65-69 years-----	7	4	3	6	4	2	1	-	1	1	-	1
70-74 years-----	10	6	4	10	6	4	-	-	-	-	-	-
75-79 years-----	8	4	4	8	4	4	-	-	-	-	-	-
80-84 years-----	3	1	2	3	1	2	-	-	-	-	-	-
85-89 years-----	7	3	4	7	3	4	-	-	-	-	-	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Hemopericardium, not elsewhere classified (I31.2)

All ages-----	35	16	19	31	15	16	4	1	3	3	1	2
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	2	1	1	1	-	1	1	1	-	1	1	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	2	-	2	1	-	1	1	-	1	1	-	1
45-49 years-----	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years-----	2	1	1	1	1	-	1	-	1	1	-	1
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	3	2	1	3	2	1	-	-	-	-	-	-
65-69 years-----	6	4	2	6	4	2	-	-	-	-	-	-
70-74 years-----	5	1	4	5	1	4	-	-	-	-	-	-
75-79 years-----	3	-	3	3	-	3	-	-	-	-	-	-
80-84 years-----	3	1	2	2	1	1	1	-	1	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	3	1	2	3	1	2	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Pericardial effusion (noninflammatory) (I31.3)												
All ages-----	147	67	80	116	53	63	31	14	17	29	13	16
Under 1 year-----	4	2	2	1	1	-	3	1	2	1	-	1
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	6	4	2	3	3	-	3	1	2	3	1	2
40-44 years-----	6	2	4	5	1	4	1	1	-	1	1	-
45-49 years-----	4	3	1	3	2	1	1	1	-	1	1	-
50-54 years-----	12	9	3	9	6	3	3	3	-	3	3	-
55-59 years-----	6	5	1	4	3	1	2	2	-	2	2	-
60-64 years-----	12	7	5	8	5	3	4	2	2	4	2	2
65-69 years-----	10	4	6	8	4	4	2	-	2	2	-	2
70-74 years-----	18	9	9	14	7	7	4	2	2	4	2	2
75-79 years-----	18	7	11	16	7	9	2	-	2	2	-	2
80-84 years-----	20	8	12	17	7	10	3	1	2	3	1	2
85-89 years-----	15	2	13	13	2	11	2	-	2	2	-	2
90-94 years-----	12	4	8	11	4	7	1	-	1	1	-	1
95-99 years-----	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other specified diseases of pericardium (I31.8)

All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
 ON THE TENTH REVISION
 INTERNATIONAL CLASSIFICATION
 OF DISEASES, 1992),
 RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Disease of pericardium, unspecified (I31.9)												
All ages-----	259	130	129	211	107	104	48	23	25	39	19	20
Under 1 year-----	5	1	4	3	1	2	2	-	2	1	-	1
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	2	1	1	2	1	1	-	-	-	-	-	-
15-19 years-----	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years-----	3	2	1	3	2	1	-	-	-	-	-	-
25-29 years-----	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years-----	4	2	2	4	2	2	-	-	-	-	-	-
35-39 years-----	8	5	3	7	4	3	1	1	-	1	1	-
40-44 years-----	8	5	3	6	4	2	2	1	1	2	1	1
45-49 years-----	14	10	4	9	7	2	5	3	2	3	1	2
50-54 years-----	10	8	2	6	6	-	4	2	2	4	2	2
55-59 years-----	23	14	9	20	13	7	3	1	2	3	1	2
60-64 years-----	25	14	11	22	13	9	3	1	2	2	1	1
65-69 years-----	28	13	15	20	7	13	8	6	2	7	6	1
70-74 years-----	32	12	20	25	9	16	7	3	4	5	3	2
75-79 years-----	37	18	19	30	16	14	7	2	5	6	1	5
80-84 years-----	28	11	17	26	10	16	2	1	1	2	1	1
85-89 years-----	22	9	13	21	9	12	1	-	1	1	-	1
90-94 years-----	6	3	3	4	2	2	2	1	1	1	-	1
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Acute and subacute endocarditis (I33)												
All ages-----	1,116	639	477	879	509	370	237	130	107	210	117	93
Under 1 year-----	2	2	-	1	1	-	1	1	-	-	-	-
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	2	-	2	2	-	2	-	-	-	-	-	-
20-24 years-----	5	3	2	4	2	2	1	1	-	1	1	-
25-29 years-----	12	9	3	10	7	3	2	2	-	2	2	-
30-34 years-----	18	15	3	14	11	3	4	4	-	4	4	-
35-39 years-----	54	34	20	32	21	11	22	13	9	20	12	8
40-44 years-----	60	41	19	37	24	13	23	17	6	21	15	6
45-49 years-----	68	49	19	41	32	9	27	17	10	26	16	10
50-54 years-----	75	54	21	48	33	15	27	21	6	23	19	4
55-59 years-----	93	62	31	58	42	16	35	20	15	30	18	12
60-64 years-----	78	41	37	59	31	28	19	10	9	18	9	9
65-69 years-----	103	51	52	82	45	37	21	6	15	21	6	15
70-74 years-----	137	67	70	114	57	57	23	10	13	21	9	12
75-79 years-----	155	83	72	142	81	61	13	2	11	10	1	9
80-84 years-----	134	71	63	122	66	56	12	5	7	7	4	3
85-89 years-----	92	46	46	87	45	42	5	1	4	5	1	4
90-94 years-----	21	10	11	20	10	10	1	-	1	1	-	1
95-99 years-----	5	-	5	5	-	5	-	-	-	-	-	-
100 yrs & over---	1	-	1	-	-	-	1	-	1	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Acute and subacute infective endocarditis (I33.0)												
All ages-----	1,088	622	466	858	496	362	230	126	104	203	113	90
Under 1 year-----	2	2	-	1	1	-	1	1	-	-	-	-
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	2	-	2	2	-	2	-	-	-	-	-	-
20-24 years-----	5	3	2	4	2	2	1	1	-	1	1	-
25-29 years-----	12	9	3	10	7	3	2	2	-	2	2	-
30-34 years-----	17	14	3	13	10	3	4	4	-	4	4	-
35-39 years-----	51	32	19	29	19	10	22	13	9	20	12	8
40-44 years-----	59	40	19	37	24	13	22	16	6	20	14	6
45-49 years-----	67	48	19	40	31	9	27	17	10	26	16	10
50-54 years-----	75	54	21	48	33	15	27	21	6	23	19	4
55-59 years-----	93	62	31	58	42	16	35	20	15	30	18	12
60-64 years-----	72	38	34	57	30	27	15	8	7	14	7	7
65-69 years-----	100	49	51	80	43	37	20	6	14	20	6	14
70-74 years-----	133	64	69	111	55	56	22	9	13	20	8	12
75-79 years-----	152	81	71	139	79	60	13	2	11	10	1	9
80-84 years-----	132	71	61	120	66	54	12	5	7	7	4	3
85-89 years-----	88	44	44	83	43	40	5	1	4	5	1	4
90-94 years-----	21	10	11	20	10	10	1	-	1	1	-	1
95-99 years-----	5	-	5	5	-	5	-	-	-	-	-	-
100 yrs & over---	1	-	1	-	-	-	1	-	1	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Acute endocarditis, unspecified (I33.9)

All ages-----	28	17	11	21	13	8	7	4	3	7	4	3
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	3	2	1	3	2	1	-	-	-	-	-	-
40-44 years-----	1	1	-	-	-	-	1	1	-	1	1	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	6	3	3	2	1	1	4	2	2	4	2	2
65-69 years-----	3	2	1	2	2	-	1	-	1	1	-	1
70-74 years-----	4	3	1	3	2	1	1	1	-	1	1	-
75-79 years-----	3	2	1	3	2	1	-	-	-	-	-	-
80-84 years-----	2	-	2	2	-	2	-	-	-	-	-	-
85-89 years-----	4	2	2	4	2	2	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Nonrheumatic mitral valve disorders (I34)												
All ages-----	2,895	1,010	1,885	2,643	930	1,713	252	80	172	194	57	137
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	4	1	3	3	1	2	1	-	1	1	-	1
15-19 years-----	9	1	8	7	-	7	2	1	1	1	1	-
20-24 years-----	15	4	11	11	3	8	4	1	3	4	1	3
25-29 years-----	19	5	14	13	3	10	6	2	4	6	2	4
30-34 years-----	35	14	21	30	13	17	5	1	4	5	1	4
35-39 years-----	40	25	15	37	23	14	3	2	1	3	2	1
40-44 years-----	71	30	41	57	24	33	14	6	8	13	5	8
45-49 years-----	66	29	37	48	20	28	18	9	9	12	6	6
50-54 years-----	65	26	39	50	22	28	15	4	11	11	2	9
55-59 years-----	70	27	43	59	24	35	11	3	8	10	2	8
60-64 years-----	98	45	53	83	41	42	15	4	11	14	4	10
65-69 years-----	151	59	92	127	52	75	24	7	17	17	4	13
70-74 years-----	272	119	153	241	104	137	31	15	16	25	14	11
75-79 years-----	424	169	255	388	156	232	36	13	23	25	8	17
80-84 years-----	514	191	323	492	188	304	22	3	19	15	1	14
85-89 years-----	561	163	398	535	158	377	26	5	21	18	2	16
90-94 years-----	373	77	296	359	73	286	14	4	10	10	2	8
95-99 years-----	95	25	70	91	25	66	4	-	4	3	-	3
100 yrs & over---	13	-	13	12	-	12	1	-	1	1	-	1
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Mitral (valve) insufficiency (I34.0)

All ages-----	2,407	829	1,578	2,201	766	1,435	206	63	143	157	44	113
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	2	-	2	2	-	2	-	-	-	-	-	-
20-24 years-----	2	1	1	2	1	1	-	-	-	-	-	-
25-29 years-----	4	2	2	3	1	2	1	1	-	1	1	-
30-34 years-----	11	4	7	7	3	4	4	1	3	4	1	3
35-39 years-----	7	6	1	6	5	1	1	1	-	1	1	-
40-44 years-----	26	13	13	16	9	7	10	4	6	9	3	6
45-49 years-----	22	10	12	9	3	6	13	7	6	8	4	4
50-54 years-----	36	14	22	24	12	12	12	2	10	9	1	8
55-59 years-----	44	16	28	35	14	21	9	2	7	9	2	7
60-64 years-----	70	32	38	59	29	30	11	3	8	11	3	8
65-69 years-----	122	47	75	100	40	60	22	7	15	15	4	11
70-74 years-----	237	106	131	209	93	116	28	13	15	22	12	10
75-79 years-----	377	150	227	345	139	206	32	11	21	24	8	16
80-84 years-----	475	179	296	454	176	278	21	3	18	15	1	14
85-89 years-----	519	151	368	496	147	349	23	4	19	15	1	14
90-94 years-----	350	74	276	336	70	266	14	4	10	10	2	8
95-99 years-----	91	24	67	87	24	63	4	-	4	3	-	3
100 yrs & over---	12	-	12	11	-	11	1	-	1	1	-	1
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Mitral (valve) prolapse (I34.1)												
All ages-----	346	124	222	312	111	201	34	13	21	26	9	17
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	3	-	3	2	-	2	1	-	1	1	-	1
15-19 years-----	6	1	5	4	-	4	2	1	1	1	1	-
20-24 years-----	10	1	9	7	1	6	3	-	3	3	-	3
25-29 years-----	12	3	9	8	2	6	4	1	3	4	1	3
30-34 years-----	21	8	13	20	8	12	1	-	1	1	-	1
35-39 years-----	27	14	13	25	13	12	2	1	1	2	1	1
40-44 years-----	37	13	24	34	11	23	3	2	1	3	2	1
45-49 years-----	35	15	20	31	14	17	4	1	3	3	1	2
50-54 years-----	27	12	15	24	10	14	3	2	1	2	1	1
55-59 years-----	17	7	10	15	6	9	2	1	1	1	-	1
60-64 years-----	14	6	8	13	6	7	1	-	1	-	-	-
65-69 years-----	17	7	10	15	7	8	2	-	2	2	-	2
70-74 years-----	17	3	14	16	2	14	1	1	-	1	1	-
75-79 years-----	28	10	18	25	8	17	3	2	1	-	-	-
80-84 years-----	26	10	16	26	10	16	-	-	-	-	-	-
85-89 years-----	27	10	17	25	9	16	2	1	1	2	1	1
90-94 years-----	17	3	14	17	3	14	-	-	-	-	-	-
95-99 years-----	4	1	3	4	1	3	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Nonrheumatic mitral (valve) stenosis (I34.2)

All ages-----	8	-	8	7	-	7	1	-	1	1	-	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	2	-	2	1	-	1	1	-	1	1	-	1
75-79 years-----	2	-	2	2	-	2	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other nonrheumatic mitral valve disorders (I34.8)												
All ages-----	105	45	60	97	42	55	8	3	5	7	3	4
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years-----	2	1	1	2	1	1	-	-	-	-	-	-
25-29 years-----	3	-	3	2	-	2	1	-	1	1	-	1
30-34 years-----	3	2	1	3	2	1	-	-	-	-	-	-
35-39 years-----	6	5	1	6	5	1	-	-	-	-	-	-
40-44 years-----	6	4	2	6	4	2	-	-	-	-	-	-
45-49 years-----	8	4	4	7	3	4	1	1	-	1	1	-
50-54 years-----	2	-	2	2	-	2	-	-	-	-	-	-
55-59 years-----	7	3	4	7	3	4	-	-	-	-	-	-
60-64 years-----	13	7	6	10	6	4	3	1	2	3	1	2
65-69 years-----	7	2	5	7	2	5	-	-	-	-	-	-
70-74 years-----	12	9	3	11	8	3	1	1	-	1	1	-
75-79 years-----	9	4	5	9	4	5	-	-	-	-	-	-
80-84 years-----	8	1	7	7	1	6	1	-	1	-	-	-
85-89 years-----	12	2	10	11	2	9	1	-	1	1	-	1
90-94 years-----	5	-	5	5	-	5	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Nonrheumatic mitral valve disorder, unspecified (I34.9)

All ages-----	29	12	17	26	11	15	3	1	2	3	1	2
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	-	-	-	1	1	-	1	1	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	-	-	-	1	-	1	1	-	1
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	4	3	1	4	3	1	-	-	-	-	-	-
70-74 years-----	4	1	3	4	1	3	-	-	-	-	-	-
75-79 years-----	8	5	3	7	5	2	1	-	1	1	-	1
80-84 years-----	5	1	4	5	1	4	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Nonrheumatic aortic valve disorders (I35)												
All ages-----	12,212	4,851	7,361	11,432	4,503	6,929	780	348	432	625	271	354
Under 1 year-----	3	3	-	3	3	-	-	-	-	-	-	-
1-4 years-----	2	-	2	2	-	2	-	-	-	-	-	-
5-9 years-----	4	3	1	3	2	1	1	1	-	1	1	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	9	7	2	8	6	2	1	1	-	1	1	-
20-24 years-----	8	7	1	3	3	-	5	4	1	4	3	1
25-29 years-----	12	8	4	7	5	2	5	3	2	5	3	2
30-34 years-----	20	16	4	16	12	4	4	4	-	4	4	-
35-39 years-----	47	34	13	37	27	10	10	7	3	9	7	2
40-44 years-----	75	48	27	57	37	20	18	11	7	14	8	6
45-49 years-----	101	66	35	72	47	25	29	19	10	24	15	9
50-54 years-----	138	96	42	111	79	32	27	17	10	25	17	8
55-59 years-----	168	110	58	142	94	48	26	16	10	22	12	10
60-64 years-----	251	153	98	216	132	84	35	21	14	30	17	13
65-69 years-----	455	260	195	397	235	162	58	25	33	45	22	23
70-74 years-----	824	454	370	725	402	323	99	52	47	79	41	38
75-79 years-----	1,518	732	786	1,434	696	738	84	36	48	67	28	39
80-84 years-----	2,438	1,061	1,377	2,318	1,007	1,311	120	54	66	93	42	51
85-89 years-----	3,007	1,025	1,982	2,879	984	1,895	128	41	87	100	25	75
90-94 years-----	2,174	568	1,606	2,077	540	1,537	97	28	69	75	19	56
95-99 years-----	843	180	663	816	173	643	27	7	20	24	6	18
100 yrs & over---	114	20	94	108	19	89	6	1	5	3	-	3
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Aortic (valve) stenosis (I35.0)												
All ages-----	9,902	3,711	6,191	9,379	3,504	5,875	523	207	316	417	158	259
Under 1 year-----	2	2	-	2	2	-	-	-	-	-	-	-
1-4 years-----	2	-	2	2	-	2	-	-	-	-	-	-
5-9 years-----	3	2	1	3	2	1	-	-	-	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	5	4	1	4	3	1	1	1	-	1	1	-
20-24 years-----	3	3	-	2	2	-	1	1	-	1	1	-
25-29 years-----	4	2	2	3	2	1	1	-	1	1	-	1
30-34 years-----	7	6	1	6	5	1	1	1	-	1	1	-
35-39 years-----	18	13	5	16	12	4	2	1	1	1	1	-
40-44 years-----	34	22	12	28	20	8	6	2	4	4	-	4
45-49 years-----	48	28	20	43	27	16	5	1	4	5	1	4
50-54 years-----	66	46	20	62	42	20	4	4	-	4	4	-
55-59 years-----	86	59	27	82	55	27	4	4	-	2	2	-
60-64 years-----	149	99	50	131	88	43	18	11	7	17	11	6
65-69 years-----	270	153	117	240	142	98	30	11	19	23	10	13
70-74 years-----	557	294	263	492	261	231	65	33	32	53	28	25
75-79 years-----	1,126	532	594	1,061	505	556	65	27	38	55	23	32
80-84 years-----	2,032	863	1,169	1,937	819	1,118	95	44	51	75	34	41
85-89 years-----	2,651	890	1,761	2,542	857	1,685	109	33	76	84	19	65
90-94 years-----	1,959	512	1,447	1,873	487	1,386	86	25	61	65	16	49
95-99 years-----	777	162	615	752	155	597	25	7	18	22	6	16
100 yrs & over---	102	19	83	97	18	79	5	1	4	3	-	3
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Aortic (valve) insufficiency (I35.1)												
All ages-----	623	300	323	531	255	276	92	45	47	76	38	38
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	1	-	-	-	-	1	1	-	1	1	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	3	2	1	3	2	1	-	-	-	-	-	-
20-24 years-----	1	-	1	-	-	-	1	-	1	1	-	1
25-29 years-----	2	2	-	1	1	-	1	1	-	1	1	-
30-34 years-----	4	4	-	3	3	-	1	1	-	1	1	-
35-39 years-----	6	5	1	3	3	-	3	2	1	3	2	1
40-44 years-----	7	4	3	4	2	2	3	2	1	3	2	1
45-49 years-----	15	11	4	10	7	3	5	4	1	5	4	1
50-54 years-----	18	13	5	11	10	1	7	3	4	7	3	4
55-59 years-----	23	14	9	15	9	6	8	5	3	8	5	3
60-64 years-----	37	21	16	32	18	14	5	3	2	4	2	2
65-69 years-----	46	31	15	33	24	9	13	7	6	11	6	5
70-74 years-----	63	39	24	52	33	19	11	6	5	7	3	4
75-79 years-----	70	35	35	67	34	33	3	1	2	1	-	1
80-84 years-----	106	52	54	94	48	46	12	4	8	8	4	4
85-89 years-----	110	38	72	101	35	66	9	3	6	8	2	6
90-94 years-----	83	22	61	76	20	56	7	2	5	6	2	4
95-99 years-----	24	6	18	23	6	17	1	-	1	1	-	1
100 yrs & over---	4	-	4	3	-	3	1	-	1	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Aortic (valve) stenosis with insufficiency (I35.2)

All ages-----	83	39	44	76	34	42	7	5	2	6	4	2
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	3	3	-	2	2	-	1	1	-	1	1	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	2	2	-	2	2	-	-	-	-	-	-	-
65-69 years-----	4	2	2	3	1	2	1	1	-	-	-	-
70-74 years-----	11	7	4	8	4	4	3	3	-	3	3	-
75-79 years-----	11	5	6	11	5	6	-	-	-	-	-	-
80-84 years-----	14	7	7	13	7	6	1	-	1	1	-	1
85-89 years-----	17	8	9	17	8	9	-	-	-	-	-	-
90-94 years-----	14	3	11	13	3	10	1	-	1	1	-	1
95-99 years-----	5	-	5	5	-	5	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other aortic valve disorders (I35.8)												
All ages-----	199	114	85	169	92	77	30	22	8	24	17	7
Under 1 year-----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	1	1	-	-	-	-	1	1	-	1	1	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	6	4	2	5	3	2	1	1	-	1	1	-
35-39 years-----	9	8	1	5	4	1	4	4	-	4	4	-
40-44 years-----	8	5	3	8	5	3	-	-	-	-	-	-
45-49 years-----	7	5	2	2	1	1	5	4	1	5	4	1
50-54 years-----	9	6	3	6	5	1	3	1	2	3	1	2
55-59 years-----	5	3	2	4	2	2	1	1	-	-	-	-
60-64 years-----	9	5	4	6	2	4	3	3	-	2	2	-
65-69 years-----	24	15	9	19	12	7	5	3	2	4	3	1
70-74 years-----	19	10	9	18	10	8	1	-	1	1	-	1
75-79 years-----	41	25	16	38	23	15	3	2	1	2	1	1
80-84 years-----	17	10	7	16	9	7	1	1	-	-	-	-
85-89 years-----	21	8	13	20	7	13	1	1	-	-	-	-
90-94 years-----	11	3	8	11	3	8	-	-	-	-	-	-
95-99 years-----	7	2	5	6	2	4	1	-	1	1	-	1
100 yrs & over---	2	1	1	2	1	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Aortic valve disorder, unspecified (I35.9)												
All ages-----	1,405	687	718	1,277	618	659	128	69	59	102	54	48
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	3	3	-	1	1	-	2	2	-	1	1	-
25-29 years-----	5	3	2	2	1	1	3	2	1	3	2	1
30-34 years-----	3	2	1	2	1	1	1	1	-	1	1	-
35-39 years-----	13	7	6	12	7	5	1	-	1	1	-	1
40-44 years-----	25	16	9	16	9	7	9	7	2	7	6	1
45-49 years-----	31	22	9	17	12	5	14	10	4	9	6	3
50-54 years-----	42	28	14	30	20	10	12	8	4	10	8	2
55-59 years-----	54	34	20	41	28	13	13	6	7	12	5	7
60-64 years-----	54	26	28	45	22	23	9	4	5	7	2	5
65-69 years-----	111	59	52	102	56	46	9	3	6	7	3	4
70-74 years-----	174	104	70	155	94	61	19	10	9	15	7	8
75-79 years-----	270	135	135	257	129	128	13	6	7	9	4	5
80-84 years-----	269	129	140	258	124	134	11	5	6	9	4	5
85-89 years-----	208	81	127	199	77	122	9	4	5	8	4	4
90-94 years-----	107	28	79	104	27	77	3	1	2	3	1	2
95-99 years-----	30	10	20	30	10	20	-	-	-	-	-	-
100 yrs & over---	6	-	6	6	-	6	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Nonrheumatic tricuspid valve disorders (I36)												
All ages-----	5	2	3	4	2	2	1	-	1	1	-	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	-	1	-	-	-	1	-	1	1	-	1
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Nonrheumatic tricuspid (valve) insufficiency (I36.1)

All ages-----	3	1	2	3	1	2	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Nonrheumatic tricuspid valve disorder, unspecified (I36.9)												
All ages-----	2	1	1	1	1	-	1	-	1	1	-	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	-	1	-	-	-	1	-	1	1	-	1
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Pulmonary valve disorders (I37)												
All ages-----	10	5	5	7	3	4	3	2	1	1	1	-
Under 1 year-----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	-	-	-	1	-	1	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	-	-	-	1	1	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	-	-	-	1	1	-	1	1	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years-----	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Pulmonary valve stenosis (I37.0)												
All ages-----	5	3	2	3	2	1	2	1	1	1	1	-
Under 1 year----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	-	-	-	1	-	1	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	-	-	-	1	1	-	1	1	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Pulmonary valve insufficiency (I37.1)

All ages-----	3	1	2	3	1	2	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other pulmonary valve disorders (I37.8)												
All ages-----	1	1	-	-	-	-	1	1	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	-	-	-	1	1	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Pulmonary valve disorder, unspecified (I37.9)

All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Endocarditis, valve unspecified (I38)												
All ages-----	4,490	1,718	2,772	3,981	1,502	2,479	509	216	293	449	186	263
Under 1 year-----	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	12	9	3	8	7	1	4	2	2	4	2	2
20-24 years-----	13	9	4	13	9	4	-	-	-	-	-	-
25-29 years-----	12	5	7	9	3	6	3	2	1	3	2	1
30-34 years-----	43	21	22	33	16	17	10	5	5	9	4	5
35-39 years-----	50	26	24	34	18	16	16	8	8	15	8	7
40-44 years-----	95	57	38	60	40	20	35	17	18	35	17	18
45-49 years-----	96	49	47	53	26	27	43	23	20	37	19	18
50-54 years-----	137	74	63	105	60	45	32	14	18	30	14	16
55-59 years-----	143	81	62	106	62	44	37	19	18	35	17	18
60-64 years-----	193	97	96	147	72	75	46	25	21	40	23	17
65-69 years-----	274	138	136	228	117	111	46	21	25	41	17	24
70-74 years-----	462	188	274	401	168	233	61	20	41	57	19	38
75-79 years-----	641	258	383	578	234	344	63	24	39	53	21	32
80-84 years-----	785	302	483	745	288	457	40	14	26	37	11	26
85-89 years-----	802	257	545	763	241	522	39	16	23	24	7	17
90-94 years-----	507	106	401	483	103	380	24	3	21	20	2	18
95-99 years-----	182	36	146	175	33	142	7	3	4	7	3	4
100 yrs & over---	40	5	35	37	5	32	3	-	3	2	-	2
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Acute myocarditis (I40)												
All ages-----	324	163	161	238	116	122	86	47	39	72	38	34
Under 1 year-----	18	10	8	8	5	3	10	5	5	8	4	4
1-4 years-----	23	12	11	11	4	7	12	8	4	11	8	3
5-9 years-----	11	5	6	7	4	3	4	1	3	4	1	3
10-14 years-----	7	1	6	3	1	2	4	-	4	4	-	4
15-19 years-----	10	7	3	7	6	1	3	1	2	3	1	2
20-24 years-----	16	9	7	11	5	6	5	4	1	3	2	1
25-29 years-----	15	11	4	11	8	3	4	3	1	4	3	1
30-34 years-----	20	14	6	16	12	4	4	2	2	4	2	2
35-39 years-----	32	17	15	24	11	13	8	6	2	7	5	2
40-44 years-----	32	19	13	19	13	6	13	6	7	10	4	6
45-49 years-----	33	15	18	28	12	16	5	3	2	4	3	1
50-54 years-----	16	4	12	14	3	11	2	1	1	2	1	1
55-59 years-----	19	13	6	14	10	4	5	3	2	4	3	1
60-64 years-----	13	4	9	13	4	9	-	-	-	-	-	-
65-69 years-----	12	7	5	11	6	5	1	1	-	-	-	-
70-74 years-----	5	1	4	4	1	3	1	-	1	1	-	1
75-79 years-----	16	4	12	14	3	11	2	1	1	2	1	1
80-84 years-----	13	4	9	13	4	9	-	-	-	-	-	-
85-89 years-----	9	4	5	6	2	4	3	2	1	1	-	1
90-94 years-----	3	2	1	3	2	1	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Infective myocarditis (I40.0)												
All ages-----	228	111	117	168	80	88	60	31	29	49	23	26
Under 1 year-----	12	6	6	5	2	3	7	4	3	6	3	3
1-4 years-----	20	12	8	9	4	5	11	8	3	10	8	2
5-9 years-----	6	2	4	4	2	2	2	-	2	2	-	2
10-14 years-----	6	1	5	3	1	2	3	-	3	3	-	3
15-19 years-----	6	4	2	4	4	-	2	-	2	2	-	2
20-24 years-----	12	7	5	8	4	4	4	3	1	3	2	1
25-29 years-----	9	7	2	7	5	2	2	2	-	2	2	-
30-34 years-----	12	9	3	9	7	2	3	2	1	3	2	1
35-39 years-----	20	11	9	16	8	8	4	3	1	3	2	1
40-44 years-----	20	11	9	11	8	3	9	3	6	6	1	5
45-49 years-----	20	8	12	19	8	11	1	-	1	1	-	1
50-54 years-----	12	3	9	11	3	8	1	-	1	1	-	1
55-59 years-----	15	10	5	11	8	3	4	2	2	3	2	1
60-64 years-----	11	4	7	11	4	7	-	-	11	-	-	-
65-69 years-----	6	4	2	5	3	2	1	1	-	-	-	-
70-74 years-----	4	1	3	3	1	2	1	-	1	1	-	1
75-79 years-----	12	2	10	10	1	9	2	1	1	2	1	1
80-84 years-----	12	3	9	12	3	9	-	-	-	-	-	-
85-89 years-----	9	4	5	6	2	4	3	2	1	1	-	1
90-94 years-----	3	2	1	3	2	1	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Isolated myocarditis (I40.1)												
All ages-----	12	7	5	10	5	5	2	2	-	2	2	-
Under 1 year-----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	-	-	-	1	1	-	1	1	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	2	2	-	1	1	-	1	1	-	1	1	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other acute myocarditis (I40.8)												
All ages-----	4	1	3	3	1	2	1	-	1	1	-	1
Under 1 year-----	1	-	1	-	-	-	1	-	1	1	-	1
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Acute myocarditis, unspecified (I40.9)

All ages-----	80	44	36	57	30	27	23	14	9	20	13	7
Under 1 year-----	4	3	1	2	2	-	2	1	1	1	1	-
1-4 years-----	3	-	3	2	-	2	1	-	1	1	-	1
5-9 years-----	4	3	1	2	2	-	2	1	1	2	1	1
10-14 years-----	1	-	1	-	-	-	1	-	1	1	-	1
15-19 years-----	3	2	1	3	2	1	-	-	-	-	-	-
20-24 years-----	4	2	2	3	1	2	1	1	-	-	-	-
25-29 years-----	6	4	2	4	3	1	2	1	1	2	1	1
30-34 years-----	8	5	3	7	5	2	1	-	1	1	-	1
35-39 years-----	10	5	5	6	2	4	4	3	1	4	3	1
40-44 years-----	12	8	4	8	5	3	4	3	1	4	3	1
45-49 years-----	11	5	6	8	3	5	3	2	1	2	2	-
50-54 years-----	4	1	3	3	-	3	1	1	-	1	1	-
55-59 years-----	3	2	1	2	1	1	1	1	-	1	1	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	3	2	1	3	2	1	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Cardiomyopathy (I42)												
All ages-----	27,260	15,688	11,572	21,910	12,514	9,396	5,350	3,174	2,176	4,770	2,823	1,947
Under 1 year-----	132	61	71	91	40	51	41	21	20	31	17	14
1-4 years-----	36	18	18	28	16	12	8	2	6	5	1	4
5-9 years-----	25	12	13	19	8	11	6	4	2	6	4	2
10-14 years-----	49	33	16	27	18	9	22	15	7	20	14	6
15-19 years-----	125	93	32	69	49	20	56	44	12	54	42	12
20-24 years-----	129	86	43	75	51	24	54	35	19	51	33	18
25-29 years-----	236	161	75	137	96	41	99	65	34	86	58	28
30-34 years-----	366	248	118	234	165	69	132	83	49	121	76	45
35-39 years-----	686	488	198	424	303	121	262	185	77	237	165	72
40-44 years-----	922	666	256	567	433	134	355	233	122	333	217	116
45-49 years-----	1,124	789	335	715	518	197	409	271	138	380	249	131
50-54 years-----	1,337	935	402	906	643	263	431	292	139	401	273	128
55-59 years-----	1,532	1,063	469	1,081	756	325	451	307	144	406	278	128
60-64 years-----	1,795	1,166	629	1,305	857	448	490	309	181	434	274	160
65-69 years-----	2,443	1,590	853	1,944	1,285	659	499	305	194	447	272	175
70-74 years-----	3,151	1,974	1,177	2,606	1,647	959	545	327	218	475	284	191
75-79 years-----	3,673	2,134	1,539	3,165	1,869	1,296	508	265	243	443	221	222
80-84 years-----	3,716	1,924	1,792	3,295	1,730	1,565	421	194	227	359	161	198
85-89 years-----	3,240	1,441	1,799	2,909	1,296	1,613	331	145	186	284	121	163
90-94 years-----	1,803	635	1,168	1,649	583	1,066	154	52	102	133	44	89
95-99 years-----	612	151	461	555	133	422	57	18	39	50	17	33
100 yrs & over---	126	19	107	108	17	91	18	2	16	13	2	11
Not stated-----	2	1	1	1	1	-	1	-	1	1	-	1
Dilated cardiomyopathy (I42.0)												
All ages-----	5,397	3,396	2,001	4,015	2,540	1,475	1,382	856	526	1,257	778	479
Under 1 year-----	15	6	9	9	3	6	6	3	3	5	3	2
1-4 years-----	9	1	8	6	1	5	3	-	3	3	-	3
5-9 years-----	5	2	3	3	1	2	2	1	1	2	1	1
10-14 years-----	10	7	3	6	5	1	4	2	2	4	2	2
15-19 years-----	20	10	10	10	4	6	10	6	4	9	5	4
20-24 years-----	33	21	12	20	12	8	13	9	4	13	9	4
25-29 years-----	85	60	25	47	35	12	38	25	13	33	23	10
30-34 years-----	106	69	37	58	39	19	48	30	18	46	29	17
35-39 years-----	237	167	70	132	100	32	105	67	38	100	62	38
40-44 years-----	296	220	76	162	131	31	134	89	45	128	85	43
45-49 years-----	364	256	108	227	161	66	137	95	42	130	89	41
50-54 years-----	365	256	109	241	168	73	124	88	36	115	83	32
55-59 years-----	409	284	125	285	195	90	124	89	35	113	82	31
60-64 years-----	460	297	163	317	211	106	143	86	57	126	77	49
65-69 years-----	521	349	172	397	271	126	124	78	46	111	68	43
70-74 years-----	630	428	202	507	352	155	123	76	47	109	68	41
75-79 years-----	604	369	235	506	322	184	98	47	51	81	36	45
80-84 years-----	571	318	253	500	285	215	71	33	38	63	29	34
85-89 years-----	383	184	199	333	159	174	50	25	25	44	21	23
90-94 years-----	201	72	129	186	68	118	15	4	11	14	4	10
95-99 years-----	62	18	44	57	16	41	5	2	3	3	1	2
100 yrs & over---	10	2	8	6	1	5	4	1	3	4	1	3
Not stated-----	1	-	1	-	-	-	1	-	1	1	-	1

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Obstructive hypertrophic cardiomyopathy (I42.1)												
All ages-----	222	79	143	194	66	128	28	13	15	24	12	12
Under 1 year-----	2	1	1	2	1	1	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	-	-	-	1	1	-	1	1	-
15-19 years-----	5	3	2	3	1	2	2	2	-	2	2	-
20-24 years-----	6	4	2	5	3	2	1	1	-	1	1	-
25-29 years-----	5	3	2	4	2	2	1	1	-	1	1	-
30-34 years-----	3	1	2	1	1	-	2	-	2	1	-	1
35-39 years-----	7	6	1	5	4	1	2	2	-	1	1	-
40-44 years-----	12	10	2	10	8	2	2	2	-	2	2	-
45-49 years-----	10	10	-	9	9	-	1	1	-	1	1	-
50-54 years-----	7	3	4	5	2	3	2	1	1	2	1	1
55-59 years-----	8	5	3	8	5	3	-	-	-	-	-	-
60-64 years-----	7	3	4	4	2	2	3	1	2	3	1	2
65-69 years-----	16	5	11	14	5	9	2	-	2	1	-	1
70-74 years-----	26	8	18	25	8	17	1	-	1	-	-	-
75-79 years-----	26	6	20	25	5	20	1	1	-	1	1	-
80-84 years-----	45	7	38	41	7	34	4	-	4	4	-	4
85-89 years-----	25	2	23	22	2	20	3	-	3	3	-	3
90-94 years-----	10	1	9	10	1	9	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other hypertrophic cardiomyopathy (I42.2)

All ages-----	1,239	807	432	909	582	327	330	225	105	298	204	94
Under 1 year-----	21	11	10	14	6	8	7	5	2	5	4	1
1-4 years-----	4	2	2	4	2	2	-	-	-	-	-	-
5-9 years-----	10	6	4	10	6	4	-	-	-	-	-	-
10-14 years-----	18	15	3	10	8	2	8	7	1	8	7	1
15-19 years-----	48	46	2	28	26	2	20	20	-	19	19	-
20-24 years-----	30	27	3	20	20	-	10	7	3	10	7	3
25-29 years-----	40	34	6	25	22	3	15	12	3	13	11	2
30-34 years-----	61	53	8	48	41	7	13	12	1	12	11	1
35-39 years-----	114	86	28	77	59	18	37	27	10	32	23	9
40-44 years-----	125	96	29	88	71	17	37	25	12	35	23	12
45-49 years-----	122	91	31	85	67	18	37	24	13	34	22	12
50-54 years-----	131	97	34	81	65	16	50	32	18	47	30	17
55-59 years-----	89	73	16	61	50	11	28	23	5	24	20	4
60-64 years-----	63	41	22	49	33	16	14	8	6	14	8	6
65-69 years-----	54	33	21	42	24	18	12	9	3	9	7	2
70-74 years-----	47	22	25	35	17	18	12	5	7	11	5	6
75-79 years-----	78	27	51	66	23	43	12	4	8	11	4	7
80-84 years-----	65	22	43	61	21	40	4	1	3	3	-	3
85-89 years-----	61	12	49	55	11	44	6	1	5	5	1	4
90-94 years-----	35	8	27	28	5	23	7	3	4	5	2	3
95-99 years-----	19	4	15	19	4	15	-	-	-	-	-	-
100 yrs & over---	3	-	3	2	-	2	1	-	1	1	-	1
Not stated-----	1	1	-	1	1	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Endomyocardial (eosinophilic) disease (I42.3)												
All ages-----	4	3	1	4	3	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	1	1	-	1	1	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Endocardial fibroelastosis (I42.4)

All ages-----	76	39	37	55	28	27	21	11	10	17	8	9
Under 1 year-----	42	19	23	30	13	17	12	6	6	9	4	5
1-4 years-----	5	4	1	4	3	1	1	1	-	1	1	-
5-9 years-----	2	1	1	1	-	1	1	1	-	1	1	-
10-14 years-----	4	2	2	2	1	1	2	1	1	2	1	1
15-19 years-----	2	1	1	1	1	-	1	-	1	1	-	1
20-24 years-----	2	2	-	2	2	-	-	-	-	-	-	-
25-29 years-----	2	1	1	1	1	-	1	-	1	1	-	1
30-34 years-----	3	2	1	1	1	-	2	1	1	1	-	1
35-39 years-----	2	-	2	2	-	2	-	-	-	-	-	-
40-44 years-----	2	-	2	2	-	2	-	-	-	-	-	-
45-49 years-----	2	2	-	1	1	-	1	1	-	1	1	-
50-54 years-----	3	2	1	3	2	1	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	2	2	-	2	2	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other restrictive cardiomyopathy (I42.5)												
All ages-----	89	40	49	79	33	46	10	7	3	10	7	3
Under 1 year----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	3	3	-	-	-	-	3	3	-	3	3	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	3	1	2	3	1	2	-	-	-	-	-	-
45-49 years-----	6	2	4	5	2	3	1	-	1	1	-	1
50-54 years-----	4	3	1	4	3	1	-	-	-	-	-	-
55-59 years-----	5	2	3	4	2	2	1	-	1	1	-	1
60-64 years-----	8	2	6	7	1	6	1	1	-	1	1	-
65-69 years-----	13	5	8	11	4	7	2	1	1	2	1	1
70-74 years-----	7	3	4	7	3	4	-	-	-	-	-	-
75-79 years-----	16	8	8	15	7	8	1	1	-	1	1	-
80-84 years-----	13	6	7	13	6	7	-	-	-	-	-	-
85-89 years-----	6	2	4	5	1	4	1	1	-	1	1	-
90-94 years-----	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Alcoholic cardiomyopathy (I42.6)

All ages-----	567	500	67	417	366	51	150	134	16	134	123	11
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	5	5	-	4	4	-	1	1	-	1	1	-
30-34 years-----	15	13	2	11	10	1	4	3	1	3	2	1
35-39 years-----	43	37	6	32	27	5	11	10	1	10	9	1
40-44 years-----	51	42	9	39	33	6	12	9	3	10	8	2
45-49 years-----	71	64	7	47	42	5	24	22	2	20	19	1
50-54 years-----	78	73	5	51	48	3	27	25	2	27	25	2
55-59 years-----	79	70	9	59	53	6	20	17	3	17	16	1
60-64 years-----	62	55	7	46	41	5	16	14	2	16	14	2
65-69 years-----	55	45	10	44	34	10	11	11	-	11	11	-
70-74 years-----	48	43	5	33	28	5	15	15	-	13	13	-
75-79 years-----	38	36	2	33	31	2	5	5	-	3	3	-
80-84 years-----	12	11	1	11	10	1	1	1	-	1	1	-
85-89 years-----	7	5	2	6	4	2	1	1	-	1	1	-
90-94 years-----	3	1	2	1	1	-	2	-	2	1	-	1
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Cardiomyopathy due to drugs and other external agents (I42.7)												
All ages-----	23	17	6	10	6	4	13	11	2	13	11	2
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	-	-	-	1	1	-	1	1	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	-	-	-	1	1	-	1	1	-
35-39 years-----	5	5	-	2	2	-	3	3	-	3	3	-
40-44 years-----	2	1	1	-	-	-	2	1	1	2	1	1
45-49 years-----	4	2	2	2	1	1	2	1	1	2	1	1
50-54 years-----	2	2	-	-	-	-	2	2	-	2	2	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	2	2	-	-	-	-	2	2	-	2	2	-
65-69 years-----	4	2	2	4	2	2	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other cardiomyopathies (I42.8)

All ages-----	31	11	20	28	11	17	3	-	3	2	-	2
Under 1 year----	1	-	1	-	-	-	1	-	1	1	-	1
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	1	-	1	-	-	-	1	-	1	-	-	-
40-44 years-----	2	2	-	2	2	-	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	3	2	1	3	2	1	-	-	-	-	-	-
65-69 years-----	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	3	-	3	3	-	3	-	-	-	-	-	-
80-84 years-----	8	4	4	8	4	4	-	-	-	-	-	-
85-89 years-----	4	1	3	3	1	2	1	-	1	1	-	1
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Cardiomyopathy, unspecified (I42.9)												
All ages-----	19,612	10,796	8,816	16,199	8,879	7,320	3,413	1,917	1,496	3,015	1,680	1,335
Under 1 year-----	50	23	27	35	16	19	15	7	8	11	6	5
1-4 years-----	17	10	7	13	9	4	4	1	3	1	-	1
5-9 years-----	7	3	4	4	1	3	3	2	1	3	2	1
10-14 years-----	16	8	8	9	4	5	7	4	3	5	3	2
15-19 years-----	47	30	17	27	17	10	20	13	7	20	13	7
20-24 years-----	57	31	26	28	14	14	29	17	12	26	15	11
25-29 years-----	98	57	41	55	31	24	43	26	17	37	22	15
30-34 years-----	176	109	67	114	73	41	62	36	26	57	33	24
35-39 years-----	277	187	90	174	111	63	103	76	27	91	67	24
40-44 years-----	429	294	135	261	187	74	168	107	61	156	98	58
45-49 years-----	544	362	182	338	235	103	206	127	79	191	116	75
50-54 years-----	746	498	248	520	354	166	226	144	82	208	132	76
55-59 years-----	941	628	313	663	450	213	278	178	100	251	160	91
60-64 years-----	1,190	764	426	879	567	312	311	197	114	272	171	101
65-69 years-----	1,777	1,150	627	1,429	944	485	348	206	142	313	185	128
70-74 years-----	2,388	1,468	920	1,994	1,237	757	394	231	163	342	198	144
75-79 years-----	2,907	1,687	1,220	2,516	1,480	1,036	391	207	184	346	176	170
80-84 years-----	3,001	1,555	1,446	2,660	1,396	1,264	341	159	182	288	131	157
85-89 years-----	2,753	1,235	1,518	2,484	1,118	1,366	269	117	152	229	97	132
90-94 years-----	1,552	552	1,000	1,422	507	915	130	45	85	113	38	75
95-99 years-----	528	129	399	476	113	363	52	16	36	47	16	31
100 yrs & over---	111	16	95	98	15	83	13	1	12	8	1	7
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Atrioventricular and left bundle-branch block (I44)

All ages-----	396	144	252	355	130	225	41	14	27	38	12	26
Under 1 year-----	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	2	1	1	2	1	1	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	4	1	3	4	1	3	-	-	-	-	-	-
50-54 years-----	5	3	2	4	3	1	1	-	1	1	-	1
55-59 years-----	11	6	5	7	4	3	4	2	2	3	1	2
60-64 years-----	10	3	7	9	3	6	1	-	1	1	-	1
65-69 years-----	28	15	13	22	11	11	6	4	2	6	4	2
70-74 years-----	24	13	11	24	13	11	-	-	-	-	-	-
75-79 years-----	40	17	23	36	15	21	4	2	2	4	2	2
80-84 years-----	58	27	31	53	24	29	5	3	2	5	3	2
85-89 years-----	76	22	54	72	21	51	4	1	3	4	1	3
90-94 years-----	90	24	66	82	24	58	8	-	8	7	-	7
95-99 years-----	40	11	29	32	9	23	8	2	6	7	1	6
100 yrs & over---	6	1	5	6	1	5	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Atrioventricular block, first degree (I44.0)												
All ages-----	3	2	1	3	2	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Atrioventricular block, second degree (I44.1)

All ages-----	8	4	4	7	3	4	1	1	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	3	2	1	3	2	1	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	1	1	-	1	-	1	1	1	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Atrioventricular block, complete (I44.2)												
All ages-----	329	116	213	295	104	191	34	12	22	32	11	21
Under 1 year-----	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	3	1	2	3	1	2	-	-	-	-	-	-
50-54 years-----	4	2	2	3	2	1	1	-	1	1	-	1
55-59 years-----	10	6	4	6	4	2	4	2	2	3	1	2
60-64 years-----	8	2	6	7	2	5	1	-	1	1	-	1
65-69 years-----	24	13	11	18	9	9	6	4	2	6	4	2
70-74 years-----	17	8	9	17	8	9	-	-	-	-	-	-
75-79 years-----	34	15	19	30	13	17	4	2	2	4	2	2
80-84 years-----	49	24	25	46	22	24	3	2	1	3	2	1
85-89 years-----	66	16	50	63	15	48	3	1	2	3	1	2
90-94 years-----	69	17	52	63	17	46	6	-	6	5	-	5
95-99 years-----	37	10	27	31	9	22	6	1	5	6	1	5
100 yrs & over---	5	1	4	5	1	4	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other and unspecified atrioventricular block (I44.3)

All ages-----	40	17	23	34	16	18	6	1	5	6	1	5
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	3	1	2	3	1	2	-	-	-	-	-	-
70-74 years-----	5	4	1	5	4	1	-	-	-	-	-	-
75-79 years-----	3	-	3	3	-	3	-	-	-	-	-	-
80-84 years-----	6	2	4	4	1	3	2	1	1	2	1	1
85-89 years-----	5	3	2	4	3	1	1	-	1	1	-	1
90-94 years-----	15	6	9	13	6	7	2	-	2	2	-	2
95-99 years-----	2	-	2	1	-	1	1	-	1	1	-	1
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Left bundle-branch block, unspecified (I44.7)

All ages-----	16	5	11	16	5	11	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	2	1	1	2	1	1	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years-----	5	1	4	5	1	4	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other conduction disorders (I45)

All ages-----	318	162	156	279	145	134	39	17	22	32	13	19
Under 1 year-----	1	-	1	-	-	-	1	-	1	1	-	1
1-4 years-----	2	1	1	2	1	1	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	5	5	-	5	5	-	-	-	-	-	-	-
20-24 years-----	3	2	1	3	2	1	-	-	-	-	-	-
25-29 years-----	4	3	1	2	2	-	2	1	1	2	1	1
30-34 years-----	7	6	1	5	5	-	2	1	1	2	1	1
35-39 years-----	2	2	-	2	2	-	-	-	-	-	-	-
40-44 years-----	7	2	5	7	2	5	-	-	-	-	-	-
45-49 years-----	8	5	3	8	5	3	-	-	-	-	-	-
50-54 years-----	6	4	2	5	3	2	1	1	-	1	1	-
55-59 years-----	11	8	3	10	7	3	1	1	-	-	-	-
60-64 years-----	18	9	9	14	7	7	4	2	2	4	2	2
65-69 years-----	22	15	7	18	14	4	4	1	3	3	1	2
70-74 years-----	22	9	13	16	8	8	6	1	5	3	-	3
75-79 years-----	39	19	20	34	17	17	5	2	3	4	1	3
80-84 years-----	45	25	20	39	21	18	6	4	2	6	4	2
85-89 years-----	67	36	31	63	33	30	4	3	1	3	2	1
90-94 years-----	30	6	24	29	6	23	1	-	1	1	-	1
95-99 years-----	16	4	12	14	4	10	2	-	2	2	-	2
100 yrs & over---	3	1	2	3	1	2	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other and unspecified right bundle-branch block (I45.1)												
All ages-----	6	4	2	5	3	2	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	2	1	1	1	-	1	1	1	-	1	1	-
85-89 years-----	3	2	1	3	2	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Bifascicular block (I45.2)

All ages-----	6	5	1	6	5	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Trifascicular block (I45.3)												
All ages-----	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	2	2	-	2	2	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Nonspecific intraventricular block (I45.4)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

RACE, AND SEX

Other specified heart block (I45.5)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	14	5	9	14	5	9	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	4	3	1	4	3	1	-	-	-	-	-	-
85-89 years-----	3	1	2	3	1	2	-	-	-	-	-	-
90-94 years-----	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Preexcitation syndrome (I45.6)

All ages-----	27	20	7	24	18	6	3	2	1	2	2	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	3	3	-	3	3	-	-	-	-	-	-	-
20-24 years-----	2	1	1	2	1	1	-	-	-	-	-	-
25-29 years-----	3	3	-	2	2	-	1	1	-	1	1	-
30-34 years-----	3	3	-	3	3	-	-	-	-	-	-	-
35-39 years-----	2	2	-	2	2	-	-	-	-	-	-	-
40-44 years-----	2	1	1	2	1	1	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	3	1	2	3	1	2	-	-	-	-	-	-
55-59 years-----	3	3	-	3	3	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	1	-	1	-	-	-	1	-	1	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	2	2	-	1	1	-	1	1	-	1	1	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other specified conduction disorders (I45.8)												
All ages-----	135	70	65	119	66	53	16	4	12	14	3	11
Under 1 year----	1	-	1	-	-	-	1	-	1	1	-	1
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	-	-	-	1	-	1	1	-	1
30-34 years-----	2	2	-	1	1	-	1	1	-	1	1	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	3	-	3	3	-	3	-	-	-	-	-	-
45-49 years-----	3	2	1	3	2	1	-	-	-	-	-	-
50-54 years-----	1	1	-	-	-	-	1	1	-	1	1	-
55-59 years-----	8	5	3	7	4	3	1	1	-	-	-	-
60-64 years-----	10	6	4	10	6	4	-	-	-	-	-	-
65-69 years-----	13	10	3	11	10	1	2	-	2	1	-	1
70-74 years-----	12	4	8	9	4	5	3	-	3	3	-	3
75-79 years-----	26	14	12	24	13	11	2	1	1	2	1	1
80-84 years-----	18	8	10	16	8	8	2	-	2	2	-	2
85-89 years-----	23	13	10	23	13	10	-	-	-	-	-	-
90-94 years-----	9	3	6	8	3	5	1	-	1	1	-	1
95-99 years-----	3	1	2	2	1	1	1	-	1	1	-	1
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Conduction disorder, unspecified (I45.9)

All ages-----	127	55	72	108	45	63	19	10	9	15	7	8
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	2	2	-	2	2	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	2	1	1	1	1	-	1	-	1	1	-	1
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	2	1	1	2	1	1	-	-	-	-	-	-
45-49 years-----	4	3	1	4	3	1	-	-	-	-	-	-
50-54 years-----	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	8	3	5	4	1	3	4	2	2	4	2	2
65-69 years-----	5	2	3	3	1	2	2	1	1	2	1	1
70-74 years-----	7	3	4	5	2	3	2	1	1	-	-	-
75-79 years-----	11	4	7	8	3	5	3	1	2	2	-	2
80-84 years-----	19	11	8	17	9	8	2	2	-	2	2	-
85-89 years-----	33	17	16	29	14	15	4	3	1	3	2	1
90-94 years-----	19	3	16	19	3	16	-	-	-	-	-	-
95-99 years-----	11	2	9	10	2	8	1	-	1	1	-	1
100 yrs & over---	2	1	1	2	1	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Cardiac arrest (I46)												
All ages-----	20,953	9,716	11,237	17,726	8,135	9,591	3,227	1,581	1,646	2,880	1,380	1,500
Under 1 year-----	27	19	8	16	12	4	11	7	4	10	6	4
1-4 years-----	22	12	10	17	11	6	5	1	4	4	1	3
5-9 years-----	10	6	4	6	4	2	4	2	2	4	2	2
10-14 years-----	19	13	6	13	9	4	6	4	2	5	4	1
15-19 years-----	35	17	18	27	13	14	8	4	4	8	4	4
20-24 years-----	27	15	12	20	10	10	7	5	2	7	5	2
25-29 years-----	40	24	16	25	14	11	15	10	5	15	10	5
30-34 years-----	75	44	31	52	32	20	23	12	11	22	11	11
35-39 years-----	154	93	61	99	66	33	55	27	28	55	27	28
40-44 years-----	307	199	108	236	160	76	71	39	32	68	37	31
45-49 years-----	500	351	149	357	264	93	143	87	56	137	84	53
50-54 years-----	675	449	226	511	351	160	164	98	66	150	88	62
55-59 years-----	895	589	306	695	459	236	200	130	70	183	117	66
60-64 years-----	1,285	815	470	1,043	676	367	242	139	103	216	125	91
65-69 years-----	1,579	987	592	1,320	832	488	259	155	104	235	138	97
70-74 years-----	2,240	1,224	1,016	1,861	1,032	829	379	192	187	340	169	171
75-79 years-----	2,864	1,414	1,450	2,427	1,198	1,229	437	216	221	385	178	207
80-84 years-----	3,236	1,410	1,826	2,828	1,239	1,589	408	171	237	359	153	206
85-89 years-----	3,190	1,119	2,071	2,826	976	1,850	364	143	221	315	113	202
90-94 years-----	2,397	646	1,751	2,151	554	1,597	246	92	154	212	72	140
95-99 years-----	1,041	230	811	919	191	728	122	39	83	99	29	70
100 yrs & over---	335	40	295	277	32	245	58	8	50	51	7	44
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Cardiac arrest with successful resuscitation (I46.0)

All ages-----	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Sudden cardiac death, so described (I46.1)												
All ages-----	2,639	1,313	1,326	2,349	1,164	1,185	290	149	141	264	134	130
Under 1 year----	2	1	1	1	1	-	1	-	1	1	-	1
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	6	3	3	6	3	3	-	-	-	-	-	-
20-24 years-----	4	3	1	1	-	1	3	3	-	3	3	-
25-29 years-----	11	6	5	9	5	4	2	1	1	2	1	1
30-34 years-----	10	6	4	8	5	3	2	1	1	1	-	1
35-39 years-----	27	15	12	19	11	8	8	4	4	8	4	4
40-44 years-----	60	44	16	50	37	13	10	7	3	9	6	3
45-49 years-----	77	54	23	61	45	16	16	9	7	14	8	6
50-54 years-----	126	84	42	103	71	32	23	13	10	21	12	9
55-59 years-----	144	91	53	124	80	44	20	11	9	19	10	9
60-64 years-----	194	130	64	172	119	53	22	11	11	20	11	9
65-69 years-----	243	156	87	213	138	75	30	18	12	27	17	10
70-74 years-----	293	151	142	258	136	122	35	15	20	32	13	19
75-79 years-----	362	182	180	317	158	159	45	24	21	40	21	19
80-84 years-----	396	178	218	375	165	210	21	13	8	20	13	7
85-89 years-----	357	120	237	332	112	220	25	8	17	24	7	17
90-94 years-----	234	69	165	219	60	159	15	9	6	13	7	6
95-99 years-----	80	18	62	73	17	56	7	1	6	7	1	6
100 yrs & over---	12	1	11	7	-	7	5	1	4	3	-	3
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Cardiac arrest, unspecified (I46.9)

All ages-----	18,312	8,401	9,911	15,375	6,969	8,406	2,937	1,432	1,505	2,616	1,246	1,370
Under 1 year----	25	18	7	15	11	4	10	7	3	9	6	3
1-4 years-----	22	12	10	17	11	6	5	1	4	4	1	3
5-9 years-----	10	6	4	6	4	2	4	2	2	4	2	2
10-14 years-----	18	12	6	12	8	4	6	4	2	5	4	1
15-19 years-----	29	14	15	21	10	11	8	4	4	8	4	4
20-24 years-----	23	12	11	19	10	9	4	2	2	4	2	2
25-29 years-----	29	18	11	16	9	7	13	9	4	13	9	4
30-34 years-----	64	37	27	43	26	17	21	11	10	21	11	10
35-39 years-----	127	78	49	80	55	25	47	23	24	47	23	24
40-44 years-----	247	155	92	186	123	63	61	32	29	59	31	28
45-49 years-----	423	297	126	296	219	77	127	78	49	123	76	47
50-54 years-----	549	365	184	408	280	128	141	85	56	129	76	53
55-59 years-----	751	498	253	571	379	192	180	119	61	164	107	57
60-64 years-----	1,091	685	406	871	557	314	220	128	92	196	114	82
65-69 years-----	1,336	831	505	1,107	694	413	229	137	92	208	121	87
70-74 years-----	1,947	1,073	874	1,603	896	707	344	177	167	308	156	152
75-79 years-----	2,502	1,232	1,270	2,110	1,040	1,070	392	192	200	345	157	188
80-84 years-----	2,839	1,231	1,608	2,452	1,073	1,379	387	158	229	339	140	199
85-89 years-----	2,833	999	1,834	2,494	864	1,630	339	135	204	291	106	185
90-94 years-----	2,163	577	1,586	1,932	494	1,438	231	83	148	199	65	134
95-99 years-----	961	212	749	846	174	672	115	38	77	92	28	64
100 yrs & over---	323	39	284	270	32	238	53	7	46	48	7	41
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Paroxysmal tachycardia (I47)												
All ages-----	683	341	342	585	295	290	98	46	52	96	46	50
Under 1 year----	2	1	1	2	1	1	-	-	-	-	-	-
1-4 years-----	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years-----	1	1	-	-	-	-	1	1	-	1	1	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	3	1	2	2	1	1	1	-	1	1	-	1
20-24 years-----	2	2	-	2	2	-	-	-	-	-	-	-
25-29 years-----	2	1	1	1	1	-	1	-	1	1	-	1
30-34 years-----	3	-	3	1	-	1	2	-	2	2	-	2
35-39 years-----	6	4	2	5	3	2	1	1	-	1	1	-
40-44 years-----	17	8	9	13	6	7	4	2	2	4	2	2
45-49 years-----	14	8	6	9	6	3	5	2	3	5	2	3
50-54 years-----	21	11	10	15	9	6	6	2	4	6	2	4
55-59 years-----	34	21	13	26	15	11	8	6	2	8	6	2
60-64 years-----	48	28	20	40	23	17	8	5	3	8	5	3
65-69 years-----	57	37	20	45	31	14	12	6	6	11	6	5
70-74 years-----	79	46	33	70	43	27	9	3	6	9	3	6
75-79 years-----	104	53	51	94	48	46	10	5	5	10	5	5
80-84 years-----	131	73	58	115	65	50	16	8	8	16	8	8
85-89 years-----	87	30	57	77	26	51	10	4	6	9	4	5
90-94 years-----	52	13	39	48	12	36	4	1	3	4	1	3
95-99 years-----	16	3	13	16	3	13	-	-	-	-	-	-
100 yrs & over---	2	-	2	2	-	2	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Reentry ventricular arrhythmia (I47.0)

All ages-----	6	1	5	5	1	4	1	-	1	1	-	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	1	-	1	-	-	-	1	-	1	1	-	1
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Supraventricular tachycardia (I47.1)												
All ages-----	154	53	101	134	45	89	20	8	12	19	8	11
Under 1 year----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	1	-	-	-	-	1	1	-	1	1	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	2	1	1	2	1	1	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	3	-	3	2	-	2	1	-	1	1	-	1
45-49 years-----	2	-	2	1	-	1	1	-	1	1	-	1
50-54 years-----	1	-	1	-	-	-	1	-	1	1	-	1
55-59 years-----	5	2	3	5	2	3	-	-	-	-	-	-
60-64 years-----	6	3	3	6	3	3	-	-	-	-	-	-
65-69 years-----	10	5	5	9	5	4	1	-	1	1	-	1
70-74 years-----	14	7	7	10	5	5	4	2	2	4	2	2
75-79 years-----	23	7	16	21	6	15	2	1	1	2	1	1
80-84 years-----	35	15	20	30	13	17	5	2	3	5	2	3
85-89 years-----	24	6	18	20	4	16	4	2	2	3	2	1
90-94 years-----	18	3	15	18	3	15	-	-	-	-	-	-
95-99 years-----	7	1	6	7	1	6	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Ventricular tachycardia (I47.2)

All ages-----	522	287	235	445	249	196	77	38	39	76	38	38
Under 1 year----	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years-----	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	2	1	1	1	1	-	1	-	1	1	-	1
30-34 years-----	3	-	3	1	-	1	2	-	2	2	-	2
35-39 years-----	6	4	2	5	3	2	1	1	-	1	1	-
40-44 years-----	14	8	6	11	6	5	3	2	1	3	2	1
45-49 years-----	12	8	4	8	6	2	4	2	2	4	2	2
50-54 years-----	20	11	9	15	9	6	5	2	3	5	2	3
55-59 years-----	29	19	10	21	13	8	8	6	2	8	6	2
60-64 years-----	41	25	16	33	20	13	8	5	3	8	5	3
65-69 years-----	47	32	15	36	26	10	11	6	5	10	6	4
70-74 years-----	64	38	26	59	37	22	5	1	4	5	1	4
75-79 years-----	81	46	35	73	42	31	8	4	4	8	4	4
80-84 years-----	95	58	37	84	52	32	11	6	5	11	6	5
85-89 years-----	61	24	37	55	22	33	6	2	4	6	2	4
90-94 years-----	34	10	24	30	9	21	4	1	3	4	1	3
95-99 years-----	9	2	7	9	2	7	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Paroxysmal tachycardia, unspecified (I47.9)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Atrial fibrillation and flutter (I48)

All ages-----	8,338	2,858	5,480	7,793	2,633	5,160	545	225	320	464	192	272
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	4	2	2	3	2	1	1	-	1	1	-	1
40-44 years-----	8	5	3	4	3	1	4	2	2	4	2	2
45-49 years-----	23	17	6	14	13	1	9	4	5	8	4	4
50-54 years-----	38	27	11	30	21	9	8	6	2	6	5	1
55-59 years-----	45	30	15	32	22	10	13	8	5	13	8	5
60-64 years-----	111	68	43	87	53	34	24	15	9	20	15	5
65-69 years-----	251	147	104	211	125	86	40	22	18	36	19	17
70-74 years-----	562	274	288	498	248	250	64	26	38	50	19	31
75-79 years-----	1,097	478	619	1,009	432	577	88	46	42	75	40	35
80-84 years-----	1,745	650	1,095	1,663	620	1,043	82	30	52	71	27	44
85-89 years-----	2,044	603	1,441	1,940	569	1,371	104	34	70	86	25	61
90-94 years-----	1,624	393	1,231	1,566	376	1,190	58	17	41	50	14	36
95-99 years-----	659	141	518	627	132	495	32	9	23	27	8	19
100 yrs & over---	126	22	104	108	16	92	18	6	12	17	6	11
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other cardiac arrhythmias (I49)												
All ages-----	9,288	4,462	4,826	7,988	3,834	4,154	1,300	628	672	1,198	572	626
Under 1 year-----	8	4	4	6	3	3	2	1	1	2	1	1
1-4 years-----	15	11	4	11	9	2	4	2	2	4	2	2
5-9 years-----	6	4	2	4	3	1	2	1	1	2	1	1
10-14 years-----	16	10	6	15	9	6	1	1	-	1	1	-
15-19 years-----	41	26	15	33	21	12	8	5	3	7	5	2
20-24 years-----	65	41	24	40	26	14	25	15	10	23	14	9
25-29 years-----	84	51	33	63	40	23	21	11	10	20	10	10
30-34 years-----	100	65	35	66	45	21	34	20	14	29	17	12
35-39 years-----	125	72	53	88	53	35	37	19	18	35	18	17
40-44 years-----	211	130	81	165	107	58	46	23	23	39	20	19
45-49 years-----	256	169	87	200	140	60	56	29	27	53	28	25
50-54 years-----	354	224	130	287	183	104	67	41	26	62	38	24
55-59 years-----	416	274	142	330	218	112	86	56	30	78	51	27
60-64 years-----	567	341	226	451	280	171	116	61	55	111	58	53
65-69 years-----	668	417	251	544	344	200	124	73	51	113	67	46
70-74 years-----	1,048	581	467	919	513	406	129	68	61	120	62	58
75-79 years-----	1,173	576	597	1,017	502	515	156	74	82	135	59	76
80-84 years-----	1,344	594	750	1,203	537	666	141	57	84	132	52	80
85-89 years-----	1,322	482	840	1,198	443	755	124	39	85	117	37	80
90-94 years-----	957	289	668	881	267	614	76	22	54	72	21	51
95-99 years-----	404	87	317	365	78	287	39	9	30	38	9	29
100 yrs & over---	107	14	93	101	13	88	6	1	5	5	1	4
Not stated-----	1	-	1	1	-	1	-	-	-	-	-	-

Ventricular fibrillation and flutter (I49.0)

All ages-----	1,626	923	703	1,372	798	574	254	125	129	229	107	122
Under 1 year-----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	2	1	1	2	1	1	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	2	2	-	2	2	-	-	-	-	-	-	-
20-24 years-----	5	2	3	3	2	1	2	-	2	2	-	2
25-29 years-----	11	7	4	6	4	2	5	3	2	5	3	2
30-34 years-----	14	6	8	9	4	5	5	2	3	4	1	3
35-39 years-----	16	6	10	8	2	6	8	4	4	8	4	4
40-44 years-----	34	21	13	26	18	8	8	3	5	6	2	4
45-49 years-----	57	41	16	47	35	12	10	6	4	10	6	4
50-54 years-----	95	60	35	76	51	25	19	9	10	15	7	8
55-59 years-----	81	56	25	65	45	20	16	11	5	14	10	4
60-64 years-----	136	91	45	112	79	33	24	12	12	23	12	11
65-69 years-----	188	135	53	156	113	43	32	22	10	28	18	10
70-74 years-----	245	145	100	211	129	82	34	16	18	31	13	18
75-79 years-----	233	120	113	204	107	97	29	13	16	24	9	15
80-84 years-----	212	117	95	183	106	77	29	11	18	26	9	17
85-89 years-----	158	72	86	135	63	72	23	9	14	23	9	14
90-94 years-----	103	33	70	98	31	67	5	2	3	5	2	3
95-99 years-----	29	6	23	24	4	20	5	2	3	5	2	3
100 yrs & over---	4	1	3	4	1	3	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Atrial premature depolarization (I49.1)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Junctional premature depolarization (I49.2)

All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Ventricular premature depolarization (I49.3)												
All ages-----	12	9	3	12	9	3	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	3	2	1	3	2	1	-	-	-	-	-	-
85-89 years-----	4	2	2	4	2	2	-	-	-	-	-	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Other and unspecified premature depolarization (I49.4)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Sick sinus syndrome (I49.5)												
All ages-----	446	167	279	392	147	245	54	20	34	48	17	31
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	-	-	-	1	1	-	1	1	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	2	-	2	2	-	2	-	-	-	-	-	-
45-49 years-----	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years-----	2	1	1	1	1	-	1	-	1	1	-	1
55-59 years-----	7	4	3	3	3	-	4	1	3	3	1	2
60-64 years-----	4	1	3	3	-	3	1	1	-	-	-	-
65-69 years-----	15	6	9	12	4	8	3	2	1	3	2	1
70-74 years-----	26	15	11	21	12	9	5	3	2	5	3	2
75-79 years-----	46	17	29	41	15	26	5	2	3	4	1	3
80-84 years-----	87	30	57	77	27	50	10	3	7	8	2	6
85-89 years-----	96	37	59	89	33	56	7	4	3	7	4	3
90-94 years-----	102	34	68	94	33	61	8	1	7	8	1	7
95-99 years-----	49	16	33	42	15	27	7	1	6	7	1	6
100 yrs & over---	6	3	3	4	2	2	2	1	1	1	1	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Other specified cardiac arrhythmias (I49.8)												
All ages-----	33	11	22	26	8	18	7	3	4	7	3	4
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	2	-	2	1	-	1	1	-	1	1	-	1
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	-	-	-	1	1	-	1	1	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	4	2	2	3	1	2	1	1	-	1	1	-
70-74 years-----	4	1	3	4	1	3	-	-	-	-	-	-
75-79 years-----	3	1	2	2	-	2	1	1	-	1	1	-
80-84 years-----	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years-----	8	2	6	5	2	3	3	-	3	3	-	3
90-94 years-----	4	2	2	4	2	2	-	-	-	-	-	-
95-99 years-----	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Cardiac arrhythmia, unspecified (I49.9)												
All ages-----	7,168	3,351	3,817	6,183	2,871	3,312	985	480	505	914	445	469
Under 1 year-----	7	3	4	5	2	3	2	1	1	2	1	1
1-4 years-----	13	10	3	9	8	1	4	2	2	4	2	2
5-9 years-----	6	4	2	4	3	1	2	1	1	2	1	1
10-14 years-----	16	10	6	15	9	6	1	1	1	1	1	-
15-19 years-----	39	24	15	31	19	12	8	5	3	7	5	2
20-24 years-----	58	37	21	36	23	13	22	14	8	20	13	7
25-29 years-----	73	44	29	57	36	21	16	8	8	15	7	8
30-34 years-----	85	58	27	56	40	16	29	18	11	25	16	9
35-39 years-----	108	66	42	79	51	28	29	15	14	27	14	13
40-44 years-----	172	109	63	135	89	46	37	20	17	32	18	14
45-49 years-----	197	127	70	151	104	47	46	23	23	43	22	21
50-54 years-----	256	162	94	209	130	79	47	32	15	46	31	15
55-59 years-----	326	212	114	261	169	92	65	43	22	60	39	21
60-64 years-----	426	249	177	335	201	134	91	48	43	88	46	42
65-69 years-----	460	273	187	372	225	147	88	48	40	81	46	35
70-74 years-----	771	418	353	681	369	312	90	49	41	84	46	38
75-79 years-----	891	438	453	770	380	390	121	58	63	106	48	58
80-84 years-----	1,040	444	596	938	401	537	102	43	59	98	41	57
85-89 years-----	1,056	369	687	965	343	622	91	26	65	84	24	60
90-94 years-----	747	219	528	684	200	484	63	19	44	59	18	41
95-99 years-----	324	65	259	297	59	238	27	6	21	26	6	20
100 yrs & over---	96	10	86	92	10	82	4	-	4	4	-	4
Not stated-----	1	-	1	1	-	1	-	-	-	-	-	-
Heart failure (I50)												
All ages-----	54,913	20,755	34,158	49,317	18,469	30,848	5,596	2,286	3,310	4,998	2,021	2,977
Under 1 year-----	11	5	6	8	3	5	3	2	1	3	2	1
1-4 years-----	10	7	3	8	5	3	2	2	-	2	2	-
5-9 years-----	5	3	2	3	2	1	2	1	1	2	1	1
10-14 years-----	7	3	4	6	3	3	1	-	1	1	-	1
15-19 years-----	14	12	2	9	8	1	5	4	1	4	3	1
20-24 years-----	17	11	6	9	6	3	8	5	3	8	5	3
25-29 years-----	27	13	14	13	6	7	14	7	7	13	7	6
30-34 years-----	38	19	19	21	11	10	17	8	9	17	8	9
35-39 years-----	88	52	36	58	34	24	30	18	12	28	16	12
40-44 years-----	184	112	72	116	77	39	68	35	33	66	35	31
45-49 years-----	298	186	112	183	116	67	115	70	45	111	68	43
50-54 years-----	484	300	184	326	206	120	158	94	64	149	89	60
55-59 years-----	853	506	347	626	387	239	227	119	108	215	114	101
60-64 years-----	1,254	722	532	1,006	585	421	248	137	111	236	129	107
65-69 years-----	2,240	1,232	1,008	1,827	1,012	815	413	220	193	380	198	182
70-74 years-----	4,284	2,294	1,990	3,684	2,026	1,658	600	268	332	547	245	302
75-79 years-----	6,926	3,264	3,662	6,102	2,918	3,184	824	346	478	731	309	422
80-84 years-----	9,845	4,054	5,791	8,979	3,725	5,254	866	329	537	750	274	476
85-89 years-----	12,169	4,155	8,014	11,241	3,820	7,421	928	335	593	825	286	539
90-94 years-----	10,197	2,636	7,561	9,583	2,459	7,124	614	177	437	515	141	374
95-99 years-----	4,850	991	3,859	4,490	907	3,583	360	84	276	316	69	247
100 yrs & over---	1,111	177	934	1,019	153	866	92	24	68	78	19	59
Not stated-----	1	1	-	-	-	-	1	1	-	1	1	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Congestive heart failure (I50.0)												
All ages-----	50,824	18,987	31,837	45,798	16,954	28,844	5,026	2,033	2,993	4,488	1,797	2,691
Under 1 year-----	4	1	3	3	1	2	1	-	1	1	-	1
1-4 years-----	7	4	3	6	3	3	1	1	-	1	1	-
5-9 years-----	5	3	2	3	2	1	2	1	1	2	1	1
10-14 years-----	4	2	2	4	2	2	-	-	-	-	-	-
15-19 years-----	10	9	1	8	7	1	2	2	-	2	2	-
20-24 years-----	12	7	5	6	4	2	6	3	3	6	3	3
25-29 years-----	20	9	11	7	2	5	13	7	6	13	7	6
30-34 years-----	26	15	11	14	9	5	12	6	6	12	6	6
35-39 years-----	67	41	26	43	24	19	24	17	7	22	15	7
40-44 years-----	146	89	57	94	62	32	52	27	25	51	27	24
45-49 years-----	235	148	87	135	87	48	100	61	39	96	59	37
50-54 years-----	395	242	153	258	163	95	137	79	58	130	75	55
55-59 years-----	694	408	286	508	313	195	186	95	91	178	91	87
60-64 years-----	1,072	602	470	860	486	374	212	116	96	201	109	92
65-69 years-----	1,996	1,077	919	1,630	886	744	366	191	175	337	173	164
70-74 years-----	3,873	2,072	1,801	3,332	1,831	1,501	541	241	300	492	220	272
75-79 years-----	6,362	2,987	3,375	5,630	2,678	2,952	732	309	423	652	277	375
80-84 years-----	9,198	3,774	5,424	8,399	3,468	4,931	799	306	493	693	257	436
85-89 years-----	11,452	3,893	7,559	10,606	3,590	7,016	846	303	543	752	259	493
90-94 years-----	9,639	2,503	7,136	9,068	2,334	6,734	571	169	402	476	134	342
95-99 years-----	4,566	937	3,629	4,227	860	3,367	339	77	262	300	64	236
100 yrs & over---	1,040	163	877	957	142	815	83	21	62	70	16	54
Not stated-----	1	1	-	-	-	-	1	1	-	1	1	-
Left ventricular failure (I50.1)												
All ages-----	163	65	98	145	54	91	18	11	7	15	9	6
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	-	-	-	1	-	1	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	3	1	2	1	1	-	2	-	2	2	-	2
45-49 years-----	3	1	2	3	1	2	-	-	-	-	-	-
50-54 years-----	3	3	-	2	2	-	1	1	-	1	1	-
55-59 years-----	6	3	3	6	3	3	-	-	-	-	-	-
60-64 years-----	8	6	2	6	4	2	2	2	-	2	2	-
65-69 years-----	8	6	2	7	5	2	1	1	-	-	-	-
70-74 years-----	15	4	11	14	4	10	1	-	1	1	-	1
75-79 years-----	22	12	10	17	9	8	5	3	2	5	3	2
80-84 years-----	30	13	17	30	13	17	-	-	-	-	-	-
85-89 years-----	35	14	21	31	10	21	4	4	-	3	3	-
90-94 years-----	15	1	14	14	1	13	1	-	1	1	-	1
95-99 years-----	12	1	11	12	1	11	-	-	-	-	-	-
100 yrs & over---	2	-	2	2	-	2	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Heart failure, unspecified (I50.9)												
All ages-----	3,926	1,703	2,223	3,374	1,461	1,913	552	242	310	495	215	280
Under 1 year-----	7	4	3	5	2	3	2	2	-	2	2	-
1-4 years-----	3	3	-	2	2	-	1	1	-	1	1	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	3	1	2	2	1	1	1	-	1	1	-	1
15-19 years-----	4	3	1	1	1	-	3	2	1	2	1	1
20-24 years-----	5	4	1	3	2	1	2	2	-	2	2	-
25-29 years-----	6	4	2	6	4	2	-	-	-	-	-	-
30-34 years-----	12	4	8	7	2	5	5	2	3	5	2	3
35-39 years-----	21	11	10	15	10	5	6	1	5	6	1	5
40-44 years-----	35	22	13	21	14	7	14	8	6	13	8	5
45-49 years-----	60	37	23	45	28	17	15	9	6	15	9	6
50-54 years-----	86	55	31	66	41	25	20	14	6	18	13	5
55-59 years-----	153	95	58	112	71	41	41	24	17	37	23	14
60-64 years-----	174	114	60	140	95	45	34	19	15	33	18	15
65-69 years-----	236	149	87	190	121	69	46	28	18	43	25	18
70-74 years-----	396	218	178	338	191	147	58	27	31	54	25	29
75-79 years-----	542	265	277	455	231	224	87	34	53	74	29	45
80-84 years-----	617	267	350	550	244	306	67	23	44	57	17	40
85-89 years-----	682	248	434	604	220	384	78	28	50	70	24	46
90-94 years-----	543	132	411	501	124	377	42	8	34	38	7	31
95-99 years-----	272	53	219	251	46	205	21	7	14	16	5	11
100 yrs & over---	69	14	55	60	11	49	9	3	6	8	3	5
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Complications and ill-defined descriptions of heart disease (I51)

All ages-----	8,817	4,439	4,378	7,352	3,671	3,681	1,465	768	697	1,323	699	624
Under 1 year-----	56	32	24	33	20	13	23	12	11	21	10	11
1-4 years-----	44	25	19	24	14	10	20	11	9	18	10	8
5-9 years-----	15	8	7	11	6	5	4	2	2	4	2	2
10-14 years-----	25	16	9	16	10	6	9	6	3	7	4	3
15-19 years-----	71	45	26	53	33	20	18	12	6	16	12	4
20-24 years-----	80	57	23	53	40	13	27	17	10	25	15	10
25-29 years-----	81	60	21	54	42	12	27	18	9	25	17	8
30-34 years-----	150	114	36	99	77	22	51	37	14	48	34	14
35-39 years-----	229	164	65	158	119	39	71	45	26	63	41	22
40-44 years-----	292	191	101	205	137	68	87	54	33	83	52	31
45-49 years-----	328	227	101	240	180	60	88	47	41	83	46	37
50-54 years-----	346	227	119	261	177	84	85	50	35	72	46	26
55-59 years-----	396	265	131	300	205	95	96	60	36	91	57	34
60-64 years-----	484	326	158	372	260	112	112	66	46	105	61	44
65-69 years-----	559	360	199	442	292	150	117	68	49	106	64	42
70-74 years-----	765	449	316	661	388	273	104	61	43	100	58	42
75-79 years-----	1,061	563	498	900	488	412	161	75	86	141	64	77
80-84 years-----	1,178	517	661	1,063	464	599	115	53	62	94	43	51
85-89 years-----	1,307	457	850	1,169	405	764	138	52	86	120	43	77
90-94 years-----	871	244	627	805	229	576	66	15	51	59	14	45
95-99 years-----	380	76	304	353	73	280	27	3	24	25	2	23
100 yrs & over---	98	15	83	79	11	68	19	4	15	17	4	13
Not stated-----	1	1	-	1	1	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Cardiac septal defect, acquired (I51.0)												
All ages-----	18	8	10	16	7	9	2	1	1	2	1	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	2	-	2	2	-	2	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	2	2	-	2	2	-	-	-	-	-	-	-
75-79 years-----	9	4	5	7	3	4	2	1	1	2	1	1
80-84 years-----	2	-	2	2	-	2	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Rupture of chordae tendineae, not elsewhere classified (I51.1)

All ages-----	17	9	8	16	8	8	1	1	-	1	1	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	-	-	-	1	1	-	1	1	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	3	3	-	3	3	-	-	-	-	-	-	-
80-84 years-----	4	1	3	4	1	3	-	-	-	-	-	-
85-89 years-----	5	2	3	5	2	3	-	-	-	-	-	-
90-94 years-----	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Rupture of papillary muscle, not elsewhere classified (I51.2)												
All ages-----	21	9	12	19	8	11	2	1	1	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	2	1	1	2	1	1	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	2	2	-	1	1	-	1	1	-	1	1	-
65-69 years-----	2	2	-	2	2	-	-	-	-	-	-	-
70-74 years-----	3	1	2	3	1	2	-	-	-	-	-	-
75-79 years-----	8	2	6	7	2	5	1	-	1	-	-	-
80-84 years-----	2	-	2	2	-	2	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Intracardiac thrombosis, not elsewhere classified (I51.3)

All ages-----	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Myocarditis, unspecified (I51.4)												
All ages-----	560	303	257	400	210	190	160	93	67	138	81	57
Under 1 year-----	26	17	9	12	8	4	14	9	5	13	8	5
1-4 years-----	34	18	16	17	8	9	17	10	7	15	9	6
5-9 years-----	11	6	5	8	5	3	3	1	2	3	1	2
10-14 years-----	13	9	4	9	7	2	4	2	2	3	1	2
15-19 years-----	35	19	16	27	14	13	8	5	3	7	5	2
20-24 years-----	36	23	13	26	18	8	10	5	5	10	5	5
25-29 years-----	32	20	12	21	14	7	11	6	5	9	5	4
30-34 years-----	46	32	14	28	21	7	18	11	7	16	9	7
35-39 years-----	57	38	19	36	23	13	21	15	6	20	14	6
40-44 years-----	57	27	30	44	22	22	13	5	8	12	5	7
45-49 years-----	47	23	24	36	17	19	11	6	5	11	6	5
50-54 years-----	36	18	18	25	13	12	11	5	6	4	3	1
55-59 years-----	23	9	14	20	8	12	3	1	2	2	-	2
60-64 years-----	16	9	7	10	4	6	6	5	1	6	5	1
65-69 years-----	14	10	4	11	8	3	3	2	1	3	2	1
70-74 years-----	13	6	7	12	5	7	1	1	-	1	1	-
75-79 years-----	10	4	6	8	3	5	2	1	1	-	-	-
80-84 years-----	11	5	6	10	4	6	1	1	-	1	1	-
85-89 years-----	19	6	13	17	4	13	2	2	-	1	1	-
90-94 years-----	11	1	10	10	1	9	1	-	1	1	-	1
95-99 years-----	10	3	7	10	3	7	-	-	-	-	-	-
100 yrs & over---	3	-	3	3	-	3	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Myocardial degeneration (I51.5)												
All ages-----	165	73	92	155	69	86	10	4	6	9	3	6
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	2	1	1	2	1	1	-	-	-	-	-	-
40-44 years-----	5	3	2	5	3	2	-	-	-	-	-	-
45-49 years-----	4	2	2	4	2	2	-	-	-	-	-	-
50-54 years-----	9	6	3	9	6	3	-	-	-	-	-	-
55-59 years-----	9	5	4	8	5	3	1	-	1	1	-	1
60-64 years-----	5	4	1	4	3	1	1	1	-	1	1	-
65-69 years-----	13	7	6	12	7	5	1	-	1	1	-	1
70-74 years-----	16	8	8	15	7	8	1	1	-	1	1	-
75-79 years-----	17	9	8	15	8	7	2	1	1	2	1	1
80-84 years-----	25	12	13	25	12	13	-	-	-	-	-	-
85-89 years-----	33	8	25	30	7	23	3	1	2	2	-	2
90-94 years-----	11	5	6	11	5	6	-	-	-	-	-	-
95-99 years-----	9	2	7	9	2	7	-	-	-	-	-	-
100 yrs & over---	4	-	4	3	-	3	1	-	1	1	-	1
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Cardiovascular disease, unspecified (I51.6)												
All ages-----	3,922	1,786	2,136	3,317	1,498	1,819	605	288	317	536	252	284
Under 1 year-----	2	-	2	-	-	-	2	-	2	2	-	2
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	2	1	1	1	-	1	1	1	-	-	-	-
15-19 years-----	2	1	1	2	1	1	-	-	-	-	-	-
20-24 years-----	4	2	2	2	1	1	2	1	1	2	1	1
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	9	7	2	5	3	2	4	4	-	4	4	-
35-39 years-----	13	5	8	9	4	5	4	1	3	3	1	2
40-44 years-----	28	21	7	15	12	3	13	9	4	13	9	4
45-49 years-----	54	40	14	40	30	10	14	10	4	12	9	3
50-54 years-----	79	54	25	59	43	16	20	11	9	17	10	7
55-59 years-----	156	114	42	112	85	27	44	29	15	43	28	15
60-64 years-----	194	129	65	139	98	41	55	31	24	48	26	22
65-69 years-----	269	171	98	208	138	70	61	33	28	56	31	25
70-74 years-----	370	218	152	310	186	124	60	32	28	58	31	27
75-79 years-----	552	301	251	456	254	202	96	47	49	82	38	44
80-84 years-----	633	277	356	558	243	315	75	34	41	61	27	34
85-89 years-----	759	258	501	679	228	451	80	30	50	69	24	45
90-94 years-----	513	133	380	467	123	344	46	10	36	41	9	32
95-99 years-----	232	46	186	216	44	172	16	2	14	14	1	13
100 yrs & over---	51	8	43	39	5	34	12	3	9	11	3	8
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Cardiomegaly (I51.7)

All ages-----	1,372	860	512	1,046	664	382	326	196	130	305	185	120
Under 1 year-----	11	6	5	6	4	2	5	2	3	4	1	3
1-4 years-----	3	2	1	1	1	-	2	1	1	2	1	1
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	5	3	2	2	1	1	3	2	1	3	2	1
15-19 years-----	25	21	4	18	16	2	7	5	2	6	5	1
20-24 years-----	32	27	5	20	17	3	12	10	2	10	8	2
25-29 years-----	44	36	8	29	25	4	15	11	4	15	11	4
30-34 years-----	79	65	14	57	48	9	22	17	5	22	17	5
35-39 years-----	136	108	28	98	82	16	38	26	12	35	24	11
40-44 years-----	155	107	48	106	76	30	49	31	18	47	29	18
45-49 years-----	158	118	40	116	98	18	42	20	22	41	20	21
50-54 years-----	123	86	37	92	64	28	31	22	9	29	21	8
55-59 years-----	87	52	35	58	34	24	29	18	11	29	18	11
60-64 years-----	84	55	29	69	48	21	15	7	8	15	7	8
65-69 years-----	52	30	22	35	20	15	17	10	7	15	9	6
70-74 years-----	61	35	26	51	28	23	10	7	3	9	6	3
75-79 years-----	79	35	44	71	32	39	8	3	5	8	3	5
80-84 years-----	84	32	52	77	31	46	7	1	6	4	-	4
85-89 years-----	72	22	50	63	20	43	9	2	7	7	2	5
90-94 years-----	48	12	36	46	12	34	2	-	2	2	-	2
95-99 years-----	24	5	19	23	5	18	1	-	1	1	-	1
100 yrs & over---	8	2	6	6	1	5	2	1	1	1	1	-
Not stated-----	1	1	-	1	1	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other ill-defined heart diseases (I51.8)												
All ages-----	718	360	358	656	329	327	62	31	31	53	28	25
Under 1 year-----	9	5	4	8	4	4	1	1	-	1	1	-
1-4 years-----	2	1	1	2	1	1	-	-	-	-	-	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	2	1	1	1	-	1	1	1	-	1	1	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	4	2	2	3	2	1	1	-	1	1	-	1
35-39 years-----	5	3	2	5	3	2	-	-	-	-	-	-
40-44 years-----	11	7	4	10	6	4	1	1	-	1	1	-
45-49 years-----	9	7	2	7	6	1	2	1	1	2	1	1
50-54 years-----	18	10	8	13	9	4	5	1	4	4	1	3
55-59 years-----	31	19	12	25	16	9	6	3	3	4	2	2
60-64 years-----	49	32	17	43	28	15	6	4	2	6	4	2
65-69 years-----	53	29	24	48	27	21	5	2	3	2	1	1
70-74 years-----	78	45	33	74	42	32	4	3	1	4	3	1
75-79 years-----	97	50	47	89	47	42	8	3	5	8	3	5
80-84 years-----	120	61	59	111	55	56	9	6	3	7	6	1
85-89 years-----	133	49	84	122	45	77	11	4	7	10	3	7
90-94 years-----	66	29	37	65	28	37	1	1	-	1	1	-
95-99 years-----	22	5	17	21	5	16	1	-	1	1	-	1
100 yrs & over---	7	3	4	7	3	4	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Heart disease, unspecified (I51.9)

All ages-----	2,022	1,029	993	1,725	876	849	297	153	144	278	147	131
Under 1 year-----	8	4	4	7	4	3	1	-	1	1	-	1
1-4 years-----	5	4	1	4	4	-	1	-	1	1	-	1
5-9 years-----	2	1	1	1	-	1	1	1	-	1	1	-
10-14 years-----	5	3	2	4	2	2	1	1	-	1	1	-
15-19 years-----	6	3	3	4	2	2	2	1	1	2	1	1
20-24 years-----	7	4	3	4	3	1	3	1	2	3	1	2
25-29 years-----	2	1	1	1	-	1	1	1	-	1	1	-
30-34 years-----	10	7	3	5	3	2	5	4	1	4	3	1
35-39 years-----	16	9	7	8	6	2	8	3	5	5	2	3
40-44 years-----	36	26	10	25	18	7	11	8	3	10	8	2
45-49 years-----	55	36	19	36	26	10	19	10	9	17	10	7
50-54 years-----	77	52	25	59	41	18	18	11	7	18	11	7
55-59 years-----	89	65	24	76	56	20	13	9	4	12	9	3
60-64 years-----	134	95	39	106	78	28	28	17	11	28	17	11
65-69 years-----	155	110	45	125	89	36	30	21	9	29	21	8
70-74 years-----	222	134	88	194	117	77	28	17	11	27	16	11
75-79 years-----	286	155	131	244	136	108	42	19	23	39	18	21
80-84 years-----	297	129	168	274	118	156	23	11	12	21	9	12
85-89 years-----	285	112	173	252	99	153	33	13	20	31	13	18
90-94 years-----	218	62	156	202	58	144	16	4	12	14	4	10
95-99 years-----	82	15	67	73	14	59	9	1	8	9	1	8
100 yrs & over---	25	2	23	21	2	19	4	-	4	4	-	4
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Subarachnoid hemorrhage (I60)												
All ages-----	6,489	2,239	4,250	5,264	1,857	3,407	1,225	382	843	937	307	630
Under 1 year----	4	2	2	4	2	2	-	-	-	-	-	-
1-4 years-----	4	2	2	4	2	2	-	-	-	-	-	-
5-9 years-----	3	2	1	3	2	1	-	-	-	-	-	-
10-14 years-----	8	2	6	4	1	3	4	1	3	3	1	2
15-19 years-----	24	14	10	18	11	7	6	3	3	6	3	3
20-24 years-----	39	17	22	34	15	19	5	2	3	5	2	3
25-29 years-----	80	44	36	60	34	26	20	10	10	18	8	10
30-34 years-----	153	74	79	115	61	54	38	13	25	32	12	20
35-39 years-----	360	152	208	263	115	148	97	37	60	79	31	48
40-44 years-----	582	241	341	421	190	231	161	51	110	139	45	94
45-49 years-----	657	265	392	479	205	274	178	60	118	138	48	90
50-54 years-----	620	242	378	482	193	289	138	49	89	112	43	69
55-59 years-----	579	209	370	469	174	295	110	35	75	88	30	58
60-64 years-----	543	184	359	434	152	282	109	32	77	72	23	49
65-69 years-----	541	186	355	465	155	310	76	31	45	50	22	28
70-74 years-----	599	173	426	514	152	362	85	21	64	64	16	48
75-79 years-----	615	183	432	546	171	375	69	12	57	42	6	36
80-84 years-----	533	139	394	474	125	349	59	14	45	43	13	30
85-89 years-----	345	74	271	308	70	238	37	4	33	23	2	21
90-94 years-----	150	25	125	131	23	108	19	2	17	14	1	13
95-99 years-----	45	8	37	33	4	29	12	4	8	8	1	7
100 yrs & over---	4	-	4	3	-	3	1	-	1	1	-	1
Not stated-----	1	1	-	-	-	-	1	1	-	-	-	-

Subarachnoid hemorrhage from carotid siphon and bifurcation (I60.0)

All ages-----	85	24	61	65	20	45	20	4	16	15	4	11
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	-	-	-	1	-	1	1	-	1
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	2	-	2	1	-	1	1	-	1	1	-	1
35-39 years-----	6	2	4	4	1	3	2	1	1	1	1	-
40-44 years-----	7	2	5	5	2	3	2	-	2	1	-	1
45-49 years-----	15	6	9	9	4	5	6	2	4	4	2	2
50-54 years-----	16	5	11	14	4	10	2	1	1	2	1	1
55-59 years-----	8	2	6	5	2	3	3	-	3	3	-	3
60-64 years-----	6	1	5	6	1	5	-	-	-	-	-	-
65-69 years-----	7	2	5	7	2	5	-	-	-	-	-	-
70-74 years-----	3	-	3	2	-	2	1	-	1	1	-	1
75-79 years-----	9	3	6	7	3	4	2	-	2	1	-	1
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),

RACE, AND SEX - - - ALL RACES - - - - - - WHITE - - - - - - ALL OTHER - - - - - - BLACK - - -

TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Subarachnoid hemorrhage from anterior communicating artery (I60.2)

All ages-----	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Subarachnoid hemorrhage from posterior communicating artery (I60.3)

All ages-----	4	1	3	4	1	3	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	2	1	1	2	1	1	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Subarachnoid hemorrhage from basilar artery (I60.4)												
All ages-----	3	1	2	2	1	1	1	-	1	1	-	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	2	1	1	1	1	-	1	-	1	1	-	1
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Subarachnoid hemorrhage from other intracranial arteries (I60.6)

All ages-----	63	18	45	49	13	36	14	5	9	8	3	5
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	2	-	2	2	-	2	-	-	-	-	-	-
35-39 years-----	5	2	3	3	2	1	2	-	2	-	-	-
40-44 years-----	7	3	4	4	1	3	3	2	1	3	2	1
45-49 years-----	7	2	5	6	2	4	1	-	1	1	-	1
50-54 years-----	6	1	5	4	-	4	2	1	1	2	1	1
55-59 years-----	4	3	1	3	3	-	1	-	1	1	-	1
60-64 years-----	9	1	8	7	1	6	2	-	2	1	-	1
65-69 years-----	4	-	4	4	-	4	-	-	-	-	-	-
70-74 years-----	6	1	5	5	-	5	1	1	-	-	-	-
75-79 years-----	6	3	3	4	2	2	2	1	1	-	-	-
80-84 years-----	6	1	5	6	1	5	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

RACE, AND SEX

Subarachnoid hemorrhage from intracranial artery, unspecified (I60.7)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	584	271	313	448	217	231	136	54	82	112	46	66
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	3	-	3	2	-	2	1	-	1	-	-	-
15-19 years-----	1	1	-	-	-	-	1	1	-	1	1	-
20-24 years-----	4	2	2	4	2	2	-	-	-	-	-	-
25-29 years-----	13	8	5	9	6	3	4	2	2	3	1	2
30-34 years-----	31	15	16	25	14	11	6	1	5	5	1	4
35-39 years-----	56	34	22	41	27	14	15	7	8	14	6	8
40-44 years-----	116	56	60	87	47	40	29	9	20	27	9	18
45-49 years-----	86	44	42	65	34	31	21	10	11	18	9	9
50-54 years-----	93	45	48	65	36	29	28	9	19	25	9	16
55-59 years-----	53	25	28	43	18	25	10	7	3	9	7	2
60-64 years-----	37	17	20	31	15	16	6	2	4	3	-	3
65-69 years-----	27	10	17	20	6	14	7	4	3	4	2	2
70-74 years-----	29	6	23	25	5	20	4	1	3	3	1	2
75-79 years-----	15	6	9	14	5	9	1	1	-	-	-	-
80-84 years-----	8	-	8	6	-	6	2	-	2	-	-	-
85-89 years-----	7	1	6	6	1	5	1	-	1	-	-	-
90-94 years-----	4	-	4	4	-	4	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other subarachnoid hemorrhage (I60.8)

All ages-----	20	12	8	16	9	7	4	3	1	4	3	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	-	-	-	1	1	-	1	1	-
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	2	1	1	2	1	1	-	-	-	-	-	-
40-44 years-----	3	1	2	3	1	2	-	-	-	-	-	-
45-49 years-----	3	2	1	-	-	-	3	2	1	3	2	1
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	3	3	-	3	3	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Subarachnoid hemorrhage, unspecified (I60.9)												
All ages-----	5,728	1,911	3,817	4,678	1,595	3,083	1,050	316	734	797	251	546
Under 1 year-----	4	2	2	4	2	2	-	-	-	-	-	-
1-4 years-----	3	1	2	3	1	2	-	-	-	-	-	-
5-9 years-----	2	1	1	2	1	1	-	-	-	-	-	-
10-14 years-----	4	2	2	2	1	1	2	1	1	2	1	1
15-19 years-----	22	12	10	18	11	7	4	1	3	4	1	3
20-24 years-----	34	15	19	29	13	16	5	2	3	5	2	3
25-29 years-----	65	34	31	49	26	23	16	8	8	15	7	8
30-34 years-----	117	59	58	86	47	39	31	12	19	26	11	15
35-39 years-----	288	112	176	211	83	128	77	29	48	63	24	39
40-44 years-----	448	179	269	321	139	182	127	40	87	108	34	74
45-49 years-----	545	210	335	398	164	234	147	46	101	112	35	77
50-54 years-----	502	189	313	396	151	245	106	38	68	83	32	51
55-59 years-----	511	176	335	415	148	267	96	28	68	75	23	52
60-64 years-----	490	164	326	389	134	255	101	30	71	68	23	45
65-69 years-----	502	173	329	433	146	287	69	27	42	46	20	26
70-74 years-----	560	166	394	481	147	334	79	19	60	60	15	45
75-79 years-----	584	171	413	520	161	359	64	10	54	41	6	35
80-84 years-----	517	138	379	460	124	336	57	14	43	43	13	30
85-89 years-----	335	73	262	299	69	230	36	4	32	23	2	21
90-94 years-----	145	25	120	126	23	103	19	2	17	14	1	13
95-99 years-----	45	8	37	33	4	29	12	4	8	8	1	7
100 yrs & over---	4	-	4	3	-	3	1	-	1	1	-	1
Not stated-----	1	1	-	-	-	-	1	1	-	-	-	-

Intracerebral hemorrhage (I61)

All ages-----	19,887	8,999	10,888	16,573	7,360	9,213	3,314	1,639	1,675	2,586	1,277	1,309
Under 1 year-----	30	17	13	17	9	8	13	8	5	13	8	5
1-4 years-----	4	2	2	3	1	2	1	1	-	1	1	-
5-9 years-----	4	2	2	2	2	-	2	-	2	2	-	2
10-14 years-----	8	2	6	7	2	5	1	-	1	1	-	1
15-19 years-----	22	13	9	13	10	3	9	3	6	9	3	6
20-24 years-----	28	18	10	21	12	9	7	6	1	6	5	1
25-29 years-----	48	19	29	35	12	23	13	7	6	12	7	5
30-34 years-----	93	59	34	58	41	17	35	18	17	31	16	15
35-39 years-----	263	150	113	152	89	63	111	61	50	98	53	45
40-44 years-----	468	283	185	261	161	100	207	122	85	187	108	79
45-49 years-----	741	429	312	419	241	178	322	188	134	277	163	114
50-54 years-----	932	553	379	579	342	237	353	211	142	305	183	122
55-59 years-----	1,092	641	451	739	440	299	353	201	152	281	158	123
60-64 years-----	1,174	685	489	869	521	348	305	164	141	232	131	101
65-69 years-----	1,523	795	728	1,260	673	587	263	122	141	204	96	108
70-74 years-----	2,534	1,265	1,269	2,197	1,115	1,082	337	150	187	247	105	142
75-79 years-----	3,449	1,546	1,903	3,100	1,386	1,714	349	160	189	258	108	150
80-84 years-----	3,501	1,320	2,181	3,200	1,204	1,996	301	116	185	194	65	129
85-89 years-----	2,471	804	1,667	2,264	735	1,529	207	69	138	137	42	95
90-94 years-----	1,182	329	853	1,091	304	787	91	25	66	64	19	45
95-99 years-----	285	61	224	256	56	200	29	5	24	23	4	19
100 yrs & over---	35	6	29	30	4	26	5	2	3	4	2	2
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Intracerebral hemorrhage in hemisphere, subcortical (I61.0)												
All ages-----	172	100	72	135	83	52	37	17	20	29	13	16
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	3	3	-	2	2	-	1	1	-	1	1	-
40-44 years-----	5	5	-	5	5	-	-	-	-	-	-	-
45-49 years-----	12	7	5	8	6	2	4	1	3	4	1	3
50-54 years-----	14	9	5	7	5	2	7	4	3	7	4	3
55-59 years-----	13	7	6	9	4	5	4	3	1	4	3	1
60-64 years-----	12	8	4	8	5	3	4	3	1	3	2	1
65-69 years-----	13	10	3	11	10	1	2	-	2	2	-	2
70-74 years-----	20	13	7	17	11	6	3	2	1	2	1	1
75-79 years-----	25	12	13	22	11	11	3	1	2	2	1	1
80-84 years-----	27	16	11	22	14	8	5	2	3	2	-	2
85-89 years-----	20	7	13	16	7	9	4	-	4	2	-	2
90-94 years-----	6	2	4	6	2	4	-	-	-	-	-	-
95-99 years-----	2	1	1	2	1	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Intracerebral hemorrhage in hemisphere, cortical (I61.1)

All ages-----	121	51	70	102	45	57	19	6	13	15	5	10
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	-	-	-	1	1	-	1	1	-
40-44 years-----	3	2	1	3	2	1	-	-	-	-	-	-
45-49 years-----	6	4	2	5	4	1	1	-	1	1	-	1
50-54 years-----	7	4	3	4	3	1	3	1	2	3	1	2
55-59 years-----	3	-	3	2	-	2	1	-	1	1	-	1
60-64 years-----	8	3	5	7	2	5	1	1	-	1	1	-
65-69 years-----	7	6	1	7	6	1	-	-	-	-	-	-
70-74 years-----	14	5	9	13	5	8	1	-	1	1	-	1
75-79 years-----	25	13	12	24	12	12	1	1	-	1	1	-
80-84 years-----	18	5	13	15	4	11	3	1	2	1	1	-
85-89 years-----	19	7	12	15	6	9	4	1	3	3	-	3
90-94 years-----	8	1	7	6	1	5	2	-	2	2	-	2
95-99 years-----	1	-	1	-	-	-	1	-	1	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Intracerebral hemorrhage in hemisphere, unspecified (I61.2)												
All ages-----	59	26	33	55	24	31	4	2	2	3	1	2
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	2	1	1	-	-	-	2	1	1	2	1	1
55-59 years-----	3	3	-	3	3	-	-	-	-	-	-	-
60-64 years-----	3	3	-	3	3	-	-	-	-	-	-	-
65-69 years-----	6	4	2	6	4	2	-	-	-	-	-	-
70-74 years-----	7	3	4	5	2	3	2	1	1	1	-	1
75-79 years-----	11	5	6	11	5	6	-	-	-	-	-	-
80-84 years-----	7	2	5	7	2	5	-	-	-	-	-	-
85-89 years-----	11	3	8	11	3	8	-	-	-	-	-	-
90-94 years-----	9	2	7	9	2	7	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Intracerebral hemorrhage in brain stem (I61.3)

All ages-----	820	434	386	611	313	298	209	121	88	160	95	65
Under 1 year----	2	-	2	2	-	2	-	-	-	-	-	-
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years-----	2	2	-	1	1	-	1	1	-	1	1	-
25-29 years-----	4	1	3	1	-	1	3	1	2	2	1	1
30-34 years-----	4	3	1	1	-	1	3	3	-	3	3	-
35-39 years-----	23	14	9	11	8	3	12	6	6	10	5	5
40-44 years-----	54	33	21	25	15	10	29	18	11	27	17	10
45-49 years-----	82	50	32	45	30	15	37	20	17	30	17	13
50-54 years-----	83	55	28	51	35	16	32	20	12	27	18	9
55-59 years-----	77	50	27	54	39	15	23	11	12	14	5	9
60-64 years-----	73	53	20	54	38	16	19	15	4	15	12	3
65-69 years-----	73	44	29	61	34	27	12	10	2	8	7	1
70-74 years-----	77	41	36	62	31	31	15	10	5	8	5	3
75-79 years-----	97	39	58	89	37	52	8	2	6	5	2	3
80-84 years-----	89	22	67	79	20	59	10	2	8	7	1	6
85-89 years-----	47	16	31	43	15	28	4	1	3	2	-	2
90-94 years-----	23	8	15	22	7	15	1	1	-	1	1	-
95-99 years-----	8	2	6	8	2	6	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Intracerebral hemorrhage in cerebellum (I61.4)												
All ages-----	640	307	333	512	237	275	128	70	58	93	47	46
Under 1 year-----	1	1	-	-	-	-	1	1	-	1	1	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	5	4	1	3	3	-	2	1	1	2	1	1
20-24 years-----	3	2	1	3	2	1	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	3	1	2	2	1	1	1	-	1	1	-	1
35-39 years-----	5	3	2	2	1	1	3	2	1	3	2	1
40-44 years-----	10	6	4	6	4	2	4	2	2	4	2	2
45-49 years-----	25	17	8	14	10	4	11	7	4	9	5	4
50-54 years-----	36	27	9	23	16	7	13	11	2	10	8	2
55-59 years-----	45	33	12	28	20	8	17	13	4	13	9	4
60-64 years-----	35	17	18	25	14	11	10	3	7	6	1	5
65-69 years-----	73	42	31	55	32	23	18	10	8	12	6	6
70-74 years-----	88	40	48	75	34	41	13	6	7	10	4	6
75-79 years-----	106	42	64	90	36	54	16	6	10	12	6	6
80-84 years-----	96	37	59	90	35	55	6	2	4	3	-	3
85-89 years-----	75	26	49	63	20	43	12	6	6	6	2	4
90-94 years-----	25	6	19	25	6	19	-	-	-	-	-	-
95-99 years-----	8	3	5	7	3	4	1	-	1	1	-	1
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Intracerebral hemorrhage, intraventricular (I61.5)												
All ages-----	758	367	391	577	280	297	181	87	94	161	78	83
Under 1 year-----	20	11	9	9	5	4	11	6	5	11	6	5
1-4 years-----	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	2	1	1	1	1	-	1	-	1	1	-	1
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	9	3	6	6	1	5	3	2	1	3	2	1
30-34 years-----	6	4	2	3	2	1	3	2	1	2	1	1
35-39 years-----	18	12	6	11	8	3	7	4	3	7	4	3
40-44 years-----	17	13	4	13	9	4	4	4	-	4	4	-
45-49 years-----	40	19	21	21	12	9	19	7	12	19	7	12
50-54 years-----	43	26	17	23	15	8	20	11	9	19	11	8
55-59 years-----	59	30	29	33	20	13	26	10	16	24	9	15
60-64 years-----	52	36	16	35	24	11	17	12	5	16	12	4
65-69 years-----	74	33	41	56	28	28	18	5	13	15	5	10
70-74 years-----	102	53	49	92	47	45	10	6	4	9	5	4
75-79 years-----	106	48	58	89	40	49	17	8	9	15	6	9
80-84 years-----	92	40	52	82	36	46	10	4	6	5	1	4
85-89 years-----	67	24	43	57	19	38	10	5	5	7	4	3
90-94 years-----	38	8	30	34	7	27	4	1	3	3	1	2
95-99 years-----	10	5	5	9	5	4	1	-	1	1	-	1
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Intracerebral hemorrhage, multiple localized (I61.6)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Other intracerebral hemorrhage (I61.8)												
All ages-----	71	29	42	60	22	38	11	7	4	9	5	4
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	2	2	-	2	2	-	-	-	-	-	-	-
45-49 years-----	3	2	1	1	-	1	2	2	-	2	2	-
50-54 years-----	6	2	4	2	-	2	4	2	2	4	2	2
55-59 years-----	5	2	3	5	2	3	-	-	-	-	-	-
60-64 years-----	5	1	4	4	1	3	1	-	1	1	-	1
65-69 years-----	3	1	2	3	1	2	-	-	-	-	-	-
70-74 years-----	12	6	6	9	4	5	3	2	1	2	1	1
75-79 years-----	10	3	7	9	2	7	1	1	-	-	-	-
80-84 years-----	10	5	5	10	5	5	-	-	-	-	-	-
85-89 years-----	8	2	6	8	2	6	-	-	-	-	-	-
90-94 years-----	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Intracerebral hemorrhage, unspecified (I61.9)												
All ages-----	17,245	7,684	9,561	14,520	6,355	8,165	2,725	1,329	1,396	2,116	1,033	1,083
Under 1 year-----	7	5	2	6	4	2	1	1	-	1	1	-
1-4 years-----	2	1	1	1	-	1	1	1	-	1	1	-
5-9 years-----	4	2	2	2	2	-	2	-	2	2	-	2
10-14 years-----	6	1	5	5	1	4	1	-	1	1	-	1
15-19 years-----	14	8	6	8	6	2	6	2	4	6	2	4
20-24 years-----	22	14	8	16	9	7	6	5	1	5	4	1
25-29 years-----	34	14	20	27	10	17	7	4	3	7	4	3
30-34 years-----	79	50	29	51	37	14	28	13	15	25	12	13
35-39 years-----	212	116	96	125	69	56	87	47	40	76	40	36
40-44 years-----	377	222	155	207	124	83	170	98	72	152	85	67
45-49 years-----	573	330	243	325	179	146	248	151	97	212	131	81
50-54 years-----	741	429	312	469	268	201	272	161	111	233	138	95
55-59 years-----	887	516	371	605	352	253	282	164	118	225	132	93
60-64 years-----	986	564	422	733	434	299	253	130	123	190	103	87
65-69 years-----	1,274	655	619	1,061	558	503	213	97	116	167	78	89
70-74 years-----	2,214	1,104	1,110	1,924	981	943	290	123	167	214	89	125
75-79 years-----	3,068	1,383	1,685	2,765	1,242	1,523	303	141	162	223	92	131
80-84 years-----	3,162	1,193	1,969	2,895	1,088	1,807	267	105	162	176	62	114
85-89 years-----	2,224	719	1,505	2,051	663	1,388	173	56	117	117	36	81
90-94 years-----	1,071	302	769	987	279	708	84	23	61	58	17	41
95-99 years-----	255	50	205	229	45	184	26	5	21	21	4	17
100 yrs & over---	33	6	27	28	4	24	5	2	3	4	2	2
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other nontraumatic intracranial hemorrhage (I62)

All ages-----	5,574	2,565	3,009	4,464	2,020	2,444	1,110	545	565	857	412	445
Under 1 year-----	11	8	3	8	6	2	3	2	1	3	2	1
1-4 years-----	5	3	2	2	1	1	3	2	1	2	1	1
5-9 years-----	6	5	1	6	5	1	-	-	-	-	-	-
10-14 years-----	3	1	2	3	1	2	-	-	-	-	-	-
15-19 years-----	2	2	-	2	2	-	-	-	-	-	-	-
20-24 years-----	11	5	6	6	3	3	5	2	3	4	1	3
25-29 years-----	20	14	6	12	9	3	8	5	3	6	4	2
30-34 years-----	31	18	13	15	9	6	16	9	7	9	4	5
35-39 years-----	89	49	40	47	25	22	42	24	18	33	16	17
40-44 years-----	164	95	69	83	48	35	81	47	34	72	42	30
45-49 years-----	216	108	108	115	61	54	101	47	54	91	41	50
50-54 years-----	265	158	107	155	97	58	110	61	49	89	49	40
55-59 years-----	307	162	145	220	113	107	87	49	38	68	38	30
60-64 years-----	354	192	162	248	133	115	106	59	47	85	47	38
65-69 years-----	448	238	210	347	186	161	101	52	49	72	35	37
70-74 years-----	699	357	342	589	304	285	110	53	57	81	37	44
75-79 years-----	918	413	505	787	356	431	131	57	74	92	41	51
80-84 years-----	919	377	542	822	338	484	97	39	58	74	28	46
85-89 years-----	690	249	441	615	223	392	75	26	49	49	17	32
90-94 years-----	318	90	228	296	82	214	22	8	14	17	6	11
95-99 years-----	87	18	69	77	16	61	10	2	8	9	2	7
100 yrs & over---	11	3	8	9	2	7	2	1	1	1	1	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Subdural hemorrhage (acute) (nontraumatic) (I62.0)												
All ages-----	621	348	273	515	279	236	106	69	37	81	54	27
Under 1 year----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	5	3	2	4	3	1	1	-	1	1	-	1
40-44 years-----	12	7	5	8	3	5	4	4	-	2	2	-
45-49 years-----	4	1	3	2	1	1	2	-	2	2	-	2
50-54 years-----	14	11	3	10	7	3	4	4	-	3	3	-
55-59 years-----	19	9	10	9	3	6	10	6	4	9	5	4
60-64 years-----	24	14	10	15	9	6	9	5	4	8	5	3
65-69 years-----	42	30	12	36	24	12	6	6	-	4	4	-
70-74 years-----	67	43	24	55	35	20	12	8	4	11	7	4
75-79 years-----	103	55	48	85	45	40	18	10	8	12	8	4
80-84 years-----	109	65	44	95	54	41	14	11	3	11	9	2
85-89 years-----	132	70	62	111	58	53	21	12	9	15	9	6
90-94 years-----	64	30	34	60	28	32	4	2	2	2	1	1
95-99 years-----	21	8	13	20	7	13	1	1	-	1	1	-
100 yrs & over---	3	1	2	3	1	2	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Nontraumatic extradural hemorrhage (I62.1)

All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Intracranial hemorrhage (nontraumatic), unspecified (I62.9)												
All ages-----	4,952	2,217	2,735	3,948	1,741	2,207	1,004	476	528	776	358	418
Under 1 year-----	10	7	3	7	5	2	3	2	1	3	2	1
1-4 years-----	5	3	2	2	1	1	3	2	1	2	1	1
5-9 years-----	6	5	1	6	5	1	-	-	-	-	-	-
10-14 years-----	3	1	2	3	1	2	-	-	-	-	-	-
15-19 years-----	2	2	-	2	2	-	-	-	-	-	-	-
20-24 years-----	11	5	6	6	3	3	5	2	3	4	1	3
25-29 years-----	19	14	5	11	9	2	8	5	3	6	4	2
30-34 years-----	31	18	13	15	9	6	16	9	7	9	4	5
35-39 years-----	84	46	38	43	22	21	41	24	17	32	16	16
40-44 years-----	152	88	64	75	45	30	77	43	34	70	40	30
45-49 years-----	212	107	105	113	60	53	99	47	52	89	41	48
50-54 years-----	251	147	104	145	90	55	106	57	49	86	46	40
55-59 years-----	288	153	135	211	110	101	77	43	34	59	33	26
60-64 years-----	330	178	152	233	124	109	97	54	43	77	42	35
65-69 years-----	406	208	198	311	162	149	95	46	49	68	31	37
70-74 years-----	632	314	318	534	269	265	98	45	53	70	30	40
75-79 years-----	814	358	456	701	311	390	113	47	66	80	33	47
80-84 years-----	810	312	498	727	284	443	83	28	55	63	19	44
85-89 years-----	558	179	379	504	165	339	54	14	40	34	8	26
90-94 years-----	254	60	194	236	54	182	18	6	12	15	5	10
95-99 years-----	66	10	56	57	9	48	9	1	8	8	1	7
100 yrs & over---	8	2	6	6	1	5	2	1	1	1	1	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral infarction (I63)												
All ages-----	14,804	5,777	9,027	12,962	4,967	7,995	1,842	810	1,032	1,588	689	899
Under 1 year-----	13	9	4	8	4	4	5	5	-	3	3	-
1-4 years-----	9	4	5	6	2	4	3	2	1	2	1	1
5-9 years-----	6	3	3	6	3	3	-	-	-	-	-	-
10-14 years-----	3	3	-	2	2	-	1	1	-	1	1	-
15-19 years-----	2	1	1	2	1	1	-	-	-	-	-	-
20-24 years-----	9	4	5	5	2	3	4	2	2	3	1	2
25-29 years-----	12	8	4	12	8	4	-	-	-	-	-	-
30-34 years-----	23	12	11	16	7	9	7	5	2	6	4	2
35-39 years-----	52	30	22	42	26	16	10	4	6	9	3	6
40-44 years-----	100	53	47	68	38	30	32	15	17	29	12	17
45-49 years-----	140	87	53	95	54	41	45	33	12	41	29	12
50-54 years-----	206	124	82	149	93	56	57	31	26	48	25	23
55-59 years-----	309	185	124	230	144	86	79	41	38	65	37	28
60-64 years-----	430	244	186	323	183	140	107	61	46	93	51	42
65-69 years-----	769	442	327	620	368	252	149	74	75	130	66	64
70-74 years-----	1,321	677	644	1,084	553	531	237	124	113	205	111	94
75-79 years-----	2,183	1,025	1,158	1,883	880	1,003	300	145	155	263	127	136
80-84 years-----	2,857	1,141	1,716	2,598	1,045	1,553	259	96	163	217	79	138
85-89 years-----	3,218	1,066	2,152	2,927	959	1,968	291	107	184	243	88	155
90-94 years-----	2,187	511	1,676	2,017	459	1,558	170	52	118	152	41	111
95-99 years-----	787	119	668	719	109	610	68	10	58	61	8	53
100 yrs & over---	168	29	139	150	27	123	18	2	16	17	2	15
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Cerebral infarction due to thrombosis of precerebral arteries (I63.0)												
All ages-----	181	105	76	146	86	60	35	19	16	28	14	14
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	5	5	-	5	5	-	-	-	-	-	-	-
40-44 years-----	10	7	3	8	5	3	2	2	-	1	1	-
45-49 years-----	11	5	6	9	4	5	2	1	1	2	1	1
50-54 years-----	7	5	2	4	3	1	3	2	1	1	1	-
55-59 years-----	17	12	5	14	10	4	3	2	1	3	2	1
60-64 years-----	23	13	10	18	12	6	5	1	4	5	1	4
65-69 years-----	22	14	8	19	12	7	3	2	1	3	2	1
70-74 years-----	31	19	12	24	15	9	7	4	3	5	2	3
75-79 years-----	30	17	13	25	13	12	5	4	1	4	3	1
80-84 years-----	10	2	8	6	2	4	4	-	4	3	-	3
85-89 years-----	10	5	5	9	4	5	1	1	-	1	1	-
90-94 years-----	3	-	3	3	-	3	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Cerebral infarction due to embolism of precerebral arteries (I63.1)

All ages-----	19	8	11	18	7	11	1	1	-	1	1	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	2	2	-	1	1	-	1	1	-	1	1	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	2	-	2	2	-	2	-	-	-	-	-	-
70-74 years-----	5	2	3	5	2	3	-	-	-	-	-	-
75-79 years-----	6	2	4	6	2	4	-	-	-	-	-	-
80-84 years-----	2	-	2	2	-	2	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Cerebral infarction due to unspecified occlusion or stenosis of precerebral arteries (I63.2)												
All ages-----	718	371	347	650	343	307	68	28	40	58	24	34
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	2	2	-	2	2	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years-----	4	1	3	4	1	3	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	8	3	5	6	2	4	2	1	1	1	-	1
40-44 years-----	7	5	2	5	4	1	2	1	1	1	-	1
45-49 years-----	9	7	2	5	4	1	4	3	1	4	3	1
50-54 years-----	20	11	9	15	8	7	5	3	2	5	3	2
55-59 years-----	46	33	13	42	32	10	4	1	3	3	1	2
60-64 years-----	53	32	21	49	29	20	4	3	1	3	2	1
65-69 years-----	68	43	25	61	38	23	7	5	2	6	5	1
70-74 years-----	90	45	45	76	40	36	14	5	9	13	5	8
75-79 years-----	122	68	54	108	65	43	14	3	11	10	2	8
80-84 years-----	133	70	63	132	70	62	1	-	1	1	-	1
85-89 years-----	91	34	57	87	32	55	4	2	2	4	2	2
90-94 years-----	52	16	36	46	15	31	6	1	5	6	1	5
95-99 years-----	12	1	11	11	1	10	1	-	1	1	-	1
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Cerebral infarction due to thrombosis of cerebral arteries (I63.3)

All ages-----	2,740	929	1,811	2,432	805	1,627	308	124	184	280	111	169
Under 1 year-----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	3	3	-	3	3	-	-	-	-	-	-	-
30-34 years-----	1	-	1	-	-	-	1	-	1	1	-	1
35-39 years-----	6	4	2	4	3	1	2	1	1	2	1	1
40-44 years-----	4	4	-	4	4	-	-	-	-	-	-	-
45-49 years-----	11	4	7	7	2	5	4	2	2	3	1	2
50-54 years-----	22	14	8	18	13	5	4	1	3	3	-	3
55-59 years-----	28	17	11	19	11	8	9	6	3	8	5	3
60-64 years-----	53	27	26	42	24	18	11	3	8	10	3	7
65-69 years-----	100	66	34	80	54	26	20	12	8	17	10	7
70-74 years-----	204	92	112	163	72	91	41	20	21	36	17	19
75-79 years-----	359	148	211	309	127	182	50	21	29	47	21	26
80-84 years-----	535	204	331	479	185	294	56	19	37	50	16	34
85-89 years-----	664	192	472	608	173	435	56	19	37	50	17	33
90-94 years-----	509	117	392	470	101	369	39	16	23	38	16	22
95-99 years-----	197	32	165	185	28	157	12	4	8	12	4	8
100 yrs & over---	42	4	38	39	4	35	3	-	3	3	-	3
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Cerebral infarction due to embolism of cerebral arteries (I63.4)												
All ages-----	654	236	418	588	210	378	66	26	40	54	20	34
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	-	-	-	1	1	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	3	2	1	3	2	1	-	-	-	-	-	-
35-39 years-----	5	3	2	3	2	1	2	1	1	2	1	1
40-44 years-----	13	4	9	9	4	5	4	-	4	4	-	4
45-49 years-----	11	7	4	7	4	3	4	3	1	3	2	1
50-54 years-----	12	8	4	10	7	3	2	1	1	2	1	1
55-59 years-----	21	10	11	14	6	8	7	4	3	4	3	1
60-64 years-----	35	15	20	25	11	14	10	4	6	10	4	6
65-69 years-----	44	20	24	36	17	19	8	3	5	7	3	4
70-74 years-----	66	29	37	61	27	34	5	2	3	4	2	2
75-79 years-----	119	41	78	110	37	73	9	4	5	7	3	4
80-84 years-----	103	36	67	98	34	64	5	2	3	4	1	3
85-89 years-----	125	37	88	118	36	82	7	1	6	5	-	5
90-94 years-----	62	17	45	62	17	45	-	-	-	-	-	-
95-99 years-----	25	3	22	24	3	21	1	-	1	1	-	1
100 yrs & over---	6	1	5	5	1	4	1	-	1	1	-	1
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Cerebral infarction due to unspecified occlusion or stenosis of cerebral arteries (I63.5)

All ages-----	328	112	216	287	96	191	41	16	25	37	14	23
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	2	2	-	2	2	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	2	1	1	2	1	1	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	5	2	3	5	2	3	-	-	-	-	-	-
45-49 years-----	2	1	1	-	-	-	2	1	1	2	1	1
50-54 years-----	5	3	2	3	3	-	2	-	2	2	-	2
55-59 years-----	7	4	3	4	3	1	3	1	2	3	1	2
60-64 years-----	10	6	4	8	5	3	2	1	1	2	1	1
65-69 years-----	21	7	14	17	5	12	4	2	2	3	1	2
70-74 years-----	26	14	12	22	10	12	4	4	-	4	4	-
75-79 years-----	36	13	23	32	12	20	4	1	3	3	1	2
80-84 years-----	66	18	48	61	16	45	5	2	3	5	2	3
85-89 years-----	62	23	39	55	21	34	7	2	5	5	1	4
90-94 years-----	53	12	41	50	11	39	3	1	2	3	1	2
95-99 years-----	23	3	20	19	2	17	4	1	3	4	1	3
100 yrs & over---	7	2	5	6	2	4	1	-	1	1	-	1
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other cerebral infarction (I63.8)												
All ages-----	63	27	36	54	22	32	9	5	4	7	4	3
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	-	-	-	1	1	-	1	1	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	2	1	1	2	1	1	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	3	2	1	2	1	1	1	1	-	1	1	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	4	3	1	3	2	1	1	1	-	1	1	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	9	6	3	8	5	3	1	1	-	1	1	-
75-79 years-----	12	5	7	10	5	5	2	-	2	1	-	1
80-84 years-----	12	4	8	10	3	7	2	1	1	1	-	1
85-89 years-----	9	1	8	9	1	8	-	-	-	-	-	-
90-94 years-----	5	1	4	5	1	4	-	-	-	-	-	-
95-99 years-----	4	1	3	3	1	2	1	-	1	1	-	1
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Cerebral infarction, unspecified (I63.9)

All ages-----	10,101	3,989	6,112	8,787	3,398	5,389	1,314	591	723	1,123	501	622
Under 1 year----	12	8	4	7	3	4	5	5	-	3	3	-
1-4 years-----	6	2	4	3	-	3	3	2	1	2	1	1
5-9 years-----	2	-	2	2	-	2	-	-	-	-	-	-
10-14 years-----	2	2	-	1	1	-	1	1	-	1	1	-
15-19 years-----	2	1	1	2	1	1	-	-	-	-	-	-
20-24 years-----	5	1	4	3	1	2	2	-	2	2	-	2
25-29 years-----	4	3	1	4	3	1	-	-	-	-	-	-
30-34 years-----	17	9	8	11	4	7	6	5	1	5	4	1
35-39 years-----	26	14	12	22	13	9	4	1	3	4	1	3
40-44 years-----	60	30	30	36	18	18	24	12	12	23	11	12
45-49 years-----	93	61	32	65	39	26	28	22	6	26	20	6
50-54 years-----	138	81	57	98	58	40	40	23	17	34	19	15
55-59 years-----	185	105	80	133	79	54	52	26	26	43	24	19
60-64 years-----	255	150	105	180	101	79	75	49	26	63	40	23
65-69 years-----	511	291	220	404	241	163	107	50	57	94	45	49
70-74 years-----	890	470	420	725	382	343	165	88	77	142	80	62
75-79 years-----	1,499	731	768	1,283	619	664	216	112	104	191	97	94
80-84 years-----	1,996	807	1,189	1,810	735	1,075	186	72	114	153	60	93
85-89 years-----	2,257	774	1,483	2,041	692	1,349	216	82	134	178	67	111
90-94 years-----	1,503	348	1,155	1,381	314	1,067	122	34	88	105	23	82
95-99 years-----	526	79	447	477	74	403	49	5	44	42	3	39
100 yrs & over---	112	22	90	99	20	79	13	2	11	12	2	10
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Stroke, not specified as hemorrhage or infarction (I64)												
All ages-----	91,051	33,756	57,295	79,569	29,042	50,527	11,482	4,714	6,768	9,931	3,995	5,936
Under 1 year-----	5	2	3	5	2	3	-	-	-	-	-	-
1-4 years-----	2	1	1	2	1	1	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	3	1	2	2	-	2	1	1	-	1	1	-
15-19 years-----	6	3	3	4	2	2	2	1	1	-	-	-
20-24 years-----	13	5	8	9	3	6	4	2	2	4	2	2
25-29 years-----	24	11	13	16	7	9	8	4	4	7	3	4
30-34 years-----	51	23	28	33	12	21	18	11	7	16	11	5
35-39 years-----	97	42	55	61	28	33	36	14	22	32	13	19
40-44 years-----	249	146	103	145	93	52	104	53	51	95	49	46
45-49 years-----	535	312	223	317	190	127	218	122	96	195	107	88
50-54 years-----	854	514	340	549	341	208	305	173	132	283	161	122
55-59 years-----	1,481	830	651	1,010	583	427	471	247	224	426	223	203
60-64 years-----	2,400	1,381	1,019	1,695	982	713	705	399	306	642	364	278
65-69 years-----	4,301	2,273	2,028	3,309	1,753	1,556	992	520	472	880	463	417
70-74 years-----	7,953	4,019	3,934	6,479	3,321	3,158	1,474	698	776	1,289	596	693
75-79 years-----	13,667	6,202	7,465	11,803	5,371	6,432	1,864	831	1,033	1,608	692	916
80-84 years-----	18,598	7,294	11,304	16,719	6,606	10,113	1,879	688	1,191	1,574	561	1,013
85-89 years-----	20,387	6,361	14,026	18,604	5,787	12,817	1,783	574	1,209	1,518	453	1,065
90-94 years-----	14,254	3,334	10,920	13,183	3,048	10,135	1,071	286	785	886	216	670
95-99 years-----	5,265	890	4,375	4,820	811	4,009	445	79	366	388	70	318
100 yrs & over---	905	112	793	804	101	703	101	11	90	86	10	76
Not stated-----	1	-	1	-	-	-	1	-	1	1	-	1

Other cerebrovascular diseases (I67)

All ages-----	8,398	3,056	5,342	7,375	2,642	4,733	1,023	414	609	924	361	563
Under 1 year-----	38	25	13	27	19	8	11	6	5	8	4	4
1-4 years-----	20	8	12	16	8	8	4	-	4	4	-	4
5-9 years-----	7	5	2	6	4	2	1	1	-	1	1	-
10-14 years-----	11	7	4	7	5	2	4	2	2	4	2	2
15-19 years-----	8	2	6	5	1	4	3	1	2	2	1	1
20-24 years-----	14	9	5	13	8	5	1	1	-	1	1	-
25-29 years-----	11	3	8	6	2	4	5	1	4	5	1	4
30-34 years-----	18	8	10	14	7	7	4	1	3	4	1	3
35-39 years-----	30	14	16	19	8	11	11	6	5	10	5	5
40-44 years-----	57	22	35	42	17	25	15	5	10	14	5	9
45-49 years-----	78	35	43	49	21	28	29	14	15	27	13	14
50-54 years-----	90	47	43	66	34	32	24	13	11	19	12	7
55-59 years-----	138	73	65	106	53	53	32	20	12	30	18	12
60-64 years-----	203	105	98	152	77	75	51	28	23	48	27	21
65-69 years-----	319	165	154	250	133	117	69	32	37	59	28	31
70-74 years-----	603	303	300	475	234	241	128	69	59	122	66	56
75-79 years-----	1,100	518	582	946	452	494	154	66	88	135	54	81
80-84 years-----	1,580	616	964	1,427	558	869	153	58	95	137	47	90
85-89 years-----	1,852	589	1,263	1,703	543	1,160	149	46	103	134	37	97
90-94 years-----	1,451	368	1,083	1,341	335	1,006	110	33	77	101	29	72
95-99 years-----	632	119	513	583	110	473	49	9	40	44	8	36
100 yrs & over---	138	15	123	122	13	109	16	2	14	15	1	14
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Dissection of cerebral arteries, nonruptured (I67.0)												
All ages-----	12	8	4	9	6	3	3	2	1	2	2	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	-	1	-	-	-	1	-	1	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	2	1	1	1	-	1	1	1	-	1	1	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	1	1	-	-	-	-	1	1	-	1	1	-
50-54 years-----	3	3	-	3	3	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	2	2	-	2	2	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Cerebral aneurysm, nonruptured (I67.1)

All ages-----	446	168	278	396	142	254	50	26	24	42	20	22
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	2	1	1	2	1	1	-	-	-	-	-	-
15-19 years-----	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years-----	5	5	-	5	5	-	-	-	-	-	-	-
25-29 years-----	4	1	3	4	1	3	-	-	-	-	-	-
30-34 years-----	6	2	4	5	2	3	1	-	1	1	-	1
35-39 years-----	12	4	8	8	2	6	4	2	2	3	1	2
40-44 years-----	23	9	14	18	8	10	5	1	4	4	1	3
45-49 years-----	35	15	20	29	10	19	6	5	1	5	4	1
50-54 years-----	25	10	15	21	8	13	4	2	2	3	1	2
55-59 years-----	44	23	21	38	19	19	6	4	2	5	3	2
60-64 years-----	40	11	29	38	10	28	2	1	1	1	1	-
65-69 years-----	44	16	28	37	12	25	7	4	3	6	3	3
70-74 years-----	48	17	31	41	14	27	7	3	4	7	3	4
75-79 years-----	72	26	46	68	24	44	4	2	2	3	1	2
80-84 years-----	41	14	27	41	14	27	-	-	-	-	-	-
85-89 years-----	27	9	18	25	9	16	2	-	2	2	-	2
90-94 years-----	14	5	9	12	3	9	2	2	-	2	2	-
95-99 years-----	3	-	3	3	-	3	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Cerebral atherosclerosis (I67.2)												
All ages-----	1,455	487	968	1,320	437	883	135	50	85	125	46	79
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	2	2	-	1	1	-	1	1	-	1	1	-
35-39 years-----	2	2	-	2	2	-	-	-	-	-	-	-
40-44 years-----	1	-	1	-	-	-	1	-	1	1	-	1
45-49 years-----	6	4	2	3	3	-	3	1	2	3	1	2
50-54 years-----	6	2	4	4	1	3	2	1	1	2	1	1
55-59 years-----	11	6	5	8	4	4	3	2	1	3	2	1
60-64 years-----	17	16	1	11	10	1	6	6	-	6	6	-
65-69 years-----	34	13	21	27	12	15	7	1	6	7	1	6
70-74 years-----	69	36	33	55	27	28	14	9	5	13	8	5
75-79 years-----	162	83	79	144	74	70	18	9	9	15	8	7
80-84 years-----	255	102	153	238	97	141	17	5	12	15	4	11
85-89 years-----	364	107	257	343	101	242	21	6	15	20	6	14
90-94 years-----	320	85	235	299	79	220	21	6	15	20	5	15
95-99 years-----	158	26	132	142	24	118	16	2	14	14	2	12
100 yrs & over---	47	3	44	42	2	40	5	1	4	5	1	4
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Progressive vascular leukoencephalopathy (I67.3)												
All ages-----	30	9	21	27	8	19	3	1	2	3	1	2
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	-	-	-	1	1	-	1	1	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	3	1	2	3	1	2	-	-	-	-	-	-
70-74 years-----	6	1	5	6	1	5	-	-	-	-	-	-
75-79 years-----	8	1	7	7	1	6	1	-	1	1	-	1
80-84 years-----	5	3	2	4	3	1	1	-	1	1	-	1
85-89 years-----	6	2	4	6	2	4	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Hypertensive encephalopathy (I67.4)												
All ages-----	84	31	53	65	25	40	19	6	13	19	6	13
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	-	-	-	1	1	-	1	1	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	-	-	-	1	-	1	1	-	1
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	1	-	1	-	-	-	1	-	1	1	-	1
40-44 years-----	3	-	3	1	-	1	2	-	2	2	-	2
45-49 years-----	5	2	3	2	-	2	3	2	1	3	2	1
50-54 years-----	4	3	1	2	2	-	2	1	1	2	1	1
55-59 years-----	4	1	3	3	1	2	1	-	1	1	-	1
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	4	-	4	3	-	3	1	-	1	1	-	1
70-74 years-----	7	4	3	7	4	3	-	-	-	-	-	-
75-79 years-----	16	7	9	12	6	6	4	1	3	4	1	3
80-84 years-----	18	6	12	16	6	10	2	-	2	2	-	2
85-89 years-----	9	4	5	8	3	5	1	1	-	1	1	-
90-94 years-----	7	1	6	7	1	6	-	-	-	-	-	-
95-99 years-----	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Moyamoya disease (I67.5)

All ages-----	12	3	9	7	1	6	5	2	3	5	2	3
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years-----	2	-	2	-	-	-	2	-	2	2	-	2
30-34 years-----	2	-	2	1	-	1	1	-	1	1	-	1
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	2	1	1	1	-	1	1	1	-	1	1	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	-	-	-	1	1	-	1	1	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Cerebral arteritis, not elsewhere classified (I67.7)												
All ages-----	66	25	41	57	22	35	9	3	6	8	3	5
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	3	2	1	3	2	1	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	4	2	2	2	2	-	2	-	2	2	-	2
40-44 years-----	6	2	4	6	2	4	-	-	-	-	-	-
45-49 years-----	5	1	4	4	1	3	1	-	1	1	-	1
50-54 years-----	8	3	5	6	2	4	2	1	1	1	1	-
55-59 years-----	4	1	3	4	1	3	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	7	4	3	3	2	1	4	2	2	4	2	2
70-74 years-----	7	2	5	7	2	5	-	-	-	-	-	-
75-79 years-----	6	3	3	6	3	3	-	-	-	-	-	-
80-84 years-----	6	2	4	6	2	4	-	-	-	-	-	-
85-89 years-----	4	1	3	4	1	3	-	-	-	-	-	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other specified cerebrovascular diseases (I67.8)

All ages-----	1,289	510	779	1,123	429	694	166	81	85	139	64	75
Under 1 year----	37	24	13	26	18	8	11	6	5	8	4	4
1-4 years-----	16	6	10	13	6	7	3	-	3	3	-	3
5-9 years-----	7	5	2	6	4	2	1	1	-	1	1	-
10-14 years-----	7	4	3	4	3	1	3	1	2	3	1	2
15-19 years-----	5	2	3	3	1	2	2	1	1	2	1	1
20-24 years-----	5	4	1	4	3	1	1	1	-	1	1	-
25-29 years-----	1	-	1	-	-	-	1	-	1	1	-	1
30-34 years-----	5	3	2	4	3	1	1	-	1	1	-	1
35-39 years-----	9	6	3	5	2	3	4	4	-	4	4	-
40-44 years-----	17	7	10	13	5	8	4	2	2	4	2	2
45-49 years-----	14	6	8	8	5	3	6	1	5	6	1	5
50-54 years-----	17	7	10	12	4	8	5	3	2	4	3	1
55-59 years-----	26	16	10	18	11	7	8	5	3	7	4	3
60-64 years-----	38	20	18	27	15	12	11	5	6	9	4	5
65-69 years-----	53	32	21	42	25	17	11	7	4	8	7	1
70-74 years-----	84	47	37	70	40	30	14	7	7	13	6	7
75-79 years-----	151	72	79	127	59	68	24	13	11	19	9	10
80-84 years-----	187	74	113	168	62	106	19	12	7	17	10	7
85-89 years-----	278	90	188	261	80	181	17	10	7	11	4	7
90-94 years-----	220	59	161	206	57	149	14	2	12	13	2	11
95-99 years-----	89	19	70	85	19	66	4	-	4	2	-	2
100 yrs & over---	23	7	16	21	7	14	2	-	2	2	-	2
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Cerebrovascular disease, unspecified (I67.9)												
All ages-----	5,004	1,815	3,189	4,371	1,572	2,799	633	243	390	581	217	364
Under 1 year-----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	1	-	1	-	-	-	1	-	1	1	-	1
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	4	2	2	2	1	1	2	1	1	2	1	1
45-49 years-----	12	6	6	3	2	1	9	4	5	8	4	4
50-54 years-----	26	18	8	18	14	4	8	4	4	6	4	2
55-59 years-----	48	26	22	34	17	17	14	9	5	14	9	5
60-64 years-----	106	57	49	74	41	33	32	16	16	32	16	16
65-69 years-----	174	99	75	135	81	54	39	18	21	33	15	18
70-74 years-----	381	195	186	289	146	143	92	49	43	88	48	40
75-79 years-----	683	324	359	580	283	297	103	41	62	93	35	58
80-84 years-----	1,067	415	652	953	374	579	114	41	73	102	33	69
85-89 years-----	1,163	376	787	1,055	347	708	108	29	79	100	26	74
90-94 years-----	888	217	671	815	194	621	73	23	50	66	20	46
95-99 years-----	379	74	305	350	67	283	29	7	22	28	6	22
100 yrs & over---	68	5	63	59	4	55	9	1	8	8	-	8
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Sequelae of cerebrovascular disease (I69)

All ages-----	21,163	8,093	13,070	18,620	6,979	11,641	2,543	1,114	1,429	2,061	853	1,208
Under 1 year-----	2	2	-	1	1	-	1	1	-	1	1	-
1-4 years-----	2	2	-	1	1	-	1	1	-	1	1	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	3	1	2	1	-	1	2	1	1	2	1	1
15-19 years-----	3	1	2	2	1	1	1	-	1	1	-	1
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	7	3	4	4	1	3	3	2	1	2	1	1
30-34 years-----	9	3	6	6	3	3	3	-	3	2	-	2
35-39 years-----	25	12	13	18	9	9	7	3	4	7	3	4
40-44 years-----	38	19	19	24	9	15	14	10	4	12	8	4
45-49 years-----	88	46	42	61	30	31	27	16	11	18	11	7
50-54 years-----	141	76	65	94	47	47	47	29	18	40	25	15
55-59 years-----	246	156	90	165	106	59	81	50	31	70	43	27
60-64 years-----	396	258	138	280	182	98	116	76	40	95	61	34
65-69 years-----	793	423	370	625	333	292	168	90	78	143	77	66
70-74 years-----	1,689	904	785	1,363	720	643	326	184	142	267	150	117
75-79 years-----	3,075	1,462	1,613	2,661	1,269	1,392	414	193	221	335	149	186
80-84 years-----	4,432	1,852	2,580	3,951	1,652	2,299	481	200	281	379	146	233
85-89 years-----	4,878	1,675	3,203	4,439	1,521	2,918	439	154	285	349	104	245
90-94 years-----	3,607	912	2,695	3,326	833	2,493	281	79	202	227	53	174
95-99 years-----	1,470	252	1,218	1,364	230	1,134	106	22	84	90	17	73
100 yrs & over---	258	33	225	233	30	203	25	3	22	20	2	18
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Sequelae of subarachnoid hemorrhage (I69.0)												
All ages-----	73	19	54	63	19	44	10	-	10	7	-	7
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	2	-	2	-	-	-	2	-	2	2	-	2
35-39 years-----	4	2	2	4	2	2	-	-	-	-	-	-
40-44 years-----	5	2	3	4	2	2	1	-	1	1	-	1
45-49 years-----	6	3	3	6	3	3	-	-	-	-	-	-
50-54 years-----	4	1	3	4	1	3	-	-	-	-	-	-
55-59 years-----	6	1	5	5	1	4	1	-	1	1	-	1
60-64 years-----	6	1	5	5	1	4	1	-	1	1	-	1
65-69 years-----	6	4	2	4	4	-	2	-	2	1	-	1
70-74 years-----	7	1	6	5	1	4	2	-	2	1	-	1
75-79 years-----	11	2	9	11	2	9	-	-	-	-	-	-
80-84 years-----	9	-	9	9	-	9	-	-	-	-	-	-
85-89 years-----	3	-	3	2	-	2	1	-	1	-	-	-
90-94 years-----	3	1	2	3	1	2	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Sequelae of intracerebral hemorrhage (I69.1)

All ages-----	185	78	107	152	65	87	33	13	20	29	12	17
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	3	3	-	1	1	-	2	2	-	2	2	-
45-49 years-----	4	1	3	2	1	1	2	-	2	2	-	2
50-54 years-----	6	3	3	4	3	1	2	-	2	2	-	2
55-59 years-----	10	5	5	6	3	3	4	2	2	4	2	2
60-64 years-----	12	5	7	6	3	3	6	2	4	5	2	3
65-69 years-----	10	5	5	8	5	3	2	-	2	1	-	1
70-74 years-----	22	11	11	19	10	9	3	1	2	2	1	1
75-79 years-----	26	14	12	24	12	12	2	2	-	2	2	-
80-84 years-----	38	15	23	34	13	21	4	2	2	4	2	2
85-89 years-----	31	8	23	26	6	20	5	2	3	4	1	3
90-94 years-----	17	5	12	16	5	11	1	-	1	1	-	1
95-99 years-----	4	1	3	4	1	3	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Sequelae of other nontraumatic intracranial hemorrhage (I69.2)												
All ages-----	72	40	32	58	33	25	14	7	7	8	2	6
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	2	1	1	1	1	-	1	-	1	1	-	1
50-54 years-----	3	3	-	2	2	-	1	1	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	4	2	2	2	2	-	2	-	2	1	-	1
65-69 years-----	6	3	3	6	3	3	-	-	-	-	-	-
70-74 years-----	12	8	4	9	6	3	3	2	1	1	-	1
75-79 years-----	18	10	8	16	8	8	2	2	-	2	2	-
80-84 years-----	9	4	5	7	3	4	2	1	1	1	-	1
85-89 years-----	9	7	2	8	6	2	1	1	-	-	-	-
90-94 years-----	6	2	4	6	2	4	-	-	-	-	-	-
95-99 years-----	1	-	1	-	-	-	1	-	1	1	-	1
100 yrs & over---	2	-	2	1	-	1	1	-	1	1	-	1
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Sequelae of cerebral infarction (I69.3)

All ages-----	1,006	422	584	849	347	502	157	75	82	127	60	67
Under 1 year-----	1	1	-	-	-	-	1	1	-	1	1	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	2	1	1	1	-	1	1	1	-	1	1	-
45-49 years-----	6	3	3	3	-	3	3	3	-	3	3	-
50-54 years-----	8	4	4	7	3	4	1	1	-	1	1	-
55-59 years-----	17	13	4	15	11	4	2	2	-	1	1	-
60-64 years-----	23	17	6	12	9	3	11	8	3	10	7	3
65-69 years-----	35	25	10	27	20	7	8	5	3	7	5	2
70-74 years-----	82	46	36	63	34	29	19	12	7	15	10	5
75-79 years-----	157	84	73	131	73	58	26	11	15	22	8	14
80-84 years-----	228	98	130	191	84	107	37	14	23	28	11	17
85-89 years-----	210	75	135	185	64	121	25	11	14	21	9	12
90-94 years-----	171	45	126	155	39	116	16	6	10	11	3	8
95-99 years-----	50	8	42	44	8	36	6	-	6	5	-	5
100 yrs & over---	14	-	14	13	-	13	1	-	1	1	-	1
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Sequelae of stroke, not specified as hemorrhage or infarction (I69.4)												
All ages-----	10,151	4,185	5,966	8,654	3,505	5,149	1,497	680	817	1,219	527	692
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	3	3	-	1	1	-	2	2	-	1	1	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	5	-	5	2	-	2	3	-	3	3	-	3
40-44 years-----	13	8	5	6	3	3	7	5	2	6	4	2
45-49 years-----	34	20	14	26	15	11	8	5	3	7	4	3
50-54 years-----	58	35	23	34	21	13	24	14	10	23	14	9
55-59 years-----	128	90	38	73	53	20	55	37	18	51	33	18
60-64 years-----	198	138	60	133	90	43	65	48	17	56	42	14
65-69 years-----	444	243	201	335	180	155	109	63	46	95	55	40
70-74 years-----	855	484	371	668	372	296	187	112	75	159	93	66
75-79 years-----	1,597	800	797	1,335	674	661	262	126	136	207	97	110
80-84 years-----	2,259	999	1,260	1,973	876	1,097	286	123	163	221	90	131
85-89 years-----	2,326	839	1,487	2,074	748	1,326	252	91	161	194	57	137
90-94 years-----	1,589	412	1,177	1,421	371	1,050	168	41	127	138	26	112
95-99 years-----	562	96	466	506	86	420	56	10	46	48	9	39
100 yrs & over---	79	17	62	66	14	52	13	3	10	10	2	8
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Sequelae of other and unspecified cerebrovascular diseases (I69.8)

All ages-----	9,676	3,349	6,327	8,844	3,010	5,834	832	339	493	671	252	419
Under 1 year-----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	1	1	-	-	-	-	1	1	-	1	1	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	3	1	2	1	-	1	2	1	1	2	1	1
15-19 years-----	3	1	2	2	1	1	1	-	1	1	-	1
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	4	-	4	3	-	3	1	-	1	1	-	1
30-34 years-----	5	1	4	4	1	3	1	-	1	-	-	-
35-39 years-----	14	8	6	10	5	5	4	3	1	4	3	1
40-44 years-----	15	5	10	12	3	9	3	2	1	2	1	1
45-49 years-----	36	18	18	23	10	13	13	8	5	5	4	1
50-54 years-----	62	30	32	43	17	26	19	13	6	14	10	4
55-59 years-----	85	47	38	66	38	28	19	9	10	13	7	6
60-64 years-----	153	95	58	122	77	45	31	18	13	22	10	12
65-69 years-----	292	143	149	245	121	124	47	22	25	39	17	22
70-74 years-----	711	354	357	599	297	302	112	57	55	89	46	43
75-79 years-----	1,266	552	714	1,144	500	644	122	52	70	102	40	62
80-84 years-----	1,889	736	1,153	1,737	676	1,061	152	60	92	125	43	82
85-89 years-----	2,299	746	1,553	2,144	697	1,447	155	49	106	130	37	93
90-94 years-----	1,821	447	1,374	1,725	415	1,310	96	32	64	77	24	53
95-99 years-----	853	147	706	810	135	675	43	12	31	36	8	28
100 yrs & over---	163	16	147	153	16	137	10	-	10	8	-	8
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Atherosclerosis (I70)												
All ages-----	14,979	5,443	9,536	13,737	4,932	8,805	1,242	511	731	1,069	432	637
Under 1 year----	2	1	1	1	1	-	1	-	1	1	-	1
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	7	4	3	5	3	2	2	1	1	2	1	1
35-39 years-----	16	11	5	14	10	4	2	1	1	2	1	1
40-44 years-----	29	21	8	19	14	5	10	7	3	7	5	2
45-49 years-----	56	37	19	48	32	16	8	5	3	6	4	2
50-54 years-----	129	84	45	103	70	33	26	14	12	23	11	12
55-59 years-----	172	114	58	140	90	50	32	24	8	27	20	7
60-64 years-----	314	193	121	262	164	98	52	29	23	50	27	23
65-69 years-----	485	277	208	413	238	175	72	39	33	63	34	29
70-74 years-----	991	518	473	887	463	424	104	55	49	88	46	42
75-79 years-----	1,770	845	925	1,596	755	841	174	90	84	154	78	76
80-84 years-----	2,615	1,082	1,533	2,423	1,000	1,423	192	82	110	162	65	97
85-89 years-----	3,362	1,100	2,262	3,139	1,022	2,117	223	78	145	190	68	122
90-94 years-----	2,987	773	2,214	2,796	722	2,074	191	51	140	162	39	123
95-99 years-----	1,581	316	1,265	1,475	291	1,184	106	25	81	92	23	69
100 yrs & over---	460	66	394	413	56	357	47	10	37	40	10	30
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Atherosclerosis of aorta (I70.0)

All ages-----	60	38	22	53	35	18	7	3	4	6	3	3
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	2	2	-	1	1	-	1	1	-	1	1	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	2	1	1	1	1	-	1	-	1	1	-	1
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	8	8	-	8	8	-	-	-	-	-	-	-
65-69 years-----	5	2	3	4	2	2	1	-	1	1	-	1
70-74 years-----	7	3	4	6	2	4	1	1	-	1	1	-
75-79 years-----	4	4	-	4	4	-	-	-	-	-	-	-
80-84 years-----	10	6	4	10	6	4	-	-	-	-	-	-
85-89 years-----	10	6	4	7	5	2	3	1	2	2	1	1
90-94 years-----	4	2	2	4	2	2	-	-	-	-	-	-
95-99 years-----	5	3	2	5	3	2	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Atherosclerosis of renal artery (I70.1)												
All ages-----	70	26	44	65	26	39	5	-	5	4	-	4
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years-----	2	1	1	2	1	1	-	-	-	-	-	-
65-69 years-----	7	-	7	6	-	6	1	-	1	-	-	-
70-74 years-----	14	9	5	14	9	5	-	-	-	-	-	-
75-79 years-----	18	8	10	16	8	8	2	-	2	2	-	2
80-84 years-----	13	3	10	12	3	9	1	-	1	1	-	1
85-89 years-----	8	1	7	8	1	7	-	-	-	-	-	-
90-94 years-----	5	3	2	5	3	2	-	-	-	-	-	-
95-99 years-----	1	-	1	-	-	-	1	-	1	1	-	1
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Atherosclerosis of arteries of the extremities (I70.2)

All ages-----	595	246	349	528	219	309	67	27	40	58	24	34
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	-	-	-	1	-	1	1	-	1
45-49 years-----	3	1	2	3	1	2	-	-	-	-	-	-
50-54 years-----	6	4	2	4	3	1	2	1	1	2	1	1
55-59 years-----	9	6	3	5	4	1	4	2	2	4	2	2
60-64 years-----	20	9	11	14	5	9	6	4	2	6	4	2
65-69 years-----	26	15	11	20	10	10	6	5	1	5	4	1
70-74 years-----	60	32	28	53	32	21	7	-	7	5	-	5
75-79 years-----	90	51	39	81	45	36	9	6	3	9	6	3
80-84 years-----	103	46	57	96	44	52	7	2	5	6	2	4
85-89 years-----	114	42	72	107	39	68	7	3	4	4	1	3
90-94 years-----	106	30	76	98	28	70	8	2	6	7	2	5
95-99 years-----	43	10	33	37	8	29	6	2	4	5	2	3
100 yrs & over---	14	-	14	10	-	10	4	-	4	4	-	4
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Atherosclerosis of other arteries (I70.8)												
All ages-----	5	2	3	4	2	2	1	-	1	1	-	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	2	-	2	1	-	1	1	-	1	1	-	1
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Generalized and unspecified atherosclerosis (I70.9)												
All ages-----	14,249	5,131	9,118	13,087	4,650	8,437	1,162	481	681	1,000	405	595
Under 1 year----	2	1	1	1	1	-	1	-	1	1	-	1
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	7	4	3	5	3	2	2	1	1	2	1	1
35-39 years-----	16	11	5	14	10	4	2	1	1	2	1	1
40-44 years-----	25	18	7	17	12	5	8	6	2	5	4	1
45-49 years-----	52	35	17	44	30	14	8	5	3	6	4	2
50-54 years-----	120	78	42	97	65	32	23	13	10	20	10	10
55-59 years-----	160	107	53	132	85	47	28	22	6	23	18	5
60-64 years-----	284	175	109	238	150	88	46	25	21	44	23	21
65-69 years-----	447	260	187	383	226	157	64	34	30	57	30	27
70-74 years-----	910	474	436	814	420	394	96	54	42	82	45	37
75-79 years-----	1,658	782	876	1,495	698	797	163	84	79	143	72	71
80-84 years-----	2,487	1,027	1,460	2,304	947	1,357	183	80	103	154	63	91
85-89 years-----	3,230	1,051	2,179	3,017	977	2,040	213	74	139	184	66	118
90-94 years-----	2,872	738	2,134	2,689	689	2,000	183	49	134	155	37	118
95-99 years-----	1,532	303	1,229	1,433	280	1,153	99	23	76	86	21	65
100 yrs & over---	445	66	379	402	56	346	43	10	33	36	10	26
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Aortic aneurysm and dissection (I71)												
All ages-----	15,807	9,615	6,192	14,336	8,817	5,519	1,471	798	673	1,181	619	562
Under 1 year-----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	3	2	1	2	1	1	1	1	-	-	-	-
15-19 years-----	8	6	2	8	6	2	-	-	-	-	-	-
20-24 years-----	23	14	9	19	11	8	4	3	1	4	3	1
25-29 years-----	33	25	8	25	19	6	8	6	2	8	6	2
30-34 years-----	60	53	7	45	39	6	15	14	1	13	13	-
35-39 years-----	134	98	36	105	77	28	29	21	8	24	17	7
40-44 years-----	195	134	61	135	95	40	60	39	21	56	35	21
45-49 years-----	283	216	67	194	154	40	89	62	27	81	57	24
50-54 years-----	355	270	85	273	208	65	82	62	20	71	52	19
55-59 years-----	570	430	140	473	369	104	97	61	36	85	53	32
60-64 years-----	867	658	209	777	600	177	90	58	32	70	44	26
65-69 years-----	1,578	1,114	464	1,420	1,025	395	158	89	69	128	74	54
70-74 years-----	2,423	1,598	825	2,232	1,500	732	191	98	93	146	75	71
75-79 years-----	3,095	1,905	1,190	2,871	1,805	1,066	224	100	124	166	63	103
80-84 years-----	2,841	1,596	1,245	2,658	1,506	1,152	183	90	93	140	62	78
85-89 years-----	2,118	1,008	1,110	1,971	946	1,025	147	62	85	118	44	74
90-94 years-----	935	398	537	871	376	495	64	22	42	44	12	32
95-99 years-----	257	83	174	233	74	159	24	9	15	22	8	14
100 yrs & over---	27	6	21	22	5	17	5	1	4	5	1	4
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Dissection of aorta [any part] (I71.0)

All ages-----	3,373	1,968	1,405	2,858	1,681	1,177	515	287	228	430	242	188
Under 1 year-----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	8	6	2	8	6	2	-	-	-	-	-	-
20-24 years-----	17	11	6	14	9	5	3	2	1	3	2	1
25-29 years-----	27	19	8	20	14	6	7	5	2	7	5	2
30-34 years-----	43	37	6	32	26	6	11	11	-	11	11	-
35-39 years-----	103	76	27	79	59	20	24	17	7	21	15	6
40-44 years-----	144	92	52	98	65	33	46	27	19	44	25	19
45-49 years-----	198	149	49	133	104	29	65	45	20	62	43	19
50-54 years-----	227	171	56	170	128	42	57	43	14	50	37	13
55-59 years-----	251	174	77	199	145	54	52	29	23	46	25	21
60-64 years-----	283	196	87	241	167	74	42	29	13	31	21	10
65-69 years-----	334	199	135	288	184	104	46	15	31	34	11	23
70-74 years-----	434	248	186	387	226	161	47	22	25	33	17	16
75-79 years-----	513	262	251	473	248	225	40	14	26	27	9	18
80-84 years-----	389	186	203	342	166	176	47	20	27	38	15	23
85-89 years-----	254	100	154	240	95	145	14	5	9	13	4	9
90-94 years-----	116	35	81	106	33	73	10	2	8	6	1	5
95-99 years-----	27	6	21	23	5	18	4	1	3	4	1	3
100 yrs & over---	3	-	3	3	-	3	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Thoracic aortic aneurysm, ruptured (I71.1)												
All ages-----	1,188	587	601	1,064	530	534	124	57	67	94	39	55
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	4	2	2	3	1	2	1	1	-	1	1	-
25-29 years-----	2	2	-	2	2	-	-	-	-	-	-	-
30-34 years-----	9	8	1	6	6	-	3	2	1	1	1	-
35-39 years-----	8	5	3	8	5	3	-	-	-	-	-	-
40-44 years-----	20	18	2	16	15	1	4	3	1	3	2	1
45-49 years-----	21	17	4	18	15	3	3	2	1	2	2	-
50-54 years-----	29	23	6	24	18	6	5	5	-	3	3	-
55-59 years-----	29	20	9	27	20	7	2	2	2	2	-	2
60-64 years-----	45	32	13	35	25	10	10	7	3	7	5	2
65-69 years-----	99	62	37	83	52	31	16	10	6	13	8	5
70-74 years-----	143	71	72	132	70	62	11	1	10	9	1	8
75-79 years-----	231	111	120	207	104	103	24	7	17	17	4	13
80-84 years-----	263	108	155	241	99	142	22	9	13	15	3	12
85-89 years-----	198	78	120	182	71	111	16	7	9	14	6	8
90-94 years-----	69	24	45	65	23	42	4	1	3	4	1	3
95-99 years-----	17	5	12	15	4	11	2	1	1	2	1	1
100 yrs & over---	1	1	-	-	-	-	1	1	-	1	1	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Thoracic aortic aneurysm, without mention of rupture (I71.2)

All ages-----	782	348	434	688	306	382	94	42	52	79	32	47
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	-	-	-	1	1	-	1	1	-
35-39 years-----	2	1	1	2	1	1	-	-	-	-	-	-
40-44 years-----	4	4	-	3	3	-	1	1	-	1	1	-
45-49 years-----	8	6	2	5	4	1	3	2	1	3	2	1
50-54 years-----	11	7	4	9	6	3	2	1	1	2	1	1
55-59 years-----	23	15	8	17	12	5	6	3	3	4	3	1
60-64 years-----	34	19	15	30	18	12	4	1	3	4	1	3
65-69 years-----	91	49	42	74	39	35	17	10	7	15	8	7
70-74 years-----	103	53	50	92	49	43	11	4	7	9	4	5
75-79 years-----	181	85	96	159	76	83	22	9	13	18	5	13
80-84 years-----	147	51	96	132	45	87	15	6	9	12	4	8
85-89 years-----	120	40	80	111	37	74	9	3	6	7	1	6
90-94 years-----	37	13	24	35	12	23	2	1	1	2	1	1
95-99 years-----	17	3	14	17	3	14	-	-	-	-	-	-
100 yrs & over---	2	1	1	1	1	-	1	-	1	1	-	1
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Abdominal aortic aneurysm, ruptured (I71.3)												
All ages-----	5,647	3,799	1,848	5,329	3,617	1,712	318	182	136	244	132	112
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	2	1	1	2	1	1	-	-	-	-	-	-
40-44 years-----	9	5	4	7	3	4	2	2	-	2	2	-
45-49 years-----	15	11	4	12	10	2	3	1	2	3	1	2
50-54 years-----	38	32	6	36	31	5	2	1	1	2	1	1
55-59 years-----	157	128	29	139	115	24	18	13	5	16	11	5
60-64 years-----	302	254	48	284	241	43	18	13	5	16	12	4
65-69 years-----	604	474	130	570	449	121	34	25	9	26	20	6
70-74 years-----	952	711	241	903	679	224	49	32	17	35	22	13
75-79 years-----	1,182	822	360	1,125	792	333	57	30	27	41	18	23
80-84 years-----	1,076	683	393	1,035	659	376	41	24	17	32	18	14
85-89 years-----	828	465	363	766	435	331	62	30	32	50	22	28
90-94 years-----	378	180	198	354	171	183	24	9	15	14	4	10
95-99 years-----	94	30	64	88	29	59	6	1	5	5	-	5
100 yrs & over---	9	2	7	8	2	6	1	-	1	1	-	1
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Abdominal aortic aneurysm, without mention of rupture (I71.4)

All ages-----	2,255	1,415	840	2,099	1,331	768	156	84	72	120	60	60
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	2	1	1	2	1	1	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	3	2	1	3	2	1	-	-	-	-	-	-
50-54 years-----	7	5	2	6	4	2	1	1	-	1	1	-
55-59 years-----	37	30	7	33	26	7	4	4	-	4	4	-
60-64 years-----	87	67	20	81	65	16	6	2	4	4	1	3
65-69 years-----	194	151	43	186	145	41	8	6	2	6	5	1
70-74 years-----	367	262	105	338	245	93	29	17	12	23	12	11
75-79 years-----	462	302	160	427	284	143	35	18	17	27	12	15
80-84 years-----	485	308	177	458	294	164	27	14	13	21	11	10
85-89 years-----	362	182	180	342	172	170	20	10	10	13	6	7
90-94 years-----	174	78	96	158	71	87	16	7	9	12	3	9
95-99 years-----	66	25	41	57	20	37	9	5	4	8	5	3
100 yrs & over---	9	2	7	8	2	6	1	-	1	1	-	1
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Thoracoabdominal aortic aneurysm, ruptured (I71.5)												
All ages-----	64	34	30	62	34	28	2	-	2	1	-	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	3	2	1	2	2	-	1	-	1	1	-	1
65-69 years-----	7	4	3	7	4	3	-	-	-	-	-	-
70-74 years-----	12	6	6	12	6	6	-	-	-	-	-	-
75-79 years-----	17	8	9	17	8	9	-	-	-	-	-	-
80-84 years-----	16	11	5	16	11	5	-	-	-	-	-	-
85-89 years-----	5	1	4	4	1	3	1	-	1	-	-	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Thoracoabdominal aortic aneurysm, without mention of rupture (I71.6)

All ages-----	89	54	35	76	46	30	13	8	5	10	7	3
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	-	-	-	1	1	-	1	1	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	-	-	-	1	1	-	1	1	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	6	5	1	6	5	1	-	-	-	-	-	-
65-69 years-----	14	9	5	11	8	3	3	1	2	3	1	2
70-74 years-----	24	15	9	20	13	7	4	2	2	3	2	1
75-79 years-----	22	14	8	20	13	7	2	1	1	1	1	-
80-84 years-----	15	6	9	14	5	9	1	1	-	-	-	-
85-89 years-----	4	1	3	4	1	3	-	-	-	-	-	-
90-94 years-----	1	1	-	-	-	-	1	1	-	1	1	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Aortic aneurysm of unspecified site, ruptured (I71.8)												
All ages-----	1,694	1,020	674	1,519	916	603	175	104	71	137	77	60
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	2	2	-	1	1	-	1	1	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	3	3	-	3	3	-	-	-	-	-	-	-
30-34 years-----	5	5	-	5	5	-	-	-	-	-	-	-
35-39 years-----	13	10	3	9	7	2	4	3	1	2	1	1
40-44 years-----	14	13	1	7	7	-	7	6	1	6	5	1
45-49 years-----	31	25	6	19	15	4	12	10	2	8	7	1
50-54 years-----	34	25	9	22	17	5	12	8	4	10	6	4
55-59 years-----	48	40	8	40	34	6	8	6	2	8	6	2
60-64 years-----	83	66	17	76	61	15	7	5	2	5	3	2
65-69 years-----	164	120	44	145	106	39	19	14	5	17	13	4
70-74 years-----	263	164	99	236	150	86	27	14	13	21	11	10
75-79 years-----	342	214	128	312	198	114	30	16	14	22	10	12
80-84 years-----	315	178	137	294	165	129	21	13	8	16	9	7
85-89 years-----	247	104	143	229	98	131	18	6	12	15	4	11
90-94 years-----	100	39	61	94	38	56	6	1	5	4	1	3
95-99 years-----	27	11	16	24	10	14	3	1	2	3	1	2
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Aortic aneurysm of unspecified site, without mention of rupture (I71.9)

All ages-----	715	390	325	641	356	285	74	34	40	66	30	36
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	3	3	-	3	3	-	-	-	-	-	-	-
40-44 years-----	4	2	2	4	2	2	-	-	-	-	-	-
45-49 years-----	7	6	1	4	4	-	3	2	1	3	2	1
50-54 years-----	8	6	2	6	4	2	2	2	-	2	2	-
55-59 years-----	24	22	2	17	16	1	7	6	1	5	4	1
60-64 years-----	24	17	7	22	16	6	2	1	1	2	1	1
65-69 years-----	71	46	25	56	38	18	15	8	7	14	8	6
70-74 years-----	125	68	57	112	62	50	13	6	7	13	6	7
75-79 years-----	145	87	58	131	82	49	14	5	9	13	4	9
80-84 years-----	135	65	70	126	62	64	9	3	6	6	2	4
85-89 years-----	100	37	63	93	36	57	7	1	6	6	1	5
90-94 years-----	59	27	32	58	27	31	1	-	1	1	-	1
95-99 years-----	7	3	4	7	3	4	-	-	-	-	-	-
100 yrs & over---	2	-	2	1	-	1	1	-	1	1	-	1
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other aneurysm (I72)												
All ages-----	736	435	301	638	379	259	98	56	42	88	48	40
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	2	1	1	2	1	1	-	-	-	-	-	-
15-19 years-----	1	1	-	-	-	-	1	1	-	1	1	-
20-24 years-----	5	3	2	5	3	2	-	-	-	-	-	-
25-29 years-----	3	2	1	2	1	1	1	1	-	-	-	-
30-34 years-----	5	4	1	4	4	-	1	-	1	1	-	1
35-39 years-----	15	7	8	11	5	6	4	2	2	4	2	2
40-44 years-----	32	14	18	29	12	17	3	2	1	2	1	1
45-49 years-----	31	19	12	25	17	8	6	2	4	6	2	4
50-54 years-----	32	13	19	27	9	18	5	4	1	2	1	1
55-59 years-----	43	27	16	34	22	12	9	5	4	9	5	4
60-64 years-----	50	32	18	45	30	15	5	2	3	5	2	3
65-69 years-----	80	47	33	67	39	28	13	8	5	12	8	4
70-74 years-----	80	56	24	71	52	19	9	4	5	9	4	5
75-79 years-----	140	79	61	122	69	53	18	10	8	14	7	7
80-84 years-----	112	72	40	99	64	35	13	8	5	13	8	5
85-89 years-----	72	44	28	64	39	25	8	5	3	8	5	3
90-94 years-----	27	13	14	25	11	14	2	2	-	2	2	-
95-99 years-----	5	1	4	5	1	4	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Aneurysm of carotid artery (I72.0)

All ages-----	59	18	41	53	16	37	6	2	4	6	2	4
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	4	2	2	3	1	2	1	1	-	1	1	-
40-44 years-----	4	2	2	4	2	2	-	-	-	-	-	-
45-49 years-----	6	2	4	6	2	4	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	5	1	4	3	1	2	2	-	2	2	-	2
60-64 years-----	5	2	3	5	2	3	-	-	-	-	-	-
65-69 years-----	11	4	7	10	3	7	1	1	-	1	1	-
70-74 years-----	5	2	3	4	2	2	1	-	1	1	-	1
75-79 years-----	10	1	9	9	1	8	1	-	1	1	-	1
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	4	1	3	4	1	3	-	-	-	-	-	-
90-94 years-----	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Aneurysm of renal artery (I72.2)												
All ages-----	38	21	17	34	17	17	4	4	-	4	4	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	2	-	2	2	-	2	-	-	-	-	-	-
45-49 years-----	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years-----	2	-	2	2	-	2	-	-	-	-	-	-
55-59 years-----	2	1	1	1	-	1	1	1	-	1	1	-
60-64 years-----	6	6	-	5	5	-	1	1	-	1	1	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	3	2	1	2	1	1	1	1	-	1	1	-
75-79 years-----	12	6	6	11	5	6	1	1	-	1	1	-
80-84 years-----	6	4	2	6	4	2	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Aneurysm of iliac artery (I72.3)

All ages-----	152	132	20	129	115	14	23	17	6	21	15	6
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	3	2	1	3	2	1	-	-	-	-	-	-
60-64 years-----	4	4	-	4	4	-	-	-	-	-	-	-
65-69 years-----	21	18	3	15	14	1	6	4	2	6	4	2
70-74 years-----	22	18	4	19	16	3	3	2	1	3	2	1
75-79 years-----	34	29	5	29	24	5	5	5	-	3	3	-
80-84 years-----	36	31	5	30	27	3	6	4	2	6	4	2
85-89 years-----	22	20	2	19	18	1	3	2	1	3	2	1
90-94 years-----	6	6	-	6	6	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Aneurysm of artery of lower extremity (I72.4)												
All ages-----	43	25	18	39	25	14	4	-	4	4	-	4
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	-	-	-	1	-	1	1	-	1
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	3	2	1	3	2	1	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	6	2	4	5	2	3	1	-	1	1	-	1
70-74 years-----	5	5	-	5	5	-	-	-	-	-	-	-
75-79 years-----	8	2	6	7	2	5	1	-	1	1	-	1
80-84 years-----	6	3	3	5	3	2	1	-	1	1	-	1
85-89 years-----	8	6	2	8	6	2	-	-	-	-	-	-
90-94 years-----	2	2	-	2	2	-	-	-	-	-	-	-
95-99 years-----	2	1	1	2	1	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Aneurysm of other specified arteries (I72.8)												
All ages-----	89	49	40	80	45	35	9	4	5	8	3	5
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	2	-	2	2	-	2	-	-	-	-	-	-
40-44 years-----	9	4	5	8	3	5	1	1	-	-	-	-
45-49 years-----	4	3	1	3	3	-	1	-	1	1	-	1
50-54 years-----	10	4	6	8	3	5	2	1	1	2	1	1
55-59 years-----	4	2	2	4	2	2	-	-	-	-	-	-
60-64 years-----	9	6	3	9	6	3	-	-	-	-	-	-
65-69 years-----	5	3	2	4	2	2	1	1	-	1	1	-
70-74 years-----	10	7	3	10	7	3	-	-	-	-	-	-
75-79 years-----	12	7	5	8	6	2	4	1	3	4	1	3
80-84 years-----	13	8	5	13	8	5	-	-	-	-	-	-
85-89 years-----	4	1	3	4	1	3	-	-	-	-	-	-
90-94 years-----	5	2	3	5	2	3	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Aneurysm of unspecified site (I72.9)												
All ages-----	355	190	165	303	161	142	52	29	23	45	24	21
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	2	1	1	2	1	1	-	-	-	-	-	-
15-19 years-----	1	1	-	-	-	-	1	1	-	1	1	-
20-24 years-----	3	1	2	3	1	2	-	-	-	-	-	-
25-29 years-----	3	2	1	2	1	1	1	1	-	-	-	-
30-34 years-----	3	2	1	2	2	-	1	-	1	1	-	1
35-39 years-----	8	4	4	5	3	2	3	1	2	3	1	2
40-44 years-----	17	8	9	15	7	8	2	1	1	2	1	1
45-49 years-----	18	13	5	14	11	3	4	2	2	4	2	2
50-54 years-----	17	7	10	14	4	10	3	3	-	-	-	-
55-59 years-----	26	19	7	20	15	5	6	4	2	6	4	2
60-64 years-----	25	13	12	21	12	9	4	1	3	4	1	3
65-69 years-----	37	20	17	33	18	15	4	2	2	3	2	1
70-74 years-----	35	22	13	31	21	10	4	1	3	4	1	3
75-79 years-----	64	34	30	58	31	27	6	3	3	4	2	2
80-84 years-----	50	25	25	44	21	23	6	4	2	6	4	2
85-89 years-----	33	15	18	28	12	16	5	3	2	5	3	2
90-94 years-----	10	3	7	8	1	7	2	2	-	2	2	-
95-99 years-----	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Other peripheral vascular diseases (I73)												
All ages-----	6,922	2,764	4,158	5,873	2,366	3,507	1,049	398	651	968	362	606
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	11	5	6	8	5	3	3	-	3	2	-	2
35-39 years-----	9	1	8	7	1	6	2	-	2	2	-	2
40-44 years-----	30	11	19	21	10	11	9	1	8	9	1	8
45-49 years-----	45	26	19	35	23	12	10	3	7	9	3	6
50-54 years-----	98	55	43	70	41	29	28	14	14	25	13	12
55-59 years-----	148	88	60	104	63	41	44	25	19	40	22	18
60-64 years-----	272	153	119	214	121	93	58	32	26	53	29	24
65-69 years-----	377	215	162	301	181	120	76	34	42	71	30	41
70-74 years-----	751	395	356	627	334	293	124	61	63	114	58	56
75-79 years-----	1,005	498	507	848	423	425	157	75	82	150	71	79
80-84 years-----	1,294	522	772	1,117	456	661	177	66	111	158	56	102
85-89 years-----	1,316	426	890	1,170	387	783	146	39	107	133	34	99
90-94 years-----	1,023	270	753	889	240	649	134	30	104	126	27	99
95-99 years-----	438	82	356	378	71	307	60	11	49	57	11	46
100 yrs & over---	104	17	87	83	10	73	21	7	14	19	7	12
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Raynaud's syndrome (I73.0)												
All ages-----	15	2	13	13	2	11	2	-	2	2	-	2
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	-	-	-	1	-	1	1	-	1
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	3	-	3	2	-	2	1	-	1	1	-	1
75-79 years-----	2	-	2	2	-	2	-	-	-	-	-	-
80-84 years-----	4	1	3	4	1	3	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Thromboangiitis obliterans [Buerger] (I73.1)

All ages-----	13	9	4	13	9	4	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	3	3	-	3	3	-	-	-	-	-	-	-
45-49 years-----	4	4	-	4	4	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years-----	2	1	1	2	1	1	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other specified peripheral vascular diseases (I73.8)												
All ages-----	30	9	21	29	9	20	1	-	1	1	-	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	3	3	-	3	3	-	-	-	-	-	-	-
70-74 years-----	2	-	2	2	-	2	-	-	-	-	-	-
75-79 years-----	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years-----	5	2	3	5	2	3	-	-	-	-	-	-
85-89 years-----	8	3	5	8	3	5	-	-	-	-	-	-
90-94 years-----	7	-	7	6	-	6	1	-	1	1	-	1
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Peripheral vascular disease, unspecified (I73.9)

All ages-----	6,864	2,744	4,120	5,818	2,346	3,472	1,046	398	648	965	362	603
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	11	5	6	8	5	3	3	-	3	2	-	2
35-39 years-----	9	1	8	7	1	6	2	-	2	2	-	2
40-44 years-----	26	8	18	18	7	11	8	1	7	8	1	7
45-49 years-----	41	22	19	31	19	12	10	3	7	9	3	6
50-54 years-----	97	55	42	69	41	28	28	14	14	25	13	12
55-59 years-----	145	87	58	101	62	39	44	25	19	40	22	18
60-64 years-----	268	151	117	210	119	91	58	32	26	53	29	24
65-69 years-----	372	212	160	296	178	118	76	34	42	71	30	41
70-74 years-----	745	395	350	622	334	288	123	61	62	113	58	55
75-79 years-----	1,001	497	504	844	422	422	157	75	82	150	71	79
80-84 years-----	1,285	519	766	1,108	453	655	177	66	111	158	56	102
85-89 years-----	1,307	423	884	1,161	384	777	146	39	107	133	34	99
90-94 years-----	1,015	270	745	882	240	642	133	30	103	125	27	98
95-99 years-----	437	82	355	377	71	306	60	11	49	57	11	46
100 yrs & over---	104	17	87	83	10	73	21	7	14	19	7	12
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Arterial embolism and thrombosis (I74)												
All ages-----	1,079	409	670	991	371	620	88	38	50	72	31	41
Under 1 year-----	3	2	1	2	1	1	1	1	-	1	1	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	-	-	-	1	1	-	1	1	-
25-29 years-----	2	-	2	1	-	1	1	-	1	1	-	1
30-34 years-----	3	2	1	2	1	1	1	1	-	1	1	-
35-39 years-----	2	2	-	1	1	-	1	1	-	1	1	-
40-44 years-----	16	8	8	13	7	6	3	1	2	3	1	2
45-49 years-----	10	7	3	9	7	2	1	-	1	1	-	1
50-54 years-----	22	11	11	18	9	9	4	2	2	4	2	2
55-59 years-----	52	28	24	46	25	21	6	3	3	5	3	2
60-64 years-----	52	27	25	44	22	22	8	5	3	7	4	3
65-69 years-----	93	39	54	81	35	46	12	4	8	12	4	8
70-74 years-----	124	65	59	117	62	55	7	3	4	3	2	1
75-79 years-----	200	92	108	186	82	104	14	10	4	10	7	3
80-84 years-----	165	57	108	156	55	101	9	2	7	8	2	6
85-89 years-----	161	44	117	152	41	111	9	3	6	8	2	6
90-94 years-----	115	16	99	107	15	92	8	1	7	5	-	5
95-99 years-----	47	5	42	45	5	40	2	-	2	1	-	1
100 yrs & over---	11	3	8	11	3	8	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Embolism and thrombosis of abdominal aorta (I74.0)

All ages-----	57	16	41	52	13	39	5	3	2	4	2	2
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	2	2	-	1	1	-	1	1	-	1	1	-
55-59 years-----	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years-----	4	2	2	4	2	2	-	-	-	-	-	-
65-69 years-----	10	2	8	8	1	7	2	1	1	2	1	1
70-74 years-----	6	3	3	6	3	3	-	-	-	-	-	-
75-79 years-----	12	2	10	11	2	9	1	-	1	1	-	1
80-84 years-----	7	3	4	7	3	4	-	-	-	-	-	-
85-89 years-----	6	-	6	6	-	6	-	-	-	-	-	-
90-94 years-----	5	1	4	4	-	4	1	1	-	-	-	-
95-99 years-----	3	-	3	3	-	3	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Embolism and thrombosis of other and unspecified parts of aorta (I74.1)												
All ages-----	244	97	147	228	89	139	16	8	8	14	8	6
Under 1 year----	2	1	1	1	-	1	1	1	-	1	1	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	-	-	-	1	1	-	1	1	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	-	-	-	1	1	-	1	1	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	1	-	1	-	-	-	1	-	1	1	-	1
50-54 years-----	6	3	3	6	3	3	-	-	-	-	-	-
55-59 years-----	21	13	8	19	12	7	2	1	1	1	1	-
60-64 years-----	15	7	8	14	7	7	1	-	1	1	-	1
65-69 years-----	32	16	16	28	14	14	4	2	2	4	2	2
70-74 years-----	35	15	20	35	15	20	-	-	-	-	-	-
75-79 years-----	50	25	25	47	23	24	3	2	1	2	2	-
80-84 years-----	33	7	26	31	7	24	2	-	2	2	-	2
85-89 years-----	30	6	24	30	6	24	-	-	-	-	-	-
90-94 years-----	13	2	11	13	2	11	-	-	-	-	-	-
95-99 years-----	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Embolism and thrombosis of arteries of the upper extremities (I74.2)

All ages-----	13	6	7	11	5	6	2	1	1	2	1	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	2	2	-	2	2	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	6	2	4	4	1	3	2	1	1	2	1	1
90-94 years-----	3	-	3	3	-	3	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Embolism and thrombosis of arteries of the lower extremities (I74.3)												
All ages-----	211	67	144	189	59	130	22	8	14	17	6	11
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	-	-	-	1	1	-	1	1	-
40-44 years-----	2	1	1	2	1	1	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	4	1	3	3	1	2	1	-	1	1	-	1
55-59 years-----	5	2	3	4	2	2	1	-	1	1	-	1
60-64 years-----	3	1	2	2	-	2	1	1	-	1	1	-
65-69 years-----	10	5	5	9	4	5	1	1	-	1	1	-
70-74 years-----	10	9	1	8	7	1	2	2	-	1	1	-
75-79 years-----	30	14	16	28	13	15	2	1	1	2	1	1
80-84 years-----	35	8	27	30	7	23	5	1	4	5	1	4
85-89 years-----	39	14	25	36	13	23	3	1	2	2	-	2
90-94 years-----	43	6	37	39	6	33	4	-	4	2	-	2
95-99 years-----	23	2	21	22	2	20	1	-	1	-	-	-
100 yrs & over---	5	2	3	5	2	3	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Embolism and thrombosis of arteries of extremities, unspecified (I74.4)

All ages-----	51	19	32	48	18	30	3	1	2	2	-	2
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	-	-	-	1	-	1	1	-	1
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	3	2	1	3	2	1	-	-	-	-	-	-
65-69 years-----	3	1	2	3	1	2	-	-	-	-	-	-
70-74 years-----	5	2	3	4	2	2	1	-	1	1	-	1
75-79 years-----	5	4	1	4	3	1	1	1	-	-	-	-
80-84 years-----	14	6	8	14	6	8	-	-	-	-	-	-
85-89 years-----	6	2	4	6	2	4	-	-	-	-	-	-
90-94 years-----	6	-	6	6	-	6	-	-	-	-	-	-
95-99 years-----	6	1	5	6	1	5	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Embolism and thrombosis of iliac artery (I74.5)												
All ages-----	30	13	17	27	12	15	3	1	2	2	1	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	4	1	3	3	1	2	1	-	1	1	-	1
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	6	2	4	4	1	3	2	1	1	1	1	-
75-79 years-----	8	5	3	8	5	3	-	-	-	-	-	-
80-84 years-----	5	2	3	5	2	3	-	-	-	-	-	-
85-89 years-----	4	2	2	4	2	2	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Embolism and thrombosis of other arteries (I74.8)

All ages-----	43	23	20	40	21	19	3	2	1	2	1	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	2	1	1	1	1	-	1	-	1	1	-	1
45-49 years-----	2	2	-	2	2	-	-	-	-	-	-	-
50-54 years-----	2	1	1	2	1	1	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	5	4	1	4	3	1	1	1	-	-	-	-
65-69 years-----	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years-----	6	5	1	6	5	1	-	-	-	-	-	-
75-79 years-----	2	-	2	2	-	2	-	-	-	-	-	-
80-84 years-----	7	4	3	6	3	3	1	1	-	1	1	-
85-89 years-----	9	2	7	9	2	7	-	-	-	-	-	-
90-94 years-----	3	1	2	3	1	2	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	1	1	-	1	1	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Embolism and thrombosis of unspecified artery (I74.9)												
All ages-----	430	168	262	396	154	242	34	14	20	29	12	17
Under 1 year-----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	2	1	1	2	1	1	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	11	6	5	9	5	4	2	1	1	2	1	1
45-49 years-----	4	3	1	4	3	1	-	-	-	-	-	-
50-54 years-----	8	4	4	6	3	3	2	1	1	2	1	1
55-59 years-----	22	11	11	19	9	10	3	2	1	3	2	1
60-64 years-----	18	10	8	14	7	7	4	3	1	4	3	1
65-69 years-----	35	13	22	30	13	17	5	-	5	5	-	5
70-74 years-----	54	27	27	52	27	25	2	-	2	-	-	-
75-79 years-----	93	42	51	86	36	50	7	6	1	5	4	1
80-84 years-----	63	26	37	62	26	36	1	-	1	-	-	-
85-89 years-----	61	16	45	57	15	42	4	1	3	4	1	3
90-94 years-----	41	6	35	38	6	32	3	-	3	3	-	3
95-99 years-----	12	1	11	11	1	10	1	-	1	1	-	1
100 yrs & over---	4	-	4	4	-	4	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other disorders of arteries and arterioles (I77)

All ages-----	1,210	545	665	1,065	487	578	145	58	87	122	51	71
Under 1 year-----	4	4	-	2	2	-	2	2	-	2	2	-
1-4 years-----	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	3	2	1	2	2	-	1	-	1	-	-	-
15-19 years-----	3	3	-	3	3	-	-	-	-	-	-	-
20-24 years-----	6	4	2	5	4	1	1	-	1	1	-	1
25-29 years-----	12	7	5	9	5	4	3	2	1	3	2	1
30-34 years-----	10	3	7	8	2	6	2	1	1	1	1	-
35-39 years-----	17	9	8	13	8	5	4	1	3	4	1	3
40-44 years-----	25	11	14	18	9	9	7	2	5	7	2	5
45-49 years-----	48	21	27	40	18	22	8	3	5	7	3	4
50-54 years-----	43	16	27	34	14	20	9	2	7	6	2	4
55-59 years-----	62	24	38	52	24	28	10	-	10	9	-	9
60-64 years-----	90	51	39	76	44	32	14	7	7	10	5	5
65-69 years-----	109	55	54	95	48	47	14	7	7	13	7	6
70-74 years-----	181	91	90	162	83	79	19	8	11	13	6	7
75-79 years-----	216	106	110	195	97	98	21	9	12	20	9	11
80-84 years-----	181	81	100	164	73	91	17	8	9	15	7	8
85-89 years-----	121	42	79	109	37	72	12	5	7	10	3	7
90-94 years-----	58	14	44	58	14	44	-	-	-	-	-	-
95-99 years-----	18	1	17	17	-	17	1	1	-	1	1	-
100 yrs & over---	2	-	2	2	-	2	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Arteriovenous fistula, acquired (I77.0)												
All ages-----	29	14	15	16	9	7	13	5	8	12	5	7
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	-	-	-	1	1	-	1	1	-
45-49 years-----	1	-	1	-	-	-	1	-	1	1	-	1
50-54 years-----	4	2	2	1	1	-	3	1	2	2	1	1
55-59 years-----	4	1	3	2	1	1	2	-	2	2	-	2
60-64 years-----	6	4	2	2	2	-	4	2	2	4	2	2
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years-----	3	1	2	3	1	2	-	-	-	-	-	-
80-84 years-----	2	1	1	1	-	1	1	1	-	1	1	-
85-89 years-----	3	2	1	2	2	-	1	-	1	1	-	1
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Stricture of artery (I77.1)												
All ages-----	149	51	98	136	45	91	13	6	7	12	5	7
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	2	2	-	2	2	-	-	-	-	-	-	-
25-29 years-----	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	2	1	1	1	1	-	1	-	1	1	-	1
40-44 years-----	2	-	2	2	-	2	-	-	-	-	-	-
45-49 years-----	2	-	2	2	-	2	-	-	-	-	-	-
50-54 years-----	2	1	1	2	1	1	-	-	-	-	-	-
55-59 years-----	5	3	2	5	3	2	-	-	-	-	-	-
60-64 years-----	7	3	4	6	3	3	1	-	1	1	-	1
65-69 years-----	5	2	3	5	2	3	-	-	-	-	-	-
70-74 years-----	19	9	10	18	8	10	1	1	-	1	1	-
75-79 years-----	24	8	16	22	7	15	2	1	1	2	1	1
80-84 years-----	24	9	15	21	8	13	3	1	2	3	1	2
85-89 years-----	28	8	20	24	6	18	4	2	2	3	1	2
90-94 years-----	20	3	17	20	3	17	-	-	-	-	-	-
95-99 years-----	5	-	5	5	-	5	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Rupture of artery (I77.2)												
All ages-----	168	100	68	151	96	55	17	4	13	14	3	11
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	-	-	-	1	-	1	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	1	-	1	-	-	-	1	-	1	1	-	1
25-29 years-----	2	-	2	1	-	1	1	-	1	1	-	1
30-34 years-----	2	-	2	2	-	2	-	-	-	-	-	-
35-39 years-----	2	-	2	1	-	1	1	-	1	1	-	1
40-44 years-----	2	1	1	1	1	-	1	-	1	1	-	1
45-49 years-----	9	5	4	9	5	4	-	-	-	-	-	-
50-54 years-----	6	3	3	4	2	2	2	1	1	2	1	1
55-59 years-----	11	8	3	10	8	2	1	-	1	1	-	1
60-64 years-----	10	6	4	10	6	4	-	-	-	-	-	-
65-69 years-----	17	14	3	17	14	3	-	-	-	-	-	-
70-74 years-----	31	19	12	28	18	10	3	1	2	1	-	1
75-79 years-----	37	22	15	33	21	12	4	1	3	4	1	3
80-84 years-----	24	15	9	23	14	9	1	1	-	1	1	-
85-89 years-----	10	5	5	9	5	4	1	-	1	1	-	1
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Arterial fibromuscular dysplasia (I77.3)

All ages-----	4	3	1	4	3	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Arteritis, unspecified (I77.6)												
All ages-----	539	214	325	496	203	293	43	11	32	34	10	24
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	2	2	-	2	2	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years-----	6	3	3	6	3	3	-	-	-	-	-	-
30-34 years-----	5	1	4	3	-	3	2	1	1	1	1	-
35-39 years-----	10	7	3	8	6	2	2	1	1	2	1	1
40-44 years-----	19	9	10	14	8	6	5	1	4	5	1	4
45-49 years-----	21	8	13	19	8	11	2	-	2	2	-	2
50-54 years-----	26	8	18	23	8	15	3	-	3	2	-	2
55-59 years-----	26	5	21	24	5	19	2	-	2	2	-	2
60-64 years-----	38	17	21	35	16	19	3	1	2	1	1	-
65-69 years-----	43	13	30	36	12	24	7	1	6	6	1	5
70-74 years-----	73	37	36	64	34	30	9	3	6	5	2	3
75-79 years-----	92	43	49	89	43	46	3	-	3	3	-	3
80-84 years-----	98	39	59	94	37	57	4	2	2	4	2	2
85-89 years-----	47	12	35	46	11	35	1	1	-	1	1	-
90-94 years-----	23	9	14	23	9	14	-	-	-	-	-	-
95-99 years-----	5	-	5	5	-	5	-	-	-	-	-	-
100 yrs & over---	2	-	2	2	-	2	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other specified disorders of arteries and arterioles (I77.8)

All ages-----	23	11	12	21	9	12	2	2	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	2	2	-	2	2	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	3	3	-	1	1	-	2	2	-	-	-	-
65-69 years-----	3	1	2	3	1	2	-	-	-	-	-	-
70-74 years-----	5	1	4	5	1	4	-	-	-	-	-	-
75-79 years-----	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Disorder of arteries and arterioles, unspecified (I77.9)												
All ages-----	298	152	146	241	122	119	57	30	27	50	28	22
Under 1 year----	4	4	-	2	2	-	2	2	-	2	2	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	3	1	2	3	1	2	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	13	6	7	8	3	5	5	3	2	4	3	1
50-54 years-----	5	2	3	4	2	2	1	-	1	-	-	-
55-59 years-----	16	7	9	11	7	4	5	-	5	4	-	4
60-64 years-----	26	18	8	22	16	6	4	2	2	4	2	2
65-69 years-----	40	24	16	33	18	15	7	6	1	7	6	1
70-74 years-----	51	24	27	45	21	24	6	3	3	6	3	3
75-79 years-----	58	31	27	46	24	22	12	7	5	11	7	4
80-84 years-----	32	17	15	24	14	10	8	3	5	6	2	4
85-89 years-----	32	15	17	27	13	14	5	2	3	4	1	3
90-94 years-----	11	1	10	11	1	10	-	-	-	-	-	-
95-99 years-----	6	1	5	5	-	5	1	1	-	1	1	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of capillaries (I78)												
All ages-----	55	26	29	49	24	25	6	2	4	3	-	3
Under 1 year----	4	2	2	4	2	2	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	2	1	1	2	1	1	-	-	-	-	-	-
10-14 years-----	1	1	-	-	-	-	1	1	-	-	-	-
15-19 years-----	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	2	1	1	2	1	1	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	3	3	-	3	3	-	-	-	-	-	-	-
55-59 years-----	2	-	2	1	-	1	1	-	1	1	-	1
60-64 years-----	2	1	1	2	1	1	-	-	-	-	-	-
65-69 years-----	7	2	5	6	1	5	1	1	-	-	-	-
70-74 years-----	5	4	1	5	4	1	-	-	-	-	-	-
75-79 years-----	6	4	2	6	4	2	-	-	-	-	-	-
80-84 years-----	9	3	6	8	3	5	1	-	1	-	-	-
85-89 years-----	4	3	1	3	3	-	1	-	1	1	-	1
90-94 years-----	3	-	3	2	-	2	1	-	1	1	-	1
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Hereditary hemorrhagic telangiectasia (I78.0)												
All ages-----	25	13	12	23	13	10	2	-	2	1	-	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	4	1	3	4	1	3	-	-	-	-	-	-
70-74 years-----	5	4	1	5	4	1	-	-	-	-	-	-
75-79 years-----	2	2	-	2	2	-	-	-	-	-	-	-
80-84 years-----	4	1	3	3	1	2	1	-	1	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	2	-	2	1	-	1	1	-	1	1	-	1
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Nevus, nonneoplastic (I78.1)												
All ages-----	12	7	5	10	6	4	2	1	1	1	-	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	1	1	-	-	-	-	1	1	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	4	2	2	4	2	2	-	-	-	-	-	-
85-89 years-----	3	2	1	2	2	-	1	-	1	1	-	1
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other diseases of capillaries (I78.8)												
All ages-----	17	5	12	15	4	11	2	1	1	1	-	1
Under 1 year----	3	1	2	3	1	2	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	1	1	-	-	-	-	1	1	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	1	-	1	-	-	-	1	-	1	1	-	1
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	2	-	2	2	-	2	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	3	1	2	3	1	2	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Disease of capillaries, unspecified (I78.9)

All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Phlebitis and thrombophlebitis (I80)												
All ages-----	2,314	898	1,416	1,906	730	1,176	408	168	240	386	162	224
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	8	4	4	3	2	1	5	2	3	5	2	3
20-24 years-----	11	4	7	4	2	2	7	2	5	7	2	5
25-29 years-----	23	12	11	15	8	7	8	4	4	8	4	4
30-34 years-----	49	25	24	34	16	18	15	9	6	15	9	6
35-39 years-----	71	39	32	46	25	21	25	14	11	24	13	11
40-44 years-----	118	63	55	81	43	38	37	20	17	35	20	15
45-49 years-----	119	54	65	82	39	43	37	15	22	36	15	21
50-54 years-----	94	42	52	70	32	38	24	10	14	22	9	13
55-59 years-----	116	49	67	96	40	56	20	9	11	19	9	10
60-64 years-----	126	51	75	102	42	60	24	9	15	21	9	12
65-69 years-----	180	95	85	140	70	70	40	25	15	39	25	14
70-74 years-----	206	97	109	177	87	90	29	10	19	26	9	17
75-79 years-----	270	110	160	233	94	139	37	16	21	36	16	20
80-84 years-----	357	132	225	318	119	199	39	13	26	38	12	26
85-89 years-----	299	74	225	265	66	199	34	8	26	31	7	24
90-94 years-----	181	31	150	160	30	130	21	1	20	19	-	19
95-99 years-----	72	14	58	66	13	53	6	1	5	5	1	4
100 yrs & over---	12	2	10	12	2	10	-	-	-	-	-	-
Not stated-----	1	-	1	1	-	1	-	-	-	-	-	-

Phlebitis and thrombophlebitis of femoral vein (I80.1)

All ages-----	49	25	24	39	23	16	10	2	8	8	2	6
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	2	1	1	1	-	1	1	1	-	1	1	-
50-54 years-----	3	2	1	3	2	1	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	2	1	1	1	1	-	1	-	1	-	-	-
65-69 years-----	5	4	1	4	3	1	1	1	-	1	1	-
70-74 years-----	7	1	6	4	1	3	3	-	3	2	-	2
75-79 years-----	6	4	2	5	4	1	1	-	1	1	-	1
80-84 years-----	9	6	3	7	6	1	2	-	2	2	-	2
85-89 years-----	8	2	6	7	2	5	1	-	1	1	-	1
90-94 years-----	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years-----	2	1	1	2	1	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Phlebitis and thrombophlebitis of other deep vessels of lower extremities (I80.2)												
All ages-----	1,727	652	1,075	1,412	517	895	315	135	180	303	132	171
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	7	4	3	3	2	1	4	2	2	4	2	2
20-24 years-----	10	4	6	3	2	1	7	2	5	7	2	5
25-29 years-----	17	9	8	10	5	5	7	4	3	7	4	3
30-34 years-----	36	19	17	27	12	15	9	7	2	9	7	2
35-39 years-----	56	28	28	36	16	20	20	12	8	19	11	8
40-44 years-----	101	54	47	71	38	33	30	16	14	28	16	12
45-49 years-----	77	35	42	53	25	28	24	10	14	23	10	13
50-54 years-----	68	29	39	47	20	27	21	9	12	21	9	12
55-59 years-----	89	40	49	74	32	42	15	8	7	15	8	7
60-64 years-----	89	37	52	71	30	41	18	7	11	17	7	10
65-69 years-----	125	61	64	96	42	54	29	19	10	28	19	9
70-74 years-----	148	70	78	127	62	65	21	8	13	19	7	12
75-79 years-----	199	75	124	168	61	107	31	14	17	30	14	16
80-84 years-----	272	92	180	243	84	159	29	8	21	29	8	21
85-89 years-----	239	62	177	213	55	158	26	7	19	25	7	18
90-94 years-----	129	22	107	110	21	89	19	1	18	17	-	17
95-99 years-----	55	11	44	50	10	40	5	1	4	5	1	4
100 yrs & over---	9	-	9	9	-	9	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Phlebitis and thrombophlebitis of lower extremities, unspecified (I80.3)

All ages-----	356	152	204	297	129	168	59	23	36	52	20	32
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years-----	3	1	2	2	1	1	1	-	1	1	-	1
30-34 years-----	11	5	6	6	3	3	5	2	3	5	2	3
35-39 years-----	14	10	4	9	8	1	5	2	3	5	2	3
40-44 years-----	16	8	8	10	5	5	6	3	3	6	3	3
45-49 years-----	30	13	17	23	11	12	7	2	5	7	2	5
50-54 years-----	19	8	11	16	7	9	3	1	2	1	-	1
55-59 years-----	22	7	15	18	6	12	4	1	3	3	1	2
60-64 years-----	26	13	13	21	11	10	5	2	3	4	2	2
65-69 years-----	30	18	12	23	15	8	7	3	4	7	3	4
70-74 years-----	36	18	18	34	17	17	2	1	1	2	1	1
75-79 years-----	38	17	21	35	15	20	3	2	1	3	2	1
80-84 years-----	35	17	18	31	14	17	4	3	1	3	2	1
85-89 years-----	32	7	25	27	6	21	5	1	4	4	-	4
90-94 years-----	27	7	20	26	7	19	1	-	1	1	-	1
95-99 years-----	13	2	11	12	2	10	1	-	1	-	-	-
100 yrs & over---	2	1	1	2	1	1	-	-	-	-	-	-
Not stated-----	1	-	1	1	-	1	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Phlebitis and thrombophlebitis of other sites (I80.8)												
All ages-----	9	6	3	8	6	2	1	-	1	1	-	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	-	1	-	-	-	1	-	1	1	-	1
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	2	2	-	2	2	-	-	-	-	-	-	-
80-84 years-----	2	2	-	2	2	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Phlebitis and thrombophlebitis of unspecified site (I80.9)

All ages-----	173	63	110	150	55	95	23	8	15	22	8	14
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	2	1	1	2	1	1	-	-	-	-	-	-
30-34 years-----	2	1	1	1	1	-	1	-	1	1	-	1
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	-	-	-	1	1	-	1	1	-
45-49 years-----	10	5	5	5	3	2	5	2	3	5	2	3
50-54 years-----	3	2	1	3	2	1	-	-	-	-	-	-
55-59 years-----	4	1	3	3	1	2	1	-	1	1	-	1
60-64 years-----	9	-	9	9	-	9	-	-	-	-	-	-
65-69 years-----	19	12	7	16	10	6	3	2	1	3	2	1
70-74 years-----	14	7	7	11	6	5	3	1	2	3	1	2
75-79 years-----	25	12	13	23	12	11	2	-	2	2	-	2
80-84 years-----	39	15	24	35	13	22	4	2	2	4	2	2
85-89 years-----	20	3	17	18	3	15	2	-	2	1	-	1
90-94 years-----	22	2	20	21	2	19	1	-	1	1	-	1
95-99 years-----	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over---	1	1	-	1	1	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Portal vein thrombosis (I81)												
All ages-----	73	31	42	66	28	38	7	3	4	7	3	4
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	1	-	-	-	-	1	1	-	1	1	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	-	1	-	-	-	1	-	1	1	-	1
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	2	-	2	2	-	2	-	-	-	-	-	-
45-49 years-----	3	3	-	3	3	-	-	-	-	-	-	-
50-54 years-----	4	2	2	3	1	2	1	1	-	1	1	-
55-59 years-----	9	2	7	9	2	7	-	-	-	-	-	-
60-64 years-----	7	3	4	6	3	3	1	-	1	1	-	1
65-69 years-----	6	3	3	6	3	3	-	-	-	-	-	-
70-74 years-----	10	6	4	10	6	4	-	-	-	-	-	-
75-79 years-----	12	8	4	10	7	3	2	1	1	2	1	1
80-84 years-----	8	1	7	8	1	7	-	-	-	-	-	-
85-89 years-----	6	1	5	5	1	4	1	-	1	1	-	1
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other venous embolism and thrombosis (I82)

All ages-----	238	105	133	191	85	106	47	20	27	43	18	25
Under 1 year----	4	3	1	4	3	1	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	4	1	3	3	1	2	1	-	1	1	-	1
30-34 years-----	5	1	4	3	-	3	2	1	1	2	1	1
35-39 years-----	8	4	4	6	3	3	2	1	1	1	-	1
40-44 years-----	10	4	6	4	2	2	6	2	4	6	2	4
45-49 years-----	13	5	8	12	5	7	1	-	1	1	-	1
50-54 years-----	18	8	10	14	5	9	4	3	1	4	3	1
55-59 years-----	15	12	3	12	11	1	3	1	2	2	-	2
60-64 years-----	17	9	8	13	7	6	4	2	2	4	2	2
65-69 years-----	20	4	16	16	3	13	4	1	3	4	1	3
70-74 years-----	29	16	13	22	12	10	7	4	3	7	4	3
75-79 years-----	32	14	18	30	13	17	2	1	1	2	1	1
80-84 years-----	26	10	16	19	7	12	7	3	4	6	3	3
85-89 years-----	19	6	13	16	6	10	3	-	3	2	-	2
90-94 years-----	13	4	9	12	3	9	1	1	-	1	1	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	2	2	-	2	2	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Budd-Chiari syndrome (I82.0)												
All ages-----	42	20	22	38	17	21	4	3	1	2	1	1
Under 1 year----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	7	4	3	6	3	3	1	1	-	-	-	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	5	5	-	4	4	-	1	1	-	-	-	-
60-64 years-----	6	2	4	6	2	4	-	-	-	-	-	-
65-69 years-----	4	1	3	3	1	2	1	-	1	1	-	1
70-74 years-----	2	2	-	1	1	-	1	1	-	1	1	-
75-79 years-----	6	1	5	6	1	5	-	-	-	-	-	-
80-84 years-----	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years-----	2	2	-	2	2	-	-	-	-	-	-	-
90-94 years-----	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Thrombophlebitis migrans (I82.1)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Embolism and thrombosis of vena cava (I82.2)												
All ages-----	38	16	22	27	12	15	11	4	7	10	4	6
Under 1 year----	2	1	1	2	1	1	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	2	-	2	1	-	1	1	-	1	1	-	1
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	-	-	-	1	-	1	1	-	1
45-49 years-----	2	1	1	1	1	-	1	-	1	1	-	1
50-54 years-----	3	3	-	2	2	-	1	1	-	1	1	-
55-59 years-----	3	2	1	3	2	1	-	-	-	-	-	-
60-64 years-----	3	2	1	1	1	-	2	1	1	2	1	1
65-69 years-----	4	1	3	3	1	2	1	-	1	1	-	1
70-74 years-----	5	2	3	4	2	2	1	-	1	1	-	1
75-79 years-----	4	-	4	4	-	4	-	-	-	-	-	-
80-84 years-----	4	1	3	2	-	2	2	1	1	1	1	-
85-89 years-----	3	1	2	3	1	2	-	-	-	-	-	-
90-94 years-----	2	2	-	1	1	-	1	1	-	1	1	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Embolism and thrombosis of renal vein (I82.3)

All ages-----	8	4	4	7	4	3	1	-	1	1	-	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	2	2	-	2	2	-	-	-	-	-	-	-
80-84 years-----	3	1	2	2	1	1	1	-	1	1	-	1
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

RACE, AND SEX

Embolism and thrombosis of other specified veins (I82.8)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	79	28	51	65	24	41	14	4	10	14	4	10
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	2	1	1	2	1	1	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	-	-	-	1	-	1	1	-	1
40-44 years-----	3	1	2	1	1	-	2	-	2	2	-	2
45-49 years-----	5	2	3	5	2	3	-	-	-	-	-	-
50-54 years-----	7	3	4	6	2	4	1	1	-	1	1	-
55-59 years-----	4	3	1	3	3	-	1	-	1	1	-	1
60-64 years-----	7	4	3	5	3	2	2	1	1	2	1	1
65-69 years-----	8	-	8	7	-	7	1	-	1	1	-	1
70-74 years-----	11	5	6	10	4	6	1	1	-	1	1	-
75-79 years-----	12	6	6	11	6	5	1	-	1	1	-	1
80-84 years-----	9	2	7	6	1	5	3	1	2	3	1	2
85-89 years-----	6	1	5	5	1	4	1	-	1	1	-	1
90-94 years-----	4	-	4	4	-	4	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Embolism and thrombosis of unspecified vein (I82.9)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	70	37	33	53	28	25	17	9	8	16	9	7
Under 1 year-----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	2	-	2	1	-	1	1	-	1	1	-	1
30-34 years-----	2	1	1	1	-	1	1	1	-	1	1	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	5	3	2	2	1	1	3	2	1	3	2	1
45-49 years-----	4	2	2	4	2	2	-	-	-	-	-	-
50-54 years-----	7	2	5	5	1	4	2	1	1	2	1	1
55-59 years-----	3	2	1	2	2	-	1	-	1	1	-	1
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	3	2	1	2	1	1	1	1	-	1	1	-
70-74 years-----	10	6	4	6	4	2	4	2	2	4	2	2
75-79 years-----	8	5	3	7	4	3	1	1	-	1	1	-
80-84 years-----	8	5	3	7	4	3	1	1	-	1	1	-
85-89 years-----	7	2	5	5	2	3	2	-	2	1	-	1
90-94 years-----	5	2	3	5	2	3	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	2	2	-	2	2	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Varicose veins of lower extremities (I83)												
All ages-----	167	90	77	138	71	67	29	19	10	23	16	7
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	3	3	-	3	3	-	-	-	-	-	-	-
40-44 years-----	10	10	-	4	4	-	6	6	-	5	5	-
45-49 years-----	14	10	4	10	6	4	4	4	-	4	4	-
50-54 years-----	13	8	5	10	6	4	3	2	1	3	2	1
55-59 years-----	14	9	5	14	9	5	-	-	-	-	-	-
60-64 years-----	10	8	2	9	8	1	1	-	1	1	-	1
65-69 years-----	10	4	6	6	2	4	4	2	2	2	1	1
70-74 years-----	13	10	3	11	8	3	2	2	-	2	2	-
75-79 years-----	18	9	9	16	8	8	2	1	1	1	-	1
80-84 years-----	20	8	12	16	6	10	4	2	2	2	2	-
85-89 years-----	24	7	17	24	7	17	-	-	-	-	-	-
90-94 years-----	12	3	9	11	3	8	1	-	1	1	-	1
95-99 years-----	4	1	3	3	1	2	1	-	1	1	-	1
100 yrs & over---	2	-	2	1	-	1	1	-	1	1	-	1
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Varicose veins of lower extremities with ulcer (I83.0)

All ages-----	64	24	40	52	20	32	12	4	8	9	4	5
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	-	-	-	1	1	-	1	1	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	5	3	2	3	2	1	2	1	1	2	1	1
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	3	2	1	2	2	-	1	-	1	1	-	1
65-69 years-----	3	-	3	2	-	2	1	-	1	-	-	-
70-74 years-----	3	2	1	2	1	1	1	1	-	1	1	-
75-79 years-----	13	7	6	12	7	5	1	-	1	1	-	1
80-84 years-----	11	3	8	8	2	6	3	1	2	1	1	-
85-89 years-----	13	3	10	13	3	10	-	-	-	-	-	-
90-94 years-----	6	1	5	5	1	4	1	-	1	1	-	1
95-99 years-----	3	-	3	2	-	2	1	-	1	1	-	1
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Varicose veins of lower extremities with inflammation (I83.1)												
All ages-----	12	6	6	12	6	6	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	4	1	3	4	1	3	-	-	-	-	-	-
90-94 years-----	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years-----	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Varicose veins of lower extremities with both ulcer and inflammation (I83.2)

All ages-----	10	4	6	8	3	5	2	1	1	2	1	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	-	-	-	1	1	-	1	1	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years-----	3	1	2	3	1	2	-	-	-	-	-	-
90-94 years-----	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	1	-	1	-	-	-	1	-	1	1	-	1
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Varicose veins of lower extremities without ulcer or inflammation (I83.9)												
All ages-----	81	56	25	66	42	24	15	14	1	12	11	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	3	3	-	3	3	-	-	-	-	-	-	-
40-44 years-----	8	8	-	4	4	-	4	4	-	3	3	-
45-49 years-----	12	9	3	8	5	3	4	4	-	4	4	-
50-54 years-----	8	5	3	7	4	3	1	1	-	1	1	-
55-59 years-----	13	8	5	13	8	5	-	-	-	-	-	-
60-64 years-----	6	5	1	6	5	1	-	-	-	-	-	-
65-69 years-----	7	4	3	4	2	2	3	2	1	2	1	1
70-74 years-----	8	7	1	7	6	1	1	1	-	1	1	-
75-79 years-----	4	2	2	3	1	2	1	1	-	-	-	-
80-84 years-----	6	3	3	5	2	3	1	1	-	1	1	-
85-89 years-----	4	2	2	4	2	2	-	-	-	-	-	-
90-94 years-----	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Hemorrhoids (I84)												
All ages-----	14	5	9	13	5	8	1	-	1	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	-	1	-	-	-	1	-	1	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	4	2	2	4	2	2	-	-	-	-	-	-
80-84 years-----	3	-	3	3	-	3	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Internal hemorrhoids without complication (I84.2)												
All ages-----	2	-	2	2	-	2	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Unspecified hemorrhoids with other complications (I84.8)												
All ages-----	4	2	2	4	2	2	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Unspecified hemorrhoids without complication (I84.9)												
All ages-----	8	3	5	7	3	4	1	-	1	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	-	1	-	-	-	1	-	1	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	2	-	2	2	-	2	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Esophageal varices (I85)

All ages-----	224	151	73	176	119	57	48	32	16	38	26	12
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	2	1	1	1	1	-	1	-	1	1	-	1
35-39 years-----	9	7	2	6	5	1	3	2	1	2	2	-
40-44 years-----	22	20	2	16	14	2	6	6	-	5	5	-
45-49 years-----	20	14	6	13	9	4	7	5	2	7	5	2
50-54 years-----	24	20	4	18	14	4	6	6	-	5	5	-
55-59 years-----	23	16	7	21	15	6	2	1	1	1	-	1
60-64 years-----	23	18	5	21	16	5	2	2	-	2	2	-
65-69 years-----	19	11	8	14	9	5	5	2	3	3	1	2
70-74 years-----	22	13	9	16	10	6	6	3	3	3	1	2
75-79 years-----	24	16	8	18	12	6	6	4	2	6	4	2
80-84 years-----	19	10	9	16	9	7	3	1	2	2	1	1
85-89 years-----	8	4	4	8	4	4	-	-	-	-	-	-
90-94 years-----	6	-	6	6	-	6	-	-	-	-	-	-
95-99 years-----	2	-	2	1	-	1	1	-	1	1	-	1
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Esophageal varices with bleeding (I85.0)												
All ages-----	128	84	44	92	62	30	36	22	14	28	17	11
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	2	1	1	1	1	-	1	-	1	1	-	1
35-39 years-----	3	3	-	2	2	-	1	1	-	1	1	-
40-44 years-----	19	18	1	15	14	1	4	4	-	3	3	-
45-49 years-----	10	6	4	4	2	2	6	4	2	6	4	2
50-54 years-----	15	13	2	10	8	2	5	5	-	5	5	-
55-59 years-----	10	5	5	8	4	4	2	1	1	1	-	1
60-64 years-----	13	8	5	11	6	5	2	2	-	2	2	-
65-69 years-----	11	5	6	7	4	3	4	1	3	2	-	2
70-74 years-----	15	9	6	10	7	3	5	2	3	2	-	2
75-79 years-----	12	8	4	8	6	2	4	2	2	4	2	2
80-84 years-----	12	6	6	10	6	4	2	-	2	1	-	1
85-89 years-----	4	2	2	4	2	2	-	-	-	-	-	-
90-94 years-----	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Esophageal varices without bleeding (I85.9)

All ages-----	96	67	29	84	57	27	12	10	2	10	9	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	6	4	2	4	3	1	2	1	1	1	1	-
40-44 years-----	3	2	1	1	-	1	2	2	-	2	2	-
45-49 years-----	10	8	2	9	7	2	1	1	-	1	1	-
50-54 years-----	9	7	2	8	6	2	1	1	-	-	-	-
55-59 years-----	13	11	2	13	11	2	-	-	-	-	-	-
60-64 years-----	10	10	-	10	10	-	-	-	-	-	-	-
65-69 years-----	8	6	2	7	5	2	1	1	-	1	1	-
70-74 years-----	7	4	3	6	3	3	1	1	-	1	1	-
75-79 years-----	12	8	4	10	6	4	2	2	-	2	2	-
80-84 years-----	7	4	3	6	3	3	1	1	-	1	1	-
85-89 years-----	4	2	2	4	2	2	-	-	-	-	-	-
90-94 years-----	4	-	4	4	-	4	-	-	-	-	-	-
95-99 years-----	2	-	2	1	-	1	1	-	1	1	-	1
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Varicose veins of other sites (I86)												
All ages-----	34	20	14	32	19	13	2	1	1	1	-	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	2	1	1	2	1	1	-	-	-	-	-	-
45-49 years-----	3	1	2	3	1	2	-	-	-	-	-	-
50-54 years-----	3	3	-	3	3	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	3	2	1	2	2	-	1	-	1	1	-	1
65-69 years-----	3	2	1	3	2	1	-	-	-	-	-	-
70-74 years-----	6	1	5	6	1	5	-	-	-	-	-	-
75-79 years-----	4	3	1	4	3	1	-	-	-	-	-	-
80-84 years-----	7	6	1	6	5	1	1	1	-	-	-	-
85-89 years-----	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Scrotal varices (I86.1)

All ages-----	1	1	...	1	1	...	-	-	...	-	-	...
Under 1 year----	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years-----	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years-----	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years-----	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years-----	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years-----	1	1	...	1	1	...	-	-	...	-	-	...
80-84 years-----	-	-	...	-	-	...	-	-	...	-	-	...
85-89 years-----	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years-----	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...	-	-	...

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Gastric varices (I86.4)												
All ages-----	29	18	11	27	17	10	2	1	1	1	-	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	2	1	1	2	1	1	-	-	-	-	-	-
45-49 years-----	3	1	2	3	1	2	-	-	-	-	-	-
50-54 years-----	3	3	-	3	3	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	3	2	1	2	2	-	1	-	1	1	-	1
65-69 years-----	3	2	1	3	2	1	-	-	-	-	-	-
70-74 years-----	5	1	4	5	1	4	-	-	-	-	-	-
75-79 years-----	2	2	-	2	2	-	-	-	-	-	-	-
80-84 years-----	7	6	1	6	5	1	1	1	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Varicose veins of other specified sites (I86.8)

All ages-----	4	1	3	4	1	3	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other disorders of veins (I87)												
All ages-----	165	72	93	141	62	79	24	10	14	20	8	12
Under 1 year-----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	3	-	3	2	-	2	1	-	1	1	-	1
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	3	2	1	3	2	1	-	-	-	-	-	-
35-39 years-----	1	1	-	-	-	-	1	1	-	1	1	-
40-44 years-----	2	1	1	2	1	1	-	-	-	-	-	-
45-49 years-----	7	3	4	5	2	3	2	1	1	2	1	1
50-54 years-----	4	2	2	3	1	2	1	1	-	1	1	-
55-59 years-----	4	2	2	3	2	1	1	-	1	1	-	1
60-64 years-----	9	6	3	9	6	3	-	-	-	-	-	-
65-69 years-----	15	9	6	11	8	3	4	1	3	3	1	2
70-74 years-----	10	3	7	9	3	6	1	-	1	1	-	1
75-79 years-----	23	12	11	21	11	10	2	1	1	1	-	1
80-84 years-----	25	12	13	22	10	12	3	2	1	2	2	-
85-89 years-----	29	8	21	24	7	17	5	1	4	5	1	4
90-94 years-----	20	8	12	18	6	12	2	2	-	1	1	-
95-99 years-----	7	-	7	6	-	6	1	-	1	1	-	1
100 yrs & over---	1	1	-	1	1	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Compression of vein (I87.1)

All ages-----	32	11	21	23	8	15	9	3	6	6	2	4
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	2	-	2	1	-	1	1	-	1	1	-	1
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	-	-	-	1	1	-	1	1	-
40-44 years-----	2	1	1	2	1	1	-	-	-	-	-	-
45-49 years-----	3	1	2	2	-	2	1	1	-	1	1	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	-	1	-	-	-	1	-	1	1	-	1
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	6	1	5	3	1	2	3	-	3	2	-	2
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	4	3	1	3	2	1	1	1	-	-	-	-
80-84 years-----	4	2	2	3	2	1	1	-	1	-	-	-
85-89 years-----	5	2	3	5	2	3	-	-	-	-	-	-
90-94 years-----	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Venous insufficiency (chronic) (peripheral) (I87.2)												
All ages-----	55	27	28	49	24	25	6	3	3	5	2	3
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	3	2	1	3	2	1	-	-	-	-	-	-
50-54 years-----	2	-	2	2	-	2	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	3	2	1	3	2	1	-	-	-	-	-	-
65-69 years-----	4	3	1	4	3	1	-	-	-	-	-	-
70-74 years-----	2	1	1	1	1	-	1	-	1	1	-	1
75-79 years-----	5	3	2	5	3	2	-	-	-	-	-	-
80-84 years-----	11	7	4	10	6	4	1	1	-	1	1	-
85-89 years-----	11	4	7	9	4	5	2	-	2	2	-	2
90-94 years-----	10	4	6	8	2	6	2	2	-	1	1	-
95-99 years-----	3	-	3	3	-	3	-	-	-	-	-	-
100 yrs & over---	1	1	-	1	1	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other specified disorders of veins (I87.8)

All ages-----	70	32	38	62	28	34	8	4	4	8	4	4
Under 1 year-----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	-	-	-	1	-	1	1	-	1
50-54 years-----	2	2	-	1	1	-	1	1	-	1	1	-
55-59 years-----	3	2	1	3	2	1	-	-	-	-	-	-
60-64 years-----	6	4	2	6	4	2	-	-	-	-	-	-
65-69 years-----	5	5	-	4	4	-	1	1	-	1	1	-
70-74 years-----	5	2	3	5	2	3	-	-	-	-	-	-
75-79 years-----	13	6	7	12	6	6	1	-	1	1	-	1
80-84 years-----	9	2	7	8	1	7	1	1	-	1	1	-
85-89 years-----	11	2	9	9	1	8	2	1	1	2	1	1
90-94 years-----	8	4	4	8	4	4	-	-	-	-	-	-
95-99 years-----	3	-	3	2	-	2	1	-	1	1	-	1
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Disorder of vein, unspecified (I87.9)												
All ages-----	8	2	6	7	2	5	1	-	1	1	-	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	2	1	1	2	1	1	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	2	-	2	2	-	2	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	2	-	2	1	-	1	1	-	1	1	-	1
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Nonspecific lymphadenitis (I88)

All ages-----	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

RACE, AND SEX

Nonspecific lymphadenitis, unspecified (I88.9)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other noninfective disorders of lymphatic vessels and lymph nodes (I89)

All ages-----	68	22	46	58	16	42	10	6	4	7	4	3
Under 1 year-----	16	8	8	12	4	8	4	4	-	3	3	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	-	-	-	1	1	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	3	2	1	2	1	3	1	1	-	1	1	-
50-54 years-----	3	1	2	3	1	2	-	-	-	-	-	-
55-59 years-----	2	-	2	2	-	2	-	-	-	-	-	-
60-64 years-----	4	2	2	3	2	1	1	-	1	-	-	-
65-69 years-----	3	-	3	3	-	3	-	-	-	-	-	-
70-74 years-----	6	1	5	6	1	5	-	-	-	-	-	-
75-79 years-----	5	-	5	4	-	4	1	-	1	1	-	1
80-84 years-----	10	4	6	9	4	5	1	-	1	1	-	1
85-89 years-----	7	2	5	7	2	5	-	-	-	-	-	-
90-94 years-----	4	-	4	3	-	3	1	-	1	1	-	1
95-99 years-----	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Lymphedema, not elsewhere classified (I89.0)												
All ages-----	35	10	25	30	8	22	5	2	3	3	-	3
Under 1 year----	7	3	4	6	2	4	1	1	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	-	-	-	1	1	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	2	1	1	2	1	1	-	-	-	-	-	-
65-69 years-----	2	-	2	2	-	2	-	-	-	-	-	-
70-74 years-----	3	1	2	3	1	2	-	-	-	-	-	-
75-79 years-----	3	-	3	2	-	2	1	-	1	1	-	1
80-84 years-----	5	2	3	4	2	2	1	-	1	1	-	1
85-89 years-----	3	1	2	3	1	2	-	-	-	-	-	-
90-94 years-----	3	-	3	2	-	2	1	-	1	1	-	1
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Lymphangitis (I89.1)

All ages-----	3	1	2	1	-	1	2	1	1	1	1	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	-	-	-	1	1	-	1	1	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	1	-	1	-	-	-	1	-	1	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

ALL RACES WHITE ALL OTHER BLACK

Other specified noninfective disorders of lymphatic vessels and lymph nodes (I89.8)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	28	11	17	25	8	17	3	3	-	3	3	-
Under 1 year----	9	5	4	6	2	4	3	3	-	3	3	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	3	-	3	3	-	3	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	5	2	3	5	2	3	-	-	-	-	-	-
85-89 years-----	4	1	3	4	1	3	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Noninfective disorder of lymphatic vessels and lymph nodes, unspecified (I89.9)

All ages-----	2	-	2	2	-	2	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Hypotension (I95)												
All ages-----	377	171	206	315	137	178	62	34	28	53	26	27
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	2	-	2	2	-	2	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	2	1	1	1	1	-	1	-	1	1	-	1
35-39 years-----	5	1	4	4	1	3	1	-	1	1	-	1
40-44 years-----	3	2	1	3	2	1	-	-	-	-	-	-
45-49 years-----	13	7	6	9	4	5	4	3	1	4	3	1
50-54 years-----	6	5	1	4	3	1	2	2	-	2	2	-
55-59 years-----	18	12	6	13	9	4	5	3	2	4	2	2
60-64 years-----	25	14	11	17	11	6	8	3	5	7	2	5
65-69 years-----	33	19	14	28	16	12	5	3	2	5	3	2
70-74 years-----	40	18	22	35	16	19	5	2	3	4	2	2
75-79 years-----	52	29	23	42	22	20	10	7	3	9	6	3
80-84 years-----	69	25	44	60	21	39	9	4	5	7	2	5
85-89 years-----	58	24	34	49	19	30	9	5	4	6	2	4
90-94 years-----	38	10	28	35	8	27	3	2	1	3	2	1
95-99 years-----	9	2	7	9	2	7	-	-	-	-	-	-
100 yrs & over---	4	2	2	4	2	2	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Orthostatic hypotension (I95.1)												
All ages-----	30	17	13	30	17	13	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	4	2	2	4	2	2	-	-	-	-	-	-
70-74 years-----	4	3	1	4	3	1	-	-	-	-	-	-
75-79 years-----	5	3	2	5	3	2	-	-	-	-	-	-
80-84 years-----	6	2	4	6	2	4	-	-	-	-	-	-
85-89 years-----	4	3	1	4	3	1	-	-	-	-	-	-
90-94 years-----	5	2	3	5	2	3	-	-	-	-	-	-
95-99 years-----	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other hypotension (I95.8)												
All ages-----	10	5	5	8	5	3	2	-	2	2	-	2
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	1	-	-	-	1	-	1	1	-	1
65-69 years-----	2	2	-	2	2	-	-	-	-	-	-	-
70-74 years-----	3	1	2	3	1	2	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	-	-	-	1	-	1	1	-	1
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Hypotension, unspecified (I95.9)

All ages-----	337	149	188	277	115	162	60	34	26	51	26	25
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	2	-	2	2	-	2	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	2	1	1	1	1	-	1	-	1	1	-	1
35-39 years-----	5	1	4	4	1	3	1	-	1	1	-	1
40-44 years-----	2	1	1	2	1	1	-	-	-	-	-	-
45-49 years-----	13	7	6	9	4	5	4	3	1	4	3	1
50-54 years-----	5	4	1	3	2	1	2	2	-	2	2	-
55-59 years-----	18	12	6	13	9	4	5	3	2	4	2	2
60-64 years-----	24	14	10	17	11	6	7	3	4	6	2	4
65-69 years-----	27	15	12	22	12	10	5	3	2	5	3	2
70-74 years-----	33	14	19	28	12	16	5	2	3	4	2	2
75-79 years-----	46	25	21	36	18	18	10	7	3	9	6	3
80-84 years-----	63	23	40	54	19	35	9	4	5	7	2	5
85-89 years-----	53	21	32	45	16	29	8	5	3	5	2	3
90-94 years-----	32	8	24	29	6	23	3	2	1	3	2	1
95-99 years-----	8	1	7	8	1	7	-	-	-	-	-	-
100 yrs & over---	4	2	2	4	2	2	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other and unspecified disorders of circulatory system (I99)												
All ages-----	349	148	201	307	126	181	42	22	20	38	19	19
Under 1 year-----	2	1	1	1	1	-	1	-	1	1	-	1
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	3	3	-	2	2	-	1	1	-	1	1	-
45-49 years-----	6	3	3	6	3	3	-	-	-	-	-	-
50-54 years-----	7	5	2	3	3	-	4	2	2	3	1	2
55-59 years-----	6	3	3	6	3	3	-	-	-	-	-	-
60-64 years-----	12	4	8	7	2	5	5	2	3	5	2	3
65-69 years-----	22	15	7	15	10	5	7	5	2	6	4	2
70-74 years-----	37	21	16	32	18	14	5	3	2	4	2	2
75-79 years-----	54	22	32	47	19	28	7	3	4	6	3	3
80-84 years-----	74	29	45	71	27	44	3	2	1	3	2	1
85-89 years-----	57	29	28	51	26	25	6	3	3	6	3	3
90-94 years-----	46	10	36	43	9	34	3	1	2	3	1	2
95-99 years-----	17	2	15	17	2	15	-	-	-	-	-	-
100 yrs & over---	4	1	3	4	1	3	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Acute nasopharyngitis [common cold] (J00)

All ages-----	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year-----	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Acute sinusitis (J01)												
All ages-----	2	-	2	1	-	1	1	-	1	1	-	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	-	-	-	1	-	1	1	-	1
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Acute maxillary sinusitis (J01.0)

All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Acute sinusitis, unspecified (J01.9)												
All ages-----	1	-	1	-	-	-	1	-	1	1	-	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	-	-	-	1	-	1	1	-	1
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Acute pharyngitis (J02)												
All ages-----	13	7	6	10	4	6	3	3	-	3	3	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	-	-	-	1	1	-	1	1	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years-----	2	-	2	2	-	2	-	-	-	-	-	-
85-89 years-----	2	2	-	-	-	-	2	2	-	2	2	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Streptococcal pharyngitis (J02.0)												
All ages-----	2	-	2	2	-	2	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Acute pharyngitis, unspecified (J02.9)												
All ages-----	11	7	4	8	4	4	3	3	-	3	3	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	-	-	-	1	1	-	1	1	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years-----	2	-	2	2	-	2	-	-	-	-	-	-
85-89 years-----	2	2	-	-	-	-	2	2	-	2	2	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Acute tonsillitis (J03)												
All ages-----	4	2	2	3	2	1	1	-	1	1	-	1
Under 1 year----	1	-	1	-	-	-	1	-	1	1	-	1
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Streptococcal tonsillitis (J03.0)

All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Acute tonsillitis due to other specified organisms (J03.8)												
All ages-----	1	-	1	-	-	-	1	-	1	1	-	1
Under 1 year----	1	-	1	-	-	-	1	-	1	1	-	1
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Acute tonsillitis, unspecified (J03.9)

All ages-----	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Acute laryngitis and tracheitis (J04)												
All ages-----	28	19	9	21	13	8	7	6	1	6	5	1
Under 1 year-----	4	3	1	1	1	-	3	2	1	2	1	1
1-4 years-----	8	7	1	7	6	1	1	1	-	1	1	-
5-9 years-----	2	2	-	-	-	-	2	2	-	2	2	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	-	-	-	1	1	-	1	1	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Acute laryngitis (J04.0)

All ages-----	8	6	2	5	3	2	3	3	-	2	2	-
Under 1 year-----	1	1	-	-	-	-	1	1	-	-	-	-
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	1	1	-	-	-	-	1	1	-	1	1	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	-	1	-	1	1	-	1	1	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Acute tracheitis (J04.1)												
All ages-----	11	7	4	9	6	3	2	1	1	2	1	1
Under 1 year----	3	2	1	1	1	-	2	1	1	2	1	1
1-4 years-----	3	3	-	3	3	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Acute laryngotracheitis (J04.2)

All ages-----	9	6	3	7	4	3	2	2	-	2	2	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	4	3	1	3	2	1	1	1	-	1	1	-
5-9 years-----	1	1	-	-	-	-	1	1	-	1	1	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Acute obstructive laryngitis [croup] and epiglottitis (J05)												
All ages-----	28	20	8	19	15	4	9	5	4	5	2	3
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	3	1	2	2	-	2	1	1	-	1	1	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	2	1	1	1	1	-	1	-	1	1	-	1
35-39 years-----	5	3	2	2	2	-	3	1	2	2	-	2
40-44 years-----	4	4	-	4	4	-	-	-	-	-	-	-
45-49 years-----	3	3	-	2	2	-	1	1	-	-	-	-
50-54 years-----	1	-	1	-	-	-	1	-	1	-	-	-
55-59 years-----	2	2	-	2	2	-	-	-	-	-	-	-
60-64 years-----	2	2	-	1	1	-	1	1	-	1	1	-
65-69 years-----	2	2	-	1	1	-	1	1	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Acute obstructive laryngitis [croup] (J05.0)

All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Acute epiglottitis (J05.1)												
All ages-----	27	20	7	18	15	3	9	5	4	5	2	3
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	2	1	1	1	-	1	1	1	-	1	1	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	2	1	1	1	1	-	1	-	1	1	-	1
35-39 years-----	5	3	2	2	2	-	3	1	2	2	-	2
40-44 years-----	4	4	-	4	4	-	-	-	-	-	-	-
45-49 years-----	3	3	-	2	2	-	1	1	-	-	-	-
50-54 years-----	1	-	1	-	-	-	1	-	1	-	-	-
55-59 years-----	2	2	-	2	2	-	-	-	-	-	-	-
60-64 years-----	2	2	-	1	1	-	1	1	-	1	1	-
65-69 years-----	2	2	-	1	1	-	1	1	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Acute upper respiratory infections of multiple and unspecified sites (J06)

All ages-----	135	49	86	120	39	81	15	10	5	14	9	5
Under 1 year-----	4	3	1	3	2	1	1	1	-	1	1	-
1-4 years-----	3	3	-	2	2	-	1	1	-	1	1	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	2	1	1	2	1	1	-	-	-	-	-	-
30-34 years-----	3	3	-	1	1	-	2	2	-	2	2	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	1	1	-	-	-	-	1	1	-	1	1	-
50-54 years-----	4	2	2	3	2	1	1	-	1	1	-	1
55-59 years-----	2	-	2	1	-	1	1	-	1	1	-	1
60-64 years-----	4	2	2	3	1	2	1	1	-	1	1	-
65-69 years-----	3	2	1	3	2	1	-	-	-	-	-	-
70-74 years-----	8	5	3	6	4	2	2	1	1	2	1	1
75-79 years-----	11	4	7	11	4	7	-	-	-	-	-	-
80-84 years-----	22	10	12	20	9	11	2	1	1	1	-	1
85-89 years-----	25	7	18	25	7	18	-	-	-	-	-	-
90-94 years-----	19	2	17	18	1	17	1	1	-	1	1	-
95-99 years-----	14	2	12	12	1	11	2	1	1	2	1	1
100 yrs & over---	8	-	8	8	-	8	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other acute upper respiratory infections of multiple sites (J06.8)												
All ages-----	2	1	1	-	-	-	2	1	1	2	1	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	-	-	-	1	1	-	1	1	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	-	1	-	-	-	1	-	1	1	-	1
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Acute upper respiratory infection, unspecified (J06.9)

All ages-----	133	48	85	120	39	81	13	9	4	12	8	4
Under 1 year----	4	3	1	3	2	1	1	1	-	1	1	-
1-4 years-----	3	3	-	2	2	-	1	1	-	1	1	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	2	1	1	2	1	1	-	-	-	-	-	-
30-34 years-----	2	2	-	1	1	-	1	1	-	1	1	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	1	1	-	-	-	-	1	1	-	1	1	-
50-54 years-----	3	2	1	3	2	1	-	-	-	-	-	-
55-59 years-----	2	-	2	1	-	1	1	-	1	1	-	1
60-64 years-----	4	2	2	3	1	2	1	1	-	1	1	-
65-69 years-----	3	2	1	3	2	1	-	-	-	-	-	-
70-74 years-----	8	5	3	6	4	2	2	1	1	2	1	1
75-79 years-----	11	4	7	11	4	7	-	-	-	-	-	-
80-84 years-----	22	10	12	20	9	11	2	1	1	1	-	1
85-89 years-----	25	7	18	25	7	18	-	-	-	-	-	-
90-94 years-----	19	2	17	18	1	17	1	1	-	1	1	-
95-99 years-----	14	2	12	12	1	11	2	1	1	2	1	1
100 yrs & over---	8	-	8	8	-	8	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Influenza due to identified influenza virus (J10)												
All ages-----	60	26	34	56	23	33	4	3	1	1	1	-
Under 1 year-----	2	2	-	1	1	-	1	1	-	-	-	-
1-4 years-----	4	3	1	2	2	-	2	1	1	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	7	4	3	7	4	3	-	-	-	-	-	-
75-79 years-----	2	-	2	2	-	2	-	-	-	-	-	-
80-84 years-----	11	6	5	10	5	5	1	1	-	1	1	-
85-89 years-----	13	5	8	13	5	8	-	-	-	-	-	-
90-94 years-----	6	-	6	6	-	6	-	-	-	-	-	-
95-99 years-----	9	4	5	9	4	5	-	-	-	-	-	-
100 yrs & over---	2	-	2	2	-	2	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Influenza with pneumonia, influenza virus identified (J10.0)

All ages-----	26	10	16	25	9	16	1	1	-	-	-	-
Under 1 year-----	1	1	-	-	-	-	1	1	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	4	2	2	4	2	2	-	-	-	-	-	-
85-89 years-----	7	4	3	7	4	3	-	-	-	-	-	-
90-94 years-----	5	-	5	5	-	5	-	-	-	-	-	-
95-99 years-----	3	1	2	3	1	2	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

RACE, AND SEX

Influenza with other respiratory manifestations, influenza virus identified (J10.1)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	34	16	18	31	14	17	3	2	1	1	1	-
Under 1 year----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	4	3	1	2	2	-	2	1	1	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	6	3	3	6	3	3	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	7	4	3	6	3	3	1	1	-	1	1	-
85-89 years-----	6	1	5	6	1	5	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	6	3	3	6	3	3	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Influenza, virus not identified (J11)

All ages-----	1,605	576	1,029	1,518	546	972	87	30	57	65	23	42
Under 1 year----	11	4	7	6	-	6	5	4	1	4	3	1
1-4 years-----	8	6	2	6	4	2	2	2	-	1	1	-
5-9 years-----	6	4	2	6	4	2	-	-	-	-	-	-
10-14 years-----	5	1	4	4	1	3	1	-	1	-	-	-
15-19 years-----	7	1	6	6	1	5	1	-	1	1	-	1
20-24 years-----	4	1	3	4	1	3	-	-	-	-	-	-
25-29 years-----	2	-	2	1	-	1	1	-	1	1	-	1
30-34 years-----	7	5	2	7	5	2	-	-	-	-	-	-
35-39 years-----	8	5	3	4	3	1	4	2	2	3	1	2
40-44 years-----	7	4	3	5	3	2	2	1	1	2	1	1
45-49 years-----	12	7	5	11	6	5	1	1	-	1	1	-
50-54 years-----	13	7	6	10	6	4	3	1	2	2	1	1
55-59 years-----	28	13	15	25	13	12	3	-	3	3	-	3
60-64 years-----	41	23	18	38	22	16	3	1	2	2	1	1
65-69 years-----	60	27	33	55	24	31	5	3	2	3	2	1
70-74 years-----	97	43	54	86	39	47	11	4	7	10	4	6
75-79 years-----	152	71	81	144	70	74	8	1	7	5	1	4
80-84 years-----	286	125	161	273	119	154	13	6	7	9	4	5
85-89 years-----	355	122	233	343	119	224	12	3	9	8	2	6
90-94 years-----	297	70	227	292	70	222	5	-	5	4	-	4
95-99 years-----	153	31	122	148	30	118	5	1	4	4	1	3
100 yrs & over---	46	6	40	44	6	38	2	-	2	2	-	2
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Influenza with pneumonia, virus not identified (J11.0)												
All ages-----	731	274	457	690	261	429	41	13	28	32	11	21
Under 1 year-----	7	2	5	5	-	5	2	2	-	2	2	-
1-4 years-----	3	2	1	2	1	1	1	1	-	-	-	-
5-9 years-----	3	2	1	3	2	1	-	-	-	-	-	-
10-14 years-----	4	-	4	3	-	3	1	-	1	-	-	-
15-19 years-----	4	-	4	3	-	3	1	-	1	1	-	1
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	2	-	2	1	-	1	1	-	1	1	-	1
30-34 years-----	4	4	-	4	4	-	-	-	-	-	-	-
35-39 years-----	3	3	-	2	2	-	1	1	-	1	1	-
40-44 years-----	2	1	1	2	1	1	-	-	-	-	-	-
45-49 years-----	8	4	4	8	4	4	-	-	-	-	-	-
50-54 years-----	6	2	4	5	2	3	1	-	1	1	-	1
55-59 years-----	14	9	5	13	9	4	1	-	1	1	-	1
60-64 years-----	24	16	8	22	15	7	2	1	1	2	1	1
65-69 years-----	19	13	6	19	13	6	-	-	-	-	-	-
70-74 years-----	36	16	20	33	15	18	3	1	2	2	1	1
75-79 years-----	72	34	38	65	33	32	7	1	6	5	1	4
80-84 years-----	133	54	79	126	50	76	7	4	3	6	4	2
85-89 years-----	183	70	113	175	68	107	8	2	6	6	1	5
90-94 years-----	116	25	91	115	25	90	1	-	1	1	-	1
95-99 years-----	74	16	58	71	16	55	3	-	3	2	-	2
100 yrs & over---	14	1	13	13	1	12	1	-	1	1	-	1
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Influenza with other respiratory manifestations, virus not identified (J11.1)

All ages-----	840	289	551	795	273	522	45	16	29	33	12	21
Under 1 year-----	3	1	2	1	-	1	2	1	1	2	1	1
1-4 years-----	3	3	-	2	2	-	1	1	-	1	1	-
5-9 years-----	2	1	1	2	1	1	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	3	1	2	3	1	2	-	-	-	-	-	-
20-24 years-----	4	1	3	4	1	3	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	3	1	2	3	1	2	-	-	-	-	-	-
35-39 years-----	5	2	3	2	1	1	3	1	2	2	-	2
40-44 years-----	5	3	2	3	2	1	2	1	1	2	1	1
45-49 years-----	4	3	1	3	2	1	1	1	-	1	1	-
50-54 years-----	7	5	2	5	4	1	2	1	1	1	1	-
55-59 years-----	13	4	9	11	4	7	2	-	2	2	-	2
60-64 years-----	15	6	9	14	6	8	1	-	1	-	-	-
65-69 years-----	39	14	25	34	11	23	5	3	2	3	2	1
70-74 years-----	60	27	33	52	24	28	8	3	5	8	3	5
75-79 years-----	74	35	39	73	35	38	1	-	1	-	-	-
80-84 years-----	145	65	80	139	63	76	6	2	4	3	-	3
85-89 years-----	171	52	119	167	51	116	4	1	3	2	1	1
90-94 years-----	175	45	130	171	45	126	4	-	4	3	-	3
95-99 years-----	77	15	62	75	14	61	2	1	1	2	1	1
100 yrs & over---	32	5	27	31	5	26	1	-	1	1	-	1
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Influenza with other manifestations, virus not identified (J11.8)												
All ages-----	34	13	21	33	12	21	1	1	-	-	-	-
Under 1 year----	1	1	-	-	-	-	1	1	-	-	-	-
1-4 years-----	2	1	1	2	1	1	-	-	-	-	-	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	2	1	1	2	1	1	-	-	-	-	-	-
65-69 years-----	2	-	2	2	-	2	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	6	2	4	6	2	4	-	-	-	-	-	-
80-84 years-----	8	6	2	8	6	2	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	6	-	6	6	-	6	-	-	-	-	-	-
95-99 years-----	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Viral pneumonia, not elsewhere classified (J12)

All ages-----	407	183	224	334	147	187	73	36	37	58	29	29
Under 1 year----	79	43	36	50	29	21	29	14	15	25	11	14
1-4 years-----	22	9	13	11	4	7	11	5	6	10	5	5
5-9 years-----	5	1	4	4	-	4	1	1	-	1	1	-
10-14 years-----	5	4	1	3	3	-	2	1	1	1	1	-
15-19 years-----	1	-	1	-	-	-	1	-	1	1	-	1
20-24 years-----	4	2	2	1	-	1	3	2	1	2	1	1
25-29 years-----	4	2	2	1	1	-	3	1	2	3	1	2
30-34 years-----	2	2	-	2	2	-	-	-	-	-	-	-
35-39 years-----	10	5	5	9	5	4	1	-	1	1	-	1
40-44 years-----	8	4	4	5	1	4	3	3	-	2	2	-
45-49 years-----	3	1	2	2	-	2	1	1	-	1	1	-
50-54 years-----	5	1	4	5	1	4	-	-	-	-	-	-
55-59 years-----	10	5	5	10	5	5	-	-	-	-	-	-
60-64 years-----	13	6	7	12	6	6	1	-	1	-	-	-
65-69 years-----	23	8	15	20	8	12	3	-	3	2	-	2
70-74 years-----	21	9	12	20	9	11	1	-	1	-	-	-
75-79 years-----	35	28	7	30	23	7	5	5	-	3	3	-
80-84 years-----	59	31	28	56	29	27	3	2	1	2	2	-
85-89 years-----	32	10	22	30	9	21	2	1	1	2	1	1
90-94 years-----	41	9	32	40	9	31	1	-	1	1	-	1
95-99 years-----	19	2	17	17	2	15	2	-	2	1	-	1
100 yrs & over---	6	1	5	6	1	5	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Adenoviral pneumonia (J12.0)												
All ages-----	11	5	6	7	3	4	4	2	2	2	1	1
Under 1 year-----	5	2	3	4	1	3	1	1	-	-	-	-
1-4 years-----	4	2	2	2	1	1	2	1	1	2	1	1
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	-	-	-	1	-	1	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Respiratory syncytial virus pneumonia (J12.1)												
All ages-----	30	20	10	20	13	7	10	7	3	9	6	3
Under 1 year-----	23	15	8	16	10	6	7	5	2	6	4	2
1-4 years-----	3	3	-	1	1	-	2	2	-	2	2	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	-	1	-	-	-	1	-	1	1	-	1
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Parainfluenza virus pneumonia (J12.2)												
All ages-----	2	-	2	2	-	2	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	2	-	2	2	-	2	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Other viral pneumonia (J12.8)												
All ages-----	2	2	-	1	1	-	1	1	-	1	1	-
Under 1 year-----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	1	1	-	-	-	-	1	1	-	1	1	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Viral pneumonia, unspecified (J12.9)												
All ages-----	362	156	206	304	130	174	58	26	32	46	21	25
Under 1 year-----	50	25	25	29	17	12	21	8	13	19	7	12
1-4 years-----	12	3	9	6	2	4	6	1	5	5	1	4
5-9 years-----	5	1	4	4	-	4	1	1	-	1	1	-
10-14 years-----	3	3	-	2	2	-	1	1	-	1	1	-
15-19 years-----	1	-	1	-	-	-	1	-	1	1	-	1
20-24 years-----	3	2	1	1	-	1	2	2	-	1	1	-
25-29 years-----	4	2	2	1	1	-	3	1	2	3	1	2
30-34 years-----	2	2	-	2	2	-	-	-	-	-	-	-
35-39 years-----	10	5	5	9	5	4	1	-	1	1	-	1
40-44 years-----	8	4	4	5	1	4	3	3	-	2	2	-
45-49 years-----	3	1	2	2	-	2	1	1	-	1	1	-
50-54 years-----	5	1	4	5	1	4	-	-	-	-	-	-
55-59 years-----	10	5	5	10	5	5	-	-	-	-	-	-
60-64 years-----	13	6	7	12	6	6	1	-	1	-	-	-
65-69 years-----	22	7	15	19	7	12	3	-	3	2	-	2
70-74 years-----	21	9	12	20	9	11	1	-	1	-	-	-
75-79 years-----	33	27	6	28	22	6	5	5	-	3	3	-
80-84 years-----	59	31	28	56	29	27	3	2	1	2	2	-
85-89 years-----	32	10	22	30	9	21	2	1	1	2	1	1
90-94 years-----	41	9	32	40	9	31	1	-	1	1	-	1
95-99 years-----	19	2	17	17	2	15	2	-	2	1	-	1
100 yrs & over---	6	1	5	6	1	5	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Pneumonia due to Streptococcus pneumoniae (J13)

All ages-----	661	277	384	545	223	322	116	54	62	80	34	46
Under 1 year-----	1	-	1	-	-	-	1	-	1	-	-	-
1-4 years-----	5	3	2	2	-	2	3	3	-	2	2	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	2	1	1	2	1	1	-	-	-	-	-	-
20-24 years-----	2	1	1	-	-	-	2	1	1	1	1	-
25-29 years-----	8	5	3	7	5	2	1	-	1	1	-	1
30-34 years-----	5	1	4	2	-	2	3	1	2	2	1	1
35-39 years-----	32	13	19	22	9	13	10	4	6	7	2	5
40-44 years-----	53	25	28	32	16	16	21	9	12	14	5	9
45-49 years-----	38	19	19	30	14	16	8	5	3	5	3	2
50-54 years-----	31	17	14	23	12	11	8	5	3	5	2	3
55-59 years-----	28	13	15	20	10	10	8	3	5	7	2	5
60-64 years-----	36	15	21	29	12	17	7	3	4	5	2	3
65-69 years-----	39	20	19	36	17	19	3	3	-	2	2	-
70-74 years-----	51	24	27	45	22	23	6	2	4	6	2	4
75-79 years-----	80	31	49	71	28	43	9	3	6	5	1	4
80-84 years-----	89	40	49	84	37	47	5	3	2	3	3	-
85-89 years-----	85	29	56	77	25	52	8	4	4	6	2	4
90-94 years-----	53	18	35	42	13	29	11	5	6	8	4	4
95-99 years-----	18	2	16	16	2	14	2	-	2	1	-	1
100 yrs & over---	4	-	4	4	-	4	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Pneumonia due to Hemophilus influenzae (J14)												
All ages-----	49	24	25	44	22	22	5	2	3	4	2	2
Under 1 year----	4	2	2	1	-	1	3	2	1	3	2	1
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years-----	1	-	1	-	-	-	1	-	1	1	-	1
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	4	-	4	4	-	4	-	-	-	-	-	-
70-74 years-----	6	3	3	5	3	2	1	-	1	-	-	-
75-79 years-----	3	2	1	3	2	1	-	-	-	-	-	-
80-84 years-----	10	7	3	10	7	3	-	-	-	-	-	-
85-89 years-----	12	4	8	12	4	8	-	-	-	-	-	-
90-94 years-----	3	1	2	3	1	2	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Bacterial pneumonia, not elsewhere classified (J15)

All ages-----	3,162	1,572	1,590	2,737	1,341	1,396	425	231	194	340	185	155
Under 1 year----	46	22	24	27	15	12	19	7	12	14	5	9
1-4 years-----	15	8	7	9	4	5	6	4	2	3	2	1
5-9 years-----	4	3	1	4	3	1	-	-	-	-	-	-
10-14 years-----	6	2	4	5	2	3	1	-	1	1	-	1
15-19 years-----	5	2	3	3	2	1	2	-	2	1	-	1
20-24 years-----	8	4	4	6	3	3	2	1	1	1	-	1
25-29 years-----	8	6	2	5	3	2	3	3	-	3	3	-
30-34 years-----	14	7	7	9	6	3	5	1	4	5	1	4
35-39 years-----	46	22	24	33	13	20	13	9	4	10	7	3
40-44 years-----	49	26	23	33	17	16	16	9	7	15	9	6
45-49 years-----	64	40	24	44	27	17	20	13	7	19	12	7
50-54 years-----	66	48	18	53	36	17	13	12	1	13	12	1
55-59 years-----	110	65	45	89	50	39	21	15	6	20	15	5
60-64 years-----	128	66	62	101	54	47	27	12	15	23	9	14
65-69 years-----	182	111	71	153	95	58	29	16	13	23	13	10
70-74 years-----	324	189	135	273	158	115	51	31	20	45	27	18
75-79 years-----	445	239	206	394	211	183	51	28	23	41	22	19
80-84 years-----	565	284	281	510	254	256	55	30	25	39	21	18
85-89 years-----	542	251	291	497	226	271	45	25	20	34	17	17
90-94 years-----	365	122	243	335	110	225	30	12	18	21	8	13
95-99 years-----	134	46	88	122	43	79	12	3	9	6	2	4
100 yrs & over---	35	9	26	31	9	22	4	-	4	3	-	3
Not stated-----	1	-	1	1	-	1	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Pneumonia due to <i>Klebsiella pneumoniae</i> (J15.0)												
All ages-----	117	70	47	87	55	32	30	15	15	24	12	12
Under 1 year-----	5	3	2	4	3	1	1	-	1	1	-	1
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	2	1	1	1	1	-	1	-	1	1	-	1
40-44 years-----	4	3	1	2	2	-	2	1	1	2	1	1
45-49 years-----	3	2	1	1	1	-	2	1	1	2	1	1
50-54 years-----	5	4	1	4	3	1	1	1	-	1	1	-
55-59 years-----	2	1	1	1	1	-	1	-	1	1	-	1
60-64 years-----	5	5	-	4	4	-	1	1	-	1	1	-
65-69 years-----	4	4	-	3	3	-	1	1	-	-	-	-
70-74 years-----	12	7	5	10	6	4	2	1	1	2	1	1
75-79 years-----	19	12	7	14	9	5	5	3	2	4	2	2
80-84 years-----	14	9	5	11	7	4	3	2	1	3	2	1
85-89 years-----	20	11	9	19	10	9	1	1	-	1	1	-
90-94 years-----	14	5	9	10	4	6	4	1	3	1	-	1
95-99 years-----	6	2	4	3	1	2	3	1	2	2	1	1
100 yrs & over---	1	-	1	-	-	-	1	-	1	1	-	1
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Pneumonia due to *Pseudomonas* (J15.1)

All ages-----	339	196	143	290	173	117	49	23	26	37	18	19
Under 1 year-----	7	3	4	4	2	2	3	1	2	3	1	2
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	4	2	2	3	2	1	1	-	1	1	-	1
35-39 years-----	3	1	2	3	1	2	-	-	-	-	-	-
40-44 years-----	5	3	2	2	1	1	3	2	1	3	2	1
45-49 years-----	7	6	1	6	5	1	1	1	-	1	1	-
50-54 years-----	8	6	2	8	6	2	-	-	-	-	-	-
55-59 years-----	17	9	8	13	7	6	4	2	2	3	2	1
60-64 years-----	27	16	11	25	16	9	2	-	2	1	-	1
65-69 years-----	33	20	13	27	18	9	6	2	4	4	1	3
70-74 years-----	54	33	21	47	29	18	7	4	3	5	3	2
75-79 years-----	56	35	21	49	32	17	7	3	4	6	3	3
80-84 years-----	55	31	24	47	26	21	8	5	3	6	3	3
85-89 years-----	32	18	14	27	16	11	5	2	3	3	1	2
90-94 years-----	19	7	12	18	7	11	1	-	1	-	-	-
95-99 years-----	6	3	3	5	2	3	1	1	-	1	1	-
100 yrs & over---	1	1	-	1	1	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Pneumonia due to staphylococcus (J15.2)												
All ages-----	956	506	450	853	443	410	103	63	40	87	52	35
Under 1 year-----	5	2	3	2	-	2	3	2	1	2	1	1
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	2	1	1	2	1	1	-	-	-	-	-	-
10-14 years-----	2	1	1	2	1	1	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	2	-	2	1	-	1	1	-	1	1	-	1
25-29 years-----	5	3	2	3	1	2	2	2	-	2	2	-
30-34 years-----	3	1	2	3	1	2	-	-	-	-	-	-
35-39 years-----	11	6	5	7	4	3	4	2	2	3	2	1
40-44 years-----	11	2	9	10	2	8	1	-	1	1	-	1
45-49 years-----	13	6	7	8	4	4	5	2	3	5	2	3
50-54 years-----	15	11	4	11	7	4	4	4	-	4	4	-
55-59 years-----	35	17	18	29	14	15	6	3	3	6	3	3
60-64 years-----	29	13	16	26	12	14	3	1	2	2	-	2
65-69 years-----	64	39	25	60	35	25	4	4	-	4	4	-
70-74 years-----	108	64	44	92	53	39	16	11	5	15	10	5
75-79 years-----	160	91	69	148	82	66	12	9	3	9	7	2
80-84 years-----	184	98	86	166	87	79	18	11	7	13	7	6
85-89 years-----	186	100	86	171	90	81	15	10	5	13	8	5
90-94 years-----	90	38	52	85	36	49	5	2	3	5	2	3
95-99 years-----	27	11	16	24	11	13	3	-	3	2	-	2
100 yrs & over---	3	1	2	2	1	1	1	-	1	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Pneumonia due to streptococcus, group B (J15.3)

All ages-----	2	1	1	1	1	-	1	-	1	-	-	-
Under 1 year-----	1	-	1	-	-	-	1	-	1	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Pneumonia due to other streptococci (J15.4)												
All ages-----	280	132	148	236	110	126	44	22	22	35	16	19
Under 1 year----	11	7	4	8	5	3	3	2	1	2	1	1
1-4 years-----	7	3	4	5	1	4	2	2	-	1	1	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	3	1	2	2	1	1	1	-	1	1	-	1
15-19 years-----	2	-	2	-	-	-	2	-	2	1	-	1
20-24 years-----	2	1	1	2	1	1	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	6	3	3	3	3	-	3	-	3	3	-	3
35-39 years-----	16	7	9	13	4	9	3	3	-	1	1	-
40-44 years-----	17	10	7	13	8	5	4	2	2	4	2	2
45-49 years-----	14	7	7	12	6	6	2	1	1	2	1	1
50-54 years-----	17	10	7	15	8	7	2	2	-	2	2	-
55-59 years-----	16	11	5	14	9	5	2	2	-	2	2	-
60-64 years-----	19	8	11	14	6	8	5	2	3	4	1	3
65-69 years-----	16	8	8	15	7	8	1	1	-	1	1	-
70-74 years-----	12	8	4	9	7	2	3	1	2	3	1	2
75-79 years-----	27	10	17	23	9	14	4	1	3	3	1	2
80-84 years-----	37	13	24	34	11	23	3	2	1	3	2	1
85-89 years-----	31	13	18	30	13	17	1	-	1	1	-	1
90-94 years-----	18	7	11	16	6	10	2	1	1	-	-	-
95-99 years-----	6	3	3	5	3	2	1	-	1	1	-	1
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Pneumonia due to Escherichia coli (J15.5)

All ages-----	23	14	9	16	11	5	7	3	4	6	3	3
Under 1 year----	4	3	1	2	2	-	2	1	1	2	1	1
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	3	1	2	2	1	1	1	-	1	1	-	1
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	1	-	1	-	-	-	1	-	1	-	-	-
70-74 years-----	2	2	-	1	1	-	1	1	-	1	1	-
75-79 years-----	4	2	2	3	2	1	1	-	1	1	-	1
80-84 years-----	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years-----	4	3	1	3	2	1	1	1	-	1	1	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	2	2	-	2	2	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Pneumonia due to other aerobic Gram-negative bacteria (J15.6)												
All ages-----	29	15	14	25	13	12	4	2	2	2	1	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	2	1	1	1	-	1	1	1	-	1	1	-
45-49 years-----	2	1	1	1	1	-	1	-	1	1	-	1
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	3	2	1	3	2	1	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	4	1	3	4	1	3	-	-	-	-	-	-
75-79 years-----	5	3	2	4	2	2	1	1	-	-	-	-
80-84 years-----	5	3	2	4	3	1	1	-	1	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	3	2	1	3	2	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Pneumonia due to Mycoplasma pneumoniae (J15.7)

All ages-----	43	22	21	41	22	19	2	-	2	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	9	6	3	9	6	3	-	-	-	-	-	-
75-79 years-----	5	1	4	5	1	4	-	-	-	-	-	-
80-84 years-----	9	6	3	8	6	2	1	-	1	-	-	-
85-89 years-----	3	2	1	3	2	1	-	-	-	-	-	-
90-94 years-----	7	2	5	7	2	5	-	-	-	-	-	-
95-99 years-----	4	-	4	3	-	3	1	-	1	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other bacterial pneumonia (J15.8)												
All ages-----	87	43	44	71	34	37	16	9	7	14	8	6
Under 1 year----	1	-	1	-	-	-	1	-	1	1	-	1
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	-	-	-	1	-	1	1	-	1
40-44 years-----	2	1	1	1	-	1	1	1	-	1	1	-
45-49 years-----	4	3	1	3	2	1	1	1	-	-	-	-
50-54 years-----	3	3	-	-	-	-	3	3	-	3	3	-
55-59 years-----	4	3	1	3	2	1	1	1	-	1	1	-
60-64 years-----	7	4	3	4	3	1	3	1	2	3	1	2
65-69 years-----	9	7	2	8	6	2	1	1	-	1	1	-
70-74 years-----	6	2	4	5	1	4	1	1	-	1	1	-
75-79 years-----	8	4	4	8	4	4	-	-	-	-	-	-
80-84 years-----	23	12	11	21	12	9	2	-	2	1	-	1
85-89 years-----	15	4	11	14	4	10	1	-	1	1	-	1
90-94 years-----	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years-----	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Bacterial pneumonia, unspecified (J15.9)

All ages-----	1,286	573	713	1,117	479	638	169	94	75	135	75	60
Under 1 year----	12	4	8	7	3	4	5	1	4	3	1	2
1-4 years-----	7	4	3	3	2	1	4	2	2	2	1	1
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	3	3	-	2	2	-	1	1	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	-	-	-	1	1	-	1	1	-
35-39 years-----	12	7	5	8	3	5	4	4	-	4	4	-
40-44 years-----	8	6	2	4	4	-	4	2	2	3	2	1
45-49 years-----	20	14	6	12	7	5	8	7	1	8	7	1
50-54 years-----	13	11	2	11	9	2	2	2	-	2	2	-
55-59 years-----	32	22	10	25	15	10	7	7	-	7	7	-
60-64 years-----	38	19	19	25	12	13	13	7	6	12	6	6
65-69 years-----	54	32	22	39	25	14	15	7	8	13	6	7
70-74 years-----	117	66	51	96	54	42	21	12	9	18	10	8
75-79 years-----	161	81	80	140	70	70	21	11	10	18	9	9
80-84 years-----	236	111	125	217	101	116	19	10	9	13	7	6
85-89 years-----	250	100	150	229	89	140	21	11	10	14	6	8
90-94 years-----	211	60	151	193	52	141	18	8	10	15	6	9
95-99 years-----	81	25	56	78	24	54	3	1	2	-	-	-
100 yrs & over---	29	7	22	27	7	20	2	-	2	2	-	2
Not stated-----	1	-	1	1	-	1	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Pneumonia due to other infectious organisms, not elsewhere classified (J16)												
All ages-----	10	5	5	6	3	3	4	2	2	1	1	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	1	-	-	-	-	1	1	-	1	1	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	-	-	-	1	1	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	2	2	-	2	2	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	3	-	3	2	-	2	1	-	1	-	-	-
85-89 years-----	2	1	1	1	1	-	1	-	1	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Chlamydial pneumonia (J16.0)

All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Pneumonia due to other specified infectious organisms (J16.8)												
All ages-----	9	4	5	5	2	3	4	2	2	1	1	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	1	-	-	-	-	1	1	-	1	1	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	-	-	-	1	1	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	2	2	-	2	2	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	3	-	3	2	-	2	1	-	1	-	-	-
85-89 years-----	1	-	1	-	-	-	1	-	1	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Pneumonia, organism unspecified (J18)

All ages-----	57,776	25,055	32,721	51,454	21,976	29,478	6,322	3,079	3,243	5,327	2,550	2,777
Under 1 year----	177	98	79	99	58	41	78	40	38	69	37	32
1-4 years-----	76	37	39	45	19	26	31	18	13	27	15	12
5-9 years-----	28	17	11	20	13	7	8	4	4	6	3	3
10-14 years-----	31	19	12	24	15	9	7	4	3	5	2	3
15-19 years-----	58	30	28	43	22	21	15	8	7	11	6	5
20-24 years-----	87	47	40	55	31	24	32	16	16	31	15	16
25-29 years-----	113	63	50	71	41	30	42	22	20	39	21	18
30-34 years-----	176	106	70	117	71	46	59	35	24	53	31	22
35-39 years-----	366	206	160	259	151	108	107	55	52	100	52	48
40-44 years-----	483	282	201	311	172	139	172	110	62	158	99	59
45-49 years-----	680	432	248	469	298	171	211	134	77	197	125	72
50-54 years-----	782	484	298	573	347	226	209	137	72	188	125	63
55-59 years-----	919	514	405	714	393	321	205	121	84	182	111	71
60-64 years-----	1,307	739	568	1,018	570	448	289	169	120	255	149	106
65-69 years-----	2,073	1,228	845	1,725	1,020	705	348	208	140	303	183	120
70-74 years-----	3,971	2,225	1,746	3,400	1,887	1,513	571	338	233	495	290	205
75-79 years-----	7,059	3,649	3,410	6,318	3,264	3,054	741	385	356	611	310	301
80-84 years-----	10,393	4,945	5,448	9,498	4,517	4,981	895	428	467	707	327	380
85-89 years-----	12,458	5,079	7,379	11,444	4,649	6,795	1,014	430	584	834	336	498
90-94 years-----	10,386	3,375	7,011	9,594	3,081	6,513	792	294	498	645	215	430
95-99 years-----	4,825	1,210	3,615	4,458	1,111	3,347	367	99	268	301	78	223
100 yrs & over---	1,327	269	1,058	1,198	245	953	129	24	105	110	20	90
Not stated-----	1	1	-	1	1	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Bronchopneumonia, unspecified (J18.0)												
All ages-----	2,023	925	1,098	1,681	736	945	342	189	153	287	153	134
Under 1 year-----	89	53	36	48	31	17	41	22	19	37	20	17
1-4 years-----	23	12	11	9	3	6	14	9	5	12	7	5
5-9 years-----	5	4	1	4	3	1	1	1	-	1	1	-
10-14 years-----	5	3	2	3	1	2	2	2	-	1	1	-
15-19 years-----	9	4	5	8	4	4	1	-	1	-	-	-
20-24 years-----	20	10	10	12	6	6	8	4	4	7	3	4
25-29 years-----	19	13	6	11	7	4	8	6	2	6	6	-
30-34 years-----	19	13	6	12	9	3	7	4	3	6	3	3
35-39 years-----	61	37	24	45	27	18	16	10	6	16	10	6
40-44 years-----	76	40	36	54	27	27	22	13	9	17	10	7
45-49 years-----	88	49	39	68	37	31	20	12	8	17	9	8
50-54 years-----	67	46	21	50	33	17	17	13	4	15	11	4
55-59 years-----	68	37	31	49	24	25	19	13	6	17	12	5
60-64 years-----	65	31	34	46	21	25	19	10	9	18	9	9
65-69 years-----	69	39	30	53	29	24	16	10	6	13	9	4
70-74 years-----	109	59	50	92	46	46	17	13	4	14	11	3
75-79 years-----	187	90	97	156	74	82	31	16	15	23	10	13
80-84 years-----	273	138	135	244	129	115	29	9	20	23	7	16
85-89 years-----	309	127	182	292	118	174	17	9	8	15	7	8
90-94 years-----	292	83	209	268	70	198	24	13	11	17	7	10
95-99 years-----	129	28	101	118	28	90	11	-	11	11	-	11
100 yrs & over---	40	8	32	38	8	30	2	-	2	1	-	1
Not stated-----	1	1	-	1	1	-	-	-	-	-	-	-

Lobar pneumonia, unspecified (J18.1)

All ages-----	1,601	810	791	1,306	645	661	295	165	130	257	144	113
Under 1 year-----	7	4	3	6	4	2	1	-	1	1	-	1
1-4 years-----	6	2	4	4	2	2	2	-	2	2	-	2
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	9	5	4	5	2	3	4	3	1	3	2	1
30-34 years-----	18	12	6	9	4	5	9	8	1	8	7	1
35-39 years-----	36	26	10	24	18	6	12	8	4	11	7	4
40-44 years-----	53	35	18	34	21	13	19	14	5	19	14	5
45-49 years-----	80	59	21	48	35	13	32	24	8	31	24	7
50-54 years-----	63	43	20	47	30	17	16	13	3	16	13	3
55-59 years-----	71	45	26	46	29	17	25	16	9	20	14	6
60-64 years-----	69	38	31	57	31	26	12	7	5	9	4	5
65-69 years-----	79	49	30	65	40	25	14	9	5	11	7	4
70-74 years-----	110	65	45	92	51	41	18	14	4	14	10	4
75-79 years-----	172	106	66	145	93	52	27	13	14	24	11	13
80-84 years-----	223	99	124	193	89	104	30	10	20	20	7	13
85-89 years-----	283	121	162	246	109	137	37	12	25	34	11	23
90-94 years-----	222	75	147	198	63	135	24	12	12	21	11	10
95-99 years-----	77	22	55	67	21	46	10	1	9	10	1	9
100 yrs & over---	21	4	17	18	3	15	3	1	2	3	1	2
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Hypostatic pneumonia, unspecified (J18.2)												
All ages-----	103	46	57	92	42	50	11	4	7	11	4	7
Under 1 year-----	2	2	-	1	1	-	1	1	-	1	1	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	3	2	1	1	1	-	2	1	1	2	1	1
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	3	3	-	2	2	-	1	1	-	1	1	-
50-54 years-----	3	1	2	3	1	2	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	2	1	1	2	1	1	-	-	-	-	-	-
65-69 years-----	3	2	1	3	2	1	-	-	-	-	-	-
70-74 years-----	6	4	2	6	4	2	-	-	-	-	-	-
75-79 years-----	9	5	4	9	5	4	-	-	-	-	-	-
80-84 years-----	11	8	3	9	7	2	2	1	1	2	1	1
85-89 years-----	24	9	15	23	9	14	1	-	1	1	-	1
90-94 years-----	14	1	13	13	1	12	1	-	1	1	-	1
95-99 years-----	16	6	10	16	6	10	-	-	-	-	-	-
100 yrs & over---	5	-	5	2	-	2	3	-	3	3	-	3
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other pneumonia, organism unspecified (J18.8)

All ages-----	36	16	20	26	11	15	10	5	5	9	5	4
Under 1 year-----	3	2	1	2	1	1	1	1	-	1	1	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	2	-	2	1	-	1	1	-	1	-	-	-
35-39 years-----	3	1	2	2	1	1	1	-	1	1	-	1
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	5	1	4	3	-	3	2	1	1	2	1	1
75-79 years-----	2	-	2	1	-	1	1	-	1	1	-	1
80-84 years-----	12	5	7	9	2	7	3	3	-	3	3	-
85-89 years-----	3	3	-	3	3	-	-	-	-	-	-	-
90-94 years-----	3	2	1	2	2	-	1	-	1	1	-	1
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Pneumonia, unspecified (J18.9)												
All ages-----	54,013	23,258	30,755	48,349	20,542	27,807	5,664	2,716	2,948	4,763	2,244	2,519
Under 1 year-----	76	37	39	42	21	21	34	16	18	29	15	14
1-4 years-----	47	23	24	32	14	18	15	9	6	13	8	5
5-9 years-----	22	13	9	15	10	5	7	3	4	5	2	3
10-14 years-----	26	16	10	21	14	7	5	2	3	4	1	3
15-19 years-----	47	26	21	33	18	15	14	8	6	11	6	5
20-24 years-----	65	35	30	41	23	18	24	12	12	24	12	12
25-29 years-----	85	45	40	55	32	23	30	13	17	30	13	17
30-34 years-----	137	81	56	95	58	37	42	23	19	39	21	18
35-39 years-----	263	140	123	187	104	83	76	36	40	70	34	36
40-44 years-----	353	206	147	222	123	99	131	83	48	122	75	47
45-49 years-----	509	321	188	351	224	127	158	97	61	148	91	57
50-54 years-----	648	393	255	472	282	190	176	111	65	157	101	56
55-59 years-----	780	432	348	619	340	279	161	92	69	145	85	60
60-64 years-----	1,171	669	502	913	517	396	258	152	106	228	136	92
65-69 years-----	1,922	1,138	784	1,604	949	655	318	189	129	279	167	112
70-74 years-----	3,741	2,096	1,645	3,207	1,786	1,421	534	310	224	465	268	197
75-79 years-----	6,689	3,448	3,241	6,007	3,092	2,915	682	356	326	563	289	274
80-84 years-----	9,874	4,695	5,179	9,043	4,290	4,753	831	405	426	659	309	350
85-89 years-----	11,839	4,819	7,020	10,880	4,410	6,470	959	409	550	784	318	466
90-94 years-----	9,855	3,214	6,641	9,113	2,945	6,168	742	269	473	605	197	408
95-99 years-----	4,603	1,154	3,449	4,257	1,056	3,201	346	98	248	280	77	203
100 yrs & over---	1,261	257	1,004	1,140	234	906	121	23	98	103	19	84
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Acute bronchitis (J20)												
All ages-----	304	107	197	264	90	174	40	17	23	33	13	20
Under 1 year-----	16	9	7	10	6	4	6	3	3	6	3	3
1-4 years-----	11	7	4	8	5	3	3	2	1	2	1	1
5-9 years-----	2	-	2	1	-	1	1	-	1	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	3	1	2	2	1	1	1	-	1	1	-	1
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	2	1	1	2	1	1	-	-	-	-	-	-
35-39 years-----	6	3	3	6	3	3	-	-	-	-	-	-
40-44 years-----	4	1	3	2	-	2	2	1	1	2	1	1
45-49 years-----	5	3	2	4	3	1	1	-	1	1	-	1
50-54 years-----	5	1	4	3	1	2	2	-	2	2	-	2
55-59 years-----	5	3	2	3	2	1	2	1	1	1	1	-
60-64 years-----	11	4	7	9	4	5	2	-	2	1	-	1
65-69 years-----	12	6	6	9	4	5	3	2	1	3	2	1
70-74 years-----	15	8	7	10	5	5	5	3	2	5	3	2
75-79 years-----	24	13	11	21	12	9	3	1	2	2	-	2
80-84 years-----	39	17	22	36	16	20	3	1	2	2	-	2
85-89 years-----	49	11	38	46	9	37	3	2	1	3	2	1
90-94 years-----	53	12	41	51	11	40	2	1	1	1	-	1
95-99 years-----	30	5	25	29	5	24	1	-	1	1	-	1
100 yrs & over---	10	1	9	10	1	9	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Acute bronchitis due to streptococcus (J20.2)												
All ages-----	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Acute bronchitis due to other specified organisms (J20.8)

All ages-----	42	12	30	40	12	28	2	-	2	1	-	1
Under 1 year-----	4	2	2	4	2	2	-	-	-	-	-	-
1-4 years-----	2	2	-	2	2	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	3	-	3	2	-	2	1	-	1	-	-	-
65-69 years-----	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years-----	2	1	1	1	1	-	1	-	1	1	-	1
75-79 years-----	3	2	1	3	2	1	-	-	-	-	-	-
80-84 years-----	3	-	3	3	-	3	-	-	-	-	-	-
85-89 years-----	7	-	7	7	-	7	-	-	-	-	-	-
90-94 years-----	7	1	6	7	1	6	-	-	-	-	-	-
95-99 years-----	5	1	4	5	1	4	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Acute bronchitis, unspecified (J20.9)												
All ages-----	260	93	167	222	76	146	38	17	21	32	13	19
Under 1 year-----	12	7	5	6	4	2	6	3	3	6	3	3
1-4 years-----	9	5	4	6	3	3	3	2	1	2	1	1
5-9 years-----	2	-	2	1	-	1	1	-	1	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	2	1	1	1	1	-	1	-	1	1	-	1
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	2	1	1	2	1	1	-	-	-	-	-	-
35-39 years-----	5	2	3	5	2	3	-	-	-	-	-	-
40-44 years-----	4	1	3	2	-	2	2	1	1	2	1	1
45-49 years-----	4	2	2	3	2	1	1	-	1	1	-	1
50-54 years-----	4	1	3	2	1	1	2	-	2	2	-	2
55-59 years-----	5	3	2	3	2	1	2	1	1	1	1	-
60-64 years-----	7	3	4	6	3	3	1	-	1	1	-	1
65-69 years-----	10	5	5	7	3	4	3	2	1	3	2	1
70-74 years-----	13	7	6	9	4	5	4	3	1	4	3	1
75-79 years-----	20	10	10	17	9	8	3	1	2	2	-	2
80-84 years-----	36	17	19	33	16	17	3	1	2	2	-	2
85-89 years-----	42	11	31	39	9	30	3	2	1	3	2	1
90-94 years-----	46	11	35	44	10	34	2	1	1	1	-	1
95-99 years-----	25	4	21	24	4	20	1	-	1	1	-	1
100 yrs & over---	10	1	9	10	1	9	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Acute bronchiolitis (J21)												
All ages-----	84	47	37	56	29	27	28	18	10	22	13	9
Under 1 year-----	46	27	19	25	13	12	21	14	7	18	12	6
1-4 years-----	13	7	6	7	3	4	6	4	2	3	1	2
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	2	2	-	2	2	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	2	2	-	2	2	-	-	-	-	-	-	-
50-54 years-----	2	1	1	1	1	-	1	-	1	1	-	1
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	4	2	2	4	2	2	-	-	-	-	-	-
80-84 years-----	2	2	-	2	2	-	-	-	-	-	-	-
85-89 years-----	5	1	4	5	1	4	-	-	-	-	-	-
90-94 years-----	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	1	1	-	1	1	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),

RACE, AND SEX - - - ALL RACES - - - - - - WHITE - - - - - - ALL OTHER - - - - - - BLACK - - -

TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Acute bronchiolitis due to respiratory syncytial virus (J21.0)

All ages-----	9	4	5	5	3	2	4	1	3	2	-	2
Under 1 year----	7	3	4	4	2	2	3	1	2	1	-	1
1-4 years-----	1	-	1	-	-	-	1	-	1	1	-	1
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Acute bronchiolitis due to other specified organisms (J21.8)

All ages-----	5	1	4	3	-	3	2	1	1	2	1	1
Under 1 year----	4	1	3	2	-	2	2	1	1	2	1	1
1-4 years-----	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Acute bronchiolitis, unspecified (J21.9)												
All ages-----	70	42	28	48	26	22	22	16	6	18	12	6
Under 1 year-----	35	23	12	19	11	8	16	12	4	15	11	4
1-4 years-----	11	7	4	6	3	3	5	4	1	2	1	1
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	2	2	-	2	2	-	-	-	-	-	-	-
50-54 years-----	2	1	1	1	1	-	1	-	1	1	-	1
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	4	2	2	4	2	2	-	-	-	-	-	-
80-84 years-----	2	2	-	2	2	-	-	-	-	-	-	-
85-89 years-----	5	1	4	5	1	4	-	-	-	-	-	-
90-94 years-----	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	1	1	-	1	1	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Unspecified acute lower respiratory infection (J22)

All ages-----	152	42	110	142	37	105	10	5	5	9	4	5
Under 1 year-----	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years-----	1	1	-	-	-	-	1	1	-	1	1	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	5	2	3	5	2	3	-	-	-	-	-	-
75-79 years-----	16	7	9	16	7	9	-	-	-	-	-	-
80-84 years-----	22	10	12	20	9	11	2	1	1	2	1	1
85-89 years-----	32	7	25	30	6	24	2	1	1	1	-	1
90-94 years-----	41	6	35	40	6	34	1	-	1	1	-	1
95-99 years-----	16	1	15	15	1	14	1	-	1	1	-	1
100 yrs & over---	10	3	7	8	2	6	2	1	1	2	1	1
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Vasomotor and allergic rhinitis (J30)												
All ages-----	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Other allergic rhinitis (J30.3)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Allergic rhinitis, unspecified (J30.4)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Chronic rhinitis, nasopharyngitis, and pharyngitis (J31)

All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Chronic rhinitis (J31.0)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Chronic sinusitis (J32)												
All ages-----	96	50	46	75	40	35	21	10	11	18	10	8
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	4	2	2	3	2	1	1	-	1	1	-	1
15-19 years-----	4	3	1	3	2	1	1	1	-	1	1	-
20-24 years-----	2	2	-	-	-	-	2	2	-	2	2	-
25-29 years-----	1	-	1	-	-	-	1	-	1	1	-	1
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	3	2	1	-	-	-	3	2	1	3	2	1
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	6	3	3	5	3	2	1	-	1	-	-	-
50-54 years-----	7	5	2	6	4	2	1	1	-	1	1	-
55-59 years-----	6	4	2	5	3	2	1	1	-	1	1	-
60-64 years-----	10	6	4	8	5	3	2	1	1	2	1	1
65-69 years-----	7	5	2	5	4	1	2	1	1	2	1	1
70-74 years-----	8	5	3	8	5	3	-	-	-	-	-	-
75-79 years-----	10	5	5	8	5	3	2	-	2	-	-	-
80-84 years-----	13	4	9	11	4	7	2	-	2	2	-	2
85-89 years-----	8	4	4	7	3	4	1	1	-	1	1	-
90-94 years-----	4	-	4	4	-	4	-	-	-	-	-	-
95-99 years-----	2	-	2	1	-	1	1	-	1	1	-	1
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Chronic maxillary sinusitis (J32.0)												
All ages-----	6	1	5	5	1	4	1	-	1	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	-	-	-	1	-	1	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Chronic frontal sinusitis (J32.1)

All ages-----	3	1	2	1	-	1	2	1	1	2	1	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	-	-	-	1	-	1	1	-	1
15-19 years-----	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	-	-	-	1	1	-	1	1	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Chronic ethmoidal sinusitis (J32.2)												
All ages-----	2	1	1	1	1	-	1	-	1	1	-	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	-	-	-	1	-	1	1	-	1
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Chronic sphenoidal sinusitis (J32.3)

All ages-----	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Chronic pansinusitis (J32.4)												
All ages-----	15	7	8	9	5	4	6	2	4	4	2	2
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	-	-	-	1	1	-	1	1	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	-	-	-	1	-	1	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	3	2	1	3	2	1	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	2	-	2	1	-	1	1	-	1	-	-	-
80-84 years-----	2	1	1	1	1	-	1	-	1	1	-	1
85-89 years-----	2	2	-	1	1	-	1	1	-	1	1	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	1	-	1	-	-	-	1	-	1	1	-	1
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Chronic sinusitis, unspecified (J32.9)

All ages-----	68	39	29	57	32	25	11	7	4	11	7	4
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	3	2	1	3	2	1	-	-	-	-	-	-
15-19 years-----	2	2	-	1	1	-	1	1	-	1	1	-
20-24 years-----	2	2	-	-	-	-	2	2	-	2	2	-
25-29 years-----	1	-	1	-	-	-	1	-	1	1	-	1
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	5	3	2	5	3	2	-	-	-	-	-	-
50-54 years-----	6	4	2	5	3	2	1	1	-	1	1	-
55-59 years-----	5	3	2	4	2	2	1	1	-	1	1	-
60-64 years-----	6	4	2	4	3	1	2	1	1	2	1	1
65-69 years-----	7	5	2	5	4	1	2	1	1	2	1	1
70-74 years-----	7	5	2	7	5	2	-	-	-	-	-	-
75-79 years-----	7	5	2	7	5	2	-	-	-	-	-	-
80-84 years-----	9	2	7	8	2	6	1	-	1	1	-	1
85-89 years-----	5	2	3	5	2	3	-	-	-	-	-	-
90-94 years-----	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Nasal polyp (J33)												
All ages-----	1	1	-	-	-	-	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	-	-	-	1	1	-	1	1	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Polyp of nasal cavity (J33.0)												
All ages-----	1	1	-	-	-	-	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	-	-	-	1	1	-	1	1	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),

RACE, AND SEX - - - ALL RACES - - - - - - WHITE - - - - - - ALL OTHER - - - - - - BLACK - - -

TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Other disorders of nose and nasal sinuses (J34)

All ages-----	4	4	-	4	4	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	2	2	-	2	2	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other specified disorders of nose and nasal sinuses (J34.8)

All ages-----	4	4	-	4	4	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	2	2	-	2	2	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Chronic diseases of tonsils and adenoids (J35)												
All ages-----	4	1	3	4	1	3	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Hypertrophy of tonsils with hypertrophy of adenoids (J35.3)

All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Chronic disease of tonsils and adenoids, unspecified (J35.9)												
All ages-----	3	1	2	3	1	2	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Peritonsillar abscess (J36)

All ages-----	4	2	2	1	1	-	3	1	2	2	-	2
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	2	1	1	-	-	-	2	1	1	1	-	1
45-49 years-----	1	-	1	-	-	-	1	-	1	1	-	1
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),

RACE, AND SEX - - - ALL RACES - - - - - - WHITE - - - - - - ALL OTHER - - - - - - BLACK - - -

Chronic laryngitis and laryngotracheitis (J37)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	4	4	-	4	4	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Chronic laryngitis (J37.0)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Chronic laryngotracheitis (J37.1)												
All ages-----	3	3	-	3	3	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Diseases of vocal cords and larynx, not elsewhere classified (J38)

All ages-----	121	64	57	104	54	50	17	10	7	17	10	7
Under 1 year-----	4	4	-	4	4	-	-	-	-	-	-	-
1-4 years-----	2	1	1	1	-	1	1	1	-	1	1	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	2	-	2	2	-	2	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	3	2	1	3	2	1	-	-	-	-	-	-
30-34 years-----	1	1	-	-	-	-	1	1	-	1	1	-
35-39 years-----	5	5	-	5	5	-	-	-	-	-	-	-
40-44 years-----	2	1	1	1	1	-	1	-	1	1	-	1
45-49 years-----	5	3	2	3	2	1	2	1	1	2	1	1
50-54 years-----	6	3	3	6	3	3	-	-	-	-	-	-
55-59 years-----	6	2	4	5	1	4	1	1	-	1	1	-
60-64 years-----	5	3	2	4	3	1	1	-	1	1	-	1
65-69 years-----	10	5	5	8	3	5	2	2	-	2	2	-
70-74 years-----	9	4	5	7	3	4	2	1	1	2	1	1
75-79 years-----	18	9	9	16	8	8	2	1	1	2	1	1
80-84 years-----	17	8	9	15	8	7	2	-	2	2	-	2
85-89 years-----	13	7	6	12	6	6	1	1	-	1	1	-
90-94 years-----	11	4	7	10	3	7	1	1	-	1	1	-
95-99 years-----	2	2	-	2	2	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Paralysis of vocal cords and larynx (J38.0)												
All ages-----	47	23	24	41	19	22	6	4	2	6	4	2
Under 1 year----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	2	-	2	2	-	2	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	3	2	1	2	2	-	1	-	1	1	-	1
65-69 years-----	3	3	-	3	3	-	-	-	-	-	-	-
70-74 years-----	4	1	3	3	-	3	1	1	-	1	1	-
75-79 years-----	10	6	4	8	5	3	2	1	1	2	1	1
80-84 years-----	6	3	3	6	3	3	-	-	-	-	-	-
85-89 years-----	6	1	5	5	-	5	1	1	-	1	1	-
90-94 years-----	7	3	4	6	2	4	1	1	-	1	1	-
95-99 years-----	2	2	-	2	2	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Polyp of vocal cord and larynx (J38.1)

All ages-----	2	1	1	1	1	-	1	-	1	1	-	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	-	-	-	1	-	1	1	-	1
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other diseases of vocal cords (J38.3)												
All ages-----	7	3	4	7	3	4	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	3	1	2	3	1	2	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Edema of larynx (J38.4)

All ages-----	15	9	6	14	9	5	1	-	1	1	-	1
Under 1 year-----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	2	2	-	2	2	-	-	-	-	-	-	-
50-54 years-----	3	2	1	3	2	1	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	2	-	2	2	-	2	-	-	-	-	-	-
70-74 years-----	2	2	-	2	2	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	-	1	-	-	-	1	-	1	1	-	1
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Laryngeal spasm (J38.5)												
All ages-----	21	7	14	19	7	12	2	-	2	2	-	2
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	1	-	1	-	-	-	1	-	1	1	-	1
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years-----	2	1	1	2	1	1	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	3	1	2	2	1	1	1	-	1	1	-	1
75-79 years-----	3	-	3	3	-	3	-	-	-	-	-	-
80-84 years-----	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Stenosis of larynx (J38.6)

All ages-----	11	7	4	8	5	3	3	2	1	3	2	1
Under 1 year-----	2	2	-	2	2	-	-	-	-	-	-	-
1-4 years-----	1	1	-	-	-	-	1	1	-	1	1	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	-	-	-	1	1	-	1	1	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	2	-	2	2	-	2	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	2	1	1	1	1	-	1	-	1	1	-	1
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
 ON THE TENTH REVISION
 INTERNATIONAL CLASSIFICATION
 OF DISEASES, 1992),
 RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other diseases of larynx (J38.7)												
All ages-----	18	14	4	14	10	4	4	4	-	4	4	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	1	1	-	-	-	-	1	1	-	1	1	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	-	-	-	1	1	-	1	1	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	2	2	-	-	-	-	2	2	-	2	2	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	4	2	2	4	2	2	-	-	-	-	-	-
80-84 years-----	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years-----	6	5	1	6	5	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other diseases of upper respiratory tract (J39)

All ages-----	212	107	105	173	88	85	39	19	20	32	13	19
Under 1 year-----	10	3	7	8	2	6	2	1	1	1	-	1
1-4 years-----	5	3	2	3	1	2	2	2	-	1	1	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	3	2	1	1	1	-	2	1	1	2	1	1
25-29 years-----	2	1	1	1	1	-	1	-	1	1	-	1
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	2	1	1	1	-	1	1	1	-	1	1	-
40-44 years-----	4	3	1	1	1	-	3	2	1	3	2	1
45-49 years-----	5	3	2	4	3	1	1	-	1	1	-	1
50-54 years-----	5	4	1	3	3	-	2	1	1	2	1	1
55-59 years-----	6	4	2	4	3	1	2	1	1	2	1	1
60-64 years-----	12	6	6	9	5	4	3	1	2	3	1	2
65-69 years-----	20	12	8	15	9	6	5	3	2	4	2	2
70-74 years-----	21	11	10	19	11	8	2	-	2	2	-	2
75-79 years-----	35	18	17	31	16	15	4	2	2	3	1	2
80-84 years-----	25	12	13	23	12	11	2	-	2	1	-	1
85-89 years-----	31	14	17	26	12	14	5	2	3	4	1	3
90-94 years-----	15	7	8	14	6	8	1	1	-	-	-	-
95-99 years-----	11	3	8	10	2	8	1	1	-	1	1	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Retropharyngeal and parapharyngeal abscess (J39.0)												
All ages-----	6	5	1	5	4	1	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	-	-	-	1	1	-	1	1	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Other abscess of pharynx (J39.1)												
All ages-----	5	4	1	3	2	1	2	2	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	-	-	-	1	1	-	1	1	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	1	-	-	-	-	1	1	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other diseases of pharynx (J39.2)												
All ages-----	88	53	35	80	48	32	8	5	3	5	3	2
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	2	2	-	1	1	-	1	1	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	2	2	-	2	2	-	-	-	-	-	-	-
50-54 years-----	1	1	-	-	-	-	1	1	-	1	1	-
55-59 years-----	2	1	1	1	-	1	1	1	-	1	1	-
60-64 years-----	3	1	2	2	1	1	1	-	1	1	-	1
65-69 years-----	5	4	1	5	4	1	-	-	-	-	-	-
70-74 years-----	7	6	1	7	6	1	-	-	-	-	-	-
75-79 years-----	17	11	6	16	10	6	1	1	-	1	1	-
80-84 years-----	16	10	6	15	10	5	1	-	1	-	-	-
85-89 years-----	15	7	8	13	6	7	2	1	1	1	-	1
90-94 years-----	11	5	6	11	5	6	-	-	-	-	-	-
95-99 years-----	6	2	4	6	2	4	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Upper respiratory tract hypersensitivity reaction, site unspecified (J39.3)

All ages-----	1	-	1	-	-	-	1	-	1	1	-	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	-	-	-	1	-	1	1	-	1
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other specified diseases of upper respiratory tract (J39.8)												
All ages-----	109	45	64	82	34	48	27	11	16	24	8	16
Under 1 year-----	9	3	6	7	2	5	2	1	1	1	-	1
1-4 years-----	3	1	2	2	-	2	1	1	-	1	1	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	-	1	-	-	-	1	-	1	1	-	1
25-29 years-----	2	1	1	1	1	-	1	-	1	1	-	1
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	2	1	1	1	-	1	1	1	-	1	1	-
40-44 years-----	3	2	1	1	1	-	2	1	1	2	1	1
45-49 years-----	2	-	2	1	-	1	1	-	1	1	-	1
50-54 years-----	4	3	1	3	3	-	1	-	1	1	-	1
55-59 years-----	3	2	1	2	2	-	1	-	1	1	-	1
60-64 years-----	8	4	4	6	3	3	2	1	1	2	1	1
65-69 years-----	14	8	6	9	5	4	5	3	2	4	2	2
70-74 years-----	12	4	8	11	4	7	1	-	1	1	-	1
75-79 years-----	16	6	10	13	5	8	3	1	2	2	-	2
80-84 years-----	8	2	6	7	2	5	1	-	1	1	-	1
85-89 years-----	15	6	9	12	5	7	3	1	2	3	1	2
90-94 years-----	3	1	2	3	1	2	-	-	-	-	-	-
95-99 years-----	4	1	3	3	-	3	1	1	-	1	1	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Disease of upper respiratory tract, unspecified (J39.9)

All ages-----	3	-	3	3	-	3	-	-	-	-	-	-
Under 1 year-----	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Bronchitis, not specified as acute or chronic (J40)												
All ages-----	640	247	393	570	216	354	70	31	39	56	25	31
Under 1 year----	11	5	6	7	3	4	4	2	2	4	2	2
1-4 years-----	13	7	6	11	6	5	2	1	1	1	1	-
5-9 years-----	3	2	1	3	2	1	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	2	1	1	2	1	1	-	-	-	-	-	-
20-24 years-----	2	2	-	1	1	-	1	1	-	1	1	-
25-29 years-----	2	-	2	1	-	1	1	-	1	1	-	1
30-34 years-----	5	2	3	5	2	3	-	-	-	-	-	-
35-39 years-----	8	2	6	8	2	6	-	-	-	-	-	-
40-44 years-----	6	1	5	4	1	3	2	-	2	2	-	2
45-49 years-----	8	5	3	6	4	2	2	1	1	2	1	1
50-54 years-----	13	7	6	8	5	3	5	2	3	4	2	2
55-59 years-----	13	8	5	11	7	4	2	1	1	2	1	1
60-64 years-----	28	13	15	25	11	14	3	2	1	2	1	1
65-69 years-----	33	15	18	28	13	15	5	2	3	4	1	3
70-74 years-----	60	29	31	52	25	27	8	4	4	6	3	3
75-79 years-----	70	35	35	58	29	29	12	6	6	8	4	4
80-84 years-----	106	42	64	98	36	62	8	6	2	8	6	2
85-89 years-----	109	37	72	100	36	64	9	1	8	8	1	7
90-94 years-----	83	22	61	80	21	59	3	1	2	1	-	1
95-99 years-----	49	10	39	49	10	39	-	-	-	-	-	-
100 yrs & over---	16	2	14	13	1	12	3	1	2	2	1	1
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Simple and mucopurulent chronic bronchitis (J41)

All ages-----	15	10	5	12	8	4	3	2	1	3	2	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	-	1	-	-	-	1	-	1	1	-	1
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	-	-	-	1	1	-	1	1	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	2	2	-	1	1	-	1	1	-	1	1	-
60-64 years-----	2	2	-	2	2	-	-	-	-	-	-	-
65-69 years-----	2	2	-	2	2	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years-----	2	1	1	2	1	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Mucopurulent chronic bronchitis (J41.1)												
All ages-----	15	10	5	12	8	4	3	2	1	3	2	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	-	1	-	-	-	1	-	1	1	-	1
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	-	-	-	1	1	-	1	1	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	2	2	-	1	1	-	1	1	-	1	1	-
60-64 years-----	2	2	-	2	2	-	-	-	-	-	-	-
65-69 years-----	2	2	-	2	2	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years-----	2	1	1	2	1	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Unspecified chronic bronchitis (J42)

All ages-----	517	241	276	474	216	258	43	25	18	30	17	13
Under 1 year----	9	4	5	4	3	1	5	1	4	3	1	2
1-4 years-----	6	4	2	4	2	2	2	2	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	2	-	2	2	-	2	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	2	1	1	1	-	1	1	1	-	1	1	-
35-39 years-----	2	1	1	2	1	1	-	-	-	-	-	-
40-44 years-----	2	1	1	2	1	1	-	-	-	-	-	-
45-49 years-----	5	3	2	3	1	2	2	2	-	1	1	-
50-54 years-----	10	3	7	6	1	5	4	2	2	4	2	2
55-59 years-----	20	14	6	19	13	6	1	1	-	1	1	-
60-64 years-----	32	12	20	30	11	19	2	1	1	2	1	1
65-69 years-----	28	19	9	28	19	9	-	-	-	-	-	-
70-74 years-----	50	29	21	45	26	19	5	3	2	5	3	2
75-79 years-----	69	38	31	65	36	29	4	2	2	4	2	2
80-84 years-----	93	41	52	84	36	48	9	5	4	6	4	2
85-89 years-----	84	34	50	81	31	50	3	3	-	-	-	-
90-94 years-----	63	23	40	61	22	39	2	1	1	2	1	1
95-99 years-----	31	9	22	28	8	20	3	1	2	1	-	1
100 yrs & over---	7	4	3	7	4	3	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Emphysema (J43)												
All ages-----	17,787	9,480	8,307	16,674	8,754	7,920	1,113	726	387	930	598	332
Under 1 year-----	1	-	1	-	-	-	1	-	1	1	-	1
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	-	-	-	1	1	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	8	6	2	6	4	2	2	2	-	-	-	-
35-39 years-----	19	9	10	15	5	10	4	4	-	3	3	-
40-44 years-----	78	40	38	55	30	25	23	10	13	22	10	12
45-49 years-----	136	85	51	104	64	40	32	21	11	32	21	11
50-54 years-----	332	183	149	286	148	138	46	35	11	43	33	10
55-59 years-----	723	394	329	654	348	306	69	46	23	60	38	22
60-64 years-----	1,296	691	605	1,197	627	570	99	64	35	86	56	30
65-69 years-----	2,246	1,230	1,016	2,104	1,135	969	142	95	47	127	88	39
70-74 years-----	3,410	1,906	1,504	3,216	1,765	1,451	194	141	53	154	109	45
75-79 years-----	3,768	2,027	1,741	3,547	1,895	1,652	221	132	89	176	103	73
80-84 years-----	3,187	1,650	1,537	3,050	1,554	1,496	137	96	41	108	75	33
85-89 years-----	1,785	886	899	1,692	836	856	93	50	43	76	38	38
90-94 years-----	622	295	327	589	273	316	33	22	11	28	17	11
95-99 years-----	146	68	78	135	63	72	11	5	6	11	5	6
100 yrs & over---	27	9	18	22	7	15	5	2	3	3	2	1
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

MacLeod's syndrome (J43.0)

All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Panlobular emphysema (J43.1)												
All ages-----	13	9	4	12	8	4	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	3	3	-	3	3	-	-	-	-	-	-	-
65-69 years-----	3	2	1	2	1	1	1	1	-	1	1	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	3	3	-	3	3	-	-	-	-	-	-	-
80-84 years-----	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Centrilobular emphysema (J43.2)												
All ages-----	15	9	6	14	9	5	1	-	1	1	-	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	2	1	1	2	1	1	-	-	-	-	-	-
65-69 years-----	2	2	-	2	2	-	-	-	-	-	-	-
70-74 years-----	2	2	-	2	2	-	-	-	-	-	-	-
75-79 years-----	3	2	1	3	2	1	-	-	-	-	-	-
80-84 years-----	3	-	3	2	-	2	1	-	1	1	-	1
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other emphysema (J43.8)												
All ages-----	5	4	1	5	4	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	2	2	-	2	2	-	-	-	-	-	-	-
75-79 years-----	2	2	-	2	2	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Emphysema, unspecified (J43.9)

All ages-----	17,753	9,458	8,295	16,642	8,733	7,909	1,111	725	386	928	597	331
Under 1 year-----	1	-	1	-	-	-	1	-	1	1	-	1
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	-	-	-	1	1	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	7	5	2	5	3	2	2	2	-	-	-	-
35-39 years-----	18	9	9	14	5	9	4	4	-	3	3	-
40-44 years-----	77	39	38	54	29	25	23	10	13	22	10	12
45-49 years-----	136	85	51	104	64	40	32	21	11	32	21	11
50-54 years-----	331	183	148	285	148	137	46	35	11	43	33	10
55-59 years-----	723	394	329	654	348	306	69	46	23	60	38	22
60-64 years-----	1,291	687	604	1,192	623	569	99	64	35	86	56	30
65-69 years-----	2,241	1,226	1,015	2,100	1,132	968	141	94	47	126	87	39
70-74 years-----	3,405	1,902	1,503	3,211	1,761	1,450	194	141	53	154	109	45
75-79 years-----	3,760	2,020	1,740	3,539	1,888	1,651	221	132	89	176	103	73
80-84 years-----	3,180	1,649	1,531	3,044	1,553	1,491	136	96	40	107	75	32
85-89 years-----	1,785	886	899	1,692	836	856	93	50	43	76	38	38
90-94 years-----	622	295	327	589	273	316	33	22	11	28	17	11
95-99 years-----	146	68	78	135	63	72	11	5	6	11	5	6
100 yrs & over---	27	9	18	22	7	15	5	2	3	3	2	1
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other chronic obstructive pulmonary disease (J44)												
All ages-----	99,595	50,491	49,104	92,787	46,466	46,321	6,808	4,025	2,783	5,711	3,362	2,349
Under 1 year-----	10	7	3	4	3	1	6	4	2	6	4	2
1-4 years-----	7	3	4	5	1	4	2	2	-	2	2	-
5-9 years-----	5	2	3	5	2	3	-	-	-	-	-	-
10-14 years-----	2	2	-	1	1	-	1	1	-	1	1	-
15-19 years-----	9	5	4	6	2	4	3	3	-	3	3	-
20-24 years-----	8	3	5	5	1	4	3	2	1	3	2	1
25-29 years-----	12	2	10	10	2	8	2	-	2	2	-	2
30-34 years-----	26	10	16	19	10	9	7	-	7	7	-	7
35-39 years-----	66	35	31	51	28	23	15	7	8	15	7	8
40-44 years-----	255	133	122	199	101	98	56	32	24	53	31	22
45-49 years-----	604	352	252	488	282	206	116	70	46	108	63	45
50-54 years-----	1,362	707	655	1,197	608	589	165	99	66	149	88	61
55-59 years-----	3,047	1,622	1,425	2,716	1,428	1,288	331	194	137	310	182	128
60-64 years-----	5,480	2,968	2,512	4,949	2,643	2,306	531	325	206	459	287	172
65-69 years-----	9,703	5,244	4,459	8,900	4,755	4,145	803	489	314	695	422	273
70-74 years-----	16,167	8,681	7,486	15,012	7,999	7,013	1,155	682	473	954	565	389
75-79 years-----	20,428	10,701	9,727	19,091	9,869	9,222	1,337	832	505	1,107	682	425
80-84 years-----	19,570	9,748	9,822	18,522	9,123	9,399	1,048	625	423	855	505	350
85-89 years-----	14,298	6,763	7,535	13,570	6,362	7,208	728	401	327	579	318	261
90-94 years-----	6,451	2,740	3,711	6,084	2,546	3,538	367	194	173	289	146	143
95-99 years-----	1,814	670	1,144	1,706	616	1,090	108	54	54	93	46	47
100 yrs & over---	267	90	177	244	82	162	23	8	15	20	7	13
Not stated-----	4	3	1	3	2	1	1	1	-	1	1	-

Chronic obstructive pulmonary disease with acute lower respiratory infection (J44.0)

All ages-----	454	220	234	437	209	228	17	11	6	15	9	6
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	1	-	-	-	-	1	1	-	1	1	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	4	2	2	3	2	1	1	-	1	1	-	1
50-54 years-----	5	3	2	5	3	2	-	-	-	-	-	-
55-59 years-----	14	7	7	13	7	6	1	-	1	1	-	1
60-64 years-----	23	9	14	22	9	13	1	-	1	1	-	1
65-69 years-----	39	18	21	37	17	20	2	1	1	2	1	1
70-74 years-----	67	40	27	64	37	27	3	3	-	3	3	-
75-79 years-----	96	46	50	91	42	49	5	4	1	3	2	1
80-84 years-----	101	48	53	99	46	53	2	2	-	2	2	-
85-89 years-----	59	32	27	59	32	27	-	-	-	-	-	-
90-94 years-----	25	9	16	24	9	15	1	-	1	1	-	1
95-99 years-----	16	4	12	16	4	12	-	-	-	-	-	-
100 yrs & over---	3	-	3	3	-	3	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Chronic obstructive pulmonary disease with acute exacerbation, unspecified (J44.1)												
All ages-----	24	16	8	22	14	8	2	2	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	3	3	-	3	3	-	-	-	-	-	-	-
75-79 years-----	4	4	-	4	4	-	-	-	-	-	-	-
80-84 years-----	7	4	3	6	3	3	1	1	-	1	1	-
85-89 years-----	5	1	4	4	-	4	1	1	-	-	-	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	1	1	-	1	1	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other specified chronic obstructive pulmonary disease (J44.8)

All ages-----	4,236	2,080	2,156	3,857	1,871	1,986	379	209	170	303	164	139
Under 1 year-----	6	5	1	3	3	-	3	2	1	3	2	1
1-4 years-----	4	2	2	3	1	2	1	1	-	1	1	-
5-9 years-----	2	1	1	2	1	1	-	-	-	-	-	-
10-14 years-----	2	2	-	1	1	-	1	1	-	1	1	-
15-19 years-----	5	3	2	3	1	2	2	2	-	2	2	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	8	1	7	6	1	5	2	-	2	2	-	2
30-34 years-----	7	2	5	5	2	3	2	-	2	2	-	2
35-39 years-----	17	9	8	13	7	6	4	2	2	4	2	2
40-44 years-----	30	18	12	20	11	9	10	7	3	10	7	3
45-49 years-----	60	29	31	47	21	26	13	8	5	11	6	5
50-54 years-----	96	47	49	77	36	41	19	11	8	18	11	7
55-59 years-----	199	99	100	175	89	86	24	10	14	23	10	13
60-64 years-----	309	160	149	271	142	129	38	18	20	30	15	15
65-69 years-----	495	254	241	432	211	221	63	43	20	47	33	14
70-74 years-----	723	381	342	663	347	316	60	34	26	48	27	21
75-79 years-----	819	422	397	753	386	367	66	36	30	55	30	25
80-84 years-----	674	320	354	641	309	332	33	11	22	23	5	18
85-89 years-----	477	207	270	457	194	263	20	13	7	10	5	5
90-94 years-----	229	89	140	216	82	134	13	7	6	10	5	5
95-99 years-----	66	27	39	61	24	37	5	3	2	3	2	1
100 yrs & over---	8	2	6	8	2	6	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Chronic obstructive pulmonary disease, unspecified (J44.9)												
All ages-----	94,881	48,175	46,706	88,471	44,372	44,099	6,410	3,803	2,607	5,392	3,188	2,204
Under 1 year-----	4	2	2	1	-	1	3	2	1	3	2	1
1-4 years-----	2	-	2	2	-	2	-	-	-	-	-	-
5-9 years-----	3	1	2	3	1	2	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	4	2	2	3	1	2	1	1	-	1	1	-
20-24 years-----	8	3	5	5	1	4	3	2	1	3	2	1
25-29 years-----	4	1	3	4	1	3	-	-	-	-	-	-
30-34 years-----	19	8	11	14	8	6	5	-	5	5	-	5
35-39 years-----	48	25	23	37	20	17	11	5	6	11	5	6
40-44 years-----	225	115	110	179	90	89	46	25	21	43	24	19
45-49 years-----	540	321	219	438	259	179	102	62	40	96	57	39
50-54 years-----	1,261	657	604	1,115	569	546	146	88	58	131	77	54
55-59 years-----	2,833	1,515	1,318	2,527	1,331	1,196	306	184	122	286	172	114
60-64 years-----	5,147	2,799	2,348	4,655	2,492	2,163	492	307	185	428	272	156
65-69 years-----	9,168	4,971	4,197	8,430	4,526	3,904	738	445	293	646	388	258
70-74 years-----	15,374	8,257	7,117	14,282	7,612	6,670	1,092	645	447	903	535	368
75-79 years-----	19,509	10,229	9,280	18,243	9,437	8,806	1,266	792	474	1,049	650	399
80-84 years-----	18,788	9,376	9,412	17,776	8,765	9,011	1,012	611	401	829	497	332
85-89 years-----	13,757	6,523	7,234	13,050	6,136	6,914	707	387	320	569	313	256
90-94 years-----	6,196	2,641	3,555	5,843	2,454	3,389	353	187	166	278	141	137
95-99 years-----	1,732	639	1,093	1,629	588	1,041	103	51	52	90	44	46
100 yrs & over---	255	87	168	232	79	153	23	8	15	20	7	13
Not stated-----	4	3	1	3	2	1	1	1	-	1	1	-
Asthma (J45)												
All ages-----	4,172	1,427	2,745	3,037	938	2,099	1,135	489	646	979	409	570
Under 1 year-----	5	3	2	1	1	-	4	2	2	4	2	2
1-4 years-----	21	12	9	8	3	5	13	9	4	11	8	3
5-9 years-----	31	17	14	13	5	8	18	12	6	18	12	6
10-14 years-----	67	45	22	29	18	11	38	27	11	38	27	11
15-19 years-----	78	43	35	49	27	22	29	16	13	26	15	11
20-24 years-----	72	44	28	37	21	16	35	23	12	33	22	11
25-29 years-----	90	47	43	40	17	23	50	30	20	48	28	20
30-34 years-----	110	50	60	57	24	33	53	26	27	51	26	25
35-39 years-----	168	79	89	105	48	57	63	31	32	62	30	32
40-44 years-----	201	77	124	118	37	81	83	40	43	78	36	42
45-49 years-----	255	78	177	157	49	108	98	29	69	92	27	65
50-54 years-----	254	90	164	159	59	100	95	31	64	88	29	59
55-59 years-----	296	102	194	202	68	134	94	34	60	77	26	51
60-64 years-----	218	80	138	146	51	95	72	29	43	61	24	37
65-69 years-----	319	104	215	231	72	159	88	32	56	70	22	48
70-74 years-----	387	141	246	297	99	198	90	42	48	73	33	40
75-79 years-----	431	139	292	363	111	252	68	28	40	51	19	32
80-84 years-----	460	126	334	408	113	295	52	13	39	36	7	29
85-89 years-----	376	81	295	323	61	262	53	20	33	36	8	28
90-94 years-----	219	51	168	190	39	151	29	12	17	21	7	14
95-99 years-----	97	17	80	88	14	74	9	3	6	5	1	4
100 yrs & over---	17	1	16	16	1	15	1	-	1	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Predominantly allergic asthma (J45.0)												
All ages-----	182	111	71	93	50	43	89	61	28	85	59	26
Under 1 year----	5	3	2	1	1	-	4	2	2	4	2	2
1-4 years-----	20	12	8	7	3	4	13	9	4	11	8	3
5-9 years-----	27	16	11	10	4	6	17	12	5	17	12	5
10-14 years-----	63	42	21	28	17	11	35	25	10	35	25	10
15-19 years-----	42	24	18	27	15	12	15	9	6	14	9	5
20-24 years-----	2	1	1	1	-	1	1	1	-	1	1	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	2	2	-	1	1	-	1	1	-	1	1	-
35-39 years-----	2	2	-	1	1	-	1	1	-	1	1	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	2	2	-	2	2	-	-	-	-	-	-	-
50-54 years-----	3	2	1	3	2	1	-	-	-	-	-	-
55-59 years-----	2	-	2	2	-	2	-	-	-	-	-	-
60-64 years-----	3	3	-	3	3	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	3	1	2	1	-	1	2	1	1	1	-	1
80-84 years-----	3	-	3	3	-	3	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Nonallergic asthma (J45.1)

All ages-----	8	1	7	8	1	7	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	2	-	2	2	-	2	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	2	-	2	2	-	2	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Asthma, unspecified (J45.9)												
All ages-----	3,982	1,315	2,667	2,936	887	2,049	1,046	428	618	894	350	544
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years-----	4	1	3	3	1	2	1	-	1	1	-	1
10-14 years-----	3	2	1	-	-	-	3	2	1	3	2	1
15-19 years-----	36	19	17	22	12	10	14	7	7	12	6	6
20-24 years-----	70	43	27	36	21	15	34	22	12	32	21	11
25-29 years-----	90	47	43	40	17	23	50	30	20	48	28	20
30-34 years-----	108	48	60	56	23	33	52	25	27	50	25	25
35-39 years-----	166	77	89	104	47	57	62	30	32	61	29	32
40-44 years-----	201	77	124	118	37	81	83	40	43	78	36	42
45-49 years-----	253	76	177	155	47	108	98	29	69	92	27	65
50-54 years-----	251	88	163	156	57	99	95	31	64	88	29	59
55-59 years-----	294	102	192	200	68	132	94	34	60	77	26	51
60-64 years-----	215	77	138	143	48	95	72	29	43	61	24	37
65-69 years-----	316	104	212	228	72	156	88	32	56	70	22	48
70-74 years-----	386	140	246	296	98	198	90	42	48	73	33	40
75-79 years-----	427	138	289	361	111	250	66	27	39	50	19	31
80-84 years-----	455	126	329	403	113	290	52	13	39	36	7	29
85-89 years-----	375	81	294	322	61	261	53	20	33	36	8	28
90-94 years-----	218	51	167	189	39	150	29	12	17	21	7	14
95-99 years-----	97	17	80	88	14	74	9	3	6	5	1	4
100 yrs & over---	16	1	15	15	1	14	1	-	1	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Status asthmaticus (J46)												
All ages-----	485	193	292	291	108	183	194	85	109	166	72	94
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	6	4	2	3	2	1	3	2	1	3	2	1
5-9 years-----	9	8	1	7	6	1	2	2	-	2	2	-
10-14 years-----	19	15	4	10	9	1	9	6	3	9	6	3
15-19 years-----	17	10	7	10	5	5	7	5	2	7	5	2
20-24 years-----	15	11	4	10	7	3	5	4	1	5	4	1
25-29 years-----	31	17	14	15	11	4	16	6	10	15	6	9
30-34 years-----	31	14	17	15	6	9	16	8	8	16	8	8
35-39 years-----	38	15	23	18	5	13	20	10	10	15	6	9
40-44 years-----	40	13	27	25	9	16	15	4	11	13	2	11
45-49 years-----	57	18	39	34	6	28	23	12	11	19	11	8
50-54 years-----	41	11	30	24	4	20	17	7	10	14	5	9
55-59 years-----	47	17	30	27	13	14	20	4	16	19	4	15
60-64 years-----	22	8	14	15	4	11	7	4	3	5	3	2
65-69 years-----	34	11	23	23	5	18	11	6	5	6	4	2
70-74 years-----	33	11	22	19	7	12	14	4	10	9	3	6
75-79 years-----	23	5	18	19	4	15	4	1	3	4	1	3
80-84 years-----	11	3	8	8	3	5	3	-	3	3	-	3
85-89 years-----	5	-	5	4	-	4	1	-	1	1	-	1
90-94 years-----	5	1	4	4	1	3	1	-	1	1	-	1
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	1	1	-	1	1	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Bronchiectasis (J47)												
All ages-----	970	326	644	890	294	596	80	32	48	40	15	25
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	-	1	-	-	-	1	-	1	1	-	1
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	2	2	-	2	2	-	-	-	-	-	-	-
25-29 years-----	8	3	5	5	2	3	3	1	2	2	-	2
30-34 years-----	2	-	2	-	-	-	2	-	2	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	6	3	3	5	2	3	1	1	-	1	1	-
45-49 years-----	13	5	8	9	4	5	4	1	3	2	1	1
50-54 years-----	18	3	15	16	2	14	2	1	1	2	1	1
55-59 years-----	31	10	21	26	7	19	5	3	2	3	2	1
60-64 years-----	40	15	25	36	13	23	4	2	2	3	2	1
65-69 years-----	76	17	59	67	16	51	9	1	8	3	-	3
70-74 years-----	96	38	58	87	35	52	9	3	6	6	2	4
75-79 years-----	189	76	113	171	66	105	18	10	8	8	4	4
80-84 years-----	229	73	156	213	68	145	16	5	11	6	1	5
85-89 years-----	174	52	122	171	50	121	3	2	1	1	-	1
90-94 years-----	65	22	43	63	20	43	2	2	-	1	1	-
95-99 years-----	15	4	11	14	4	10	1	-	1	1	-	1
100 yrs & over---	3	1	2	3	1	2	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Coalworker's pneumoconiosis (J60)												
All ages-----	409	407	2	397	395	2	12	12	-	12	12	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	2	2	-	2	2	-	-	-	-	-	-	-
50-54 years-----	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years-----	2	2	-	2	2	-	-	-	-	-	-	-
60-64 years-----	13	13	-	13	13	-	-	-	-	-	-	-
65-69 years-----	21	21	-	20	20	-	1	1	-	1	1	-
70-74 years-----	46	46	-	45	45	-	1	1	-	1	1	-
75-79 years-----	88	88	-	85	85	-	3	3	-	3	3	-
80-84 years-----	106	106	-	105	105	-	1	1	-	1	1	-
85-89 years-----	88	87	1	83	82	1	5	5	-	5	5	-
90-94 years-----	31	31	-	31	31	-	-	-	-	-	-	-
95-99 years-----	8	8	-	8	8	-	-	-	-	-	-	-
100 yrs & over---	1	1	-	-	-	-	1	1	-	1	1	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Pneumoconiosis due to asbestos and other mineral fibers (J61)												
All ages-----	449	436	13	425	413	12	24	23	1	19	18	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	4	4	-	4	4	-	-	-	-	-	-	-
55-59 years-----	9	9	-	9	9	-	-	-	-	-	-	-
60-64 years-----	13	13	-	9	9	-	4	4	-	3	3	-
65-69 years-----	54	51	3	52	50	2	2	1	1	2	1	1
70-74 years-----	83	83	-	77	77	-	6	6	-	4	4	-
75-79 years-----	113	107	6	109	103	6	4	4	-	2	2	-
80-84 years-----	93	90	3	91	88	3	2	2	-	2	2	-
85-89 years-----	56	56	-	53	53	-	3	3	-	3	3	-
90-94 years-----	18	17	1	17	16	1	1	1	-	1	1	-
95-99 years-----	5	5	-	3	3	-	2	2	-	2	2	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Pneumoconiosis due to dust containing silica (J62)

All ages-----	102	99	3	78	76	2	24	23	1	22	21	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	-	-	-	1	-	1	1	-	1
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	4	4	-	1	1	-	3	3	-	3	3	-
55-59 years-----	3	3	-	3	3	-	-	-	-	-	-	-
60-64 years-----	8	8	-	5	5	-	3	3	-	3	3	-
65-69 years-----	15	15	-	10	10	-	5	5	-	4	4	-
70-74 years-----	18	18	-	15	15	-	3	3	-	3	3	-
75-79 years-----	15	15	-	13	13	-	2	2	-	2	2	-
80-84 years-----	20	20	-	17	17	-	3	3	-	3	3	-
85-89 years-----	14	12	2	11	9	2	3	3	-	2	2	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	2	2	-	1	1	-	1	1	-	1	1	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Pneumoconiosis due to talc dust (J62.0)												
All ages-----	3	1	2	1	-	1	2	1	1	2	1	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	-	-	-	1	-	1	1	-	1
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	-	-	-	1	1	-	1	1	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Pneumoconiosis due to other dust containing silica (J62.8)

All ages-----	99	98	1	77	76	1	22	22	-	20	20	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	4	4	-	1	1	-	3	3	-	3	3	-
55-59 years-----	3	3	-	3	3	-	-	-	-	-	-	-
60-64 years-----	7	7	-	5	5	-	2	2	-	2	2	-
65-69 years-----	15	15	-	10	10	-	5	5	-	4	4	-
70-74 years-----	18	18	-	15	15	-	3	3	-	3	3	-
75-79 years-----	15	15	-	13	13	-	2	2	-	2	2	-
80-84 years-----	20	20	-	17	17	-	3	3	-	3	3	-
85-89 years-----	13	12	1	10	9	1	3	3	-	2	2	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	2	2	-	1	1	-	1	1	-	1	1	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Pneumoconiosis due to other inorganic dusts (J63)												
All ages-----	7	6	1	7	6	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	2	2	-	2	2	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Berylliosis (J63.2)												
All ages-----	6	5	1	6	5	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	2	2	-	2	2	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Siderosis (J63.4)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Unspecified pneumoconiosis (J64)												
All ages-----	106	104	2	97	95	2	9	9	-	7	7	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	2	2	-	1	1	-	1	1	-	1	1	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	-	-	-	1	1	-	1	1	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	2	2	-	-	-	-	2	2	-	1	1	-
65-69 years-----	8	8	-	7	7	-	1	1	-	1	1	-
70-74 years-----	18	18	-	18	18	-	-	-	-	-	-	-
75-79 years-----	30	29	1	27	26	1	3	3	-	2	2	-
80-84 years-----	25	24	1	24	23	1	1	1	-	1	1	-
85-89 years-----	13	13	-	13	13	-	-	-	-	-	-	-
90-94 years-----	4	4	-	4	4	-	-	-	-	-	-	-
95-99 years-----	2	2	-	2	2	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Pneumoconiosis associated with tuberculosis (J65)												
All ages-----	5	5	-	5	5	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Airway disease due to specific organic dust (J66)

All ages-----	3	1	2	3	1	2	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	2	-	2	2	-	2	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Byssinosis (J66.0)												
All ages-----	2	-	2	2	-	2	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	2	-	2	2	-	2	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Airway disease due to other specific organic dusts (J66.8)

All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Hypersensitivity pneumonitis due to organic dust (J67)												
All ages-----	37	21	16	37	21	16	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	2	2	-	2	2	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	3	-	3	3	-	3	-	-	-	-	-	-
50-54 years-----	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	3	1	2	3	1	2	-	-	-	-	-	-
65-69 years-----	3	3	-	3	3	-	-	-	-	-	-	-
70-74 years-----	7	4	3	7	4	3	-	-	-	-	-	-
75-79 years-----	6	3	3	6	3	3	-	-	-	-	-	-
80-84 years-----	5	3	2	5	3	2	-	-	-	-	-	-
85-89 years-----	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Farmer's lung (J67.0)

All ages-----	8	7	1	8	7	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	2	2	-	2	2	-	-	-	-	-	-	-
80-84 years-----	3	2	1	3	2	1	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Bird fancier's lung (J67.2)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Air-conditioner and humidifier lung (J67.7)

All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Hypersensitivity pneumonitis due to other organic dusts (J67.8)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Hypersensitivity pneumonitis due to unspecified organic dust (J67.9)

All ages-----	26	11	15	26	11	15	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	3	-	3	3	-	3	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	3	1	2	3	1	2	-	-	-	-	-	-
65-69 years-----	2	2	-	2	2	-	-	-	-	-	-	-
70-74 years-----	7	4	3	7	4	3	-	-	-	-	-	-
75-79 years-----	4	1	3	4	1	3	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Respiratory conditions due to inhalation of chemicals, gases, fumes, and vapors (J68)												
All ages-----	32	21	11	25	15	10	7	6	1	7	6	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	3	3	-	-	-	-	3	3	-	3	3	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	-	-	-	1	1	-	1	1	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	2	2	-	1	1	-	1	1	-	1	1	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	1	1	-	-	-	-	1	1	-	1	1	-
65-69 years-----	4	2	2	4	2	2	-	-	-	-	-	-
70-74 years-----	4	4	-	4	4	-	-	-	-	-	-	-
75-79 years-----	3	2	1	3	2	1	-	-	-	-	-	-
80-84 years-----	4	2	2	4	2	2	-	-	-	-	-	-
85-89 years-----	8	3	5	7	3	4	1	-	1	1	-	1
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Bronchitis and pneumonitis due to chemicals, gases, fumes, and vapors (J68.0)

All ages-----	20	10	10	16	7	9	4	3	1	4	3	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	1	-	-	-	-	1	1	-	1	1	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	-	-	-	1	1	-	1	1	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	1	1	-	-	-	-	1	1	-	1	1	-
65-69 years-----	3	1	2	3	1	2	-	-	-	-	-	-
70-74 years-----	3	3	-	3	3	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	3	1	2	3	1	2	-	-	-	-	-	-
85-89 years-----	5	1	4	4	1	3	1	-	1	1	-	1
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Acute pulmonary edema due to chemicals, gases, fumes, and vapors (J68.1)												
All ages-----	4	4	-	1	1	-	3	3	-	3	3	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	2	2	-	-	-	-	2	2	-	2	2	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	-	-	-	1	1	-	1	1	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other acute and subacute respiratory conditions due to chemicals, gases, fumes, and vapors (J68.3)

All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Chronic respiratory conditions due to chemicals, gases, fumes, and vapors (J68.4)												
All ages-----	4	3	1	4	3	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other respiratory conditions due to chemicals, gases, fumes, and vapors (J68.8)

All ages-----	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Unspecified respiratory condition due to chemicals, gases, fumes, and vapors (J68.9)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Pneumonitis due to solids and liquids (J69)

All ages-----	15,268	7,755	7,513	13,582	6,853	6,729	1,686	902	784	1,505	775	730
Under 1 year-----	16	9	7	13	7	6	3	2	1	2	1	1
1-4 years-----	12	3	9	8	2	6	4	1	3	4	1	3
5-9 years-----	4	-	4	4	-	4	-	-	-	-	-	-
10-14 years-----	12	6	6	8	5	3	4	1	3	3	1	2
15-19 years-----	9	7	2	8	6	2	1	1	-	1	1	-
20-24 years-----	23	15	8	14	8	6	9	7	2	9	7	2
25-29 years-----	33	21	12	23	13	10	10	8	2	9	7	2
30-34 years-----	45	26	19	34	20	14	11	6	5	9	5	4
35-39 years-----	59	35	24	43	26	17	16	9	7	14	8	6
40-44 years-----	107	62	45	78	45	33	29	17	12	27	15	12
45-49 years-----	129	83	46	98	66	32	31	17	14	28	15	13
50-54 years-----	155	82	73	121	62	59	34	20	14	31	18	13
55-59 years-----	259	151	108	204	118	86	55	33	22	51	30	21
60-64 years-----	327	214	113	269	173	96	58	41	17	54	38	16
65-69 years-----	582	367	215	479	298	181	103	69	34	91	60	31
70-74 years-----	1,172	716	456	982	597	385	190	119	71	175	110	65
75-79 years-----	2,068	1,252	816	1,820	1,099	721	248	153	95	227	137	90
80-84 years-----	2,962	1,623	1,339	2,672	1,463	1,209	290	160	130	246	126	120
85-89 years-----	3,443	1,659	1,784	3,175	1,532	1,643	268	127	141	236	105	131
90-94 years-----	2,586	1,006	1,580	2,390	933	1,457	196	73	123	176	58	118
95-99 years-----	1,053	372	681	947	336	611	106	36	70	95	30	65
100 yrs & over---	212	46	166	192	44	148	20	2	18	17	2	15
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Pneumonitis due to food and vomit (J69.0)												
All ages-----	15,257	7,752	7,505	13,573	6,851	6,722	1,684	901	783	1,503	774	729
Under 1 year-----	16	9	7	13	7	6	3	2	1	2	1	1
1-4 years-----	12	3	9	8	2	6	4	1	3	4	1	3
5-9 years-----	4	-	4	4	-	4	-	-	-	-	-	-
10-14 years-----	12	6	6	8	5	3	4	1	3	3	1	2
15-19 years-----	9	7	2	8	6	2	1	1	-	1	1	-
20-24 years-----	23	15	8	14	8	6	9	7	2	9	7	2
25-29 years-----	33	21	12	23	13	10	10	8	2	9	7	2
30-34 years-----	45	26	19	34	20	14	11	6	5	9	5	4
35-39 years-----	59	35	24	43	26	17	16	9	7	14	8	6
40-44 years-----	106	62	44	77	45	32	29	17	12	27	15	12
45-49 years-----	129	83	46	98	66	32	31	17	14	28	15	13
50-54 years-----	155	82	73	121	62	59	34	20	14	31	18	13
55-59 years-----	259	151	108	204	118	86	55	33	22	51	30	21
60-64 years-----	326	214	112	268	173	95	58	41	17	54	38	16
65-69 years-----	579	364	215	477	296	181	102	68	34	90	59	31
70-74 years-----	1,172	716	456	982	597	385	190	119	71	175	110	65
75-79 years-----	2,065	1,252	813	1,818	1,099	719	247	153	94	226	137	89
80-84 years-----	2,960	1,623	1,337	2,670	1,463	1,207	290	160	130	246	126	120
85-89 years-----	3,442	1,659	1,783	3,174	1,532	1,642	268	127	141	236	105	131
90-94 years-----	2,586	1,006	1,580	2,390	933	1,457	196	73	123	176	58	118
95-99 years-----	1,053	372	681	947	336	611	106	36	70	95	30	65
100 yrs & over---	212	46	166	192	44	148	20	2	18	17	2	15
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Pneumonitis due to oils and essences (J69.1)

All ages-----	8	2	6	7	1	6	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	2	2	-	1	1	-	1	1	-	1	1	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	2	-	2	2	-	2	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Pneumonitis due to other solids and liquids (J69.8)												
All ages-----	3	1	2	2	1	1	1	-	1	1	-	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	2	-	2	1	-	1	1	-	1	1	-	1
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Respiratory conditions due to other external agents (J70)

All ages-----	53	23	30	46	20	26	7	3	4	7	3	4
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	-	-	-	1	-	1	1	-	1
30-34 years-----	2	-	2	2	-	2	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	4	1	3	4	1	3	-	-	-	-	-	-
55-59 years-----	2	1	1	1	-	1	1	1	-	1	1	-
60-64 years-----	6	4	2	5	3	2	1	1	-	1	1	-
65-69 years-----	4	2	2	4	2	2	-	-	-	-	-	-
70-74 years-----	7	2	5	7	2	5	-	-	-	-	-	-
75-79 years-----	15	7	8	12	6	6	3	1	2	3	1	2
80-84 years-----	9	4	5	8	4	4	1	-	1	1	-	1
85-89 years-----	2	2	-	2	2	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Acute pulmonary manifestations due to radiation (J70.0)												
All ages-----	26	12	14	24	11	13	2	1	1	2	1	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	2	1	1	2	1	1	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	3	1	2	3	1	2	-	-	-	-	-	-
65-69 years-----	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years-----	4	1	3	4	1	3	-	-	-	-	-	-
75-79 years-----	8	5	3	6	4	2	2	1	1	2	1	1
80-84 years-----	4	2	2	4	2	2	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Chronic and other pulmonary manifestations due to radiation (J70.1)

All ages-----	24	8	16	19	6	13	5	2	3	5	2	3
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	-	-	-	1	-	1	1	-	1
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	2	-	2	2	-	2	-	-	-	-	-	-
55-59 years-----	1	1	-	-	-	-	1	1	-	1	1	-
60-64 years-----	3	3	-	2	2	-	1	1	-	1	1	-
65-69 years-----	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years-----	3	1	2	3	1	2	-	-	-	-	-	-
75-79 years-----	6	1	5	5	1	4	1	-	1	1	-	1
80-84 years-----	4	1	3	3	1	2	1	-	1	1	-	1
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Respiratory conditions due to unspecified external agent (J70.9)												
All ages-----	3	3	-	3	3	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Adult respiratory distress syndrome (J80)

All ages-----	2,125	1,009	1,116	1,833	889	944	292	120	172	255	100	155
Under 1 year-----	7	2	5	4	-	4	3	2	1	3	2	1
1-4 years-----	6	2	4	5	2	3	1	-	1	-	-	-
5-9 years-----	5	3	2	3	2	1	2	1	1	2	1	1
10-14 years-----	6	4	2	3	2	1	3	2	1	3	2	1
15-19 years-----	15	4	11	8	1	7	7	3	4	6	3	3
20-24 years-----	12	3	9	9	3	6	3	-	3	3	-	3
25-29 years-----	25	8	17	15	7	8	10	1	9	10	1	9
30-34 years-----	43	16	27	29	11	18	14	5	9	13	5	8
35-39 years-----	41	17	24	25	11	14	16	6	10	14	5	9
40-44 years-----	75	31	44	58	26	32	17	5	12	16	5	11
45-49 years-----	90	38	52	66	28	38	24	10	14	20	8	12
50-54 years-----	101	47	54	84	40	44	17	7	10	16	6	10
55-59 years-----	114	45	69	99	38	61	15	7	8	11	4	7
60-64 years-----	161	79	82	127	65	62	34	14	20	28	10	18
65-69 years-----	219	115	104	193	103	90	26	12	14	24	11	13
70-74 years-----	296	151	145	267	137	130	29	14	15	26	11	15
75-79 years-----	387	194	193	352	178	174	35	16	19	33	15	18
80-84 years-----	291	146	145	276	138	138	15	8	7	9	5	4
85-89 years-----	160	74	86	148	69	79	12	5	7	11	4	7
90-94 years-----	49	22	27	45	22	23	4	-	4	2	-	2
95-99 years-----	16	7	9	12	6	6	4	1	3	4	1	3
100 yrs & over---	6	1	5	5	-	5	1	1	-	1	1	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Pulmonary edema (J81)												
All ages-----	746	312	434	625	267	358	121	45	76	111	40	71
Under 1 year-----	10	7	3	6	4	2	4	3	1	3	2	1
1-4 years-----	2	1	1	2	1	1	-	-	-	-	-	-
5-9 years-----	2	1	1	1	1	-	1	-	1	1	-	1
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	4	3	1	4	3	1	-	-	-	-	-	-
20-24 years-----	4	3	1	4	3	1	-	-	-	-	-	-
25-29 years-----	7	6	1	7	6	1	-	-	-	-	-	-
30-34 years-----	5	3	2	5	3	2	-	-	-	-	-	-
35-39 years-----	11	5	6	9	4	5	2	1	1	2	1	1
40-44 years-----	13	8	5	8	7	1	5	1	4	5	1	4
45-49 years-----	15	6	9	12	4	8	3	2	1	3	2	1
50-54 years-----	24	14	10	13	8	5	11	6	5	11	6	5
55-59 years-----	30	13	17	20	10	10	10	3	7	9	2	7
60-64 years-----	26	11	15	22	11	11	4	-	4	3	-	3
65-69 years-----	42	27	15	35	23	12	7	4	3	7	4	3
70-74 years-----	68	36	32	46	28	18	22	8	14	22	8	14
75-79 years-----	98	42	56	84	38	46	14	4	10	13	3	10
80-84 years-----	111	45	66	100	40	60	11	5	6	9	4	5
85-89 years-----	135	48	87	125	46	79	10	2	8	10	2	8
90-94 years-----	92	27	65	84	23	61	8	4	4	6	3	3
95-99 years-----	34	6	28	28	4	24	6	2	4	5	2	3
100 yrs & over---	13	-	13	10	-	10	3	-	3	2	-	2
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Pulmonary eosinophilia, not elsewhere classified (J82)

All ages-----	212	106	106	181	86	95	31	20	11	27	17	10
Under 1 year-----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	2	1	1	1	1	-	1	-	1	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	3	1	2	2	1	1	1	-	1	1	-	1
40-44 years-----	4	3	1	2	2	-	2	1	1	2	1	1
45-49 years-----	3	2	1	-	-	-	3	2	1	3	2	1
50-54 years-----	6	4	2	3	1	2	3	3	-	2	2	-
55-59 years-----	10	3	7	8	1	7	2	2	-	2	2	-
60-64 years-----	9	4	5	9	4	5	-	-	-	-	-	-
65-69 years-----	11	8	3	9	8	1	2	-	2	2	-	2
70-74 years-----	24	10	14	22	9	13	2	1	1	2	1	1
75-79 years-----	34	19	15	28	14	14	6	5	1	6	5	1
80-84 years-----	37	20	17	32	16	16	5	4	1	4	3	1
85-89 years-----	40	19	21	37	17	20	3	2	1	2	1	1
90-94 years-----	18	7	11	17	7	10	1	-	1	1	-	1
95-99 years-----	6	2	4	6	2	4	-	-	-	-	-	-
100 yrs & over---	2	-	2	2	-	2	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other interstitial pulmonary diseases (J84)												
All ages-----	11,358	5,820	5,538	10,358	5,356	5,002	1,000	464	536	726	325	401
Under 1 year-----	51	32	19	29	16	13	22	16	6	18	15	3
1-4 years-----	16	11	5	10	6	4	6	5	1	5	4	1
5-9 years-----	6	3	3	5	2	3	1	1	-	-	-	-
10-14 years-----	4	1	3	3	-	3	1	1	-	1	1	-
15-19 years-----	9	7	2	9	7	2	-	-	-	-	-	-
20-24 years-----	17	11	6	15	9	6	2	2	-	1	1	-
25-29 years-----	16	9	7	8	6	2	8	3	5	8	3	5
30-34 years-----	45	20	25	31	16	15	14	4	10	13	3	10
35-39 years-----	60	38	22	42	26	16	18	12	6	16	11	5
40-44 years-----	113	54	59	64	33	31	49	21	28	42	16	26
45-49 years-----	181	100	81	124	71	53	57	29	28	51	27	24
50-54 years-----	271	138	133	214	113	101	57	25	32	49	23	26
55-59 years-----	382	210	172	311	171	140	71	39	32	56	28	28
60-64 years-----	617	351	266	550	319	231	67	32	35	51	23	28
65-69 years-----	1,078	627	451	972	579	393	106	48	58	81	37	44
70-74 years-----	1,669	965	704	1,521	901	620	148	64	84	96	40	56
75-79 years-----	2,190	1,185	1,005	2,073	1,129	944	117	56	61	81	38	43
80-84 years-----	2,121	1,075	1,046	1,994	1,021	973	127	54	73	77	28	49
85-89 years-----	1,618	715	903	1,534	680	854	84	35	49	52	19	33
90-94 years-----	663	199	464	632	187	445	31	12	19	19	7	12
95-99 years-----	206	62	144	194	58	136	12	4	8	8	-	8
100 yrs & over---	25	7	18	23	6	17	2	1	1	1	1	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Alveolar and parietoalveolar conditions (J84.0)

All ages-----	129	68	61	99	55	44	30	13	17	23	9	14
Under 1 year-----	2	2	-	-	-	-	2	2	-	2	2	-
1-4 years-----	3	2	1	1	1	-	2	1	1	2	1	1
5-9 years-----	2	1	1	1	-	1	1	1	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	2	2	-	2	2	-	-	-	-	-	-	-
20-24 years-----	2	2	-	1	1	-	1	1	-	1	1	-
25-29 years-----	5	3	2	2	2	-	3	1	2	3	1	2
30-34 years-----	6	3	3	5	3	2	1	-	1	1	-	1
35-39 years-----	5	5	-	3	3	-	2	2	-	1	1	-
40-44 years-----	7	1	6	2	1	1	5	-	5	5	-	5
45-49 years-----	8	3	5	7	3	4	1	-	1	1	-	1
50-54 years-----	14	7	7	11	6	5	3	1	2	3	1	2
55-59 years-----	16	6	10	14	5	9	2	1	1	-	-	-
60-64 years-----	8	4	4	7	4	3	1	-	1	-	-	-
65-69 years-----	14	8	6	11	7	4	3	1	2	3	1	2
70-74 years-----	11	8	3	10	7	3	1	1	-	-	-	-
75-79 years-----	13	8	5	11	7	4	2	1	1	1	1	-
80-84 years-----	6	1	5	6	1	5	-	-	-	-	-	-
85-89 years-----	4	2	2	4	2	2	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other interstitial pulmonary diseases with fibrosis (J84.1)												
All ages-----	9,004	4,666	4,338	8,297	4,337	3,960	707	329	378	502	222	280
Under 1 year-----	4	2	2	3	2	1	1	-	1	1	-	1
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	3	1	2	3	1	2	-	-	-	-	-	-
10-14 years-----	3	-	3	3	-	3	-	-	-	-	-	-
15-19 years-----	5	3	2	5	3	2	-	-	-	-	-	-
20-24 years-----	7	4	3	7	4	3	-	-	-	-	-	-
25-29 years-----	4	2	2	2	1	1	2	1	1	2	1	1
30-34 years-----	26	10	16	17	9	8	9	1	8	8	-	8
35-39 years-----	33	21	12	24	16	8	9	5	4	9	5	4
40-44 years-----	74	38	36	44	24	20	30	14	16	27	11	16
45-49 years-----	129	74	55	91	53	38	38	21	17	34	19	15
50-54 years-----	191	104	87	156	88	68	35	16	19	30	14	16
55-59 years-----	299	172	127	247	140	107	52	32	20	41	23	18
60-64 years-----	508	291	217	456	268	188	52	23	29	38	15	23
65-69 years-----	872	515	357	788	475	313	84	40	44	64	31	33
70-74 years-----	1,341	781	560	1,236	741	495	105	40	65	68	26	42
75-79 years-----	1,768	972	796	1,678	927	751	90	45	45	65	31	34
80-84 years-----	1,702	870	832	1,599	821	778	103	49	54	57	23	34
85-89 years-----	1,315	589	726	1,252	560	692	63	29	34	38	17	21
90-94 years-----	538	164	374	513	153	360	25	11	14	14	6	8
95-99 years-----	160	47	113	152	45	107	8	2	6	6	-	6
100 yrs & over---	21	5	16	20	5	15	1	-	1	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other specified interstitial pulmonary diseases (J84.8)

All ages-----	40	23	17	32	21	11	8	2	6	7	2	5
Under 1 year-----	2	1	1	1	1	-	1	-	1	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	-	-	-	1	1	-	1	1	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	4	1	3	4	1	3	-	-	-	-	-	-
65-69 years-----	3	2	1	1	1	-	2	1	1	2	1	1
70-74 years-----	7	4	3	5	4	1	2	-	2	2	-	2
75-79 years-----	3	2	1	3	2	1	-	-	-	-	-	-
80-84 years-----	7	4	3	6	4	2	1	-	1	1	-	1
85-89 years-----	3	1	2	2	1	1	1	-	1	1	-	1
90-94 years-----	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Interstitial pulmonary disease, unspecified (J84.9)												
All ages-----	2,185	1,063	1,122	1,930	943	987	255	120	135	194	92	102
Under 1 year-----	43	27	16	25	13	12	18	14	4	15	13	2
1-4 years-----	12	8	4	8	4	4	4	4	-	3	3	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	2	2	-	2	2	-	-	-	-	-	-	-
20-24 years-----	8	5	3	7	4	3	1	1	-	-	-	-
25-29 years-----	6	3	3	3	2	1	3	1	2	3	1	2
30-34 years-----	12	7	5	8	4	4	4	3	1	4	3	1
35-39 years-----	21	11	10	14	6	8	7	5	2	6	5	1
40-44 years-----	31	14	17	17	7	10	14	7	7	10	5	5
45-49 years-----	44	23	21	26	15	11	18	8	10	16	8	8
50-54 years-----	64	25	39	45	17	28	19	8	11	16	8	8
55-59 years-----	66	31	35	49	25	24	17	6	11	15	5	10
60-64 years-----	97	55	42	83	46	37	14	9	5	13	8	5
65-69 years-----	189	102	87	172	96	76	17	6	11	12	4	8
70-74 years-----	310	172	138	270	149	121	40	23	17	26	14	12
75-79 years-----	406	203	203	381	193	188	25	10	15	15	6	9
80-84 years-----	406	200	206	383	195	188	23	5	18	19	5	14
85-89 years-----	296	123	173	276	117	159	20	6	14	13	2	11
90-94 years-----	123	34	89	117	33	84	6	1	5	5	1	4
95-99 years-----	44	15	29	40	13	27	4	2	2	2	-	2
100 yrs & over---	4	2	2	3	1	2	1	1	-	1	1	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Abscess of lung and mediastinum (J85)

All ages-----	377	228	149	274	160	114	103	68	35	84	58	26
Under 1 year-----	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years-----	4	1	3	2	-	2	2	1	1	2	1	1
5-9 years-----	1	-	1	-	-	-	1	-	1	1	-	1
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	3	1	2	1	1	-	2	-	2	2	-	2
20-24 years-----	2	1	1	1	1	-	1	-	1	-	-	-
25-29 years-----	7	4	3	4	2	2	3	2	1	2	1	1
30-34 years-----	7	3	4	6	2	4	1	1	-	1	1	-
35-39 years-----	15	8	7	11	5	6	4	3	1	4	3	1
40-44 years-----	24	17	7	19	13	6	5	4	1	2	2	-
45-49 years-----	25	18	7	17	12	5	8	6	2	7	6	1
50-54 years-----	30	21	9	23	17	6	7	4	3	4	3	1
55-59 years-----	25	18	7	10	7	3	15	11	4	15	11	4
60-64 years-----	29	20	9	20	14	6	9	6	3	8	6	2
65-69 years-----	44	34	10	30	23	7	14	11	3	11	9	2
70-74 years-----	35	21	14	29	17	12	6	4	2	5	3	2
75-79 years-----	45	23	22	37	18	19	8	5	3	6	4	2
80-84 years-----	28	16	12	23	14	9	5	2	3	5	2	3
85-89 years-----	33	13	20	27	10	17	6	3	3	5	3	2
90-94 years-----	13	5	8	9	2	7	4	3	1	3	2	1
95-99 years-----	5	3	2	4	2	2	1	1	-	-	-	-
100 yrs & over---	1	1	-	-	-	-	1	1	-	1	1	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Gangrene and necrosis of lung (J85.0)												
All ages-----	147	92	55	110	65	45	37	27	10	28	20	8
Under 1 year----	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years-----	3	-	3	2	-	2	1	-	1	1	-	1
5-9 years-----	1	-	1	-	-	-	1	-	1	1	-	1
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	-	1	-	-	-	1	-	1	1	-	1
20-24 years-----	2	1	1	1	1	-	1	-	1	-	-	-
25-29 years-----	5	2	3	3	1	2	2	1	1	1	-	1
30-34 years-----	2	1	1	2	1	1	-	-	-	-	-	-
35-39 years-----	8	6	2	6	4	2	2	2	-	2	2	-
40-44 years-----	12	9	3	11	8	3	1	1	-	-	-	-
45-49 years-----	15	11	4	11	8	3	4	3	1	3	3	-
50-54 years-----	10	6	4	9	5	4	1	1	-	-	-	-
55-59 years-----	14	10	4	8	5	3	6	5	1	6	5	1
60-64 years-----	5	5	-	3	3	-	2	2	-	2	2	-
65-69 years-----	16	13	3	12	9	3	4	4	-	3	3	-
70-74 years-----	12	8	4	9	6	3	3	2	1	2	1	1
75-79 years-----	15	7	8	13	6	7	2	1	1	1	-	1
80-84 years-----	3	1	2	2	1	1	1	-	1	1	-	1
85-89 years-----	11	5	6	9	3	6	2	2	-	2	2	-
90-94 years-----	8	5	3	5	2	3	3	3	-	2	2	-
95-99 years-----	3	2	1	3	2	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Abscess of lung with pneumonia (J85.1)

All ages-----	83	52	31	58	35	23	25	17	8	21	16	5
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	1	-	-	-	-	1	1	-	1	1	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	-	-	-	1	1	-	1	1	-
35-39 years-----	3	1	2	3	1	2	-	-	-	-	-	-
40-44 years-----	7	6	1	4	4	-	3	2	1	1	1	-
45-49 years-----	4	4	-	2	2	-	2	2	-	2	2	-
50-54 years-----	10	7	3	8	6	2	2	1	1	1	1	-
55-59 years-----	2	2	-	1	1	-	1	1	-	1	1	-
60-64 years-----	6	3	3	2	1	1	4	2	2	4	2	2
65-69 years-----	12	9	3	9	7	2	3	2	1	3	2	1
70-74 years-----	10	7	3	8	5	3	2	2	-	2	2	-
75-79 years-----	10	6	4	6	3	3	4	3	1	3	3	-
80-84 years-----	6	1	5	5	1	4	1	-	1	1	-	1
85-89 years-----	8	3	5	7	3	4	1	-	1	1	-	1
90-94 years-----	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Abscess of lung without pneumonia (J85.2)												
All ages-----	139	83	56	100	59	41	39	24	15	34	22	12
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	-	1	-	-	-	1	-	1	1	-	1
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	2	2	-	1	1	-	1	1	-	1	1	-
30-34 years-----	3	1	2	3	1	2	-	-	-	-	-	-
35-39 years-----	4	1	3	2	-	2	2	1	1	2	1	1
40-44 years-----	5	2	3	4	1	3	1	1	-	1	1	-
45-49 years-----	6	3	3	4	2	2	2	1	1	2	1	1
50-54 years-----	10	8	2	6	6	-	4	2	2	3	2	1
55-59 years-----	8	6	2	1	1	-	7	5	2	7	5	2
60-64 years-----	17	12	5	14	10	4	3	2	1	2	2	-
65-69 years-----	16	12	4	9	7	2	7	5	2	5	4	1
70-74 years-----	10	5	5	9	5	4	1	-	1	1	-	1
75-79 years-----	19	10	9	17	9	8	2	1	1	2	1	1
80-84 years-----	19	14	5	16	12	4	3	2	1	3	2	1
85-89 years-----	13	5	8	11	4	7	2	1	1	2	1	1
90-94 years-----	3	-	3	2	-	2	1	-	1	1	-	1
95-99 years-----	2	1	1	1	-	1	1	1	-	-	-	-
100 yrs & over---	1	1	-	-	-	-	1	1	-	1	1	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Abscess of mediastinum (J85.3)

All ages-----	8	1	7	6	1	5	2	-	2	1	-	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	-	1	-	-	-	1	-	1	1	-	1
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	3	1	2	3	1	2	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	-	-	-	1	-	1	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Pyothorax (J86)												
All ages-----	422	263	159	368	232	136	54	31	23	47	26	21
Under 1 year-----	4	2	2	4	2	2	-	-	-	-	-	-
1-4 years-----	2	1	1	1	-	1	1	1	-	1	1	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	3	1	2	3	1	2	-	-	-	-	-	-
20-24 years-----	3	1	2	1	1	-	2	-	2	2	-	2
25-29 years-----	4	1	3	2	1	1	2	-	2	2	-	2
30-34 years-----	6	6	-	5	5	-	1	1	-	1	1	-
35-39 years-----	9	7	2	4	3	1	5	4	1	5	4	1
40-44 years-----	14	12	2	10	9	1	4	3	1	3	2	1
45-49 years-----	22	15	7	17	12	5	5	3	2	5	3	2
50-54 years-----	29	22	7	27	21	6	2	1	1	2	1	1
55-59 years-----	28	16	12	20	10	10	8	6	2	7	5	2
60-64 years-----	24	16	8	22	15	7	2	1	1	2	1	1
65-69 years-----	48	36	12	42	33	9	6	3	3	4	2	2
70-74 years-----	54	36	18	49	34	15	5	2	3	4	2	2
75-79 years-----	54	29	25	52	27	25	2	2	-	2	2	-
80-84 years-----	53	34	19	51	34	17	2	-	2	2	-	2
85-89 years-----	33	15	18	28	11	17	5	4	1	3	2	1
90-94 years-----	23	9	14	21	9	12	2	-	2	2	-	2
95-99 years-----	7	2	5	7	2	5	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Pyothorax with fistula (J86.0)

All ages-----	97	63	34	87	58	29	10	5	5	9	5	4
Under 1 year-----	4	2	2	4	2	2	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	1	-	1	-	-	-	1	-	1	1	-	1
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	4	3	1	2	2	-	2	1	1	2	1	1
40-44 years-----	1	1	-	-	-	-	1	1	-	1	1	-
45-49 years-----	4	1	3	3	1	2	1	-	1	1	-	1
50-54 years-----	5	3	2	5	3	2	-	-	-	-	-	-
55-59 years-----	12	3	9	11	3	8	1	-	1	1	-	1
60-64 years-----	10	8	2	10	8	2	-	-	-	-	-	-
65-69 years-----	19	16	3	18	15	3	1	1	-	1	1	-
70-74 years-----	18	12	6	16	11	5	2	1	1	1	1	-
75-79 years-----	9	5	4	8	4	4	1	1	-	1	1	-
80-84 years-----	6	5	1	6	5	1	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Pyothorax without fistula (J86.9)												
All ages-----	325	200	125	281	174	107	44	26	18	38	21	17
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	2	1	1	1	-	1	1	1	-	1	1	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	3	1	2	3	1	2	-	-	-	-	-	-
20-24 years-----	2	-	2	-	-	-	2	-	2	2	-	2
25-29 years-----	3	1	2	2	1	1	1	-	1	1	-	1
30-34 years-----	6	6	-	5	5	-	1	1	-	1	1	-
35-39 years-----	5	4	1	2	1	1	3	3	-	3	3	-
40-44 years-----	13	11	2	10	9	1	3	2	1	2	1	1
45-49 years-----	18	14	4	14	11	3	4	3	1	4	3	1
50-54 years-----	24	19	5	22	18	4	2	1	1	2	1	1
55-59 years-----	16	13	3	9	7	2	7	6	1	6	5	1
60-64 years-----	14	8	6	12	7	5	2	1	1	2	1	1
65-69 years-----	29	20	9	24	18	6	5	2	3	3	1	2
70-74 years-----	36	24	12	33	23	10	3	1	2	3	1	2
75-79 years-----	45	24	21	44	23	21	1	1	-	1	1	-
80-84 years-----	47	29	18	45	29	16	2	-	2	2	-	2
85-89 years-----	32	14	18	27	10	17	5	4	1	3	2	1
90-94 years-----	23	9	14	21	9	12	2	-	2	2	-	2
95-99 years-----	6	1	5	6	1	5	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Pleural effusion, not elsewhere classified (J90)

All ages-----	856	385	471	767	344	423	89	41	48	75	34	41
Under 1 year-----	3	1	2	3	1	2	-	-	-	-	-	-
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	3	1	2	3	1	2	-	-	-	-	-	-
40-44 years-----	4	2	2	3	1	2	1	1	-	1	1	-
45-49 years-----	11	5	6	8	3	5	3	2	1	2	2	-
50-54 years-----	10	7	3	7	5	2	3	2	1	3	2	1
55-59 years-----	21	9	12	15	5	10	6	4	2	6	4	2
60-64 years-----	25	13	12	22	11	11	3	2	1	3	2	1
65-69 years-----	43	26	17	39	24	15	4	2	2	4	2	2
70-74 years-----	73	40	33	64	37	27	9	3	6	8	2	6
75-79 years-----	122	66	56	110	59	51	12	7	5	10	6	4
80-84 years-----	166	76	90	153	70	83	13	6	7	11	4	7
85-89 years-----	183	73	110	163	66	97	20	7	13	15	6	9
90-94 years-----	131	47	84	124	46	78	7	1	6	6	-	6
95-99 years-----	49	16	33	44	13	31	5	3	2	3	2	1
100 yrs & over---	9	1	8	6	-	6	3	1	2	3	1	2
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Pleural plaque (J92)												
All ages-----	7	5	2	7	5	2	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	2	2	-	2	2	-	-	-	-	-	-	-
75-79 years-----	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Pleural plaque with presence of asbestos (J92.0)

All ages-----	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Pleural plaque without asbestos (J92.9)												
All ages-----	5	3	2	5	3	2	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Pneumothorax (J93)												
All ages-----	322	156	166	262	128	134	60	28	32	56	27	29
Under 1 year-----	23	9	14	11	4	7	12	5	7	12	5	7
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	2	2	-	1	1	-	1	1	-	1	1	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	2	2	-	2	2	-	-	-	-	-	-	-
20-24 years-----	2	-	2	1	-	1	1	-	1	1	-	1
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	9	6	3	7	4	3	2	2	-	2	2	-
40-44 years-----	11	7	4	7	4	3	4	3	1	4	3	1
45-49 years-----	13	8	5	8	5	3	5	3	2	4	2	2
50-54 years-----	6	2	4	6	2	4	-	-	-	-	-	-
55-59 years-----	10	8	2	8	6	2	2	2	-	2	2	-
60-64 years-----	21	12	9	17	10	7	4	2	2	4	2	2
65-69 years-----	19	8	11	17	8	9	2	-	2	2	-	2
70-74 years-----	44	25	19	38	22	16	6	3	3	6	3	3
75-79 years-----	39	18	21	34	17	17	5	1	4	4	1	3
80-84 years-----	56	28	28	52	26	26	4	2	2	4	2	2
85-89 years-----	34	13	21	29	10	19	5	3	2	4	3	1
90-94 years-----	27	7	20	20	6	14	7	1	6	6	1	5
95-99 years-----	3	1	2	3	1	2	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Spontaneous tension pneumothorax (J93.0)												
All ages-----	60	20	40	46	17	29	14	3	11	14	3	11
Under 1 year----	10	2	8	5	2	3	5	-	5	5	-	5
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	1	-	1	-	-	-	1	-	1	1	-	1
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	5	2	3	4	1	3	1	1	-	1	1	-
65-69 years-----	7	2	5	6	2	4	1	-	1	1	-	1
70-74 years-----	11	4	7	8	3	5	3	1	2	3	1	2
75-79 years-----	4	2	2	3	2	1	1	-	1	1	-	1
80-84 years-----	10	4	6	10	4	6	-	-	-	-	-	-
85-89 years-----	5	1	4	5	1	4	-	-	-	-	-	-
90-94 years-----	2	1	1	-	-	-	2	1	1	2	1	1
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Other spontaneous pneumothorax (J93.1)												
All ages-----	31	16	15	28	14	14	3	2	1	2	2	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	-	-	-	1	1	-	1	1	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	2	-	2	2	-	2	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	2	2	-	2	2	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	6	6	-	6	6	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	8	3	5	8	3	5	-	-	-	-	-	-
85-89 years-----	4	2	2	2	1	1	2	1	1	1	1	-
90-94 years-----	4	1	3	4	1	3	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other pneumothorax (J93.8)												
All ages-----	5	2	3	4	2	2	1	-	1	1	-	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years-----	2	1	1	1	1	-	1	-	1	1	-	1
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Pneumothorax, unspecified (J93.9)												
All ages-----	226	118	108	184	95	89	42	23	19	39	22	17
Under 1 year-----	13	7	6	6	2	4	7	5	2	7	5	2
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	2	2	-	1	1	-	1	1	-	1	1	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	2	2	-	2	2	-	-	-	-	-	-	-
20-24 years-----	1	-	1	-	-	-	1	-	1	1	-	1
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	7	5	2	6	4	2	1	1	-	1	1	-
40-44 years-----	9	6	3	5	3	2	4	3	1	4	3	1
45-49 years-----	12	8	4	8	5	3	4	3	1	3	2	1
50-54 years-----	4	2	2	4	2	2	-	-	-	-	-	-
55-59 years-----	9	7	2	7	5	2	2	2	-	2	2	-
60-64 years-----	14	8	6	11	7	4	3	1	2	3	1	2
65-69 years-----	11	6	5	10	6	4	1	-	1	1	-	1
70-74 years-----	27	15	12	24	13	11	3	2	1	3	2	1
75-79 years-----	32	14	18	28	13	15	4	1	3	3	1	2
80-84 years-----	36	20	16	33	18	15	3	2	1	3	2	1
85-89 years-----	24	10	14	21	8	13	3	2	1	3	2	1
90-94 years-----	21	5	16	16	5	11	5	-	5	4	-	4
95-99 years-----	2	1	1	2	1	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other pleural conditions (J94)												
All ages-----	109	60	49	92	52	40	17	8	9	15	7	8
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	2	1	1	2	1	1	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	3	2	1	2	2	-	1	-	1	1	-	1
45-49 years-----	3	1	2	1	-	1	2	1	1	2	1	1
50-54 years-----	3	2	1	2	2	-	1	-	1	-	-	-
55-59 years-----	3	3	-	2	2	-	1	1	-	1	1	-
60-64 years-----	5	5	-	4	4	-	1	1	-	1	1	-
65-69 years-----	7	3	4	4	2	2	3	1	2	3	1	2
70-74 years-----	10	7	3	6	4	2	4	3	1	3	2	1
75-79 years-----	19	12	7	17	12	5	2	-	2	2	-	2
80-84 years-----	27	14	13	27	14	13	-	-	-	-	-	-
85-89 years-----	12	5	7	11	4	7	1	1	-	1	1	-
90-94 years-----	10	4	6	10	4	6	-	-	-	-	-	-
95-99 years-----	3	1	2	3	1	2	-	-	-	-	-	-
100 yrs & over---	1	-	1	-	-	-	1	-	1	1	-	1
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Chylous effusion (J94.0)

All ages-----	2	1	1	1	1	-	1	-	1	1	-	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	-	-	-	1	-	1	1	-	1
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Fibrothorax (J94.1)												
All ages-----	17	12	5	17	12	5	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	2	2	-	2	2	-	-	-	-	-	-	-
75-79 years-----	2	2	-	2	2	-	-	-	-	-	-	-
80-84 years-----	6	4	2	6	4	2	-	-	-	-	-	-
85-89 years-----	2	2	-	2	2	-	-	-	-	-	-	-
90-94 years-----	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Hemothorax (J94.2)												
All ages-----	59	29	30	47	22	25	12	7	5	10	6	4
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	2	1	1	-	-	-	2	1	1	2	1	1
50-54 years-----	2	1	1	1	1	-	1	-	1	-	-	-
55-59 years-----	1	1	-	-	-	-	1	1	-	1	1	-
60-64 years-----	3	3	-	2	2	-	1	1	-	1	1	-
65-69 years-----	6	3	3	4	2	2	2	1	1	2	1	1
70-74 years-----	5	4	1	3	2	1	2	2	-	1	1	-
75-79 years-----	12	6	6	10	6	4	2	-	2	2	-	2
80-84 years-----	17	7	10	17	7	10	-	-	-	-	-	-
85-89 years-----	4	2	2	3	1	2	1	1	-	1	1	-
90-94 years-----	3	-	3	3	-	3	-	-	-	-	-	-
95-99 years-----	3	1	2	3	1	2	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other specified pleural conditions (J94.8)												
All ages-----	29	16	13	26	16	10	3	-	3	3	-	3
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	2	1	1	1	1	-	1	-	1	1	-	1
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	2	2	-	2	2	-	-	-	-	-	-	-
65-69 years-----	1	-	1	-	-	1	1	-	1	1	-	1
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	4	3	1	4	3	1	-	-	-	-	-	-
80-84 years-----	4	3	1	4	3	1	-	-	-	-	-	-
85-89 years-----	6	1	5	6	1	5	-	-	-	-	-	-
90-94 years-----	5	3	2	5	3	2	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	1	-	1	-	-	-	1	-	1	1	-	1
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Pleural condition, unspecified (J94.9)

All ages-----	2	2	-	1	1	-	1	1	-	1	1	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	-	-	-	1	1	-	1	1	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Respiratory failure, not elsewhere classified (J96)												
All ages-----	3,597	1,530	2,067	3,092	1,305	1,787	505	225	280	458	206	252
Under 1 year-----	13	7	6	6	4	2	7	3	4	5	2	3
1-4 years-----	6	3	3	4	1	3	2	2	-	2	2	-
5-9 years-----	4	2	2	4	2	2	-	-	-	-	-	-
10-14 years-----	3	1	2	2	1	1	-	-	1	1	-	1
15-19 years-----	4	4	-	4	4	-	-	-	-	-	-	-
20-24 years-----	3	3	-	3	3	-	-	-	-	-	-	-
25-29 years-----	8	4	4	7	4	3	1	-	1	1	-	1
30-34 years-----	15	9	6	10	6	4	5	3	2	5	3	2
35-39 years-----	26	12	14	17	11	6	9	1	8	9	1	8
40-44 years-----	28	20	8	21	14	7	7	6	1	7	6	1
45-49 years-----	48	28	20	33	18	15	15	10	5	14	10	4
50-54 years-----	84	49	35	64	37	27	20	12	8	18	11	7
55-59 years-----	106	52	54	80	40	40	26	12	14	25	11	14
60-64 years-----	168	96	72	141	79	62	27	17	10	24	17	7
65-69 years-----	252	119	133	205	97	108	47	22	25	41	20	21
70-74 years-----	409	209	200	352	180	172	57	29	28	54	27	27
75-79 years-----	577	281	296	494	242	252	83	39	44	74	35	39
80-84 years-----	591	267	324	530	239	291	61	28	33	58	25	33
85-89 years-----	627	208	419	561	189	372	66	19	47	59	17	42
90-94 years-----	392	107	285	358	95	263	34	12	22	30	10	20
95-99 years-----	188	39	149	157	31	126	31	8	23	25	7	18
100 yrs & over---	45	10	35	39	8	31	6	2	4	6	2	4
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Acute respiratory failure (J96.0)

All ages-----	247	97	150	210	81	129	37	16	21	33	14	19
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	2	2	-	2	2	-	-	-	-	-	-	-
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	6	4	2	5	4	1	1	-	1	1	-	1
40-44 years-----	1	1	-	-	-	-	1	1	-	1	1	-
45-49 years-----	5	2	3	3	1	2	2	1	1	2	1	1
50-54 years-----	8	4	4	3	2	1	5	2	3	5	2	3
55-59 years-----	16	8	8	11	6	5	5	2	3	4	1	3
60-64 years-----	11	8	3	10	7	3	1	1	-	1	1	-
65-69 years-----	19	8	11	16	6	10	3	2	1	3	2	1
70-74 years-----	32	18	14	28	17	11	4	1	3	3	-	3
75-79 years-----	41	14	27	35	10	25	6	4	2	6	4	2
80-84 years-----	22	10	12	21	10	11	1	-	1	1	-	1
85-89 years-----	44	11	33	40	10	30	4	1	3	2	1	1
90-94 years-----	27	6	21	24	5	19	3	1	2	3	1	2
95-99 years-----	9	-	9	8	-	8	1	-	1	1	-	1
100 yrs & over---	2	-	2	2	-	2	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Chronic respiratory failure (J96.1)												
All ages-----	109	51	58	99	46	53	10	5	5	7	3	4
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	6	3	3	5	2	3	1	1	-	1	1	-
55-59 years-----	2	2	-	2	2	-	-	-	-	-	-	-
60-64 years-----	6	4	2	6	4	2	-	-	-	-	-	-
65-69 years-----	15	6	9	13	5	8	2	1	1	2	1	1
70-74 years-----	13	6	7	13	6	7	-	-	-	-	-	-
75-79 years-----	25	9	16	21	8	13	4	1	3	3	-	3
80-84 years-----	16	9	7	15	8	7	1	1	-	1	1	-
85-89 years-----	11	4	7	11	4	7	-	-	-	-	-	-
90-94 years-----	11	4	7	9	3	6	2	1	1	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	1	1	-	1	1	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Respiratory failure, unspecified (J96.9)

All ages-----	3,241	1,382	1,859	2,783	1,178	1,605	458	204	254	418	189	229
Under 1 year----	13	7	6	6	4	2	7	3	4	5	2	3
1-4 years-----	6	3	3	4	1	3	2	2	-	2	2	-
5-9 years-----	4	2	2	4	2	2	-	-	-	-	-	-
10-14 years-----	3	1	2	2	1	1	1	-	1	1	-	1
15-19 years-----	4	4	-	4	4	-	-	-	-	-	-	-
20-24 years-----	2	2	-	2	2	-	-	-	-	-	-	-
25-29 years-----	6	2	4	5	2	3	1	-	1	1	-	1
30-34 years-----	14	9	5	9	6	3	5	3	2	5	3	2
35-39 years-----	19	7	12	11	6	5	8	1	7	8	1	7
40-44 years-----	26	18	8	20	13	7	6	5	1	6	5	1
45-49 years-----	42	25	17	29	16	13	13	9	4	12	9	3
50-54 years-----	70	42	28	56	33	23	14	9	5	12	8	4
55-59 years-----	88	42	46	67	32	35	21	10	11	21	10	11
60-64 years-----	151	84	67	125	68	57	26	16	10	23	16	7
65-69 years-----	218	105	113	176	86	90	42	19	23	36	17	19
70-74 years-----	364	185	179	311	157	154	53	28	25	51	27	24
75-79 years-----	511	258	253	438	224	214	73	34	39	65	31	34
80-84 years-----	553	248	305	494	221	273	59	27	32	56	24	32
85-89 years-----	572	193	379	510	175	335	62	18	44	57	16	41
90-94 years-----	354	97	257	325	87	238	29	10	19	27	9	18
95-99 years-----	179	39	140	149	31	118	30	8	22	24	7	17
100 yrs & over---	42	9	33	36	7	29	6	2	4	6	2	4
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other respiratory disorders (J98)												
All ages-----	4,149	1,860	2,289	3,675	1,632	2,043	474	228	246	395	196	199
Under 1 year-----	115	71	44	65	44	21	50	27	23	47	26	21
1-4 years-----	30	18	12	19	12	7	11	6	5	11	6	5
5-9 years-----	12	5	7	8	3	5	4	2	2	3	2	1
10-14 years-----	15	8	7	12	8	4	3	-	3	3	-	3
15-19 years-----	11	8	3	10	7	3	1	1	-	-	-	-
20-24 years-----	6	6	-	6	6	-	-	-	-	-	-	-
25-29 years-----	13	5	8	9	5	4	4	-	4	3	-	3
30-34 years-----	24	14	10	17	9	8	7	5	2	7	5	2
35-39 years-----	30	13	17	22	10	12	8	3	5	8	3	5
40-44 years-----	44	24	20	37	20	17	7	4	3	7	4	3
45-49 years-----	85	33	52	66	28	38	19	5	14	17	5	12
50-54 years-----	98	44	54	78	34	44	20	10	10	17	7	10
55-59 years-----	149	77	72	130	67	63	19	10	9	14	7	7
60-64 years-----	224	112	112	188	94	94	36	18	18	32	17	15
65-69 years-----	330	164	166	288	144	144	42	20	22	39	18	21
70-74 years-----	520	273	247	462	237	225	58	36	22	48	29	19
75-79 years-----	702	335	367	628	302	326	74	33	41	57	28	29
80-84 years-----	701	310	391	644	283	361	57	27	30	43	23	20
85-89 years-----	537	196	341	511	184	327	26	12	14	22	11	11
90-94 years-----	351	103	248	331	96	235	20	7	13	12	5	7
95-99 years-----	120	32	88	113	31	82	7	1	6	5	-	5
100 yrs & over---	32	9	23	31	8	23	1	1	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Diseases of bronchus, not elsewhere classified (J98.0)

All ages-----	115	49	66	101	44	57	14	5	9	12	5	7
Under 1 year-----	2	2	-	2	2	-	-	-	-	-	-	-
1-4 years-----	3	2	1	2	1	1	1	1	-	1	1	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	3	3	-	2	2	-	1	1	-	1	1	-
40-44 years-----	2	-	2	2	-	2	-	-	-	-	-	-
45-49 years-----	4	-	4	3	-	3	1	-	1	1	-	1
50-54 years-----	6	2	4	3	1	2	3	1	2	3	1	2
55-59 years-----	7	2	5	7	2	5	-	-	-	-	-	-
60-64 years-----	5	4	1	4	3	1	1	1	-	1	1	-
65-69 years-----	9	4	5	8	4	4	1	-	1	1	-	1
70-74 years-----	7	4	3	7	4	3	-	-	-	-	-	-
75-79 years-----	14	5	9	11	5	6	3	-	3	2	-	2
80-84 years-----	22	11	11	20	10	10	2	1	1	1	1	-
85-89 years-----	15	5	10	14	5	9	1	-	1	1	-	1
90-94 years-----	12	3	9	12	3	9	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	1	1	-	1	1	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Pulmonary collapse (J98.1)												
All ages-----	177	79	98	158	72	86	19	7	12	17	7	10
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	4	3	1	2	2	-	2	1	1	2	1	1
35-39 years-----	1	-	1	-	-	-	1	-	1	1	-	1
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	6	2	4	5	1	4	1	1	-	1	1	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	4	3	1	3	3	-	1	-	1	1	-	1
60-64 years-----	9	4	5	5	2	3	4	2	2	4	2	2
65-69 years-----	13	5	8	11	5	6	2	-	2	2	-	2
70-74 years-----	13	9	4	11	7	4	2	2	-	2	2	-
75-79 years-----	42	19	23	42	19	23	-	-	-	-	-	-
80-84 years-----	29	15	14	27	15	12	2	-	2	-	-	-
85-89 years-----	28	11	17	26	10	16	2	1	1	2	1	1
90-94 years-----	21	4	17	19	4	15	2	-	2	2	-	2
95-99 years-----	4	1	3	4	1	3	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Interstitial emphysema (J98.2)												
All ages-----	23	11	12	19	8	11	4	3	1	4	3	1
Under 1 year----	5	3	2	2	1	1	3	2	1	3	2	1
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	-	-	-	1	1	-	1	1	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	3	2	1	3	2	1	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	3	-	3	3	-	3	-	-	-	-	-	-
75-79 years-----	3	1	2	3	1	2	-	-	-	-	-	-
80-84 years-----	3	1	2	3	1	2	-	-	-	-	-	-
85-89 years-----	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other disorders of lung (J98.4)												
All ages-----	2,982	1,348	1,634	2,650	1,185	1,465	332	163	169	272	138	134
Under 1 year----	85	53	32	48	33	15	37	20	17	34	19	15
1-4 years-----	13	8	5	8	6	2	5	2	3	5	2	3
5-9 years-----	4	1	3	3	1	2	1	-	1	1	-	1
10-14 years-----	10	5	5	8	5	3	2	-	2	2	-	2
15-19 years-----	6	4	2	5	3	2	1	1	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	6	3	3	4	3	1	2	-	2	1	-	1
30-34 years-----	12	5	7	10	4	6	2	1	1	2	1	1
35-39 years-----	17	8	9	14	6	8	3	2	1	3	2	1
40-44 years-----	31	18	13	25	15	10	6	3	3	6	3	3
45-49 years-----	46	21	25	36	19	17	10	2	8	8	2	6
50-54 years-----	60	28	32	51	24	27	9	4	5	8	3	5
55-59 years-----	112	57	55	98	49	49	14	8	6	9	5	4
60-64 years-----	163	79	84	139	68	71	24	11	13	21	10	11
65-69 years-----	252	124	128	224	109	115	28	15	13	26	13	13
70-74 years-----	415	214	201	370	185	185	45	29	16	37	23	14
75-79 years-----	539	261	278	477	231	246	62	30	32	49	26	23
80-84 years-----	519	229	290	475	207	268	44	22	22	34	18	16
85-89 years-----	384	140	244	367	131	236	17	9	8	14	8	6
90-94 years-----	227	65	162	213	62	151	14	3	11	8	3	5
95-99 years-----	66	19	47	61	19	42	5	-	5	4	-	4
100 yrs & over---	15	6	9	14	5	9	1	1	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Diseases of mediastinum, not elsewhere classified (J98.5)

All ages-----	139	77	62	125	68	57	14	9	5	14	9	5
Under 1 year----	2	1	1	1	-	1	1	1	-	1	1	-
1-4 years-----	1	-	1	-	-	-	1	-	1	1	-	1
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	1	1	-	-	-	-	1	1	-	1	1	-
35-39 years-----	2	1	1	2	1	1	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	6	4	2	4	3	1	2	1	1	2	1	1
50-54 years-----	8	3	5	7	3	4	1	-	1	1	-	1
55-59 years-----	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years-----	13	10	3	12	9	3	1	1	-	1	1	-
65-69 years-----	13	7	6	11	6	5	2	1	1	2	1	1
70-74 years-----	21	16	5	20	15	5	1	1	-	1	1	-
75-79 years-----	28	14	14	27	13	14	1	1	-	1	1	-
80-84 years-----	21	11	10	19	9	10	2	2	-	2	2	-
85-89 years-----	14	6	8	13	6	7	1	-	1	1	-	1
90-94 years-----	5	1	4	5	1	4	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Disorders of diaphragm (J98.6)												
All ages-----	28	15	13	26	15	11	2	-	2	2	-	2
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	4	2	2	3	2	1	1	-	1	1	-	1
70-74 years-----	3	-	3	3	-	3	-	-	-	-	-	-
75-79 years-----	4	2	2	3	2	1	1	-	1	1	-	1
80-84 years-----	10	7	3	10	7	3	-	-	-	-	-	-
85-89 years-----	3	2	1	3	2	1	-	-	-	-	-	-
90-94 years-----	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other specified respiratory disorders (J98.8)

All ages-----	541	222	319	470	189	281	71	33	38	57	26	31
Under 1 year----	19	12	7	11	8	3	8	4	4	8	4	4
1-4 years-----	12	8	4	8	5	3	4	3	1	4	3	1
5-9 years-----	5	2	3	4	2	2	1	-	1	-	-	-
10-14 years-----	5	3	2	4	3	1	1	-	1	1	-	1
15-19 years-----	3	2	1	3	2	1	-	-	-	-	-	-
20-24 years-----	4	4	-	4	4	-	-	-	-	-	-	-
25-29 years-----	5	1	4	3	1	2	2	-	2	2	-	2
30-34 years-----	7	5	2	5	3	2	2	2	-	2	2	-
35-39 years-----	4	-	4	3	-	3	1	-	1	1	-	1
40-44 years-----	8	3	5	7	2	5	1	1	-	1	1	-
45-49 years-----	17	6	11	13	5	8	4	1	3	4	1	3
50-54 years-----	16	7	9	11	4	7	5	3	2	3	1	2
55-59 years-----	13	7	6	10	6	4	3	1	2	3	1	2
60-64 years-----	25	11	14	19	8	11	6	3	3	5	3	2
65-69 years-----	19	10	9	13	7	6	6	3	3	5	3	2
70-74 years-----	46	26	20	38	22	16	8	4	4	6	3	3
75-79 years-----	56	27	29	50	25	25	6	2	4	3	1	2
80-84 years-----	80	26	54	73	24	49	7	2	5	6	2	4
85-89 years-----	73	25	48	72	25	47	1	-	1	1	-	1
90-94 years-----	73	24	49	70	21	49	3	3	-	1	1	-
95-99 years-----	36	11	25	34	10	24	2	1	1	1	-	1
100 yrs & over---	15	2	13	15	2	13	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Respiratory disorder, unspecified (J98.9)												
All ages-----	144	59	85	126	51	75	18	8	10	17	8	9
Under 1 year-----	2	-	2	1	-	1	1	-	1	1	-	1
1-4 years-----	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years-----	2	2	-	-	-	-	2	2	-	2	2	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	3	1	2	1	1	-	2	-	2	2	-	2
40-44 years-----	3	3	-	3	3	-	-	-	-	-	-	-
45-49 years-----	6	-	6	5	-	5	1	-	1	1	-	1
50-54 years-----	6	2	4	5	1	4	1	1	-	1	1	-
55-59 years-----	9	5	4	8	4	4	1	1	-	1	1	-
60-64 years-----	6	2	4	6	2	4	-	-	-	-	-	-
65-69 years-----	19	12	7	17	11	6	2	1	1	2	1	1
70-74 years-----	12	4	8	10	4	6	2	-	2	2	-	2
75-79 years-----	16	6	10	15	6	9	1	-	1	1	-	1
80-84 years-----	17	10	7	17	10	7	-	-	-	-	-	-
85-89 years-----	18	6	12	14	4	10	4	2	2	3	2	1
90-94 years-----	10	4	6	9	3	6	1	1	-	1	1	-
95-99 years-----	11	1	10	11	1	10	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Disorders of tooth development and eruption (K00)

All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Teething syndrome (K00.7)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Dental caries (K02)												
All ages-----	3	2	1	2	1	1	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	-	-	-	1	1	-	1	1	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Dental caries, unspecified (K02.9)												
All ages-----	3	2	1	2	1	1	1	1	-	1	1	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	-	-	-	1	1	-	1	1	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Diseases of pulp and periapical tissues (K04)

All ages-----	27	12	15	24	10	14	3	2	1	2	1	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	2	2	-	2	2	-	-	-	-	-	-	-
35-39 years-----	2	1	1	1	1	-	1	-	1	1	-	1
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years-----	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years-----	4	2	2	3	1	2	1	1	-	-	-	-
75-79 years-----	4	1	3	4	1	3	-	-	-	-	-	-
80-84 years-----	3	1	2	2	-	2	1	1	-	1	1	-
85-89 years-----	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Periapical abscess without sinus (K04.7)												
All ages-----	27	12	15	24	10	14	3	2	1	2	1	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	2	2	-	2	2	-	-	-	-	-	-	-
35-39 years-----	2	1	1	1	1	-	1	-	1	1	-	1
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years-----	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years-----	4	2	2	3	1	2	1	1	-	-	-	-
75-79 years-----	4	1	3	4	1	3	-	-	-	-	-	-
80-84 years-----	3	1	2	2	-	2	1	1	-	1	1	-
85-89 years-----	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Gingivitis and periodontal diseases (K05)

All ages-----	2	1	1	-	-	-	2	1	1	1	-	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	-	-	-	1	-	1	1	-	1
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	1	1	-	-	-	-	1	1	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Chronic periodontitis (K05.3)												
All ages-----	1	-	1	-	-	-	1	-	1	1	-	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	-	-	-	1	-	1	1	-	1
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Periodontal disease, unspecified (K05.6)

All ages-----	1	1	-	-	-	-	1	1	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	1	1	-	-	-	-	1	1	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other disorders of gingiva and edentulous alveolar ridge (K06)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other specified disorders of gingiva and edentulous alveolar ridge (K06.8)

All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Dentofacial anomalies [including malocclusion] (K07)												
All ages-----	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year-----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Major anomalies of jaw size (K07.0)

All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Anomalies of jaw-cranial base relationship (K07.1)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other disorders of the teeth and supporting structures (K08)

All ages-----	8	5	3	7	5	2	1	-	1	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	3	2	1	2	2	-	1	-	1	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other specified disorders of teeth and supporting structures (K08.8)												
All ages-----	6	4	2	6	4	2	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Disorder of teeth and supporting structures, unspecified (K08.9)

All ages-----	2	1	1	1	1	-	1	-	1	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	2	1	1	1	1	-	1	-	1	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other diseases of jaws (K10)												
All ages-----	3	2	1	2	1	1	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	2	2	-	1	1	-	1	1	-	1	1	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Inflammatory conditions of jaws (K10.2)

All ages-----	3	2	1	2	1	1	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	2	2	-	1	1	-	1	1	-	1	1	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Diseases of salivary glands (K11)												
All ages-----	48	16	32	44	16	28	4	-	4	4	-	4
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	3	1	2	3	1	2	-	-	-	-	-	-
70-74 years-----	4	3	1	3	3	-	1	-	1	1	-	1
75-79 years-----	3	1	2	2	1	1	1	-	1	1	-	1
80-84 years-----	7	1	6	7	1	6	-	-	-	-	-	-
85-89 years-----	13	4	9	12	4	8	1	-	1	1	-	1
90-94 years-----	11	2	9	10	2	8	1	-	1	1	-	1
95-99 years-----	3	2	1	3	2	1	-	-	-	-	-	-
100 yrs & over---	3	1	2	3	1	2	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Sialoadenitis (K11.2)												
All ages-----	41	13	28	37	13	24	4	-	4	4	-	4
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	3	1	2	3	1	2	-	-	-	-	-	-
70-74 years-----	4	3	1	3	3	-	1	-	1	1	-	1
75-79 years-----	3	1	2	2	1	1	1	-	1	1	-	1
80-84 years-----	5	-	5	5	-	5	-	-	-	-	-	-
85-89 years-----	11	4	7	10	4	6	1	-	1	1	-	1
90-94 years-----	10	1	9	9	1	8	1	-	1	1	-	1
95-99 years-----	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over---	3	1	2	3	1	2	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Abscess of salivary gland (K11.3)												
All ages-----	7	3	4	7	3	4	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years-----	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	2	1	1	2	1	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Stomatitis and related lesions (K12)												
All ages-----	14	8	6	12	7	5	2	1	1	2	1	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	2	2	-	2	2	-	-	-	-	-	-	-
45-49 years-----	2	-	2	2	-	2	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	1	1	-	-	-	-	1	1	-	1	1	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	-	1	-	-	-	1	-	1	1	-	1
85-89 years-----	2	2	-	2	2	-	-	-	-	-	-	-
90-94 years-----	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other forms of stomatitis (K12.1)												
All ages-----	1	-	1	-	-	-	1	-	1	1	-	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	-	1	-	-	-	1	-	1	1	-	1
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Cellulitis and abscess of mouth (K12.2)												
All ages-----	13	8	5	12	7	5	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	2	2	-	2	2	-	-	-	-	-	-	-
45-49 years-----	2	-	2	2	-	2	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	1	1	-	-	-	-	1	1	-	1	1	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	2	2	-	2	2	-	-	-	-	-	-	-
90-94 years-----	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other diseases of lip and oral mucosa (K13)												
All ages-----	7	3	4	6	3	3	1	-	1	1	-	1
Under 1 year----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	-	-	-	1	-	1	1	-	1
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Diseases of lips (K13.0)

All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other and unspecified lesions of oral mucosa (K13.7)												
All ages-----	6	2	4	5	2	3	1	-	1	1	-	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	-	-	-	1	-	1	1	-	1
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of tongue (K14)												
All ages-----	5	1	4	5	1	4	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	2	-	2	2	-	2	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Glossitis (K14.0)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of tongue (K14.8)												
All ages-----	2	-	2	2	-	2	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Disease of tongue, unspecified (K14.9)												
All ages-----	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Esophagitis (K20)												
All ages-----	188	86	102	168	76	92	20	10	10	18	9	9
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	1	-	-	-	-	1	1	-	1	1	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	3	3	-	3	3	-	-	-	-	-	-	-
40-44 years-----	2	2	-	1	1	-	1	1	-	1	1	-
45-49 years-----	5	2	3	5	2	3	-	-	-	-	-	-
50-54 years-----	7	4	3	4	2	2	3	2	1	2	1	1
55-59 years-----	9	6	3	7	6	1	2	-	2	2	-	2
60-64 years-----	11	6	5	9	5	4	2	1	1	2	1	1
65-69 years-----	12	7	5	9	4	5	3	3	-	3	3	-
70-74 years-----	8	4	4	8	4	4	-	-	-	-	-	-
75-79 years-----	20	13	7	18	12	6	2	1	1	1	1	-
80-84 years-----	29	9	20	26	8	18	3	1	2	3	1	2
85-89 years-----	42	14	28	40	14	26	2	-	2	2	-	2
90-94 years-----	30	13	17	29	13	16	1	-	1	1	-	1
95-99 years-----	6	1	5	6	1	5	-	-	-	-	-	-
100 yrs & over---	3	1	2	3	1	2	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
 ON THE TENTH REVISION
 INTERNATIONAL CLASSIFICATION
 OF DISEASES, 1992),
 RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Gastroesophageal reflux disease (K21)												
All ages-----	656	288	368	593	251	342	63	37	26	52	31	21
Under 1 year-----	12	9	3	10	7	3	2	2	-	2	2	-
1-4 years-----	5	3	2	2	-	2	3	3	-	1	1	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	4	2	2	3	1	2	1	1	-	1	1	-
20-24 years-----	2	1	1	2	1	1	-	-	-	-	-	-
25-29 years-----	4	2	2	3	1	2	1	1	-	1	1	-
30-34 years-----	7	5	2	6	4	2	1	1	-	1	1	-
35-39 years-----	7	7	-	4	4	-	3	3	-	3	3	-
40-44 years-----	5	4	1	4	4	-	1	-	1	1	-	1
45-49 years-----	7	4	3	7	4	3	-	-	-	-	-	-
50-54 years-----	15	5	10	10	3	7	5	2	3	5	2	3
55-59 years-----	12	5	7	11	4	7	1	1	-	-	-	-
60-64 years-----	21	12	9	18	9	9	3	3	-	3	3	-
65-69 years-----	28	17	11	25	15	10	3	2	1	2	2	-
70-74 years-----	54	29	25	50	27	23	4	2	2	3	2	1
75-79 years-----	75	44	31	70	41	29	5	3	2	5	3	2
80-84 years-----	113	51	62	101	43	58	12	8	4	8	6	2
85-89 years-----	135	49	86	122	45	77	13	4	9	11	3	8
90-94 years-----	109	35	74	105	34	71	4	1	3	4	1	3
95-99 years-----	31	2	29	30	2	28	1	-	1	1	-	1
100 yrs & over---	8	1	7	8	1	7	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Gastroesophageal reflux disease with esophagitis (K21.0)

All ages-----	77	39	38	73	37	36	4	2	2	3	2	1
Under 1 year-----	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	2	2	-	2	2	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	3	2	1	2	1	1	1	1	-	1	1	-
65-69 years-----	7	5	2	7	5	2	-	-	-	-	-	-
70-74 years-----	5	3	2	5	3	2	-	-	-	-	-	-
75-79 years-----	10	6	4	10	6	4	-	-	-	-	-	-
80-84 years-----	13	8	5	12	8	4	1	-	1	-	-	-
85-89 years-----	13	6	7	12	6	6	1	-	1	1	-	1
90-94 years-----	11	4	7	10	3	7	1	1	-	1	1	-
95-99 years-----	7	1	6	7	1	6	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Gastroesophageal reflux disease without esophagitis (K21.9)												
All ages-----	579	249	330	520	214	306	59	35	24	49	29	20
Under 1 year-----	11	9	2	9	7	2	2	2	-	2	2	-
1-4 years-----	5	3	2	2	-	2	3	3	-	1	1	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	3	2	1	2	1	1	1	1	-	1	1	-
20-24 years-----	2	1	1	2	1	1	-	-	-	-	-	-
25-29 years-----	4	2	2	3	1	2	1	1	-	1	1	-
30-34 years-----	7	5	2	6	4	2	1	1	-	1	1	-
35-39 years-----	5	5	-	2	2	-	3	3	-	3	3	-
40-44 years-----	4	3	1	3	3	-	1	-	1	1	-	1
45-49 years-----	7	4	3	7	4	3	-	-	-	-	-	-
50-54 years-----	14	5	9	9	3	6	5	2	3	5	2	3
55-59 years-----	11	4	7	10	3	7	1	1	-	-	-	-
60-64 years-----	18	10	8	16	8	8	2	2	-	2	2	-
65-69 years-----	21	12	9	18	10	8	3	2	1	2	2	-
70-74 years-----	49	26	23	45	24	21	4	2	2	3	2	1
75-79 years-----	65	38	27	60	35	25	5	3	2	5	3	2
80-84 years-----	100	43	57	89	35	54	11	8	3	8	6	2
85-89 years-----	122	43	79	110	39	71	12	4	8	10	3	7
90-94 years-----	98	31	67	95	31	64	3	-	3	3	-	3
95-99 years-----	24	1	23	23	1	22	1	-	1	1	-	1
100 yrs & over---	7	1	6	7	1	6	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other diseases of esophagus (K22)

All ages-----	1,316	627	689	1,207	563	644	109	64	45	96	54	42
Under 1 year-----	1	-	1	-	-	-	1	-	1	1	-	1
1-4 years-----	2	-	2	2	-	2	-	-	-	-	-	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	2	1	1	2	1	1	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	4	2	2	3	1	2	1	1	-	1	1	-
30-34 years-----	6	3	3	3	1	2	3	2	1	3	2	1
35-39 years-----	5	3	2	5	3	2	-	-	-	-	-	-
40-44 years-----	15	13	2	9	7	2	6	6	-	6	6	-
45-49 years-----	26	20	6	16	12	4	10	8	2	8	6	2
50-54 years-----	22	15	7	18	12	6	4	3	1	3	2	1
55-59 years-----	32	17	15	29	16	13	3	1	2	3	1	2
60-64 years-----	33	24	9	26	17	9	7	7	-	6	6	-
65-69 years-----	68	41	27	60	39	21	8	2	6	8	2	6
70-74 years-----	109	71	38	95	60	35	14	11	3	12	10	2
75-79 years-----	146	77	69	136	70	66	10	7	3	9	6	3
80-84 years-----	232	118	114	223	113	110	9	5	4	7	3	4
85-89 years-----	254	112	142	238	106	132	16	6	10	14	5	9
90-94 years-----	240	71	169	230	66	164	10	5	5	9	4	5
95-99 years-----	92	31	61	87	31	56	5	-	5	5	-	5
100 yrs & over---	26	8	18	24	8	16	2	-	2	1	-	1
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Achalasia of cardia (K22.0)												
All ages-----	91	36	55	83	33	50	8	3	5	7	2	5
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	-	-	-	1	1	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	3	1	2	2	1	1	1	-	1	1	-	1
70-74 years-----	6	2	4	6	2	4	-	-	-	-	-	-
75-79 years-----	6	2	4	6	2	4	-	-	-	-	-	-
80-84 years-----	18	9	9	16	8	8	2	1	1	2	1	1
85-89 years-----	26	14	12	23	13	10	3	1	2	3	1	2
90-94 years-----	19	4	15	19	4	15	-	-	-	-	-	-
95-99 years-----	8	1	7	7	1	6	1	-	1	1	-	1
100 yrs & over---	2	1	1	2	1	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer of esophagus (K22.1)												
All ages-----	94	52	42	81	43	38	13	9	4	10	6	4
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	7	7	-	4	4	-	3	3	-	2	2	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	5	2	3	5	2	3	-	-	-	-	-	-
60-64 years-----	2	2	-	1	1	-	1	1	-	1	1	-
65-69 years-----	6	4	2	5	4	1	1	-	1	1	-	1
70-74 years-----	13	11	2	11	9	2	2	2	-	1	1	-
75-79 years-----	13	7	6	12	7	5	1	-	1	1	-	1
80-84 years-----	14	7	7	13	6	7	1	1	-	1	1	-
85-89 years-----	16	7	9	13	5	8	3	2	1	2	1	1
90-94 years-----	13	4	9	12	4	8	1	-	1	1	-	1
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Esophageal obstruction (K22.2)												
All ages-----	290	117	173	275	110	165	15	7	8	14	6	8
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	2	-	2	1	-	1	1	-	1	1	-	1
55-59 years-----	3	1	2	3	1	2	-	-	-	-	-	-
60-64 years-----	4	3	1	2	1	1	2	2	-	2	2	-
65-69 years-----	10	7	3	9	6	3	1	1	-	1	1	-
70-74 years-----	13	8	5	13	8	5	-	-	-	-	-	-
75-79 years-----	33	17	16	31	15	16	2	2	-	2	2	-
80-84 years-----	57	29	28	55	28	27	2	1	1	1	-	1
85-89 years-----	73	29	44	69	28	41	4	1	3	4	1	3
90-94 years-----	65	16	49	63	16	47	2	-	2	2	-	2
95-99 years-----	19	7	12	18	7	11	1	-	1	1	-	1
100 yrs & over---	7	-	7	7	-	7	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Perforation of esophagus (K22.3)												
All ages-----	207	119	88	187	106	81	20	13	7	19	13	6
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years-----	2	1	1	-	-	-	2	1	1	2	1	1
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	6	6	-	3	3	-	3	3	-	3	3	-
45-49 years-----	7	5	2	7	5	2	-	-	-	-	-	-
50-54 years-----	7	5	2	7	5	2	-	-	-	-	-	-
55-59 years-----	11	8	3	11	8	3	-	-	-	-	-	-
60-64 years-----	8	8	-	7	7	-	1	1	-	1	1	-
65-69 years-----	26	14	12	22	13	9	4	1	3	4	1	3
70-74 years-----	31	21	10	29	19	10	2	2	-	2	2	-
75-79 years-----	29	11	18	27	9	18	2	2	-	2	2	-
80-84 years-----	36	22	14	36	22	14	-	-	-	-	-	-
85-89 years-----	24	10	14	22	9	13	2	1	1	1	1	-
90-94 years-----	12	3	9	10	2	8	2	1	1	2	1	1
95-99 years-----	3	2	1	3	2	1	-	-	-	-	-	-
100 yrs & over---	2	-	2	1	-	1	1	-	1	1	-	1
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Dyskinesia of esophagus (K22.4)												
All ages-----	305	135	170	290	128	162	15	7	8	12	5	7
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	2	1	1	2	1	1	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	6	3	3	6	3	3	-	-	-	-	-	-
65-69 years-----	6	3	3	6	3	3	-	-	-	-	-	-
70-74 years-----	20	13	7	16	10	6	4	3	1	4	3	1
75-79 years-----	36	22	14	33	20	13	3	2	1	2	1	1
80-84 years-----	55	28	27	53	27	26	2	1	1	1	-	1
85-89 years-----	66	26	40	65	26	39	1	-	1	1	-	1
90-94 years-----	64	20	44	62	19	43	2	1	1	2	1	1
95-99 years-----	38	11	27	36	11	25	2	-	2	2	-	2
100 yrs & over---	9	5	4	8	5	3	1	-	1	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Diverticulum of esophagus, acquired (K22.5)

All ages-----	62	29	33	61	28	33	1	1	-	1	1	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	2	-	2	2	-	2	-	-	-	-	-	-
75-79 years-----	6	3	3	6	3	3	-	-	-	-	-	-
80-84 years-----	17	7	10	16	6	10	1	1	-	1	1	-
85-89 years-----	12	8	4	12	8	4	-	-	-	-	-	-
90-94 years-----	18	8	10	18	8	10	-	-	-	-	-	-
95-99 years-----	6	3	3	6	3	3	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Gastroesophageal laceration-hemorrhage syndrome (K22.6)												
All ages-----	66	40	26	56	33	23	10	7	3	7	5	2
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	2	1	1	2	1	1	-	-	-	-	-	-
30-34 years-----	3	2	1	2	1	1	1	1	-	1	1	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	3	2	1	3	2	1	-	-	-	-	-	-
45-49 years-----	3	3	-	1	1	-	2	2	-	2	2	-
50-54 years-----	5	4	1	4	3	1	1	1	-	-	-	-
55-59 years-----	3	1	2	2	-	2	1	1	-	1	1	-
60-64 years-----	2	2	-	1	1	-	1	1	-	-	-	-
65-69 years-----	4	3	1	3	3	-	1	-	1	1	-	1
70-74 years-----	8	4	4	6	4	2	2	-	2	1	-	1
75-79 years-----	6	5	1	5	4	1	1	1	-	1	1	-
80-84 years-----	9	5	4	9	5	4	-	-	-	-	-	-
85-89 years-----	10	6	4	10	6	4	-	-	-	-	-	-
90-94 years-----	6	1	5	6	1	5	-	-	-	-	-	-
95-99 years-----	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other specified diseases of esophagus (K22.8)

All ages-----	147	67	80	126	54	72	21	13	8	20	12	8
Under 1 year-----	1	-	1	-	-	-	1	-	1	1	-	1
1-4 years-----	2	-	2	2	-	2	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	3	3	-	1	1	-	2	2	-	2	2	-
45-49 years-----	3	2	1	1	1	-	2	1	1	2	1	1
50-54 years-----	4	3	1	2	1	1	2	2	-	2	2	-
55-59 years-----	7	3	4	5	3	2	2	-	2	2	-	2
60-64 years-----	6	4	2	4	2	2	2	2	-	2	2	-
65-69 years-----	8	5	3	8	5	3	-	-	-	-	-	-
70-74 years-----	6	4	2	4	2	2	2	2	-	2	2	-
75-79 years-----	10	6	4	9	6	3	1	-	1	1	-	1
80-84 years-----	20	7	13	19	7	12	1	-	1	1	-	1
85-89 years-----	23	10	13	21	9	12	2	1	1	2	1	1
90-94 years-----	35	12	23	32	9	23	3	3	-	2	2	-
95-99 years-----	14	6	8	13	6	7	1	-	1	1	-	1
100 yrs & over---	5	2	3	5	2	3	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Disease of esophagus, unspecified (K22.9)												
All ages-----	54	32	22	48	28	20	6	4	2	6	4	2
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	1	1	-	-	-	-	1	1	-	1	1	-
45-49 years-----	3	1	2	1	-	1	2	1	1	2	1	1
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years-----	4	2	2	4	2	2	-	-	-	-	-	-
65-69 years-----	5	4	1	5	4	1	-	-	-	-	-	-
70-74 years-----	10	8	2	8	6	2	2	2	-	2	2	-
75-79 years-----	7	4	3	7	4	3	-	-	-	-	-	-
80-84 years-----	6	4	2	6	4	2	-	-	-	-	-	-
85-89 years-----	4	2	2	3	2	1	1	-	1	1	-	1
90-94 years-----	8	3	5	8	3	5	-	-	-	-	-	-
95-99 years-----	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Gastric ulcer (K25)												
All ages-----	1,333	589	744	1,127	472	655	206	117	89	173	101	72
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	4	2	2	3	1	2	1	1	-	1	1	-
35-39 years-----	16	9	7	9	6	3	7	3	4	6	3	3
40-44 years-----	37	21	16	22	10	12	15	11	4	14	10	4
45-49 years-----	45	28	17	33	20	13	12	8	4	10	8	2
50-54 years-----	58	42	16	40	28	12	18	14	4	17	13	4
55-59 years-----	68	38	30	50	26	24	18	12	6	17	12	5
60-64 years-----	64	37	27	52	29	23	12	8	4	11	7	4
65-69 years-----	83	42	41	62	31	31	21	11	10	20	10	10
70-74 years-----	159	85	74	139	72	67	20	13	7	16	10	6
75-79 years-----	197	82	115	178	73	105	19	9	10	12	7	5
80-84 years-----	235	98	137	212	88	124	23	10	13	19	6	13
85-89 years-----	212	76	136	183	61	122	29	15	14	21	12	9
90-94 years-----	109	22	87	101	21	80	8	1	7	6	1	5
95-99 years-----	39	6	33	37	5	32	2	1	1	2	1	1
100 yrs & over---	5	-	5	4	-	4	1	-	1	1	-	1
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Gastric ulcer, Acute with haemorrhage (K25.0)												
All ages-----	22	9	13	20	9	11	2	-	2	2	-	2
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	2	1	1	2	1	1	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	2	-	2	1	-	1	1	-	1	1	-	1
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	7	3	4	7	3	4	-	-	-	-	-	-
85-89 years-----	5	2	3	4	2	2	1	-	1	1	-	1
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Gastric ulcer, Acute with perforation (K25.1)

All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Gastric ulcer, Acute with both haemorrhage and perforation (K25.2)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Gastric ulcer, Acute without haemorrhage or perforation (K25.3)

All ages-----	4	3	1	2	1	1	2	2	-	2	2	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	1	1	-	-	-	-	1	1	-	1	1	-
80-84 years-----	1	1	-	-	-	-	1	1	-	1	1	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Gastric ulcer, Chronic or unspecified with haemorrhage (K25.4)												
All ages-----	646	298	348	542	242	300	104	56	48	84	45	39
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	2	1	1	1	-	1	1	1	-	1	1	-
35-39 years-----	7	2	5	5	2	3	2	-	2	1	-	1
40-44 years-----	13	9	4	9	6	3	4	3	1	4	3	1
45-49 years-----	20	14	6	15	11	4	5	3	2	4	3	1
50-54 years-----	29	23	6	20	15	5	9	8	1	9	8	1
55-59 years-----	27	19	8	18	13	5	9	6	3	9	6	3
60-64 years-----	32	20	12	27	17	10	5	3	2	4	2	2
65-69 years-----	36	17	19	24	11	13	12	6	6	11	5	6
70-74 years-----	70	40	30	60	32	28	10	8	2	7	5	2
75-79 years-----	90	38	52	82	35	47	8	3	5	5	2	3
80-84 years-----	120	53	67	108	48	60	12	5	7	9	2	7
85-89 years-----	123	47	76	102	37	65	21	10	11	15	8	7
90-94 years-----	49	13	36	45	13	32	4	-	4	3	-	3
95-99 years-----	25	2	23	24	2	22	1	-	1	1	-	1
100 yrs & over---	3	-	3	2	-	2	1	-	1	1	-	1
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Gastric ulcer, Chronic or unspecified with perforation (K25.5)

All ages-----	461	188	273	393	143	250	68	45	23	61	43	18
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	6	4	2	3	3	-	3	1	2	3	1	2
40-44 years-----	16	8	8	9	2	7	7	6	1	7	6	1
45-49 years-----	18	9	9	12	5	7	6	4	2	5	4	1
50-54 years-----	20	13	7	11	7	4	9	6	3	8	5	3
55-59 years-----	27	11	16	21	7	14	6	4	2	5	4	1
60-64 years-----	23	14	9	19	10	9	4	4	-	4	4	-
65-69 years-----	37	21	16	33	18	15	4	3	1	4	3	1
70-74 years-----	58	28	30	50	23	27	8	5	3	8	5	3
75-79 years-----	74	29	45	68	26	42	6	3	3	5	3	2
80-84 years-----	79	26	53	73	22	51	6	4	2	5	3	2
85-89 years-----	56	13	43	51	10	41	5	3	2	4	3	1
90-94 years-----	35	6	29	32	5	27	3	1	2	2	1	1
95-99 years-----	8	4	4	7	3	4	1	1	-	1	1	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Gastric ulcer, Chronic or unspecified with haemorrhage and perforation (K25.6)												
All ages-----	35	19	16	29	16	13	6	3	3	4	2	2
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	2	2	-	1	1	-	1	1	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	6	5	1	6	5	1	-	-	-	-	-	-
55-59 years-----	4	1	3	4	1	3	-	-	-	-	-	-
60-64 years-----	2	1	1	2	1	1	-	-	-	-	-	-
65-69 years-----	3	2	1	1	1	-	2	1	1	2	1	1
70-74 years-----	5	2	3	4	2	2	1	-	1	1	-	1
75-79 years-----	5	1	4	4	1	3	1	-	1	-	-	-
80-84 years-----	5	4	1	5	4	1	-	-	-	-	-	-
85-89 years-----	2	1	1	1	-	1	1	1	-	1	1	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Gastric ulcer, Chronic without haemorrhage or perforation (K25.7)

All ages-----	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
 ON THE TENTH REVISION
 INTERNATIONAL CLASSIFICATION
 OF DISEASES, 1992),
 RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Gastric ulcer, Unspecified as acute or chronic, without haemorrhage or perforation (K25.9)												
All ages-----	161	70	91	137	59	78	24	11	13	20	9	11
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	3	3	-	1	1	-	2	2	-	2	2	-
40-44 years-----	4	1	3	1	-	1	3	1	2	3	1	2
45-49 years-----	5	4	1	4	3	1	1	1	-	1	1	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	10	7	3	7	5	2	3	2	1	3	2	1
60-64 years-----	7	2	5	4	1	3	3	1	2	3	1	2
65-69 years-----	5	2	3	3	1	2	2	1	1	2	1	1
70-74 years-----	24	14	10	23	14	9	1	-	1	-	-	-
75-79 years-----	25	11	14	22	9	13	3	2	1	1	1	-
80-84 years-----	23	11	12	19	11	8	4	-	4	4	-	4
85-89 years-----	24	12	12	23	11	12	1	1	-	-	-	-
90-94 years-----	25	3	22	24	3	21	1	-	1	1	-	1
95-99 years-----	5	-	5	5	-	5	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Duodenal ulcer (K26)

All ages-----	1,476	793	683	1,313	703	610	163	90	73	123	68	55
Under 1 year-----	2	-	2	1	-	1	1	-	1	1	-	1
1-4 years-----	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	5	4	1	4	4	-	1	-	1	-	-	-
30-34 years-----	7	4	3	4	2	2	3	2	1	2	1	1
35-39 years-----	13	11	2	7	6	1	6	5	1	6	5	1
40-44 years-----	33	19	14	25	13	12	8	6	2	8	6	2
45-49 years-----	43	26	17	28	15	13	15	11	4	12	9	3
50-54 years-----	53	39	14	41	29	12	12	10	2	10	8	2
55-59 years-----	56	34	22	49	30	19	7	4	3	7	4	3
60-64 years-----	102	71	31	92	63	29	10	8	2	9	7	2
65-69 years-----	114	83	31	99	71	28	15	12	3	11	9	2
70-74 years-----	171	113	58	153	104	49	18	9	9	10	4	6
75-79 years-----	216	123	93	196	114	82	20	9	11	13	6	7
80-84 years-----	241	121	120	224	114	110	17	7	10	14	5	9
85-89 years-----	239	87	152	225	83	142	14	4	10	8	3	5
90-94 years-----	130	44	86	121	42	79	9	2	7	7	1	6
95-99 years-----	44	10	34	37	9	28	7	1	6	5	-	5
100 yrs & over---	3	1	2	3	1	2	-	-	-	-	-	-
Not stated-----	1	1	-	1	1	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Duodenal ulcer, Acute with haemorrhage (K26.0)												
All ages-----	13	7	6	11	6	5	2	1	1	2	1	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	2	2	-	1	1	-	1	1	-	1	1	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	3	2	1	3	2	1	-	-	-	-	-	-
85-89 years-----	5	2	3	4	2	2	1	-	1	1	-	1
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Duodenal ulcer, Acute with perforation (K26.1)

All ages-----	2	2	-	1	1	-	1	1	-	1	1	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	-	-	-	1	1	-	1	1	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Duodenal ulcer, Acute without haemorrhage or perforation (K26.3)												
All ages-----	4	2	2	4	2	2	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Duodenal ulcer, Chronic or unspecified with haemorrhage (K26.4)

All ages-----	604	357	247	540	324	216	64	33	31	48	24	24
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	3	3	-	3	3	-	-	-	-	-	-	-
30-34 years-----	3	3	-	2	2	-	1	1	-	-	-	-
35-39 years-----	6	5	1	3	3	-	3	2	1	3	2	1
40-44 years-----	9	5	4	5	3	2	4	2	2	4	2	2
45-49 years-----	17	9	8	11	6	5	6	3	3	4	2	2
50-54 years-----	20	14	6	15	10	5	5	4	1	4	3	1
55-59 years-----	25	14	11	24	14	10	1	-	1	1	-	1
60-64 years-----	34	26	8	28	21	7	6	5	1	6	5	1
65-69 years-----	43	34	9	37	30	7	6	4	2	3	2	1
70-74 years-----	76	54	22	68	51	17	8	3	5	6	2	4
75-79 years-----	87	56	31	79	52	27	8	4	4	7	3	4
80-84 years-----	95	59	36	92	58	34	3	1	2	3	1	2
85-89 years-----	105	47	58	98	44	54	7	3	4	4	2	2
90-94 years-----	61	23	38	57	22	35	4	1	3	2	-	2
95-99 years-----	15	2	13	13	2	11	2	-	2	1	-	1
100 yrs & over---	3	1	2	3	1	2	-	-	-	-	-	-
Not stated-----	1	1	-	1	1	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Duodenal ulcer, Chronic or unspecified with perforation (K26.5)												
All ages-----	658	325	333	584	286	298	74	39	35	55	30	25
Under 1 year-----	2	-	2	1	-	1	1	-	1	1	-	1
1-4 years-----	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	2	1	1	1	1	-	1	-	1	-	-	-
30-34 years-----	4	1	3	2	-	2	2	1	1	2	1	1
35-39 years-----	5	4	1	3	2	1	2	2	-	2	2	-
40-44 years-----	16	8	8	13	5	8	3	3	-	3	3	-
45-49 years-----	19	13	6	12	7	5	7	6	1	6	5	1
50-54 years-----	25	18	7	20	14	6	5	4	1	4	3	1
55-59 years-----	23	16	7	19	13	6	4	3	1	4	3	1
60-64 years-----	48	32	16	45	30	15	3	2	1	3	2	1
65-69 years-----	57	40	17	50	34	16	7	6	1	6	5	1
70-74 years-----	77	47	30	71	45	26	6	2	4	2	-	2
75-79 years-----	97	49	48	88	45	43	9	4	5	4	2	2
80-84 years-----	112	45	67	101	41	60	11	4	7	8	2	6
85-89 years-----	95	30	65	89	29	60	6	1	5	3	1	2
90-94 years-----	52	15	37	48	14	34	4	1	3	4	1	3
95-99 years-----	22	5	17	19	5	14	3	-	3	3	-	3
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Duodenal ulcer, Chronic or unspecified with haemorrhage and perforation (K26.6)

All ages-----	49	26	23	39	18	21	10	8	2	8	6	2
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	2	2	-	1	1	-	1	1	-	1	1	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	3	3	-	1	1	-	2	2	-	2	2	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	3	3	-	2	2	-	1	1	-	1	1	-
60-64 years-----	4	3	1	4	3	1	-	-	-	-	-	-
65-69 years-----	5	4	1	3	2	1	2	2	-	2	2	-
70-74 years-----	4	1	3	3	-	3	1	1	-	-	-	-
75-79 years-----	12	6	6	11	6	5	1	-	1	1	-	1
80-84 years-----	2	-	2	2	-	2	-	-	-	-	-	-
85-89 years-----	8	2	6	8	2	6	-	-	-	-	-	-
90-94 years-----	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years-----	2	1	1	-	-	-	2	1	1	1	-	1
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

RACE, AND SEX

Duodenal ulcer, Chronic without haemorrhage or perforation (K26.7)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	6	2	4	6	2	4	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	3	1	2	3	1	2	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Duodenal ulcer, Unspecified as acute or chronic, without haemorrhage or perforation (K26.9)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	140	72	68	128	64	64	12	8	4	9	6	3
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	6	5	1	5	4	1	1	1	-	1	1	-
45-49 years-----	4	1	3	4	1	3	-	-	-	-	-	-
50-54 years-----	7	6	1	5	4	1	2	2	-	2	2	-
55-59 years-----	4	1	3	3	1	2	1	-	1	1	-	1
60-64 years-----	11	7	4	10	6	4	1	1	-	-	-	-
65-69 years-----	8	4	4	8	4	4	-	-	-	-	-	-
70-74 years-----	11	8	3	10	7	3	1	1	-	-	-	-
75-79 years-----	19	11	8	17	10	7	2	1	1	1	1	-
80-84 years-----	29	15	14	26	13	13	3	2	1	3	2	1
85-89 years-----	23	6	17	23	6	17	-	-	-	-	-	-
90-94 years-----	15	6	9	14	6	8	1	-	1	1	-	1
95-99 years-----	3	2	1	3	2	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Peptic ulcer, site unspecified (K27)												
All ages-----	1,758	789	969	1,570	698	872	188	91	97	150	74	76
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	3	1	2	2	-	2	1	1	-	1	1	-
35-39 years-----	9	7	2	5	4	1	4	3	1	4	3	1
40-44 years-----	14	9	5	8	5	3	6	4	2	6	4	2
45-49 years-----	23	13	10	17	10	7	6	3	3	6	3	3
50-54 years-----	31	21	10	25	19	6	6	2	4	5	2	3
55-59 years-----	61	38	23	52	31	21	9	7	2	8	6	2
60-64 years-----	69	46	23	54	35	19	15	11	4	13	11	2
65-69 years-----	117	71	46	98	58	40	19	13	6	14	10	4
70-74 years-----	185	107	78	159	93	66	26	14	12	22	12	10
75-79 years-----	246	122	124	222	112	110	24	10	14	17	6	11
80-84 years-----	352	158	194	318	143	175	34	15	19	23	10	13
85-89 years-----	315	113	202	300	108	192	15	5	10	12	3	9
90-94 years-----	226	70	156	213	69	144	13	1	12	11	1	10
95-99 years-----	79	12	67	75	10	65	4	2	2	4	2	2
100 yrs & over---	26	1	25	21	1	20	5	-	5	3	-	3
Not stated-----	1	-	1	-	-	-	1	-	1	1	-	1

Peptic ulcer, site unspecified, Acute with haemorrhage (K27.0)

All ages-----	4	1	3	3	1	2	1	-	1	1	-	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	2	1	1	1	1	-	1	-	1	1	-	1
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Peptic ulcer, site unspecified, Acute with perforation (K27.1)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Peptic ulcer, site unspecified, Chronic or unspecified with haemorrhage (K27.4)

All ages-----	999	466	533	882	407	475	117	59	58	93	49	44
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	2	1	1	1	-	1	1	1	-	1	1	-
35-39 years-----	8	6	2	5	4	1	3	2	1	3	2	1
40-44 years-----	7	4	3	4	2	2	3	2	1	3	2	1
45-49 years-----	14	9	5	8	6	2	6	3	3	6	3	3
50-54 years-----	20	14	6	16	12	4	4	2	2	3	2	1
55-59 years-----	33	21	12	28	18	10	5	3	2	4	2	2
60-64 years-----	39	25	14	30	19	11	9	6	3	8	6	2
65-69 years-----	65	38	27	53	30	23	12	8	4	7	5	2
70-74 years-----	106	61	45	89	53	36	17	8	9	16	8	8
75-79 years-----	122	70	52	109	62	47	13	8	5	10	6	4
80-84 years-----	210	99	111	188	88	100	22	11	11	15	8	7
85-89 years-----	179	68	111	169	64	105	10	4	6	8	3	5
90-94 years-----	132	42	90	124	42	82	8	-	8	6	-	6
95-99 years-----	49	7	42	47	6	41	2	1	1	2	1	1
100 yrs & over---	13	1	12	11	1	10	2	-	2	1	-	1
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Peptic ulcer, site unspecified, Chronic or unspecified with perforation (K27.5)												
All ages-----	409	175	234	379	161	218	30	14	16	24	10	14
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	4	3	1	2	2	-	2	1	1	2	1	1
45-49 years-----	6	3	3	6	3	3	-	-	-	-	-	-
50-54 years-----	9	6	3	7	6	1	2	-	2	2	-	2
55-59 years-----	15	10	5	12	7	5	3	3	-	3	3	-
60-64 years-----	22	13	9	20	12	8	2	1	1	1	1	-
65-69 years-----	21	11	10	20	10	10	1	1	-	1	1	-
70-74 years-----	45	26	19	39	21	18	6	5	1	4	3	1
75-79 years-----	81	38	43	75	37	38	6	1	5	4	-	4
80-84 years-----	78	31	47	75	31	44	3	-	3	3	-	3
85-89 years-----	74	20	54	72	19	53	2	1	1	1	-	1
90-94 years-----	43	11	32	41	10	31	2	1	1	2	1	1
95-99 years-----	8	3	5	8	3	5	-	-	-	-	-	-
100 yrs & over---	2	-	2	1	-	1	1	-	1	1	-	1
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Peptic ulcer, site unspecified, Chronic or unspecified with haemorrhage and perforation (K27.6)

All ages-----	26	13	13	23	11	12	3	2	1	3	2	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	-	-	-	1	1	-	1	1	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	4	4	-	3	3	-	1	1	-	1	1	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years-----	6	2	4	6	2	4	-	-	-	-	-	-
85-89 years-----	6	2	4	6	2	4	-	-	-	-	-	-
90-94 years-----	3	1	2	2	1	1	1	-	1	1	-	1
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Peptic ulcer, site unspecified, Chronic without haemorrhage or perforation (K27.7)												
All ages-----	18	7	11	16	6	10	2	1	1	2	1	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	2	1	1	1	-	1	1	1	-	1	1	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	4	3	1	4	3	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years-----	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over---	2	-	2	1	-	1	1	-	1	1	-	1
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Peptic ulcer, site unspecified, Unspecified as acute or chronic, without haemorrhage or perforation (K27.9)

All ages-----	301	127	174	266	112	154	35	15	20	27	12	15
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	1	1	-	-	-	-	1	1	-	1	1	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	2	1	1	2	1	1	-	-	-	-	-	-
55-59 years-----	11	6	5	11	6	5	-	-	-	-	-	-
60-64 years-----	8	8	-	4	4	-	4	4	-	4	4	-
65-69 years-----	25	18	7	20	15	5	5	3	2	5	3	2
70-74 years-----	31	18	13	28	17	11	3	1	2	2	1	1
75-79 years-----	40	13	27	35	12	23	5	1	4	3	-	3
80-84 years-----	54	23	31	45	19	26	9	4	5	5	2	3
85-89 years-----	54	22	32	52	22	30	2	-	2	2	-	2
90-94 years-----	44	15	29	42	15	27	2	-	2	2	-	2
95-99 years-----	19	2	17	17	1	16	2	1	1	2	1	1
100 yrs & over---	8	-	8	7	-	7	1	-	1	-	-	-
Not stated-----	1	-	1	-	-	-	1	-	1	1	-	1

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Gastrojejunal ulcer (K28)												
All ages-----	37	18	19	30	14	16	7	4	3	2	-	2
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	2	-	2	2	-	2	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	1	-	1	-	-	-	1	-	1	1	-	1
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	7	3	4	6	3	3	1	-	1	-	-	-
75-79 years-----	6	4	2	4	3	1	2	1	1	1	-	1
80-84 years-----	7	4	3	6	3	3	1	1	-	-	-	-
85-89 years-----	5	3	2	5	3	2	-	-	-	-	-	-
90-94 years-----	5	2	3	4	1	3	1	1	-	-	-	-
95-99 years-----	2	1	1	1	-	1	1	1	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Gastrojejunal ulcer, Chronic or unspecified with haemorrhage (K28.4)

All ages-----	31	14	17	24	10	14	7	4	3	2	-	2
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	2	-	2	2	-	2	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	1	-	1	-	-	-	1	-	1	1	-	1
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	6	2	4	5	2	3	1	-	1	-	-	-
75-79 years-----	4	3	1	2	2	3	2	1	1	1	-	1
80-84 years-----	6	3	3	5	2	3	1	1	-	-	-	-
85-89 years-----	4	2	2	4	2	2	-	-	-	-	-	-
90-94 years-----	5	2	3	4	1	3	1	1	-	-	-	-
95-99 years-----	1	1	-	-	-	1	1	1	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Gastrojejunal ulcer, Chronic or unspecified with haemorrhage and perforation (K28.6)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Gastrojejunal ulcer, Unspecified as acute or chronic, without haemorrhage or perforation (K28.9)

All ages-----	5	3	2	5	3	2	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Gastritis and duodenitis (K29)												
All ages-----	404	179	225	342	145	197	62	34	28	53	28	25
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	1	-	-	-	-	1	1	-	1	1	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years-----	2	2	-	1	1	-	1	1	-	1	1	-
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	5	3	2	3	2	1	2	1	1	2	1	1
40-44 years-----	15	10	5	12	8	4	3	2	1	2	1	1
45-49 years-----	15	12	3	11	9	2	4	3	1	4	3	1
50-54 years-----	17	15	2	16	14	2	1	1	-	1	1	-
55-59 years-----	16	10	6	14	8	6	2	2	-	2	2	-
60-64 years-----	11	4	7	11	4	7	-	-	-	-	-	-
65-69 years-----	22	10	12	15	7	8	7	3	4	6	2	4
70-74 years-----	27	13	14	22	9	13	5	4	1	5	4	1
75-79 years-----	41	25	16	31	20	11	10	5	5	6	3	3
80-84 years-----	72	30	42	57	22	35	15	8	7	13	6	7
85-89 years-----	72	23	49	66	22	44	6	1	5	6	1	5
90-94 years-----	62	19	43	59	17	42	3	2	1	2	2	-
95-99 years-----	16	1	15	14	1	13	2	-	2	2	-	2
100 yrs & over---	8	1	7	8	1	7	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Acute hemorrhagic gastritis (K29.0)												
All ages-----	13	6	7	11	4	7	2	2	-	2	2	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	-	-	-	1	1	-	1	1	-
75-79 years-----	3	1	2	3	1	2	-	-	-	-	-	-
80-84 years-----	4	3	1	3	2	1	1	1	-	1	1	-
85-89 years-----	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other acute gastritis (K29.1)												
All ages-----	21	7	14	18	7	11	3	-	3	3	-	3
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	2	-	2	1	-	1	1	-	1	1	-	1
80-84 years-----	3	2	1	3	2	1	-	-	-	-	-	-
85-89 years-----	6	2	4	5	2	3	1	-	1	1	-	1
90-94 years-----	3	1	2	3	1	2	-	-	-	-	-	-
95-99 years-----	1	-	1	-	-	-	1	-	1	1	-	1
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Alcoholic gastritis (K29.2)												
All ages-----	16	14	2	12	10	2	4	4	-	3	3	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	3	3	-	3	3	-	-	-	-	-	-	-
45-49 years-----	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years-----	3	3	-	2	2	-	1	1	-	1	1	-
55-59 years-----	4	4	-	3	3	-	1	1	-	1	1	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	2	1	1	1	-	1	1	1	-	-	-	-
70-74 years-----	1	1	-	-	-	-	1	1	-	1	1	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Chronic atrophic gastritis (K29.4)												
All ages-----	5	2	3	5	2	3	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Chronic gastritis, unspecified (K29.5)

All ages-----	25	11	14	20	10	10	5	1	4	4	1	3
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	3	-	3	2	-	2	1	-	1	1	-	1
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	2	1	1	-	-	-	2	1	1	2	1	1
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	3	1	2	2	1	1	1	-	1	-	-	-
80-84 years-----	5	3	2	4	3	1	1	-	1	1	-	1
85-89 years-----	4	2	2	4	2	2	-	-	-	-	-	-
90-94 years-----	3	2	1	3	2	1	-	-	-	-	-	-
95-99 years-----	2	1	1	2	1	1	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other gastritis (K29.6)												
All ages-----	118	59	59	98	46	52	20	13	7	16	10	6
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	1	-	-	-	-	1	1	-	1	1	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	3	1	2	2	1	1	1	-	1	1	-	1
40-44 years-----	8	6	2	6	4	2	2	2	-	1	1	-
45-49 years-----	6	6	-	5	5	-	1	1	-	1	1	-
50-54 years-----	5	5	-	5	5	-	-	-	-	-	-	-
55-59 years-----	8	4	4	7	3	4	1	1	-	1	1	-
60-64 years-----	5	3	2	5	3	2	-	-	-	-	-	-
65-69 years-----	12	5	7	9	4	5	3	1	2	3	1	2
70-74 years-----	8	4	4	6	3	3	2	1	1	2	1	1
75-79 years-----	11	9	2	9	7	2	2	2	-	1	1	-
80-84 years-----	21	8	13	16	5	11	5	3	2	4	2	2
85-89 years-----	13	4	9	12	3	9	1	1	-	1	1	-
90-94 years-----	13	3	10	12	3	9	1	-	1	-	-	-
95-99 years-----	4	-	4	4	-	4	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Gastritis, unspecified (K29.7)												
All ages-----	198	74	124	172	62	110	26	12	14	23	10	13
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years-----	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	-	-	-	1	1	-	1	1	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	4	2	2	2	1	1	2	1	1	2	1	1
50-54 years-----	7	7	-	7	7	-	-	-	-	-	-	-
55-59 years-----	3	2	1	3	2	1	-	-	-	-	-	-
60-64 years-----	4	-	4	4	-	4	-	-	-	-	-	-
65-69 years-----	4	1	3	3	1	2	1	-	1	1	-	1
70-74 years-----	15	5	10	14	4	10	1	1	-	1	1	-
75-79 years-----	19	11	8	14	9	5	5	2	3	3	1	2
80-84 years-----	38	14	24	30	10	20	8	4	4	7	3	4
85-89 years-----	45	15	30	41	15	26	4	-	4	4	-	4
90-94 years-----	40	13	27	38	11	27	2	2	-	2	2	-
95-99 years-----	9	-	9	8	-	8	1	-	1	1	-	1
100 yrs & over---	6	1	5	6	1	5	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Duodenitis (K29.8)												
All ages-----	7	6	1	5	4	1	2	2	-	2	2	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	-	-	-	1	1	-	1	1	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	2	2	-	1	1	-	1	1	-	1	1	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Gastroduodenitis, unspecified (K29.9)

All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Dyspepsia (K30)												
All ages-----	3	1	2	3	1	2	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other diseases of stomach and duodenum (K31)

All ages-----	554	227	327	492	201	291	62	26	36	54	20	34
Under 1 year-----	4	3	1	3	2	1	1	1	-	1	1	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	2	-	2	1	-	1	1	-	1	1	-	1
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	2	-	2	1	-	1	1	-	1	1	-	1
25-29 years-----	5	2	3	4	1	3	1	1	-	1	1	-
30-34 years-----	4	2	2	2	1	1	2	1	1	2	1	1
35-39 years-----	9	2	7	7	2	5	2	-	2	2	-	2
40-44 years-----	16	11	5	15	10	5	1	1	-	1	1	-
45-49 years-----	21	11	10	18	10	8	3	1	2	3	1	2
50-54 years-----	14	5	9	12	3	9	2	2	-	2	2	-
55-59 years-----	19	12	7	19	12	7	-	-	-	-	-	-
60-64 years-----	32	12	20	26	11	15	6	1	5	6	1	5
65-69 years-----	31	19	12	25	14	11	6	5	1	4	3	1
70-74 years-----	54	25	29	44	19	25	10	6	4	9	5	4
75-79 years-----	74	37	37	71	37	34	3	-	3	2	-	2
80-84 years-----	94	29	65	85	26	59	9	3	6	6	1	5
85-89 years-----	98	32	66	88	30	58	10	2	8	10	2	8
90-94 years-----	53	20	33	49	18	31	4	2	2	3	1	2
95-99 years-----	18	4	14	18	4	14	-	-	-	-	-	-
100 yrs & over---	3	-	3	3	-	3	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Acute dilatation of stomach (K31.0)												
All ages-----	3	2	1	3	2	1	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Adult hypertrophic pyloric stenosis (K31.1)

All ages-----	87	39	48	76	33	43	11	6	5	9	5	4
Under 1 year----
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	2	-	2	2	-	2	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	2	1	1	1	-	1	1	1	-	1	1	-
55-59 years-----	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years-----	4	2	2	3	1	2	1	1	-	1	1	-
65-69 years-----	4	3	1	4	3	1	-	-	-	-	-	-
70-74 years-----	9	6	3	5	3	2	4	3	1	4	3	1
75-79 years-----	15	10	5	14	10	4	1	-	1	-	-	-
80-84 years-----	10	3	7	10	3	7	-	-	-	-	-	-
85-89 years-----	20	4	16	17	4	13	3	-	3	3	-	3
90-94 years-----	14	9	5	13	8	5	1	1	-	-	-	-
95-99 years-----	4	-	4	4	-	4	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Hourglass stricture and stenosis of stomach (K31.2)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Obstruction of duodenum (K31.5)												
All ages-----	9	6	3	9	6	3	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	3	3	-	3	3	-	-	-	-	-	-	-
80-84 years-----	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Fistula of stomach and duodenum (K31.6)												
All ages-----	24	8	16	22	8	14	2	-	2	2	-	2
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	3	1	2	3	1	2	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	1	-	1	-	-	-	1	-	1	1	-	1
65-69 years-----	2	-	2	1	-	1	1	-	1	1	-	1
70-74 years-----	4	2	2	4	2	2	-	-	-	-	-	-
75-79 years-----	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years-----	4	-	4	4	-	4	-	-	-	-	-	-
85-89 years-----	5	2	3	5	2	3	-	-	-	-	-	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other specified diseases of stomach and duodenum (K31.8)

All ages-----	316	122	194	283	109	174	33	13	20	31	11	20
Under 1 year----	4	3	1	3	2	1	1	1	-	1	1	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	2	-	2	1	-	1	1	-	1	1	-	1
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	2	-	2	1	-	1	1	-	1	1	-	1
25-29 years-----	3	2	1	2	1	1	1	1	-	1	1	-
30-34 years-----	3	1	2	1	-	1	2	1	1	2	1	1
35-39 years-----	7	2	5	6	2	4	1	-	1	1	-	1
40-44 years-----	7	4	3	6	3	3	1	1	-	1	1	-
45-49 years-----	11	7	4	10	7	3	1	-	1	1	-	1
50-54 years-----	5	3	2	4	2	2	1	1	-	1	1	-
55-59 years-----	12	8	4	12	8	4	-	-	-	-	-	-
60-64 years-----	18	6	12	16	6	10	2	-	2	2	-	2
65-69 years-----	19	11	8	16	8	8	3	3	-	2	2	-
70-74 years-----	26	9	17	22	7	15	4	2	2	4	2	2
75-79 years-----	40	19	21	38	19	19	2	-	2	2	-	2
80-84 years-----	55	14	41	51	13	38	4	1	3	3	-	3
85-89 years-----	59	20	39	53	18	35	6	2	4	6	2	4
90-94 years-----	29	8	21	27	8	19	2	-	2	2	-	2
95-99 years-----	10	4	6	10	4	6	-	-	-	-	-	-
100 yrs & over---	3	-	3	3	-	3	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Disease of stomach and duodenum, unspecified (K31.9)												
All ages-----	114	49	65	98	42	56	16	7	9	12	4	8
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	-	-	-	1	-	1	1	-	1
40-44 years-----	8	6	2	8	6	2	-	-	-	-	-	-
45-49 years-----	9	4	5	7	3	4	2	1	1	2	1	1
50-54 years-----	4	-	4	4	-	4	-	-	-	-	-	-
55-59 years-----	4	2	2	4	2	2	-	-	-	-	-	-
60-64 years-----	9	4	5	7	4	3	2	-	2	2	-	2
65-69 years-----	6	5	1	4	3	1	2	2	-	1	1	-
70-74 years-----	13	6	7	11	5	6	2	1	1	1	-	1
75-79 years-----	13	4	9	13	4	9	-	-	-	-	-	-
80-84 years-----	23	11	12	18	9	9	5	2	3	3	1	2
85-89 years-----	13	5	8	12	5	7	1	-	1	1	-	1
90-94 years-----	9	2	7	8	1	7	1	1	-	1	1	-
95-99 years-----	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Acute appendicitis (K35)

All ages-----	331	203	128	265	158	107	66	45	21	59	41	18
Under 1 year-----	2	1	1	2	1	1	-	-	-	-	-	-
1-4 years-----	2	2	-	-	-	-	2	2	-	2	2	-
5-9 years-----	11	5	6	7	3	4	4	2	2	4	2	2
10-14 years-----	14	9	5	10	6	4	4	3	1	3	2	1
15-19 years-----	2	2	-	1	1	-	1	1	-	-	-	-
20-24 years-----	3	3	-	2	2	-	1	1	-	1	1	-
25-29 years-----	2	2	-	2	2	-	-	-	-	-	-	-
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	12	9	3	9	7	2	3	2	1	3	2	1
40-44 years-----	10	7	3	8	5	3	2	2	-	2	2	-
45-49 years-----	23	16	7	15	10	5	8	6	2	7	6	1
50-54 years-----	19	15	4	18	14	4	1	1	-	1	1	-
55-59 years-----	16	13	3	12	9	3	4	4	-	4	4	-
60-64 years-----	24	16	8	14	12	2	10	4	6	9	3	6
65-69 years-----	27	17	10	23	14	9	4	3	1	3	2	1
70-74 years-----	31	17	14	24	12	12	7	5	2	7	5	2
75-79 years-----	36	24	12	32	21	11	4	3	1	4	3	1
80-84 years-----	48	18	30	41	14	27	7	4	3	6	4	2
85-89 years-----	32	19	13	29	17	12	3	2	1	2	2	-
90-94 years-----	15	7	8	14	7	7	1	-	1	1	-	1
95-99 years-----	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Acute appendicitis with generalized peritonitis (K35.0)												
All ages-----	288	172	116	227	128	99	61	44	17	54	40	14
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	2	2	-	-	-	-	2	2	-	2	2	-
5-9 years-----	9	5	4	6	3	3	3	2	1	3	2	1
10-14 years-----	13	8	5	9	5	4	4	3	1	3	2	1
15-19 years-----	2	2	-	1	1	-	1	1	-	-	-	-
20-24 years-----	2	2	-	1	1	-	1	1	-	1	1	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	11	8	3	8	6	2	3	2	1	3	2	1
40-44 years-----	8	6	2	7	5	2	1	1	-	1	1	-
45-49 years-----	19	13	6	12	7	5	7	6	1	6	6	-
50-54 years-----	15	11	4	14	10	4	1	1	-	1	1	-
55-59 years-----	15	12	3	11	8	3	4	4	-	4	4	-
60-64 years-----	20	13	7	11	9	2	9	4	5	8	3	5
65-69 years-----	24	14	10	20	11	9	4	3	1	3	2	1
70-74 years-----	25	13	12	19	8	11	6	5	1	6	5	1
75-79 years-----	33	21	12	29	18	11	4	3	1	4	3	1
80-84 years-----	45	17	28	38	13	25	7	4	3	6	4	2
85-89 years-----	29	17	12	26	15	11	3	2	1	2	2	-
90-94 years-----	13	6	7	12	6	6	1	-	1	1	-	1
95-99 years-----	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Acute appendicitis with peritoneal abscess (K35.1)

All ages-----	11	9	2	10	9	1	1	-	1	1	-	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	4	3	1	3	3	-	1	-	1	1	-	1
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Acute appendicitis, unspecified (K35.9)												
All ages-----	32	22	10	28	21	7	4	1	3	4	1	3
Under 1 year-----	2	1	1	2	1	1	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	2	-	2	1	-	1	1	-	1	1	-	1
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	2	1	1	1	-	1	1	1	-	1	1	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	3	3	-	3	3	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	3	2	1	2	2	-	1	-	1	1	-	1
65-69 years-----	2	2	-	2	2	-	-	-	-	-	-	-
70-74 years-----	5	3	2	4	3	1	1	-	1	1	-	1
75-79 years-----	2	2	-	2	2	-	-	-	-	-	-	-
80-84 years-----	3	1	2	3	1	2	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Unspecified appendicitis (K37)

All ages-----	55	31	24	45	24	21	10	7	3	9	7	2
Under 1 year-----	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	2	2	-	-	-	-	2	2	-	2	2	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	2	2	-	1	1	-	1	1	-	1	1	-
50-54 years-----	5	4	1	4	3	1	1	1	-	1	1	-
55-59 years-----	6	4	2	3	3	-	3	1	2	3	1	2
60-64 years-----	2	1	1	1	-	1	1	1	-	1	1	-
65-69 years-----	3	1	2	2	1	1	1	-	1	-	-	-
70-74 years-----	6	2	4	6	2	4	-	-	-	-	-	-
75-79 years-----	7	4	3	6	3	3	1	1	-	1	1	-
80-84 years-----	3	-	3	3	-	3	-	-	-	-	-	-
85-89 years-----	8	4	4	8	4	4	-	-	-	-	-	-
90-94 years-----	3	2	1	3	2	1	-	-	-	-	-	-
95-99 years-----	2	1	1	2	1	1	-	-	-	-	-	-
100 yrs & over---	1	1	-	1	1	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other diseases of appendix (K38)												
All ages-----	4	2	2	4	2	2	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other specified diseases of appendix (K38.8)

All ages-----	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Disease of appendix, unspecified (K38.9)												
All ages-----	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Inguinal hernia (K40)

All ages-----	184	136	48	164	117	47	20	19	1	15	14	1
Under 1 year-----	5	5	-	2	2	-	3	3	-	3	3	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	2	2	-	2	2	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	2	2	-	2	2	-	-	-	-	-	-	-
50-54 years-----	3	3	-	1	1	-	2	2	-	2	2	-
55-59 years-----	2	2	-	2	2	-	-	-	-	-	-	-
60-64 years-----	11	10	1	10	9	1	1	1	-	-	-	-
65-69 years-----	12	12	-	11	11	-	1	1	-	1	1	-
70-74 years-----	12	11	1	12	11	1	-	-	-	-	-	-
75-79 years-----	30	21	9	27	19	8	3	2	1	2	1	1
80-84 years-----	35	29	6	32	26	6	3	3	-	3	3	-
85-89 years-----	35	24	11	32	21	11	3	3	-	1	1	-
90-94 years-----	26	14	12	22	10	12	4	4	-	3	3	-
95-99 years-----	9	1	8	9	1	8	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Bilateral inguinal hernia, with obstruction, without gangrene (K40.0)												
All ages-----	3	3	-	3	3	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Bilateral inguinal hernia, with gangrene (K40.1)

All ages-----	1	1	-	-	-	-	1	1	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	-	-	-	1	1	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Unilateral or unspecified inguinal hernia, with obstruction, without gangrene (K40.3)												
All ages-----	123	87	36	106	71	35	17	16	1	13	12	1
Under 1 year----	2	2	-	-	-	-	2	2	-	2	2	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	2	2	-	-	-	-	2	2	-	2	2	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	4	3	1	4	3	1	-	-	-	-	-	-
65-69 years-----	7	7	-	6	6	-	1	1	-	1	1	-
70-74 years-----	7	6	1	7	6	1	-	-	-	-	-	-
75-79 years-----	20	15	5	17	13	4	3	2	1	2	1	1
80-84 years-----	22	18	4	19	15	4	3	3	-	3	3	-
85-89 years-----	27	19	8	25	17	8	2	2	-	-	-	-
90-94 years-----	21	11	10	17	7	10	4	4	-	3	3	-
95-99 years-----	8	1	7	8	1	7	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Unilateral or unspecified inguinal hernia, with gangrene (K40.4)

All ages-----	23	15	8	22	14	8	1	1	-	1	1	-
Under 1 year----	2	2	-	1	1	-	1	1	-	1	1	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	2	2	-	2	2	-	-	-	-	-	-	-
70-74 years-----	3	3	-	3	3	-	-	-	-	-	-	-
75-79 years-----	3	1	2	3	1	2	-	-	-	-	-	-
80-84 years-----	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years-----	4	1	3	4	1	3	-	-	-	-	-	-
90-94 years-----	4	3	1	4	3	1	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

ALL RACES WHITE ALL OTHER BLACK

Unilateral or unspecified inguinal hernia, without obstruction or gangrene (K40.9)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	34	30	4	33	29	4	1	1	-	1	1	-
Under 1 year----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	4	4	-	4	4	-	-	-	-	-	-	-
65-69 years-----	3	3	-	3	3	-	-	-	-	-	-	-
70-74 years-----	2	2	-	2	2	-	-	-	-	-	-	-
75-79 years-----	7	5	2	7	5	2	-	-	-	-	-	-
80-84 years-----	10	9	1	10	9	1	-	-	-	-	-	-
85-89 years-----	3	3	-	2	2	-	1	1	-	1	1	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Femoral hernia (K41)

All ages-----	42	10	32	41	10	31	1	-	1	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	2	1	1	1	1	-	1	-	1	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	7	2	5	7	2	5	-	-	-	-	-	-
80-84 years-----	13	4	9	13	4	9	-	-	-	-	-	-
85-89 years-----	8	2	6	8	2	6	-	-	-	-	-	-
90-94 years-----	7	1	6	7	1	6	-	-	-	-	-	-
95-99 years-----	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Unilateral or unspecified femoral hernia, with obstruction, without gangrene (K41.3)												
All ages-----	38	9	29	37	9	28	1	-	1	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	1	-	1	-	-	-	1	-	1	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	5	2	3	5	2	3	-	-	-	-	-	-
80-84 years-----	13	4	9	13	4	9	-	-	-	-	-	-
85-89 years-----	8	2	6	8	2	6	-	-	-	-	-	-
90-94 years-----	7	1	6	7	1	6	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Unilateral or unspecified femoral hernia, with gangrene (K41.4)

All ages-----	3	1	2	3	1	2	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Unilateral or unspecified femoral hernia, without obstruction or gangrene (K41.9)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Umbilical hernia (K42)

All ages-----	82	29	53	68	25	43	14	4	10	11	3	8
Under 1 year-----	1	1	-	-	-	-	1	1	-	1	1	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	2	1	1	1	1	-	1	-	1	1	-	1
35-39 years-----	2	-	2	2	-	2	-	-	-	-	-	-
40-44 years-----	3	1	2	2	1	1	1	-	1	1	-	1
45-49 years-----	5	4	1	4	3	1	1	1	-	1	1	-
50-54 years-----	4	3	1	4	3	1	-	-	-	-	-	-
55-59 years-----	4	1	3	2	1	1	2	-	2	2	-	2
60-64 years-----	5	4	1	5	4	1	-	-	-	-	-	-
65-69 years-----	9	3	6	6	3	3	3	-	3	2	-	2
70-74 years-----	11	3	8	9	3	6	2	-	2	1	-	1
75-79 years-----	8	2	6	7	2	5	1	-	1	1	-	1
80-84 years-----	9	3	6	9	3	6	-	-	-	-	-	-
85-89 years-----	9	3	6	7	1	6	2	2	-	1	1	-
90-94 years-----	7	-	7	7	-	7	-	-	-	-	-	-
95-99 years-----	3	-	3	3	-	3	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Umbilical hernia with obstruction, without gangrene (K42.0)												
All ages-----	58	17	41	47	15	32	11	2	9	9	2	7
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	2	1	1	1	1	-	1	-	1	1	-	1
45-49 years-----	3	2	1	2	1	1	1	1	-	1	1	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	4	1	3	2	1	1	2	-	2	2	-	2
60-64 years-----	4	3	1	4	3	1	-	-	-	-	-	-
65-69 years-----	7	2	5	4	2	2	3	-	3	2	-	2
70-74 years-----	9	3	6	7	3	4	2	-	2	1	-	1
75-79 years-----	6	1	5	5	1	4	1	-	1	1	-	1
80-84 years-----	7	2	5	7	2	5	-	-	-	-	-	-
85-89 years-----	5	1	4	4	-	4	1	1	-	1	1	-
90-94 years-----	6	-	6	6	-	6	-	-	-	-	-	-
95-99 years-----	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Umbilical hernia with gangrene (K42.1)

All ages-----	7	2	5	7	2	5	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Umbilical hernia without obstruction or gangrene (K42.9)												
All ages-----	17	10	7	14	8	6	3	2	1	2	1	1
Under 1 year----	1	1	-	-	-	-	1	1	-	1	1	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	-	1	-	-	-	1	-	1	1	-	1
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	2	2	-	2	2	-	-	-	-	-	-	-
50-54 years-----	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years-----	2	-	2	2	-	2	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years-----	2	1	1	1	-	1	1	1	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Ventral hernia (K43)												
All ages-----	269	75	194	227	73	154	42	2	40	38	2	36
Under 1 year----	1	1	-	-	-	-	1	1	-	1	1	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	3	1	2	2	1	1	1	-	1	1	-	1
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	7	2	5	4	2	2	3	-	3	3	-	3
45-49 years-----	4	3	1	3	2	1	1	1	-	1	1	-
50-54 years-----	14	4	10	12	4	8	2	-	2	1	-	1
55-59 years-----	11	4	7	11	4	7	-	-	-	-	-	-
60-64 years-----	28	11	17	22	11	11	6	-	6	6	-	6
65-69 years-----	11	4	7	9	4	5	2	-	2	2	-	2
70-74 years-----	30	7	23	25	7	18	5	-	5	5	-	5
75-79 years-----	47	12	35	42	12	30	5	-	5	5	-	5
80-84 years-----	45	15	30	38	15	23	7	-	7	5	-	5
85-89 years-----	29	4	25	24	4	20	5	-	5	4	-	4
90-94 years-----	28	4	24	25	4	21	3	-	3	3	-	3
95-99 years-----	9	2	7	9	2	7	-	-	-	-	-	-
100 yrs & over---	1	-	1	-	-	-	1	-	1	1	-	1
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Ventral hernia with obstruction, without gangrene (K43.0)												
All ages-----	161	43	118	135	42	93	26	1	25	24	1	23
Under 1 year----	1	1	-	-	-	-	1	1	-	1	1	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	5	1	4	3	1	2	2	-	2	2	-	2
45-49 years-----	3	2	1	3	2	1	-	-	-	-	-	-
50-54 years-----	7	3	4	6	3	3	1	-	1	1	-	1
55-59 years-----	4	2	2	4	2	2	-	-	-	-	-	-
60-64 years-----	17	6	11	14	6	8	3	-	3	3	-	3
65-69 years-----	7	2	5	6	2	4	1	-	1	1	-	1
70-74 years-----	16	3	13	13	3	10	3	-	3	3	-	3
75-79 years-----	27	7	20	24	7	17	3	-	3	3	-	3
80-84 years-----	32	9	23	26	9	17	6	-	6	4	-	4
85-89 years-----	18	3	15	16	3	13	2	-	2	2	-	2
90-94 years-----	15	2	13	12	2	10	3	-	3	3	-	3
95-99 years-----	6	-	6	6	-	6	-	-	-	-	-	-
100 yrs & over---	1	-	1	-	-	-	1	-	1	1	-	1
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Ventral hernia with gangrene (K43.1)

All ages-----	32	11	21	27	11	16	5	-	5	5	-	5
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	-	1	-	-	-	1	-	1	1	-	1
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	4	1	3	4	1	3	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	4	1	3	2	1	1	2	-	2	2	-	2
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	4	1	3	3	1	2	1	-	1	1	-	1
75-79 years-----	8	3	5	7	3	4	1	-	1	1	-	1
80-84 years-----	4	2	2	4	2	2	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	4	1	3	4	1	3	-	-	-	-	-	-
95-99 years-----	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Ventral hernia without obstruction or gangrene (K43.9)												
All ages-----	76	21	55	65	20	45	11	1	10	9	1	8
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	-	-	-	1	-	1	1	-	1
45-49 years-----	1	1	-	-	-	-	1	1	-	1	1	-
50-54 years-----	3	-	3	2	-	2	1	-	1	-	-	-
55-59 years-----	7	2	5	7	2	5	-	-	-	-	-	-
60-64 years-----	7	4	3	6	4	2	1	-	1	1	-	1
65-69 years-----	4	2	2	3	2	1	1	-	1	1	-	1
70-74 years-----	10	3	7	9	3	6	1	-	1	1	-	1
75-79 years-----	12	2	10	11	2	9	1	-	1	1	-	1
80-84 years-----	9	4	5	8	4	4	1	-	1	1	-	1
85-89 years-----	10	1	9	7	1	6	3	-	3	2	-	2
90-94 years-----	9	1	8	9	1	8	-	-	-	-	-	-
95-99 years-----	2	1	1	2	1	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Diaphragmatic hernia (K44)

All ages-----	463	163	300	438	150	288	25	13	12	22	11	11
Under 1 year-----	34	18	16	29	17	12	5	1	4	4	1	3
1-4 years-----	2	1	1	2	1	1	-	-	-	-	-	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	6	5	1	4	3	1	2	2	-	-	-	-
30-34 years-----	2	1	1	1	-	1	1	1	-	1	1	-
35-39 years-----	4	3	1	4	3	1	-	-	-	-	-	-
40-44 years-----	5	5	-	4	4	-	1	1	-	1	1	-
45-49 years-----	2	2	-	2	2	-	-	-	-	-	-	-
50-54 years-----	3	1	2	3	1	2	-	-	-	-	-	-
55-59 years-----	7	5	2	7	5	2	-	-	-	-	-	-
60-64 years-----	10	3	7	10	3	7	-	-	-	-	-	-
65-69 years-----	15	5	10	13	4	9	2	1	1	2	1	1
70-74 years-----	32	12	20	32	12	20	-	-	-	-	-	-
75-79 years-----	39	15	24	34	13	21	5	2	3	5	2	3
80-84 years-----	82	28	54	78	26	52	4	2	2	4	2	2
85-89 years-----	112	32	80	110	30	80	2	2	-	2	2	-
90-94 years-----	79	20	59	78	20	58	1	-	1	1	-	1
95-99 years-----	22	4	18	21	3	18	1	1	-	1	1	-
100 yrs & over---	6	2	4	5	2	3	1	-	1	1	-	1
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Diaphragmatic hernia with obstruction, without gangrene (K44.0)												
All ages-----	77	25	52	73	22	51	4	3	1	3	2	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	-	-	-	1	1	-	-	-	-
30-34 years-----	1	1	-	-	-	-	1	1	-	1	1	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	3	3	-	2	2	-	1	1	-	1	1	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	2	2	-	2	2	-	-	-	-	-	-	-
60-64 years-----	2	-	2	2	-	2	-	-	-	-	-	-
65-69 years-----	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years-----	7	3	4	7	3	4	-	-	-	-	-	-
75-79 years-----	7	1	6	7	1	6	-	-	-	-	-	-
80-84 years-----	12	3	9	11	3	8	1	-	1	1	-	1
85-89 years-----	22	6	16	22	6	16	-	-	-	-	-	-
90-94 years-----	11	2	9	11	2	9	-	-	-	-	-	-
95-99 years-----	3	-	3	3	-	3	-	-	-	-	-	-
100 yrs & over---	2	1	1	2	1	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Diaphragmatic hernia with gangrene (K44.1)

All ages-----	6	3	3	5	2	3	1	1	-	1	1	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	2	-	2	2	-	2	-	-	-	-	-	-
85-89 years-----	1	1	-	-	-	-	1	1	-	1	1	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Diaphragmatic hernia without obstruction or gangrene (K44.9)												
All ages-----	380	135	245	360	126	234	20	9	11	18	8	10
Under 1 year-----	34	18	16	29	17	12	5	1	4	4	1	3
1-4 years-----	2	1	1	2	1	1	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	5	4	1	4	3	1	1	1	-	-	-	-
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	2	2	-	2	2	-	-	-	-	-	-	-
40-44 years-----	2	2	-	2	2	-	-	-	-	-	-	-
45-49 years-----	2	2	-	2	2	-	-	-	-	-	-	-
50-54 years-----	3	1	2	3	1	2	-	-	-	-	-	-
55-59 years-----	5	3	2	5	3	2	-	-	-	-	-	-
60-64 years-----	8	3	5	8	3	5	-	-	-	-	-	-
65-69 years-----	12	4	8	10	3	7	2	1	1	2	1	1
70-74 years-----	24	8	16	24	8	16	-	-	-	-	-	-
75-79 years-----	32	14	18	27	12	15	5	2	3	5	2	3
80-84 years-----	68	25	43	65	23	42	3	2	1	3	2	1
85-89 years-----	89	25	64	88	24	64	1	1	-	1	1	-
90-94 years-----	68	18	50	67	18	49	1	-	1	1	-	1
95-99 years-----	19	4	15	18	3	15	1	1	-	1	1	-
100 yrs & over---	4	1	3	3	1	2	1	-	1	1	-	1
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Other abdominal hernia (K45)												
All ages-----	29	11	18	24	8	16	5	3	2	4	3	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	-	-	-	1	1	-	1	1	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	2	2	-	2	2	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	2	1	1	-	-	-	2	1	1	1	1	-
75-79 years-----	5	3	2	4	2	2	1	1	-	1	1	-
80-84 years-----	7	1	6	7	1	6	-	-	-	-	-	-
85-89 years-----	8	1	7	8	1	7	-	-	-	-	-	-
90-94 years-----	2	-	2	1	-	1	1	-	1	1	-	1
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other specified abdominal hernia with obstruction, without gangrene (K45.0)												
All ages-----	21	6	15	20	5	15	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	5	3	2	4	2	2	1	1	-	1	1	-
80-84 years-----	7	1	6	7	1	6	-	-	-	-	-	-
85-89 years-----	7	1	6	7	1	6	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other specified abdominal hernia with gangrene (K45.1)

All ages-----	6	4	2	3	2	1	3	2	1	3	2	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	-	-	-	1	1	-	1	1	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	-	-	-	1	1	-	1	1	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	1	-	1	-	-	-	1	-	1	1	-	1
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other specified abdominal hernia without obstruction or gangrene (K45.8)												
All ages-----	2	1	1	1	1	-	1	-	1	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	-	-	-	1	-	1	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Unspecified abdominal hernia (K46)

All ages-----	395	173	222	336	152	184	59	21	38	50	20	30
Under 1 year-----	3	1	2	3	1	2	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	3	-	3	2	-	2	1	-	1	1	-	1
35-39 years-----	6	4	2	5	3	2	1	1	-	1	1	-
40-44 years-----	9	5	4	6	4	2	3	1	2	3	1	2
45-49 years-----	3	1	2	-	-	-	3	1	2	3	1	2
50-54 years-----	15	9	6	10	8	2	5	1	4	4	1	3
55-59 years-----	10	7	3	8	7	1	2	-	2	2	-	2
60-64 years-----	15	10	5	13	8	5	2	2	-	2	2	-
65-69 years-----	28	9	19	20	6	14	8	3	5	5	3	2
70-74 years-----	50	25	25	44	24	20	6	1	5	5	1	4
75-79 years-----	50	20	30	42	18	24	8	2	6	6	1	5
80-84 years-----	74	37	37	68	34	34	6	3	3	6	3	3
85-89 years-----	68	30	38	59	27	32	9	3	6	7	3	4
90-94 years-----	47	12	35	43	9	34	4	3	1	4	3	1
95-99 years-----	11	1	10	10	1	9	1	-	1	1	-	1
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Unspecified abdominal hernia with obstruction, without gangrene (K46.0)												
All ages-----	232	98	134	203	87	116	29	11	18	26	11	15
Under 1 year----	2	1	1	2	1	1	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	2	-	2	1	-	1	1	-	1	1	-	1
35-39 years-----	4	3	1	3	2	1	1	1	-	1	1	-
40-44 years-----	3	3	-	2	2	-	1	1	-	1	1	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	4	2	2	2	1	1	2	1	1	2	1	1
55-59 years-----	3	2	1	2	2	-	1	-	1	1	-	1
60-64 years-----	5	3	2	4	2	2	1	1	-	1	1	-
65-69 years-----	14	4	10	11	3	8	3	1	2	2	1	1
70-74 years-----	24	12	12	21	12	9	3	-	3	3	-	3
75-79 years-----	31	10	21	27	10	17	4	-	4	3	-	3
80-84 years-----	52	28	24	48	26	22	4	2	2	4	2	2
85-89 years-----	50	24	26	44	22	22	6	2	4	5	2	3
90-94 years-----	32	5	27	30	3	27	2	2	-	2	2	-
95-99 years-----	6	1	5	6	1	5	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Unspecified abdominal hernia with gangrene (K46.1)

All ages-----	44	14	30	38	14	24	6	-	6	6	-	6
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	2	1	1	2	1	1	-	-	-	-	-	-
45-49 years-----	1	-	1	-	-	-	1	-	1	1	-	1
50-54 years-----	2	-	2	1	-	1	1	-	1	1	-	1
55-59 years-----	3	2	1	2	2	-	1	-	1	1	-	1
60-64 years-----	3	3	-	3	3	-	-	-	-	-	-	-
65-69 years-----	5	2	3	4	2	2	1	-	1	1	-	1
70-74 years-----	3	-	3	2	-	2	1	-	1	1	-	1
75-79 years-----	6	1	5	6	1	5	-	-	-	-	-	-
80-84 years-----	8	3	5	8	3	5	-	-	-	-	-	-
85-89 years-----	5	1	4	5	1	4	-	-	-	-	-	-
90-94 years-----	4	1	3	3	1	2	1	-	1	1	-	1
95-99 years-----	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Unspecified abdominal hernia without obstruction or gangrene (K46.9)												
All ages-----	119	61	58	95	51	44	24	10	14	18	9	9
Under 1 year-----	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	2	1	1	2	1	1	-	-	-	-	-	-
40-44 years-----	4	1	3	2	1	1	2	-	2	2	-	2
45-49 years-----	2	1	1	-	-	-	2	1	1	2	1	1
50-54 years-----	9	7	2	7	7	-	2	-	2	1	-	1
55-59 years-----	4	3	1	4	3	1	-	-	-	-	-	-
60-64 years-----	7	4	3	6	3	3	1	1	-	1	1	-
65-69 years-----	9	3	6	5	1	4	4	2	2	2	2	-
70-74 years-----	23	13	10	21	12	9	2	1	1	1	1	-
75-79 years-----	13	9	4	9	7	2	4	2	2	3	1	2
80-84 years-----	14	6	8	12	5	7	2	1	1	2	1	1
85-89 years-----	13	5	8	10	4	6	3	1	2	2	1	1
90-94 years-----	11	6	5	10	5	5	1	1	-	1	1	-
95-99 years-----	3	-	3	2	-	2	1	-	1	1	-	1
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Crohn's disease [regional enteritis] (K50)

All ages-----	501	183	318	462	171	291	39	12	27	38	12	26
Under 1 year-----	1	1	-	-	-	-	1	1	-	1	1	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	5	4	1	3	2	1	2	2	-	2	2	-
20-24 years-----	1	1	-	-	-	-	1	1	-	1	1	-
25-29 years-----	6	5	1	6	5	1	-	-	-	-	-	-
30-34 years-----	12	7	5	10	6	4	2	1	1	2	1	1
35-39 years-----	16	2	14	11	2	9	5	-	5	5	-	5
40-44 years-----	27	12	15	25	11	14	2	1	1	2	1	1
45-49 years-----	40	12	28	33	10	23	7	2	5	7	2	5
50-54 years-----	43	15	28	39	13	26	4	2	2	4	2	2
55-59 years-----	34	15	19	29	13	16	5	2	3	4	2	2
60-64 years-----	25	8	17	24	8	16	1	-	1	1	-	1
65-69 years-----	37	18	19	37	18	19	-	-	-	-	-	-
70-74 years-----	60	20	40	59	20	39	1	-	1	1	-	1
75-79 years-----	67	25	42	62	25	37	5	-	5	5	-	5
80-84 years-----	67	22	45	67	22	45	-	-	-	-	-	-
85-89 years-----	40	13	27	39	13	26	1	-	1	1	-	1
90-94 years-----	14	3	11	13	3	10	1	-	1	1	-	1
95-99 years-----	6	-	6	5	-	5	1	-	1	1	-	1
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Crohn's disease of small intestine (K50.0)												
All ages-----	6	2	4	6	2	4	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	2	-	2	2	-	2	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Crohn's disease of large intestine (K50.1)

All ages-----	23	4	19	20	4	16	3	-	3	3	-	3
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	1	-	1	-	-	-	1	-	1	1	-	1
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	3	2	1	3	2	1	-	-	-	-	-	-
70-74 years-----	4	-	4	4	-	4	-	-	-	-	-	-
75-79 years-----	3	-	3	2	-	2	1	-	1	1	-	1
80-84 years-----	5	-	5	5	-	5	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	2	-	2	1	-	1	1	-	1	1	-	1
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other Crohn's disease (K50.8)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Crohn's disease, unspecified (K50.9)												
All ages-----	471	176	295	435	164	271	36	12	24	35	12	23
Under 1 year-----	1	1	-	-	-	-	1	1	-	1	1	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	5	4	1	3	2	1	2	2	-	2	2	-
20-24 years-----	1	1	-	-	-	-	1	1	-	1	1	-
25-29 years-----	5	4	1	5	4	1	-	-	-	-	-	-
30-34 years-----	12	7	5	10	6	4	2	1	1	2	1	1
35-39 years-----	15	2	13	10	2	8	5	-	5	5	-	5
40-44 years-----	26	12	14	24	11	13	2	1	1	2	1	1
45-49 years-----	39	12	27	33	10	23	6	2	4	6	2	4
50-54 years-----	41	15	26	37	13	24	4	2	2	4	2	2
55-59 years-----	32	13	19	27	11	16	5	2	3	4	2	2
60-64 years-----	24	8	16	23	8	15	1	-	1	1	-	1
65-69 years-----	34	16	18	34	16	18	-	-	-	-	-	-
70-74 years-----	54	19	35	53	19	34	1	-	1	1	-	1
75-79 years-----	63	24	39	59	24	35	4	-	4	4	-	4
80-84 years-----	62	22	40	62	22	40	-	-	-	-	-	-
85-89 years-----	39	13	26	38	13	25	1	-	1	1	-	1
90-94 years-----	12	3	9	12	3	9	-	-	-	-	-	-
95-99 years-----	6	-	6	5	-	5	1	-	1	1	-	1
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Ulcerative colitis (K51)												
All ages-----	298	132	166	276	119	157	22	13	9	18	12	6
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years-----	4	1	3	3	1	2	1	-	1	1	-	1
25-29 years-----	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years-----	5	4	1	2	2	-	3	2	1	3	2	1
35-39 years-----	3	2	1	3	2	1	-	-	-	-	-	-
40-44 years-----	5	3	2	5	3	2	-	-	-	-	-	-
45-49 years-----	7	3	4	6	2	4	1	1	-	1	1	-
50-54 years-----	6	6	-	5	5	-	1	1	-	1	1	-
55-59 years-----	11	7	4	8	7	1	3	-	3	3	-	3
60-64 years-----	17	8	9	16	7	9	1	1	-	1	1	-
65-69 years-----	18	12	6	18	12	6	-	-	-	-	-	-
70-74 years-----	35	22	13	33	21	12	2	1	1	1	1	-
75-79 years-----	51	23	28	46	18	28	5	5	-	4	4	-
80-84 years-----	57	23	34	55	22	33	2	1	1	1	1	-
85-89 years-----	48	9	39	46	9	37	2	-	2	1	-	1
90-94 years-----	21	6	15	21	6	15	-	-	-	-	-	-
95-99 years-----	6	1	5	6	1	5	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Ulcerative (chronic) proctitis (K51.2)

All ages-----	3	2	1	3	2	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Mucosal proctocolitis (K51.5)												
All ages-----	-	-	-	-	-	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Other ulcerative colitis (K51.8)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Ulcerative colitis, unspecified (K51.9)												
All ages-----	294	129	165	272	116	156	22	13	9	18	12	6
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years-----	4	1	3	3	1	2	1	-	1	1	-	1
25-29 years-----	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years-----	5	4	1	2	2	-	3	2	1	3	2	1
35-39 years-----	3	2	1	3	2	1	-	-	-	-	-	-
40-44 years-----	5	3	2	5	3	2	-	-	-	-	-	-
45-49 years-----	7	3	4	6	2	4	1	1	-	1	1	-
50-54 years-----	6	6	-	5	5	-	1	1	-	1	1	-
55-59 years-----	11	7	4	8	7	1	3	-	3	3	-	3
60-64 years-----	17	8	9	16	7	9	1	1	-	1	1	-
65-69 years-----	18	12	6	18	12	6	-	-	-	-	-	-
70-74 years-----	34	21	13	32	20	12	2	1	1	1	1	-
75-79 years-----	51	23	28	46	18	28	5	5	-	4	4	-
80-84 years-----	57	23	34	55	22	33	2	1	1	1	1	-
85-89 years-----	46	8	38	44	8	36	2	-	2	1	-	1
90-94 years-----	20	5	15	20	5	15	-	-	-	-	-	-
95-99 years-----	6	1	5	6	1	5	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other noninfective gastroenteritis and colitis (K52)

All ages-----	1,389	498	891	1,268	441	827	121	57	64	96	43	53
Under 1 year-----	33	21	12	24	16	8	9	5	4	7	3	4
1-4 years-----	19	6	13	16	4	12	3	2	1	3	2	1
5-9 years-----	4	1	3	1	-	1	3	1	2	2	-	2
10-14 years-----	6	4	2	4	4	-	2	-	2	2	-	2
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	6	3	3	4	2	2	2	1	1	2	1	1
25-29 years-----	3	1	2	2	1	1	1	-	1	1	-	1
30-34 years-----	7	6	1	7	6	1	-	-	-	-	-	-
35-39 years-----	11	6	5	10	6	4	1	-	1	1	-	1
40-44 years-----	18	12	6	15	9	6	3	3	-	3	3	-
45-49 years-----	12	7	5	11	6	5	1	1	-	1	1	-
50-54 years-----	26	17	9	20	15	5	6	2	4	6	2	4
55-59 years-----	41	21	20	35	17	18	6	4	2	3	2	1
60-64 years-----	41	13	28	34	12	22	7	1	6	6	1	5
65-69 years-----	87	34	53	76	32	44	11	2	9	9	2	7
70-74 years-----	122	52	70	113	48	65	9	4	5	8	4	4
75-79 years-----	232	97	135	214	86	128	18	11	7	10	6	4
80-84 years-----	223	73	150	210	69	141	13	4	9	9	3	6
85-89 years-----	247	73	174	232	63	169	15	10	5	13	8	5
90-94 years-----	176	37	139	168	34	134	8	3	5	8	3	5
95-99 years-----	62	11	51	59	8	51	3	3	-	2	2	-
100 yrs & over---	12	2	10	12	2	10	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Gastroenteritis and colitis due to radiation (K52.0)												
All ages-----	19	5	14	17	3	14	2	2	-	1	1	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	5	1	4	4	-	4	1	1	-	-	-	-
80-84 years-----	2	1	1	1	-	1	1	1	-	1	1	-
85-89 years-----	5	2	3	5	2	3	-	-	-	-	-	-
90-94 years-----	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Toxic gastroenteritis and colitis (K52.1)

All ages-----	11	3	8	11	3	8	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	3	1	2	3	1	2	-	-	-	-	-	-
75-79 years-----	4	2	2	4	2	2	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other specified noninfective gastroenteritis and colitis (K52.8)												
All ages-----	7	3	4	5	2	3	2	1	1	1	-	1
Under 1 year----	1	-	1	-	-	-	1	-	1	1	-	1
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	2	2	-	1	1	-	1	1	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Noninfective gastroenteritis and colitis, unspecified (K52.9)

All ages-----	1,352	487	865	1,235	433	802	117	54	63	94	42	52
Under 1 year----	32	21	11	24	16	8	8	5	3	6	3	3
1-4 years-----	19	6	13	16	4	12	3	2	1	3	2	1
5-9 years-----	4	1	3	1	-	1	3	1	2	2	-	2
10-14 years-----	6	4	2	4	4	-	2	-	2	2	-	2
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	5	3	2	3	2	1	2	1	1	2	1	1
25-29 years-----	3	1	2	2	1	1	1	-	1	1	-	1
30-34 years-----	6	6	-	6	6	-	-	-	-	-	-	-
35-39 years-----	11	6	5	10	6	4	1	-	1	1	-	1
40-44 years-----	18	12	6	15	9	6	3	3	-	3	3	-
45-49 years-----	12	7	5	11	6	5	1	1	-	1	1	-
50-54 years-----	25	16	9	19	14	5	6	2	4	6	2	4
55-59 years-----	41	21	20	35	17	18	6	4	2	3	2	1
60-64 years-----	40	13	27	33	12	21	7	1	6	6	1	5
65-69 years-----	85	34	51	74	32	42	11	2	9	9	2	7
70-74 years-----	117	51	66	108	47	61	9	4	5	8	4	4
75-79 years-----	221	92	129	205	83	122	16	9	7	10	6	4
80-84 years-----	220	72	148	208	69	139	12	3	9	8	2	6
85-89 years-----	239	70	169	224	60	164	15	10	5	13	8	5
90-94 years-----	174	37	137	166	34	132	8	3	5	8	3	5
95-99 years-----	61	11	50	58	8	50	3	3	-	2	2	-
100 yrs & over---	12	2	10	12	2	10	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Vascular disorders of intestine (K55)												
All ages-----	8,942	3,054	5,888	7,860	2,626	5,234	1,082	428	654	947	363	584
Under 1 year-----	208	134	74	110	73	37	98	61	37	90	53	37
1-4 years-----	8	4	4	4	2	2	4	2	2	4	2	2
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	5	3	2	3	2	1	2	1	1	2	1	1
15-19 years-----	4	3	1	4	3	1	-	-	-	-	-	-
20-24 years-----	4	1	3	3	-	3	1	1	-	1	1	-
25-29 years-----	14	5	9	10	4	6	4	1	3	3	1	2
30-34 years-----	21	9	12	18	8	10	3	1	2	3	1	2
35-39 years-----	30	10	20	21	9	12	9	1	8	7	1	6
40-44 years-----	63	36	27	43	23	20	20	13	7	20	13	7
45-49 years-----	104	53	51	74	36	38	30	17	13	27	16	11
50-54 years-----	187	77	110	148	61	87	39	16	23	34	13	21
55-59 years-----	302	142	160	254	119	135	48	23	25	41	20	21
60-64 years-----	446	186	260	384	158	226	62	28	34	58	27	31
65-69 years-----	733	281	452	616	235	381	117	46	71	107	42	65
70-74 years-----	1,117	443	674	962	386	576	155	57	98	130	43	87
75-79 years-----	1,527	566	961	1,359	512	847	168	54	114	141	43	98
80-84 years-----	1,593	516	1,077	1,470	468	1,002	123	48	75	103	41	62
85-89 years-----	1,477	388	1,089	1,345	342	1,003	132	46	86	115	36	79
90-94 years-----	803	155	648	749	145	604	54	10	44	49	8	41
95-99 years-----	253	34	219	243	33	210	10	1	9	10	1	9
100 yrs & over---	41	7	34	38	6	32	3	1	2	2	-	2
Not stated-----	1	-	1	1	-	1	-	-	-	-	-	-

Acute vascular disorders of intestine (K55.0)

All ages-----	4,192	1,467	2,725	3,660	1,247	2,413	532	220	312	462	184	278
Under 1 year-----	198	127	71	104	70	34	94	57	37	86	49	37
1-4 years-----	7	3	4	3	1	2	4	2	2	4	2	2
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	3	1	2	1	-	1	2	1	1	2	1	1
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	3	1	2	2	-	2	1	1	-	1	1	-
25-29 years-----	8	2	6	5	2	3	3	-	3	2	-	2
30-34 years-----	11	3	8	8	2	6	3	1	2	3	1	2
35-39 years-----	15	5	10	11	5	6	4	-	4	3	-	3
40-44 years-----	36	21	15	26	14	12	10	7	3	10	7	3
45-49 years-----	57	28	29	41	20	21	16	8	8	15	8	7
50-54 years-----	98	41	57	74	31	43	24	10	14	22	8	14
55-59 years-----	181	76	105	152	63	89	29	13	16	24	12	12
60-64 years-----	226	98	128	199	83	116	27	15	12	27	15	12
65-69 years-----	367	147	220	318	127	191	49	20	29	44	16	28
70-74 years-----	534	213	321	461	187	274	73	26	47	61	19	42
75-79 years-----	692	254	438	627	236	391	65	18	47	50	14	36
80-84 years-----	704	211	493	653	193	460	51	18	33	40	13	27
85-89 years-----	629	158	471	573	138	435	56	20	36	50	17	33
90-94 years-----	316	63	253	299	61	238	17	2	15	15	1	14
95-99 years-----	89	11	78	87	11	76	2	-	2	2	-	2
100 yrs & over---	16	2	14	14	1	13	2	1	1	1	-	1
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Chronic vascular disorders of intestine (K55.1)												
All ages-----	211	68	143	199	66	133	12	2	10	10	2	8
Under 1 year-----	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years-----	3	2	1	3	2	1	-	-	-	-	-	-
55-59 years-----	9	5	4	9	5	4	-	-	-	-	-	-
60-64 years-----	10	6	4	10	6	4	-	-	-	-	-	-
65-69 years-----	14	3	11	12	3	9	2	-	2	2	-	2
70-74 years-----	30	15	15	28	15	13	2	-	2	2	-	2
75-79 years-----	38	11	27	36	11	25	2	-	2	1	-	1
80-84 years-----	35	7	28	33	6	27	2	1	1	1	1	-
85-89 years-----	37	11	26	33	10	23	4	1	3	4	1	3
90-94 years-----	18	6	12	18	6	12	-	-	-	-	-	-
95-99 years-----	11	1	10	11	1	10	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Angiodysplasia of colon (K55.2)

All ages-----	90	33	57	78	29	49	12	4	8	10	3	7
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	2	-	2	2	-	2	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	3	2	1	2	1	1	1	1	-	1	1	-
70-74 years-----	7	3	4	5	2	3	2	1	1	2	1	1
75-79 years-----	14	4	10	10	3	7	4	1	3	3	-	3
80-84 years-----	28	14	14	26	14	12	2	-	2	1	-	1
85-89 years-----	17	5	12	15	5	10	2	-	2	2	-	2
90-94 years-----	14	5	9	13	4	9	1	1	-	1	1	-
95-99 years-----	4	-	4	4	-	4	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other vascular disorders of intestine (K55.8)												
All ages-----	4	-	4	4	-	4	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Vascular disorder of intestine, unspecified (K55.9)

All ages-----	4,445	1,486	2,959	3,919	1,284	2,635	526	202	324	465	174	291
Under 1 year-----	9	7	2	5	3	2	4	4	-	4	4	-
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	2	2	-	2	2	-	-	-	-	-	-	-
15-19 years-----	3	2	1	3	2	1	-	-	-	-	-	-
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years-----	5	3	2	4	2	2	1	1	-	1	1	-
30-34 years-----	10	6	4	10	6	4	-	-	-	-	-	-
35-39 years-----	15	5	10	10	4	6	5	1	4	4	1	3
40-44 years-----	26	15	11	16	9	7	10	6	4	10	6	4
45-49 years-----	45	24	21	31	15	16	14	9	5	12	8	4
50-54 years-----	83	34	49	68	28	40	15	6	9	12	5	7
55-59 years-----	112	61	51	93	51	42	19	10	9	17	8	9
60-64 years-----	209	82	127	174	69	105	35	13	22	31	12	19
65-69 years-----	349	129	220	284	104	180	65	25	40	60	25	35
70-74 years-----	546	212	334	468	182	286	78	30	48	65	23	42
75-79 years-----	783	297	486	686	262	424	97	35	62	87	29	58
80-84 years-----	826	284	542	758	255	503	68	29	39	61	27	34
85-89 years-----	792	214	578	722	189	533	70	25	45	59	18	41
90-94 years-----	454	81	373	418	74	344	36	7	29	33	6	27
95-99 years-----	149	22	127	141	21	120	8	1	7	8	1	7
100 yrs & over---	24	5	19	23	5	18	1	-	1	1	-	1
Not stated-----	1	-	1	1	-	1	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

RACE, AND SEX

Paralytic ileus and intestinal obstruction without hernia (K56)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	5,024	1,766	3,258	4,408	1,497	2,911	616	269	347	570	244	326
Under 1 year-----	22	14	8	16	11	5	6	3	3	4	2	2
1-4 years-----	14	9	5	8	4	4	6	5	1	4	3	1
5-9 years-----	11	4	7	9	3	6	2	1	1	2	1	1
10-14 years-----	5	4	1	5	4	1	-	-	-	-	-	-
15-19 years-----	12	7	5	10	7	3	2	-	2	2	-	2
20-24 years-----	10	8	2	6	4	2	4	4	-	4	4	-
25-29 years-----	7	1	6	5	1	4	2	-	2	2	-	2
30-34 years-----	17	8	9	12	4	8	5	4	1	5	4	1
35-39 years-----	24	13	11	18	9	9	6	4	2	6	4	2
40-44 years-----	58	32	26	38	22	16	20	10	10	20	10	10
45-49 years-----	46	26	20	31	18	13	15	8	7	14	8	6
50-54 years-----	69	39	30	47	25	22	22	14	8	22	14	8
55-59 years-----	82	39	43	66	32	34	16	7	9	16	7	9
60-64 years-----	122	62	60	100	50	50	22	12	10	21	12	9
65-69 years-----	231	103	128	187	82	105	44	21	23	37	17	20
70-74 years-----	402	206	196	335	173	162	67	33	34	63	31	32
75-79 years-----	669	273	396	570	231	339	99	42	57	96	41	55
80-84 years-----	971	361	610	875	320	555	96	41	55	87	37	50
85-89 years-----	1,084	320	764	984	284	700	100	36	64	93	31	62
90-94 years-----	802	181	621	749	166	583	53	15	38	48	11	37
95-99 years-----	311	47	264	286	39	247	25	8	17	22	7	15
100 yrs & over---	55	9	46	51	8	43	4	1	3	2	-	2
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Paralytic ileus (K56.0)

All ages-----	68	31	37	62	26	36	6	5	1	6	5	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	-	-	-	1	1	-	1	1	-
55-59 years-----	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years-----	3	3	-	2	2	-	1	1	-	1	1	-
65-69 years-----	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years-----	4	1	3	3	1	2	1	-	1	1	-	1
75-79 years-----	10	5	5	8	3	5	2	2	-	2	2	-
80-84 years-----	16	7	9	15	6	9	1	1	-	1	1	-
85-89 years-----	19	7	12	19	7	12	-	-	-	-	-	-
90-94 years-----	10	4	6	10	4	6	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	1	1	-	1	1	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Intussusception (K56.1)												
All ages-----	27	15	12	23	14	9	4	1	3	3	1	2
Under 1 year----	9	5	4	7	5	2	2	-	2	1	-	1
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	-	-	-	1	1	-	1	1	-
65-69 years-----	2	1	1	1	1	-	1	-	1	1	-	1
70-74 years-----	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years-----	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years-----	4	2	2	4	2	2	-	-	-	-	-	-
85-89 years-----	2	2	-	2	2	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Volvulus (K56.2)												
All ages-----	559	269	290	478	223	255	81	46	35	71	39	32
Under 1 year----	5	4	1	4	3	1	1	1	-	-	-	-
1-4 years-----	10	7	3	4	2	2	6	5	1	4	3	1
5-9 years-----	2	1	1	2	1	1	-	-	-	-	-	-
10-14 years-----	2	2	-	2	2	-	-	-	-	-	-	-
15-19 years-----	6	3	3	5	3	2	1	-	1	1	-	1
20-24 years-----	2	2	-	1	1	-	1	1	-	1	1	-
25-29 years-----	3	1	2	2	1	1	1	-	1	1	-	1
30-34 years-----	6	1	5	5	1	4	1	-	1	1	-	1
35-39 years-----	3	1	2	3	1	2	-	-	-	-	-	-
40-44 years-----	10	6	4	6	3	3	4	3	1	4	3	1
45-49 years-----	12	5	7	9	4	5	3	1	2	3	1	2
50-54 years-----	4	2	2	4	2	2	-	-	-	-	-	-
55-59 years-----	5	2	3	4	2	2	1	-	1	1	-	1
60-64 years-----	13	8	5	11	7	4	2	1	1	2	1	1
65-69 years-----	26	12	14	22	10	12	4	2	2	4	2	2
70-74 years-----	59	33	26	48	26	22	11	7	4	9	6	3
75-79 years-----	89	51	38	76	45	31	13	6	7	13	6	7
80-84 years-----	124	62	62	111	54	57	13	8	5	11	7	4
85-89 years-----	93	37	56	80	30	50	13	7	6	10	5	5
90-94 years-----	67	22	45	61	18	43	6	4	2	6	4	2
95-99 years-----	18	7	11	18	7	11	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Gallstone ileus (K56.3)												
All ages-----	30	8	22	28	7	21	2	1	1	2	1	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	3	-	3	3	-	3	-	-	-	-	-	-
70-74 years-----	3	2	1	3	2	1	-	-	-	-	-	-
75-79 years-----	5	3	2	4	3	1	1	-	1	1	-	1
80-84 years-----	7	2	5	6	1	5	1	1	-	1	1	-
85-89 years-----	7	-	7	7	-	7	-	-	-	-	-	-
90-94 years-----	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years-----	3	-	3	3	-	3	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Other impaction of intestine (K56.4)												
All ages-----	152	51	101	132	41	91	20	10	10	19	9	10
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	4	4	-	3	3	-	1	1	-	1	1	-
40-44 years-----	6	5	1	4	3	1	2	2	-	2	2	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	5	3	2	3	2	1	2	1	1	2	1	1
55-59 years-----	3	1	2	3	1	2	-	-	-	-	-	-
60-64 years-----	5	5	-	5	5	-	-	-	-	-	-	-
65-69 years-----	5	1	4	5	1	4	-	-	-	-	-	-
70-74 years-----	11	4	7	10	3	7	1	1	-	1	1	-
75-79 years-----	15	5	10	12	4	8	3	1	2	3	1	2
80-84 years-----	30	13	17	27	11	16	3	2	1	3	2	1
85-89 years-----	18	4	14	16	3	13	2	1	1	2	1	1
90-94 years-----	33	5	28	28	4	24	5	1	4	4	-	4
95-99 years-----	12	-	12	11	-	11	1	-	1	1	-	1
100 yrs & over---	2	-	2	2	-	2	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Intestinal adhesions [bands] with obstruction (K56.5)												
All ages-----	343	107	236	291	82	209	52	25	27	47	22	25
Under 1 year-----	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	3	1	2	3	1	2	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	3	3	-	-	-	-	3	3	-	3	3	-
25-29 years-----	2	-	2	2	-	2	-	-	-	-	-	-
30-34 years-----	1	1	-	-	-	-	1	1	-	1	1	-
35-39 years-----	3	1	2	3	1	2	-	-	-	-	-	-
40-44 years-----	6	5	1	4	4	-	2	1	1	2	1	1
45-49 years-----	3	1	2	-	-	-	3	1	2	2	1	1
50-54 years-----	7	5	2	6	4	2	1	1	-	1	1	-
55-59 years-----	7	4	3	5	3	2	2	1	1	2	1	1
60-64 years-----	10	2	8	8	1	7	2	1	1	2	1	1
65-69 years-----	12	4	8	11	3	8	1	1	-	-	-	-
70-74 years-----	34	15	19	28	12	16	6	3	3	6	3	3
75-79 years-----	48	14	34	41	11	30	7	3	4	7	3	4
80-84 years-----	73	22	51	65	18	47	8	4	4	8	4	4
85-89 years-----	67	16	51	58	12	46	9	4	5	8	3	5
90-94 years-----	46	11	35	41	10	31	5	1	4	4	-	4
95-99 years-----	15	1	14	14	1	13	1	-	1	-	-	-
100 yrs & over---	1	-	1	-	-	-	1	-	1	1	-	1
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other and unspecified intestinal obstruction (K56.6)

All ages-----	3,570	1,167	2,403	3,157	1,008	2,149	413	159	254	385	146	239
Under 1 year-----	7	5	2	4	3	1	3	2	1	3	2	1
1-4 years-----	3	1	2	3	1	2	-	-	-	-	-	-
5-9 years-----	4	2	2	2	1	1	2	1	1	2	1	1
10-14 years-----	2	2	-	2	2	-	-	-	-	-	-	-
15-19 years-----	4	2	2	3	2	1	1	-	1	1	-	1
20-24 years-----	5	3	2	5	3	2	-	-	-	-	-	-
25-29 years-----	1	-	1	-	-	-	1	-	1	1	-	1
30-34 years-----	9	5	4	6	2	4	3	3	-	3	3	-
35-39 years-----	14	7	7	9	4	5	5	3	2	5	3	2
40-44 years-----	32	13	19	23	11	12	9	2	7	9	2	7
45-49 years-----	28	17	11	20	12	8	8	5	3	8	5	3
50-54 years-----	44	21	23	28	11	17	16	10	6	16	10	6
55-59 years-----	60	29	31	48	24	24	12	5	7	12	5	7
60-64 years-----	78	34	44	63	27	36	15	7	8	14	7	7
65-69 years-----	161	73	88	126	57	69	35	16	19	30	14	16
70-74 years-----	266	132	134	222	114	108	44	18	26	42	17	25
75-79 years-----	466	181	285	399	153	246	67	28	39	64	27	37
80-84 years-----	672	237	435	607	213	394	65	24	41	58	21	37
85-89 years-----	814	233	581	745	213	532	69	20	49	66	18	48
90-94 years-----	604	126	478	569	119	450	35	7	28	32	5	27
95-99 years-----	247	36	211	227	29	198	20	7	13	18	6	12
100 yrs & over---	49	8	41	46	7	39	3	1	2	1	-	1
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Ileus, unspecified (K56.7)												
All ages-----	275	118	157	237	96	141	38	22	16	37	21	16
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	4	3	1	1	1	-	3	2	1	3	2	1
45-49 years-----	2	2	-	1	1	-	1	1	-	1	1	-
50-54 years-----	7	6	1	5	5	-	2	1	1	2	1	1
55-59 years-----	5	2	3	4	1	3	1	1	-	1	1	-
60-64 years-----	12	9	3	11	8	3	1	1	-	1	1	-
65-69 years-----	20	11	9	17	9	8	3	2	1	2	1	1
70-74 years-----	23	18	5	19	14	5	4	4	-	4	4	-
75-79 years-----	34	13	21	28	11	17	6	2	4	6	2	4
80-84 years-----	45	16	29	40	15	25	5	1	4	5	1	4
85-89 years-----	64	21	43	57	17	40	7	4	3	7	4	3
90-94 years-----	39	12	27	37	10	27	2	2	-	2	2	-
95-99 years-----	16	3	13	13	2	11	3	1	2	3	1	2
100 yrs & over---	2	-	2	2	-	2	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Diverticular disease of intestine (K57)

All ages-----	3,427	1,047	2,380	3,151	963	2,188	276	84	192	246	70	176
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	6	3	3	5	3	2	1	-	1	1	-	1
35-39 years-----	12	7	5	9	5	4	3	2	1	3	2	1
40-44 years-----	16	10	6	14	9	5	2	1	1	1	-	1
45-49 years-----	36	19	17	31	17	14	5	2	3	5	2	3
50-54 years-----	49	20	29	44	19	25	5	1	4	4	1	3
55-59 years-----	93	36	57	74	29	45	19	7	12	18	6	12
60-64 years-----	118	60	58	99	50	49	19	10	9	17	9	8
65-69 years-----	214	82	132	185	76	109	29	6	23	27	5	22
70-74 years-----	362	146	216	327	132	195	35	14	21	30	12	18
75-79 years-----	510	167	343	476	155	321	34	12	22	29	11	18
80-84 years-----	623	188	435	582	176	406	41	12	29	37	10	27
85-89 years-----	736	170	566	701	162	539	35	8	27	30	6	24
90-94 years-----	479	111	368	445	103	342	34	8	26	30	5	25
95-99 years-----	144	24	120	134	23	111	10	1	9	10	1	9
100 yrs & over---	28	3	25	24	3	21	4	-	4	4	-	4
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Diverticular disease of small intestine with perforation and abscess (K57.0)												
All ages-----	12	1	11	11	1	10	1	-	1	1	-	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	-	-	-	1	-	1	1	-	1
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	3	1	2	3	1	2	-	-	-	-	-	-
85-89 years-----	4	-	4	4	-	4	-	-	-	-	-	-
90-94 years-----	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Diverticular disease of small intestine without perforation or abscess (K57.1)

All ages-----	22	9	13	19	8	11	3	1	2	2	1	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	2	-	2	1	-	1	1	-	1	1	-	1
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	2	2	-	2	2	-	-	-	-	-	-	-
75-79 years-----	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years-----	3	-	3	2	-	2	1	-	1	-	-	-
85-89 years-----	7	3	4	7	3	4	-	-	-	-	-	-
90-94 years-----	3	2	1	2	1	1	1	1	-	1	1	-
95-99 years-----	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Diverticular disease of large intestine with perforation and abscess (K57.2)												
All ages-----	334	110	224	309	99	210	25	11	14	21	9	12
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	-	1	-	-	-	1	-	1	1	-	1
35-39 years-----	4	2	2	3	2	1	1	-	1	1	-	1
40-44 years-----	5	2	3	5	2	3	-	-	-	-	-	-
45-49 years-----	4	3	1	4	3	1	-	-	-	-	-	-
50-54 years-----	8	4	4	8	4	4	-	-	-	-	-	-
55-59 years-----	16	7	9	15	7	8	1	-	1	1	-	1
60-64 years-----	13	7	6	10	5	5	3	2	1	3	2	1
65-69 years-----	35	12	23	32	11	21	3	1	2	3	1	2
70-74 years-----	43	15	28	37	12	25	6	3	3	3	1	2
75-79 years-----	56	18	38	55	17	38	1	1	-	1	1	-
80-84 years-----	57	17	40	52	13	39	5	4	1	5	4	1
85-89 years-----	58	16	42	56	16	40	2	-	2	1	-	1
90-94 years-----	22	4	18	21	4	17	1	-	1	1	-	1
95-99 years-----	8	3	5	8	3	5	-	-	-	-	-	-
100 yrs & over---	4	-	4	3	-	3	1	-	1	1	-	1
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Diverticular disease of large intestine without perforation or abscess (K57.3)

All ages-----	184	55	129	161	49	112	23	6	17	23	6	17
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	3	2	1	2	1	1	1	1	-	1	1	-
50-54 years-----	2	1	1	1	1	-	1	-	1	1	-	1
55-59 years-----	7	3	4	4	1	3	3	2	1	3	2	1
60-64 years-----	2	2	-	2	2	-	-	-	-	-	-	-
65-69 years-----	11	3	8	8	3	5	3	-	3	3	-	3
70-74 years-----	16	4	12	13	3	10	3	1	2	3	1	2
75-79 years-----	26	7	19	24	7	17	2	-	2	2	-	2
80-84 years-----	31	14	17	27	14	13	4	-	4	4	-	4
85-89 years-----	44	7	37	42	6	36	2	1	1	2	1	1
90-94 years-----	34	9	25	31	8	23	3	1	2	3	1	2
95-99 years-----	6	2	4	5	2	3	1	-	1	1	-	1
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Diverticular disease of both small and large intestine with perforation and abscess (K57.4)												
All ages-----	7	3	4	7	3	4	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Diverticular disease of intestine, part unspecified, with perforation and abscess (K57.8)

All ages-----	1,290	401	889	1,199	370	829	91	31	60	79	25	54
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	2	1	1	2	1	1	-	-	-	-	-	-
35-39 years-----	4	2	2	3	1	2	1	1	-	1	1	-
40-44 years-----	8	6	2	7	5	2	1	1	-	-	-	-
45-49 years-----	16	7	9	14	6	8	2	1	1	2	1	1
50-54 years-----	25	11	14	22	10	12	3	1	2	3	1	2
55-59 years-----	50	18	32	40	15	25	10	3	7	9	2	7
60-64 years-----	62	27	35	57	25	32	5	2	3	4	2	2
65-69 years-----	92	39	53	83	37	46	9	2	7	8	2	6
70-74 years-----	178	66	112	164	63	101	14	3	11	12	3	9
75-79 years-----	205	68	137	194	60	134	11	8	3	9	7	2
80-84 years-----	232	63	169	220	62	158	12	1	11	11	1	10
85-89 years-----	236	55	181	226	52	174	10	3	7	9	2	7
90-94 years-----	139	31	108	129	27	102	10	4	6	8	2	6
95-99 years-----	37	6	31	34	5	29	3	1	2	3	1	2
100 yrs & over---	4	1	3	4	1	3	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Diverticular disease of intestine, part unspecified, without perforation or abscess (K57.9)												
All ages-----	1,578	468	1,110	1,445	433	1,012	133	35	98	120	29	91
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	4	3	1	3	2	1	1	1	-	1	1	-
40-44 years-----	3	2	1	2	2	-	-	-	1	1	-	1
45-49 years-----	13	7	6	11	7	4	2	-	2	2	-	2
50-54 years-----	14	4	10	13	4	9	1	-	1	-	-	-
55-59 years-----	18	8	10	14	6	8	4	2	2	4	2	2
60-64 years-----	41	24	17	30	18	12	11	6	5	10	5	5
65-69 years-----	73	27	46	60	24	36	13	3	10	12	2	10
70-74 years-----	121	58	63	109	51	58	12	7	5	12	7	5
75-79 years-----	219	72	147	199	69	130	20	3	17	17	3	14
80-84 years-----	296	93	203	277	86	191	19	7	12	17	5	12
85-89 years-----	385	89	296	364	85	279	21	4	17	18	3	15
90-94 years-----	279	65	214	260	63	197	19	2	17	17	1	16
95-99 years-----	91	13	78	85	13	72	6	-	6	6	-	6
100 yrs & over---	19	2	17	16	2	14	3	-	3	3	-	3
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Irritable bowel syndrome (K58)

All ages-----	12	1	11	11	1	10	1	-	1	1	-	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	2	1	1	1	1	-	1	-	1	1	-	1
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	2	-	2	2	-	2	-	-	-	-	-	-
80-84 years-----	2	-	2	2	-	2	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Irritable bowel syndrome with diarrhea (K58.0)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Irritable bowel syndrome without diarrhea (K58.9)

All ages-----	11	1	10	10	1	9	1	-	1	1	-	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	2	1	1	1	1	-	1	-	1	1	-	1
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	2	-	2	2	-	2	-	-	-	-	-	-
80-84 years-----	2	-	2	2	-	2	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other functional intestinal disorders (K59)												
All ages-----	362	137	225	340	128	212	22	9	13	19	8	11
Under 1 year-----	1	1	-	-	-	-	1	1	-	1	1	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	2	1	1	2	1	1	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	3	1	2	3	1	2	-	-	-	-	-	-
40-44 years-----	5	1	4	4	1	3	1	-	1	1	-	1
45-49 years-----	8	6	2	7	6	1	1	-	1	1	-	1
50-54 years-----	7	5	2	7	5	2	-	-	-	-	-	-
55-59 years-----	14	8	6	13	8	5	1	-	1	1	-	1
60-64 years-----	17	10	7	14	8	6	3	2	1	2	1	1
65-69 years-----	23	9	14	23	9	14	-	-	-	-	-	-
70-74 years-----	42	17	25	37	16	21	5	1	4	5	1	4
75-79 years-----	60	25	35	54	22	32	6	3	3	5	3	2
80-84 years-----	65	22	43	63	22	41	2	-	2	1	-	1
85-89 years-----	63	17	46	62	16	46	1	1	-	1	1	-
90-94 years-----	36	7	29	36	7	29	-	-	-	-	-	-
95-99 years-----	14	6	8	13	5	8	1	1	-	1	1	-
100 yrs & over---	2	1	1	2	1	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Constipation (K59.0)

All ages-----	108	28	80	99	26	73	9	2	7	9	2	7
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	-	-	-	1	-	1	1	-	1
45-49 years-----	2	2	-	2	2	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	3	1	2	2	1	1	1	-	1	1	-	1
60-64 years-----	5	2	3	5	2	3	-	-	-	-	-	-
65-69 years-----	6	1	5	6	1	5	-	-	-	-	-	-
70-74 years-----	9	1	8	6	1	5	3	-	3	3	-	3
75-79 years-----	14	4	10	12	4	8	2	-	2	2	-	2
80-84 years-----	16	4	12	16	4	12	-	-	-	-	-	-
85-89 years-----	23	6	17	22	5	17	1	1	-	1	1	-
90-94 years-----	17	2	15	17	2	15	-	-	-	-	-	-
95-99 years-----	9	3	6	8	2	6	1	1	-	1	1	-
100 yrs & over---	1	1	-	1	1	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Neurogenic bowel, not elsewhere classified (K59.2)												
All ages-----	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Megacolon, not elsewhere classified (K59.3)

All ages-----	186	85	101	177	80	97	9	5	4	7	4	3
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	3	1	2	3	1	2	-	-	-	-	-	-
45-49 years-----	3	2	1	2	2	-	1	-	1	1	-	1
50-54 years-----	5	3	2	5	3	2	-	-	-	-	-	-
55-59 years-----	9	5	4	9	5	4	-	-	-	-	-	-
60-64 years-----	10	7	3	7	5	2	3	2	1	2	1	1
65-69 years-----	12	6	6	12	6	6	-	-	-	-	-	-
70-74 years-----	27	13	14	26	13	13	1	-	1	1	-	1
75-79 years-----	37	20	17	33	17	16	4	3	1	3	3	-
80-84 years-----	39	15	24	39	15	24	-	-	-	-	-	-
85-89 years-----	25	7	18	25	7	18	-	-	-	-	-	-
90-94 years-----	10	3	7	10	3	7	-	-	-	-	-	-
95-99 years-----	3	2	1	3	2	1	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other specified functional intestinal disorders (K59.8)												
All ages-----	44	17	27	43	16	27	1	1	-	1	1	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	2	1	1	2	1	1	-	-	-	-	-	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years-----	4	2	2	3	1	2	1	1	-	1	1	-
75-79 years-----	7	1	6	7	1	6	-	-	-	-	-	-
80-84 years-----	4	2	2	4	2	2	-	-	-	-	-	-
85-89 years-----	12	3	9	12	3	9	-	-	-	-	-	-
90-94 years-----	6	2	4	6	2	4	-	-	-	-	-	-
95-99 years-----	2	1	1	2	1	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Functional intestinal disorder, unspecified (K59.9)

All ages-----	22	5	17	19	4	15	3	1	2	2	1	1
Under 1 year----	1	1	-	-	-	-	1	1	-	1	1	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	3	1	2	3	1	2	-	-	-	-	-	-
70-74 years-----	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years-----	2	-	2	2	-	2	-	-	-	-	-	-
80-84 years-----	6	1	5	4	1	3	2	-	2	1	-	1
85-89 years-----	3	1	2	3	1	2	-	-	-	-	-	-
90-94 years-----	3	-	3	3	-	3	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Fissure and fistula of anal and rectal regions (K60)												
All ages-----	10	6	4	6	4	2	4	2	2	3	2	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	-	-	-	1	1	-	1	1	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	3	1	2	2	1	1	1	-	1	1	-	1
85-89 years-----	2	1	1	1	1	-	1	-	1	-	-	-
90-94 years-----	1	1	-	-	-	-	1	1	-	1	1	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Anal fissure, unspecified (K60.2)

All ages-----	2	2	-	1	1	-	1	1	-	1	1	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	1	-	-	-	-	1	1	-	1	1	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Anal fistula (K60.3)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Rectal fistula (K60.4)												
All ages-----	7	4	3	4	3	1	3	1	2	2	1	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	-	-	-	1	1	-	1	1	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	2	1	1	1	1	-	1	-	1	1	-	1
85-89 years-----	2	1	1	1	1	-	1	-	1	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Abscess of anal and rectal regions (K61)												
All ages-----	97	59	38	80	49	31	17	10	7	17	10	7
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	-	1	-	-	-	1	-	1	1	-	1
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	3	1	2	3	1	2	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	5	4	1	5	4	1	-	-	-	-	-	-
50-54 years-----	5	4	1	2	2	-	3	2	1	3	2	1
55-59 years-----	7	6	1	4	4	-	3	2	1	3	2	1
60-64 years-----	5	5	-	2	2	-	3	3	-	3	3	-
65-69 years-----	5	3	2	5	3	2	-	-	-	-	-	-
70-74 years-----	9	5	4	8	5	3	1	-	1	1	-	1
75-79 years-----	16	10	6	14	8	6	2	2	-	2	2	-
80-84 years-----	17	11	6	14	10	4	3	1	2	3	1	2
85-89 years-----	11	3	8	10	3	7	1	-	1	1	-	1
90-94 years-----	10	6	4	10	6	4	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Anal abscess (K61.0)

All ages-----	6	3	3	3	2	1	3	1	2	3	1	2
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	-	-	-	1	1	-	1	1	-
55-59 years-----	1	-	1	-	-	-	1	-	1	1	-	1
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years-----	1	-	1	-	-	-	1	-	1	1	-	1
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Rectal abscess (K61.1)												
All ages-----	80	49	31	69	42	27	11	7	4	11	7	4
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	-	1	-	-	-	1	-	1	1	-	1
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	3	1	2	3	1	2	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	4	3	1	4	3	1	-	-	-	-	-	-
50-54 years-----	4	3	1	2	2	-	2	1	1	2	1	1
55-59 years-----	5	5	-	3	3	-	2	2	-	2	2	-
60-64 years-----	5	5	-	2	2	-	3	3	-	3	3	-
65-69 years-----	5	3	2	5	3	2	-	-	-	-	-	-
70-74 years-----	9	5	4	8	5	3	1	-	1	1	-	1
75-79 years-----	11	7	4	10	6	4	1	1	-	1	1	-
80-84 years-----	14	10	4	13	10	3	1	-	1	1	-	1
85-89 years-----	8	1	7	8	1	7	-	-	-	-	-	-
90-94 years-----	9	6	3	9	6	3	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Ischiorectal abscess (K61.3)												
All ages-----	11	7	4	8	5	3	3	2	1	3	2	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	3	2	1	2	1	1	1	1	-	1	1	-
80-84 years-----	2	1	1	1	-	1	1	1	-	1	1	-
85-89 years-----	3	2	1	2	2	-	1	-	1	1	-	1
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other diseases of anus and rectum (K62)												
All ages-----	322	98	224	296	91	205	26	7	19	21	6	15
Under 1 year----	1	1	-	-	-	-	1	1	-	1	1	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	2	-	2	1	-	1	1	-	1	1	-	1
40-44 years-----	2	2	-	2	2	-	-	-	-	-	-	-
45-49 years-----	6	5	1	6	5	1	-	-	-	-	-	-
50-54 years-----	6	2	4	6	2	4	-	-	-	-	-	-
55-59 years-----	8	3	5	7	3	4	1	-	1	1	-	1
60-64 years-----	10	3	7	10	3	7	-	-	-	-	-	-
65-69 years-----	20	8	12	19	8	11	1	-	1	1	-	1
70-74 years-----	42	16	26	37	14	23	5	2	3	5	2	3
75-79 years-----	47	14	33	44	14	30	3	-	3	2	-	2
80-84 years-----	47	20	27	41	17	24	6	3	3	5	3	2
85-89 years-----	75	15	60	70	14	56	5	1	4	2	-	2
90-94 years-----	34	5	29	31	5	26	3	-	3	3	-	3
95-99 years-----	17	4	13	17	4	13	-	-	-	-	-	-
100 yrs & over---	4	-	4	4	-	4	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Anal prolapse (K62.2)

All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Rectal prolapse (K62.3)												
All ages-----	22	6	16	21	5	16	1	1	-	1	1	-
Under 1 year----	1	1	-	-	-	-	1	1	-	1	1	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years-----	5	-	5	5	-	5	-	-	-	-	-	-
90-94 years-----	9	2	7	9	2	7	-	-	-	-	-	-
95-99 years-----	2	1	1	2	1	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Stenosis of anus and rectum (K62.4)

All ages-----	11	3	8	10	3	7	1	-	1	1	-	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	3	1	2	2	1	1	1	-	1	1	-	1
85-89 years-----	5	1	4	5	1	4	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Hemorrhage of anus and rectum (K62.5)												
All ages-----	140	31	109	128	27	101	12	4	8	10	3	7
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	7	2	5	7	2	5	-	-	-	-	-	-
65-69 years-----	7	1	6	7	1	6	-	-	-	-	-	-
70-74 years-----	9	2	7	6	1	5	3	1	2	3	1	2
75-79 years-----	17	7	10	16	7	9	1	-	1	1	-	1
80-84 years-----	20	7	13	18	5	13	2	2	-	2	2	-
85-89 years-----	42	5	37	38	4	34	4	1	3	2	-	2
90-94 years-----	18	2	16	16	2	14	2	-	2	2	-	2
95-99 years-----	12	2	10	12	2	10	-	-	-	-	-	-
100 yrs & over---	4	-	4	4	-	4	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Ulcer of anus and rectum (K62.6)

All ages-----	11	3	8	9	3	6	2	-	2	1	-	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	-	-	-	1	-	1	1	-	1
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	2	-	2	2	-	2	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	2	-	2	1	-	1	1	-	1	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	2	2	-	2	2	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Radiation proctitis (K62.7)												
All ages-----	4	3	1	4	3	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other specified diseases of anus and rectum (K62.8)

All ages-----	108	40	68	101	38	63	7	2	5	6	2	4
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	4	3	1	4	3	1	-	-	-	-	-	-
50-54 years-----	3	1	2	3	1	2	-	-	-	-	-	-
55-59 years-----	6	3	3	6	3	3	-	-	-	-	-	-
60-64 years-----	3	1	2	3	1	2	-	-	-	-	-	-
65-69 years-----	7	3	4	7	3	4	-	-	-	-	-	-
70-74 years-----	24	9	15	22	8	14	2	1	1	2	1	1
75-79 years-----	22	5	17	21	5	16	1	-	1	1	-	1
80-84 years-----	16	7	9	13	6	7	3	1	2	2	1	1
85-89 years-----	16	6	10	16	6	10	-	-	-	-	-	-
90-94 years-----	5	-	5	4	-	4	1	-	1	1	-	1
95-99 years-----	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Disease of anus and rectum, unspecified (K62.9)												
All ages-----	25	12	13	22	12	10	3	-	3	2	-	2
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	-	1	-	-	-	1	-	1	1	-	1
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	5	3	2	4	3	1	1	-	1	1	-	1
70-74 years-----	5	3	2	5	3	2	-	-	-	-	-	-
75-79 years-----	3	1	2	3	1	2	-	-	-	-	-	-
80-84 years-----	4	3	1	4	3	1	-	-	-	-	-	-
85-89 years-----	4	-	4	3	-	3	1	-	1	-	-	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other diseases of intestine (K63)

All ages-----	2,242	888	1,354	1,962	757	1,205	280	131	149	251	113	138
Under 1 year----	21	16	5	12	8	4	9	8	1	9	8	1
1-4 years-----	7	5	2	4	2	2	3	3	-	3	3	-
5-9 years-----	2	-	2	2	-	2	-	-	-	-	-	-
10-14 years-----	3	2	1	2	1	1	1	1	-	1	1	-
15-19 years-----	4	4	-	3	3	-	1	1	-	1	1	-
20-24 years-----	3	2	1	3	2	1	-	-	-	-	-	-
25-29 years-----	8	4	4	6	2	4	2	2	-	1	1	-
30-34 years-----	10	3	7	8	2	6	2	1	1	1	-	1
35-39 years-----	21	13	8	14	8	6	7	5	2	6	4	2
40-44 years-----	35	16	19	26	14	12	9	2	7	8	2	6
45-49 years-----	54	33	21	36	22	14	18	11	7	18	11	7
50-54 years-----	68	31	37	56	24	32	12	7	5	11	7	4
55-59 years-----	85	39	46	74	34	40	11	5	6	11	5	6
60-64 years-----	134	58	76	115	50	65	19	8	11	14	5	9
65-69 years-----	183	81	102	152	66	86	31	15	16	29	15	14
70-74 years-----	283	124	159	249	113	136	34	11	23	28	8	20
75-79 years-----	355	148	207	318	131	187	37	17	20	31	11	20
80-84 years-----	411	153	258	372	139	233	39	14	25	37	13	24
85-89 years-----	315	96	219	293	85	208	22	11	11	21	11	10
90-94 years-----	164	47	117	150	41	109	14	6	8	14	6	8
95-99 years-----	63	11	52	56	9	47	7	2	5	6	1	5
100 yrs & over---	13	2	11	11	1	10	2	1	1	1	-	1
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Abscess of intestine (K63.0)												
All ages-----	40	19	21	35	16	19	5	3	2	4	2	2
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	-	-	-	1	1	-	1	1	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	2	1	1	1	-	1	1	1	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	2	-	2	2	-	2	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	3	1	2	3	1	2	-	-	-	-	-	-
70-74 years-----	7	4	3	6	4	2	1	-	1	1	-	1
75-79 years-----	9	5	4	8	4	4	1	1	-	1	1	-
80-84 years-----	6	4	2	6	4	2	-	-	-	-	-	-
85-89 years-----	5	1	4	5	1	4	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	2	-	2	1	-	1	1	-	1	1	-	1
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Perforation of intestine (nontraumatic) (K63.1)												
All ages-----	1,538	590	948	1,358	511	847	180	79	101	166	73	93
Under 1 year----	17	13	4	12	8	4	5	5	-	5	5	-
1-4 years-----	2	2	-	2	2	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	2	1	1	1	-	1	1	1	-	1	1	-
15-19 years-----	2	2	-	2	2	-	-	-	-	-	-	-
20-24 years-----	3	2	1	3	2	1	-	-	-	-	-	-
25-29 years-----	6	2	4	5	1	4	1	1	-	-	-	-
30-34 years-----	8	2	6	6	1	5	2	1	1	1	-	1
35-39 years-----	12	7	5	7	3	4	5	4	1	5	4	1
40-44 years-----	25	10	15	17	9	8	8	1	7	7	1	6
45-49 years-----	38	23	15	23	14	9	15	9	6	15	9	6
50-54 years-----	45	22	23	39	18	21	6	4	2	5	4	1
55-59 years-----	57	25	32	51	23	28	6	2	4	6	2	4
60-64 years-----	92	34	58	83	30	53	9	4	5	8	4	4
65-69 years-----	125	58	67	102	48	54	23	10	13	21	10	11
70-74 years-----	189	84	105	165	77	88	24	7	17	20	6	14
75-79 years-----	241	92	149	217	83	134	24	9	15	23	8	15
80-84 years-----	282	99	183	260	90	170	22	9	13	21	8	13
85-89 years-----	213	68	145	202	63	139	11	5	6	11	5	6
90-94 years-----	122	34	88	110	29	81	12	5	7	12	5	7
95-99 years-----	45	8	37	41	7	34	4	1	3	4	1	3
100 yrs & over---	12	2	10	10	1	9	2	1	1	1	-	1
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Fistula of intestine (K63.2)												
All ages-----	174	73	101	151	62	89	23	11	12	18	7	11
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	3	3	-	3	3	-	-	-	-	-	-	-
40-44 years-----	6	4	2	6	4	2	-	-	-	-	-	-
45-49 years-----	6	3	3	4	2	2	2	1	1	2	1	1
50-54 years-----	7	3	4	6	2	4	1	1	-	1	1	-
55-59 years-----	6	3	3	2	1	1	4	2	2	4	2	2
60-64 years-----	15	9	6	11	7	4	4	2	2	1	-	1
65-69 years-----	18	6	12	15	4	11	3	2	1	3	2	1
70-74 years-----	33	12	21	31	11	20	2	1	1	2	1	1
75-79 years-----	28	15	13	25	13	12	3	2	1	1	-	1
80-84 years-----	25	8	17	22	8	14	3	-	3	3	-	3
85-89 years-----	16	3	13	15	3	12	1	-	1	1	-	1
90-94 years-----	7	3	4	7	3	4	-	-	-	-	-	-
95-99 years-----	4	1	3	4	1	3	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer of intestine (K63.3)												
All ages-----	35	12	23	34	12	22	1	-	1	1	-	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	1	-	1	-	-	-	1	-	1	1	-	1
55-59 years-----	2	2	-	2	2	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	4	-	4	4	-	4	-	-	-	-	-	-
75-79 years-----	8	5	3	8	5	3	-	-	-	-	-	-
80-84 years-----	4	-	4	4	-	4	-	-	-	-	-	-
85-89 years-----	6	1	5	6	1	5	-	-	-	-	-	-
90-94 years-----	3	1	2	3	1	2	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Enteroptosis (K63.4)												
All ages-----	2	-	2	1	-	1	1	-	1	1	-	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	-	-	-	1	-	1	1	-	1
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other specified diseases of intestine (K63.8)

All ages-----	64	33	31	53	28	25	11	5	6	10	5	5
Under 1 year-----	2	1	1	-	-	-	2	1	1	2	1	1
1-4 years-----	1	1	-	-	-	-	1	1	-	1	1	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	2	1	1	1	-	1	1	1	-	1	1	-
55-59 years-----	3	1	2	3	1	2	-	-	-	-	-	-
60-64 years-----	6	3	3	3	3	-	3	-	3	3	-	3
65-69 years-----	3	1	2	3	1	2	-	-	-	-	-	-
70-74 years-----	6	2	4	6	2	4	-	-	-	-	-	-
75-79 years-----	7	2	5	6	2	4	1	-	1	1	-	1
80-84 years-----	15	10	5	14	10	4	1	-	1	-	-	-
85-89 years-----	7	6	1	5	4	1	2	2	-	2	2	-
90-94 years-----	6	2	4	6	2	4	-	-	-	-	-	-
95-99 years-----	2	1	1	2	1	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Disease of intestine, unspecified (K63.9)												
All ages-----	389	161	228	330	128	202	59	33	26	51	26	25
Under 1 year----	2	2	-	-	-	-	2	2	-	2	2	-
1-4 years-----	4	2	2	2	-	2	2	2	-	2	2	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	2	2	-	1	1	-	1	1	-	1	1	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	2	-	2	1	-	1	1	-	1	1	-	1
40-44 years-----	2	2	-	1	1	-	1	1	-	1	1	-
45-49 years-----	8	6	2	7	5	2	1	1	-	1	1	-
50-54 years-----	11	5	6	8	4	4	3	1	2	3	1	2
55-59 years-----	15	7	8	14	6	8	1	1	-	1	1	-
60-64 years-----	19	10	9	16	8	8	3	2	1	2	1	1
65-69 years-----	33	15	18	28	12	16	5	3	2	5	3	2
70-74 years-----	43	22	21	37	19	18	6	3	3	4	1	3
75-79 years-----	62	29	33	54	24	30	8	5	3	5	2	3
80-84 years-----	79	32	47	66	27	39	13	5	8	13	5	8
85-89 years-----	68	17	51	60	13	47	8	4	4	7	4	3
90-94 years-----	25	7	18	23	6	17	2	1	1	2	1	1
95-99 years-----	10	1	9	8	-	8	2	1	1	1	-	1
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Peritonitis (K65)												
All ages-----	1,597	735	862	1,326	620	706	271	115	156	240	101	139
Under 1 year----	8	5	3	4	3	1	4	2	2	4	2	2
1-4 years-----	3	2	1	3	2	1	-	-	-	-	-	-
5-9 years-----	4	2	2	2	2	-	2	-	2	2	-	2
10-14 years-----	6	4	2	3	2	1	3	2	1	1	1	-
15-19 years-----	2	-	2	-	-	-	2	-	2	2	-	2
20-24 years-----	5	2	3	2	1	1	3	1	2	3	1	2
25-29 years-----	9	4	5	4	2	2	5	2	3	4	1	3
30-34 years-----	15	11	4	14	11	3	1	-	1	1	-	1
35-39 years-----	27	14	13	24	13	11	3	1	2	3	1	2
40-44 years-----	48	28	20	38	25	13	10	3	7	8	2	6
45-49 years-----	63	43	20	51	35	16	12	8	4	11	7	4
50-54 years-----	76	44	32	52	32	20	24	12	12	23	12	11
55-59 years-----	93	49	44	65	35	30	28	14	14	27	13	14
60-64 years-----	94	54	40	72	39	33	22	15	7	18	12	6
65-69 years-----	125	61	64	95	48	47	30	13	17	25	11	14
70-74 years-----	198	105	93	166	91	75	32	14	18	29	13	16
75-79 years-----	232	108	124	196	93	103	36	15	21	30	13	17
80-84 years-----	232	98	134	213	91	122	19	7	12	18	7	11
85-89 years-----	178	55	123	158	50	108	20	5	15	17	4	13
90-94 years-----	124	35	89	113	34	79	11	1	10	10	1	9
95-99 years-----	47	11	36	45	11	34	2	-	2	2	-	2
100 yrs & over---	8	-	8	6	-	6	2	-	2	2	-	2
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Acute peritonitis (K65.0)												
All ages-----	589	291	298	486	251	235	103	40	63	94	35	59
Under 1 year-----	2	2	-	1	1	-	1	1	-	1	1	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	2	2	-	1	1	-	1	1	-	1	1	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	3	2	1	1	1	-	2	1	1	2	1	1
25-29 years-----	3	2	1	2	2	-	1	-	1	1	-	1
30-34 years-----	5	3	2	4	3	1	1	-	1	1	-	1
35-39 years-----	12	6	6	12	6	6	-	-	-	-	-	-
40-44 years-----	22	17	5	20	17	3	2	-	2	1	-	1
45-49 years-----	37	25	12	34	22	12	3	3	-	3	3	-
50-54 years-----	40	25	15	28	19	9	12	6	6	12	6	6
55-59 years-----	42	20	22	31	16	15	11	4	7	11	4	7
60-64 years-----	38	26	12	27	17	10	11	9	2	8	6	2
65-69 years-----	47	22	25	37	18	19	10	4	6	8	3	5
70-74 years-----	76	39	37	64	36	28	12	3	9	12	3	9
75-79 years-----	82	38	44	68	33	35	14	5	9	12	4	8
80-84 years-----	88	42	46	77	39	38	11	3	8	11	3	8
85-89 years-----	44	10	34	38	10	28	6	-	6	5	-	5
90-94 years-----	28	6	22	25	6	19	3	-	3	3	-	3
95-99 years-----	15	3	12	14	3	11	1	-	1	1	-	1
100 yrs & over---	2	-	2	1	-	1	1	-	1	1	-	1
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Other peritonitis (K65.8)												
All ages-----	19	11	8	15	9	6	4	2	2	4	2	2
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	-	1	-	-	-	1	-	1	1	-	1
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	-	-	-	1	-	1	1	-	1
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	3	2	1	3	2	1	-	-	-	-	-	-
70-74 years-----	3	2	1	3	2	1	-	-	-	-	-	-
75-79 years-----	6	5	1	4	3	1	2	2	-	2	2	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	3	2	1	3	2	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Peritonitis, unspecified (K65.9)												
All ages-----	989	433	556	825	360	465	164	73	91	142	64	78
Under 1 year-----	6	3	3	3	2	1	3	1	2	3	1	2
1-4 years-----	3	2	1	3	2	1	-	-	-	-	-	-
5-9 years-----	3	1	2	1	1	-	2	-	2	2	-	2
10-14 years-----	4	2	2	2	1	1	2	1	1	-	-	-
15-19 years-----	1	-	1	-	-	-	1	-	1	1	-	1
20-24 years-----	2	-	2	1	-	1	1	-	1	1	-	1
25-29 years-----	6	2	4	2	-	2	4	2	2	3	1	2
30-34 years-----	10	8	2	10	8	2	-	-	-	-	-	-
35-39 years-----	15	8	7	12	7	5	3	1	2	3	1	2
40-44 years-----	25	11	14	18	8	10	7	3	4	6	2	4
45-49 years-----	26	18	8	17	13	4	9	5	4	8	4	4
50-54 years-----	35	19	16	23	13	10	12	6	6	11	6	5
55-59 years-----	50	29	21	33	19	14	17	10	7	16	9	7
60-64 years-----	56	28	28	45	22	23	11	6	5	10	6	4
65-69 years-----	75	37	38	55	28	27	20	9	11	17	8	9
70-74 years-----	119	64	55	99	53	46	20	11	9	17	10	7
75-79 years-----	144	65	79	124	57	67	20	8	12	16	7	9
80-84 years-----	144	56	88	136	52	84	8	4	4	7	4	3
85-89 years-----	131	43	88	117	38	79	14	5	9	12	4	8
90-94 years-----	96	29	67	88	28	60	8	1	7	7	1	6
95-99 years-----	32	8	24	31	8	23	1	-	1	1	-	1
100 yrs & over---	6	-	6	5	-	5	1	-	1	1	-	1
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Other disorders of peritoneum (K66)												
All ages-----	297	133	164	251	106	145	46	27	19	39	23	16
Under 1 year-----	12	7	5	7	4	3	5	3	2	4	2	2
1-4 years-----	2	1	1	2	1	1	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years-----	2	1	1	2	1	1	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	3	2	1	2	1	1	1	1	-	1	1	-
35-39 years-----	8	4	4	6	4	2	2	-	2	1	-	1
40-44 years-----	9	6	3	7	4	3	2	2	-	1	1	-
45-49 years-----	12	9	3	10	7	3	2	2	-	2	2	-
50-54 years-----	17	11	6	13	7	6	4	4	-	4	4	-
55-59 years-----	11	4	7	8	2	6	3	2	1	3	2	1
60-64 years-----	19	10	9	17	9	8	2	1	1	1	-	1
65-69 years-----	27	13	14	23	10	13	4	3	1	3	2	1
70-74 years-----	49	17	32	43	15	28	6	2	4	6	2	4
75-79 years-----	40	14	26	37	13	24	3	1	2	3	1	2
80-84 years-----	38	15	23	35	13	22	3	2	1	3	2	1
85-89 years-----	27	11	16	21	9	12	6	2	4	4	2	2
90-94 years-----	14	5	9	11	3	8	3	2	1	3	2	1
95-99 years-----	4	1	3	4	1	3	-	-	-	-	-	-
100 yrs & over---	2	2	-	2	2	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Peritoneal adhesions (K66.0)												
All ages-----	99	42	57	85	34	51	14	8	6	13	8	5
Under 1 year-----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	2	1	1	2	1	1	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	2	1	1	2	1	1	-	-	-	-	-	-
45-49 years-----	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years-----	8	5	3	7	4	3	1	1	-	1	1	-
55-59 years-----	3	1	2	2	-	2	1	1	-	1	1	-
60-64 years-----	6	3	3	6	3	3	-	-	-	-	-	-
65-69 years-----	9	3	6	7	2	5	2	1	1	2	1	1
70-74 years-----	15	6	9	13	5	8	2	1	1	2	1	1
75-79 years-----	15	5	10	13	5	8	2	-	2	2	-	2
80-84 years-----	14	5	9	13	4	9	1	1	-	1	1	-
85-89 years-----	12	5	7	8	3	5	4	2	2	3	2	1
90-94 years-----	6	3	3	5	2	3	1	1	-	1	1	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	1	1	-	1	1	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Hemoperitoneum (K66.1)												
All ages-----	138	66	72	113	51	62	25	15	10	19	11	8
Under 1 year-----	7	4	3	2	1	1	5	3	2	4	2	2
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	3	2	1	2	1	1	1	1	-	1	1	-
35-39 years-----	6	4	2	4	4	-	2	-	2	1	-	1
40-44 years-----	7	5	2	5	3	2	2	2	-	1	1	-
45-49 years-----	7	6	1	6	5	1	1	1	-	1	1	-
50-54 years-----	8	5	3	5	2	3	3	3	-	3	3	-
55-59 years-----	8	3	5	6	2	4	2	1	1	2	1	1
60-64 years-----	12	7	5	11	6	5	1	1	-	-	-	-
65-69 years-----	16	9	7	14	7	7	2	2	-	1	1	-
70-74 years-----	25	9	16	21	8	13	4	1	3	4	1	3
75-79 years-----	15	4	11	15	4	11	-	-	-	-	-	-
80-84 years-----	13	5	8	13	5	8	-	-	-	-	-	-
85-89 years-----	8	3	5	7	3	4	1	-	1	-	-	-
90-94 years-----	2	-	2	1	-	1	1	-	1	1	-	1
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other specified disorders of peritoneum (K66.8)												
All ages-----	36	16	20	29	12	17	7	4	3	7	4	3
Under 1 year----	4	2	2	4	2	2	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	3	2	1	2	1	1	1	1	-	1	1	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	1	-	-	-	1	-	1	1	-	1
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	5	1	4	5	1	4	-	-	-	-	-	-
75-79 years-----	6	4	2	5	3	2	1	1	-	1	1	-
80-84 years-----	8	4	4	6	3	3	2	1	1	2	1	1
85-89 years-----	2	-	2	1	-	1	1	-	1	1	-	1
90-94 years-----	4	2	2	3	1	2	1	1	-	1	1	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	1	1	-	1	1	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Disorder of peritoneum, unspecified (K66.9)

All ages-----	24	9	15	24	9	15	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years-----	4	1	3	4	1	3	-	-	-	-	-	-
75-79 years-----	4	1	3	4	1	3	-	-	-	-	-	-
80-84 years-----	3	1	2	3	1	2	-	-	-	-	-	-
85-89 years-----	5	3	2	5	3	2	-	-	-	-	-	-
90-94 years-----	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years-----	2	1	1	2	1	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Alcoholic liver disease (K70)												
All ages-----	11,958	8,922	3,036	10,041	7,602	2,439	1,917	1,320	597	1,466	1,018	448
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	8	6	2	5	4	1	3	2	1	2	2	-
25-29 years-----	37	24	13	31	21	10	6	3	3	4	2	2
30-34 years-----	222	141	81	174	115	59	48	26	22	25	13	12
35-39 years-----	763	491	272	623	409	214	140	82	58	84	49	35
40-44 years-----	1,423	1,029	394	1,141	840	301	282	189	93	199	130	69
45-49 years-----	1,965	1,501	464	1,605	1,252	353	360	249	111	292	204	88
50-54 years-----	1,837	1,426	411	1,547	1,217	330	290	209	81	227	164	63
55-59 years-----	1,511	1,179	332	1,261	993	268	250	186	64	194	147	47
60-64 years-----	1,348	1,015	333	1,144	883	261	204	132	72	167	110	57
65-69 years-----	1,104	867	237	958	753	205	146	114	32	117	93	24
70-74 years-----	831	630	201	740	564	176	91	66	25	77	55	22
75-79 years-----	533	364	169	475	325	150	58	39	19	45	30	15
80-84 years-----	256	174	82	233	161	72	23	13	10	19	11	8
85-89 years-----	94	59	35	81	50	31	13	9	4	11	7	4
90-94 years-----	21	13	8	18	12	6	3	1	2	3	1	2
95-99 years-----	3	1	2	3	1	2	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	2	2	-	2	2	-	-	-	-	-	-	-
Alcoholic fatty liver (K70.0)												
All ages-----	305	215	90	248	177	71	57	38	19	49	34	15
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	2	1	1	1	1	-	1	-	1	-	-	-
25-29 years-----	7	2	5	6	2	4	1	-	1	1	-	1
30-34 years-----	17	12	5	12	10	2	5	2	3	4	2	2
35-39 years-----	53	27	26	42	22	20	11	5	6	10	4	6
40-44 years-----	66	52	14	48	36	12	18	16	2	16	14	2
45-49 years-----	55	40	15	47	34	13	8	6	2	8	6	2
50-54 years-----	44	32	12	38	28	10	6	4	2	6	4	2
55-59 years-----	28	25	3	24	21	3	4	4	-	3	3	-
60-64 years-----	17	12	5	15	11	4	2	1	1	1	1	-
65-69 years-----	12	8	4	11	8	3	1	-	1	-	-	-
70-74 years-----	4	4	-	4	4	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Alcoholic hepatitis (K70.1)												
All ages-----	805	549	256	665	466	199	140	83	57	109	69	40
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years-----	3	1	2	2	1	1	1	-	1	-	-	-
30-34 years-----	33	23	10	25	19	6	8	4	4	4	2	2
35-39 years-----	86	59	27	74	51	23	12	8	4	6	4	2
40-44 years-----	127	76	51	101	61	40	26	15	11	20	12	8
45-49 years-----	135	98	37	116	88	28	19	10	9	17	9	8
50-54 years-----	109	79	30	90	66	24	19	13	6	17	12	5
55-59 years-----	114	77	37	87	62	25	27	15	12	24	14	10
60-64 years-----	76	53	23	61	42	19	15	11	4	12	10	2
65-69 years-----	47	38	9	42	34	8	5	4	1	5	4	1
70-74 years-----	36	21	15	30	19	11	6	2	4	3	2	1
75-79 years-----	22	16	6	21	15	6	1	1	-	-	-	-
80-84 years-----	11	6	5	10	6	4	1	-	1	1	-	1
85-89 years-----	4	2	2	4	2	2	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Alcoholic fibrosis and sclerosis of liver (K70.2)

All ages-----	3	3	-	2	2	-	1	1	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	1	-	-	-	-	1	1	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Alcoholic cirrhosis of liver (K70.3)												
All ages-----	7,264	5,498	1,766	6,197	4,749	1,448	1,067	749	318	843	595	248
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	2	2	-	1	1	-	1	1	-	1	1	-
25-29 years-----	10	8	2	9	7	2	1	1	-	1	1	-
30-34 years-----	97	61	36	80	51	29	17	10	7	9	5	4
35-39 years-----	380	254	126	304	205	99	76	49	27	54	36	18
40-44 years-----	757	568	189	627	479	148	130	89	41	94	63	31
45-49 years-----	1,158	904	254	950	754	196	208	150	58	168	123	45
50-54 years-----	1,119	875	244	952	755	197	167	120	47	131	95	36
55-59 years-----	891	708	183	756	601	155	135	107	28	110	90	20
60-64 years-----	878	656	222	760	582	178	118	74	44	96	61	35
65-69 years-----	764	607	157	675	540	135	89	67	22	72	55	17
70-74 years-----	578	440	138	517	398	119	61	42	19	51	32	19
75-79 years-----	377	256	121	337	230	107	40	26	14	35	22	13
80-84 years-----	173	109	64	157	100	57	16	9	7	14	8	6
85-89 years-----	59	37	22	53	34	19	6	3	3	5	2	3
90-94 years-----	16	10	6	14	9	5	2	1	1	2	1	1
95-99 years-----	3	1	2	3	1	2	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	2	2	-	2	2	-	-	-	-	-	-	-

Alcoholic hepatic failure (K70.4)

All ages-----	1,566	1,136	430	1,319	971	348	247	165	82	178	121	57
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	2	2	-	1	1	-	1	1	-	1	1	-
25-29 years-----	8	6	2	7	6	1	1	-	1	1	-	1
30-34 years-----	34	21	13	25	17	8	9	4	5	6	3	3
35-39 years-----	106	67	39	92	61	31	14	6	8	5	2	3
40-44 years-----	184	127	57	149	102	47	35	25	10	18	13	5
45-49 years-----	276	194	82	223	160	63	53	34	19	44	29	15
50-54 years-----	259	206	53	217	176	41	42	30	12	30	21	9
55-59 years-----	209	154	55	177	137	40	32	17	15	24	13	11
60-64 years-----	168	129	39	142	109	33	26	20	6	20	15	5
65-69 years-----	123	88	35	109	76	33	14	12	2	12	10	2
70-74 years-----	97	72	25	87	64	23	10	8	2	10	8	2
75-79 years-----	54	34	20	47	28	19	7	6	1	5	4	1
80-84 years-----	34	27	7	32	26	6	2	1	1	1	1	-
85-89 years-----	10	7	3	9	6	3	1	1	-	1	1	-
90-94 years-----	2	2	-	2	2	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Alcoholic liver disease, unspecified (K70.9)												
All ages-----	2,015	1,521	494	1,610	1,237	373	405	284	121	287	199	88
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	9	7	2	7	5	2	2	2	-	1	1	-
30-34 years-----	41	24	17	32	18	14	9	6	3	2	1	1
35-39 years-----	138	84	54	111	70	41	27	14	13	9	3	6
40-44 years-----	289	206	83	216	162	54	73	44	29	51	28	23
45-49 years-----	341	265	76	269	216	53	72	49	23	55	37	18
50-54 years-----	305	233	72	249	191	58	56	42	14	43	32	11
55-59 years-----	269	215	54	217	172	45	52	43	9	33	27	6
60-64 years-----	208	164	44	165	138	27	43	26	17	38	23	15
65-69 years-----	158	126	32	121	95	26	37	31	6	28	24	4
70-74 years-----	116	93	23	102	79	23	14	14	-	13	13	-
75-79 years-----	80	58	22	70	52	18	10	6	4	5	4	1
80-84 years-----	38	32	6	34	29	5	4	3	1	3	2	1
85-89 years-----	20	12	8	15	8	7	5	4	1	5	4	1
90-94 years-----	2	1	1	1	1	-	1	-	1	1	-	1
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Toxic liver disease (K71)

All ages-----	25	17	8	21	14	7	4	3	1	2	1	1
Under 1 year-----	1	1	-	-	-	-	1	1	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	3	2	1	2	2	-	1	-	1	1	-	1
40-44 years-----	3	3	-	2	2	-	1	1	-	1	1	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	3	2	1	3	2	1	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	2	2	-	2	2	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	3	2	1	2	1	1	1	1	-	-	-	-
75-79 years-----	3	2	1	3	2	1	-	-	-	-	-	-
80-84 years-----	2	-	2	2	-	2	-	-	-	-	-	-
85-89 years-----	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Toxic liver disease with cholestasis (K71.0)												
All ages-----	3	2	1	2	1	1	1	1	-	-	-	-
Under 1 year-----	1	1	-	-	-	-	1	1	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Toxic liver disease with hepatic necrosis (K71.1)

All ages-----	2	2	-	1	1	-	1	1	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	-	-	-	1	1	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Toxic liver disease with hepatitis, not elsewhere classified (K71.6)												
All ages-----	15	11	4	14	10	4	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	3	3	-	2	2	-	1	1	-	1	1	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	2	1	1	2	1	1	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	2	2	-	2	2	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	2	2	-	2	2	-	-	-	-	-	-	-
80-84 years-----	2	-	2	2	-	2	-	-	-	-	-	-
85-89 years-----	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Toxic liver disease with fibrosis and cirrhosis of liver (K71.7)

All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Toxic liver disease with other disorders of liver (K71.8)												
All ages-----	3	1	2	3	1	2	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Toxic liver disease, unspecified (K71.9)

All ages-----	1	-	1	-	-	-	1	-	1	1	-	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	-	-	-	1	-	1	1	-	1
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Hepatic failure, not elsewhere classified (K72)												
All ages-----	4,046	2,276	1,770	3,312	1,899	1,413	734	377	357	614	311	303
Under 1 year-----	48	27	21	28	13	15	20	14	6	17	11	6
1-4 years-----	13	6	7	11	5	6	2	1	1	1	-	1
5-9 years-----	5	2	3	4	1	3	1	1	-	1	1	-
10-14 years-----	9	3	6	7	2	5	2	1	1	2	1	1
15-19 years-----	12	5	7	7	4	3	5	1	4	5	1	4
20-24 years-----	17	6	11	10	2	8	7	4	3	6	3	3
25-29 years-----	26	13	13	16	9	7	10	4	6	8	3	5
30-34 years-----	53	32	21	32	21	11	21	11	10	17	8	9
35-39 years-----	125	70	55	90	52	38	35	18	17	30	14	16
40-44 years-----	241	146	95	173	118	55	68	28	40	56	23	33
45-49 years-----	332	233	99	238	174	64	94	59	35	80	52	28
50-54 years-----	389	265	124	294	206	88	95	59	36	85	52	33
55-59 years-----	340	225	115	278	189	89	62	36	26	48	30	18
60-64 years-----	406	253	153	333	214	119	73	39	34	65	33	32
65-69 years-----	458	255	203	385	221	164	73	34	39	63	28	35
70-74 years-----	488	237	251	418	208	210	70	29	41	53	23	30
75-79 years-----	418	196	222	372	179	193	46	17	29	39	12	27
80-84 years-----	333	161	172	307	149	158	26	12	14	21	9	12
85-89 years-----	195	97	98	182	92	90	13	5	8	7	4	3
90-94 years-----	94	34	60	86	32	54	8	2	6	7	1	6
95-99 years-----	37	7	30	35	6	29	2	1	1	2	1	1
100 yrs & over---	7	3	4	6	2	4	1	1	-	1	1	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Acute and subacute hepatic failure (K72.0)

All ages-----	237	106	131	187	85	102	50	21	29	41	16	25
Under 1 year-----	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years-----	3	2	1	3	2	1	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	2	1	1	1	-	1	1	1	-	1	1	-
15-19 years-----	2	-	2	1	-	1	1	-	1	1	-	1
20-24 years-----	1	1	-	-	-	-	1	1	-	1	1	-
25-29 years-----	6	3	3	3	1	2	3	2	1	2	1	1
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	11	6	5	9	5	4	2	1	1	1	-	1
40-44 years-----	8	4	4	5	3	2	3	1	2	3	1	2
45-49 years-----	16	9	7	8	3	5	8	6	2	6	5	1
50-54 years-----	15	9	6	13	8	5	2	1	1	2	1	1
55-59 years-----	19	11	8	15	8	7	4	3	1	4	3	1
60-64 years-----	21	11	10	18	10	8	3	1	2	3	1	2
65-69 years-----	22	6	16	17	6	11	5	-	5	5	-	5
70-74 years-----	28	11	17	21	8	13	7	3	4	4	1	3
75-79 years-----	32	14	18	30	14	16	2	-	2	2	-	2
80-84 years-----	27	10	17	24	9	15	3	1	2	3	1	2
85-89 years-----	15	4	11	11	4	7	4	-	4	2	-	2
90-94 years-----	6	3	3	5	3	2	1	-	1	1	-	1
95-99 years-----	2	1	1	2	1	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Chronic hepatic failure (K72.1)												
All ages-----	82	46	36	77	43	34	5	3	2	2	1	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	3	2	1	3	2	1	-	-	-	-	-	-
40-44 years-----	3	2	1	3	2	1	-	-	-	-	-	-
45-49 years-----	4	4	-	4	4	-	-	-	-	-	-	-
50-54 years-----	7	6	1	6	5	1	1	1	-	-	-	-
55-59 years-----	7	5	2	6	5	1	1	1	1	-	1	-
60-64 years-----	10	7	3	10	7	3	-	-	-	-	-	-
65-69 years-----	14	8	6	13	7	6	1	1	-	1	1	-
70-74 years-----	12	5	7	11	5	6	1	-	1	-	-	-
75-79 years-----	6	1	5	5	-	5	1	1	-	-	-	-
80-84 years-----	7	3	4	7	3	4	-	-	-	-	-	-
85-89 years-----	5	2	3	5	2	3	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	1	1	-	1	1	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Hepatic failure, unspecified (K72.9)

All ages-----	3,727	2,124	1,603	3,048	1,771	1,277	679	353	326	571	294	277
Under 1 year-----	47	27	20	27	13	14	20	14	6	17	11	6
1-4 years-----	9	4	5	7	3	4	2	1	1	1	-	1
5-9 years-----	5	2	3	4	1	3	1	1	-	1	1	-
10-14 years-----	7	2	5	6	2	4	1	-	1	1	-	1
15-19 years-----	10	5	5	6	4	2	4	1	3	4	1	3
20-24 years-----	16	5	11	10	2	8	6	3	3	5	2	3
25-29 years-----	20	10	10	13	8	5	7	2	5	6	2	4
30-34 years-----	53	32	21	32	21	11	21	11	10	17	8	9
35-39 years-----	111	62	49	78	45	33	33	17	16	29	14	15
40-44 years-----	230	140	90	165	113	52	65	27	38	53	22	31
45-49 years-----	312	220	92	226	167	59	86	53	33	74	47	27
50-54 years-----	367	250	117	275	193	82	92	57	35	83	51	32
55-59 years-----	314	209	105	257	176	81	57	33	24	43	27	16
60-64 years-----	375	235	140	305	197	108	70	38	32	62	32	30
65-69 years-----	422	241	181	355	208	147	67	33	34	57	27	30
70-74 years-----	448	221	227	386	195	191	62	26	36	49	22	27
75-79 years-----	380	181	199	337	165	172	43	16	27	37	12	25
80-84 years-----	299	148	151	276	137	139	23	11	12	18	8	10
85-89 years-----	175	91	84	166	86	80	9	5	4	5	4	1
90-94 years-----	87	31	56	80	29	51	7	2	5	6	1	5
95-99 years-----	34	6	28	32	5	27	2	1	3	2	1	1
100 yrs & over---	6	2	4	5	1	4	1	1	-	1	1	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Chronic hepatitis, not elsewhere classified (K73)												
All ages-----	439	128	311	355	106	249	84	22	62	61	13	48
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	1	-	-	-	-	1	1	-	1	1	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	4	-	4	2	-	2	2	-	2	2	-	2
20-24 years-----	4	-	4	2	-	2	2	-	2	2	-	2
25-29 years-----	8	1	7	4	-	4	4	1	3	4	1	3
30-34 years-----	7	3	4	3	1	2	4	2	2	2	1	1
35-39 years-----	10	-	10	4	-	4	6	-	6	5	-	5
40-44 years-----	19	12	7	16	11	5	3	1	2	3	1	2
45-49 years-----	33	16	17	25	12	13	8	4	4	6	3	3
50-54 years-----	35	18	17	29	16	13	6	2	4	5	2	3
55-59 years-----	37	10	27	29	10	19	8	-	8	4	-	4
60-64 years-----	46	11	35	36	11	25	10	-	10	7	-	7
65-69 years-----	40	7	33	33	7	26	7	-	7	6	-	6
70-74 years-----	64	19	45	54	13	41	10	6	4	6	2	4
75-79 years-----	58	15	43	51	12	39	7	3	4	3	-	3
80-84 years-----	46	10	36	42	8	34	4	2	2	3	2	1
85-89 years-----	21	5	16	19	5	14	2	-	2	2	-	2
90-94 years-----	4	-	4	4	-	4	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Chronic active hepatitis, not elsewhere classified (K73.2)

All ages-----	300	62	238	239	54	185	61	8	53	47	5	42
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	1	-	-	-	-	1	1	-	1	1	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	4	-	4	2	-	2	2	-	2	2	-	2
20-24 years-----	4	-	4	2	-	2	2	-	2	2	-	2
25-29 years-----	8	1	7	4	-	4	4	1	3	4	1	3
30-34 years-----	5	1	4	3	1	2	2	-	2	1	-	1
35-39 years-----	8	-	8	2	-	2	6	-	6	5	-	5
40-44 years-----	8	3	5	7	3	4	1	-	1	1	-	1
45-49 years-----	17	5	12	13	4	9	4	1	3	3	1	2
50-54 years-----	24	11	13	20	10	10	4	1	3	4	1	3
55-59 years-----	31	6	25	24	6	18	7	-	7	3	-	3
60-64 years-----	36	6	30	27	6	21	9	-	9	6	-	6
65-69 years-----	30	3	27	24	3	21	6	-	6	6	-	6
70-74 years-----	40	7	33	35	5	30	5	2	3	3	-	3
75-79 years-----	37	7	30	34	6	28	3	1	2	2	-	2
80-84 years-----	30	7	23	27	6	21	3	1	2	2	1	1
85-89 years-----	14	4	10	12	4	8	2	-	2	2	-	2
90-94 years-----	3	-	3	3	-	3	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other chronic hepatitis, not elsewhere classified (K73.8)												
All ages-----	12	6	6	10	5	5	2	1	1	1	1	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	2	2	-	2	2	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	2	1	1	2	1	1	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	4	1	3	4	1	3	-	-	-	-	-	-
75-79 years-----	1	-	1	-	-	-	1	-	1	-	-	-
80-84 years-----	1	1	-	-	-	-	1	1	-	1	1	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Chronic hepatitis, unspecified (K73.9)

All ages-----	127	60	67	106	47	59	21	13	8	13	7	6
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	2	2	-	-	-	-	2	2	-	1	1	-
35-39 years-----	2	-	2	2	-	2	-	-	-	-	-	-
40-44 years-----	10	8	2	8	7	1	2	1	1	2	1	1
45-49 years-----	14	9	5	10	6	4	4	3	1	3	2	1
50-54 years-----	11	7	4	9	6	3	2	1	1	1	1	-
55-59 years-----	6	4	2	5	4	1	1	-	1	1	-	1
60-64 years-----	8	4	4	7	4	3	1	-	1	1	-	1
65-69 years-----	9	4	5	8	4	4	1	-	1	-	-	-
70-74 years-----	20	11	9	15	7	8	5	4	1	3	2	1
75-79 years-----	20	8	12	17	6	11	3	2	1	1	-	1
80-84 years-----	15	2	13	15	2	13	-	-	-	-	-	-
85-89 years-----	7	1	6	7	1	6	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Fibrosis and cirrhosis of liver (K74)												
All ages-----	13,862	8,065	5,797	12,224	7,082	5,142	1,638	983	655	1,306	811	495
Under 1 year-----	5	4	1	4	4	-	1	-	1	-	-	-
1-4 years-----	2	-	2	-	-	-	2	-	2	2	-	2
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	5	3	2	5	3	2	-	-	-	-	-	-
20-24 years-----	5	2	3	1	1	-	4	1	3	4	1	3
25-29 years-----	25	16	9	17	14	3	8	2	6	8	2	6
30-34 years-----	108	72	36	94	62	32	14	10	4	12	9	3
35-39 years-----	330	225	105	278	191	87	52	34	18	40	26	14
40-44 years-----	757	557	200	614	455	159	143	102	41	126	90	36
45-49 years-----	1,230	929	301	966	738	228	264	191	73	218	159	59
50-54 years-----	1,268	939	329	1,058	786	272	210	153	57	174	131	43
55-59 years-----	1,255	862	393	1,048	722	326	207	140	67	172	113	59
60-64 years-----	1,440	866	574	1,242	753	489	198	113	85	155	90	65
65-69 years-----	1,689	963	726	1,518	873	645	171	90	81	128	74	54
70-74 years-----	1,914	968	946	1,770	904	866	144	64	80	104	53	51
75-79 years-----	1,805	829	976	1,694	781	913	111	48	63	82	37	45
80-84 years-----	1,203	513	690	1,145	494	651	58	19	39	43	16	27
85-89 years-----	587	229	358	554	220	334	33	9	24	25	7	18
90-94 years-----	201	73	128	186	67	119	15	6	9	11	3	8
95-99 years-----	29	13	16	26	12	14	3	1	2	2	-	2
100 yrs & over---	4	2	2	4	2	2	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Hepatic fibrosis (K74.0)

All ages-----	17	8	9	14	6	8	3	2	1	3	2	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	-	1	-	-	-	1	-	1	1	-	1
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	2	-	2	2	-	2	-	-	-	-	-	-
35-39 years-----	2	2	-	2	2	-	-	-	-	-	-	-
40-44 years-----	2	2	-	1	1	-	1	1	-	1	1	-
45-49 years-----	1	1	-	-	-	-	1	1	-	1	1	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	3	2	1	3	2	1	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Hepatic sclerosis (K74.1)												
All ages-----	21	13	8	15	11	4	6	2	4	3	1	2
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	2	1	1	2	1	1	-	-	-	-	-	-
45-49 years-----	2	1	1	-	-	-	2	1	1	2	1	1
50-54 years-----	4	3	1	3	3	-	1	-	1	1	-	1
55-59 years-----	3	3	-	3	3	-	-	-	-	-	-	-
60-64 years-----	2	-	2	2	-	2	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	3	2	1	1	1	-	2	1	1	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	1	-	1	-	-	-	1	-	1	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Primary biliary cirrhosis (K74.3)

All ages-----	414	50	364	394	46	348	20	4	16	13	3	10
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	5	-	5	4	-	4	1	-	1	1	-	1
45-49 years-----	11	-	11	10	-	10	1	-	1	1	-	1
50-54 years-----	25	3	22	23	2	21	2	1	1	-	-	-
55-59 years-----	31	6	25	25	4	21	6	2	4	4	2	2
60-64 years-----	31	6	25	31	6	25	-	-	-	-	-	-
65-69 years-----	60	8	52	58	7	51	2	1	1	1	1	-
70-74 years-----	82	10	72	78	10	68	4	-	4	2	-	2
75-79 years-----	91	9	82	89	9	80	2	-	2	2	-	2
80-84 years-----	52	6	46	50	6	44	2	-	2	2	-	2
85-89 years-----	18	2	16	18	2	16	-	-	-	-	-	-
90-94 years-----	8	-	8	8	-	8	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Secondary biliary cirrhosis (K74.4)												
All ages-----	5	2	3	4	2	2	1	-	1	1	-	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	2	-	2	1	-	1	1	-	1	1	-	1
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	2	2	-	2	2	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Biliary cirrhosis, unspecified (K74.5)

All ages-----	114	19	95	107	16	91	7	3	4	5	2	3
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	3	-	3	3	-	3	-	-	-	-	-	-
45-49 years-----	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years-----	3	2	1	2	1	1	1	1	-	1	1	-
55-59 years-----	2	-	2	2	-	2	-	-	-	-	-	-
60-64 years-----	10	1	9	9	-	9	1	1	-	-	-	-
65-69 years-----	19	2	17	16	2	14	3	-	3	2	-	2
70-74 years-----	21	1	20	20	1	19	1	-	1	1	-	1
75-79 years-----	23	5	18	23	5	18	-	-	-	-	-	-
80-84 years-----	15	3	12	14	2	12	1	1	-	1	1	-
85-89 years-----	11	2	9	11	2	9	-	-	-	-	-	-
90-94 years-----	4	1	3	4	1	3	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other and unspecified cirrhosis of liver (K74.6)												
All ages-----	13,291	7,973	5,318	11,690	7,001	4,689	1,601	972	629	1,281	803	478
Under 1 year-----	5	4	1	4	4	-	1	-	1	-	-	-
1-4 years-----	1	-	1	-	-	-	1	-	1	1	-	1
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	4	3	1	4	3	1	-	-	-	-	-	-
20-24 years-----	5	2	3	1	1	-	4	1	3	4	1	3
25-29 years-----	25	16	9	17	14	3	8	2	6	8	2	6
30-34 years-----	103	71	32	90	61	29	13	10	3	11	9	2
35-39 years-----	327	222	105	275	188	87	52	34	18	40	26	14
40-44 years-----	745	554	191	604	453	151	141	101	40	124	89	35
45-49 years-----	1,214	926	288	954	737	217	260	189	71	214	157	57
50-54 years-----	1,236	931	305	1,030	780	250	206	151	55	172	130	42
55-59 years-----	1,218	852	366	1,017	714	303	201	138	63	168	111	57
60-64 years-----	1,394	857	537	1,197	745	452	197	112	85	155	90	65
65-69 years-----	1,609	953	656	1,443	864	579	166	89	77	125	73	52
70-74 years-----	1,807	955	852	1,670	892	778	137	63	74	101	53	48
75-79 years-----	1,687	813	874	1,578	765	813	109	48	61	80	37	43
80-84 years-----	1,134	504	630	1,080	486	594	54	18	36	40	15	25
85-89 years-----	556	224	332	523	215	308	33	9	24	25	7	18
90-94 years-----	188	71	117	173	65	108	15	6	9	11	3	8
95-99 years-----	29	13	16	26	12	14	3	1	2	2	-	2
100 yrs & over---	4	2	2	4	2	2	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other inflammatory liver diseases (K75)

All ages-----	496	249	247	401	210	191	95	39	56	69	29	40
Under 1 year-----	7	6	1	1	1	-	6	5	1	6	5	1
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	2	2	-	1	1	-	1	1	-	1	1	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	3	2	1	3	2	1	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	5	5	-	4	4	-	1	1	-	-	-	-
30-34 years-----	5	2	3	3	2	1	2	-	2	2	-	2
35-39 years-----	16	10	6	12	9	3	4	1	3	3	1	2
40-44 years-----	29	22	7	25	18	7	4	4	-	4	4	-
45-49 years-----	43	26	17	34	22	12	9	4	5	8	3	5
50-54 years-----	40	25	15	29	20	9	11	5	6	8	5	3
55-59 years-----	31	18	13	24	13	11	7	5	2	4	3	1
60-64 years-----	27	9	18	23	8	15	4	1	3	3	1	2
65-69 years-----	49	25	24	39	21	18	10	4	6	6	1	5
70-74 years-----	64	35	29	55	31	24	9	4	5	7	3	4
75-79 years-----	59	22	37	51	20	31	8	2	6	4	1	3
80-84 years-----	52	24	28	46	23	23	6	1	5	3	-	3
85-89 years-----	41	11	30	32	10	22	9	1	8	7	1	6
90-94 years-----	19	5	14	16	5	11	3	-	3	2	-	2
95-99 years-----	4	-	4	3	-	3	1	-	1	1	-	1
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Abscess of liver (K75.0)												
All ages-----	150	77	73	116	64	52	34	13	21	25	11	14
Under 1 year----	2	2	-	-	-	-	2	2	-	2	2	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	3	2	1	3	2	1	-	-	-	-	-	-
40-44 years-----	4	4	-	4	4	-	-	-	-	-	-	-
45-49 years-----	9	7	2	6	5	1	3	2	1	2	1	1
50-54 years-----	12	9	3	10	7	3	2	2	-	2	2	-
55-59 years-----	10	5	5	6	2	4	4	3	1	3	3	-
60-64 years-----	6	4	2	5	4	1	1	-	1	1	-	1
65-69 years-----	16	8	8	11	7	4	5	1	4	3	-	3
70-74 years-----	19	10	9	17	9	8	2	1	1	2	1	1
75-79 years-----	20	9	11	14	8	6	6	1	5	4	1	3
80-84 years-----	18	9	9	16	9	7	2	-	2	1	-	1
85-89 years-----	23	5	18	17	4	13	6	1	5	4	1	3
90-94 years-----	7	2	5	6	2	4	1	-	1	1	-	1
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Granulomatous hepatitis, not elsewhere classified (K75.3)

All ages-----	9	5	4	8	5	3	1	-	1	1	-	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	-	-	-	1	-	1	1	-	1
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	3	2	1	3	2	1	-	-	-	-	-	-
75-79 years-----	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years-----	2	2	-	2	2	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other specified inflammatory liver diseases (K75.8)												
All ages-----	21	10	11	13	7	6	8	3	5	2	1	1
Under 1 year----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	2	2	-	1	1	-	1	1	-	1	1	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	2	-	2	-	-	-	2	-	2	1	-	1
55-59 years-----	3	2	1	3	2	1	-	-	-	-	-	-
60-64 years-----	1	-	1	-	-	-	1	-	1	-	-	-
65-69 years-----	2	-	2	2	-	2	-	-	-	-	-	-
70-74 years-----	3	2	1	2	1	1	1	1	-	-	-	-
75-79 years-----	3	2	1	1	1	-	2	1	1	-	-	-
80-84 years-----	2	-	2	2	-	2	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	1	-	1	-	-	-	1	-	1	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Inflammatory liver disease, unspecified (K75.9)

All ages-----	316	157	159	264	134	130	52	23	29	41	17	24
Under 1 year----	4	3	1	-	-	-	4	3	1	4	3	1
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	2	2	-	1	1	-	1	1	-	1	1	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	2	1	1	2	1	1	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	5	5	-	4	4	-	1	1	-	-	-	-
30-34 years-----	5	2	3	3	2	1	2	-	2	2	-	2
35-39 years-----	12	8	4	9	7	2	3	1	2	2	1	1
40-44 years-----	23	16	7	20	13	7	3	3	-	3	3	-
45-49 years-----	34	19	15	28	17	11	6	2	4	6	2	4
50-54 years-----	26	16	10	19	13	6	7	3	4	5	3	2
55-59 years-----	17	11	6	14	9	5	3	2	1	1	-	1
60-64 years-----	20	5	15	18	4	14	2	1	1	2	1	1
65-69 years-----	31	17	14	26	14	12	5	3	2	3	1	2
70-74 years-----	39	21	18	33	19	14	6	2	4	5	2	3
75-79 years-----	34	10	24	34	10	24	-	-	-	-	-	-
80-84 years-----	30	13	17	26	12	14	4	1	3	2	-	2
85-89 years-----	17	5	12	14	5	9	3	-	3	3	-	3
90-94 years-----	11	3	8	10	3	7	1	-	1	1	-	1
95-99 years-----	4	-	4	3	-	3	1	-	1	1	-	1
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other diseases of liver (K76)												
All ages-----	2,793	1,693	1,100	2,319	1,410	909	474	283	191	401	242	159
Under 1 year-----	25	19	6	17	12	5	8	7	1	7	6	1
1-4 years-----	8	5	3	7	5	2	1	-	1	1	-	1
5-9 years-----	3	1	2	2	-	2	1	1	-	-	-	-
10-14 years-----	6	-	6	5	-	5	1	-	1	1	-	1
15-19 years-----	7	6	1	6	5	1	1	1	-	1	1	-
20-24 years-----	12	4	8	9	4	5	3	-	3	3	-	3
25-29 years-----	11	5	6	10	4	6	1	1	-	1	1	-
30-34 years-----	61	41	20	47	33	14	14	8	6	10	4	6
35-39 years-----	120	73	47	90	55	35	30	18	12	24	16	8
40-44 years-----	223	150	73	176	120	56	47	30	17	41	25	16
45-49 years-----	312	215	97	248	172	76	64	43	21	59	40	19
50-54 years-----	325	216	109	268	176	92	57	40	17	48	33	15
55-59 years-----	302	193	109	233	154	79	69	39	30	62	36	26
60-64 years-----	247	155	92	191	119	72	56	36	20	49	32	17
65-69 years-----	289	187	102	255	162	93	34	25	9	25	19	6
70-74 years-----	271	156	115	239	140	99	32	16	16	23	13	10
75-79 years-----	236	112	124	214	103	111	22	9	13	20	9	11
80-84 years-----	152	83	69	141	82	59	11	1	10	8	-	8
85-89 years-----	110	47	63	95	42	53	15	5	10	13	5	8
90-94 years-----	49	18	31	46	17	29	3	1	2	2	1	1
95-99 years-----	18	6	12	16	5	11	2	1	1	1	-	1
100 yrs & over---	5	-	5	4	-	4	1	-	1	1	-	1
Not stated-----	1	1	-	-	-	-	1	1	-	1	1	-

Fatty (change of) liver, not elsewhere classified (K76.0)

All ages-----	383	209	174	311	165	146	72	44	28	65	40	25
Under 1 year-----	5	3	2	3	1	2	2	2	-	2	2	-
1-4 years-----	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	5	5	-	5	5	-	-	-	-	-	-	-
20-24 years-----	6	3	3	6	3	3	-	-	-	-	-	-
25-29 years-----	5	3	2	4	2	2	1	1	-	1	1	-
30-34 years-----	27	20	7	24	17	7	3	3	-	1	1	-
35-39 years-----	51	28	23	40	24	16	11	4	7	9	4	5
40-44 years-----	65	44	21	48	32	16	17	12	5	14	10	4
45-49 years-----	59	34	25	47	27	20	12	7	5	12	7	5
50-54 years-----	43	21	22	35	17	18	8	4	4	8	4	4
55-59 years-----	36	18	18	26	13	13	10	5	5	10	5	5
60-64 years-----	28	13	15	23	10	13	5	3	2	5	3	2
65-69 years-----	20	10	10	18	8	10	2	2	-	2	2	-
70-74 years-----	11	3	8	10	2	8	1	1	-	1	1	-
75-79 years-----	9	1	8	9	1	8	-	-	-	-	-	-
80-84 years-----	10	3	7	10	3	7	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Chronic passive congestion of liver (K76.1)												
All ages-----	31	19	12	28	16	12	3	3	-	3	3	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	1	1	-	-	-	-	1	1	-	1	1	-
60-64 years-----	2	2	-	1	1	-	1	1	-	1	1	-
65-69 years-----	4	1	3	3	-	3	1	1	-	1	1	-
70-74 years-----	6	5	1	6	5	1	-	-	-	-	-	-
75-79 years-----	10	4	6	10	4	6	-	-	-	-	-	-
80-84 years-----	3	3	-	3	3	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	3	1	2	3	1	2	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Infarction of liver (K76.3)

All ages-----	27	12	15	21	9	12	6	3	3	4	1	3
Under 1 year-----	2	2	-	1	1	-	1	1	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	2	1	1	2	1	1	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	3	-	3	1	-	1	2	-	2	2	-	2
60-64 years-----	1	1	-	-	-	-	1	1	-	-	-	-
65-69 years-----	3	2	1	2	1	1	1	1	-	1	1	-
70-74 years-----	6	3	3	5	3	2	1	-	1	1	-	1
75-79 years-----	3	1	2	3	1	2	-	-	-	-	-	-
80-84 years-----	5	1	4	5	1	4	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Peliosis hepatis (K76.4)												
All ages-----	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Hepatic veno-occlusive disease (K76.5)												
All ages-----	5	2	3	4	1	3	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	2	-	2	2	-	2	-	-	-	-	-	-
15-19 years-----	1	1	-	-	-	-	1	1	-	1	1	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Portal hypertension (K76.6)												
All ages-----	137	87	50	113	73	40	24	14	10	21	14	7
Under 1 year-----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	2	2	-	2	2	-	-	-	-	-	-	-
35-39 years-----	5	5	-	2	2	-	3	3	-	3	3	-
40-44 years-----	8	7	1	7	6	1	1	1	-	1	1	-
45-49 years-----	11	7	4	7	5	2	4	2	2	4	2	2
50-54 years-----	14	11	3	11	8	3	3	3	-	3	3	-
55-59 years-----	19	16	3	16	14	2	3	2	1	3	2	1
60-64 years-----	8	5	3	7	4	3	1	1	-	1	1	-
65-69 years-----	17	10	7	17	10	7	-	-	-	-	-	-
70-74 years-----	10	9	1	9	8	1	1	1	-	1	1	-
75-79 years-----	17	4	13	14	4	10	3	-	3	2	-	2
80-84 years-----	13	5	8	10	5	5	3	-	3	1	-	1
85-89 years-----	9	4	5	8	4	4	1	-	1	1	-	1
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	1	1	-	-	-	-	1	1	-	1	1	-
Hepatorenal syndrome (K76.7)												
All ages-----	467	298	169	399	258	141	68	40	28	53	33	20
Under 1 year-----	3	2	1	3	2	1	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years-----	3	1	2	3	1	2	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	6	4	2	3	3	-	3	1	2	2	-	2
35-39 years-----	14	10	4	11	9	2	3	1	2	1	-	1
40-44 years-----	34	19	15	26	15	11	8	4	4	6	2	4
45-49 years-----	53	37	16	38	26	12	15	11	4	14	11	3
50-54 years-----	48	32	16	43	28	15	5	4	1	4	3	1
55-59 years-----	45	33	12	36	26	10	9	7	2	8	7	1
60-64 years-----	40	27	13	33	25	8	7	2	5	6	2	4
65-69 years-----	58	39	19	54	36	18	4	3	1	3	3	-
70-74 years-----	65	41	24	56	36	20	9	5	4	5	3	2
75-79 years-----	42	25	17	40	23	17	2	2	-	2	2	-
80-84 years-----	26	14	12	25	14	11	1	-	1	1	-	1
85-89 years-----	18	9	9	16	9	7	2	-	2	1	-	1
90-94 years-----	7	4	3	7	4	3	-	-	-	-	-	-
95-99 years-----	4	1	3	4	1	3	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other specified diseases of liver (K76.8)												
All ages-----	123	70	53	96	53	43	27	17	10	24	15	9
Under 1 year-----	5	5	-	4	4	-	1	1	-	1	1	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	3	1	2	3	1	2	-	-	-	-	-	-
35-39 years-----	2	1	1	1	-	1	1	1	-	1	1	-
40-44 years-----	2	2	-	1	1	-	1	1	-	1	1	-
45-49 years-----	9	7	2	7	5	2	2	2	-	2	2	-
50-54 years-----	8	3	5	6	1	5	2	2	-	2	2	-
55-59 years-----	14	7	7	7	5	2	7	2	5	7	2	5
60-64 years-----	9	6	3	6	3	3	3	3	-	3	3	-
65-69 years-----	8	6	2	5	4	1	3	2	1	-	-	-
70-74 years-----	15	9	6	14	8	6	1	1	-	1	1	-
75-79 years-----	16	8	8	13	7	6	3	1	2	3	1	2
80-84 years-----	10	5	5	10	5	5	-	-	-	-	-	-
85-89 years-----	10	6	4	8	5	3	2	1	1	2	1	1
90-94 years-----	6	2	4	6	2	4	-	-	-	-	-	-
95-99 years-----	3	2	1	3	2	1	-	-	-	-	-	-
100 yrs & over---	2	-	2	1	-	1	1	-	1	1	-	1
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Liver disease, unspecified (K76.9)

All ages-----	1,618	995	623	1,345	834	511	273	161	112	230	135	95
Under 1 year-----	9	6	3	5	3	2	4	3	1	4	3	1
1-4 years-----	6	4	2	5	4	1	1	-	1	1	-	1
5-9 years-----	3	1	2	2	-	2	1	1	-	-	-	-
10-14 years-----	3	-	3	2	-	2	1	-	1	1	-	1
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	3	-	3	-	-	-	3	-	3	3	-	3
25-29 years-----	5	2	3	5	2	3	-	-	-	-	-	-
30-34 years-----	23	14	9	15	10	5	8	4	4	7	3	4
35-39 years-----	46	28	18	34	19	15	12	9	3	10	8	2
40-44 years-----	113	77	36	93	65	28	20	12	8	19	11	8
45-49 years-----	179	129	50	148	108	40	31	21	10	27	18	9
50-54 years-----	211	148	63	172	121	51	39	27	12	31	21	10
55-59 years-----	184	118	66	147	96	51	37	22	15	31	19	12
60-64 years-----	159	101	58	121	76	45	38	25	13	33	22	11
65-69 years-----	178	119	59	155	103	52	23	16	7	18	12	6
70-74 years-----	158	86	72	139	78	61	19	8	11	14	7	7
75-79 years-----	138	69	69	124	63	61	14	6	8	13	6	7
80-84 years-----	85	52	33	78	51	27	7	1	6	6	-	6
85-89 years-----	70	27	43	60	23	37	10	4	6	9	4	5
90-94 years-----	32	11	21	29	10	19	3	1	2	2	1	1
95-99 years-----	10	3	7	8	2	6	2	1	1	1	-	1
100 yrs & over---	3	-	3	3	-	3	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Cholelithiasis (K80)												
All ages-----	1,100	448	652	966	395	571	134	53	81	92	28	64
Under 1 year----	1	1	-	-	-	-	1	1	-	1	1	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	2	2	-	2	2	-	-	-	-	-	-	-
25-29 years-----	3	-	3	3	-	3	-	-	-	-	-	-
30-34 years-----	5	3	2	4	2	2	1	1	-	1	1	-
35-39 years-----	13	8	5	8	5	3	5	3	2	4	2	2
40-44 years-----	11	3	8	5	2	3	6	1	5	6	1	5
45-49 years-----	20	10	10	15	7	8	5	3	2	4	3	1
50-54 years-----	30	11	19	23	9	14	7	2	5	6	1	5
55-59 years-----	41	24	17	32	18	14	9	6	3	6	4	2
60-64 years-----	36	20	16	27	15	12	9	5	4	4	1	3
65-69 years-----	63	33	30	49	27	22	14	6	8	10	3	7
70-74 years-----	113	58	55	100	53	47	13	5	8	9	2	7
75-79 years-----	151	75	76	136	68	68	15	7	8	7	3	4
80-84 years-----	185	77	108	169	74	95	16	3	13	13	2	11
85-89 years-----	222	77	145	203	68	135	19	9	10	12	4	8
90-94 years-----	140	36	104	131	35	96	9	1	8	4	-	4
95-99 years-----	49	7	42	45	7	38	4	-	4	4	-	4
100 yrs & over---	14	2	12	13	2	11	1	-	1	1	-	1
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Calculus of gallbladder with acute cholecystitis (K80.0)

All ages-----	98	37	61	86	35	51	12	2	10	8	1	7
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	2	-	2	1	-	1	1	-	1	1	-	1
45-49 years-----	1	-	1	-	-	-	1	-	1	-	-	-
50-54 years-----	1	-	1	-	-	-	1	-	1	1	-	1
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	3	1	2	2	1	1	1	-	1	1	-	1
65-69 years-----	9	4	5	9	4	5	-	-	-	-	-	-
70-74 years-----	10	7	3	9	7	2	1	-	1	-	-	-
75-79 years-----	17	5	12	15	4	11	2	1	1	1	-	1
80-84 years-----	12	6	6	10	5	5	2	1	1	2	1	1
85-89 years-----	20	8	12	18	8	10	2	-	2	1	-	1
90-94 years-----	16	5	11	15	5	10	1	-	1	1	-	1
95-99 years-----	6	-	6	6	-	6	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Calculus of gallbladder with other cholecystitis (K80.1)												
All ages-----	172	67	105	147	62	85	25	5	20	19	3	16
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	3	1	2	3	1	2	-	-	-	-	-	-
35-39 years-----	3	1	2	2	1	1	1	-	1	1	-	1
40-44 years-----	1	-	1	-	-	-	1	-	1	1	-	1
45-49 years-----	6	3	3	6	3	3	-	-	-	-	-	-
50-54 years-----	5	3	2	4	3	1	1	-	1	1	-	1
55-59 years-----	2	2	-	2	2	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	12	5	7	9	4	5	3	1	2	1	-	1
70-74 years-----	14	6	8	13	6	7	1	-	1	1	-	1
75-79 years-----	23	11	12	19	10	9	4	1	3	3	1	2
80-84 years-----	28	11	17	23	10	13	5	1	4	4	-	4
85-89 years-----	39	14	25	33	12	21	6	2	4	5	2	3
90-94 years-----	27	8	19	26	8	18	1	-	1	-	-	-
95-99 years-----	8	2	6	6	2	4	2	-	2	2	-	2
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Calculus of gallbladder without cholecystitis (K80.2)

All ages-----	650	274	376	569	235	334	81	39	42	54	18	36
Under 1 year-----	1	1	-	-	-	-	1	1	-	1	1	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	2	2	-	2	2	-	-	-	-	-	-	-
25-29 years-----	3	-	3	3	-	3	-	-	-	-	-	-
30-34 years-----	2	2	-	1	1	-	1	1	-	1	1	-
35-39 years-----	10	7	3	6	4	2	4	3	1	3	2	1
40-44 years-----	7	2	5	4	2	2	3	-	3	3	-	3
45-49 years-----	11	6	5	9	4	5	2	2	-	2	2	-
50-54 years-----	20	5	15	16	4	12	4	1	3	3	-	3
55-59 years-----	30	17	13	21	11	10	9	6	3	6	4	2
60-64 years-----	28	16	12	20	11	9	8	5	3	3	1	2
65-69 years-----	34	20	14	24	16	8	10	4	6	8	2	6
70-74 years-----	73	39	34	64	34	30	9	5	4	6	2	4
75-79 years-----	90	47	43	83	42	41	7	5	2	2	2	-
80-84 years-----	108	42	66	102	42	60	6	-	6	6	-	6
85-89 years-----	122	40	82	113	35	78	9	5	4	5	1	4
90-94 years-----	75	21	54	69	20	49	6	1	5	3	-	3
95-99 years-----	24	5	19	23	5	18	1	-	1	1	-	1
100 yrs & over---	9	1	8	8	1	7	1	-	1	1	-	1
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Calculus of bile duct with cholangitis (K80.3)												
All ages-----	46	17	29	43	17	26	3	-	3	2	-	2
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years-----	3	-	3	2	-	2	1	-	1	1	-	1
75-79 years-----	5	2	3	4	2	2	1	-	1	-	-	-
80-84 years-----	13	7	6	13	7	6	-	-	-	-	-	-
85-89 years-----	11	5	6	11	5	6	-	-	-	-	-	-
90-94 years-----	4	-	4	4	-	4	-	-	-	-	-	-
95-99 years-----	6	-	6	5	-	5	1	-	1	1	-	1
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Calculus of bile duct with cholecystitis (K80.4)

All ages-----	21	7	14	14	3	11	7	4	3	4	3	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	-	-	-	1	1	-	1	1	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	-	-	-	1	1	-	1	1	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	2	-	2	2	-	2	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	3	1	2	2	1	1	1	-	1	1	-	1
80-84 years-----	4	1	3	2	-	2	2	1	1	1	1	-
85-89 years-----	3	2	1	2	1	1	1	1	-	-	-	-
90-94 years-----	4	-	4	3	-	3	1	-	1	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Calculus of bile duct without cholangitis or cholecystitis (K80.5)												
All ages-----	111	45	66	105	42	63	6	3	3	5	3	2
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	2	1	1	-	-	-	2	1	1	2	1	1
50-54 years-----	3	2	1	3	2	1	-	-	-	-	-	-
55-59 years-----	6	3	3	6	3	3	-	-	-	-	-	-
60-64 years-----	3	2	1	3	2	1	-	-	-	-	-	-
65-69 years-----	3	2	1	2	1	1	1	1	-	1	1	-
70-74 years-----	11	5	6	10	5	5	1	-	1	1	-	1
75-79 years-----	13	9	4	13	9	4	-	-	-	-	-	-
80-84 years-----	20	10	10	19	10	9	1	-	1	-	-	-
85-89 years-----	27	8	19	26	7	19	1	1	-	1	1	-
90-94 years-----	14	2	12	14	2	12	-	-	-	-	-	-
95-99 years-----	4	-	4	4	-	4	-	-	-	-	-	-
100 yrs & over---	5	1	4	5	1	4	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other cholelithiasis (K80.8)

All ages-----	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Cholecystitis (K81)												
All ages-----	1,389	655	734	1,215	574	641	174	81	93	135	63	72
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years-----	3	1	2	1	1	-	2	-	2	2	-	2
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	4	1	3	3	-	3	1	1	-	1	1	-
35-39 years-----	9	5	4	6	4	2	3	1	2	3	1	2
40-44 years-----	15	8	7	11	6	5	4	2	2	3	2	1
45-49 years-----	24	11	13	18	8	10	6	3	3	4	2	2
50-54 years-----	26	15	11	19	11	8	7	4	3	6	3	3
55-59 years-----	35	19	16	23	11	12	12	8	4	6	4	2
60-64 years-----	58	35	23	43	29	14	15	6	9	14	6	8
65-69 years-----	82	44	38	63	35	28	19	9	10	16	8	8
70-74 years-----	153	87	66	129	74	55	24	13	11	18	11	7
75-79 years-----	211	111	100	192	102	90	19	9	10	16	8	8
80-84 years-----	284	136	148	261	128	133	23	8	15	20	8	12
85-89 years-----	248	106	142	228	96	132	20	10	10	13	5	8
90-94 years-----	162	60	102	146	53	93	16	7	9	11	4	7
95-99 years-----	61	14	47	59	14	45	2	-	2	1	-	1
100 yrs & over---	13	2	11	12	2	10	1	-	1	1	-	1
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Acute cholecystitis (K81.0)												
All ages-----	674	324	350	602	289	313	72	35	37	55	25	30
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	2	-	2	-	-	-	2	-	2	2	-	2
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	3	2	1	2	2	-	1	-	1	1	-	1
40-44 years-----	7	3	4	5	2	3	2	1	1	1	1	-
45-49 years-----	12	6	6	9	4	5	3	2	1	1	1	-
50-54 years-----	8	3	5	4	1	3	4	2	2	3	1	2
55-59 years-----	12	6	6	9	4	5	3	2	1	2	1	1
60-64 years-----	31	15	16	22	13	9	9	2	7	8	2	6
65-69 years-----	36	19	17	28	15	13	8	4	4	7	4	3
70-74 years-----	80	48	32	69	41	28	11	7	4	7	5	2
75-79 years-----	110	66	44	102	61	41	8	5	3	6	4	2
80-84 years-----	145	78	67	138	75	63	7	3	4	7	3	4
85-89 years-----	115	43	72	110	40	70	5	3	2	3	1	2
90-94 years-----	75	25	50	67	21	46	8	4	4	6	2	4
95-99 years-----	29	9	20	29	9	20	-	-	-	-	-	-
100 yrs & over---	8	1	7	7	1	6	1	-	1	1	-	1
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Chronic cholecystitis (K81.1)												
All ages-----	53	13	40	49	12	37	4	1	3	3	1	2
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	3	1	2	3	1	2	-	-	-	-	-	-
70-74 years-----	2	-	2	2	-	2	-	-	-	-	-	-
75-79 years-----	9	3	6	8	3	5	1	-	1	1	-	1
80-84 years-----	8	3	5	6	2	4	2	1	1	2	1	1
85-89 years-----	6	2	4	6	2	4	-	-	-	-	-	-
90-94 years-----	14	2	12	14	2	12	-	-	-	-	-	-
95-99 years-----	6	-	6	5	-	5	1	-	1	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Other cholecystitis (K81.8)												
All ages-----	13	6	7	12	6	6	1	-	1	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	2	-	2	2	-	2	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	2	2	-	2	2	-	-	-	-	-	-	-
70-74 years-----	3	2	1	3	2	1	-	-	-	-	-	-
75-79 years-----	3	1	2	3	1	2	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	-	1	-	-	-	1	-	1	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Cholecystitis, unspecified (K81.9)												
All ages-----	649	312	337	552	267	285	97	45	52	77	37	40
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	3	1	2	2	-	2	1	1	-	1	1	-
35-39 years-----	5	3	2	3	2	1	2	1	1	2	1	1
40-44 years-----	7	4	3	5	3	2	2	1	1	2	1	1
45-49 years-----	12	5	7	9	4	5	3	1	2	3	1	2
50-54 years-----	15	11	4	12	9	3	3	2	1	3	2	1
55-59 years-----	22	13	9	13	7	6	9	6	3	4	3	1
60-64 years-----	26	19	7	20	15	5	6	4	2	6	4	2
65-69 years-----	41	22	19	30	17	13	11	5	6	9	4	5
70-74 years-----	68	37	31	55	31	24	13	6	7	11	6	5
75-79 years-----	89	41	48	79	37	42	10	4	6	9	4	5
80-84 years-----	131	55	76	117	51	66	14	4	10	11	4	7
85-89 years-----	127	61	66	112	54	58	15	7	8	10	4	6
90-94 years-----	72	33	39	65	30	35	7	3	4	5	2	3
95-99 years-----	26	5	21	25	5	20	1	-	1	1	-	1
100 yrs & over---	4	1	3	4	1	3	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other diseases of gallbladder (K82)

All ages-----	341	145	196	306	132	174	35	13	22	30	11	19
Under 1 year-----	1	-	1	-	-	-	1	-	1	1	-	1
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	2	1	1	1	-	1	1	1	-	1	1	-
20-24 years-----	1	-	1	-	-	-	1	-	1	1	-	1
25-29 years-----	2	-	2	1	-	1	1	-	1	1	-	1
30-34 years-----	2	-	2	2	-	2	-	-	-	-	-	-
35-39 years-----	3	1	2	3	1	2	-	-	-	-	-	-
40-44 years-----	8	5	3	4	2	2	4	3	1	4	3	1
45-49 years-----	11	7	4	10	6	4	1	1	-	-	-	-
50-54 years-----	13	4	9	12	4	8	1	-	1	1	-	1
55-59 years-----	19	11	8	17	9	8	2	2	-	2	2	-
60-64 years-----	14	11	3	11	9	2	3	2	1	3	2	1
65-69 years-----	26	12	14	22	10	12	4	2	2	3	1	2
70-74 years-----	38	18	20	35	18	17	3	-	3	3	-	3
75-79 years-----	55	22	33	50	21	29	5	1	4	3	1	2
80-84 years-----	62	26	36	56	25	31	6	1	5	6	1	5
85-89 years-----	51	20	31	50	20	30	1	-	1	-	-	-
90-94 years-----	22	5	17	22	5	17	-	-	-	-	-	-
95-99 years-----	10	1	9	9	1	8	1	-	1	1	-	1
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),

RACE, AND SEX - - - ALL RACES - - - - - - WHITE - - - - - - ALL OTHER - - - - - - BLACK - - -

TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Obstruction of gallbladder (K82.0)

All ages-----	9	2	7	9	2	7	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years-----	4	1	3	4	1	3	-	-	-	-	-	-
95-99 years-----	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Hydrops of gallbladder (K82.1)

All ages-----	1	-	1	-	-	-	1	-	1	1	-	1
Under 1 year-----	1	-	1	-	-	-	1	-	1	1	-	1
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Perforation of gallbladder (K82.2)												
All ages-----	46	28	18	38	25	13	8	3	5	6	3	3
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	2	2	-	1	1	-	1	1	-	1	1	-
60-64 years-----	2	1	1	2	1	1	-	-	-	-	-	-
65-69 years-----	4	4	-	3	3	-	1	1	-	1	1	-
70-74 years-----	7	4	3	5	4	1	2	-	2	2	-	2
75-79 years-----	11	6	5	9	6	3	2	-	2	-	-	-
80-84 years-----	9	4	5	7	3	4	2	1	1	2	1	1
85-89 years-----	7	3	4	7	3	4	-	-	-	-	-	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Fistula of gallbladder (K82.3)

All ages-----	6	2	4	6	2	4	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other specified diseases of gallbladder (K82.8)												
All ages-----	9	1	8	8	1	7	1	-	1	1	-	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	-	-	-	1	-	1	1	-	1
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	2	-	2	2	-	2	-	-	-	-	-	-
80-84 years-----	2	-	2	2	-	2	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Disease of gallbladder, unspecified (K82.9)

All ages-----	270	112	158	245	102	143	25	10	15	22	8	14
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	2	1	1	1	-	1	1	1	-	1	1	-
20-24 years-----	1	-	1	-	-	-	1	-	1	1	-	1
25-29 years-----	2	-	2	1	-	1	1	-	1	1	-	1
30-34 years-----	2	-	2	2	-	2	-	-	-	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	8	5	3	4	2	2	4	3	1	4	3	1
45-49 years-----	9	5	4	8	4	4	1	1	-	-	-	-
50-54 years-----	11	4	7	10	4	6	1	-	1	1	-	1
55-59 years-----	17	9	8	16	8	8	1	1	-	1	1	-
60-64 years-----	12	10	2	9	8	1	3	2	1	3	2	1
65-69 years-----	21	8	13	19	7	12	2	1	1	1	-	1
70-74 years-----	30	14	16	29	14	15	1	-	1	1	-	1
75-79 years-----	42	16	26	39	15	24	3	1	2	3	1	2
80-84 years-----	49	21	28	45	21	24	4	-	4	4	-	4
85-89 years-----	40	15	25	39	15	24	1	-	1	-	-	-
90-94 years-----	15	3	12	15	3	12	-	-	-	-	-	-
95-99 years-----	7	-	7	6	-	6	1	-	1	1	-	1
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other diseases of biliary tract (K83)												
All ages-----	910	413	497	795	358	437	115	55	60	93	45	48
Under 1 year----	9	5	4	6	3	3	3	2	1	3	2	1
1-4 years-----	3	1	2	2	1	1	1	-	1	1	-	1
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	2	1	1	1	-	1	-	1	-	1	1	-
15-19 years-----	3	3	-	2	2	-	1	1	-	1	1	-
20-24 years-----	2	1	1	1	1	-	1	-	1	1	-	1
25-29 years-----	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years-----	3	2	1	1	-	1	2	2	-	2	2	-
35-39 years-----	5	2	3	3	2	1	2	-	2	2	-	2
40-44 years-----	15	7	8	11	6	5	4	1	3	3	1	2
45-49 years-----	17	11	6	14	9	5	3	2	1	3	2	1
50-54 years-----	26	16	10	23	13	10	3	3	-	3	3	-
55-59 years-----	48	28	20	39	22	17	9	6	3	8	5	3
60-64 years-----	52	27	25	40	20	20	12	7	5	11	7	4
65-69 years-----	53	29	24	42	26	16	11	3	8	8	2	6
70-74 years-----	98	52	46	91	48	43	7	4	3	7	4	3
75-79 years-----	114	62	52	103	55	48	11	7	4	8	5	3
80-84 years-----	135	60	75	123	56	67	12	4	8	9	2	7
85-89 years-----	158	61	97	142	54	88	16	7	9	10	4	6
90-94 years-----	115	33	82	109	32	77	6	1	5	5	1	4
95-99 years-----	45	11	34	36	8	28	9	3	6	6	2	4
100 yrs & over---	6	-	6	6	-	6	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Cholangitis (K83.0)												
All ages-----	462	230	232	403	199	204	59	31	28	45	26	19
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	3	3	-	2	2	-	1	1	-	1	1	-
20-24 years-----	2	1	1	1	1	-	1	-	1	1	-	1
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	3	2	1	1	-	1	2	2	-	2	2	-
35-39 years-----	2	-	2	1	-	1	1	-	1	1	-	1
40-44 years-----	11	7	4	9	6	3	2	1	1	1	1	-
45-49 years-----	11	7	4	8	5	3	3	2	1	3	2	1
50-54 years-----	21	13	8	19	11	8	2	2	-	2	2	-
55-59 years-----	30	17	13	25	14	11	5	3	2	5	3	2
60-64 years-----	35	19	16	30	16	14	5	3	2	5	3	2
65-69 years-----	35	23	12	28	20	8	7	3	4	4	2	2
70-74 years-----	63	36	27	56	32	24	7	4	3	7	4	3
75-79 years-----	62	35	27	58	31	27	4	4	-	3	3	-
80-84 years-----	62	23	39	57	22	35	5	1	4	3	-	3
85-89 years-----	61	26	35	53	23	30	8	3	5	4	2	2
90-94 years-----	44	14	30	42	14	28	2	-	2	2	-	2
95-99 years-----	12	3	9	8	1	7	4	2	2	1	1	-
100 yrs & over---	4	-	4	4	-	4	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Obstruction of bile duct (K83.1)												
All ages-----	388	162	226	339	140	199	49	22	27	42	17	25
Under 1 year----	9	5	4	6	3	3	3	2	1	3	2	1
1-4 years-----	2	-	2	1	-	1	1	-	1	1	-	1
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	2	1	1	1	-	1	1	1	-	1	1	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	2	1	1	1	1	-	1	-	1	1	-	1
40-44 years-----	2	-	2	1	-	1	-	-	1	1	-	1
45-49 years-----	5	3	2	5	3	2	-	-	-	-	-	-
50-54 years-----	3	3	-	2	2	-	1	1	-	1	1	-
55-59 years-----	16	10	6	13	8	5	3	2	1	2	1	1
60-64 years-----	12	7	5	6	3	3	6	4	2	6	4	2
65-69 years-----	14	5	9	11	5	6	3	-	3	3	-	3
70-74 years-----	31	13	18	31	13	18	-	-	-	-	-	-
75-79 years-----	43	23	20	36	20	16	7	3	4	5	2	3
80-84 years-----	62	33	29	58	31	27	4	2	2	3	1	2
85-89 years-----	82	31	51	74	27	47	8	4	4	6	2	4
90-94 years-----	68	18	50	64	17	47	4	1	3	3	1	2
95-99 years-----	32	8	24	27	7	20	5	1	4	5	1	4
100 yrs & over---	2	-	2	2	-	2	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Perforation of bile duct (K83.2)

All ages-----	3	2	1	3	2	1	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Fistula of bile duct (K83.3)												
All ages-----	3	1	2	3	1	2	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Spasm of sphincter of Oddi (K83.4)

All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other specified diseases of biliary tract (K83.8)												
All ages-----	24	8	16	19	7	12	5	1	4	4	1	3
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	1	-	1	-	-	-	1	-	1	1	-	1
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	2	-	2	2	-	2	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	3	-	3	2	-	2	1	-	1	-	-	-
65-69 years-----	2	-	2	1	-	1	1	-	1	1	-	1
70-74 years-----	3	2	1	3	2	1	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	6	4	2	4	3	1	2	1	1	2	1	1
85-89 years-----	3	1	2	3	1	2	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Disease of biliary tract, unspecified (K83.9)

All ages-----	29	10	19	27	9	18	2	1	1	2	1	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	-	-	-	1	1	-	1	1	-
60-64 years-----	2	1	1	2	1	1	-	-	-	-	-	-
65-69 years-----	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	5	3	2	5	3	2	-	-	-	-	-	-
80-84 years-----	5	-	5	4	-	4	1	-	1	1	-	1
85-89 years-----	8	1	7	8	1	7	-	-	-	-	-	-
90-94 years-----	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Acute pancreatitis (K85)												
All ages-----	2,751	1,423	1,328	2,293	1,168	1,125	458	255	203	392	223	169
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	10	3	7	8	3	5	2	-	2	1	-	1
15-19 years-----	12	6	6	8	3	5	4	3	1	4	3	1
20-24 years-----	22	10	12	12	5	7	10	5	5	9	4	5
25-29 years-----	39	28	11	29	19	10	10	9	1	10	9	1
30-34 years-----	64	42	22	44	30	14	20	12	8	15	11	4
35-39 years-----	86	54	32	61	38	23	25	16	9	24	16	8
40-44 years-----	145	101	44	108	72	36	37	29	8	34	26	8
45-49 years-----	161	109	52	109	74	35	52	35	17	46	33	13
50-54 years-----	158	98	60	113	66	47	45	32	13	41	29	12
55-59 years-----	146	93	53	117	75	42	29	18	11	26	17	9
60-64 years-----	194	119	75	154	99	55	40	20	20	35	16	19
65-69 years-----	236	140	96	200	120	80	36	20	16	34	19	15
70-74 years-----	326	181	145	291	165	126	35	16	19	25	10	15
75-79 years-----	343	171	172	304	161	143	39	10	29	29	8	21
80-84 years-----	310	128	182	281	118	163	29	10	19	24	8	16
85-89 years-----	301	102	199	272	87	185	29	15	14	21	9	12
90-94 years-----	137	31	106	126	27	99	11	4	7	10	4	6
95-99 years-----	51	6	45	47	5	42	4	1	3	4	1	3
100 yrs & over---	8	-	8	7	-	7	1	-	1	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of pancreas (K86)												
All ages-----	786	466	320	615	354	261	171	112	59	156	102	54
Under 1 year-----	2	2	-	1	1	-	1	1	-	1	1	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years-----	5	3	2	4	3	1	1	-	1	1	-	1
25-29 years-----	10	7	3	8	6	2	2	1	1	2	1	1
30-34 years-----	25	18	7	20	13	7	5	5	-	5	5	-
35-39 years-----	40	31	9	27	21	6	13	10	3	12	10	2
40-44 years-----	69	45	24	57	40	17	12	5	7	10	5	5
45-49 years-----	73	52	21	45	32	13	28	20	8	26	18	8
50-54 years-----	85	62	23	70	49	21	15	13	2	14	12	2
55-59 years-----	73	53	20	51	34	17	22	19	3	20	17	3
60-64 years-----	57	35	22	44	28	16	13	7	6	13	7	6
65-69 years-----	58	35	23	49	30	19	9	5	4	9	5	4
70-74 years-----	56	28	28	48	25	23	8	3	5	7	2	5
75-79 years-----	73	41	32	60	30	30	13	11	2	10	9	1
80-84 years-----	59	22	37	48	18	30	11	4	7	10	3	7
85-89 years-----	58	26	32	47	19	28	11	7	4	11	7	4
90-94 years-----	33	6	27	27	5	22	6	1	5	4	-	4
95-99 years-----	8	-	8	7	-	7	1	-	1	1	-	1
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Alcohol-induced chronic pancreatitis (K86.0)												
All ages-----	295	228	67	215	166	49	80	62	18	74	58	16
Under 1 year----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	2	2	-	2	2	-	-	-	-	-	-	-
25-29 years-----	7	6	1	5	5	-	2	1	1	2	1	1
30-34 years-----	19	15	4	15	11	4	4	4	-	4	4	-
35-39 years-----	34	27	7	22	18	4	12	9	3	11	9	2
40-44 years-----	40	31	9	32	26	6	8	5	3	7	5	2
45-49 years-----	46	32	14	26	17	9	20	15	5	18	13	5
50-54 years-----	43	34	9	36	28	8	7	6	1	6	5	1
55-59 years-----	34	27	7	24	18	6	10	9	1	10	9	1
60-64 years-----	22	21	1	17	16	1	5	5	-	5	5	-
65-69 years-----	19	11	8	15	9	6	4	2	2	4	2	2
70-74 years-----	15	10	5	12	8	4	3	2	1	3	2	1
75-79 years-----	10	10	-	7	7	-	3	3	-	2	2	-
80-84 years-----	2	1	1	1	-	1	1	1	-	1	1	-
85-89 years-----	1	-	1	-	-	-	1	-	1	1	-	1
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic pancreatitis (K86.1)												
All ages-----	243	118	125	194	89	105	49	29	20	47	28	19
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	2	-	2	1	-	1	1	-	1	1	-	1
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	5	2	3	4	1	3	1	1	-	1	1	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	21	10	11	18	10	8	3	-	3	2	-	2
45-49 years-----	16	11	5	12	9	3	4	2	2	4	2	2
50-54 years-----	29	17	12	21	10	11	8	7	1	8	7	1
55-59 years-----	25	16	9	18	10	8	7	6	1	7	6	1
60-64 years-----	19	7	12	13	5	8	6	2	4	6	2	4
65-69 years-----	25	16	9	22	14	8	3	2	1	3	2	1
70-74 years-----	17	7	10	14	7	7	3	-	3	3	-	3
75-79 years-----	27	13	14	22	8	14	5	5	-	5	5	-
80-84 years-----	22	6	16	18	4	14	4	2	2	3	1	2
85-89 years-----	17	9	8	14	7	7	3	2	1	3	2	1
90-94 years-----	10	3	7	9	3	6	1	-	1	1	-	1
95-99 years-----	5	-	5	5	-	5	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Cyst of pancreas (K86.2)												
All ages-----	2	-	2	2	-	2	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Pseudocyst of pancreas (K86.3)

All ages-----	46	31	15	38	25	13	8	6	2	6	4	2
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	-	-	-	1	1	-	1	1	-
40-44 years-----	5	3	2	4	3	1	1	-	1	1	-	1
45-49 years-----	2	2	-	2	2	-	-	-	-	-	-	-
50-54 years-----	5	5	-	5	5	-	-	-	-	-	-	-
55-59 years-----	8	7	1	5	4	1	3	3	-	1	1	-
60-64 years-----	4	2	2	4	2	2	-	-	-	-	-	-
65-69 years-----	4	2	2	2	1	1	2	1	1	2	1	1
70-74 years-----	5	2	3	5	2	3	-	-	-	-	-	-
75-79 years-----	3	2	1	2	1	1	1	1	-	1	1	-
80-84 years-----	7	4	3	7	4	3	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other specified diseases of pancreas (K86.8)												
All ages-----	58	34	24	52	30	22	6	4	2	5	3	2
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	2	1	1	2	1	1	-	-	-	-	-	-
45-49 years-----	4	4	-	3	3	-	1	1	-	1	1	-
50-54 years-----	5	3	2	5	3	2	-	-	-	-	-	-
55-59 years-----	5	3	2	4	2	2	1	1	-	1	1	-
60-64 years-----	5	2	3	4	2	2	1	-	1	1	-	1
65-69 years-----	3	1	2	3	1	2	-	-	-	-	-	-
70-74 years-----	6	4	2	6	4	2	-	-	-	-	-	-
75-79 years-----	9	7	2	8	6	2	1	1	-	-	-	-
80-84 years-----	10	6	4	8	5	3	2	1	1	2	1	1
85-89 years-----	7	2	5	7	2	5	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Disease of pancreas, unspecified (K86.9)

All ages-----	142	55	87	114	44	70	28	11	17	24	9	15
Under 1 year----	1	1	-	-	-	-	1	1	-	1	1	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	3	2	1	3	2	1	-	-	-	-	-	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	5	3	2	2	1	1	3	2	1	3	2	1
50-54 years-----	3	3	-	3	3	-	-	-	-	-	-	-
55-59 years-----	1	-	1	-	-	-	1	-	1	1	-	1
60-64 years-----	7	3	4	6	3	3	1	-	1	1	-	1
65-69 years-----	7	5	2	7	5	2	-	-	-	-	-	-
70-74 years-----	13	5	8	11	4	7	2	1	1	1	-	1
75-79 years-----	24	9	15	21	8	13	3	1	2	2	1	1
80-84 years-----	18	5	13	14	5	9	4	-	4	4	-	4
85-89 years-----	32	15	17	25	10	15	7	5	2	7	5	2
90-94 years-----	22	3	19	17	2	15	5	1	4	3	-	3
95-99 years-----	3	-	3	2	-	2	1	-	1	1	-	1
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Intestinal malabsorption (K90)												
All ages-----	253	99	154	228	88	140	25	11	14	19	7	12
Under 1 year-----	19	11	8	12	8	4	7	3	4	6	2	4
1-4 years-----	17	8	9	12	5	7	5	3	2	3	1	2
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	3	-	3	2	-	2	1	-	1	1	-	1
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	2	2	-	2	2	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	2	1	1	2	1	1	-	-	-	-	-	-
35-39 years-----	2	2	-	2	2	-	-	-	-	-	-	-
40-44 years-----	5	2	3	3	1	2	2	1	1	2	1	1
45-49 years-----	7	3	4	6	2	4	1	1	-	1	1	-
50-54 years-----	9	4	5	9	4	5	-	-	-	-	-	-
55-59 years-----	14	7	7	13	7	6	1	-	1	-	-	-
60-64 years-----	13	6	7	12	5	7	1	1	-	1	1	-
65-69 years-----	25	8	17	21	7	14	4	1	3	3	1	2
70-74 years-----	30	10	20	28	10	18	2	-	2	2	-	2
75-79 years-----	31	11	20	30	10	20	1	1	-	-	-	-
80-84 years-----	31	12	19	31	12	19	-	-	-	-	-	-
85-89 years-----	26	6	20	26	6	20	-	-	-	-	-	-
90-94 years-----	9	4	5	9	4	5	-	-	-	-	-	-
95-99 years-----	5	-	5	5	-	5	-	-	-	-	-	-
100 yrs & over---	1	1	-	1	1	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Celiac disease (K90.0)

All ages-----	14	5	9	14	5	9	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	4	2	2	4	2	2	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	2	-	2	2	-	2	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Tropical sprue (K90.1)												
All ages-----	29	13	16	29	13	16	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	3	2	1	3	2	1	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	3	1	2	3	1	2	-	-	-	-	-	-
70-74 years-----	3	2	1	3	2	1	-	-	-	-	-	-
75-79 years-----	7	3	4	7	3	4	-	-	-	-	-	-
80-84 years-----	3	1	2	3	1	2	-	-	-	-	-	-
85-89 years-----	6	3	3	6	3	3	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Blind loop syndrome, not elsewhere classified (K90.2)

All ages-----	119	39	80	98	31	67	21	8	13	15	4	11
Under 1 year-----	19	11	8	12	8	4	7	3	4	6	2	4
1-4 years-----	14	7	7	10	5	5	4	2	2	2	-	2
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	2	-	2	1	-	1	1	-	1	1	-	1
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	4	1	3	3	1	2	1	-	1	1	-	1
45-49 years-----	4	1	3	4	1	3	-	-	-	-	-	-
50-54 years-----	6	2	4	6	2	4	-	-	-	-	-	-
55-59 years-----	6	2	4	5	2	3	1	-	1	-	-	-
60-64 years-----	7	4	3	6	3	3	1	1	-	1	1	-
65-69 years-----	10	2	8	6	1	5	4	1	3	3	1	2
70-74 years-----	12	2	10	11	2	9	1	-	1	1	-	1
75-79 years-----	12	2	10	11	1	10	1	1	-	-	-	-
80-84 years-----	11	3	8	11	3	8	-	-	-	-	-	-
85-89 years-----	10	2	8	10	2	8	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Malabsorption due to intolerance, not elsewhere classified (K90.4)												
All ages-----	8	3	5	7	3	4	1	-	1	1	-	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	-	-	-	1	-	1	1	-	1
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	3	1	2	3	1	2	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other intestinal malabsorption (K90.8)

All ages-----	3	2	1	3	2	1	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Intestinal malabsorption, unspecified (K90.9)												
All ages-----	80	37	43	77	34	43	3	3	-	3	3	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	2	1	1	1	-	1	1	1	-	1	1	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	1	1	-	-	-	-	1	1	-	1	1	-
45-49 years-----	2	2	-	1	1	-	1	1	-	1	1	-
50-54 years-----	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years-----	5	3	2	5	3	2	-	-	-	-	-	-
60-64 years-----	3	1	2	3	1	2	-	-	-	-	-	-
65-69 years-----	8	3	5	8	3	5	-	-	-	-	-	-
70-74 years-----	13	6	7	13	6	7	-	-	-	-	-	-
75-79 years-----	10	6	4	10	6	4	-	-	-	-	-	-
80-84 years-----	12	6	6	12	6	6	-	-	-	-	-	-
85-89 years-----	8	1	7	8	1	7	-	-	-	-	-	-
90-94 years-----	5	2	3	5	2	3	-	-	-	-	-	-
95-99 years-----	5	-	5	5	-	5	-	-	-	-	-	-
100 yrs & over---	1	1	-	1	1	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other diseases of the digestive system (K92)

All ages-----	7,507	3,324	4,183	6,593	2,885	3,708	914	439	475	797	374	423
Under 1 year-----	7	4	3	5	2	3	2	2	-	2	2	-
1-4 years-----	3	1	2	2	-	2	1	1	-	1	1	-
5-9 years-----	2	1	1	2	1	1	-	-	-	-	-	-
10-14 years-----	2	1	1	2	1	1	-	-	-	-	-	-
15-19 years-----	2	-	2	2	-	2	-	-	-	-	-	-
20-24 years-----	4	4	-	2	2	-	2	2	-	1	1	-
25-29 years-----	7	6	1	5	5	-	2	1	1	2	1	1
30-34 years-----	13	8	5	10	6	4	3	2	1	2	1	1
35-39 years-----	31	22	9	26	18	8	5	4	1	5	4	1
40-44 years-----	77	53	24	57	44	13	20	9	11	17	8	9
45-49 years-----	121	89	32	92	69	23	29	20	9	27	18	9
50-54 years-----	161	114	47	113	81	32	48	33	15	39	27	12
55-59 years-----	209	136	73	162	104	58	47	32	15	41	31	10
60-64 years-----	287	177	110	221	144	77	66	33	33	58	28	30
65-69 years-----	427	259	168	346	214	132	81	45	36	68	37	31
70-74 years-----	656	378	278	561	323	238	95	55	40	88	49	39
75-79 years-----	1,003	511	492	864	442	422	139	69	70	123	61	62
80-84 years-----	1,327	607	720	1,192	554	638	135	53	82	115	44	71
85-89 years-----	1,429	515	914	1,321	473	848	108	42	66	94	32	62
90-94 years-----	1,140	313	827	1,057	287	770	83	26	57	72	20	52
95-99 years-----	485	105	380	451	96	355	34	9	25	29	8	21
100 yrs & over---	113	20	93	100	19	81	13	1	12	12	1	11
Not stated-----	1	-	1	-	-	-	1	-	1	1	-	1

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Hematemesis (K92.0)												
All ages-----	41	22	19	35	18	17	6	4	2	6	4	2
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	2	2	-	-	-	-	2	2	-	2	2	-
70-74 years-----	5	4	1	4	3	1	1	1	-	1	1	-
75-79 years-----	6	3	3	5	3	2	1	-	1	1	-	1
80-84 years-----	12	6	6	10	5	5	2	1	1	2	1	1
85-89 years-----	4	1	3	4	1	3	-	-	-	-	-	-
90-94 years-----	7	4	3	7	4	3	-	-	-	-	-	-
95-99 years-----	3	1	2	3	1	2	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Melena (K92.1)												
All ages-----	7	3	4	7	3	4	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	4	3	1	4	3	1	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Gastrointestinal hemorrhage, unspecified (K92.2)												
All ages-----	7,388	3,266	4,122	6,495	2,839	3,656	893	427	466	779	363	416
Under 1 year-----	4	3	1	2	1	1	2	2	-	2	2	-
1-4 years-----	2	1	1	1	-	1	1	1	-	1	1	-
5-9 years-----	2	1	1	2	1	1	-	-	-	-	-	-
10-14 years-----	2	1	1	2	1	1	-	-	-	-	-	-
15-19 years-----	2	-	2	2	-	2	-	-	-	-	-	-
20-24 years-----	4	4	-	2	2	-	2	2	-	1	1	-
25-29 years-----	7	6	1	5	5	-	2	1	1	2	1	1
30-34 years-----	13	8	5	10	6	4	3	2	1	2	1	1
35-39 years-----	31	22	9	26	18	8	5	4	1	5	4	1
40-44 years-----	76	52	24	56	43	13	20	9	11	17	8	9
45-49 years-----	120	88	32	91	68	23	29	20	9	27	18	9
50-54 years-----	159	113	46	112	81	31	47	32	15	38	26	12
55-59 years-----	204	133	71	158	102	56	46	31	15	40	30	10
60-64 years-----	285	177	108	219	144	75	66	33	33	58	28	30
65-69 years-----	421	256	165	343	214	129	78	42	36	66	35	31
70-74 years-----	644	372	272	552	319	233	92	53	39	85	47	38
75-79 years-----	992	506	486	856	437	419	136	69	67	121	61	60
80-84 years-----	1,299	590	709	1,169	540	629	130	50	80	111	41	70
85-89 years-----	1,413	509	904	1,307	468	839	106	41	65	92	31	61
90-94 years-----	1,120	302	818	1,038	277	761	82	25	57	71	19	52
95-99 years-----	477	102	375	443	93	350	34	9	25	29	8	21
100 yrs & over---	110	20	90	99	19	80	11	1	10	10	1	9
Not stated-----	1	-	1	-	-	-	1	-	1	1	-	1

Other specified diseases of digestive system (K92.8)

All ages-----	18	9	9	14	6	8	4	3	1	4	3	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	-	-	-	1	1	-	1	1	-
55-59 years-----	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	1	-	-
75-79 years-----	1	-	1	-	-	-	1	-	1	-	-	1
80-84 years-----	3	2	1	2	1	1	1	1	-	1	1	-
85-89 years-----	4	3	1	3	2	1	1	1	-	1	1	-
90-94 years-----	5	2	3	5	2	3	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Disease of digestive system, unspecified (K92.9)												
All ages-----	53	24	29	42	19	23	11	5	6	8	4	4
Under 1 year-----	3	1	2	3	1	2	-	-	-	-	-	-
1-4 years-----	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	2	1	1	1	-	1	1	1	-	1	1	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	4	1	3	3	-	3	1	1	-	-	-	-
70-74 years-----	6	2	4	4	1	3	2	1	1	2	1	1
75-79 years-----	4	2	2	3	2	1	1	-	1	-	-	-
80-84 years-----	9	6	3	7	5	2	2	1	1	1	1	-
85-89 years-----	7	2	5	6	2	4	1	-	1	1	-	1
90-94 years-----	6	5	1	5	4	1	1	1	-	1	1	-
95-99 years-----	4	2	2	4	2	2	-	-	-	-	-	-
100 yrs & over---	3	-	3	1	-	1	2	-	2	2	-	2
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Staphylococcal scalded skin syndrome (L00)

All ages-----	3	1	2	3	1	2	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	2	-	2	2	-	2	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Cutaneous abscess, furuncle, and carbuncle (L02)												
All ages-----	131	57	74	95	40	55	36	17	19	33	16	17
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	5	2	3	3	1	2	2	1	1	2	1	1
35-39 years-----	3	2	1	2	1	1	1	1	-	1	1	-
40-44 years-----	5	1	4	3	1	2	2	-	2	2	-	2
45-49 years-----	6	3	3	2	-	2	4	3	1	4	3	1
50-54 years-----	10	5	5	6	3	3	4	2	2	3	2	1
55-59 years-----	9	6	3	4	3	1	5	3	2	5	3	2
60-64 years-----	10	3	7	6	3	3	4	-	4	4	-	4
65-69 years-----	9	1	8	7	1	6	2	-	2	2	-	2
70-74 years-----	11	7	4	9	5	4	2	2	-	2	2	-
75-79 years-----	13	10	3	9	7	2	4	3	1	2	2	-
80-84 years-----	17	5	12	15	5	10	2	-	2	2	-	2
85-89 years-----	13	3	10	11	2	9	2	1	1	2	1	1
90-94 years-----	10	4	6	9	3	6	1	1	-	1	1	-
95-99 years-----	8	4	4	7	4	3	1	-	1	1	-	1
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Cutaneous abscess, furuncle, and carbuncle of face (L02.0)

All ages-----	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Cutaneous abscess, furuncle, and carbuncle of neck (L02.1)												
All ages-----	13	7	6	10	6	4	3	1	2	3	1	2
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	-	-	-	1	1	-	1	1	-
60-64 years-----	1	-	1	-	-	-	1	-	1	1	-	1
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	3	2	1	2	2	-	1	-	1	1	-	1
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Cutaneous abscess, furuncle, and carbuncle of trunk (L02.2)

All ages-----	32	16	16	24	12	12	8	4	4	7	3	4
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	1	1	-	-	-	-	1	1	-	1	1	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	1	-	1	-	-	-	1	-	1	1	-	1
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	4	3	1	2	2	-	2	1	1	2	1	1
60-64 years-----	2	1	1	1	1	-	1	-	1	1	-	1
65-69 years-----	1	-	1	-	-	-	1	-	1	1	-	1
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	7	6	1	5	4	1	2	2	-	1	1	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	6	1	5	6	1	5	-	-	-	-	-	-
90-94 years-----	3	2	1	3	2	1	-	-	-	-	-	-
95-99 years-----	2	1	1	2	1	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Cutaneous abscess, furuncle, and carbuncle of buttock (L02.3)												
All ages-----	7	3	4	6	3	3	1	-	1	1	-	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	2	1	1	1	1	-	1	-	1	1	-	1
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Cutaneous abscess, furuncle, and carbuncle of limb (L02.4)

All ages-----	28	10	18	18	6	12	10	4	6	9	4	5
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	-	1	-	-	-	1	-	1	1	-	1
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	1	-	1	-	-	-	1	-	1	1	-	1
45-49 years-----	2	-	2	2	-	2	-	-	-	-	-	-
50-54 years-----	2	1	1	2	1	1	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	2	1	1	2	1	1	-	-	-	-	-	-
65-69 years-----	4	1	3	3	1	2	1	-	1	1	-	1
70-74 years-----	1	1	-	-	-	-	1	1	-	1	1	-
75-79 years-----	2	1	1	-	-	-	2	1	1	1	1	-
80-84 years-----	2	1	1	1	1	-	1	-	1	1	-	1
85-89 years-----	5	2	3	3	1	2	2	1	1	2	1	1
90-94 years-----	2	1	1	1	-	1	1	1	-	1	1	-
95-99 years-----	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Cutaneous abscess, furuncle, and carbuncle of other sites (L02.8)												
All ages-----	4	-	4	2	-	2	2	-	2	2	-	2
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	2	-	2	1	-	1	1	-	1	1	-	1
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	-	1	-	-	-	1	-	1	1	-	1
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Cutaneous abscess, furuncle, and carbuncle, unspecified (L02.9)

All ages-----	45	20	25	33	12	21	12	8	4	11	8	3
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	1	1	-	-	-	-	1	1	-	1	1	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	3	3	-	-	-	-	3	3	-	3	3	-
50-54 years-----	5	3	2	2	1	1	3	2	1	2	2	-
55-59 years-----	2	1	1	1	-	1	1	1	-	1	1	-
60-64 years-----	4	-	4	2	-	2	2	-	2	2	-	2
65-69 years-----	2	-	2	2	-	2	-	-	-	-	-	-
70-74 years-----	6	4	2	5	3	2	1	1	-	1	1	-
75-79 years-----	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years-----	10	2	8	10	2	8	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	3	1	2	3	1	2	-	-	-	-	-	-
95-99 years-----	3	2	1	2	2	-	1	-	1	1	-	1
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Cellulitis (L03)												
All ages-----	699	279	420	622	243	379	77	36	41	65	29	36
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	7	5	2	5	4	1	2	1	1	1	-	1
35-39 years-----	8	6	2	6	5	1	2	1	1	1	1	-
40-44 years-----	10	7	3	6	5	1	4	2	2	3	1	2
45-49 years-----	30	22	8	20	15	5	10	7	3	9	7	2
50-54 years-----	20	14	6	17	12	5	3	2	1	3	2	1
55-59 years-----	27	15	12	22	12	10	5	3	2	5	3	2
60-64 years-----	34	14	20	28	11	17	6	3	3	6	3	3
65-69 years-----	42	21	21	35	20	15	7	1	6	5	-	5
70-74 years-----	73	29	44	64	27	37	9	2	7	7	1	6
75-79 years-----	79	22	57	76	20	56	3	2	1	3	2	1
80-84 years-----	103	42	61	98	38	60	5	4	1	4	3	1
85-89 years-----	124	44	80	115	40	75	9	4	5	8	3	5
90-94 years-----	94	25	69	88	22	66	6	3	3	4	2	2
95-99 years-----	30	9	21	27	8	19	3	1	2	3	1	2
100 yrs & over---	14	1	13	11	1	10	3	-	3	3	-	3
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Cellulitis of finger and toe (L03.0)

All ages-----	4	1	3	4	1	3	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Cellulitis of other parts of limb (L03.1)												
All ages-----	273	119	154	241	100	141	32	19	13	29	16	13
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	3	3	-	3	3	-	-	-	-	-	-	-
40-44 years-----	5	4	1	3	3	-	2	1	1	2	1	1
45-49 years-----	13	9	4	7	4	3	6	5	1	6	5	1
50-54 years-----	8	7	1	7	6	1	1	1	-	1	1	-
55-59 years-----	16	11	5	12	9	3	4	2	2	4	2	2
60-64 years-----	11	3	8	9	1	8	2	2	-	2	2	-
65-69 years-----	16	12	4	13	11	2	3	1	2	2	-	2
70-74 years-----	25	12	13	23	11	12	2	1	1	1	-	1
75-79 years-----	30	6	24	28	5	23	2	1	1	2	1	1
80-84 years-----	36	15	21	33	13	20	3	2	1	3	2	1
85-89 years-----	55	24	31	52	22	30	3	2	1	2	1	1
90-94 years-----	36	9	27	34	8	26	2	1	1	2	1	1
95-99 years-----	12	3	9	11	3	8	1	-	1	1	-	1
100 yrs & over---	6	-	6	5	-	5	1	-	1	1	-	1
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Cellulitis of face (L03.2)

All ages-----	9	2	7	9	2	7	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	4	2	2	4	2	2	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	3	-	3	3	-	3	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Cellulitis of trunk (L03.3)												
All ages-----	24	5	19	18	5	13	6	-	6	6	-	6
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	2	-	2	1	-	1	1	-	1	1	-	1
65-69 years-----	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years-----	4	-	4	3	-	3	1	-	1	1	-	1
75-79 years-----	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	5	1	4	3	1	2	2	-	2	2	-	2
90-94 years-----	3	1	2	2	1	1	1	-	1	1	-	1
95-99 years-----	2	-	2	1	-	1	1	-	1	1	-	1
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Cellulitis of other sites (L03.8)

All ages-----	14	5	9	13	5	8	1	-	1	1	-	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	2	-	2	1	-	1	1	-	1	1	-	1
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	4	2	2	4	2	2	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years-----	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years-----	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Cellulitis, unspecified (L03.9)												
All ages-----	375	147	228	337	130	207	38	17	21	29	13	16
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	6	4	2	4	3	1	2	1	1	1	-	1
35-39 years-----	5	3	2	3	2	1	2	1	1	1	1	-
40-44 years-----	5	3	2	3	2	1	2	1	1	1	-	1
45-49 years-----	15	12	3	11	10	1	4	2	2	3	2	1
50-54 years-----	11	7	4	9	6	3	2	1	1	2	1	1
55-59 years-----	10	4	6	9	3	6	1	1	-	1	1	-
60-64 years-----	19	10	9	16	9	7	3	1	2	3	1	2
65-69 years-----	22	8	14	19	8	11	3	-	3	2	-	2
70-74 years-----	42	17	25	36	16	20	6	1	5	5	1	4
75-79 years-----	42	13	29	41	12	29	1	1	-	1	1	-
80-84 years-----	62	24	38	60	22	38	2	2	-	1	1	-
85-89 years-----	61	19	42	57	17	40	4	2	2	4	2	2
90-94 years-----	49	14	35	46	12	34	3	2	1	1	1	-
95-99 years-----	14	5	9	13	4	9	1	1	-	1	1	-
100 yrs & over---	8	1	7	6	1	5	2	-	2	2	-	2
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other local infections of skin and subcutaneous tissue (L08)

All ages-----	150	71	79	122	59	63	28	12	16	26	12	14
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	2	1	1	1	1	-	1	-	1	1	-	1
45-49 years-----	10	5	5	5	2	3	5	3	2	5	3	2
50-54 years-----	6	3	3	3	1	2	3	2	1	3	2	1
55-59 years-----	8	6	2	5	4	1	3	2	1	3	2	1
60-64 years-----	8	5	3	6	5	1	2	-	2	2	-	2
65-69 years-----	14	9	5	12	9	3	2	-	2	1	-	1
70-74 years-----	11	4	7	10	4	6	1	-	1	1	-	1
75-79 years-----	16	7	9	14	5	9	2	2	-	2	2	-
80-84 years-----	23	13	10	21	12	9	2	1	1	2	1	1
85-89 years-----	16	8	8	16	8	8	-	-	-	-	-	-
90-94 years-----	18	5	13	15	5	10	3	-	3	2	-	2
95-99 years-----	15	4	11	12	2	10	3	2	1	3	2	1
100 yrs & over---	1	-	1	-	-	-	1	-	1	1	-	1
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Pyoderma (L08.0)												
All ages-----	3	2	1	3	2	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Local infection of skin and subcutaneous tissue, unspecified (L08.9)

All ages-----	147	69	78	119	57	62	28	12	16	26	12	14
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	2	1	1	1	1	-	1	-	1	1	-	1
45-49 years-----	10	5	5	5	2	3	5	3	2	5	3	2
50-54 years-----	6	3	3	3	1	2	3	2	1	3	2	1
55-59 years-----	8	6	2	5	4	1	3	2	1	3	2	1
60-64 years-----	8	5	3	6	5	1	2	-	2	2	-	2
65-69 years-----	14	9	5	12	9	3	2	-	2	1	-	1
70-74 years-----	11	4	7	10	4	6	1	-	1	1	-	1
75-79 years-----	16	7	9	14	5	9	2	2	-	2	2	-
80-84 years-----	22	12	10	20	11	9	2	1	1	2	1	1
85-89 years-----	15	7	8	15	7	8	-	-	-	-	-	-
90-94 years-----	18	5	13	15	5	10	3	-	3	2	-	2
95-99 years-----	14	4	10	11	2	9	3	2	1	3	2	1
100 yrs & over---	1	-	1	-	-	-	1	-	1	1	-	1
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Pemphigus (L10)												
All ages-----	43	15	28	37	13	24	6	2	4	5	1	4
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	-	-	-	1	-	1	1	-	1
45-49 years-----	1	1	-	-	-	-	1	1	-	1	1	-
50-54 years-----	1	1	-	-	-	-	1	1	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	2	-	2	1	-	1	1	-	1	1	-	1
70-74 years-----	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years-----	6	2	4	6	2	4	-	-	-	-	-	-
80-84 years-----	6	2	4	6	2	4	-	-	-	-	-	-
85-89 years-----	10	4	6	9	4	5	1	-	1	1	-	1
90-94 years-----	10	2	8	9	2	7	1	-	1	1	-	1
95-99 years-----	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Pemphigus vulgaris (L10.0)

All ages-----	11	5	6	8	4	4	3	1	2	2	-	2
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	-	-	-	1	-	1	1	-	1
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	-	-	-	1	1	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years-----	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years-----	3	1	2	2	1	1	1	-	1	1	-	1
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Pemphigus foliaceus (L10.2)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Other pemphigus (L10.8)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Pemphigus, unspecified (L10.9)												
All ages-----	30	9	21	27	8	19	3	1	2	3	1	2
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	-	-	-	1	1	-	1	1	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	2	-	2	1	-	1	1	-	1	1	-	1
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	6	2	4	6	2	4	-	-	-	-	-	-
80-84 years-----	4	1	3	4	1	3	-	-	-	-	-	-
85-89 years-----	7	2	5	6	2	4	1	-	1	1	-	1
90-94 years-----	6	1	5	6	1	5	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Pemphigoid (L12)												
All ages-----	73	21	52	57	16	41	16	5	11	14	4	10
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	2	1	1	2	1	1	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	5	2	3	2	2	-	3	-	3	3	-	3
70-74 years-----	5	3	2	3	2	1	2	1	1	2	1	1
75-79 years-----	9	3	6	8	3	5	1	-	1	1	-	1
80-84 years-----	14	7	7	9	5	4	5	2	3	4	1	3
85-89 years-----	18	2	16	16	1	15	2	1	1	1	1	-
90-94 years-----	11	2	9	8	1	7	3	1	2	3	1	2
95-99 years-----	7	1	6	7	1	6	-	-	-	-	-	-
100 yrs & over---	2	-	2	2	-	2	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Bullous pemphigoid (L12.0)												
All ages-----	57	17	40	46	13	33	11	4	7	9	3	6
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	3	1	2	1	1	-	2	-	2	2	-	2
70-74 years-----	3	2	1	2	1	1	1	1	-	1	1	-
75-79 years-----	8	2	6	7	2	5	1	-	1	1	-	1
80-84 years-----	12	7	5	8	5	3	4	2	2	3	1	2
85-89 years-----	14	2	12	12	1	11	2	1	1	1	1	-
90-94 years-----	8	1	7	7	1	6	1	-	1	1	-	1
95-99 years-----	6	1	5	6	1	5	-	-	-	-	-	-
100 yrs & over---	2	-	2	2	-	2	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Cicatricial pemphigoid (L12.1)

All ages-----	3	1	2	2	1	1	1	-	1	1	-	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	2	1	1	1	1	-	1	-	1	1	-	1
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other pemphigoid (L12.8)												
All ages-----	1	-	1	-	-	-	1	-	1	1	-	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	-	-	-	1	-	1	1	-	1
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Pemphigoid, unspecified (L12.9)												
All ages-----	12	3	9	9	2	7	3	1	2	3	1	2
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	1	-	1	-	-	-	1	-	1	1	-	1
85-89 years-----	4	-	4	4	-	4	-	-	-	-	-	-
90-94 years-----	3	1	2	1	-	1	2	1	1	2	1	1
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other bullous disorders (L13)												
All ages-----	6	1	5	4	1	3	2	-	2	2	-	2
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	3	-	3	2	-	2	1	-	1	1	-	1
85-89 years-----	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years-----	1	-	1	-	-	-	1	-	1	1	-	1
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Dermatitis herpetiformis (L13.0)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Subcorneal pustular dermatitis (L13.1)												
All ages-----	1	-	1	-	-	-	1	-	1	1	-	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	-	1	-	-	-	1	-	1	1	-	1
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Other specified bullous disorders (L13.8)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Bullous disorder, unspecified (L13.9)												
All ages-----	3	-	3	2	-	2	1	-	1	1	-	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	2	-	2	1	-	1	1	-	1	1	-	1
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Seborrheic dermatitis (L21)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Seborrheic infantile dermatitis (L21.1)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Exfoliative dermatitis (L26)												
All ages-----	12	7	5	6	4	2	6	3	3	6	3	3
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	-	-	-	1	1	-	1	1	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	2	-	2	-	-	-	2	-	2	2	-	2
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years-----	3	2	1	3	2	1	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	2	1	1	-	-	-	2	1	1	2	1	1
90-94 years-----	1	1	-	-	-	-	1	1	-	1	1	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Dermatitis due to substances taken internally (L27)												
All ages-----	2	-	2	1	-	1	1	-	1	1	-	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	2	-	2	1	-	1	1	-	1	1	-	1
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Generalized skin eruption due to drugs and medicaments (L27.0)

All ages-----	2	-	2	1	-	1	1	-	1	1	-	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	2	-	2	1	-	1	1	-	1	1	-	1
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other dermatitis (L30)												
All ages-----	15	6	9	11	5	6	4	1	3	3	1	2
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	-	-	-	1	1	-	1	1	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	1	-	1	-	-	-	1	-	1	1	-	1
70-74 years-----	2	-	2	1	-	1	1	-	1	1	-	1
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	3	3	-	3	3	-	-	-	-	-	-	-
85-89 years-----	1	-	1	-	-	-	1	-	1	-	-	-
90-94 years-----	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years-----	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other specified dermatitis (L30.8)

All ages-----	4	2	2	2	1	1	2	1	1	2	1	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	-	-	-	1	1	-	1	1	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	-	-	-	1	-	1	1	-	1
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Dermatitis, unspecified (L30.9)												
All ages-----	11	4	7	9	4	5	2	-	2	1	-	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	2	-	2	1	-	1	1	-	1	1	-	1
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	3	3	-	3	3	-	-	-	-	-	-	-
85-89 years-----	1	-	1	-	-	-	1	-	1	-	-	-
90-94 years-----	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Psoriasis (L40)												
All ages-----	25	11	14	21	11	10	4	-	4	4	-	4
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	-	1	-	-	-	1	-	1	1	-	1
35-39 years-----	2	1	1	1	1	-	1	-	1	1	-	1
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	3	2	1	3	2	1	-	-	-	-	-	-
60-64 years-----	4	3	1	3	3	-	1	-	1	1	-	1
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	6	2	4	6	2	4	-	-	-	-	-	-
75-79 years-----	7	3	4	6	3	3	1	-	1	1	-	1
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Generalized pustular psoriasis (L40.1)												
All ages-----	2	-	2	1	-	1	1	-	1	1	-	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	2	-	2	1	-	1	1	-	1	1	-	1
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Arthropathic psoriasis (L40.5)												
All ages-----	9	3	6	8	3	5	1	-	1	1	-	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	-	-	-	1	-	1	1	-	1
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	4	1	3	4	1	3	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other psoriasis (L40.8)												
All ages-----	1	-	1	-	-	-	1	-	1	1	-	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	1	-	-	-	1	-	1	1	-	1
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Psoriasis, unspecified (L40.9)												
All ages-----	13	8	5	12	8	4	1	-	1	1	-	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	-	1	-	-	-	1	-	1	1	-	1
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	3	2	1	3	2	1	-	-	-	-	-	-
60-64 years-----	2	2	-	2	2	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years-----	4	2	2	4	2	2	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Urticaria (L50)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Other urticaria (L50.8)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Erythema multiforme (L51)												
All ages-----	122	48	74	71	26	45	51	22	29	48	22	26
Under 1 year----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	2	1	1	1	-	1	1	1	-	1	1	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	1	1	-	-	-	-	1	1	-	1	1	-
20-24 years-----	1	1	-	-	-	-	1	1	-	1	1	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	4	1	3	4	1	3	-	-	-	-	-	-
35-39 years-----	6	3	3	1	-	1	5	3	2	5	3	2
40-44 years-----	4	1	3	3	1	2	1	-	1	1	-	1
45-49 years-----	8	5	3	4	3	1	4	2	2	4	2	2
50-54 years-----	11	4	7	5	1	4	6	3	3	6	3	3
55-59 years-----	7	3	4	3	2	1	4	1	3	4	1	3
60-64 years-----	4	1	3	3	1	2	1	-	1	1	-	1
65-69 years-----	8	2	6	4	1	3	4	1	3	4	1	3
70-74 years-----	5	2	3	-	-	-	5	2	3	5	2	3
75-79 years-----	18	8	10	10	4	6	8	4	4	7	4	3
80-84 years-----	19	9	10	14	6	8	5	3	2	5	3	2
85-89 years-----	13	3	10	9	3	6	4	-	4	3	-	3
90-94 years-----	6	1	5	6	1	5	-	-	-	-	-	-
95-99 years-----	1	-	1	-	-	-	1	-	1	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Bullous erythema multiforme (L51.1)												
All ages-----	51	20	31	30	14	16	21	6	15	19	6	13
Under 1 year----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	2	1	1	1	-	1	1	1	-	1	1	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	-	-	-	1	1	-	1	1	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	1	-	1	-	-	-	1	-	1	1	-	1
40-44 years-----	3	1	2	2	1	1	1	-	1	1	-	1
45-49 years-----	5	2	3	2	1	1	3	1	2	3	1	2
50-54 years-----	4	1	3	4	1	3	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	3	-	3	-	-	-	3	-	3	3	-	3
75-79 years-----	12	4	8	7	3	4	5	1	4	4	1	3
80-84 years-----	8	5	3	5	3	2	3	2	1	3	2	1
85-89 years-----	6	1	5	3	1	2	3	-	3	2	-	2
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Toxic epidermal necrolysis [Lyell] (L51.2)												
All ages-----	63	25	38	33	9	24	30	16	14	29	16	13
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	1	1	-	-	-	-	1	1	-	1	1	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	3	1	2	3	1	2	-	-	-	-	-	-
35-39 years-----	5	3	2	1	-	1	4	3	1	4	3	1
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	2	2	-	1	1	-	1	1	-	1	1	-
50-54 years-----	7	3	4	1	-	1	6	3	3	6	3	3
55-59 years-----	5	2	3	1	1	-	4	1	3	4	1	3
60-64 years-----	4	1	3	3	1	2	1	-	1	1	-	1
65-69 years-----	6	1	5	2	-	2	4	1	3	4	1	3
70-74 years-----	2	2	-	-	-	-	2	2	-	2	2	-
75-79 years-----	6	4	2	3	1	2	3	3	-	3	3	-
80-84 years-----	9	4	5	7	3	4	2	1	1	2	1	1
85-89 years-----	5	1	4	4	1	3	1	-	1	1	-	1
90-94 years-----	4	-	4	4	-	4	-	-	-	-	-	-
95-99 years-----	1	-	1	-	-	-	1	-	1	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other erythema multiforme (L51.8)

All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Erythema multiforme, unspecified (L51.9)												
All ages-----	7	2	5	7	2	5	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	2	-	2	2	-	2	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Erythema nodosum (L52)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other erythematous conditions (L53)												
All ages-----	16	4	12	15	4	11	1	-	1	1	-	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	4	-	4	4	-	4	-	-	-	-	-	-
70-74 years-----	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years-----	5	1	4	4	1	3	1	-	1	1	-	1
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other specified erythematous conditions (L53.8)

All ages-----	1	-	1	-	-	-	1	-	1	1	-	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	-	-	-	1	-	1	1	-	1
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Erythematous condition, unspecified (L53.9)												
All ages-----	15	4	11	15	4	11	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	4	-	4	4	-	4	-	-	-	-	-	-
70-74 years-----	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years-----	4	1	3	4	1	3	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Skin changes due to chronic exposure to nonionizing radiation (L57)

All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Actinic keratosis (L57.0)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Follicular cysts of skin and subcutaneous tissue (L72)												
All ages-----	3	-	3	3	-	3	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Epidermal cyst (L72.0)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Trichilemmal cyst (L72.1)												
All ages-----	2	-	2	2	-	2	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other follicular disorders (L73)												
All ages-----	3	3	-	2	2	-	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	1	1	-	-	-	-	1	1	-	1	1	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Hidradenitis suppurativa (L73.2)

All ages-----	3	3	-	2	2	-	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	1	1	-	-	-	-	1	1	-	1	1	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other disorders of pigmentation (L81)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Other melanin hyperpigmentation (L81.4)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other epidermal thickening (L85)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other specified epidermal thickening (L85.8)

All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Pyoderma gangrenosum (L88)												
All ages-----	7	4	3	5	3	2	2	1	1	2	1	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	-	-	-	1	1	-	1	1	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	1	-	1	-	-	-	1	-	1	1	-	1
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Decubitus ulcer (L89)												
All ages-----	1,842	624	1,218	1,173	398	775	669	226	443	645	214	431
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	7	5	2	4	3	1	3	2	1	3	2	1
35-39 years-----	6	3	3	4	1	3	2	2	-	2	2	-
40-44 years-----	12	6	6	5	2	3	7	4	3	7	4	3
45-49 years-----	14	6	8	6	1	5	8	5	3	8	5	3
50-54 years-----	19	11	8	11	7	4	8	4	4	8	4	4
55-59 years-----	21	9	12	6	2	4	15	7	8	14	6	8
60-64 years-----	46	24	22	19	9	10	27	15	12	26	14	12
65-69 years-----	87	50	37	46	28	18	41	22	19	38	21	17
70-74 years-----	153	75	78	93	45	48	60	30	30	59	29	30
75-79 years-----	270	106	164	163	65	98	107	41	66	102	38	64
80-84 years-----	355	122	233	243	85	158	112	37	75	107	35	72
85-89 years-----	401	122	279	282	90	192	119	32	87	114	30	84
90-94 years-----	282	60	222	192	45	147	90	15	75	87	14	73
95-99 years-----	138	21	117	84	14	70	54	7	47	54	7	47
100 yrs & over---	29	4	25	13	1	12	16	3	13	16	3	13
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Atrophic disorders of the skin (L90)												
All ages-----	2	1	1	1	1	-	1	-	1	1	-	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	-	-	-	1	-	1	1	-	1
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Scar conditions and fibrosis of skin (L90.5)

All ages-----	2	1	1	1	1	-	1	-	1	1	-	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	-	-	-	1	-	1	1	-	1
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

ALL RACES WHITE ALL OTHER BLACK

Granulomatous disorders of skin and subcutaneous tissue (L92)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	7	3	4	5	1	4	2	2	-	2	2	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	1	1	-	-	-	-	1	1	-	1	1	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	-	-	-	1	1	-	1	1	-
70-74 years-----	2	-	2	2	-	2	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other granulomatous disorders of skin and subcutaneous tissue (L92.8)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	3	2	1	1	-	1	2	2	-	2	2	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	-	-	-	1	1	-	1	1	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	-	-	-	1	1	-	1	1	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Granulomatous disorder of skin and subcutaneous tissue, unspecified (L92.9)												
All ages-----	4	1	3	4	1	3	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Lupus erythematosus (L93)												
All ages-----	219	33	186	154	25	129	65	8	57	59	8	51
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	-	1	-	-	-	1	-	1	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	2	1	1	1	1	-	1	-	1	1	-	1
20-24 years-----	7	1	6	1	-	1	6	1	5	4	1	3
25-29 years-----	7	-	7	4	-	4	3	-	3	3	-	3
30-34 years-----	6	3	3	3	1	2	3	2	1	3	2	1
35-39 years-----	10	1	9	4	1	3	6	-	6	6	-	6
40-44 years-----	26	3	23	14	1	13	12	2	10	11	2	9
45-49 years-----	20	3	17	16	3	13	4	-	4	4	-	4
50-54 years-----	20	1	19	10	1	9	10	-	10	9	-	9
55-59 years-----	15	2	13	11	2	9	4	-	4	4	-	4
60-64 years-----	14	3	11	13	3	10	1	-	1	1	-	1
65-69 years-----	13	4	9	12	3	9	1	1	-	1	1	-
70-74 years-----	16	4	12	11	3	8	5	1	4	5	1	4
75-79 years-----	16	1	15	13	1	12	3	-	3	2	-	2
80-84 years-----	21	2	19	18	2	16	3	-	3	3	-	3
85-89 years-----	14	3	11	12	2	10	2	1	1	2	1	1
90-94 years-----	9	-	9	9	-	9	-	-	-	-	-	-
95-99 years-----	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Discoid lupus erythematosus (L93.0)												
All ages-----	219	33	186	154	25	129	65	8	57	59	8	51
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	-	1	-	-	-	1	-	1	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	2	1	1	1	1	-	1	-	1	1	-	1
20-24 years-----	7	1	6	1	-	1	6	1	5	4	1	3
25-29 years-----	7	-	7	4	-	4	3	-	3	3	-	3
30-34 years-----	6	3	3	3	1	2	3	2	1	3	2	1
35-39 years-----	10	1	9	4	1	3	6	-	6	6	-	6
40-44 years-----	26	3	23	14	1	13	12	2	10	11	2	9
45-49 years-----	20	3	17	16	3	13	4	-	4	4	-	4
50-54 years-----	20	1	19	10	1	9	10	-	10	9	-	9
55-59 years-----	15	2	13	11	2	9	4	-	4	4	-	4
60-64 years-----	14	3	11	13	3	10	1	-	1	1	-	1
65-69 years-----	13	4	9	12	3	9	1	1	-	1	1	-
70-74 years-----	16	4	12	11	3	8	5	1	4	5	1	4
75-79 years-----	16	1	15	13	1	12	3	-	3	2	-	2
80-84 years-----	21	2	19	18	2	16	3	-	3	3	-	3
85-89 years-----	14	3	11	12	2	10	2	1	1	2	1	1
90-94 years-----	9	-	9	9	-	9	-	-	-	-	-	-
95-99 years-----	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other localized connective tissue disorders (L94)

All ages-----	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Localized connective tissue disorder, unspecified (L94.9)												
All ages-----	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Vasculitis limited to the skin, not elsewhere classified (L95)

All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other vasculitis limited to skin (L95.8)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Ulcer of lower limb, not elsewhere classified (L97)

All ages-----	154	55	99	128	44	84	26	11	15	25	11	14
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	-	-	-	1	1	-	1	1	-
45-49 years-----	4	2	2	3	1	2	1	1	-	1	1	-
50-54 years-----	3	3	-	1	1	-	2	2	-	2	2	-
55-59 years-----	5	3	2	4	2	2	1	1	-	1	1	-
60-64 years-----	2	-	2	1	-	1	1	-	1	1	-	1
65-69 years-----	8	4	4	5	3	2	3	1	2	3	1	2
70-74 years-----	8	3	5	7	3	4	1	-	1	1	-	1
75-79 years-----	15	5	10	13	4	9	2	1	1	2	1	1
80-84 years-----	17	6	11	14	5	9	3	1	2	3	1	2
85-89 years-----	40	14	26	33	12	21	7	2	5	6	2	4
90-94 years-----	36	14	22	33	13	20	3	1	2	3	1	2
95-99 years-----	10	-	10	9	-	9	1	-	1	1	-	1
100 yrs & over---	5	-	5	5	-	5	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other disorders of skin and subcutaneous tissue, not elsewhere classified (L98)												
All ages-----	154	47	107	134	42	92	20	5	15	20	5	15
Under 1 year-----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	2	-	2	2	-	2	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	6	2	4	4	1	3	2	1	1	2	1	1
60-64 years-----	6	2	4	5	2	3	1	-	1	1	-	1
65-69 years-----	15	5	10	15	5	10	-	-	-	-	-	-
70-74 years-----	16	3	13	14	3	11	2	-	2	2	-	2
75-79 years-----	26	13	13	19	11	8	7	2	5	7	2	5
80-84 years-----	31	8	23	29	7	22	2	1	1	2	1	1
85-89 years-----	22	5	17	20	5	15	2	-	2	2	-	2
90-94 years-----	17	4	13	15	4	11	2	-	2	2	-	2
95-99 years-----	7	2	5	5	1	4	2	1	1	2	1	1
100 yrs & over---	2	-	2	2	-	2	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Febrile neutrophilic dermatosis [Sweet] (L98.2)

All ages-----	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Chronic ulcer of skin, not elsewhere classified (L98.4)												
All ages-----	130	41	89	113	36	77	17	5	12	17	5	12
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	5	2	3	3	1	2	2	1	1	2	1	1
60-64 years-----	5	1	4	4	1	3	1	-	1	1	-	1
65-69 years-----	12	5	7	12	5	7	-	-	-	-	-	-
70-74 years-----	13	3	10	12	3	9	1	-	1	1	-	1
75-79 years-----	22	11	11	15	9	6	7	2	5	7	2	5
80-84 years-----	26	7	19	24	6	18	2	1	1	2	1	1
85-89 years-----	20	4	16	19	4	15	1	-	1	1	-	1
90-94 years-----	15	4	11	13	4	9	2	-	2	2	-	2
95-99 years-----	6	2	4	5	1	4	1	1	-	1	1	-
100 yrs & over---	2	-	2	2	-	2	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other specified disorders of skin and subcutaneous tissue (L98.8)

All ages-----	7	2	5	5	2	3	2	-	2	2	-	2
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	-	-	-	1	-	1	1	-	1
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	3	1	2	3	1	2	-	-	-	-	-	-
85-89 years-----	1	-	1	-	-	-	1	-	1	1	-	1
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Disorder of skin and subcutaneous tissue, unspecified (L98.9)												
All ages-----	15	3	12	14	3	11	1	-	1	1	-	1
Under 1 year----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	3	-	3	3	-	3	-	-	-	-	-	-
70-74 years-----	2	-	2	2	-	2	-	-	-	-	-	-
75-79 years-----	3	1	2	3	1	2	-	-	-	-	-	-
80-84 years-----	2	-	2	2	-	2	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years-----	1	-	1	-	-	-	1	-	1	1	-	1
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Pyogenic arthritis (M00)												
All ages-----	193	104	89	152	83	69	41	21	20	37	18	19
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	3	2	1	1	1	-	2	1	1	2	1	1
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	4	3	1	2	2	-	2	1	1	2	1	1
50-54 years-----	10	6	4	6	4	2	4	2	2	4	2	2
55-59 years-----	7	5	2	6	4	2	1	1	-	1	1	-
60-64 years-----	14	8	6	8	5	3	6	3	3	5	2	3
65-69 years-----	14	8	6	9	6	3	5	2	3	4	1	3
70-74 years-----	24	19	5	20	16	4	4	3	1	3	2	1
75-79 years-----	27	14	13	21	10	11	6	4	2	6	4	2
80-84 years-----	34	18	16	30	17	13	4	1	3	4	1	3
85-89 years-----	24	9	15	19	7	12	5	2	3	4	2	2
90-94 years-----	24	6	18	23	6	17	1	-	1	1	-	1
95-99 years-----	4	2	2	4	2	2	-	-	-	-	-	-
100 yrs & over---	2	2	-	1	1	-	1	1	-	1	1	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Staphylococcal arthritis and polyarthritis (M00.0)												
All ages-----	3	3	-	1	1	-	2	2	-	2	2	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	-	-	-	1	1	-	1	1	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	-	-	-	1	1	-	1	1	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Pneumococcal arthritis and polyarthritis (M00.1)

All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other streptococcal arthritis and polyarthritis (M00.2)												
All ages-----	2	1	1	-	-	-	2	1	1	2	1	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	-	-	-	1	-	1	1	-	1
70-74 years-----	1	1	-	-	-	-	1	1	-	1	1	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Pyogenic arthritis, unspecified (M00.9)												
All ages-----	187	100	87	150	82	68	37	18	19	33	15	18
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	3	2	1	1	1	-	2	1	1	2	1	1
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	3	2	1	2	2	-	1	-	1	1	-	1
50-54 years-----	10	6	4	6	4	2	4	2	2	4	2	2
55-59 years-----	7	5	2	6	4	2	1	1	-	1	1	-
60-64 years-----	14	8	6	8	5	3	6	3	3	5	2	3
65-69 years-----	12	7	5	9	6	3	3	1	2	2	-	2
70-74 years-----	23	18	5	20	16	4	3	2	1	2	1	1
75-79 years-----	27	14	13	21	10	11	6	4	2	6	4	2
80-84 years-----	33	18	15	29	17	12	4	1	3	4	1	3
85-89 years-----	23	8	15	18	6	12	5	2	3	4	2	2
90-94 years-----	24	6	18	23	6	17	1	-	1	1	-	1
95-99 years-----	4	2	2	4	2	2	-	-	-	-	-	-
100 yrs & over---	2	2	-	1	1	-	1	1	-	1	1	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Seropositive rheumatoid arthritis (M05)												
All ages-----	350	115	235	335	112	223	15	3	12	8	1	7
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	3	1	2	2	1	1	1	-	1	1	-	1
45-49 years-----	8	3	5	7	3	4	1	-	1	-	-	-
50-54 years-----	7	5	2	5	4	1	2	1	1	1	-	1
55-59 years-----	18	7	11	16	7	9	2	-	2	1	-	1
60-64 years-----	34	16	18	33	15	18	1	1	-	-	-	-
65-69 years-----	42	8	34	39	8	31	3	-	3	1	-	1
70-74 years-----	56	22	34	56	22	34	-	-	-	-	-	-
75-79 years-----	88	28	60	84	27	57	4	1	3	3	1	2
80-84 years-----	53	17	36	52	17	35	1	-	1	1	-	1
85-89 years-----	32	5	27	32	5	27	-	-	-	-	-	-
90-94 years-----	7	1	6	7	1	6	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Felty's syndrome (M05.0)

All ages-----	29	11	18	29	11	18	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	3	1	2	3	1	2	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	5	2	3	5	2	3	-	-	-	-	-	-
75-79 years-----	10	3	7	10	3	7	-	-	-	-	-	-
80-84 years-----	7	3	4	7	3	4	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Rheumatoid lung disease (M05.1)												
All ages-----	216	77	139	201	74	127	15	3	12	8	1	7
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	3	1	2	2	1	1	1	-	1	1	-	1
45-49 years-----	4	1	3	3	1	2	1	-	1	-	-	-
50-54 years-----	6	4	2	4	3	1	2	1	1	1	-	1
55-59 years-----	11	5	6	9	5	4	2	-	2	1	-	1
60-64 years-----	25	14	11	24	13	11	1	1	-	-	-	-
65-69 years-----	29	5	24	26	5	21	3	-	3	1	-	1
70-74 years-----	36	16	20	36	16	20	-	-	-	-	-	-
75-79 years-----	52	17	35	48	16	32	4	1	3	3	1	2
80-84 years-----	28	11	17	27	11	16	1	-	1	1	-	1
85-89 years-----	18	2	16	18	2	16	-	-	-	-	-	-
90-94 years-----	4	1	3	4	1	3	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatoid vasculitis (M05.2)												
All ages-----	62	14	48	62	14	48	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	3	1	2	3	1	2	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years-----	5	1	4	5	1	4	-	-	-	-	-	-
65-69 years-----	9	1	8	9	1	8	-	-	-	-	-	-
70-74 years-----	10	2	8	10	2	8	-	-	-	-	-	-
75-79 years-----	17	4	13	17	4	13	-	-	-	-	-	-
80-84 years-----	10	2	8	10	2	8	-	-	-	-	-	-
85-89 years-----	5	1	4	5	1	4	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Rheumatoid arthritis with involvement of other organs and systems (M05.3)												
All ages-----	43	13	30	43	13	30	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	2	-	2	2	-	2	-	-	-	-	-	-
60-64 years-----	3	-	3	3	-	3	-	-	-	-	-	-
65-69 years-----	3	1	2	3	1	2	-	-	-	-	-	-
70-74 years-----	5	2	3	5	2	3	-	-	-	-	-	-
75-79 years-----	9	4	5	9	4	5	-	-	-	-	-	-
80-84 years-----	8	1	7	8	1	7	-	-	-	-	-	-
85-89 years-----	8	2	6	8	2	6	-	-	-	-	-	-
90-94 years-----	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other rheumatoid arthritis (M06)

All ages-----	2,400	540	1,860	2,240	500	1,740	160	40	120	131	36	95
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	-	-	-	1	1	-	1	1	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	8	2	6	7	2	5	1	-	1	1	-	1
35-39 years-----	5	-	5	3	-	3	2	-	2	2	-	2
40-44 years-----	9	4	5	7	4	3	2	-	2	2	-	2
45-49 years-----	28	7	21	23	6	17	5	1	4	5	1	4
50-54 years-----	37	14	23	33	12	21	4	2	2	2	1	1
55-59 years-----	82	26	56	70	22	48	12	4	8	11	4	7
60-64 years-----	136	41	95	126	40	86	10	1	9	8	1	7
65-69 years-----	197	61	136	180	54	126	17	7	10	16	7	9
70-74 years-----	341	98	243	322	93	229	19	5	14	15	4	11
75-79 years-----	552	124	428	512	111	401	40	13	27	33	13	20
80-84 years-----	463	82	381	435	78	357	28	4	24	18	2	16
85-89 years-----	354	59	295	338	57	281	16	2	14	14	2	12
90-94 years-----	140	19	121	137	19	118	3	-	3	3	-	3
95-99 years-----	39	2	37	39	2	37	-	-	-	-	-	-
100 yrs & over---	7	-	7	7	-	7	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),

RACE, AND SEX - - - ALL RACES - - - - - - WHITE - - - - - - ALL OTHER - - - - - - BLACK - - -

Seronegative rheumatoid arthritis (M06.0)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Rheumatoid bursitis (M06.2)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Inflammatory polyarthropathy (M06.4)												
All ages-----	3	-	3	3	-	3	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other specified rheumatoid arthritis (M06.8)

All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Rheumatoid arthritis, unspecified (M06.9)												
All ages-----	2,394	539	1,855	2,234	499	1,735	160	40	120	131	36	95
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	-	-	-	1	1	-	1	1	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	8	2	6	7	2	5	1	-	1	1	-	1
35-39 years-----	5	-	5	3	-	3	2	-	2	2	-	2
40-44 years-----	8	3	5	6	3	3	2	-	2	2	-	2
45-49 years-----	28	7	21	23	6	17	5	1	4	5	1	4
50-54 years-----	37	14	23	33	12	21	4	2	2	2	1	1
55-59 years-----	82	26	56	70	22	48	12	4	8	11	4	7
60-64 years-----	136	41	95	126	40	86	10	1	9	8	1	7
65-69 years-----	197	61	136	180	54	126	17	7	10	16	7	9
70-74 years-----	341	98	243	322	93	229	19	5	14	15	4	11
75-79 years-----	551	124	427	511	111	400	40	13	27	33	13	20
80-84 years-----	462	82	380	434	78	356	28	4	24	18	2	16
85-89 years-----	352	59	293	336	57	279	16	2	14	14	2	12
90-94 years-----	139	19	120	136	19	117	3	-	3	3	-	3
95-99 years-----	39	2	37	39	2	37	-	-	-	-	-	-
100 yrs & over---	7	-	7	7	-	7	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Juvenile arthritis (M08)												
All ages-----	13	2	11	10	1	9	3	1	2	2	1	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	-	1	-	-	-	1	-	1	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	-	-	-	1	-	1	1	-	1
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	1	1	-	-	-	-	1	1	-	1	1	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	4	-	4	4	-	4	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Juvenile rheumatoid arthritis (M08.0)												
All ages-----	12	2	10	10	1	9	2	1	1	1	1	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	-	1	-	-	-	1	-	1	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	1	1	-	-	-	-	1	1	-	1	1	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	4	-	4	4	-	4	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Juvenile arthritis with systemic onset (M08.2)

All ages-----	1	-	1	-	-	-	1	-	1	1	-	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	-	-	-	1	-	1	1	-	1
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Gout (M10)												
All ages-----	62	39	23	45	30	15	17	9	8	13	7	6
Under 1 year-----	1	-	1	-	-	-	1	-	1	1	-	1
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	-	-	-	1	1	-	1	1	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	-	-	-	1	-	1	1	-	1
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	2	2	-	-	-	-	2	2	-	1	1	-
60-64 years-----	2	2	-	1	1	-	1	1	-	1	1	-
65-69 years-----	2	2	-	1	1	-	1	1	-	1	1	-
70-74 years-----	7	6	1	5	5	-	2	1	1	2	1	1
75-79 years-----	11	5	6	9	5	4	2	-	2	1	-	1
80-84 years-----	14	8	6	10	6	4	4	2	2	3	2	1
85-89 years-----	10	7	3	9	6	3	1	1	-	-	-	-
90-94 years-----	7	3	4	7	3	4	-	-	-	-	-	-
95-99 years-----	2	1	1	1	1	-	1	-	1	1	-	1
100 yrs & over---	1	1	-	1	1	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Idiopathic gout (M10.0)												
All ages-----	20	14	6	12	11	1	8	3	5	6	3	3
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	-	-	-	1	-	1	1	-	1
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	-	-	-	1	1	-	1	1	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	1	1	-	-	-	-	1	1	-	1	1	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	5	2	3	3	2	1	2	-	2	1	-	1
80-84 years-----	4	3	1	2	2	-	2	1	1	1	1	-
85-89 years-----	3	3	-	3	3	-	-	-	-	-	-	-
90-94 years-----	2	2	-	2	2	-	-	-	-	-	-	-
95-99 years-----	1	-	1	-	-	-	1	-	1	1	-	1
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Gout due to impairment of renal function (M10.3)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Gout, unspecified (M10.9)												
All ages-----	41	24	17	32	18	14	9	6	3	7	4	3
Under 1 year-----	1	-	1	-	-	-	1	-	1	1	-	1
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	-	-	-	1	1	-	1	1	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	1	1	-	-	-	-	1	1	-	-	-	-
60-64 years-----	1	1	-	-	-	-	1	1	-	1	1	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	6	5	1	4	4	-	2	1	1	2	1	1
75-79 years-----	6	3	3	6	3	3	-	-	-	-	-	-
80-84 years-----	10	5	5	8	4	4	2	1	1	2	1	1
85-89 years-----	6	3	3	5	2	3	1	1	-	-	-	-
90-94 years-----	5	1	4	5	1	4	-	-	-	-	-	-
95-99 years-----	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over---	1	1	-	1	1	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),

RACE, AND SEX - - - ALL RACES - - - - - - WHITE - - - - - - ALL OTHER - - - - - - BLACK - - -

TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Other crystal arthropathies (M11)

All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Crystal arthropathy, unspecified (M11.9)

All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other specific arthropathies (M12)												
All ages-----	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Palindromic rheumatism (M12.3)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Traumatic arthropathy (M12.5)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Other arthritis (M13)												
All ages-----	331	83	248	301	76	225	30	7	23	23	6	17
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	-	-	-	1	-	1	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	6	1	5	5	1	4	1	-	1	1	-	1
60-64 years-----	5	3	2	3	2	1	2	1	1	1	1	-
65-69 years-----	17	8	9	14	7	7	3	1	2	3	1	2
70-74 years-----	23	13	10	19	11	8	4	2	2	3	2	1
75-79 years-----	26	7	19	24	6	18	2	1	1	2	1	1
80-84 years-----	50	15	35	47	14	33	3	1	2	1	-	1
85-89 years-----	74	12	62	71	12	59	3	-	3	3	-	3
90-94 years-----	76	13	63	71	13	58	5	-	5	3	-	3
95-99 years-----	43	9	34	39	8	31	4	1	3	4	1	3
100 yrs & over---	8	1	7	6	1	5	2	-	2	2	-	2
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Polyarthritis, unspecified (M13.0)												
All ages-----	8	3	5	6	2	4	2	1	1	2	1	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	2	-	2	1	-	1	1	-	1	1	-	1
70-74 years-----	1	1	-	-	-	-	1	1	-	1	1	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Arthritis, unspecified (M13.9)

All ages-----	323	80	243	295	74	221	28	6	22	21	5	16
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	-	-	-	1	-	1	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	6	1	5	5	1	4	1	-	1	1	-	1
60-64 years-----	5	3	2	3	2	1	2	1	1	1	1	-
65-69 years-----	15	8	7	13	7	6	2	1	1	2	1	1
70-74 years-----	22	12	10	19	11	8	3	1	2	2	1	1
75-79 years-----	25	7	18	23	6	17	2	1	1	2	1	1
80-84 years-----	48	14	34	45	13	32	3	1	2	1	-	1
85-89 years-----	74	12	62	71	12	59	3	-	3	3	-	3
90-94 years-----	75	13	62	70	13	57	5	-	5	3	-	3
95-99 years-----	43	9	34	39	8	31	4	1	3	4	1	3
100 yrs & over---	8	1	7	6	1	5	2	-	2	2	-	2
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Polyarthrosis (M15)												
All ages-----	26	3	23	24	3	21	2	-	2	2	-	2
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	2	-	2	2	-	2	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	3	-	3	2	-	2	1	-	1	1	-	1
85-89 years-----	5	1	4	5	1	4	-	-	-	-	-	-
90-94 years-----	10	2	8	10	2	8	-	-	-	-	-	-
95-99 years-----	6	-	6	5	-	5	1	-	1	1	-	1
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Polyarthrosis, unspecified (M15.9)

All ages-----	26	3	23	24	3	21	2	-	2	2	-	2
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	2	-	2	2	-	2	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	3	-	3	2	-	2	1	-	1	1	-	1
85-89 years-----	5	1	4	5	1	4	-	-	-	-	-	-
90-94 years-----	10	2	8	10	2	8	-	-	-	-	-	-
95-99 years-----	6	-	6	5	-	5	1	-	1	1	-	1
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Coxarthrosis [arthrosis of hip] (M16)												
All ages-----	18	8	10	17	8	9	1	-	1	1	-	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	2	2	-	2	2	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	3	1	2	3	1	2	-	-	-	-	-	-
80-84 years-----	5	3	2	5	3	2	-	-	-	-	-	-
85-89 years-----	4	1	3	4	1	3	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	1	-	1	-	-	-	1	-	1	1	-	1
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Coxarthrosis, unspecified (M16.9)

All ages-----	18	8	10	17	8	9	1	-	1	1	-	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	2	2	-	2	2	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	3	1	2	3	1	2	-	-	-	-	-	-
80-84 years-----	5	3	2	5	3	2	-	-	-	-	-	-
85-89 years-----	4	1	3	4	1	3	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	1	-	1	-	-	-	1	-	1	1	-	1
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Gonarthrosis [arthrosis of knee] (M17)												
All ages-----	22	9	13	20	7	13	2	2	-	2	2	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	2	1	1	1	-	1	1	1	-	1	1	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years-----	3	2	1	3	2	1	-	-	-	-	-	-
80-84 years-----	3	1	2	3	1	2	-	-	-	-	-	-
85-89 years-----	6	3	3	5	2	3	1	1	-	1	1	-
90-94 years-----	3	1	2	3	1	2	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Gonarthrosis, unspecified (M17.9)

All ages-----	22	9	13	20	7	13	2	2	-	2	2	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	2	1	1	1	-	1	1	1	-	1	1	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years-----	3	2	1	3	2	1	-	-	-	-	-	-
80-84 years-----	3	1	2	3	1	2	-	-	-	-	-	-
85-89 years-----	6	3	3	5	2	3	1	1	-	1	1	-
90-94 years-----	3	1	2	3	1	2	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other arthrosis (M19)												
All ages-----	775	196	579	701	173	528	74	23	51	66	20	46
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	-	-	-	1	1	-	1	1	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	4	1	3	2	-	2	2	1	1	2	1	1
50-54 years-----	3	2	1	3	2	1	-	-	-	-	-	-
55-59 years-----	3	2	1	2	2	-	1	-	1	1	-	1
60-64 years-----	12	4	8	7	1	6	5	3	2	4	3	1
65-69 years-----	16	6	10	12	4	8	4	2	2	3	2	1
70-74 years-----	29	10	19	22	7	15	7	3	4	6	3	3
75-79 years-----	76	33	43	63	26	37	13	7	6	12	6	6
80-84 years-----	122	37	85	115	37	78	7	-	7	7	-	7
85-89 years-----	170	41	129	159	40	119	11	1	10	10	1	9
90-94 years-----	207	41	166	193	36	157	14	5	9	12	3	9
95-99 years-----	93	13	80	89	13	76	4	-	4	4	-	4
100 yrs & over---	38	4	34	33	4	29	5	-	5	4	-	4
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Primary arthrosis of other joints (M19.0)

All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

RACE, AND SEX

Secondary arthrosis of other joints (M19.2)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	4	2	2	4	2	2	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	3	1	2	3	1	2	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other specified arthrosis (M19.8)

All ages-----	5	2	3	4	1	3	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	-	-	-	1	1	-	1	1	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Arthritis, unspecified (M19.9)												
All ages-----	765	192	573	692	170	522	73	22	51	65	19	46
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	4	1	3	2	-	2	2	1	1	2	1	1
50-54 years-----	3	2	1	3	2	1	-	-	-	-	-	-
55-59 years-----	3	2	1	2	2	-	1	-	1	1	-	1
60-64 years-----	12	4	8	7	1	6	5	3	2	4	3	1
65-69 years-----	15	6	9	11	4	7	4	2	2	3	2	1
70-74 years-----	27	9	18	20	6	14	7	3	4	6	3	3
75-79 years-----	76	33	43	63	26	37	13	7	6	12	6	6
80-84 years-----	120	37	83	113	37	76	7	-	7	7	-	7
85-89 years-----	169	40	129	158	39	119	11	1	10	10	1	9
90-94 years-----	204	40	164	190	35	155	14	5	9	12	3	9
95-99 years-----	93	13	80	89	13	76	4	-	4	4	-	4
100 yrs & over---	38	4	34	33	4	29	5	-	5	4	-	4
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Acquired deformities of fingers and toes (M20)

All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Hallux valgus (acquired) (M20.1)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other acquired deformities of limbs (M21)

All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Acquired deformity of limb, unspecified (M21.9)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Other specific joint derangements (M24)												
All ages-----	12	6	6	11	5	6	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	3	2	1	2	1	1	1	1	-	1	1	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	3	2	1	3	2	1	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Recurrent dislocation and subluxation of joint (M24.4)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Contracture of joint (M24.5)												
All ages-----	8	6	2	7	5	2	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	2	2	-	1	1	-	1	1	-	1	1	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	2	2	-	2	2	-	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Ankylosis of joint (M24.6)												
All ages-----	3	-	3	3	-	3	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other joint disorders, not elsewhere classified (M25)

All ages-----	52	30	22	50	29	21	2	1	1	2	1	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	6	5	1	6	5	1	-	-	-	-	-	-
70-74 years-----	8	5	3	7	4	3	1	1	-	1	1	-
75-79 years-----	8	5	3	8	5	3	-	-	-	-	-	-
80-84 years-----	6	2	4	6	2	4	-	-	-	-	-	-
85-89 years-----	12	6	6	11	6	5	1	-	1	1	-	1
90-94 years-----	6	2	4	6	2	4	-	-	-	-	-	-
95-99 years-----	2	2	-	2	2	-	-	-	-	-	-	-
100 yrs & over---	1	1	-	1	1	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Effusion of joint (M25.4)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Osteophyte (M25.7)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other specified joint disorders (M25.8)												
All ages-----	4	1	3	4	1	3	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Joint disorder, unspecified (M25.9)

All ages-----	46	28	18	44	27	17	2	1	1	2	1	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	5	4	1	5	4	1	-	-	-	-	-	-
70-74 years-----	7	5	2	6	4	2	1	1	-	1	1	-
75-79 years-----	7	5	2	7	5	2	-	-	-	-	-	-
80-84 years-----	5	2	3	5	2	3	-	-	-	-	-	-
85-89 years-----	10	5	5	9	5	4	1	-	1	1	-	1
90-94 years-----	6	2	4	6	2	4	-	-	-	-	-	-
95-99 years-----	2	2	-	2	2	-	-	-	-	-	-	-
100 yrs & over---	1	1	-	1	1	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Polyarteritis nodosa and related conditions (M30)												
All ages-----	107	55	52	96	50	46	11	5	6	10	5	5
Under 1 year-----	1	-	1	-	-	-	1	-	1	1	-	1
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	-	-	-	1	1	-	1	1	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	6	4	2	4	3	1	2	1	1	2	1	1
45-49 years-----	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years-----	7	4	3	6	4	2	1	-	1	-	-	-
55-59 years-----	7	4	3	7	4	3	-	-	-	-	-	-
60-64 years-----	10	4	6	8	4	4	2	-	2	2	-	2
65-69 years-----	7	4	3	5	3	2	2	1	1	2	1	1
70-74 years-----	16	9	7	15	8	7	1	1	-	1	1	-
75-79 years-----	21	11	10	21	11	10	-	-	-	-	-	-
80-84 years-----	18	7	11	17	6	11	1	1	-	1	1	-
85-89 years-----	7	2	5	7	2	5	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Polyarteritis nodosa (M30.0)

All ages-----	74	37	37	65	32	33	9	5	4	8	5	3
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	-	-	-	1	1	-	1	1	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	3	3	-	2	2	-	1	1	-	1	1	-
45-49 years-----	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years-----	4	1	3	3	1	2	1	-	1	-	-	-
55-59 years-----	4	2	2	4	2	2	-	-	-	-	-	-
60-64 years-----	5	1	4	3	1	2	2	-	2	2	-	2
65-69 years-----	4	3	1	2	2	-	2	1	1	2	1	1
70-74 years-----	13	7	6	12	6	6	1	1	-	1	1	-
75-79 years-----	15	8	7	15	8	7	-	-	-	-	-	-
80-84 years-----	13	5	8	12	4	8	1	1	-	1	1	-
85-89 years-----	7	2	5	7	2	5	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Polyarteritis with lung involvement [Churg-Strauss] (M30.1)												
All ages-----	31	17	14	30	17	13	1	-	1	1	-	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	3	1	2	2	1	1	1	-	1	1	-	1
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	3	3	-	3	3	-	-	-	-	-	-	-
55-59 years-----	3	2	1	3	2	1	-	-	-	-	-	-
60-64 years-----	5	3	2	5	3	2	-	-	-	-	-	-
65-69 years-----	3	1	2	3	1	2	-	-	-	-	-	-
70-74 years-----	3	2	1	3	2	1	-	-	-	-	-	-
75-79 years-----	6	3	3	6	3	3	-	-	-	-	-	-
80-84 years-----	5	2	3	5	2	3	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Mucocutaneous lymph node syndrome [Kawasaki] (M30.3)

All ages-----	2	1	1	1	1	-	1	-	1	1	-	1
Under 1 year-----	1	-	1	-	-	-	1	-	1	1	-	1
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other necrotizing vasculopathies (M31)												
All ages-----	943	366	577	780	312	468	163	54	109	143	48	95
Under 1 year----	2	2	-	1	1	-	1	1	-	1	1	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	1	-	-	-	-	1	1	-	1	1	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	8	1	7	5	1	4	3	-	3	3	-	3
20-24 years-----	13	5	8	7	3	4	6	2	4	5	2	3
25-29 years-----	17	6	11	10	4	6	7	2	5	6	2	4
30-34 years-----	20	7	13	11	5	6	9	2	7	9	2	7
35-39 years-----	32	13	19	19	7	12	13	6	7	11	6	5
40-44 years-----	38	14	24	19	7	12	19	7	12	19	7	12
45-49 years-----	48	14	34	27	9	18	21	5	16	21	5	16
50-54 years-----	57	22	35	38	16	22	19	6	13	17	4	13
55-59 years-----	55	23	32	46	19	27	9	4	5	7	3	4
60-64 years-----	67	23	44	54	20	34	13	3	10	13	3	10
65-69 years-----	99	39	60	89	36	53	10	3	7	9	2	7
70-74 years-----	117	50	67	104	46	58	13	4	9	11	4	7
75-79 years-----	138	63	75	130	60	70	8	3	5	4	3	1
80-84 years-----	122	46	76	117	43	74	5	3	2	2	1	1
85-89 years-----	82	24	58	78	23	55	4	1	3	2	1	1
90-94 years-----	21	10	11	20	9	11	1	1	-	1	1	-
95-99 years-----	6	3	3	5	3	2	1	-	1	1	-	1
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Hypersensitivity angiitis (M31.0)

All ages-----	102	39	63	87	36	51	15	3	12	8	2	6
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	2	1	1	1	1	-	1	-	1	-	-	-
25-29 years-----	3	-	3	3	-	3	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	2	-	2	1	-	1	1	-	1	-	-	-
40-44 years-----	3	1	2	2	1	1	1	-	1	1	-	1
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	7	4	3	5	3	2	2	1	1	2	1	1
55-59 years-----	5	-	5	4	-	4	1	-	1	1	-	1
60-64 years-----	6	2	4	6	2	4	-	-	-	-	-	-
65-69 years-----	12	3	9	9	2	7	3	1	2	2	-	2
70-74 years-----	10	4	6	8	4	4	2	-	2	1	-	1
75-79 years-----	22	11	11	18	10	8	4	1	3	1	1	-
80-84 years-----	17	8	9	17	8	9	-	-	-	-	-	-
85-89 years-----	9	3	6	9	3	6	-	-	-	-	-	-
90-94 years-----	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
 ON THE TENTH REVISION
 INTERNATIONAL CLASSIFICATION
 OF DISEASES, 1992),
 RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Thrombotic microangiopathy (M31.1)												
All ages-----	384	132	252	263	94	169	121	38	83	113	35	78
Under 1 year-----	2	2	-	1	1	-	1	1	-	1	1	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	1	-	-	-	-	1	1	-	1	1	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	6	1	5	3	1	2	3	-	3	3	-	3
20-24 years-----	7	2	5	4	1	3	3	1	2	3	1	2
25-29 years-----	12	6	6	5	4	1	7	2	5	6	2	4
30-34 years-----	16	5	11	7	3	4	9	2	7	9	2	7
35-39 years-----	24	10	14	13	5	8	11	5	6	10	5	5
40-44 years-----	30	11	19	12	4	8	18	7	11	18	7	11
45-49 years-----	39	10	29	19	6	13	20	4	16	20	4	16
50-54 years-----	38	10	28	24	7	17	14	3	11	13	2	11
55-59 years-----	23	8	15	19	6	13	4	2	2	3	1	2
60-64 years-----	37	10	27	27	7	20	10	3	7	10	3	7
65-69 years-----	40	15	25	34	13	21	6	2	4	6	2	4
70-74 years-----	31	10	21	24	8	16	7	2	5	6	2	4
75-79 years-----	30	15	15	28	14	14	2	1	1	1	1	-
80-84 years-----	29	11	18	27	9	18	2	2	-	1	1	-
85-89 years-----	10	1	9	8	1	7	2	-	2	1	-	1
90-94 years-----	7	3	4	7	3	4	-	-	-	-	-	-
95-99 years-----	2	1	1	1	1	-	1	-	1	1	-	1
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Wegener's granulomatosis (M31.3)												
All ages-----	312	152	160	293	142	151	19	10	9	16	8	8
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	2	-	2	2	-	2	-	-	-	-	-	-
20-24 years-----	1	1	-	-	-	-	1	1	-	1	1	-
25-29 years-----	2	-	2	2	-	2	-	-	-	-	-	-
30-34 years-----	2	1	1	2	1	1	-	-	-	-	-	-
35-39 years-----	4	1	3	4	1	3	-	-	-	-	-	-
40-44 years-----	5	2	3	5	2	3	-	-	-	-	-	-
45-49 years-----	8	4	4	7	3	4	1	1	-	1	1	-
50-54 years-----	12	8	4	9	6	3	3	2	1	2	1	1
55-59 years-----	21	14	7	19	13	6	2	1	1	2	1	1
60-64 years-----	24	11	13	21	11	10	3	-	3	3	-	3
65-69 years-----	40	20	20	40	20	20	-	-	-	-	-	-
70-74 years-----	59	32	27	57	31	26	2	1	1	2	1	1
75-79 years-----	63	28	35	61	27	34	2	1	1	2	1	1
80-84 years-----	38	19	19	35	18	17	3	1	2	1	-	1
85-89 years-----	28	10	18	27	9	18	1	1	-	1	1	-
90-94 years-----	3	1	2	2	-	2	1	1	-	1	1	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Aortic arch syndrome [Takayasu] (M31.4)												
All ages-----	9	2	7	7	2	5	2	-	2	1	-	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	2	-	2	1	-	1	1	-	1	1	-	1
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	2	-	2	1	-	1	1	-	1	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	3	-	3	3	-	3	-	-	-	-	-	-
70-74 years-----	2	2	-	2	2	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Other giant cell arteritis (M31.6)												
All ages-----	127	36	91	123	35	88	4	1	3	3	1	2
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	2	-	2	2	-	2	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	3	1	2	2	1	1	1	-	1	1	-	1
70-74 years-----	15	2	13	13	1	12	2	1	1	2	1	1
75-79 years-----	23	9	14	23	9	14	-	-	-	-	-	-
80-84 years-----	37	7	30	37	7	30	-	-	-	-	-	-
85-89 years-----	33	10	23	32	10	22	1	-	1	-	-	-
90-94 years-----	9	5	4	9	5	4	-	-	-	-	-	-
95-99 years-----	4	2	2	4	2	2	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other specified necrotizing vasculopathies (M31.8)												
All ages-----	6	3	3	4	1	3	2	2	-	2	2	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	-	-	-	1	1	-	1	1	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	2	1	1	1	-	1	1	1	-	1	1	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Necrotizing vasculopathy, unspecified (M31.9)

All ages-----	3	2	1	3	2	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Systemic lupus erythematosus (M32)												
All ages-----	1,322	188	1,134	833	130	703	489	58	431	432	48	384
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	6	1	5	2	1	1	4	-	4	3	-	3
15-19 years-----	25	4	21	8	2	6	17	2	15	14	1	13
20-24 years-----	57	10	47	22	3	19	35	7	28	33	7	26
25-29 years-----	62	4	58	29	2	27	33	2	31	29	2	27
30-34 years-----	74	12	62	32	6	26	42	6	36	36	5	31
35-39 years-----	115	14	101	47	6	41	68	8	60	59	6	53
40-44 years-----	126	15	111	58	6	52	68	9	59	65	8	57
45-49 years-----	133	16	117	77	10	67	56	6	50	54	6	48
50-54 years-----	117	17	100	71	13	58	46	4	42	34	2	32
55-59 years-----	92	13	79	63	9	54	29	4	25	27	4	23
60-64 years-----	87	11	76	67	9	58	20	2	18	17	1	16
65-69 years-----	98	11	87	67	8	59	31	3	28	28	3	25
70-74 years-----	108	17	91	87	15	72	21	2	19	19	2	17
75-79 years-----	98	18	80	89	17	72	9	1	8	7	-	7
80-84 years-----	64	13	51	59	13	46	5	-	5	3	-	3
85-89 years-----	40	7	33	39	7	32	1	-	1	1	-	1
90-94 years-----	15	4	11	12	2	10	3	2	1	2	1	1
95-99 years-----	3	1	2	3	1	2	-	-	-	-	-	-
100 yrs & over---	2	-	2	1	-	1	1	-	1	1	-	1
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Drug-induced systemic lupus erythematosus (M32.0)

All ages-----	3	2	1	1	1	-	2	1	1	2	1	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	-	-	-	1	1	-	1	1	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	-	1	-	-	-	1	-	1	1	-	1
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Systemic lupus erythematosus with organ or system involvement (M32.1)												
All ages-----	1,149	165	984	725	115	610	424	50	374	373	41	332
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	3	-	3	-	-	-	3	-	3	2	-	2
15-19 years-----	22	4	18	7	2	5	15	2	13	13	1	12
20-24 years-----	47	8	39	19	3	16	28	5	23	26	5	21
25-29 years-----	52	3	49	26	2	24	26	1	25	23	1	22
30-34 years-----	66	10	56	24	4	20	42	6	36	36	5	31
35-39 years-----	97	12	85	41	5	36	56	7	49	48	5	43
40-44 years-----	111	14	97	55	6	49	56	8	48	53	7	46
45-49 years-----	120	15	105	69	10	59	51	5	46	49	5	44
50-54 years-----	102	15	87	61	12	49	41	3	38	31	2	29
55-59 years-----	81	13	68	54	9	45	27	4	23	25	4	21
60-64 years-----	79	10	69	60	8	52	19	2	17	16	1	15
65-69 years-----	81	9	72	55	6	49	26	3	23	23	3	20
70-74 years-----	98	14	84	80	13	67	18	1	17	16	1	15
75-79 years-----	83	17	66	77	16	61	6	1	5	5	-	5
80-84 years-----	59	13	46	54	13	41	5	-	5	3	-	3
85-89 years-----	31	3	28	30	3	27	1	-	1	1	-	1
90-94 years-----	12	4	8	9	2	7	3	2	1	2	1	1
95-99 years-----	3	1	2	3	1	2	-	-	-	-	-	-
100 yrs & over---	2	-	2	1	-	1	1	-	1	1	-	1
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other forms of systemic lupus erythematosus (M32.8)

All ages-----	2	-	2	1	-	1	1	-	1	1	-	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	-	-	-	1	-	1	1	-	1
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Systemic lupus erythematosus, unspecified (M32.9)												
All ages-----	168	21	147	106	14	92	62	7	55	56	6	50
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	3	1	2	2	1	1	1	-	1	1	-	1
15-19 years-----	3	-	3	1	-	1	2	-	2	1	-	1
20-24 years-----	9	2	7	2	-	2	7	2	5	7	2	5
25-29 years-----	10	1	9	3	-	3	7	1	6	6	1	5
30-34 years-----	8	2	6	8	2	6	-	-	-	-	-	-
35-39 years-----	17	1	16	6	1	5	11	-	11	10	-	10
40-44 years-----	14	1	13	3	-	3	11	1	10	11	1	10
45-49 years-----	13	1	12	8	-	8	5	1	4	5	1	4
50-54 years-----	14	2	12	10	1	9	4	1	3	2	-	2
55-59 years-----	11	-	11	9	-	9	2	-	2	2	-	2
60-64 years-----	8	1	7	7	1	6	1	-	1	1	-	1
65-69 years-----	17	2	15	12	2	10	5	-	5	5	-	5
70-74 years-----	10	3	7	7	2	5	3	1	2	3	1	2
75-79 years-----	15	1	14	12	1	11	3	-	3	2	-	2
80-84 years-----	5	-	5	5	-	5	-	-	-	-	-	-
85-89 years-----	8	3	5	8	3	5	-	-	-	-	-	-
90-94 years-----	3	-	3	3	-	3	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Dermatopolymyositis (M33)

All ages-----	330	103	227	271	92	179	59	11	48	44	10	34
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	2	1	1	1	1	-	1	-	1	1	-	1
10-14 years-----	2	-	2	1	-	1	1	-	1	1	-	1
15-19 years-----	2	1	1	2	1	1	-	-	-	-	-	-
20-24 years-----	1	-	1	-	-	-	1	-	1	1	-	1
25-29 years-----	3	-	3	-	-	-	3	-	3	2	-	2
30-34 years-----	3	2	1	3	2	1	-	-	-	-	-	-
35-39 years-----	4	1	3	2	1	1	2	-	2	2	-	2
40-44 years-----	11	2	9	8	1	7	3	1	2	3	1	2
45-49 years-----	20	6	14	13	6	7	7	-	7	4	-	4
50-54 years-----	21	3	18	15	2	13	6	1	5	5	1	4
55-59 years-----	21	5	16	13	3	10	8	2	6	6	2	4
60-64 years-----	26	8	18	20	7	13	6	1	5	4	1	3
65-69 years-----	41	14	27	35	12	23	6	2	4	5	2	3
70-74 years-----	35	13	22	30	12	18	5	1	4	2	-	2
75-79 years-----	50	16	34	46	15	31	4	1	3	4	1	3
80-84 years-----	52	19	33	49	18	31	3	1	2	2	1	1
85-89 years-----	31	11	20	29	10	19	2	1	1	1	1	-
90-94 years-----	4	1	3	4	1	3	-	-	-	-	-	-
95-99 years-----	1	-	1	-	-	-	1	-	1	1	-	1
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other dermatomyositis (M33.1)												
All ages-----	107	32	75	85	28	57	22	4	18	13	3	10
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	2	1	1	1	1	-	1	-	1	1	-	1
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	2	1	1	2	1	1	-	-	-	-	-	-
20-24 years-----	1	-	1	-	-	-	1	-	1	1	-	1
25-29 years-----	2	-	2	-	-	-	2	-	2	1	-	1
30-34 years-----	3	2	1	3	2	1	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	6	2	4	4	1	3	2	1	1	2	1	1
45-49 years-----	7	2	5	3	2	1	4	-	4	1	-	1
50-54 years-----	8	2	6	6	1	5	2	1	1	2	1	1
55-59 years-----	2	1	1	1	-	1	1	1	-	1	1	-
60-64 years-----	9	3	6	6	3	3	3	-	3	1	-	1
65-69 years-----	11	2	9	11	2	9	-	-	-	-	-	-
70-74 years-----	12	4	8	8	3	5	4	1	3	2	-	2
75-79 years-----	15	6	9	15	6	9	-	-	-	-	-	-
80-84 years-----	17	4	13	15	4	11	2	-	2	1	-	1
85-89 years-----	7	1	6	7	1	6	-	-	-	-	-	-
90-94 years-----	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Polymyositis (M33.2)												
All ages-----	222	71	151	185	64	121	37	7	30	31	7	24
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	-	-	-	1	-	1	1	-	1
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	-	-	-	1	-	1	1	-	1
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	4	1	3	2	1	1	2	-	2	2	-	2
40-44 years-----	5	-	5	4	-	4	1	-	1	1	-	1
45-49 years-----	13	4	9	10	4	6	3	-	3	3	-	3
50-54 years-----	13	1	12	9	1	8	4	-	4	3	-	3
55-59 years-----	19	4	15	12	3	9	7	1	6	5	1	4
60-64 years-----	17	5	12	14	4	10	3	1	2	3	1	2
65-69 years-----	29	12	17	23	10	13	6	2	4	5	2	3
70-74 years-----	23	9	14	22	9	13	1	-	1	-	-	-
75-79 years-----	35	10	25	31	9	22	4	1	3	4	1	3
80-84 years-----	35	15	20	34	14	20	1	1	-	1	1	-
85-89 years-----	24	10	14	22	9	13	2	1	1	1	1	-
90-94 years-----	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years-----	1	-	1	-	-	-	1	-	1	1	-	1
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Dermatopolymyositis, unspecified (M33.9)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Systemic sclerosis (M34)												
All ages-----	1,291	242	1,049	1,043	189	854	248	53	195	215	49	166
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	1	1	-	-	-	-	1	1	-	1	1	-
15-19 years-----	6	1	5	4	1	3	2	-	2	1	-	1
20-24 years-----	5	-	5	4	-	4	1	-	1	1	-	1
25-29 years-----	12	6	6	5	2	3	7	4	3	7	4	3
30-34 years-----	18	-	18	10	-	10	8	-	8	8	-	8
35-39 years-----	35	8	27	19	3	16	16	5	11	16	5	11
40-44 years-----	52	13	39	29	6	23	23	7	16	20	7	13
45-49 years-----	85	15	70	55	9	46	30	6	24	25	6	19
50-54 years-----	109	29	80	68	22	46	41	7	34	33	6	27
55-59 years-----	111	27	84	83	21	62	28	6	22	25	5	20
60-64 years-----	142	37	105	114	31	83	28	6	22	26	5	21
65-69 years-----	161	27	134	136	22	114	25	5	20	19	5	14
70-74 years-----	227	36	191	205	33	172	22	3	19	19	2	17
75-79 years-----	163	18	145	154	15	139	9	3	6	8	3	5
80-84 years-----	95	12	83	90	12	78	5	-	5	5	-	5
85-89 years-----	49	10	39	49	10	39	-	-	-	-	-	-
90-94 years-----	11	1	10	11	1	10	-	-	-	-	-	-
95-99 years-----	7	1	6	5	1	4	2	-	2	1	-	1
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Progressive systemic sclerosis (M34.0)												
All ages-----	60	16	44	45	11	34	15	5	10	13	5	8
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years-----	1	-	1	-	-	-	1	-	1	1	-	1
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	5	3	2	1	-	1	4	3	1	4	3	1
40-44 years-----	2	-	2	1	-	1	1	-	1	1	-	1
45-49 years-----	6	2	4	4	1	3	2	1	1	2	1	1
50-54 years-----	3	2	1	3	2	1	-	-	-	-	-	-
55-59 years-----	6	2	4	4	1	3	2	1	1	2	1	1
60-64 years-----	4	1	3	2	1	1	2	-	2	1	-	1
65-69 years-----	9	2	7	7	2	5	2	-	2	1	-	1
70-74 years-----	12	3	9	11	3	8	1	-	1	1	-	1
75-79 years-----	6	-	6	6	-	6	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	3	1	2	3	1	2	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
CR (E)ST syndrome (M34.1)												
All ages-----	103	9	94	94	7	87	9	2	7	8	2	6
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	3	-	3	3	-	3	-	-	-	-	-	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	2	-	2	2	-	2	-	-	-	-	-	-
50-54 years-----	4	-	4	2	-	2	2	-	2	2	-	2
55-59 years-----	5	-	5	5	-	5	-	-	-	-	-	-
60-64 years-----	9	1	8	8	1	7	1	-	1	1	-	1
65-69 years-----	17	3	14	14	2	12	3	1	2	3	1	2
70-74 years-----	21	3	18	20	3	17	1	-	1	1	-	1
75-79 years-----	18	1	17	17	-	17	1	1	-	1	1	-
80-84 years-----	13	1	12	13	1	12	-	-	-	-	-	-
85-89 years-----	6	-	6	6	-	6	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	3	-	3	2	-	2	1	-	1	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other forms of systemic sclerosis (M34.8)												
All ages-----	550	111	439	439	86	353	111	25	86	93	23	70
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	1	1	-	-	-	-	1	1	-	1	1	-
15-19 years-----	3	-	3	2	-	2	1	-	1	-	-	-
20-24 years-----	3	-	3	2	-	2	1	-	1	1	-	1
25-29 years-----	8	6	2	3	2	1	5	4	1	5	4	1
30-34 years-----	6	-	6	5	-	5	1	-	1	1	-	1
35-39 years-----	12	1	11	8	1	7	4	-	4	4	-	4
40-44 years-----	25	7	18	14	2	12	11	5	6	11	5	6
45-49 years-----	34	4	30	21	3	18	13	1	12	9	1	8
50-54 years-----	54	13	41	32	11	21	22	2	20	17	2	15
55-59 years-----	55	13	42	37	10	27	18	3	15	15	2	13
60-64 years-----	60	16	44	46	12	34	14	4	10	13	3	10
65-69 years-----	71	16	55	61	12	49	10	4	6	8	4	4
70-74 years-----	94	12	82	88	12	76	6	-	6	4	-	4
75-79 years-----	64	9	55	62	8	54	2	1	1	2	1	1
80-84 years-----	33	6	27	32	6	26	1	-	1	1	-	1
85-89 years-----	20	7	13	20	7	13	-	-	-	-	-	-
90-94 years-----	4	-	4	4	-	4	-	-	-	-	-	-
95-99 years-----	1	-	1	-	-	-	1	-	1	1	-	1
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Systemic sclerosis, unspecified (M34.9)												
All ages-----	578	106	472	465	85	380	113	21	92	101	19	82
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	3	1	2	2	1	1	1	-	1	1	-	1
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years-----	2	-	2	1	-	1	1	-	1	1	-	1
30-34 years-----	11	-	11	4	-	4	7	-	7	7	-	7
35-39 years-----	15	4	11	7	2	5	8	2	6	8	2	6
40-44 years-----	24	6	18	13	4	9	11	2	9	8	2	6
45-49 years-----	43	9	34	28	5	23	15	4	11	14	4	10
50-54 years-----	48	14	34	31	9	22	17	5	12	14	4	10
55-59 years-----	45	12	33	37	10	27	8	2	6	8	2	6
60-64 years-----	69	19	50	58	17	41	11	2	9	11	2	9
65-69 years-----	64	6	58	54	6	48	10	-	10	7	-	7
70-74 years-----	100	18	82	86	15	71	14	3	11	13	2	11
75-79 years-----	75	8	67	69	7	62	6	1	5	5	1	4
80-84 years-----	48	5	43	44	5	39	4	-	4	4	-	4
85-89 years-----	20	2	18	20	2	18	-	-	-	-	-	-
90-94 years-----	7	1	6	7	1	6	-	-	-	-	-	-
95-99 years-----	3	1	2	3	1	2	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other systemic involvement of connective tissue (M35)												
All ages-----	485	174	311	361	119	242	124	55	69	111	50	61
Under 1 year-----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	4	2	2	1	-	1	3	2	1	2	1	1
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	5	1	4	2	1	1	3	-	3	3	-	3
30-34 years-----	14	6	8	8	3	5	6	3	3	5	3	2
35-39 years-----	32	19	13	17	11	6	15	8	7	15	8	7
40-44 years-----	42	22	20	20	12	8	22	10	12	21	10	11
45-49 years-----	42	23	19	19	10	9	23	13	10	21	11	10
50-54 years-----	37	17	20	21	10	11	16	7	9	13	6	7
55-59 years-----	20	10	10	13	4	9	7	6	1	7	6	1
60-64 years-----	34	10	24	25	7	18	9	3	6	7	3	4
65-69 years-----	29	5	24	26	5	21	3	-	3	2	-	2
70-74 years-----	39	8	31	35	8	27	4	-	4	4	-	4
75-79 years-----	50	19	31	46	17	29	4	2	2	3	1	2
80-84 years-----	53	11	42	49	11	38	4	-	4	4	-	4
85-89 years-----	50	11	39	49	11	38	1	-	1	1	-	1
90-94 years-----	27	6	21	24	6	18	3	-	3	2	-	2
95-99 years-----	3	2	1	2	1	1	1	1	-	1	1	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Sicca syndrome [Sjogren] (M35.0)

All ages-----	70	9	61	66	9	57	4	-	4	4	-	4
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	-	-	-	1	-	1	1	-	1
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	2	-	2	2	-	2	-	-	-	-	-	-
45-49 years-----	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	9	1	8	9	1	8	-	-	-	-	-	-
70-74 years-----	18	3	15	16	3	13	2	-	2	2	-	2
75-79 years-----	14	1	13	14	1	13	-	-	-	-	-	-
80-84 years-----	8	1	7	8	1	7	-	-	-	-	-	-
85-89 years-----	10	1	9	10	1	9	-	-	-	-	-	-
90-94 years-----	3	-	3	2	-	2	1	-	1	1	-	1
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other overlap syndromes (M35.1)												
All ages-----	4	-	4	4	-	4	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	2	-	2	2	-	2	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Behcet's disease (M35.2)

All ages-----	7	4	3	4	1	3	3	3	-	2	2	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	-	-	-	1	1	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	2	1	1	1	-	1	1	1	-	1	1	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	2	2	-	1	1	-	1	1	-	1	1	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Polymyalgia rheumatica (M35.3)												
All ages-----	84	25	59	78	25	53	6	-	6	5	-	5
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	3	-	3	2	-	2	1	-	1	1	-	1
70-74 years-----	3	2	1	3	2	1	-	-	-	-	-	-
75-79 years-----	10	5	5	9	5	4	1	-	1	1	-	1
80-84 years-----	20	6	14	18	6	12	2	-	2	2	-	2
85-89 years-----	26	7	19	26	7	19	-	-	-	-	-	-
90-94 years-----	19	4	15	17	4	13	2	-	2	1	-	1
95-99 years-----	2	1	1	2	1	1	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Relapsing panniculitis [Weber-Christian] (M35.6)

All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other specified systemic involvement of connective tissue (M35.8)												
All ages-----	6	4	2	6	4	2	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	2	2	-	2	2	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Systemic involvement of connective tissue, unspecified (M35.9)

All ages-----	313	132	181	202	80	122	111	52	59	100	48	52
Under 1 year-----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	3	1	2	1	-	1	2	1	1	2	1	1
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	4	1	3	2	1	1	2	-	2	2	-	2
30-34 years-----	13	6	7	7	3	4	6	3	3	5	3	2
35-39 years-----	32	19	13	17	11	6	15	8	7	15	8	7
40-44 years-----	38	21	17	17	12	5	21	9	12	20	9	11
45-49 years-----	39	22	17	16	9	7	23	13	10	21	11	10
50-54 years-----	35	16	19	19	9	10	16	7	9	13	6	7
55-59 years-----	17	8	9	10	2	8	7	6	1	7	6	1
60-64 years-----	31	10	21	22	7	15	9	3	6	7	3	4
65-69 years-----	15	4	11	13	4	9	2	-	2	1	-	1
70-74 years-----	18	3	15	16	3	13	2	-	2	2	-	2
75-79 years-----	22	9	13	20	8	12	2	1	1	1	-	1
80-84 years-----	24	4	20	22	4	18	2	-	2	2	-	2
85-89 years-----	14	3	11	13	3	10	1	-	1	1	-	1
90-94 years-----	4	2	2	4	2	2	-	-	-	-	-	-
95-99 years-----	1	1	-	-	-	-	1	1	-	1	1	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Kyphosis and lordosis (M40)												
All ages-----	70	10	60	65	10	55	5	-	5	1	-	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	4	-	4	4	-	4	-	-	-	-	-	-
75-79 years-----	7	1	6	6	1	5	1	-	1	1	-	1
80-84 years-----	16	2	14	15	2	13	1	-	1	-	-	-
85-89 years-----	22	3	19	21	3	18	1	-	1	-	-	-
90-94 years-----	15	3	12	14	3	11	1	-	1	-	-	-
95-99 years-----	2	1	1	1	1	-	1	-	1	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other secondary kyphosis (M40.1)

All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other and unspecified kyphosis (M40.2)												
All ages-----	69	10	59	64	10	54	5	-	5	1	-	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	4	-	4	4	-	4	-	-	-	-	-	-
75-79 years-----	7	1	6	6	1	5	1	-	1	1	-	1
80-84 years-----	16	2	14	15	2	13	1	-	1	-	-	-
85-89 years-----	21	3	18	20	3	17	1	-	1	-	-	-
90-94 years-----	15	3	12	14	3	11	1	-	1	-	-	-
95-99 years-----	2	1	1	1	1	-	1	-	1	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Scoliosis (M41)												
All ages-----	270	75	195	254	68	186	16	7	9	15	7	8
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	3	1	2	3	1	2	-	-	-	-	-	-
5-9 years-----	2	2	-	1	1	-	1	1	-	1	1	-
10-14 years-----	10	3	7	9	3	6	1	-	1	1	-	1
15-19 years-----	8	2	6	5	2	3	3	-	3	3	-	3
20-24 years-----	6	4	2	5	3	2	1	1	-	1	1	-
25-29 years-----	5	3	2	3	2	1	2	1	1	2	1	1
30-34 years-----	7	5	2	7	5	2	-	-	-	-	-	-
35-39 years-----	2	-	2	2	-	2	-	-	-	-	-	-
40-44 years-----	7	2	5	7	2	5	-	-	-	-	-	-
45-49 years-----	8	4	4	8	4	4	-	-	-	-	-	-
50-54 years-----	10	2	8	10	2	8	-	-	-	-	-	-
55-59 years-----	11	3	8	11	3	8	-	-	-	-	-	-
60-64 years-----	14	7	7	13	6	7	1	1	-	1	1	-
65-69 years-----	12	6	6	11	5	6	1	1	-	1	1	-
70-74 years-----	25	7	18	24	6	18	1	1	-	1	1	-
75-79 years-----	30	10	20	28	9	19	2	1	1	2	1	1
80-84 years-----	38	7	31	36	7	29	2	-	2	1	-	1
85-89 years-----	42	4	38	41	4	37	1	-	1	1	-	1
90-94 years-----	22	2	20	22	2	20	-	-	-	-	-	-
95-99 years-----	6	-	6	6	-	6	-	-	-	-	-	-
100 yrs & over---	2	1	1	2	1	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Juvenile idiopathic scoliosis (M41.1)												
All ages-----	1	-	1	-	-	-	1	-	1	1	-	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	-	-	-	1	-	1	1	-	1
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Other idiopathic scoliosis (M41.2)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Thoracogenic scoliosis (M41.3)												
All ages-----	3	-	3	3	-	3	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other secondary scoliosis (M41.5)

All ages-----	2	-	2	2	-	2	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other forms of scoliosis (M41.8)												
All ages-----	2	-	2	2	-	2	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Scoliosis, unspecified (M41.9)												
All ages-----	261	75	186	246	68	178	15	7	8	14	7	7
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	3	1	2	3	1	2	-	-	-	-	-	-
5-9 years-----	2	2	-	1	1	-	1	1	-	1	1	-
10-14 years-----	8	3	5	8	3	5	-	-	-	-	-	-
15-19 years-----	8	2	6	5	2	3	3	-	3	3	-	3
20-24 years-----	6	4	2	5	3	2	1	1	-	1	1	-
25-29 years-----	4	3	1	2	2	-	2	1	1	2	1	1
30-34 years-----	7	5	2	7	5	2	-	-	-	-	-	-
35-39 years-----	2	-	2	2	-	2	-	-	-	-	-	-
40-44 years-----	7	2	5	7	2	5	-	-	-	-	-	-
45-49 years-----	8	4	4	8	4	4	-	-	-	-	-	-
50-54 years-----	9	2	7	9	2	7	-	-	-	-	-	-
55-59 years-----	11	3	8	11	3	8	-	-	-	-	-	-
60-64 years-----	14	7	7	13	6	7	1	1	-	1	1	-
65-69 years-----	12	6	6	11	5	6	1	1	-	1	1	-
70-74 years-----	24	7	17	23	6	17	1	1	-	1	1	-
75-79 years-----	30	10	20	28	9	19	2	1	1	2	1	1
80-84 years-----	36	7	29	34	7	27	2	-	2	1	-	1
85-89 years-----	41	4	37	40	4	36	1	-	1	1	-	1
90-94 years-----	21	2	19	21	2	19	-	-	-	-	-	-
95-99 years-----	6	-	6	6	-	6	-	-	-	-	-	-
100 yrs & over---	2	1	1	2	1	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other deforming dorsopathies (M43)												
All ages-----	17	6	11	15	6	9	2	-	2	2	-	2
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	-	1	-	-	-	1	-	1	1	-	1
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	2	-	2	2	-	2	-	-	-	-	-	-
55-59 years-----	2	1	1	1	1	-	1	-	1	1	-	1
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	4	2	2	4	2	2	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Spondylolysis (M43.0)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Spondylolisthesis (M43.1)												
All ages-----	7	2	5	7	2	5	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other fusion of spine (M43.2)

All ages-----	7	3	4	5	3	2	2	-	2	2	-	2
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	-	1	-	-	-	1	-	1	1	-	1
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	2	1	1	1	1	-	1	-	1	1	-	1
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Torticollis (M43.6)												
All ages-----	2	-	2	2	-	2	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Ankylosing spondylitis (M45)												
All ages-----	34	30	4	32	29	3	2	1	1	1	-	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	-	-	-	1	1	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	3	3	-	3	3	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	2	2	-	2	2	-	-	-	-	-	-	-
70-74 years-----	6	6	-	6	6	-	-	-	-	-	-	-
75-79 years-----	5	5	-	5	5	-	-	-	-	-	-	-
80-84 years-----	7	6	1	7	6	1	-	-	-	-	-	-
85-89 years-----	4	4	-	4	4	-	-	-	-	-	-	-
90-94 years-----	2	1	1	1	1	-	1	-	1	1	-	1
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other inflammatory spondylopathies (M46)												
All ages-----	110	61	49	93	55	38	17	6	11	13	3	10
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	-	-	-	1	1	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	2	2	-	2	2	-	-	-	-	-	-	-
50-54 years-----	6	3	3	6	3	3	-	-	-	-	-	-
55-59 years-----	8	4	4	5	3	2	3	1	2	2	-	2
60-64 years-----	6	4	2	4	3	1	2	1	1	2	1	1
65-69 years-----	16	8	8	13	8	5	3	-	3	2	-	2
70-74 years-----	21	11	10	18	10	8	3	1	2	3	1	2
75-79 years-----	20	11	9	17	10	7	3	1	2	3	1	2
80-84 years-----	14	8	6	13	8	5	1	-	1	1	-	1
85-89 years-----	11	5	6	10	4	6	1	1	-	-	-	-
90-94 years-----	3	3	-	3	3	-	-	-	-	-	-	-
95-99 years-----	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Osteomyelitis of vertebra (M46.2)

All ages-----	79	43	36	65	37	28	14	6	8	10	3	7
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	-	-	-	1	1	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	6	3	3	6	3	3	-	-	-	-	-	-
55-59 years-----	6	4	2	3	3	-	3	1	2	2	-	2
60-64 years-----	6	4	2	4	3	1	2	1	1	2	1	1
65-69 years-----	12	6	6	10	6	4	2	-	2	1	-	1
70-74 years-----	17	9	8	15	8	7	2	1	1	2	1	1
75-79 years-----	12	6	6	10	5	5	2	1	1	2	1	1
80-84 years-----	9	5	4	8	5	3	1	-	1	1	-	1
85-89 years-----	6	2	4	5	1	4	1	1	-	-	-	-
90-94 years-----	2	2	-	2	2	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Infection of intervertebral disc (pyogenic) (M46.3)												
All ages-----	1	-	1	-	-	-	1	-	1	1	-	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	-	-	-	1	-	1	1	-	1
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Discitis, unspecified (M46.4)												
All ages-----	22	16	6	21	16	5	1	-	1	1	-	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	2	-	2	2	-	2	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	4	2	2	3	2	1	1	-	1	1	-	1
70-74 years-----	2	2	-	2	2	-	-	-	-	-	-	-
75-79 years-----	7	5	2	7	5	2	-	-	-	-	-	-
80-84 years-----	2	2	-	2	2	-	-	-	-	-	-	-
85-89 years-----	3	3	-	3	3	-	-	-	-	-	-	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Inflammatory spondylopathy, unspecified (M46.9)												
All ages-----	8	2	6	7	2	5	1	-	1	1	-	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	2	-	2	1	-	1	1	-	1	1	-	1
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	3	1	2	3	1	2	-	-	-	-	-	-
85-89 years-----	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Spondylosis (M47)												
All ages-----	50	30	20	41	23	18	9	7	2	8	6	2
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	3	3	-	2	2	-	1	1	-	-	-	-
50-54 years-----	2	-	2	2	-	2	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	2	2	-	2	2	-	-	-	-	-	-	-
65-69 years-----	4	3	1	2	2	-	2	1	1	2	1	1
70-74 years-----	2	1	1	1	1	-	1	-	1	1	-	1
75-79 years-----	10	6	4	8	4	4	2	2	-	2	2	-
80-84 years-----	10	4	6	10	4	6	-	-	-	-	-	-
85-89 years-----	7	5	2	6	4	2	1	1	-	1	1	-
90-94 years-----	5	3	2	3	1	2	2	2	-	2	2	-
95-99 years-----	3	2	1	3	2	1	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other spondylosis with myelopathy (M47.1)												
All ages-----	10	7	3	7	5	2	3	2	1	2	1	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	-	-	-	1	1	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	2	2	-	2	2	-	-	-	-	-	-	-
65-69 years-----	2	1	1	-	-	-	2	1	1	2	1	1
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Other spondylosis (M47.8)												
All ages-----	24	16	8	19	11	8	5	5	-	5	5	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	2	2	-	2	2	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	7	5	2	5	3	2	2	2	-	2	2	-
80-84 years-----	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years-----	5	3	2	4	2	2	1	1	-	1	1	-
90-94 years-----	4	3	1	2	1	1	2	2	-	2	2	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Spondylosis, unspecified (M47.9)												
All ages-----	16	7	9	15	7	8	1	-	1	1	-	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	-	-	-	1	-	1	1	-	1
75-79 years-----	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years-----	7	2	5	7	2	5	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Other spondylopathies (M48)												
All ages-----	164	95	69	136	78	58	28	17	11	25	14	11
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	2	-	2	2	-	2	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	1	1	-	-	-	-	1	1	-	1	1	-
45-49 years-----	3	2	1	2	2	-	1	-	1	1	-	1
50-54 years-----	7	5	2	5	4	1	2	1	1	2	1	1
55-59 years-----	4	2	2	3	2	1	1	-	1	1	-	1
60-64 years-----	8	6	2	6	4	2	2	2	-	1	1	-
65-69 years-----	15	9	6	11	7	4	4	2	2	4	2	2
70-74 years-----	14	8	6	11	6	5	3	2	1	3	2	1
75-79 years-----	25	17	8	20	13	7	5	4	1	5	4	1
80-84 years-----	30	21	9	28	19	9	2	2	-	1	1	-
85-89 years-----	30	15	15	27	14	13	3	1	2	3	1	2
90-94 years-----	19	7	12	15	5	10	4	2	2	3	1	2
95-99 years-----	4	1	3	4	1	3	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Spinal stenosis (M48.0)												
All ages-----	122	72	50	99	58	41	23	14	9	21	12	9
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	-	-	-	1	1	-	1	1	-
45-49 years-----	2	1	1	1	1	-	1	-	1	1	-	1
50-54 years-----	3	3	-	2	2	-	1	1	-	1	1	-
55-59 years-----	2	1	1	1	1	-	1	-	1	1	-	1
60-64 years-----	3	3	-	2	2	-	1	1	-	-	-	-
65-69 years-----	10	7	3	6	5	1	4	2	2	4	2	2
70-74 years-----	12	6	6	9	4	5	3	2	1	3	2	1
75-79 years-----	22	14	8	17	10	7	5	4	1	5	4	1
80-84 years-----	26	17	9	25	16	9	1	1	-	1	1	-
85-89 years-----	22	12	10	21	12	9	1	-	1	1	-	1
90-94 years-----	16	6	10	12	4	8	4	2	2	3	1	2
95-99 years-----	3	1	2	3	1	2	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Ankylosing hyperostosis [Forestier] (M48.1)

All ages-----	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Fatigue fracture of vertebra (M48.4)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other specified spondylopathies (M48.8)

All ages-----	6	2	4	5	2	3	1	-	1	1	-	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	3	1	2	2	1	1	1	-	1	1	-	1
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Spondylopathy, unspecified (M48.9)												
All ages-----	33	20	13	29	17	12	4	3	1	3	2	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	2	-	2	2	-	2	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	4	2	2	3	2	1	1	-	1	1	-	1
55-59 years-----	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years-----	4	3	1	3	2	1	1	1	-	1	1	-
65-69 years-----	4	2	2	4	2	2	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	3	3	-	3	3	-	-	-	-	-	-	-
80-84 years-----	4	4	-	3	3	-	1	1	-	-	-	-
85-89 years-----	5	2	3	4	1	3	1	1	-	1	1	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Cervical disc disorders (M50)												
All ages-----	12	7	5	10	5	5	2	2	-	2	2	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	2	-	2	2	-	2	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	2	1	1	1	-	1	1	1	-	1	1	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	2	2	-	1	1	-	1	1	-	1	1	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	3	2	1	3	2	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Cervical disc disorder with radiculopathy (M50.1)												
All ages-----	1	1	-	-	-	-	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	-	-	-	1	1	-	1	1	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other cervical disc displacement (M50.2)

All ages-----	5	4	1	4	3	1	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	2	2	-	1	1	-	1	1	-	1	1	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other cervical disc degeneration (M50.3)												
All ages-----	5	2	3	5	2	3	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Cervical disc disorder, unspecified (M50.9)

All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other intervertebral disc disorders (M51)												
All ages-----	27	11	16	25	11	14	2	-	2	2	-	2
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	2	1	1	2	1	1	-	-	-	-	-	-
35-39 years-----	2	1	1	2	1	1	-	-	-	-	-	-
40-44 years-----	2	1	1	2	1	1	-	-	-	-	-	-
45-49 years-----	2	-	2	1	-	1	1	-	1	1	-	1
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	3	2	1	3	2	1	-	-	-	-	-	-
65-69 years-----	4	1	3	3	1	2	1	-	1	1	-	1
70-74 years-----	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years-----	4	1	3	4	1	3	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	3	2	1	3	2	1	-	-	-	-	-	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Lumbar and other intervertebral disc disorders with myelopathy (M51.0)

All ages-----	3	2	1	2	2	-	1	-	1	1	-	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	-	-	-	1	-	1	1	-	1
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other specified intervertebral disc displacement (M51.2)												
All ages-----	13	5	8	12	5	7	1	-	1	1	-	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	2	1	1	2	1	1	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	2	-	2	1	-	1	1	-	1	1	-	1
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	2	2	-	2	2	-	-	-	-	-	-	-
65-69 years-----	2	-	2	2	-	2	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other specified intervertebral disc degeneration (M51.3)

All ages-----	9	3	6	9	3	6	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	2	-	2	2	-	2	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	2	2	-	2	2	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Intervertebral disc disorder, unspecified (M51.9)												
All ages-----	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Other dorsopathies, not elsewhere classified (M53)												
All ages-----	5	5	-	5	5	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Cervicobrachial syndrome (M53.1)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Spinal instabilities (M53.2)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Sacrococcygeal disorders, not elsewhere classified (M53.3)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Other specified dorsopathies (M53.8)												
All ages-----	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Dorsalgia (M54)												
All ages-----	28	9	19	26	8	18	2	1	1	1	-	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	2	-	2	1	-	1	1	-	1	1	-	1
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	-	-	-	1	1	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	2	-	2	2	-	2	-	-	-	-	-	-
75-79 years-----	7	2	5	7	2	5	-	-	-	-	-	-
80-84 years-----	5	2	3	5	2	3	-	-	-	-	-	-
85-89 years-----	4	1	3	4	1	3	-	-	-	-	-	-
90-94 years-----	5	2	3	5	2	3	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Radiculopathy (M54.1)												
All ages-----	3	-	3	2	-	2	1	-	1	1	-	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	-	1	-	-	-	1	-	1	1	-	1
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Sciatica (M54.3)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Low back pain (M54.5)												
All ages-----	3	2	1	3	2	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other dorsalgia (M54.8)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Dorsalgia, unspecified (M54.9)												
All ages-----	20	7	13	19	6	13	1	1	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	-	-	-	1	1	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	5	2	3	5	2	3	-	-	-	-	-	-
80-84 years-----	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years-----	4	1	3	4	1	3	-	-	-	-	-	-
90-94 years-----	4	1	3	4	1	3	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Myositis (M60)												
All ages-----	72	40	32	56	32	24	16	8	8	12	5	7
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	4	1	3	1	-	1	3	1	2	3	1	2
45-49 years-----	2	1	1	1	1	-	1	-	1	1	-	1
50-54 years-----	4	2	2	2	1	1	2	1	1	2	1	1
55-59 years-----	7	5	2	5	5	-	2	-	2	2	-	2
60-64 years-----	6	3	3	4	2	2	2	1	1	1	-	1
65-69 years-----	6	2	4	5	1	4	1	1	-	-	-	-
70-74 years-----	10	7	3	9	6	3	1	1	-	1	1	-
75-79 years-----	17	13	4	14	10	4	3	3	-	2	2	-
80-84 years-----	10	5	5	9	5	4	1	-	1	-	-	-
85-89 years-----	5	1	4	5	1	4	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Infective myositis (M60.0)

All ages-----	25	16	9	17	11	6	8	5	3	4	2	2
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	-	-	-	1	1	-	1	1	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	2	1	1	1	1	-	1	-	1	1	-	1
55-59 years-----	2	1	1	1	1	-	1	-	1	1	-	1
60-64 years-----	3	2	1	2	1	1	1	1	-	-	-	-
65-69 years-----	2	2	-	1	1	-	1	1	-	-	-	-
70-74 years-----	4	3	1	3	2	1	1	1	-	1	1	-
75-79 years-----	5	3	2	4	2	2	1	1	-	-	-	-
80-84 years-----	3	1	2	2	1	1	1	-	1	-	-	-
85-89 years-----	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other myositis (M60.8)												
All ages-----	2	-	2	1	-	1	1	-	1	1	-	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	1	-	-	-	1	-	1	1	-	1
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Myositis, unspecified (M60.9)												
All ages-----	45	24	21	38	21	17	7	3	4	7	3	4
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	3	-	3	1	-	1	2	-	2	2	-	2
45-49 years-----	1	-	1	-	-	-	1	-	1	1	-	1
50-54 years-----	2	1	1	1	-	1	1	1	-	1	1	-
55-59 years-----	5	4	1	4	4	-	1	-	1	1	-	1
60-64 years-----	2	1	1	2	1	1	-	-	-	-	-	-
65-69 years-----	4	-	4	4	-	4	-	-	-	-	-	-
70-74 years-----	6	4	2	6	4	2	-	-	-	-	-	-
75-79 years-----	12	10	2	10	8	2	2	2	-	2	2	-
80-84 years-----	7	4	3	7	4	3	-	-	-	-	-	-
85-89 years-----	3	-	3	3	-	3	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Calcification and ossification of muscle (M61)												
All ages-----	5	3	2	5	3	2	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	2	1	1	2	1	1	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Myositis ossificans progressiva (M61.1)

All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other ossification of muscle (M61.5)												
All ages-----	3	1	2	3	1	2	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Calcification and ossification of muscle, unspecified (M61.9)

All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other disorders of muscle (M62)												
All ages-----	482	281	201	390	217	173	92	64	28	84	59	25
Under 1 year-----	2	1	1	1	1	-	1	-	1	1	-	1
1-4 years-----	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	4	-	4	4	-	4	-	-	-	-	-	-
15-19 years-----	2	1	1	2	1	1	-	-	-	-	-	-
20-24 years-----	2	2	-	-	-	-	2	2	-	2	2	-
25-29 years-----	4	2	2	2	1	1	2	1	1	2	1	1
30-34 years-----	2	2	-	2	2	-	-	-	-	-	-	-
35-39 years-----	10	8	2	3	2	1	7	6	1	6	5	1
40-44 years-----	9	8	1	6	5	1	3	3	-	3	3	-
45-49 years-----	11	7	4	5	4	1	6	3	3	6	3	3
50-54 years-----	14	11	3	9	7	2	5	4	1	5	4	1
55-59 years-----	22	17	5	16	13	3	6	4	2	4	3	1
60-64 years-----	23	13	10	14	7	7	9	6	3	8	5	3
65-69 years-----	28	14	14	24	10	14	4	4	-	4	4	-
70-74 years-----	49	38	11	44	34	10	5	4	1	5	4	1
75-79 years-----	64	34	30	55	28	27	9	6	3	9	6	3
80-84 years-----	96	55	41	81	44	37	15	11	4	13	10	3
85-89 years-----	77	40	37	65	33	32	12	7	5	10	6	4
90-94 years-----	48	24	24	42	21	21	6	3	3	6	3	3
95-99 years-----	11	4	7	11	4	7	-	-	-	-	-	-
100 yrs & over---	3	-	3	3	-	3	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other rupture of muscle (nontraumatic) (M62.1)

All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Immobility syndrome (paraplegic) (M62.3)												
All ages-----	44	15	29	38	13	25	6	2	4	5	2	3
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	-	-	-	1	1	-	1	1	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	1	-	-	-	1	-	1	1	-	1
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	2	-	2	2	-	2	-	-	-	-	-	-
75-79 years-----	5	4	1	4	3	1	1	1	-	1	1	-
80-84 years-----	12	5	7	12	5	7	-	-	-	-	-	-
85-89 years-----	12	5	7	10	5	5	2	-	2	1	-	1
90-94 years-----	5	-	5	4	-	4	1	-	1	1	-	1
95-99 years-----	4	-	4	4	-	4	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Muscle wasting and atrophy, not elsewhere classified (M62.5)

All ages-----	10	3	7	8	3	5	2	-	2	2	-	2
Under 1 year----	1	-	1	-	-	-	1	-	1	1	-	1
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years-----	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years-----	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	1	-	1	-	-	-	1	-	1	1	-	1
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Muscle strain (M62.6)												
All ages-----	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other specified disorders of muscle (M62.8)

All ages-----	417	257	160	333	195	138	84	62	22	77	57	20
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	2	-	2	2	-	2	-	-	-	-	-	-
15-19 years-----	2	1	1	2	1	1	-	-	-	-	-	-
20-24 years-----	2	2	-	-	-	-	2	2	-	2	2	-
25-29 years-----	4	2	2	2	1	1	2	1	1	2	1	1
30-34 years-----	2	2	-	2	2	-	-	-	-	-	-	-
35-39 years-----	10	8	2	3	2	1	7	6	1	6	5	1
40-44 years-----	9	8	1	6	5	1	3	3	-	3	3	-
45-49 years-----	10	6	4	5	4	1	5	2	3	5	2	3
50-54 years-----	14	11	3	9	7	2	5	4	1	5	4	1
55-59 years-----	22	17	5	16	13	3	6	4	2	4	3	1
60-64 years-----	21	12	9	13	6	7	8	6	2	7	5	2
65-69 years-----	25	13	12	21	9	12	4	4	-	4	4	-
70-74 years-----	45	37	8	40	33	7	5	4	1	5	4	1
75-79 years-----	53	28	25	45	23	22	8	5	3	8	5	3
80-84 years-----	81	48	33	66	37	29	15	11	4	13	10	3
85-89 years-----	64	35	29	54	28	26	10	7	3	9	6	3
90-94 years-----	41	23	18	37	20	17	4	3	1	4	3	1
95-99 years-----	7	4	3	7	4	3	-	-	-	-	-	-
100 yrs & over---	2	-	2	2	-	2	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Disorder of muscle, unspecified (M62.9)												
All ages-----	8	5	3	8	5	3	-	-	-	-	-	-
Under 1 year-----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Synovitis and tenosynovitis (M65)

All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),

RACE, AND SEX - - - ALL RACES - - - - - - WHITE - - - - - - ALL OTHER - - - - - - BLACK - - -

TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Abscess of tendon sheath (M65.0)

All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Spontaneous rupture of synovium and tendon (M66)

All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Spontaneous rupture of unspecified tendon (M66.5)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other disorders of synovium and tendon (M67)

All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Ganglion (M67.4)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Soft tissue disorders related to use, overuse, and pressure (M70)												
All ages-----	4	3	1	4	3	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	2	2	-	2	2	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Olecranon bursitis (M70.2)												
All ages-----	3	2	1	3	2	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Other bursitis of elbow (M70.3)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other bursopathies (M71)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Other infective bursitis (M71.1)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Fibroblastic disorders (M72)												
All ages-----	356	184	172	272	150	122	84	34	50	75	30	45
Under 1 year-----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years-----	1	1	-	-	-	-	1	1	-	1	1	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	2	1	1	1	1	-	1	-	1	1	-	1
25-29 years-----	9	5	4	7	4	3	2	1	1	2	1	1
30-34 years-----	9	4	5	9	4	5	-	-	-	-	-	-
35-39 years-----	20	9	11	14	8	6	6	1	5	5	1	4
40-44 years-----	26	18	8	23	16	7	3	2	1	3	2	1
45-49 years-----	31	17	14	22	11	11	9	6	3	8	5	3
50-54 years-----	29	14	15	24	12	12	5	2	3	5	2	3
55-59 years-----	31	15	16	20	9	11	11	6	5	8	4	4
60-64 years-----	22	9	13	16	8	8	6	1	5	5	1	4
65-69 years-----	41	21	20	27	18	9	14	3	11	12	3	9
70-74 years-----	39	22	17	30	18	12	9	4	5	9	4	5
75-79 years-----	42	26	16	36	22	14	6	4	2	5	3	2
80-84 years-----	24	10	14	23	10	13	1	-	1	1	-	1
85-89 years-----	18	8	10	12	5	7	6	3	3	6	3	3
90-94 years-----	7	1	6	3	1	2	4	-	4	4	-	4
95-99 years-----	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Palmar fascial fibromatosis [Dupuytren] (M72.0)

All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Fasciitis, not elsewhere classified (M72.5)												
All ages-----	354	182	172	271	149	122	83	33	50	74	29	45
Under 1 year----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	2	1	1	1	1	-	1	-	1	1	-	1
25-29 years-----	9	5	4	7	4	3	2	1	1	2	1	1
30-34 years-----	9	4	5	9	4	5	-	-	-	-	-	-
35-39 years-----	20	9	11	14	8	6	6	1	5	5	1	4
40-44 years-----	26	18	8	23	16	7	3	2	1	3	2	1
45-49 years-----	31	17	14	22	11	11	9	6	3	8	5	3
50-54 years-----	29	14	15	24	12	12	5	2	3	5	2	3
55-59 years-----	31	15	16	20	9	11	11	6	5	8	4	4
60-64 years-----	22	9	13	16	8	8	6	1	5	5	1	4
65-69 years-----	41	21	20	27	18	9	14	3	11	12	3	9
70-74 years-----	39	22	17	30	18	12	9	4	5	9	4	5
75-79 years-----	42	26	16	36	22	14	6	4	2	5	3	2
80-84 years-----	24	10	14	23	10	13	1	-	1	1	-	1
85-89 years-----	17	7	10	11	4	7	6	3	3	6	3	3
90-94 years-----	7	1	6	3	1	2	4	-	4	4	-	4
95-99 years-----	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other fibroblastic disorders (M72.8)

All ages-----	1	1	-	-	-	-	1	1	-	1	1	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	1	-	-	-	-	1	1	-	1	1	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Shoulder lesions (M75)												
All ages-----	2	-	2	2	-	2	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Rotator cuff syndrome (M75.1)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other shoulder lesions (M75.8)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Other enthesopathies (M77)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Enthesopathy, unspecified (M77.9)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Other soft tissue disorders, not elsewhere classified (M79)												
All ages-----	30	4	26	23	4	19	7	-	7	6	-	6
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	1	-	1	-	-	-	1	-	1	1	-	1
45-49 years-----	2	-	2	1	-	1	1	-	1	1	-	1
50-54 years-----	5	-	5	5	-	5	-	-	-	-	-	-
55-59 years-----	6	-	6	2	-	2	4	-	4	3	-	3
60-64 years-----	3	1	2	3	1	2	-	-	-	-	-	-
65-69 years-----	2	-	2	2	-	2	-	-	-	-	-	-
70-74 years-----	3	-	3	2	-	2	1	-	1	1	-	1
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	3	2	1	3	2	1	-	-	-	-	-	-
85-89 years-----	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Rheumatism, unspecified (M79.0)												
All ages-----	3	-	3	3	-	3	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	2	-	2	2	-	2	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Myalgia (M79.1)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Neuralgia and neuritis, unspecified (M79.2)												
All ages-----	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Panniculitis, unspecified (M79.3)

All ages-----	13	1	12	9	1	8	4	-	4	4	-	4
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	1	-	1	-	-	-	1	-	1	1	-	1
45-49 years-----	2	-	2	1	-	1	1	-	1	1	-	1
50-54 years-----	3	-	3	3	-	3	-	-	-	-	-	-
55-59 years-----	3	-	3	1	-	1	2	-	2	2	-	2
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Pain in limb (M79.6)												
All ages-----	4	-	4	3	-	3	1	-	1	1	-	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	-	1	-	-	-	1	-	1	1	-	1
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other specified soft tissue disorders (M79.8)

All ages-----	6	1	5	4	1	3	2	-	2	1	-	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	2	-	2	1	-	1	1	-	1	-	-	-
60-64 years-----	2	1	1	2	1	1	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	2	-	2	1	-	1	1	-	1	1	-	1
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Soft tissue disorder, unspecified (M79.9)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Osteoporosis with pathological fracture (M80)

All ages-----	694	93	601	682	90	592	12	3	9	6	1	5
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	2	-	2	2	-	2	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	3	1	2	3	1	2	-	-	-	-	-	-
60-64 years-----	3	-	3	3	-	3	-	-	-	-	-	-
65-69 years-----	9	2	7	8	1	7	1	1	-	1	1	-
70-74 years-----	16	2	14	16	2	14	-	-	-	-	-	-
75-79 years-----	64	11	53	63	11	52	1	-	1	1	-	1
80-84 years-----	115	20	95	114	20	94	1	-	1	1	-	1
85-89 years-----	177	29	148	175	29	146	2	-	2	1	-	1
90-94 years-----	184	21	163	180	21	159	4	-	4	2	-	2
95-99 years-----	94	4	90	93	3	90	1	1	-	-	-	-
100 yrs & over---	26	3	23	24	2	22	2	1	1	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),

RACE, AND SEX - - - ALL RACES - - - - - - WHITE - - - - - - ALL OTHER - - - - - - BLACK - - -

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Postsurgical malabsorption osteoporosis with pathological fracture (M80.3)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Drug-induced osteoporosis with pathological fracture (M80.4)

All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other osteoporosis with pathological fracture (M80.8)												
All ages-----	4	-	4	4	-	4	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Unspecified osteoporosis with pathological fracture (M80.9)

All ages-----	688	91	597	676	88	588	12	3	9	6	1	5
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	2	-	2	2	-	2	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	3	1	2	3	1	2	-	-	-	-	-	-
60-64 years-----	3	-	3	3	-	3	-	-	-	-	-	-
65-69 years-----	9	2	7	8	1	7	1	1	-	1	1	-
70-74 years-----	16	2	14	16	2	14	-	-	-	-	-	-
75-79 years-----	63	10	53	62	10	52	1	-	1	1	-	1
80-84 years-----	113	19	94	112	19	93	1	-	1	1	-	1
85-89 years-----	176	29	147	174	29	145	2	-	2	1	-	1
90-94 years-----	183	21	162	179	21	158	4	-	4	2	-	2
95-99 years-----	93	4	89	92	3	89	1	1	-	-	-	-
100 yrs & over---	26	3	23	24	2	22	2	1	1	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Osteoporosis without pathological fracture (M81)												
All ages-----	948	67	881	919	63	856	29	4	25	15	3	12
Under 1 year----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	2	-	2	2	-	2	-	-	-	-	-	-
60-64 years-----	5	-	5	4	-	4	1	-	1	1	-	1
65-69 years-----	19	3	16	19	3	16	-	-	-	-	-	-
70-74 years-----	26	4	22	26	4	22	-	-	-	-	-	-
75-79 years-----	83	11	72	80	10	70	3	1	2	3	1	2
80-84 years-----	166	19	147	161	18	143	5	1	4	2	-	2
85-89 years-----	250	14	236	241	14	227	9	-	9	4	-	4
90-94 years-----	259	7	252	255	7	248	4	-	4	2	-	2
95-99 years-----	110	5	105	103	3	100	7	2	5	3	2	1
100 yrs & over---	24	1	23	24	1	23	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Postmenopausal osteoporosis (M81.0)

All ages-----	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years-----	1	...	1	1	...	1	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),

RACE, AND SEX - - - ALL RACES - - - - - - WHITE - - - - - - ALL OTHER - - - - - - BLACK - - -

TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Postsurgical malabsorption osteoporosis (M81.3)

All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other osteoporosis (M81.8)

All ages-----	14	1	13	14	1	13	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	3	1	2	3	1	2	-	-	-	-	-	-
85-89 years-----	5	-	5	5	-	5	-	-	-	-	-	-
90-94 years-----	4	-	4	4	-	4	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	2	-	2	2	-	2	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Osteoporosis, unspecified (M81.9)												
All ages-----	932	66	866	903	62	841	29	4	25	15	3	12
Under 1 year----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	2	-	2	2	-	2	-	-	-	-	-	-
60-64 years-----	5	-	5	4	-	4	1	-	1	1	-	1
65-69 years-----	19	3	16	19	3	16	-	-	-	-	-	-
70-74 years-----	26	4	22	26	4	22	-	-	-	-	-	-
75-79 years-----	83	11	72	80	10	70	3	1	2	3	1	2
80-84 years-----	163	18	145	158	17	141	5	1	4	2	-	2
85-89 years-----	244	14	230	235	14	221	9	-	9	4	-	4
90-94 years-----	254	7	247	250	7	243	4	-	4	2	-	2
95-99 years-----	110	5	105	103	3	100	7	2	5	3	2	1
100 yrs & over---	22	1	21	22	1	21	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Adult osteomalacia (M83)

All ages-----	2	-	2	1	-	1	1	-	1	1	-	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	-	1	-	-	-	1	-	1	1	-	1
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Aluminum bone disease (M83.4)												
All ages-----	1	-	1	-	-	-	1	-	1	1	-	1
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	-	1	-	-	-	1	-	1	1	-	1
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Adult osteomalacia, unspecified (M83.9)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Disorders of continuity of bone (M84)												
All ages-----	107	32	75	104	32	72	3	-	3	3	-	3
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	3	2	1	3	2	1	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	2	-	2	2	-	2	-	-	-	-	-	-
60-64 years-----	3	-	3	2	-	2	1	-	1	1	-	1
65-69 years-----	3	2	1	3	2	1	-	-	-	-	-	-
70-74 years-----	5	1	4	5	1	4	-	-	-	-	-	-
75-79 years-----	10	6	4	10	6	4	-	-	-	-	-	-
80-84 years-----	17	8	9	17	8	9	-	-	-	-	-	-
85-89 years-----	19	7	12	19	7	12	-	-	-	-	-	-
90-94 years-----	23	3	20	22	3	19	1	-	1	1	-	1
95-99 years-----	16	2	14	15	2	13	1	-	1	1	-	1
100 yrs & over---	5	-	5	5	-	5	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Malunion of fracture (M84.0)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Nonunion of fracture [pseudarthrosis] (M84.1)												
All ages-----	8	2	6	8	2	6	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Stress fracture, not elsewhere classified (M84.3)

All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Pathological fracture, not elsewhere classified (M84.4)												
All ages-----	95	28	67	92	28	64	3	-	3	3	-	3
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	3	-	3	2	-	2	1	-	1	1	-	1
65-69 years-----	3	2	1	3	2	1	-	-	-	-	-	-
70-74 years-----	5	1	4	5	1	4	-	-	-	-	-	-
75-79 years-----	7	4	3	7	4	3	-	-	-	-	-	-
80-84 years-----	16	8	8	16	8	8	-	-	-	-	-	-
85-89 years-----	17	7	10	17	7	10	-	-	-	-	-	-
90-94 years-----	21	3	18	20	3	17	1	-	1	1	-	1
95-99 years-----	15	2	13	14	2	12	1	-	1	1	-	1
100 yrs & over---	5	-	5	5	-	5	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other disorders of continuity of bone (M84.8)

All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Disorder of continuity of bone, unspecified (M84.9)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other disorders of bone density and structure (M85)

All ages-----	3	2	1	3	2	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Fibrous dysplasia (monostotic) (M85.0)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Aneurysmal bone cyst (M85.5)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other specified disorders of bone density and structure (M85.8)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Osteomyelitis (M86)

All ages-----	966	429	537	786	356	430	180	73	107	158	62	96
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	-	1	-	-	-	1	-	1	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	3	1	2	2	1	1	1	-	1	1	-	1
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	1	-	1	-	-	-	1	-	1	1	-	1
40-44 years-----	8	4	4	4	2	2	4	2	2	3	1	2
45-49 years-----	19	13	6	16	10	6	3	3	3	3	3	-
50-54 years-----	26	12	14	20	9	11	6	3	3	5	3	2
55-59 years-----	39	20	19	27	12	15	12	8	4	8	5	3
60-64 years-----	39	21	18	35	20	15	4	1	3	4	1	3
65-69 years-----	57	25	32	40	17	23	17	8	9	16	8	8
70-74 years-----	101	58	43	82	52	30	19	6	13	16	5	11
75-79 years-----	151	73	78	114	54	60	37	19	18	32	15	17
80-84 years-----	184	87	97	163	82	81	21	5	16	20	5	15
85-89 years-----	165	69	96	140	60	80	25	9	16	21	8	13
90-94 years-----	117	36	81	99	31	68	18	5	13	17	4	13
95-99 years-----	47	8	39	37	4	33	10	4	6	10	4	6
100 yrs & over---	7	1	6	6	1	5	1	-	1	1	-	1
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other acute osteomyelitis (M86.1)												
All ages-----	4	3	1	2	1	1	2	2	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	-	-	-	1	1	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	2	1	1	1	-	1	1	1	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic osteomyelitis (M86.6)												
All ages-----	64	23	41	52	18	34	12	5	7	11	5	6
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	2	1	1	1	-	1	1	1	-	1	1	-
50-54 years-----	2	-	2	2	-	2	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	5	2	3	4	2	2	1	-	1	-	-	-
70-74 years-----	5	2	3	2	1	1	3	1	2	3	1	2
75-79 years-----	10	4	6	7	3	4	3	1	2	3	1	2
80-84 years-----	13	8	5	12	7	5	1	1	-	1	1	-
85-89 years-----	12	3	9	10	3	7	2	-	2	2	-	2
90-94 years-----	8	2	6	7	1	6	1	1	-	1	1	-
95-99 years-----	5	-	5	5	-	5	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other osteomyelitis (M86.8)												
All ages-----	52	24	28	48	23	25	4	1	3	4	1	3
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	-	-	-	1	-	1	1	-	1
45-49 years-----	2	-	2	2	-	2	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	5	2	3	3	1	2	2	1	1	2	1	1
70-74 years-----	6	3	3	5	3	2	1	-	1	1	-	1
75-79 years-----	7	3	4	7	3	4	-	-	-	-	-	-
80-84 years-----	13	9	4	13	9	4	-	-	-	-	-	-
85-89 years-----	10	3	7	10	3	7	-	-	-	-	-	-
90-94 years-----	4	1	3	4	1	3	-	-	-	-	-	-
95-99 years-----	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Osteomyelitis, unspecified (M86.9)

All ages-----	846	379	467	684	314	370	162	65	97	143	56	87
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	-	1	-	-	-	1	-	1	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	3	1	2	2	1	1	1	-	1	1	-	1
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	1	-	1	-	-	-	1	-	1	1	-	1
40-44 years-----	7	4	3	4	2	2	3	2	1	2	1	1
45-49 years-----	15	12	3	13	10	3	2	2	2	2	2	-
50-54 years-----	23	11	12	17	8	9	6	3	3	5	3	2
55-59 years-----	37	18	19	26	11	15	11	7	4	8	5	3
60-64 years-----	36	19	17	32	18	14	4	1	3	4	1	3
65-69 years-----	47	21	26	33	14	19	14	7	7	14	7	7
70-74 years-----	90	53	37	75	48	27	15	5	10	12	4	8
75-79 years-----	134	66	68	100	48	52	34	18	16	29	14	15
80-84 years-----	158	70	88	138	66	72	20	4	16	19	4	15
85-89 years-----	141	62	79	119	54	65	22	8	14	19	8	11
90-94 years-----	105	33	72	88	29	59	17	4	13	16	3	13
95-99 years-----	41	7	34	31	3	28	10	4	6	10	4	6
100 yrs & over---	6	1	5	5	1	4	1	-	1	1	-	1
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Osteonecrosis (M87)												
All ages-----	12	6	6	9	3	6	3	3	-	3	3	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	-	-	-	1	1	-	1	1	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	2	2	-	2	2	-	-	-	-	-	-	-
65-69 years-----	2	2	-	-	-	-	2	2	-	2	2	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Other osteonecrosis (M87.8)												
All ages-----	6	2	4	5	1	4	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	1	1	-	-	-	-	1	1	-	1	1	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Osteonecrosis, unspecified (M87.9)												
All ages-----	6	4	2	4	2	2	2	2	-	2	2	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	-	-	-	1	1	-	1	1	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	1	1	-	-	-	-	1	1	-	1	1	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Paget's disease of bone [osteitis deformans] (M88)

All ages-----	68	35	33	61	30	31	7	5	2	7	5	2
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	4	2	2	2	1	1	2	1	1	2	1	1
75-79 years-----	5	3	2	3	1	2	2	2	-	2	2	-
80-84 years-----	11	4	7	10	4	6	1	-	1	1	-	1
85-89 years-----	20	14	6	18	12	6	2	2	-	2	2	-
90-94 years-----	18	9	9	18	9	9	-	-	-	-	-	-
95-99 years-----	8	3	5	8	3	5	-	-	-	-	-	-
100 yrs & over---	2	-	2	2	-	2	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Paget's disease of skull (M88.0)												
All ages-----	2	-	2	2	-	2	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Paget's disease of other bones (M88.8)

All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Paget's disease of bone, unspecified (M88.9)

All ages-----	65	35	30	58	30	28	7	5	2	7	5	2
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	4	2	2	2	1	1	2	1	1	2	1	1
75-79 years-----	5	3	2	3	1	2	2	2	-	2	2	-
80-84 years-----	10	4	6	9	4	5	1	-	1	1	-	1
85-89 years-----	20	14	6	18	12	6	2	2	-	2	2	-
90-94 years-----	17	9	8	17	9	8	-	-	-	-	-	-
95-99 years-----	7	3	4	7	3	4	-	-	-	-	-	-
100 yrs & over---	2	-	2	2	-	2	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other disorders of bone (M89)

All ages-----	39	18	21	34	14	20	5	4	1	3	2	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	1	-	-	-	-	1	1	-	1	1	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	-	-	-	1	1	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years-----	4	4	-	3	3	-	1	1	-	-	-	-
80-84 years-----	7	2	5	7	2	5	-	-	-	-	-	-
85-89 years-----	7	4	3	6	3	3	1	1	-	1	1	-
90-94 years-----	10	2	8	10	2	8	-	-	-	-	-	-
95-99 years-----	3	-	3	2	-	2	1	-	1	1	-	1
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Algoneurodystrophy (M89.0)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Other specified disorders of bone (M89.8)												
All ages-----	25	12	13	22	9	13	3	3	-	2	2	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	1	-	-	-	-	1	1	-	1	1	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	-	-	-	1	1	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	2	2	-	2	2	-	-	-	-	-	-	-
80-84 years-----	4	1	3	4	1	3	-	-	-	-	-	-
85-89 years-----	4	3	1	3	2	1	1	1	-	1	1	-
90-94 years-----	9	2	7	9	2	7	-	-	-	-	-	-
95-99 years-----	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Disorder of bone, unspecified (M89.9)												
All ages-----	13	6	7	11	5	6	2	1	1	1	-	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	2	2	-	1	1	-	1	1	-	-	-	-
80-84 years-----	3	1	2	3	1	2	-	-	-	-	-	-
85-89 years-----	3	1	2	3	1	2	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	1	-	1	-	-	-	1	-	1	1	-	1
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Juvenile osteochondrosis of hip and pelvis (M91)												
All ages-----	10	6	4	10	6	4	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	3	2	1	3	2	1	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	3	-	3	3	-	3	-	-	-	-	-	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

RACE, AND SEX

Juvenile osteochondrosis of hip and pelvis, unspecified (M91.9)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	10	6	4	10	6	4	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	3	2	1	3	2	1	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	3	-	3	3	-	3	-	-	-	-	-	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other disorders of cartilage (M94)

All ages-----	11	2	9	9	2	7	2	-	2	2	-	2
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	-	-	-	1	-	1	1	-	1
40-44 years-----	1	-	1	-	-	-	1	-	1	1	-	1
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	2	-	2	2	-	2	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	3	-	3	3	-	3	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Relapsing polychondritis (M94.1)												
All ages-----	6	2	4	4	2	2	2	-	2	2	-	2
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	-	-	-	1	-	1	1	-	1
40-44 years-----	1	-	1	-	-	-	1	-	1	1	-	1
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Chondromalacia (M94.2)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other specified disorders of cartilage (M94.8)												
All ages-----	4	-	4	4	-	4	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other acquired deformities of musculoskeletal system and connective tissue (M95)

All ages-----	7	2	5	6	1	5	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	-	-	-	1	1	-	1	1	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	2	-	2	2	-	2	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

RACE, AND SEX

Acquired deformity of chest and rib (M95.4)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	7	2	5	6	1	5	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	-	-	-	1	1	-	1	1	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	2	-	2	2	-	2	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Acute nephritic syndrome (N00)

All ages-----	16	7	9	14	5	9	2	2	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	1	1	-	-	-	-	1	1	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	2	2	-	2	2	-	-	-	-	-	-	-
70-74 years-----	2	-	2	2	-	2	-	-	-	-	-	-
75-79 years-----	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years-----	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years-----	3	1	2	2	-	2	1	1	-	1	1	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other (N00.8)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Unspecified (N00.9)												
All ages-----	15	6	9	13	4	9	2	2	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	1	1	-	-	-	-	1	1	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	2	-	2	2	-	2	-	-	-	-	-	-
75-79 years-----	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years-----	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years-----	3	1	2	2	-	2	1	1	-	1	1	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Rapidly progressive nephritic syndrome (N01)												
All ages-----	12	8	4	9	5	4	3	3	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	-	-	-	1	1	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	-	-	-	1	1	-	1	1	-
65-69 years-----	2	2	-	1	1	-	1	1	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	3	2	1	3	2	1	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Unspecified (N01.9)												
All ages-----	12	8	4	9	5	4	3	3	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	-	-	-	1	1	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	-	-	-	1	1	-	1	1	-
65-69 years-----	2	2	-	1	1	-	1	1	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	3	2	1	3	2	1	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Recurrent and persistent hematuria (N02)												
All ages-----	21	15	6	20	15	5	1	-	1	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	2	2	-	2	2	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	3	2	1	3	2	1	-	-	-	-	-	-
50-54 years-----	3	3	-	3	3	-	-	-	-	-	-	-
55-59 years-----	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years-----	3	3	-	3	3	-	-	-	-	-	-	-
65-69 years-----	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	4	3	1	4	3	1	-	-	-	-	-	-
80-84 years-----	1	-	1	-	-	-	1	-	1	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Other (N02.8)												
All ages-----	19	15	4	18	15	3	1	-	1	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	2	2	-	2	2	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	3	2	1	3	2	1	-	-	-	-	-	-
50-54 years-----	3	3	-	3	3	-	-	-	-	-	-	-
55-59 years-----	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years-----	3	3	-	3	3	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	3	3	-	3	3	-	-	-	-	-	-	-
80-84 years-----	1	-	1	-	-	-	1	-	1	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Unspecified (N02.9)												
All ages-----	2	-	2	2	-	2	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Chronic nephritic syndrome (N03)												
All ages-----	315	156	159	235	121	114	80	35	45	65	29	36
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	-	-	-	1	1	-	1	1	-
20-24 years-----	2	2	-	1	1	-	1	1	-	1	1	-
25-29 years-----	2	1	1	2	1	1	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	5	4	1	4	3	1	1	1	-	1	1	-
40-44 years-----	9	6	3	5	4	1	4	2	2	4	2	2
45-49 years-----	6	5	1	5	4	1	1	1	-	1	1	-
50-54 years-----	16	8	8	8	4	4	8	4	4	8	4	4
55-59 years-----	11	4	7	7	2	5	4	2	2	3	2	1
60-64 years-----	15	10	5	10	7	3	5	3	2	2	2	-
65-69 years-----	20	8	12	11	5	6	9	3	6	7	2	5
70-74 years-----	28	9	19	22	7	15	6	2	4	4	1	3
75-79 years-----	49	27	22	40	25	15	9	2	7	7	2	5
80-84 years-----	57	30	27	45	24	21	12	6	6	9	4	5
85-89 years-----	57	23	34	47	20	27	10	3	7	10	3	7
90-94 years-----	27	13	14	20	10	10	7	3	4	5	2	3
95-99 years-----	6	3	3	4	2	2	2	1	1	2	1	1
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Unspecified (N03.9)												
All ages-----	315	156	159	235	121	114	80	35	45	65	29	36
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	-	-	-	1	1	-	1	1	-
20-24 years-----	2	2	-	1	1	-	1	1	-	1	1	-
25-29 years-----	2	1	1	2	1	1	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	5	4	1	4	3	1	1	1	-	1	1	-
40-44 years-----	9	6	3	5	4	1	4	2	2	4	2	2
45-49 years-----	6	5	1	5	4	1	1	1	-	1	1	-
50-54 years-----	16	8	8	8	4	4	8	4	4	8	4	4
55-59 years-----	11	4	7	7	2	5	4	2	2	3	2	1
60-64 years-----	15	10	5	10	7	3	5	3	2	2	2	-
65-69 years-----	20	8	12	11	5	6	9	3	6	7	2	5
70-74 years-----	28	9	19	22	7	15	6	2	4	4	1	3
75-79 years-----	49	27	22	40	25	15	9	2	7	7	2	5
80-84 years-----	57	30	27	45	24	21	12	6	6	9	4	5
85-89 years-----	57	23	34	47	20	27	10	3	7	10	3	7
90-94 years-----	27	13	14	20	10	10	7	3	4	5	2	3
95-99 years-----	6	3	3	4	2	2	2	1	1	2	1	1
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Nephrotic syndrome (N04)												
All ages-----	154	75	79	121	57	64	33	18	15	26	14	12
Under 1 year-----	3	3	-	3	3	-	-	-	-	-	-	-
1-4 years-----	2	2	-	2	2	-	-	-	-	-	-	-
5-9 years-----	2	-	2	2	-	2	-	-	-	-	-	-
10-14 years-----	2	1	1	1	1	-	1	-	1	1	-	1
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	2	2	-	1	1	-	1	1	-	1	1	-
25-29 years-----	3	2	1	1	-	1	2	2	-	2	2	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	3	2	1	1	1	-	2	1	1	2	1	1
45-49 years-----	6	3	3	4	2	2	2	1	1	2	1	1
50-54 years-----	4	3	1	2	2	-	2	1	1	2	1	1
55-59 years-----	4	1	3	3	1	2	1	-	1	1	-	1
60-64 years-----	9	3	6	5	2	3	4	1	3	3	1	2
65-69 years-----	6	1	5	6	1	5	-	-	-	-	-	-
70-74 years-----	24	11	13	20	9	11	4	2	2	3	2	1
75-79 years-----	32	12	20	27	10	17	5	2	3	3	1	2
80-84 years-----	22	16	6	17	12	5	5	4	1	3	2	1
85-89 years-----	17	8	9	13	5	8	4	3	1	3	2	1
90-94 years-----	6	-	6	6	-	6	-	-	-	-	-	-
95-99 years-----	5	4	1	5	4	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other (N04.8)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Unspecified (N04.9)												
All ages-----	153	75	78	120	57	63	33	18	15	26	14	12
Under 1 year-----	3	3	-	3	3	-	-	-	-	-	-	-
1-4 years-----	2	2	-	2	2	-	-	-	-	-	-	-
5-9 years-----	2	-	2	2	-	2	-	-	-	-	-	-
10-14 years-----	2	1	1	1	1	-	1	-	1	1	-	1
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	2	2	-	1	1	-	1	1	-	1	1	-
25-29 years-----	3	2	1	1	-	1	2	2	-	2	2	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	3	2	1	1	1	-	2	1	1	2	1	1
45-49 years-----	6	3	3	4	2	2	2	1	1	2	1	1
50-54 years-----	4	3	1	2	2	-	2	1	1	2	1	1
55-59 years-----	4	1	3	3	1	2	1	-	1	1	-	1
60-64 years-----	9	3	6	5	2	3	4	1	3	3	1	2
65-69 years-----	6	1	5	6	1	5	-	-	-	-	-	-
70-74 years-----	24	11	13	20	9	11	4	2	2	3	2	1
75-79 years-----	31	12	19	26	10	16	5	2	3	3	1	2
80-84 years-----	22	16	6	17	12	5	5	4	1	3	2	1
85-89 years-----	17	8	9	13	5	8	4	3	1	3	2	1
90-94 years-----	6	-	6	6	-	6	-	-	-	-	-	-
95-99 years-----	5	4	1	5	4	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Unspecified nephritic syndrome (N05)												
All ages-----	198	98	100	170	83	87	28	15	13	20	11	9
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	2	1	1	1	-	1	1	1	-	1	1	-
25-29 years-----	6	4	2	4	3	1	2	1	1	-	-	-
30-34 years-----	3	2	1	1	1	-	2	1	1	2	1	1
35-39 years-----	6	1	5	3	-	3	3	1	2	3	1	2
40-44 years-----	4	3	1	2	2	-	2	1	1	1	-	1
45-49 years-----	6	2	4	5	2	3	1	-	1	-	-	-
50-54 years-----	8	3	5	7	3	4	1	-	1	-	-	-
55-59 years-----	12	7	5	8	5	3	4	2	2	3	1	2
60-64 years-----	14	6	8	11	5	6	3	1	2	2	1	1
65-69 years-----	14	7	7	11	6	5	3	1	2	3	1	2
70-74 years-----	27	12	15	25	10	15	2	2	-	2	2	-
75-79 years-----	37	21	16	35	19	16	2	2	-	2	2	-
80-84 years-----	30	14	16	29	13	16	1	1	-	-	-	-
85-89 years-----	21	11	10	20	10	10	1	1	-	1	1	-
90-94 years-----	5	2	3	5	2	3	-	-	-	-	-	-
95-99 years-----	2	1	1	2	1	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Focal and segmental glomerular lesions (N05.1)												
All ages-----	7	6	1	6	6	-	1	-	1	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	-	1	-	-	-	1	-	1	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	2	2	-	2	2	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Diffuse membranous glomerulonephritis (N05.2)												
All ages-----	28	13	15	27	12	15	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	2	1	1	2	1	1	-	-	-	-	-	-
55-59 years-----	2	2	-	2	2	-	-	-	-	-	-	-
60-64 years-----	3	1	2	2	-	2	1	1	-	1	1	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	6	-	6	6	-	6	-	-	-	-	-	-
75-79 years-----	7	4	3	7	4	3	-	-	-	-	-	-
80-84 years-----	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years-----	3	2	1	3	2	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Diffuse mesangial proliferative glomerulonephritis (N05.3)

All ages-----	1	-	1	-	-	-	1	-	1	1	-	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	-	-	-	1	-	1	1	-	1
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Diffuse mesangiocapillary glomerulonephritis (N05.5)												
All ages-----	8	3	5	7	2	5	1	1	-	1	1	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	-	-	-	1	1	-	1	1	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	4	-	4	4	-	4	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Diffuse crescentic glomerulonephritis (N05.7)

All ages-----	6	2	4	6	2	4	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	3	2	1	3	2	1	-	-	-	-	-	-
80-84 years-----	3	-	3	3	-	3	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other (N05.8)												
All ages-----	18	7	11	15	6	9	3	1	2	2	1	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	3	-	3	2	-	2	1	-	1	1	-	1
60-64 years-----	1	-	1	-	-	-	1	-	1	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	3	-	3	3	-	3	-	-	-	-	-	-
75-79 years-----	3	3	-	2	2	-	1	1	-	1	1	-
80-84 years-----	3	2	1	3	2	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Unspecified (N05.9)												
All ages-----	130	67	63	109	55	54	21	12	9	15	8	7
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years-----	5	3	2	3	2	1	2	1	1	-	-	-
30-34 years-----	3	2	1	1	1	-	2	1	1	2	1	1
35-39 years-----	5	1	4	2	-	2	3	1	2	3	1	2
40-44 years-----	3	2	1	1	1	-	2	1	1	1	-	1
45-49 years-----	5	1	4	4	1	3	1	-	1	-	-	-
50-54 years-----	4	1	3	4	1	3	-	-	-	-	-	-
55-59 years-----	7	5	2	4	3	1	3	2	1	2	1	1
60-64 years-----	10	5	5	9	5	4	1	-	1	1	-	1
65-69 years-----	10	7	3	8	6	2	2	1	1	2	1	1
70-74 years-----	17	11	6	15	9	6	2	2	-	2	2	-
75-79 years-----	18	10	8	17	9	8	1	1	-	1	1	-
80-84 years-----	21	10	11	20	9	11	1	1	-	-	-	-
85-89 years-----	17	8	9	16	7	9	1	1	-	1	1	-
90-94 years-----	3	1	2	3	1	2	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Acute tubulo-interstitial nephritis (N10)												
All ages-----	125	46	79	97	34	63	28	12	16	27	12	15
Under 1 year----	3	1	2	1	1	-	2	-	2	1	-	1
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	2	-	2	-	-	-	2	-	2	2	-	2
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	3	-	3	2	-	2	1	-	1	1	-	1
30-34 years-----	2	-	2	2	-	2	-	-	-	-	-	-
35-39 years-----	2	1	1	2	1	1	-	-	-	-	-	-
40-44 years-----	4	1	3	2	-	2	2	1	1	2	1	1
45-49 years-----	6	4	2	4	2	2	2	2	-	2	2	-
50-54 years-----	9	5	4	5	3	2	4	2	2	4	2	2
55-59 years-----	8	2	6	7	1	6	1	1	-	1	1	-
60-64 years-----	2	-	2	2	-	2	-	-	-	-	-	-
65-69 years-----	13	5	8	10	4	6	3	1	2	3	1	2
70-74 years-----	9	5	4	6	3	3	3	2	1	3	2	1
75-79 years-----	7	1	6	6	1	5	1	-	1	1	-	1
80-84 years-----	13	7	6	11	6	5	2	1	1	2	1	1
85-89 years-----	19	7	12	16	5	11	3	2	1	3	2	1
90-94 years-----	15	5	10	14	5	9	1	-	1	1	-	1
95-99 years-----	8	2	6	7	2	5	1	-	1	1	-	1
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Chronic tubulo-interstitial nephritis (N11)												
All ages-----	122	41	81	114	38	76	8	3	5	8	3	5
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	3	1	2	2	1	1	1	-	1	1	-	1
40-44 years-----	2	1	1	2	1	1	-	-	-	-	-	-
45-49 years-----	3	2	1	3	2	1	-	-	-	-	-	-
50-54 years-----	6	1	5	6	1	5	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	5	3	2	5	3	2	-	-	-	-	-	-
65-69 years-----	6	3	3	5	2	3	1	1	-	1	1	-
70-74 years-----	14	3	11	12	2	10	2	1	1	2	1	1
75-79 years-----	19	6	13	18	6	12	1	-	1	1	-	1
80-84 years-----	21	6	15	20	6	14	1	-	1	1	-	1
85-89 years-----	22	9	13	21	9	12	1	-	1	1	-	1
90-94 years-----	13	5	8	12	4	8	1	1	-	1	1	-
95-99 years-----	5	1	4	5	1	4	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Nonobstructive reflux-associated chronic pyelonephritis (N11.0)												
All ages-----	7	1	6	7	1	6	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	2	-	2	2	-	2	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Chronic obstructive pyelonephritis (N11.1)

All ages-----	8	3	5	8	3	5	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	3	-	3	3	-	3	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other chronic tubulo-interstitial nephritis (N11.8)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Chronic tubulo-interstitial nephritis, unspecified (N11.9)

All ages-----	106	37	69	98	34	64	8	3	5	8	3	5
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	3	1	2	2	1	1	1	-	1	1	-	1
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	2	2	-	2	2	-	-	-	-	-	-	-
50-54 years-----	5	1	4	5	1	4	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	4	2	2	4	2	2	-	-	-	-	-	-
65-69 years-----	6	3	3	5	2	3	1	1	-	1	1	-
70-74 years-----	12	2	10	10	1	9	2	1	1	2	1	1
75-79 years-----	16	6	10	15	6	9	1	-	1	1	-	1
80-84 years-----	17	6	11	16	6	10	1	-	1	1	-	1
85-89 years-----	21	8	13	20	8	12	1	-	1	1	-	1
90-94 years-----	12	5	7	11	4	7	1	1	-	1	1	-
95-99 years-----	5	1	4	5	1	4	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Tubulo-interstitial nephritis, not specified as acute or chronic (N12)												
All ages-----	544	153	391	492	139	353	52	14	38	43	12	31
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	2	-	2	2	-	2	-	-	-	-	-	-
35-39 years-----	7	-	7	4	-	4	3	-	3	2	-	2
40-44 years-----	7	2	5	6	1	5	1	1	-	1	1	-
45-49 years-----	7	1	6	6	1	5	1	-	1	1	-	1
50-54 years-----	17	5	12	14	4	10	3	1	2	2	1	1
55-59 years-----	15	8	7	14	7	7	1	1	-	1	1	-
60-64 years-----	19	8	11	12	5	7	7	3	4	7	3	4
65-69 years-----	30	10	20	26	10	16	4	-	4	2	-	2
70-74 years-----	52	14	38	45	11	34	7	3	4	7	3	4
75-79 years-----	74	25	49	66	23	43	8	2	6	6	1	5
80-84 years-----	90	29	61	85	26	59	5	3	2	4	2	2
85-89 years-----	108	29	79	103	29	74	5	-	5	4	-	4
90-94 years-----	71	13	58	68	13	55	3	-	3	3	-	3
95-99 years-----	35	8	27	32	8	24	3	-	3	2	-	2
100 yrs & over---	6	-	6	5	-	5	1	-	1	1	-	1
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Obstructive and reflux uropathy (N13)

All ages-----	475	287	188	410	243	167	65	44	21	58	40	18
Under 1 year-----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	3	3	-	1	1	-	2	2	-	2	2	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	-	-	-	1	1	-	-	-	-
25-29 years-----	5	4	1	4	4	-	1	-	1	1	-	1
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	3	1	2	1	1	-	2	-	2	1	-	1
40-44 years-----	5	3	2	5	3	2	-	-	-	-	-	-
45-49 years-----	5	2	3	5	2	3	-	-	-	-	-	-
50-54 years-----	14	7	7	11	6	5	3	1	2	3	1	2
55-59 years-----	12	6	6	12	6	6	-	-	-	-	-	-
60-64 years-----	8	5	3	5	3	2	3	2	1	2	1	1
65-69 years-----	19	13	6	11	8	3	8	5	3	6	4	2
70-74 years-----	31	17	14	23	11	12	8	6	2	8	6	2
75-79 years-----	66	41	25	57	34	23	9	7	2	8	6	2
80-84 years-----	95	65	30	90	62	28	5	3	2	5	3	2
85-89 years-----	107	64	43	97	56	41	10	8	2	10	8	2
90-94 years-----	75	37	38	64	30	34	11	7	4	10	7	3
95-99 years-----	21	13	8	19	11	8	2	2	-	2	2	-
100 yrs & over---	4	4	-	4	4	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

RACE, AND SEX

Hydronephrosis with ureteropelvic junction obstruction (N13.0)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	2	1	1	1	-	1	1	1	-	1	1	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	1	-	-	-	-	1	1	-	1	1	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Hydronephrosis with renal and ureteral calculous obstruction (N13.2)

All ages-----	15	6	9	15	6	9	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	2	-	2	2	-	2	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	3	1	2	3	1	2	-	-	-	-	-	-
80-84 years-----	3	-	3	3	-	3	-	-	-	-	-	-
85-89 years-----	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other and unspecified hydronephrosis (N13.3)												
All ages-----	91	41	50	82	36	46	9	5	4	6	3	3
Under 1 year----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	3	2	1	3	2	1	-	-	-	-	-	-
55-59 years-----	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years-----	2	2	-	1	1	-	1	1	-	-	-	-
65-69 years-----	1	-	1	-	-	-	1	-	1	-	-	-
70-74 years-----	7	1	6	6	1	6	1	1	-	1	1	-
75-79 years-----	15	7	8	11	4	7	4	3	1	3	2	1
80-84 years-----	19	12	7	18	12	6	1	-	1	1	-	1
85-89 years-----	22	8	14	22	8	14	-	-	-	-	-	-
90-94 years-----	13	5	8	12	5	7	1	-	1	1	-	1
95-99 years-----	5	1	4	5	1	4	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Hydroureter (N13.4)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Kinking and stricture of ureter without hydronephrosis (N13.5)												
All ages-----	69	26	43	62	22	40	7	4	3	6	4	2
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	3	1	2	3	1	2	-	-	-	-	-	-
50-54 years-----	5	2	3	3	1	2	2	1	1	2	1	1
55-59 years-----	3	-	3	3	-	3	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	-	-	-	1	1	-	1	1	-
70-74 years-----	8	4	4	5	2	3	3	2	1	3	2	1
75-79 years-----	17	6	11	17	6	11	-	-	-	-	-	-
80-84 years-----	9	4	5	9	4	5	-	-	-	-	-	-
85-89 years-----	10	5	5	10	5	5	-	-	-	-	-	-
90-94 years-----	11	2	9	10	2	8	1	-	1	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Pyonephrosis (N13.6)

All ages-----	5	2	3	3	2	1	2	-	2	1	-	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	-	-	-	1	-	1	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	-	1	-	-	-	1	-	1	1	-	1
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	2	2	-	2	2	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Vesicoureteral-reflux-associated uropathy (N13.7)												
All ages-----	2	-	2	2	-	2	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Other obstructive and reflux uropathy (N13.8)												
All ages-----	20	12	8	19	11	8	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	4	3	1	4	3	1	-	-	-	-	-	-
80-84 years-----	5	3	2	4	2	2	1	1	-	1	1	-
85-89 years-----	7	3	4	7	3	4	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Obstructive and reflux uropathy, unspecified (N13.9)												
All ages-----	270	198	72	225	165	60	45	33	12	43	31	12
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	2	2	-	1	1	-	1	1	-	1	1	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	-	-	-	1	1	-	-	-	-
25-29 years-----	2	1	1	1	1	-	1	-	1	1	-	1
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	2	1	1	1	1	-	1	-	1	1	-	1
40-44 years-----	2	2	-	2	2	-	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	4	2	2	4	2	2	-	-	-	-	-	-
55-59 years-----	6	4	2	6	4	2	-	-	-	-	-	-
60-64 years-----	6	3	3	4	2	2	2	1	1	2	1	1
65-69 years-----	17	12	5	11	8	3	6	4	2	5	3	2
70-74 years-----	15	11	4	11	8	3	4	3	1	4	3	1
75-79 years-----	27	24	3	22	20	2	5	4	1	5	4	1
80-84 years-----	56	44	12	53	42	11	3	2	1	3	2	1
85-89 years-----	63	47	16	53	39	14	10	8	2	10	8	2
90-94 years-----	49	29	20	40	22	18	9	7	2	9	7	2
95-99 years-----	13	11	2	11	9	2	2	2	-	2	2	-
100 yrs & over---	4	4	-	4	4	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Drug- and heavy-metal-induced tubulo-interstitial and tubular conditions (N14)

All ages-----	17	6	11	15	5	10	2	1	1	2	1	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	3	1	2	2	1	1	1	-	1	1	-	1
60-64 years-----	1	1	-	-	-	-	1	1	-	1	1	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	4	1	3	4	1	3	-	-	-	-	-	-
80-84 years-----	3	2	1	3	2	1	-	-	-	-	-	-
85-89 years-----	3	1	2	3	1	2	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Analgesic nephropathy (N14.0)												
All ages-----	7	1	6	6	1	5	1	-	1	1	-	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	-	1	-	-	-	1	-	1	1	-	1
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	3	1	2	3	1	2	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Nephropathy induced by other drugs, medicaments, and biological substances (N14.1)

All ages-----	3	3	-	2	2	-	1	1	-	1	1	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	1	1	-	-	-	-	1	1	-	1	1	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Nephropathy induced by unspecified drug, medicament, or biological substance (N14.2)												
All ages-----	5	2	3	5	2	3	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Nephropathy induced by heavy metals (N14.3)

All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Toxic nephropathy, not elsewhere classified (N14.4)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other renal tubulo-interstitial diseases (N15)

All ages-----	77	32	45	65	30	35	12	2	10	10	2	8
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	3	2	1	3	2	1	-	-	-	-	-	-
45-49 years-----	6	1	5	6	1	5	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	6	4	2	4	4	-	2	-	2	2	-	2
60-64 years-----	4	3	1	4	3	1	-	-	-	-	-	-
65-69 years-----	5	2	3	4	1	3	1	1	-	1	1	-
70-74 years-----	11	4	7	6	3	3	5	1	4	4	1	3
75-79 years-----	12	5	7	12	5	7	-	-	-	-	-	-
80-84 years-----	15	6	9	12	6	6	3	-	3	2	-	2
85-89 years-----	6	1	5	5	1	4	1	-	1	1	-	1
90-94 years-----	6	2	4	6	2	4	-	-	-	-	-	-
95-99 years-----	3	2	1	3	2	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Balkan nephropathy (N15.0)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Renal and perinephric abscess (N15.1)												
All ages-----	50	21	29	43	19	24	7	2	5	6	2	4
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	2	1	1	2	1	1	-	-	-	-	-	-
45-49 years-----	6	1	5	6	1	5	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	6	4	2	4	4	-	2	-	2	2	-	2
60-64 years-----	3	2	1	3	2	1	-	-	-	-	-	-
65-69 years-----	3	1	2	2	-	2	1	1	-	1	1	-
70-74 years-----	6	3	3	4	2	2	2	1	1	1	1	-
75-79 years-----	9	5	4	9	5	4	-	-	-	-	-	-
80-84 years-----	7	2	5	6	2	4	1	-	1	1	-	1
85-89 years-----	4	-	4	3	-	3	1	-	1	1	-	1
90-94 years-----	3	1	2	3	1	2	-	-	-	-	-	-
95-99 years-----	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Renal tubulo-interstitial disease, unspecified (N15.9)												
All ages-----	26	10	16	21	10	11	5	-	5	4	-	4
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years-----	5	1	4	2	1	1	3	-	3	3	-	3
75-79 years-----	3	-	3	3	-	3	-	-	-	-	-	-
80-84 years-----	8	4	4	6	4	2	2	-	2	1	-	1
85-89 years-----	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years-----	3	1	2	3	1	2	-	-	-	-	-	-
95-99 years-----	2	1	1	2	1	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Acute renal failure (N17)

All ages-----	4,752	2,265	2,487	3,985	1,868	2,117	767	397	370	692	358	334
Under 1 year----	39	21	18	25	15	10	14	6	8	13	6	7
1-4 years-----	4	2	2	3	1	2	1	1	-	-	-	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	2	1	1	1	1	-	1	-	1	1	-	1
20-24 years-----	7	4	3	3	2	1	4	2	2	4	2	2
25-29 years-----	7	2	5	4	1	3	3	1	2	2	1	1
30-34 years-----	18	9	9	9	4	5	9	5	4	8	4	4
35-39 years-----	17	13	4	9	6	3	8	7	1	8	7	1
40-44 years-----	37	23	14	22	13	9	15	10	5	15	10	5
45-49 years-----	59	38	21	35	23	12	24	15	9	24	15	9
50-54 years-----	91	54	37	65	43	22	26	11	15	25	11	14
55-59 years-----	99	54	45	66	36	30	33	18	15	28	16	12
60-64 years-----	159	103	56	112	75	37	47	28	19	43	26	17
65-69 years-----	282	172	110	229	139	90	53	33	20	47	28	19
70-74 years-----	490	259	231	403	211	192	87	48	39	80	47	33
75-79 years-----	794	419	375	674	342	332	120	77	43	109	69	40
80-84 years-----	948	460	488	843	408	435	105	52	53	93	44	49
85-89 years-----	882	367	515	767	310	457	115	57	58	102	52	50
90-94 years-----	541	187	354	487	172	315	54	15	39	49	14	35
95-99 years-----	242	67	175	207	59	148	35	8	27	28	3	25
100 yrs & over---	32	9	23	19	6	13	13	3	10	13	3	10
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Acute renal failure with tubular necrosis (N17.0)												
All ages-----	169	94	75	151	86	65	18	8	10	13	5	8
Under 1 year----	3	-	3	1	-	1	2	-	2	1	-	1
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	2	-	2	2	-	2	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	5	4	1	3	2	1	2	2	-	2	2	-
50-54 years-----	4	4	-	4	4	-	-	-	-	-	-	-
55-59 years-----	5	3	2	4	2	2	1	1	-	1	1	-
60-64 years-----	4	3	1	3	3	-	1	-	1	1	-	1
65-69 years-----	13	11	2	13	11	2	-	-	-	-	-	-
70-74 years-----	20	13	7	20	13	7	-	-	-	-	-	-
75-79 years-----	25	15	10	20	12	8	5	3	2	3	2	1
80-84 years-----	38	17	21	34	15	19	4	2	2	2	-	2
85-89 years-----	27	15	12	26	15	11	1	-	1	1	-	1
90-94 years-----	18	7	11	16	7	9	2	-	2	2	-	2
95-99 years-----	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over---	1	1	-	1	1	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Acute renal failure with acute cortical necrosis (N17.1)

All ages-----	2	-	2	2	-	2	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Acute renal failure with medullary necrosis (N17.2)												
All ages-----	3	1	2	3	1	2	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other acute renal failure (N17.8)

All ages-----	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Acute renal failure, unspecified (N17.9)												
All ages-----	4,576	2,169	2,407	3,827	1,780	2,047	749	389	360	679	353	326
Under 1 year-----	36	21	15	24	15	9	12	6	6	12	6	6
1-4 years-----	4	2	2	3	1	2	1	1	-	-	-	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	2	1	1	1	1	-	1	-	1	1	-	1
20-24 years-----	7	4	3	3	2	1	4	2	2	4	2	2
25-29 years-----	7	2	5	4	1	3	3	1	2	2	1	1
30-34 years-----	16	9	7	7	4	3	9	5	4	8	4	4
35-39 years-----	15	12	3	7	5	2	8	7	1	8	7	1
40-44 years-----	37	23	14	22	13	9	15	10	5	15	10	5
45-49 years-----	53	34	19	31	21	10	22	13	9	22	13	9
50-54 years-----	87	50	37	61	39	22	26	11	15	25	11	14
55-59 years-----	94	51	43	62	34	28	32	17	15	27	15	12
60-64 years-----	155	100	55	109	72	37	46	28	18	42	26	16
65-69 years-----	269	161	108	216	128	88	53	33	20	47	28	19
70-74 years-----	468	245	223	381	197	184	87	48	39	80	47	33
75-79 years-----	769	404	365	654	330	324	115	74	41	106	67	39
80-84 years-----	908	442	466	807	392	415	101	50	51	91	44	47
85-89 years-----	855	352	503	741	295	446	114	57	57	101	52	49
90-94 years-----	522	180	342	470	165	305	52	15	37	47	14	33
95-99 years-----	240	67	173	205	59	146	35	8	27	28	3	25
100 yrs & over---	31	8	23	18	5	13	13	3	10	13	3	10
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Chronic renal failure (N18)												
All ages-----	13,992	6,846	7,146	10,027	5,084	4,943	3,965	1,762	2,203	3,541	1,554	1,987
Under 1 year-----	5	4	1	5	4	1	-	-	-	-	-	-
1-4 years-----	4	3	1	4	3	1	-	-	-	-	-	-
5-9 years-----	4	4	-	3	3	-	1	1	-	1	1	-
10-14 years-----	9	7	2	7	6	1	2	1	1	1	1	-
15-19 years-----	13	4	9	7	3	4	6	1	5	6	1	5
20-24 years-----	24	6	18	12	2	10	12	4	8	12	4	8
25-29 years-----	53	27	26	26	13	13	27	14	13	25	13	12
30-34 years-----	91	54	37	49	31	18	42	23	19	38	19	19
35-39 years-----	167	96	71	88	51	37	79	45	34	76	44	32
40-44 years-----	251	137	114	123	71	52	128	66	62	121	61	60
45-49 years-----	319	193	126	149	85	64	170	108	62	162	104	58
50-54 years-----	443	242	201	222	118	104	221	124	97	207	117	90
55-59 years-----	653	338	315	372	216	156	281	122	159	250	101	149
60-64 years-----	880	441	439	545	280	265	335	161	174	299	143	156
65-69 years-----	1,310	612	698	823	404	419	487	208	279	438	185	253
70-74 years-----	1,841	892	949	1,284	663	621	557	229	328	499	203	296
75-79 years-----	2,294	1,193	1,101	1,752	944	808	542	249	293	475	215	260
80-84 years-----	2,257	1,135	1,122	1,797	938	859	460	197	263	403	179	224
85-89 years-----	1,891	888	1,003	1,539	758	781	352	130	222	298	103	195
90-94 years-----	1,043	421	622	869	362	507	174	59	115	152	45	107
95-99 years-----	378	130	248	305	114	191	73	16	57	62	11	51
100 yrs & over---	62	19	43	46	15	31	16	4	12	16	4	12
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
End-stage renal disease (N18.0)												
All ages-----	6,679	3,258	3,421	4,283	2,204	2,079	2,396	1,054	1,342	2,160	934	1,226
Under 1 year-----	2	1	1	2	1	1	-	-	-	-	-	-
1-4 years-----	2	1	1	2	1	1	-	-	-	-	-	-
5-9 years-----	2	2	-	2	2	-	-	-	-	-	-	-
10-14 years-----	2	1	1	1	-	1	1	1	-	1	1	-
15-19 years-----	7	1	6	3	-	3	4	1	3	4	1	3
20-24 years-----	16	5	11	7	1	6	9	4	5	9	4	5
25-29 years-----	35	16	19	16	7	9	19	9	10	17	8	9
30-34 years-----	68	39	29	35	21	14	33	18	15	29	14	15
35-39 years-----	109	63	46	49	28	21	60	35	25	57	34	23
40-44 years-----	160	90	70	69	43	26	91	47	44	88	45	43
45-49 years-----	225	138	87	105	62	43	120	76	44	115	73	42
50-54 years-----	286	148	138	130	65	65	156	83	73	150	81	69
55-59 years-----	421	221	200	227	135	92	194	86	108	175	73	102
60-64 years-----	552	269	283	323	164	159	229	105	124	203	92	111
65-69 years-----	765	334	431	448	209	239	317	125	192	285	108	177
70-74 years-----	1,036	485	551	672	339	333	364	146	218	330	130	200
75-79 years-----	1,106	570	536	784	426	358	322	144	178	282	121	161
80-84 years-----	923	454	469	698	367	331	225	87	138	201	82	119
85-89 years-----	635	294	341	474	233	241	161	61	100	140	51	89
90-94 years-----	242	103	139	183	82	101	59	21	38	46	13	33
95-99 years-----	73	21	52	45	16	29	28	5	23	24	3	21
100 yrs & over---	12	2	10	8	2	6	4	-	4	4	-	4
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic renal failure (N18.8)												
All ages-----	629	286	343	498	229	269	131	57	74	118	53	65
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	2	1	1	1	1	-	1	-	1	1	-	1
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	4	4	-	4	4	-	-	-	-	-	-	-
40-44 years-----	8	5	3	6	3	3	2	2	-	2	2	-
45-49 years-----	7	5	2	2	1	1	5	4	1	5	4	1
50-54 years-----	6	5	1	4	3	1	2	2	-	2	2	-
55-59 years-----	15	6	9	4	2	2	11	4	7	9	2	7
60-64 years-----	24	14	10	16	9	7	8	5	3	8	5	3
65-69 years-----	43	26	17	30	17	13	13	9	4	13	9	4
70-74 years-----	75	36	39	56	29	27	19	7	12	17	7	10
75-79 years-----	97	52	45	82	45	37	15	7	8	13	7	6
80-84 years-----	113	51	62	96	45	51	17	6	11	14	5	9
85-89 years-----	118	48	70	95	41	54	23	7	16	21	6	15
90-94 years-----	78	27	51	69	23	46	9	4	5	8	4	4
95-99 years-----	36	5	31	31	5	26	5	-	5	4	-	4
100 yrs & over---	2	-	2	1	-	1	1	-	1	1	-	1
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Chronic renal failure, unspecified (N18.9)												
All ages-----	6,684	3,302	3,382	5,246	2,651	2,595	1,438	651	787	1,263	567	696
Under 1 year-----	3	3	-	3	3	-	-	-	-	-	-	-
1-4 years-----	2	2	-	2	2	-	-	-	-	-	-	-
5-9 years-----	2	2	-	1	1	-	1	1	-	1	1	-
10-14 years-----	7	6	1	6	6	-	1	-	1	-	-	-
15-19 years-----	6	3	3	4	3	1	2	-	2	2	-	2
20-24 years-----	8	1	7	5	1	4	3	-	3	3	-	3
25-29 years-----	16	10	6	9	5	4	7	5	2	7	5	2
30-34 years-----	22	14	8	13	9	4	9	5	4	9	5	4
35-39 years-----	54	29	25	35	19	16	19	10	9	19	10	9
40-44 years-----	83	42	41	48	25	23	35	17	18	31	14	17
45-49 years-----	87	50	37	42	22	20	45	28	17	42	27	15
50-54 years-----	151	89	62	88	50	38	63	39	24	55	34	21
55-59 years-----	217	111	106	141	79	62	76	32	44	66	26	40
60-64 years-----	304	158	146	206	107	99	98	51	47	88	46	42
65-69 years-----	502	252	250	345	178	167	157	74	83	140	68	72
70-74 years-----	730	371	359	556	295	261	174	76	98	152	66	86
75-79 years-----	1,091	571	520	886	473	413	205	98	107	180	87	93
80-84 years-----	1,221	630	591	1,003	526	477	218	104	114	188	92	96
85-89 years-----	1,138	546	592	970	484	486	168	62	106	137	46	91
90-94 years-----	723	291	432	617	257	360	106	34	72	98	28	70
95-99 years-----	269	104	165	229	93	136	40	11	29	34	8	26
100 yrs & over---	48	17	31	37	13	24	11	4	7	11	4	7
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Unspecified renal failure (N19)

All ages-----	15,975	7,500	8,475	13,395	6,360	7,035	2,580	1,140	1,440	2,344	1,031	1,313
Under 1 year-----	119	62	57	69	40	29	50	22	28	45	19	26
1-4 years-----	4	2	2	3	1	2	1	1	-	1	1	-
5-9 years-----	4	1	3	3	1	2	1	-	1	1	-	1
10-14 years-----	6	2	4	2	1	1	4	1	3	4	1	3
15-19 years-----	6	3	3	6	3	3	-	-	-	-	-	-
20-24 years-----	11	7	4	8	4	4	3	3	-	3	3	-
25-29 years-----	23	5	18	12	4	8	11	1	10	11	1	10
30-34 years-----	38	13	25	22	7	15	16	6	10	15	6	9
35-39 years-----	66	34	32	38	22	16	28	12	16	28	12	16
40-44 years-----	135	79	56	82	44	38	53	35	18	49	32	17
45-49 years-----	208	121	87	118	73	45	90	48	42	81	43	38
50-54 years-----	302	166	136	195	108	87	107	58	49	103	56	47
55-59 years-----	392	220	172	284	163	121	108	57	51	96	52	44
60-64 years-----	601	336	265	436	246	190	165	90	75	152	83	69
65-69 years-----	1,049	556	493	818	443	375	231	113	118	207	97	110
70-74 years-----	1,725	949	776	1,415	801	614	310	148	162	276	130	146
75-79 years-----	2,472	1,300	1,172	2,125	1,140	985	347	160	187	318	147	171
80-84 years-----	2,887	1,381	1,506	2,510	1,224	1,286	377	157	220	340	145	195
85-89 years-----	2,945	1,280	1,665	2,594	1,136	1,458	351	144	207	316	130	186
90-94 years-----	2,072	726	1,346	1,856	662	1,194	216	64	152	191	53	138
95-99 years-----	752	218	534	666	203	463	86	15	71	82	15	67
100 yrs & over---	158	39	119	133	34	99	25	5	20	25	5	20
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Calculus of kidney and ureter (N20)												
All ages-----	223	88	135	201	77	124	22	11	11	18	9	9
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	3	1	2	3	1	2	-	-	-	-	-	-
40-44 years-----	3	1	2	3	1	2	-	-	-	-	-	-
45-49 years-----	3	1	2	3	1	2	-	-	-	-	-	-
50-54 years-----	7	6	1	5	4	1	2	2	-	2	2	-
55-59 years-----	9	7	2	8	6	2	1	1	-	-	-	-
60-64 years-----	19	10	9	18	10	8	1	-	1	1	-	1
65-69 years-----	14	9	5	10	6	4	4	3	1	3	2	1
70-74 years-----	24	7	17	21	7	14	3	-	3	2	-	2
75-79 years-----	24	12	12	20	10	10	4	2	2	3	2	1
80-84 years-----	41	16	25	41	16	25	-	-	-	-	-	-
85-89 years-----	40	13	27	36	10	26	4	3	1	4	3	1
90-94 years-----	26	3	23	25	3	22	1	-	1	1	-	1
95-99 years-----	9	1	8	7	1	6	2	-	2	2	-	2
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Calculus of kidney (N20.0)

All ages-----	195	76	119	175	66	109	20	10	10	16	8	8
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	3	1	2	3	1	2	-	-	-	-	-	-
40-44 years-----	3	1	2	3	1	2	-	-	-	-	-	-
45-49 years-----	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years-----	5	4	1	4	3	1	1	1	-	1	1	-
55-59 years-----	6	4	2	5	3	2	1	1	-	-	-	-
60-64 years-----	15	9	6	15	9	6	-	-	-	-	-	-
65-69 years-----	11	8	3	7	5	2	4	3	1	3	2	1
70-74 years-----	20	5	15	17	5	12	3	-	3	2	-	2
75-79 years-----	21	12	9	17	10	7	4	2	2	3	2	1
80-84 years-----	38	15	23	38	15	23	-	-	-	-	-	-
85-89 years-----	37	12	25	33	9	24	4	3	1	4	3	1
90-94 years-----	24	2	22	23	2	21	1	-	1	1	-	1
95-99 years-----	9	1	8	7	1	6	2	-	2	2	-	2
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Calculus of ureter (N20.1)												
All ages-----	12	3	9	11	3	8	1	-	1	1	-	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	2	-	2	1	-	1	1	-	1	1	-	1
65-69 years-----	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	2	-	2	2	-	2	-	-	-	-	-	-
80-84 years-----	2	-	2	2	-	2	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Calculus of kidney with calculus of ureter (N20.2)

All ages-----	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Urinary calculus, unspecified (N20.9)												
All ages-----	14	8	6	13	7	6	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	-	-	-	1	1	-	1	1	-
55-59 years-----	3	3	-	3	3	-	-	-	-	-	-	-
60-64 years-----	2	1	1	2	1	1	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years-----	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Calculus of lower urinary tract (N21)

All ages-----	11	6	5	9	5	4	2	1	1	1	-	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	3	2	1	2	1	1	1	1	-	-	-	-
85-89 years-----	2	1	1	1	1	-	1	-	1	1	-	1
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Calculus in bladder (N21.0)												
All ages-----	8	6	2	6	5	1	2	1	1	1	-	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	2	2	-	1	1	-	1	1	-	-	-	-
85-89 years-----	2	1	1	1	1	-	1	-	1	1	-	1
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Calculus in urethra (N21.1)

All ages-----	3	-	3	3	-	3	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Unspecified renal colic (N23)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Disorders resulting from impaired renal tubular function (N25)

All ages-----	34	10	24	22	8	14	12	2	10	12	2	10
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	2	-	2	1	-	1	1	-	1	1	-	1
55-59 years-----	1	-	1	-	-	-	1	-	1	1	-	1
60-64 years-----	3	-	3	1	-	1	2	-	2	2	-	2
65-69 years-----	3	1	2	2	-	2	1	1	1	1	1	-
70-74 years-----	3	1	2	3	1	2	-	-	-	-	-	-
75-79 years-----	6	1	5	5	1	4	1	-	1	1	-	1
80-84 years-----	7	3	4	3	2	1	4	1	3	4	1	3
85-89 years-----	2	2	-	2	2	-	-	-	-	-	-	-
90-94 years-----	3	1	2	1	1	-	2	-	2	2	-	2
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Renal osteodystrophy (N25.0)												
All ages-----	2	-	2	-	-	-	2	-	2	2	-	2
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	2	-	2	-	-	-	2	-	2	2	-	2
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Nephrogenic diabetes insipidus (N25.1)												
All ages-----	5	1	4	4	1	3	1	-	1	1	-	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	1	-	1	-	-	-	1	-	1	1	-	1
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other disorders resulting from impaired renal tubular function (N25.8)												
All ages-----	26	9	17	17	7	10	9	2	7	9	2	7
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	2	-	2	1	-	1	1	-	1	1	-	1
55-59 years-----	1	-	1	-	-	-	1	-	1	1	-	1
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	2	1	1	1	-	1	1	1	-	1	1	-
70-74 years-----	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years-----	5	1	4	4	1	3	1	-	1	1	-	1
80-84 years-----	6	3	3	3	2	1	3	1	2	3	1	2
85-89 years-----	2	2	-	2	2	-	-	-	-	-	-	-
90-94 years-----	3	1	2	1	1	-	2	-	2	2	-	2
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Disorder resulting from impaired renal tubular function, unspecified (N25.9)

All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Unspecified contracted kidney (N26)												
All ages-----	55	35	20	42	25	17	13	10	3	9	7	2
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	4	4	-	1	1	-	3	3	-	2	2	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	1	1	-	-	-	-	1	1	-	1	1	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	2	-	2	1	-	1	1	-	1	1	-	1
65-69 years-----	4	4	-	3	3	-	1	1	-	1	1	-
70-74 years-----	6	4	2	4	3	1	2	1	1	1	-	1
75-79 years-----	14	7	7	12	5	7	2	2	-	2	2	-
80-84 years-----	8	5	3	8	5	3	-	-	-	-	-	-
85-89 years-----	4	4	-	2	2	-	2	2	-	1	1	-
90-94 years-----	5	2	3	4	2	2	1	-	1	-	-	-
95-99 years-----	2	1	1	2	1	1	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Small kidney of unknown cause (N27)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

RACE, AND SEX

Small kidney, unspecified (N27.9)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other disorders of kidney and ureter, not elsewhere classified (N28)

All ages-----	522	285	237	404	223	181	118	62	56	105	54	51
Under 1 year-----	4	3	1	4	3	1	-	-	-	-	-	-
1-4 years-----	2	1	1	1	-	1	1	1	-	1	1	-
5-9 years-----	2	1	1	1	-	1	1	1	-	1	1	-
10-14 years-----	4	3	1	2	2	-	2	1	1	2	1	1
15-19 years-----	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	5	3	2	3	1	2	2	2	-	1	1	-
30-34 years-----	3	3	-	3	3	-	-	-	-	-	-	-
35-39 years-----	18	9	9	13	5	8	5	4	1	4	3	1
40-44 years-----	11	8	3	8	5	3	3	3	-	3	3	-
45-49 years-----	17	14	3	11	9	2	6	5	1	5	5	-
50-54 years-----	30	16	14	21	11	10	9	5	4	8	5	3
55-59 years-----	44	25	19	33	20	13	11	5	6	10	5	5
60-64 years-----	45	22	23	34	14	20	11	8	3	10	7	3
65-69 years-----	54	36	18	40	25	15	14	11	3	12	9	3
70-74 years-----	58	38	20	42	30	12	16	8	8	14	6	8
75-79 years-----	60	28	32	47	25	22	13	3	10	13	3	10
80-84 years-----	70	38	32	54	34	20	16	4	12	13	3	10
85-89 years-----	58	21	37	51	20	31	7	1	6	7	1	6
90-94 years-----	28	12	16	27	12	15	1	-	1	1	-	1
95-99 years-----	8	4	4	8	4	4	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Ischemia and infarction of kidney (N28.0)												
All ages-----	79	35	44	69	32	37	10	3	7	9	3	6
Under 1 year----	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	1	-	-	-	-	1	1	-	1	1	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	2	2	-	1	1	-	1	1	-	1	1	-
50-54 years-----	2	-	2	2	-	2	-	-	-	-	-	-
55-59 years-----	4	3	1	3	3	-	1	-	1	-	-	-
60-64 years-----	7	3	4	7	3	4	-	-	-	-	-	-
65-69 years-----	13	6	7	11	5	6	2	1	1	2	1	1
70-74 years-----	9	6	3	8	6	2	1	-	1	1	-	1
75-79 years-----	11	4	7	9	4	5	2	-	2	2	-	2
80-84 years-----	7	2	5	6	2	4	1	-	1	1	-	1
85-89 years-----	15	6	9	14	6	8	1	-	1	1	-	1
90-94 years-----	5	1	4	5	1	4	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other specified disorders of kidney and ureter (N28.8)

All ages-----	87	48	39	75	42	33	12	6	6	11	5	6
Under 1 year----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years-----	3	1	2	2	1	1	1	-	1	1	-	1
60-64 years-----	1	-	1	-	-	-	1	-	1	1	-	1
65-69 years-----	11	8	3	10	7	3	1	1	-	1	1	-
70-74 years-----	6	5	1	2	2	-	4	3	1	3	2	1
75-79 years-----	9	4	5	7	4	3	2	-	2	2	-	2
80-84 years-----	12	7	5	11	6	5	1	1	-	1	1	-
85-89 years-----	22	11	11	20	10	10	2	1	1	2	1	1
90-94 years-----	12	6	6	12	6	6	-	-	-	-	-	-
95-99 years-----	4	2	2	4	2	2	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Disorder of kidney and ureter, unspecified (N28.9)												
All ages-----	356	202	154	260	149	111	96	53	43	85	46	39
Under 1 year-----	2	2	-	2	2	-	-	-	-	-	-	-
1-4 years-----	1	1	-	-	-	-	1	1	-	1	1	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	4	3	1	2	2	-	2	1	1	2	1	1
15-19 years-----	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	4	3	1	2	1	1	2	2	-	1	1	-
30-34 years-----	3	3	-	3	3	-	-	-	-	-	-	-
35-39 years-----	17	9	8	12	5	7	5	4	1	4	3	1
40-44 years-----	9	6	3	6	3	3	3	3	-	3	3	-
45-49 years-----	15	12	3	10	8	2	5	4	1	4	4	-
50-54 years-----	26	14	12	17	9	8	9	5	4	8	5	3
55-59 years-----	37	21	16	28	16	12	9	5	4	9	5	4
60-64 years-----	37	19	18	27	11	16	10	8	2	9	7	2
65-69 years-----	30	22	8	19	13	6	11	9	2	9	7	2
70-74 years-----	43	27	16	32	22	10	11	5	6	10	4	6
75-79 years-----	40	20	20	31	17	14	9	3	6	9	3	6
80-84 years-----	51	29	22	37	26	11	14	3	11	11	2	9
85-89 years-----	21	4	17	17	4	13	4	-	4	4	-	4
90-94 years-----	11	5	6	10	5	5	1	-	1	1	-	1
95-99 years-----	4	2	2	4	2	2	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Cystitis (N30)												
All ages-----	135	41	94	110	31	79	25	10	15	20	9	11
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	5	2	3	3	1	2	2	1	1	1	-	1
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	2	1	1	-	-	-	2	1	1	2	1	1
55-59 years-----	3	1	2	1	-	1	2	1	1	1	1	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	5	5	-	4	4	-	1	1	-	1	1	-
70-74 years-----	14	4	10	13	4	9	1	-	1	1	-	1
75-79 years-----	12	5	7	11	4	7	1	1	-	1	1	-
80-84 years-----	29	6	23	22	2	20	7	4	3	6	4	2
85-89 years-----	24	8	16	21	7	14	3	1	2	3	1	2
90-94 years-----	24	5	19	22	5	17	2	-	2	1	-	1
95-99 years-----	14	3	11	11	3	8	3	-	3	2	-	2
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	1	-	1	-	-	-	1	-	1	1	-	1

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Acute cystitis (N30.0)												
All ages-----	9	3	6	7	3	4	2	-	2	2	-	2
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	3	1	2	3	1	2	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	2	-	2	1	-	1	1	-	1	1	-	1
85-89 years-----	1	-	1	-	-	-	1	-	1	1	-	1
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Interstitial cystitis (chronic) (N30.1)

All ages-----	3	-	3	3	-	3	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other chronic cystitis (N30.2)												
All ages-----	16	5	11	15	5	10	1	-	1	1	-	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	3	1	2	3	1	2	-	-	-	-	-	-
80-84 years-----	3	-	3	2	-	2	1	-	1	1	-	1
85-89 years-----	4	1	3	4	1	3	-	-	-	-	-	-
90-94 years-----	5	2	3	5	2	3	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Irradiation cystitis (N30.4)												
All ages-----	8	3	5	7	3	4	1	-	1	1	-	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	-	1	-	-	-	1	-	1	1	-	1
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	3	1	2	3	1	2	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other cystitis (N30.8)												
All ages-----	12	5	7	10	5	5	2	-	2	2	-	2
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	3	-	3	2	-	2	1	-	1	1	-	1
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	3	2	1	2	2	-	1	-	1	1	-	1
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	2	1	1	2	1	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Cystitis, unspecified (N30.9)												
All ages-----	87	25	62	68	15	53	19	10	9	14	9	5
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	5	2	3	3	1	2	2	1	1	1	-	1
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	-	-	-	1	1	-	1	1	-
55-59 years-----	2	1	1	-	-	-	2	1	1	1	1	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	2	2	-	1	1	-	1	1	-	1	1	-
70-74 years-----	6	2	4	6	2	4	-	-	-	-	-	-
75-79 years-----	6	2	4	5	1	4	1	1	-	1	1	-
80-84 years-----	22	6	16	17	2	15	5	4	1	4	4	-
85-89 years-----	13	4	9	12	3	9	1	1	-	1	1	-
90-94 years-----	16	3	13	14	3	11	2	-	2	1	-	1
95-99 years-----	12	2	10	9	2	7	3	-	3	2	-	2
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	1	-	1	-	-	-	1	-	1	1	-	1

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Neuromuscular dysfunction of bladder, not elsewhere classified (N31)												
All ages-----	163	83	80	151	75	76	12	8	4	10	7	3
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	5	4	1	4	3	1	1	1	-	1	1	-
50-54 years-----	2	1	1	2	1	1	-	-	-	-	-	-
55-59 years-----	4	4	-	3	3	-	1	1	-	1	1	-
60-64 years-----	6	2	4	4	1	3	2	1	1	2	1	1
65-69 years-----	5	4	1	5	4	1	-	-	-	-	-	-
70-74 years-----	17	14	3	15	12	3	2	2	-	2	2	-
75-79 years-----	33	17	16	29	14	15	4	3	1	3	2	1
80-84 years-----	36	14	22	34	14	20	2	-	2	1	-	1
85-89 years-----	20	9	11	20	9	11	-	-	-	-	-	-
90-94 years-----	23	8	15	23	8	15	-	-	-	-	-	-
95-99 years-----	6	3	3	6	3	3	-	-	-	-	-	-
100 yrs & over---	1	1	-	1	1	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Flaccid neuropathic bladder, not elsewhere classified (N31.2)

All ages-----	16	8	8	15	8	7	1	-	1	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	2	2	-	2	2	-	-	-	-	-	-	-
60-64 years-----	2	1	1	2	1	1	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	4	-	4	3	-	3	1	-	1	-	-	-
85-89 years-----	3	2	1	3	2	1	-	-	-	-	-	-
90-94 years-----	4	2	2	4	2	2	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other neuromuscular dysfunction of bladder (N31.8)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Neuromuscular dysfunction of bladder, unspecified (N31.9)

All ages-----	146	74	72	135	66	69	11	8	3	10	7	3
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	5	4	1	4	3	1	1	1	-	1	1	-
50-54 years-----	2	1	1	2	1	1	-	-	-	-	-	-
55-59 years-----	2	2	-	1	1	-	1	1	-	1	1	-
60-64 years-----	4	1	3	2	-	2	2	1	1	2	1	1
65-69 years-----	4	3	1	4	3	1	-	-	-	-	-	-
70-74 years-----	17	14	3	15	12	3	2	2	-	2	2	-
75-79 years-----	33	17	16	29	14	15	4	3	1	3	2	1
80-84 years-----	31	13	18	30	13	17	1	-	1	1	-	1
85-89 years-----	17	7	10	17	7	10	-	-	-	-	-	-
90-94 years-----	19	6	13	19	6	13	-	-	-	-	-	-
95-99 years-----	6	3	3	6	3	3	-	-	-	-	-	-
100 yrs & over---	1	1	-	1	1	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other disorders of bladder (N32)												
All ages-----	167	86	81	142	70	72	25	16	9	22	14	8
Under 1 year-----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	3	2	1	3	2	1	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	7	5	2	5	4	1	2	1	1	2	1	1
65-69 years-----	7	4	3	4	1	3	3	3	-	1	1	-
70-74 years-----	22	10	12	20	8	12	2	2	-	2	2	-
75-79 years-----	22	12	10	17	9	8	5	3	2	5	3	2
80-84 years-----	39	21	18	33	18	15	6	3	3	5	3	2
85-89 years-----	35	15	20	31	14	17	4	1	3	4	1	3
90-94 years-----	19	9	10	17	7	10	2	2	-	2	2	-
95-99 years-----	7	5	2	6	4	2	1	1	-	1	1	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Bladder-neck obstruction (N32.0)												
All ages-----	37	34	3	31	29	2	6	5	1	6	5	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	2	2	-	1	1	-	1	1	-	1	1	-
75-79 years-----	3	3	-	3	3	-	-	-	-	-	-	-
80-84 years-----	10	10	-	9	9	-	1	1	-	1	1	-
85-89 years-----	9	7	2	7	6	1	2	1	1	2	1	1
90-94 years-----	10	9	1	8	7	1	2	2	-	2	2	-
95-99 years-----	2	2	-	2	2	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Vesicointestinal fistula (N32.1)												
All ages-----	78	27	51	67	21	46	11	6	5	9	5	4
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	2	2	-	2	2	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	3	1	2	2	1	1	1	-	1	1	-	1
65-69 years-----	2	1	1	1	-	1	1	1	-	-	-	-
70-74 years-----	11	5	6	10	4	6	1	1	-	1	1	-
75-79 years-----	15	8	7	11	5	6	4	3	1	4	3	1
80-84 years-----	18	5	13	15	4	11	3	1	2	2	1	1
85-89 years-----	18	4	14	17	4	13	1	-	1	1	-	1
90-94 years-----	5	-	5	5	-	5	-	-	-	-	-	-
95-99 years-----	3	1	2	3	1	2	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Vesical fistula, not elsewhere classified (N32.2)

All ages-----	12	5	7	12	5	7	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	2	-	2	2	-	2	-	-	-	-	-	-
75-79 years-----	2	-	2	2	-	2	-	-	-	-	-	-
80-84 years-----	2	2	-	2	2	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	3	-	3	3	-	3	-	-	-	-	-	-
95-99 years-----	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Diverticulum of bladder (N32.3)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Rupture of bladder, nontraumatic (N32.4)												
All ages-----	15	9	6	11	6	5	4	3	1	3	2	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	3	3	-	2	2	-	1	1	-	1	1	-
65-69 years-----	1	1	-	-	-	-	1	1	-	-	-	-
70-74 years-----	2	-	2	2	-	2	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	5	3	2	3	2	1	2	1	1	2	1	1
85-89 years-----	2	2	-	2	2	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other specified disorders of bladder (N32.8)												
All ages-----	11	5	6	10	5	5	1	-	1	1	-	1
Under 1 year----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	4	2	2	3	2	1	1	-	1	1	-	1
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Bladder disorder, unspecified (N32.9)

All ages-----	13	6	7	10	4	6	3	2	1	3	2	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	3	2	1	2	1	1	1	1	-	1	1	-
70-74 years-----	3	2	1	3	2	1	-	-	-	-	-	-
75-79 years-----	2	1	1	1	1	-	1	-	1	1	-	1
80-84 years-----	2	-	2	2	-	2	-	-	-	-	-	-
85-89 years-----	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	1	1	-	-	-	-	1	1	-	1	1	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Urethritis and urethral syndrome (N34)												
All ages-----	6	6	-	4	4	-	2	2	-	2	2	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	2	2	-	1	1	-	1	1	-	1	1	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	2	2	-	1	1	-	1	1	-	1	1	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Urethral abscess (N34.0)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other urethritis (N34.2)												
All ages-----	5	5	-	3	3	-	2	2	-	2	2	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	2	2	-	1	1	-	1	1	-	1	1	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	2	2	-	1	1	-	1	1	-	1	1	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Urethral stricture (N35)												
All ages-----	19	17	2	15	13	2	4	4	-	4	4	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	-	-	-	1	1	-	1	1	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	1	1	-	-	-	-	1	1	-	1	1	-
70-74 years-----	2	2	-	1	1	-	1	1	-	1	1	-
75-79 years-----	2	2	-	2	2	-	-	-	-	-	-	-
80-84 years-----	4	4	-	4	4	-	-	-	-	-	-	-
85-89 years-----	3	2	1	3	2	1	-	-	-	-	-	-
90-94 years-----	2	2	-	1	1	-	1	1	-	1	1	-
95-99 years-----	2	1	1	2	1	1	-	-	-	-	-	-
100 yrs & over---	1	1	-	1	1	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Urethral stricture, unspecified (N35.9)												
All ages-----	19	17	2	15	13	2	4	4	-	4	4	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	-	-	-	1	1	-	1	1	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	1	1	-	-	-	-	1	1	-	1	1	-
70-74 years-----	2	2	-	1	1	-	1	1	-	1	1	-
75-79 years-----	2	2	-	2	2	-	-	-	-	-	-	-
80-84 years-----	4	4	-	4	4	-	-	-	-	-	-	-
85-89 years-----	3	2	1	3	2	1	-	-	-	-	-	-
90-94 years-----	2	2	-	1	1	-	1	1	-	1	1	-
95-99 years-----	2	1	1	2	1	1	-	-	-	-	-	-
100 yrs & over---	1	1	-	1	1	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other disorders of urethra (N36)

All ages-----	13	7	6	12	6	6	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	2	2	-	1	1	-	1	1	-	1	1	-
70-74 years-----	3	1	2	3	1	2	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	3	1	2	3	1	2	-	-	-	-	-	-
90-94 years-----	3	1	2	3	1	2	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	1	1	-	1	1	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Urethral fistula (N36.0)												
All ages-----	3	1	2	3	1	2	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Urethral diverticulum (N36.1)

All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

RACE, AND SEX

Prolapsed urethral mucosa (N36.3)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other specified disorders of urethra (N36.8)

All ages-----	7	5	2	6	4	2	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	2	2	-	1	1	-	1	1	-	1	1	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years-----	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	1	1	-	1	1	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Urethral disorder, unspecified (N36.9)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other disorders of urinary system (N39)

All ages-----	14,044	4,269	9,775	12,222	3,589	8,633	1,822	680	1,142	1,619	598	1,021
Under 1 year-----	2	1	1	1	1	-	1	-	1	1	-	1
1-4 years-----	2	1	1	2	1	1	-	-	-	-	-	-
5-9 years-----	2	1	1	2	1	1	-	-	-	-	-	-
10-14 years-----	3	1	2	2	-	2	1	1	-	1	1	-
15-19 years-----	5	3	2	3	2	1	2	1	1	1	1	-
20-24 years-----	5	3	2	3	2	1	2	1	1	2	1	1
25-29 years-----	14	6	8	9	4	5	5	2	3	4	1	3
30-34 years-----	19	10	9	14	8	6	5	2	3	3	1	2
35-39 years-----	24	12	12	17	9	8	7	3	4	6	3	3
40-44 years-----	49	20	29	34	12	22	15	8	7	14	8	6
45-49 years-----	84	38	46	61	28	33	23	10	13	22	10	12
50-54 years-----	100	35	65	71	29	42	29	6	23	25	6	19
55-59 years-----	161	69	92	133	60	73	28	9	19	24	9	15
60-64 years-----	276	132	144	205	95	110	71	37	34	64	33	31
65-69 years-----	485	195	290	367	140	227	118	55	63	108	50	58
70-74 years-----	992	426	566	807	328	479	185	98	87	160	88	72
75-79 years-----	1,870	706	1,164	1,586	583	1,003	284	123	161	256	109	147
80-84 years-----	2,797	966	1,831	2,501	858	1,643	296	108	188	259	92	167
85-89 years-----	3,283	877	2,406	2,948	771	2,177	335	106	229	295	87	208
90-94 years-----	2,580	558	2,022	2,323	480	1,843	257	78	179	231	69	162
95-99 years-----	1,061	178	883	938	153	785	123	25	98	111	23	88
100 yrs & over---	230	31	199	195	24	171	35	7	28	32	6	26
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Urinary tract infection, site not specified (N39.0)												
All ages-----	14,021	4,260	9,761	12,204	3,583	8,621	1,817	677	1,140	1,615	596	1,019
Under 1 year----	2	1	1	1	1	-	1	-	1	1	-	1
1-4 years-----	2	1	1	2	1	1	-	-	-	-	-	-
5-9 years-----	2	1	1	2	1	1	-	-	-	-	-	-
10-14 years-----	3	1	2	2	-	2	1	1	-	1	1	-
15-19 years-----	5	3	2	3	2	1	2	1	1	1	1	-
20-24 years-----	5	3	2	3	2	1	2	1	1	2	1	1
25-29 years-----	14	6	8	9	4	5	5	2	3	4	1	3
30-34 years-----	19	10	9	14	8	6	5	2	3	3	1	2
35-39 years-----	24	12	12	17	9	8	7	3	4	6	3	3
40-44 years-----	49	20	29	34	12	22	15	8	7	14	8	6
45-49 years-----	83	37	46	61	28	33	22	9	13	21	9	12
50-54 years-----	100	35	65	71	29	42	29	6	23	25	6	19
55-59 years-----	160	69	91	132	60	72	28	9	19	24	9	15
60-64 years-----	275	132	143	204	95	109	71	37	34	64	33	31
65-69 years-----	483	194	289	365	139	226	118	55	63	108	50	58
70-74 years-----	992	426	566	807	328	479	185	98	87	160	88	72
75-79 years-----	1,866	703	1,163	1,583	581	1,002	283	122	161	256	109	147
80-84 years-----	2,792	965	1,827	2,498	857	1,641	294	108	186	257	92	165
85-89 years-----	3,278	875	2,403	2,944	770	2,174	334	105	229	294	86	208
90-94 years-----	2,576	557	2,019	2,319	479	1,840	257	78	179	231	69	162
95-99 years-----	1,061	178	883	938	153	785	123	25	98	111	23	88
100 yrs & over---	230	31	199	195	24	171	35	7	28	32	6	26
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Persistent proteinuria, unspecified (N39.1)

All ages-----	2	-	2	2	-	2	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other specified disorders of urinary system (N39.8)												
All ages-----	2	2	-	1	1	-	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	1	-	-	-	-	1	1	-	1	1	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Disorder of urinary system, unspecified (N39.9)

All ages-----	19	7	12	15	5	10	4	2	2	3	1	2
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	-	-	-	1	1	-	1	1	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	4	3	1	3	2	1	1	1	-	-	-	-
80-84 years-----	4	1	3	2	1	1	2	-	2	2	-	2
85-89 years-----	3	1	2	3	1	2	-	-	-	-	-	-
90-94 years-----	3	-	3	3	-	3	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Hyperplasia of prostate (N40)												
All ages-----	430	430	...	390	390	...	40	40	...	38	38	...
Under 1 year-----	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years-----	1	1	...	1	1	...	-	-	...	-	-	...
55-59 years-----	4	4	...	3	3	...	1	1	...	1	1	...
60-64 years-----	9	9	...	6	6	...	3	3	...	3	3	...
65-69 years-----	15	15	...	12	12	...	3	3	...	3	3	...
70-74 years-----	32	32	...	28	28	...	4	4	...	3	3	...
75-79 years-----	59	59	...	56	56	...	3	3	...	3	3	...
80-84 years-----	101	101	...	91	91	...	10	10	...	10	10	...
85-89 years-----	109	109	...	99	99	...	10	10	...	9	9	...
90-94 years-----	67	67	...	63	63	...	4	4	...	4	4	...
95-99 years-----	24	24	...	24	24	...	-	-	...	-	-	...
100 yrs & over---	9	9	...	7	7	...	2	2	...	2	2	...
Not stated-----	-	-	...	-	-	...	-	-	...	-	-	...

Inflammatory diseases of prostate (N41)

All ages-----	34	34	...	31	31	...	3	3	...	3	3	...
Under 1 year-----	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years-----	1	1	...	1	1	...	-	-	...	-	-	...
50-54 years-----	1	1	...	1	1	...	-	-	...	-	-	...
55-59 years-----	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years-----	3	3	...	3	3	...	-	-	...	-	-	...
65-69 years-----	4	4	...	4	4	...	-	-	...	-	-	...
70-74 years-----	2	2	...	1	1	...	1	1	...	1	1	...
75-79 years-----	7	7	...	6	6	...	1	1	...	1	1	...
80-84 years-----	5	5	...	4	4	...	1	1	...	1	1	...
85-89 years-----	5	5	...	5	5	...	-	-	...	-	-	...
90-94 years-----	3	3	...	3	3	...	-	-	...	-	-	...
95-99 years-----	2	2	...	2	2	...	-	-	...	-	-	...
100 yrs & over---	1	1	...	1	1	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...	-	-	...

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Acute prostatitis (N41.0)												
All ages-----	5	5	...	5	5	...	-	-	...	-	-	...
Under 1 year-----	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years-----	1	1	...	1	1	...	-	-	...	-	-	...
50-54 years-----	1	1	...	1	1	...	-	-	...	-	-	...
55-59 years-----	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years-----	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years-----	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years-----	1	1	...	1	1	...	-	-	...	-	-	...
75-79 years-----	1	1	...	1	1	...	-	-	...	-	-	...
80-84 years-----	-	-	...	-	-	...	-	-	...	-	-	...
85-89 years-----	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years-----	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years-----	1	1	...	1	1	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...	-	-	...
Chronic prostatitis (N41.1)												
All ages-----	5	5	...	5	5	...	-	-	...	-	-	...
Under 1 year-----	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years-----	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years-----	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years-----	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years-----	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years-----	1	1	...	1	1	...	-	-	...	-	-	...
80-84 years-----	1	1	...	1	1	...	-	-	...	-	-	...
85-89 years-----	3	3	...	3	3	...	-	-	...	-	-	...
90-94 years-----	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...	-	-	...

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Abscess of prostate (N41.2)												
All ages-----	5	5	...	4	4	...	1	1	...	1	1	...
Under 1 year-----	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years-----	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years-----	1	1	...	1	1	...	-	-	...	-	-	...
65-69 years-----	1	1	...	1	1	...	-	-	...	-	-	...
70-74 years-----	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years-----	1	1	...	-	-	...	1	1	...	1	1	...
80-84 years-----	1	1	...	1	1	...	-	-	...	-	-	...
85-89 years-----	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years-----	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...	-	-	...
100 yrs & over---	1	1	...	1	1	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...	-	-	...
Prostatocystitis (N41.3)												
All ages-----	1	1	...	1	1	...	-	-	...	-	-	...
Under 1 year-----	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years-----	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years-----	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years-----	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years-----	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years-----	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years-----	1	1	...	1	1	...	-	-	...	-	-	...
85-89 years-----	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years-----	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...	-	-	...

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Inflammatory disease of prostate, unspecified (N41.9)												
All ages-----	18	18	...	16	16	...	2	2	...	2	2	...
Under 1 year-----	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years-----	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years-----	2	2	...	2	2	...	-	-	...	-	-	...
65-69 years-----	3	3	...	3	3	...	-	-	...	-	-	...
70-74 years-----	1	1	...	-	-	...	1	1	...	1	1	...
75-79 years-----	4	4	...	4	4	...	-	-	...	-	-	...
80-84 years-----	2	2	...	1	1	...	1	1	...	1	1	...
85-89 years-----	2	2	...	2	2	...	-	-	...	-	-	...
90-94 years-----	3	3	...	3	3	...	-	-	...	-	-	...
95-99 years-----	1	1	...	1	1	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...	-	-	...
Other disorders of prostate (N42)												
All ages-----	56	56	...	45	45	...	11	11	...	10	10	...
Under 1 year-----	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years-----	2	2	...	1	1	...	1	1	...	1	1	...
60-64 years-----	2	2	...	1	1	...	1	1	...	1	1	...
65-69 years-----	6	6	...	5	5	...	1	1	...	1	1	...
70-74 years-----	7	7	...	5	5	...	2	2	...	2	2	...
75-79 years-----	7	7	...	7	7	...	-	-	...	-	-	...
80-84 years-----	13	13	...	12	12	...	1	1	...	1	1	...
85-89 years-----	11	11	...	9	9	...	2	2	...	2	2	...
90-94 years-----	5	5	...	3	3	...	2	2	...	1	1	...
95-99 years-----	3	3	...	2	2	...	1	1	...	1	1	...
100 yrs & over---	-	-	...	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...	-	-	...

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Congestion and hemorrhage of prostate (N42.1)												
All ages-----	2	2	...	1	1	...	1	1	...	-	-	...
Under 1 year-----	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years-----	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years-----	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years-----	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years-----	1	1	...	1	1	...	-	-	...	-	-	...
75-79 years-----	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years-----	-	-	...	-	-	...	-	-	...	-	-	...
85-89 years-----	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years-----	1	1	...	-	-	...	1	1	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...	-	-	...

Other specified disorders of prostate (N42.8)

All ages-----	2	2	...	1	1	...	1	1	...	1	1	...
Under 1 year-----	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years-----	1	1	...	-	-	...	1	1	...	1	1	...
60-64 years-----	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years-----	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years-----	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years-----	1	1	...	1	1	...	-	-	...	-	-	...
80-84 years-----	-	-	...	-	-	...	-	-	...	-	-	...
85-89 years-----	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years-----	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...	-	-	...

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Disorder of prostate, unspecified (N42.9)												
All ages-----	52	52	...	43	43	...	9	9	...	9	9	...
Under 1 year-----	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years-----	1	1	...	1	1	...	-	-	...	-	-	...
60-64 years-----	2	2	...	1	1	...	1	1	...	1	1	...
65-69 years-----	6	6	...	5	5	...	1	1	...	1	1	...
70-74 years-----	6	6	...	4	4	...	2	2	...	2	2	...
75-79 years-----	6	6	...	6	6	...	-	-	...	-	-	...
80-84 years-----	13	13	...	12	12	...	1	1	...	1	1	...
85-89 years-----	11	11	...	9	9	...	2	2	...	2	2	...
90-94 years-----	4	4	...	3	3	...	1	1	...	1	1	...
95-99 years-----	3	3	...	2	2	...	1	1	...	1	1	...
100 yrs & over---	-	-	...	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...	-	-	...

Orchitis and epididymitis (N45)

All ages-----	4	4	...	4	4	...	-	-	...	-	-	...
Under 1 year-----	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years-----	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years-----	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years-----	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years-----	2	2	...	2	2	...	-	-	...	-	-	...
75-79 years-----	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years-----	-	-	...	-	-	...	-	-	...	-	-	...
85-89 years-----	2	2	...	2	2	...	-	-	...	-	-	...
90-94 years-----	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...	-	-	...

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Orchitis, epididymitis, and epididymo-orchitis with abscess (N45.0)												
All ages-----	2	2	...	2	2	...	-	-	...	-	-	...
Under 1 year-----	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years-----	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years-----	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years-----	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years-----	2	2	...	2	2	...	-	-	...	-	-	...
75-79 years-----	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years-----	-	-	...	-	-	...	-	-	...	-	-	...
85-89 years-----	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years-----	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...	-	-	...

Orchitis, epididymitis, and epididymo-orchitis without abscess (N45.9)

All ages-----	2	2	...	2	2	...	-	-	...	-	-	...
Under 1 year-----	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years-----	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years-----	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years-----	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years-----	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years-----	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years-----	-	-	...	-	-	...	-	-	...	-	-	...
85-89 years-----	2	2	...	2	2	...	-	-	...	-	-	...
90-94 years-----	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...	-	-	...

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other disorders of penis (N48)												
All ages-----	11	11	...	6	6	...	5	5	...	4	4	...
Under 1 year-----	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years-----	3	3	...	1	1	...	2	2	...	1	1	...
55-59 years-----	1	1	...	1	1	...	-	-	...	-	-	...
60-64 years-----	1	1	...	-	-	...	1	1	...	1	1	...
65-69 years-----	1	1	...	1	1	...	-	-	...	-	-	...
70-74 years-----	2	2	...	-	-	...	2	2	...	2	2	...
75-79 years-----	1	1	...	1	1	...	-	-	...	-	-	...
80-84 years-----	1	1	...	1	1	...	-	-	...	-	-	...
85-89 years-----	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years-----	1	1	...	1	1	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...	-	-	...
Balanoposthitis (N48.1)												
All ages-----	1	1	...	1	1	...	-	-	...	-	-	...
Under 1 year-----	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years-----	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years-----	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years-----	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years-----	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years-----	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years-----	-	-	...	-	-	...	-	-	...	-	-	...
85-89 years-----	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years-----	1	1	...	1	1	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...	-	-	...

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other inflammatory disorders of penis (N48.2)												
All ages-----	8	8	...	4	4	...	4	4	...	3	3	...
Under 1 year-----	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years-----	2	2	...	1	1	...	1	1	...	-	-	...
55-59 years-----	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years-----	1	1	...	-	-	...	1	1	...	1	1	...
65-69 years-----	1	1	...	1	1	...	-	-	...	-	-	...
70-74 years-----	2	2	...	-	-	...	2	2	...	2	2	...
75-79 years-----	1	1	...	1	1	...	-	-	...	-	-	...
80-84 years-----	1	1	...	1	1	...	-	-	...	-	-	...
85-89 years-----	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years-----	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...	-	-	...

Disorder of penis, unspecified (N48.9)

All ages-----	2	2	...	1	1	...	1	1	...	1	1	...
Under 1 year-----	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years-----	1	1	...	-	-	...	1	1	...	1	1	...
55-59 years-----	1	1	...	1	1	...	-	-	...	-	-	...
60-64 years-----	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years-----	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years-----	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years-----	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years-----	-	-	...	-	-	...	-	-	...	-	-	...
85-89 years-----	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years-----	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...	-	-	...

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Inflammatory disorders of male genital organs, not elsewhere classified (N49)												
All ages-----	50	50	...	35	35	...	15	15	...	15	15	...
Under 1 year-----	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years-----	2	2	...	2	2	...	-	-	...	-	-	...
45-49 years-----	1	1	...	-	-	...	1	1	...	1	1	...
50-54 years-----	5	5	...	1	1	...	4	4	...	4	4	...
55-59 years-----	4	4	...	2	2	...	2	2	...	2	2	...
60-64 years-----	5	5	...	4	4	...	1	1	...	1	1	...
65-69 years-----	4	4	...	3	3	...	1	1	...	1	1	...
70-74 years-----	6	6	...	4	4	...	2	2	...	2	2	...
75-79 years-----	5	5	...	4	4	...	1	1	...	1	1	...
80-84 years-----	9	9	...	7	7	...	2	2	...	2	2	...
85-89 years-----	6	6	...	6	6	...	-	-	...	-	-	...
90-94 years-----	3	3	...	2	2	...	1	1	...	1	1	...
95-99 years-----	-	-	...	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...	-	-	...

Inflammatory disorders of scrotum (N49.2)

All ages-----	32	32	...	19	19	...	13	13	...	13	13	...
Under 1 year-----	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years-----	1	1	...	1	1	...	-	-	...	-	-	...
45-49 years-----	1	1	...	-	-	...	1	1	...	1	1	...
50-54 years-----	5	5	...	1	1	...	4	4	...	4	4	...
55-59 years-----	2	2	...	-	-	...	2	2	...	2	2	...
60-64 years-----	3	3	...	2	2	...	1	1	...	1	1	...
65-69 years-----	1	1	...	1	1	...	-	-	...	-	-	...
70-74 years-----	3	3	...	1	1	...	2	2	...	2	2	...
75-79 years-----	3	3	...	2	2	...	1	1	...	1	1	...
80-84 years-----	7	7	...	5	5	...	2	2	...	2	2	...
85-89 years-----	4	4	...	4	4	...	-	-	...	-	-	...
90-94 years-----	2	2	...	2	2	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...	-	-	...

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Inflammatory disorders of other specified male genital organs (N49.8)												
All ages-----	16	16	...	14	14	...	2	2	...	2	2	...
Under 1 year-----	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years-----	1	1	...	1	1	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years-----	2	2	...	2	2	...	-	-	...	-	-	...
60-64 years-----	2	2	...	2	2	...	-	-	...	-	-	...
65-69 years-----	3	3	...	2	2	...	1	1	...	1	1	...
70-74 years-----	3	3	...	3	3	...	-	-	...	-	-	...
75-79 years-----	2	2	...	2	2	...	-	-	...	-	-	...
80-84 years-----	1	1	...	1	1	...	-	-	...	-	-	...
85-89 years-----	1	1	...	1	1	...	-	-	...	-	-	...
90-94 years-----	1	1	...	-	-	...	1	1	...	1	1	...
95-99 years-----	-	-	...	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...	-	-	...

Inflammatory disorder of unspecified male genital organ (N49.9)

All ages-----	2	2	...	2	2	...	-	-	...	-	-	...
Under 1 year-----	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years-----	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years-----	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years-----	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years-----	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years-----	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years-----	1	1	...	1	1	...	-	-	...	-	-	...
85-89 years-----	1	1	...	1	1	...	-	-	...	-	-	...
90-94 years-----	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...	-	-	...

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

RACE, AND SEX

Other disorders of male genital organs (N50)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	5	5	...	4	4	...	1	1	...	1	1	...
Under 1 year-----	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years-----	1	1	...	1	1	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years-----	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years-----	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years-----	1	1	...	-	-	...	1	1	...	1	1	...
70-74 years-----	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years-----	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years-----	1	1	...	1	1	...	-	-	...	-	-	...
85-89 years-----	1	1	...	1	1	...	-	-	...	-	-	...
90-94 years-----	1	1	...	1	1	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...	-	-	...

Vascular disorders of male genital organs (N50.1)

All ages-----	1	1	...	1	1	...	-	-	...	-	-	...
Under 1 year-----	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years-----	1	1	...	1	1	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years-----	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years-----	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years-----	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years-----	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years-----	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years-----	-	-	...	-	-	...	-	-	...	-	-	...
85-89 years-----	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years-----	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...	-	-	...

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other specified disorders of male genital organs (N50.8)												
All ages-----	2	2	...	1	1	...	1	1	...	1	1	...
Under 1 year-----	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years-----	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years-----	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years-----	1	1	...	-	-	...	1	1	...	1	1	...
70-74 years-----	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years-----	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years-----	1	1	...	1	1	...	-	-	...	-	-	...
85-89 years-----	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years-----	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...	-	-	...

Disorder of male genital organs, unspecified (N50.9)

All ages-----	2	2	...	2	2	...	-	-	...	-	-	...
Under 1 year-----	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years-----	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years-----	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years-----	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years-----	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years-----	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years-----	-	-	...	-	-	...	-	-	...	-	-	...
85-89 years-----	1	1	...	1	1	...	-	-	...	-	-	...
90-94 years-----	1	1	...	1	1	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...	-	-	...

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Inflammatory disorders of breast (N61)												
All ages-----	7	1	6	4	1	3	3	-	3	3	-	3
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	2	-	2	1	-	1	1	-	1	1	-	1
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	-	-	-	1	-	1	1	-	1
75-79 years-----	2	-	2	1	-	1	1	-	1	1	-	1
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Unspecified lump in breast (N63)												
All ages-----	16	-	16	13	-	13	3	-	3	3	-	3
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	2	-	2	1	-	1	1	-	1	1	-	1
80-84 years-----	3	-	3	2	-	2	1	-	1	1	-	1
85-89 years-----	7	-	7	7	-	7	-	-	-	-	-	-
90-94 years-----	2	-	2	1	-	1	1	-	1	1	-	1
95-99 years-----	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other disorders of breast (N64)												
All ages-----	18	1	17	13	1	12	5	-	5	4	-	4
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	-	1	-	-	-	1	-	1	1	-	1
25-29 years-----	1	-	1	-	-	-	1	-	1	1	-	1
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	2	-	2	2	-	2	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	2	-	2	1	-	1	1	-	1	1	-	1
75-79 years-----	2	-	2	1	-	1	1	-	1	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	3	1	2	3	1	2	-	-	-	-	-	-
95-99 years-----	2	-	2	1	-	1	1	-	1	1	-	1
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other signs and symptoms in breast (N64.5)

All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other specified disorders of breast (N64.8)												
All ages-----	2	-	2	1	-	1	1	-	1	1	-	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	1	-	1	-	-	-	1	-	1	1	-	1
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Disorder of breast, unspecified (N64.9)												
All ages-----	15	1	14	11	1	10	4	-	4	3	-	3
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	-	1	-	-	-	1	-	1	1	-	1
25-29 years-----	1	-	1	-	-	-	1	-	1	1	-	1
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	2	-	2	2	-	2	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	-	-	-	1	-	1	1	-	1
75-79 years-----	2	-	2	1	-	1	1	-	1	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	3	1	2	3	1	2	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Salpingitis and oophoritis (N70)												
All ages-----	9	...	9	5	...	5	4	...	4	3	...	3
Under 1 year----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	1	...	1	1	...	1	-	...	-	-	...	-
25-29 years-----	1	...	1	-	...	-	1	...	1	1	...	1
30-34 years-----	1	...	1	1	...	1	-	...	-	-	...	-
35-39 years-----	3	...	3	1	...	1	2	...	2	1	...	1
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	1	...	1	1	...	1	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----	1	...	1	1	...	1	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years-----	1	...	1	-	...	-	1	...	1	1	...	1
80-84 years-----	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Acute salpingitis and oophoritis (N70.0)

All ages-----	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	1	...	1	1	...	1	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Salpingitis and oophoritis, unspecified (N70.9)												
All ages-----	8	...	8	4	...	4	4	...	4	3	...	3
Under 1 year----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	1	...	1	1	...	1	-	...	-	-	...	-
25-29 years-----	1	...	1	-	...	-	1	...	1	1	...	1
30-34 years-----	1	...	1	1	...	1	-	...	-	-	...	-
35-39 years-----	2	...	2	-	...	-	2	...	2	1	...	1
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	1	...	1	1	...	1	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----	1	...	1	1	...	1	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years-----	1	...	1	-	...	-	1	...	1	1	...	1
80-84 years-----	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Inflammatory disease of uterus, except cervix (N71)

All ages-----	16	...	16	11	...	11	5	...	5	5	...	5
Under 1 year----	1	...	1	1	...	1	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	1	...	1	-	...	-	1	...	1	1	...	1
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	1	...	1	-	...	-	1	...	1	1	...	1
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----	2	...	2	2	...	2	-	...	-	-	...	-
60-64 years-----	2	...	2	1	...	1	1	...	1	1	...	1
65-69 years-----	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years-----	3	...	3	2	...	2	1	...	1	1	...	1
75-79 years-----	2	...	2	1	...	1	1	...	1	1	...	1
80-84 years-----	2	...	2	2	...	2	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years-----	1	...	1	1	...	1	-	...	-	-	...	-
95-99 years-----	1	...	1	1	...	1	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Inflammatory disease of uterus, unspecified (N71.9)												
All ages-----	16	...	16	11	...	11	5	...	5	5	...	5
Under 1 year----	1	...	1	1	...	1	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	1	...	1	-	...	-	1	...	1	1	...	1
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	1	...	1	-	...	-	1	...	1	1	...	1
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----	2	...	2	2	...	2	-	...	-	-	...	-
60-64 years-----	2	...	2	1	...	1	1	...	1	1	...	1
65-69 years-----	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years-----	3	...	3	2	...	2	1	...	1	1	...	1
75-79 years-----	2	...	2	1	...	1	1	...	1	1	...	1
80-84 years-----	2	...	2	2	...	2	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years-----	1	...	1	1	...	1	-	...	-	-	...	-
95-99 years-----	1	...	1	1	...	1	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Inflammatory disease of cervix uteri (N72)

All ages-----	2	...	2	2	...	2	-	...	-	-	...	-
Under 1 year----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	1	...	1	1	...	1	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years-----	1	...	1	1	...	1	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other female pelvic inflammatory diseases (N73)												
All ages-----	76	...	76	58	...	58	18	...	18	17	...	17
Under 1 year----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	2	...	2	1	...	1	1	...	1	1	...	1
30-34 years-----	2	...	2	1	...	1	1	...	1	-	...	-
35-39 years-----	1	...	1	-	...	-	1	...	1	1	...	1
40-44 years-----	8	...	8	3	...	3	5	...	5	5	...	5
45-49 years-----	2	...	2	1	...	1	1	...	1	1	...	1
50-54 years-----	2	...	2	2	...	2	-	...	-	-	...	-
55-59 years-----	3	...	3	3	...	3	-	...	-	-	...	-
60-64 years-----	4	...	4	4	...	4	-	...	-	-	...	-
65-69 years-----	4	...	4	2	...	2	2	...	2	2	...	2
70-74 years-----	8	...	8	6	...	6	2	...	2	2	...	2
75-79 years-----	12	...	12	9	...	9	3	...	3	3	...	3
80-84 years-----	15	...	15	14	...	14	1	...	1	1	...	1
85-89 years-----	6	...	6	6	...	6	-	...	-	-	...	-
90-94 years-----	4	...	4	4	...	4	-	...	-	-	...	-
95-99 years-----	2	...	2	2	...	2	-	...	-	-	...	-
100 yrs & over---	1	...	1	-	...	-	1	...	1	1	...	1
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Female pelvic peritonitis, unspecified (N73.5)

All ages-----	2	...	2	2	...	2	-	...	-	-	...	-
Under 1 year----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years-----	1	...	1	1	...	1	-	...	-	-	...	-
75-79 years-----	1	...	1	1	...	1	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Female pelvic peritoneal adhesions (N73.6)												
All ages-----	2	...	2	1	...	1	1	...	1	1	...	1
Under 1 year----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	1	...	1	1	...	1	-	...	-	-	...	-
65-69 years-----	1	...	1	-	...	-	1	...	1	1	...	1
70-74 years-----	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Female pelvic inflammatory disease, unspecified (N73.9)

All ages-----	72	...	72	55	...	55	17	...	17	16	...	16
Under 1 year----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	2	...	2	1	...	1	1	...	1	1	...	1
30-34 years-----	2	...	2	1	...	1	1	...	1	-	...	-
35-39 years-----	1	...	1	-	...	-	1	...	1	1	...	1
40-44 years-----	8	...	8	3	...	3	5	...	5	5	...	5
45-49 years-----	2	...	2	1	...	1	1	...	1	1	...	1
50-54 years-----	2	...	2	2	...	2	-	...	-	-	...	-
55-59 years-----	3	...	3	3	...	3	-	...	-	-	...	-
60-64 years-----	3	...	3	3	...	3	-	...	-	-	...	-
65-69 years-----	3	...	3	2	...	2	1	...	1	1	...	1
70-74 years-----	7	...	7	5	...	5	2	...	2	2	...	2
75-79 years-----	11	...	11	8	...	8	3	...	3	3	...	3
80-84 years-----	15	...	15	14	...	14	1	...	1	1	...	1
85-89 years-----	6	...	6	6	...	6	-	...	-	-	...	-
90-94 years-----	4	...	4	4	...	4	-	...	-	-	...	-
95-99 years-----	2	...	2	2	...	2	-	...	-	-	...	-
100 yrs & over---	1	...	1	-	...	-	1	...	1	1	...	1
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Diseases of Bartholin's gland (N75)												
All ages-----	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years-----	1	...	1	1	...	1	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-
Cyst of Bartholin's gland (N75.0)												
All ages-----	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years-----	1	...	1	1	...	1	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other inflammation of vagina and vulva (N76)												
All ages-----	4	...	4	3	...	3	1	...	1	1	...	1
Under 1 year----	1	...	1	-	...	-	1	...	1	1	...	1
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	1	...	1	1	...	1	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	1	...	1	1	...	1	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years-----	1	...	1	1	...	1	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-
Acute vaginitis (N76.0)												
All ages-----	2	...	2	1	...	1	1	...	1	1	...	1
Under 1 year----	1	...	1	-	...	-	1	...	1	1	...	1
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	1	...	1	1	...	1	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Acute vulvitis (N76.2)												
All ages-----	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	1	...	1	1	...	1	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-
Abscess of vulva (N76.4)												
All ages-----	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years-----	1	...	1	1	...	1	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Endometriosis (N80)												
All ages-----	6	...	6	6	...	6	-	...	-	-	...	-
Under 1 year----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	1	...	1	1	...	1	-	...	-	-	...	-
40-44 years-----	2	...	2	2	...	2	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	1	...	1	1	...	1	-	...	-	-	...	-
55-59 years-----	2	...	2	2	...	2	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-
Endometriosis of uterus (N80.0)												
All ages-----	2	...	2	2	...	2	-	...	-	-	...	-
Under 1 year----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	1	...	1	1	...	1	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----	1	...	1	1	...	1	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Endometriosis, unspecified (N80.9)												
All ages-----	4	...	4	4	...	4	-	...	-	-	...	-
Under 1 year----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	1	...	1	1	...	1	-	...	-	-	...	-
40-44 years-----	1	...	1	1	...	1	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	1	...	1	1	...	1	-	...	-	-	...	-
55-59 years-----	1	...	1	1	...	1	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-
Female genital prolapse (N81)												
All ages-----	19	...	19	18	...	18	1	...	1	1	...	1
Under 1 year----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	1	...	1	1	...	1	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years-----	2	...	2	2	...	2	-	...	-	-	...	-
75-79 years-----	5	...	5	5	...	5	-	...	-	-	...	-
80-84 years-----	6	...	6	6	...	6	-	...	-	-	...	-
85-89 years-----	4	...	4	3	...	3	1	...	1	1	...	1
90-94 years-----	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years-----	1	...	1	1	...	1	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Cystocele (N81.1)												
All ages-----	7	...	7	7	...	7	-	...	-	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	1	...	1	1	...	1	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years-----	1	...	1	1	...	1	-	...	-	-	...	-
75-79 years-----	1	...	1	1	...	1	-	...	-	-	...	-
80-84 years-----	1	...	1	1	...	1	-	...	-	-	...	-
85-89 years-----	3	...	3	3	...	3	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Complete uterovaginal prolapse (N81.3)

All ages-----	2	...	2	2	...	2	-	...	-	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years-----	1	...	1	1	...	1	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years-----	1	...	1	1	...	1	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Uterovaginal prolapse, unspecified (N81.4)												
All ages-----	7	...	7	6	...	6	1	...	1	1	...	1
Under 1 year-----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years-----	1	...	1	1	...	1	-	...	-	-	...	-
80-84 years-----	5	...	5	5	...	5	-	...	-	-	...	-
85-89 years-----	1	...	1	-	...	-	1	...	1	1	...	1
90-94 years-----	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-
Rectocele (N81.6)												
All ages-----	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years-----	1	...	1	1	...	1	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other female genital prolapse (N81.8)												
All ages-----	2	...	2	2	...	2	-	...	-	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years-----	1	...	1	1	...	1	-	...	-	-	...	-
75-79 years-----	1	...	1	1	...	1	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Fistulae involving female genital tract (N82)

All ages-----	54	...	54	50	...	50	4	...	4	4	...	4
Under 1 year-----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	2	...	2	1	...	1	1	...	1	1	...	1
55-59 years-----	2	...	2	2	...	2	-	...	-	-	...	-
60-64 years-----	2	...	2	2	...	2	-	...	-	-	...	-
65-69 years-----	4	...	4	4	...	4	-	...	-	-	...	-
70-74 years-----	3	...	3	2	...	2	1	...	1	1	...	1
75-79 years-----	8	...	8	7	...	7	1	...	1	1	...	1
80-84 years-----	10	...	10	10	...	10	-	...	-	-	...	-
85-89 years-----	11	...	11	10	...	10	1	...	1	1	...	1
90-94 years-----	10	...	10	10	...	10	-	...	-	-	...	-
95-99 years-----	2	...	2	2	...	2	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Vesicovaginal fistula (N82.0)												
All ages-----	5	...	5	4	...	4	1	...	1	1	...	1
Under 1 year----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	1	...	1	-	...	-	1	...	1	1	...	1
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	2	...	2	2	...	2	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years-----	1	...	1	1	...	1	-	...	-	-	...	-
90-94 years-----	1	...	1	1	...	1	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Fistula of vagina to large intestine (N82.3)

All ages-----	41	...	41	39	...	39	2	...	2	2	...	2
Under 1 year----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	1	...	1	1	...	1	-	...	-	-	...	-
55-59 years-----	1	...	1	1	...	1	-	...	-	-	...	-
60-64 years-----	1	...	1	1	...	1	-	...	-	-	...	-
65-69 years-----	2	...	2	2	...	2	-	...	-	-	...	-
70-74 years-----	2	...	2	1	...	1	1	...	1	1	...	1
75-79 years-----	7	...	7	7	...	7	-	...	-	-	...	-
80-84 years-----	8	...	8	8	...	8	-	...	-	-	...	-
85-89 years-----	8	...	8	7	...	7	1	...	1	1	...	1
90-94 years-----	9	...	9	9	...	9	-	...	-	-	...	-
95-99 years-----	2	...	2	2	...	2	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other female intestinal-genital tract fistulae (N82.4)												
All ages-----	2	...	2	2	...	2	-	...	-	-	...	-
Under 1 year----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	1	...	1	1	...	1	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years-----	1	...	1	1	...	1	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Other female genital tract fistulae (N82.8)

All ages-----	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years-----	1	...	1	1	...	1	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Female genital tract fistula, unspecified (N82.9)												
All ages-----	5	...	5	4	...	4	1	...	1	1	...	1
Under 1 year----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----	1	...	1	1	...	1	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years-----	1	...	1	-	...	-	1	...	1	1	...	1
80-84 years-----	2	...	2	2	...	2	-	...	-	-	...	-
85-89 years-----	1	...	1	1	...	1	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Noninflammatory disorders of ovary, fallopian tube, and broad ligament (N83)

All ages-----	45	...	45	34	...	34	11	...	11	11	...	11
Under 1 year----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	2	...	2	2	...	2	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	4	...	4	2	...	2	2	...	2	2	...	2
35-39 years-----	2	...	2	1	...	1	1	...	1	1	...	1
40-44 years-----	1	...	1	1	...	1	-	...	-	-	...	-
45-49 years-----	2	...	2	1	...	1	1	...	1	1	...	1
50-54 years-----	1	...	1	1	...	1	-	...	-	-	...	-
55-59 years-----	3	...	3	2	...	2	1	...	1	1	...	1
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	2	...	2	1	...	1	1	...	1	1	...	1
70-74 years-----	3	...	3	3	...	3	-	...	-	-	...	-
75-79 years-----	7	...	7	5	...	5	2	...	2	2	...	2
80-84 years-----	4	...	4	3	...	3	1	...	1	1	...	1
85-89 years-----	5	...	5	4	...	4	1	...	1	1	...	1
90-94 years-----	5	...	5	5	...	5	-	...	-	-	...	-
95-99 years-----	4	...	4	3	...	3	1	...	1	1	...	1
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other and unspecified ovarian cysts (N83.2)												
All ages-----	12	...	12	7	...	7	5	...	5	5	...	5
Under 1 year----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	1	...	1	1	...	1	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	3	...	3	1	...	1	2	...	2	2	...	2
35-39 years-----	2	...	2	1	...	1	1	...	1	1	...	1
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	1	...	1	1	...	1	-	...	-	-	...	-
55-59 years-----	1	...	1	1	...	1	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	1	...	1	-	...	-	1	...	1	1	...	1
70-74 years-----	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years-----	1	...	1	1	...	1	-	...	-	-	...	-
80-84 years-----	1	...	1	-	...	-	1	...	1	1	...	1
85-89 years-----	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years-----	1	...	1	1	...	1	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Torsion of ovary, ovarian pedicle, and fallopian tube (N83.5)

All ages-----	3	...	3	3	...	3	-	...	-	-	...	-
Under 1 year----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	1	...	1	1	...	1	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	1	...	1	1	...	1	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years-----	1	...	1	1	...	1	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

RACE, AND SEX

Other noninflammatory disorders of ovary, fallopian tube, and broad ligament (N83.8)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	4	...	4	3	...	3	1	...	1	1	...	1
Under 1 year----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	1	...	1	1	...	1	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----	1	...	1	-	...	-	1	...	1	1	...	1
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years-----	1	...	1	1	...	1	-	...	-	-	...	-
75-79 years-----	1	...	1	1	...	1	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Noninflammatory disorder of ovary, fallopian tube, and broad ligament, unspecified (N83.9)

All ages-----	26	...	26	21	...	21	5	...	5	5	...	5
Under 1 year----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	2	...	2	1	...	1	1	...	1	1	...	1
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----	1	...	1	1	...	1	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	1	...	1	1	...	1	-	...	-	-	...	-
70-74 years-----	2	...	2	2	...	2	-	...	-	-	...	-
75-79 years-----	5	...	5	3	...	3	2	...	2	2	...	2
80-84 years-----	3	...	3	3	...	3	-	...	-	-	...	-
85-89 years-----	5	...	5	4	...	4	1	...	1	1	...	1
90-94 years-----	4	...	4	4	...	4	-	...	-	-	...	-
95-99 years-----	3	...	3	2	...	2	1	...	1	1	...	1
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other noninflammatory disorders of uterus, except cervix (N85)												
All ages-----	10	...	10	7	...	7	3	...	3	3	...	3
Under 1 year----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	1	...	1	-	...	-	1	...	1	1	...	1
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	1	...	1	1	...	1	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----	1	...	1	-	...	-	1	...	1	1	...	1
60-64 years-----	2	...	2	1	...	1	1	...	1	1	...	1
65-69 years-----	2	...	2	2	...	2	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years-----	1	...	1	1	...	1	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years-----	1	...	1	1	...	1	-	...	-	-	...	-
90-94 years-----	1	...	1	1	...	1	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Endometrial glandular hyperplasia (N85.0)

All ages-----	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	1	...	1	1	...	1	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

RACE, AND SEX

Other specified noninflammatory disorders of uterus (N85.8)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	3	...	3	2	...	2	1	...	1	1	...	1
Under 1 year----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	1	...	1	-	...	-	1	...	1	1	...	1
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	1	...	1	1	...	1	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years-----	1	...	1	1	...	1	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Noninflammatory disorder of uterus, unspecified (N85.9)

All ages-----	6	...	6	4	...	4	2	...	2	2	...	2
Under 1 year----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	1	...	1	1	...	1	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----	1	...	1	-	...	-	1	...	1	1	...	1
60-64 years-----	1	...	1	-	...	-	1	...	1	1	...	1
65-69 years-----	1	...	1	1	...	1	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years-----	1	...	1	1	...	1	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years-----	1	...	1	1	...	1	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Erosion and ectropion of cervix uteri (N86)												
All ages-----	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	1	...	1	1	...	1	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-
Dysplasia of cervix uteri (N87)												
All ages-----	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	1	...	1	1	...	1	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Dysplasia of cervix uteri, unspecified (N87.9)												
All ages-----	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	1	...	1	1	...	1	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Other noninflammatory disorders of cervix uteri (N88)

All ages-----	19	...	19	9	...	9	10	...	10	10	...	10
Under 1 year-----	13	...	13	7	...	7	6	...	6	6	...	6
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	2	...	2	-	...	-	2	...	2	2	...	2
70-74 years-----	1	...	1	-	...	-	1	...	1	1	...	1
75-79 years-----	1	...	1	-	...	-	1	...	1	1	...	1
80-84 years-----	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years-----	1	...	1	1	...	1	-	...	-	-	...	-
90-94 years-----	1	...	1	1	...	1	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Stricture and stenosis of cervix uteri (N88.2)												
All ages-----	6	...	6	2	...	2	4	...	4	4	...	4
Under 1 year----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	2	...	2	-	...	-	2	...	2	2	...	2
70-74 years-----	1	...	1	-	...	-	1	...	1	1	...	1
75-79 years-----	1	...	1	-	...	-	1	...	1	1	...	1
80-84 years-----	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years-----	1	...	1	1	...	1	-	...	-	-	...	-
90-94 years-----	1	...	1	1	...	1	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Incompetence of cervix uteri (N88.3)

All ages-----	13	...	13	7	...	7	6	...	6	6	...	6
Under 1 year----	13	...	13	7	...	7	6	...	6	6	...	6
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other noninflammatory disorders of vagina (N89)												
All ages-----	2	...	2	1	...	1	1	...	1	1	...	1
Under 1 year----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years-----	2	...	2	1	...	1	1	...	1	1	...	1
90-94 years-----	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Other specified noninflammatory disorders of vagina (N89.8)

All ages-----	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years-----	1	...	1	1	...	1	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Noninflammatory disorder of vagina, unspecified (N89.9)												
All ages-----	1	...	1	-	...	-	1	...	1	1	...	1
Under 1 year-----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years-----	1	...	1	-	...	-	1	...	1	1	...	1
90-94 years-----	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Other noninflammatory disorders of vulva and perineum (N90)

All ages-----	3	...	3	2	...	2	1	...	1	1	...	1
Under 1 year-----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	1	...	1	1	...	1	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years-----	1	...	1	1	...	1	-	...	-	-	...	-
85-89 years-----	1	...	1	-	...	-	1	...	1	1	...	1
90-94 years-----	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Vulvar cyst (N90.7)												
All ages-----	1	...	1	-	...	-	1	...	1	1	...	1
Under 1 year-----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years-----	1	...	1	-	...	-	1	...	1	1	...	1
90-94 years-----	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-
Other specified noninflammatory disorders of vulva and perineum (N90.8)												
All ages-----	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	1	...	1	1	...	1	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

RACE, AND SEX

Noninflammatory disorder of vulva and perineum, unspecified (N90.9)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years-----	1	...	1	1	...	1	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Other abnormal uterine and vaginal bleeding (N93)

All ages-----	25	...	25	20	...	20	5	...	5	5	...	5
Under 1 year-----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	2	...	2	2	...	2	-	...	-	-	...	-
45-49 years-----	3	...	3	-	...	3	3	...	3	3	...	3
50-54 years-----	3	...	3	2	...	2	1	...	1	1	...	1
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	2	...	2	1	...	1	1	...	1	1	...	1
65-69 years-----	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years-----	2	...	2	2	...	2	-	...	-	-	...	-
75-79 years-----	2	...	2	2	...	2	-	...	-	-	...	-
80-84 years-----	2	...	2	2	...	2	-	...	-	-	...	-
85-89 years-----	3	...	3	3	...	3	-	...	-	-	...	-
90-94 years-----	1	...	1	1	...	1	-	...	-	-	...	-
95-99 years-----	2	...	2	2	...	2	-	...	-	-	...	-
100 yrs & over---	3	...	3	3	...	3	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other specified abnormal uterine and vaginal bleeding (N93.8)												
All ages-----	3	...	3	3	...	3	-	...	-	-	...	-
Under 1 year----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	1	...	1	1	...	1	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	1	...	1	1	...	1	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years-----	1	...	1	1	...	1	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Abnormal uterine and vaginal bleeding, unspecified (N93.9)

All ages-----	22	...	22	17	...	17	5	...	5	5	...	5
Under 1 year----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	1	...	1	1	...	1	-	...	-	-	...	-
45-49 years-----	3	...	3	-	...	-	3	...	3	3	...	3
50-54 years-----	2	...	2	1	...	1	1	...	1	1	...	1
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	2	...	2	1	...	1	1	...	1	1	...	1
65-69 years-----	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years-----	2	...	2	2	...	2	-	...	-	-	...	-
75-79 years-----	2	...	2	2	...	2	-	...	-	-	...	-
80-84 years-----	2	...	2	2	...	2	-	...	-	-	...	-
85-89 years-----	2	...	2	2	...	2	-	...	-	-	...	-
90-94 years-----	1	...	1	1	...	1	-	...	-	-	...	-
95-99 years-----	2	...	2	2	...	2	-	...	-	-	...	-
100 yrs & over---	3	...	3	3	...	3	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

RACE, AND SEX

Pain and other conditions associated with female genital organs and menstrual cycle (N94)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	8	...	8	4	...	4	4	...	4	4	...	4
Under 1 year----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	1	...	1	1	...	1	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years-----	3	...	3	1	...	1	2	...	2	2	...	2
80-84 years-----	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years-----	3	...	3	1	...	1	2	...	2	2	...	2
90-94 years-----	1	...	1	1	...	1	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Other specified conditions associated with female genital organs and menstrual cycle (N94.8)

All ages-----	6	...	6	4	...	4	2	...	2	2	...	2
Under 1 year----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	1	...	1	1	...	1	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years-----	2	...	2	1	...	1	1	...	1	1	...	1
80-84 years-----	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years-----	2	...	2	1	...	1	1	...	1	1	...	1
90-94 years-----	1	...	1	1	...	1	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Unspecified condition associated with female genital organs and menstrual cycle (N94.9)												
All ages-----	2	...	2	-	...	-	2	...	2	2	...	2
Under 1 year-----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years-----	1	...	1	-	...	-	1	...	1	1	...	1
80-84 years-----	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years-----	1	...	1	-	...	-	1	...	1	1	...	1
90-94 years-----	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Menopausal and other perimenopausal disorders (N95)

All ages-----	6	...	6	6	...	6	-	...	-	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	1	...	1	1	...	1	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years-----	1	...	1	1	...	1	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years-----	1	...	1	1	...	1	-	...	-	-	...	-
90-94 years-----	1	...	1	1	...	1	-	...	-	-	...	-
95-99 years-----	1	...	1	1	...	1	-	...	-	-	...	-
100 yrs & over---	1	...	1	1	...	1	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Postmenopausal bleeding (N95.0)												
All ages-----	2	...	2	2	...	2	-	...	-	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years-----	1	...	1	1	...	1	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	1	...	1	1	...	1	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-
Menopausal and female climacteric states (N95.1)												
All ages-----	3	...	3	3	...	3	-	...	-	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	1	...	1	1	...	1	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years-----	1	...	1	1	...	1	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years-----	1	...	1	1	...	1	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Postmenopausal atrophic vaginitis (N95.2)												
All ages-----	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years-----	1	...	1	1	...	1	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-
Ectopic pregnancy (000)												
All ages-----	19	...	19	8	...	8	11	...	11	10	...	10
Under 1 year----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	1	...	1	1	...	1	-	...	-	-	...	-
20-24 years-----	4	...	4	1	...	1	3	...	3	3	...	3
25-29 years-----	2	...	2	-	...	-	2	...	2	2	...	2
30-34 years-----	7	...	7	3	...	3	4	...	4	3	...	3
35-39 years-----	3	...	3	1	...	1	2	...	2	2	...	2
40-44 years-----	2	...	2	2	...	2	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Tubal pregnancy (000.1)												
All ages-----	5	...	5	1	...	1	4	...	4	3	...	3
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	1	...	1	-	...	-	1	...	1	1	...	1
25-29 years-----	1	...	1	-	...	-	1	...	1	1	...	1
30-34 years-----	1	...	1	-	...	-	1	...	1	-	...	-
35-39 years-----	1	...	1	-	...	-	1	...	1	1	...	1
40-44 years-----	1	...	1	1	...	1	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----
Ectopic pregnancy, unspecified (000.9)												
All ages-----	14	...	14	7	...	7	7	...	7	7	...	7
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	1	...	1	1	...	1	-	...	-	-	...	-
20-24 years-----	3	...	3	1	...	1	2	...	2	2	...	2
25-29 years-----	1	...	1	-	...	-	1	...	1	1	...	1
30-34 years-----	6	...	6	3	...	3	3	...	3	3	...	3
35-39 years-----	2	...	2	1	...	1	1	...	1	1	...	1
40-44 years-----	1	...	1	1	...	1	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Hydatidiform mole (001)												
All ages-----	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	1	...	1	1	...	1	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----
Hydatidiform mole, unspecified (001.9)												
All ages-----	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	1	...	1	1	...	1	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other abnormal products of conception (002)												
All ages-----	1	...	1	-	...	-	1	...	1	1	...	1
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	1	...	1	-	...	-	1	...	1	1	...	1
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----

Blighted ovum and nonhydatidiform mole (002.0)

All ages-----	1	...	1	-	...	-	1	...	1	1	...	1
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	1	...	1	-	...	-	1	...	1	1	...	1
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Spontaneous abortion (003)												
All ages-----	4	...	4	2	...	2	2	...	2	2	...	2
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	1	...	1	-	...	-	1	...	1	1	...	1
30-34 years-----	2	...	2	1	...	1	1	...	1	1	...	1
35-39 years-----	1	...	1	1	...	1	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----

Complete or unspecified, complicated by genital tract and pelvic infection (003.5)

All ages-----	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	1	...	1	1	...	1	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Complete or unspecified, with other and unspecified complications (003.8)												
All ages-----	1	...	1	-	...	-	1	...	1	1	...	1
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	1	...	1	-	...	-	1	...	1	1	...	1
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----

Complete or unspecified, without complication (003.9)

All ages-----	2	...	2	1	...	1	1	...	1	1	...	1
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	1	...	1	-	...	-	1	...	1	1	...	1
30-34 years-----	1	...	1	1	...	1	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Medical abortion (004)												
All ages-----	1	...	1	-	...	-	1	...	1	1	...	1
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	1	...	1	-	...	-	1	...	1	1	...	1
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----

Complete or unspecified, with other and unspecified complications (004.8)

All ages-----	1	...	1	-	...	-	1	...	1	1	...	1
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	1	...	1	-	...	-	1	...	1	1	...	1
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Unspecified abortion (006)												
All ages-----	4	...	4	3	...	3	1	...	1	1	...	1
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	1	...	1	1	...	1	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	1	...	1	1	...	1	-	...	-	-	...	-
30-34 years-----	1	...	1	1	...	1	-	...	-	-	...	-
35-39 years-----	1	...	1	-	...	-	1	...	1	1	...	1
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----

Complete or unspecified, complicated by delayed or excessive hemorrhage (006.6)

All ages-----	1	...	1	-	...	-	1	...	1	1	...	1
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	1	...	1	-	...	-	1	...	1	1	...	1
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

ALL RACES WHITE ALL OTHER BLACK

Complete or unspecified, without complication (006.9)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	3	...	3	3	...	3	-	...	-	-	...	-
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	1	...	1	1	...	1	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	1	...	1	1	...	1	-	...	-	-	...	-
30-34 years-----	1	...	1	1	...	1	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----

Failed attempted abortion (007)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	1	...	1	1	...	1	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

RACE, AND SEX

Failed medical abortion, with other and unspecified complications (007.3)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	1	...	1	1	...	1	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----

Preexisting hypertension complicating pregnancy, childbirth, and the puerperium (010)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	4	...	4	2	...	2	2	...	2	2	...	2
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	2	...	2	1	...	1	1	...	1	1	...	1
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	1	...	1	1	...	1	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	1	...	1	-	...	-	1	...	1	1	...	1
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

RACE, AND SEX

Preexisting essential hypertension complicating pregnancy, childbirth, and the puerperium (010.0)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	2	...	2	2	...	2	-	...	-	-	...	-
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	1	...	1	1	...	1	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	1	...	1	1	...	1	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----

Preexisting hypertensive heart disease complicating pregnancy, childbirth, and the puerperium (010.1)

All ages-----	2	...	2	-	...	-	2	...	2	2	...	2
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	1	...	1	-	...	-	1	...	1	1	...	1
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	1	...	1	-	...	-	1	...	1	1	...	1
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

RACE, AND SEX

Preexisting hypertensive disorder with superimposed proteinuria (011)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	1	...	1	1	...	1	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----

Gestational [pregnancy-induced] hypertension without significant proteinuria (013)

All ages-----	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	1	...	1	1	...	1	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

RACE, AND SEX

Gestational [pregnancy-induced] hypertension with significant proteinuria (014)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	43	...	43	20	...	20	23	...	23	20	...	20
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	6	...	6	2	...	2	4	...	4	3	...	3
20-24 years-----	8	...	8	3	...	3	5	...	5	4	...	4
25-29 years-----	10	...	10	3	...	3	7	...	7	6	...	6
30-34 years-----	10	...	10	6	...	6	4	...	4	4	...	4
35-39 years-----	4	...	4	2	...	2	2	...	2	2	...	2
40-44 years-----	4	...	4	3	...	3	1	...	1	1	...	1
45-49 years-----	1	...	1	1	...	1	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----

Severe preeclampsia (014.1)

All ages-----	19	...	19	11	...	11	8	...	8	7	...	7
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	4	...	4	2	...	2	2	...	2	1	...	1
20-24 years-----	2	...	2	2	...	2	-	...	-	-	...	-
25-29 years-----	3	...	3	1	...	1	2	...	2	2	...	2
30-34 years-----	5	...	5	3	...	3	2	...	2	2	...	2
35-39 years-----	2	...	2	1	...	1	1	...	1	1	...	1
40-44 years-----	3	...	3	2	...	2	1	...	1	1	...	1
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Preeclampsia, unspecified (014.9)												
All ages-----	24	...	24	9	...	9	15	...	15	13	...	13
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	2	...	2	-	...	-	2	...	2	2	...	2
20-24 years-----	6	...	6	1	...	1	5	...	5	4	...	4
25-29 years-----	7	...	7	2	...	2	5	...	5	4	...	4
30-34 years-----	5	...	5	3	...	3	2	...	2	2	...	2
35-39 years-----	2	...	2	1	...	1	1	...	1	1	...	1
40-44 years-----	1	...	1	1	...	1	-	...	-	-	...	-
45-49 years-----	1	...	1	1	...	1	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----
Eclampsia (015)												
All ages-----	33	...	33	25	...	25	8	...	8	7	...	7
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	3	...	3	3	...	3	-	...	-	-	...	-
20-24 years-----	4	...	4	4	...	4	-	...	-	-	...	-
25-29 years-----	10	...	10	8	...	8	2	...	2	2	...	2
30-34 years-----	5	...	5	2	...	2	3	...	3	3	...	3
35-39 years-----	8	...	8	7	...	7	1	...	1	-	...	-
40-44 years-----	3	...	3	1	...	1	2	...	2	2	...	2
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Eclampsia in pregnancy (015.0)												
All ages-----	7	...	7	6	...	6	1	...	1	1	...	1
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	1	...	1	1	...	1	-	...	-	-	...	-
20-24 years-----	2	...	2	2	...	2	-	...	-	-	...	-
25-29 years-----	1	...	1	1	...	1	-	...	-	-	...	-
30-34 years-----	1	...	1	1	...	1	-	...	-	-	...	-
35-39 years-----	1	...	1	1	...	1	-	...	-	-	...	-
40-44 years-----	1	...	1	-	...	-	1	...	1	1	...	1
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----

Eclampsia in the puerperium (015.2)

All ages-----	1	...	1	-	...	-	1	...	1	1	...	1
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	1	...	1	-	...	-	1	...	1	1	...	1
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Eclampsia, unspecified as to time period (015.9)												
All ages-----	25	...	25	19	...	19	6	...	6	5	...	5
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	2	...	2	2	...	2	-	...	-	-	...	-
20-24 years-----	2	...	2	2	...	2	-	...	-	-	...	-
25-29 years-----	9	...	9	7	...	7	2	...	2	2	...	2
30-34 years-----	3	...	3	1	...	1	2	...	2	2	...	2
35-39 years-----	7	...	7	6	...	6	1	...	1	-	...	-
40-44 years-----	2	...	2	1	...	1	1	...	1	1	...	1
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----

Unspecified maternal hypertension (016)

All ages-----	12	...	12	3	...	3	9	...	9	8	...	8
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	2	...	2	-	...	-	2	...	2	2	...	2
25-29 years-----	2	...	2	-	...	-	2	...	2	2	...	2
30-34 years-----	2	...	2	2	...	2	-	...	-	-	...	-
35-39 years-----	5	...	5	1	...	1	4	...	4	3	...	3
40-44 years-----	1	...	1	-	...	-	1	...	1	1	...	1
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Excessive vomiting in pregnancy (021)												
All ages-----	1	...	1	-	...	-	1	...	1	1	...	1
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	1	...	1	-	...	-	1	...	1	1	...	1
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----

Vomiting of pregnancy, unspecified (021.9)

All ages-----	1	...	1	-	...	-	1	...	1	1	...	1
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	1	...	1	-	...	-	1	...	1	1	...	1
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

RACE, AND SEX

Venous complications in pregnancy (022)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	4	...	4	1	...	1	3	...	3	3	...	3
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	2	...	2	-	...	-	2	...	2	2	...	2
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	2	...	2	1	...	1	1	...	1	1	...	1
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----

Deep phlebothrombosis in pregnancy (022.3)

All ages-----	1	...	1	-	...	-	1	...	1	1	...	1
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	1	...	1	-	...	-	1	...	1	1	...	1
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other venous complications in pregnancy (022.8)												
All ages-----	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	1	...	1	1	...	1	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----

Venous complication in pregnancy, unspecified (022.9)

All ages-----	2	...	2	-	...	-	2	...	2	2	...	2
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	1	...	1	-	...	-	1	...	1	1	...	1
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	1	...	1	-	...	-	1	...	1	1	...	1
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Infections of genitourinary tract in pregnancy (023)												
All ages-----	2	...	2	1	...	1	1	...	1	1	...	1
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	1	...	1	-	...	-	1	...	1	1	...	1
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	1	...	1	1	...	1	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----

Infections of the genital tract in pregnancy (023.5)

All ages-----	2	...	2	1	...	1	1	...	1	1	...	1
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	1	...	1	-	...	-	1	...	1	1	...	1
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	1	...	1	1	...	1	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Diabetes mellitus in pregnancy (024)												
All ages-----	4	...	4	4	...	4	-	...	-	-	...	-
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	1	...	1	1	...	1	-	...	-	-	...	-
20-24 years-----	1	...	1	1	...	1	-	...	-	-	...	-
25-29 years-----	1	...	1	1	...	1	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	1	...	1	1	...	1	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----

Preexisting diabetes mellitus, insulin-dependent (024.0)

All ages-----	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	1	...	1	1	...	1	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Diabetes mellitus arising in pregnancy (024.4)												
All ages-----	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	1	...	1	1	...	1	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----

Diabetes mellitus in pregnancy, unspecified (024.9)

All ages-----	2	...	2	2	...	2	-	...	-	-	...	-
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	1	...	1	1	...	1	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	1	...	1	1	...	1	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Maternal care for other conditions predominantly related to pregnancy (026)												
All ages-----	16	...	16	8	...	8	8	...	8	7	...	7
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	1	...	1	-	...	-	1	...	1	1	...	1
20-24 years-----	3	...	3	1	...	1	2	...	2	2	...	2
25-29 years-----	2	...	2	1	...	1	1	...	1	1	...	1
30-34 years-----	5	...	5	2	...	2	3	...	3	3	...	3
35-39 years-----	2	...	2	2	...	2	-	...	-	-	...	-
40-44 years-----	3	...	3	2	...	2	1	...	1	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----

Liver disorders in pregnancy, childbirth, and the puerperium (026.6)

All ages-----	7	...	7	3	...	3	4	...	4	3	...	3
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	1	...	1	-	...	-	1	...	1	1	...	1
20-24 years-----	1	...	1	-	...	-	1	...	1	1	...	1
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	3	...	3	2	...	2	1	...	1	1	...	1
35-39 years-----	1	...	1	1	...	1	-	...	-	-	...	-
40-44 years-----	1	...	1	-	...	-	1	...	1	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

ALL RACES MALE FEMALE WHITE MALE FEMALE ALL OTHER MALE FEMALE BLACK MALE FEMALE

Other specified pregnancy-related conditions (026.8)

All ages-----	9	...	9	5	...	5	4	...	4	4	...	4
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	2	...	2	1	...	1	1	...	1	1	...	1
25-29 years-----	2	...	2	1	...	1	1	...	1	1	...	1
30-34 years-----	2	...	2	-	...	-	2	...	2	2	...	2
35-39 years-----	1	...	1	1	...	1	-	...	-	-	...	-
40-44 years-----	2	...	2	2	...	2	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----

Complications of anesthesia during pregnancy (029)

All ages-----	2	...	2	-	...	-	2	...	2	1	...	1
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	1	...	1	-	...	-	1	...	1	1	...	1
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	1	...	1	-	...	-	1	...	1	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Pulmonary complications of anesthesia during pregnancy (029.0)												
All ages-----	1	...	1	-	...	-	1	...	1	-	...	-
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	1	...	1	-	...	-	1	...	1	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----

Cardiac complications of anesthesia during pregnancy (029.1)

All ages-----	1	...	1	-	...	-	1	...	1	1	...	1
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	1	...	1	-	...	-	1	...	1	1	...	1
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Multiple gestation (030)												
All ages-----	2	...	2	-	...	-	2	...	2	1	...	1
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	1	...	1	-	...	-	1	...	1	-	...	-
25-29 years-----	1	...	1	-	...	-	1	...	1	1	...	1
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----
Twin pregnancy (030.0)												
All ages-----	1	...	1	-	...	-	1	...	1	-	...	-
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	1	...	1	-	...	-	1	...	1	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Triplet pregnancy (030.1)												
All ages-----	1	...	1	-	...	-	1	...	1	1	...	1
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	1	...	1	-	...	-	1	...	1	1	...	1
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----

Maternal care for known or suspected malpresentation of fetus (032)

All ages-----	1	...	1	-	...	-	1	...	1	1	...	1
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	1	...	1	-	...	-	1	...	1	1	...	1
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Maternal care for breech presentation (032.1)												
All ages-----	1	...	1	-	...	-	1	...	1	1	...	1
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	1	...	1	-	...	-	1	...	1	1	...	1
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----

Maternal care for known or suspected abnormality of pelvic organs (034)

All ages-----	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	1	...	1	1	...	1	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Maternal care for cervical incompetence (034.3)												
All ages-----	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	1	...	1	1	...	1	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----

Maternal care for other known or suspected fetal problems (036)

All ages-----	12	...	12	5	...	5	7	...	7	7	...	7
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	1	...	1	-	...	-	1	...	1	1	...	1
20-24 years-----	1	...	1	-	...	-	1	...	1	1	...	1
25-29 years-----	3	...	3	1	...	1	2	...	2	2	...	2
30-34 years-----	4	...	4	2	...	2	2	...	2	2	...	2
35-39 years-----	2	...	2	2	...	2	-	...	-	-	...	-
40-44 years-----	1	...	1	-	...	-	1	...	1	1	...	1
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Maternal care for signs of fetal hypoxia (O36.3)												
All ages-----	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	1	...	1	1	...	1	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----

Maternal care for intrauterine death (O36.4)

All ages-----	11	...	11	4	...	4	7	...	7	7	...	7
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	1	...	1	-	...	-	1	...	1	1	...	1
20-24 years-----	1	...	1	-	...	-	1	...	1	1	...	1
25-29 years-----	3	...	3	1	...	1	2	...	2	2	...	2
30-34 years-----	3	...	3	1	...	1	2	...	2	2	...	2
35-39 years-----	2	...	2	2	...	2	-	...	-	-	...	-
40-44 years-----	1	...	1	-	...	-	1	...	1	1	...	1
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other disorders of amniotic fluid and membranes (041)												
All ages-----	2	...	2	1	...	1	1	...	1	1	...	1
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	2	...	2	1	...	1	1	...	1	1	...	1
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----

Infection of amniotic sac and membranes (041.1)

All ages-----	2	...	2	1	...	1	1	...	1	1	...	1
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	2	...	2	1	...	1	1	...	1	1	...	1
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Premature rupture of membranes (042)												
All ages-----	3	...	3	1	...	1	2	...	2	2	...	2
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	1	...	1	-	...	-	1	...	1	1	...	1
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	1	...	1	1	...	1	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	1	...	1	-	...	-	1	...	1	1	...	1
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----

Premature rupture of membranes, unspecified (042.9)

All ages-----	3	...	3	1	...	1	2	...	2	2	...	2
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	1	...	1	-	...	-	1	...	1	1	...	1
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	1	...	1	1	...	1	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	1	...	1	-	...	-	1	...	1	1	...	1
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Placenta previa (044)												
All ages-----	2	...	2	2	...	2	-	...	-	-	...	-
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	2	...	2	2	...	2	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----

Placenta previa with hemorrhage (044.1)

All ages-----	2	...	2	2	...	2	-	...	-	-	...	-
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	2	...	2	2	...	2	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Premature separation of placenta [abruptio placentae] (045)												
All ages-----	11	...	11	6	...	6	5	...	5	4	...	4
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	1	...	1	-	...	-	1	...	1	1	...	1
20-24 years-----	1	...	1	-	...	-	1	...	1	1	...	1
25-29 years-----	2	...	2	2	...	2	-	...	-	-	...	-
30-34 years-----	2	...	2	1	...	1	1	...	1	-	...	-
35-39 years-----	3	...	3	2	...	2	1	...	1	1	...	1
40-44 years-----	2	...	2	1	...	1	1	...	1	1	...	1
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----

Premature separation of placenta, unspecified (045.9)

All ages-----	11	...	11	6	...	6	5	...	5	4	...	4
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	1	...	1	-	...	-	1	...	1	1	...	1
20-24 years-----	1	...	1	-	...	-	1	...	1	1	...	1
25-29 years-----	2	...	2	2	...	2	-	...	-	-	...	-
30-34 years-----	2	...	2	1	...	1	1	...	1	-	...	-
35-39 years-----	3	...	3	2	...	2	1	...	1	1	...	1
40-44 years-----	2	...	2	1	...	1	1	...	1	1	...	1
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Antepartum hemorrhage, not elsewhere classified (046)												
All ages-----	7	...	7	4	...	4	3	...	3	2	...	2
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	1	...	1	-	...	-	1	...	1	1	...	1
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	3	...	3	1	...	1	2	...	2	1	...	1
30-34 years-----	1	...	1	1	...	1	-	...	-	-	...	-
35-39 years-----	1	...	1	1	...	1	-	...	-	-	...	-
40-44 years-----	1	...	1	1	...	1	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----

Antepartum hemorrhage with coagulation defect (046.0)

All ages-----	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	1	...	1	1	...	1	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other antepartum hemorrhage (046.8)												
All ages-----	2	...	2	1	...	1	1	...	1	1	...	1
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	2	...	2	1	...	1	1	...	1	1	...	1
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----

Antepartum hemorrhage, unspecified (046.9)

All ages-----	4	...	4	2	...	2	2	...	2	1	...	1
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	1	...	1	-	...	-	1	...	1	1	...	1
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	1	...	1	-	...	-	1	...	1	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	1	...	1	1	...	1	-	...	-	-	...	-
40-44 years-----	1	...	1	1	...	1	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Abnormality of forces of labor (062)												
All ages-----	3	...	3	1	...	1	2	...	2	1	...	1
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	1	...	1	1	...	1	-	...	-	-	...	-
35-39 years-----	1	...	1	-	...	-	1	...	1	1	...	1
40-44 years-----	1	...	1	-	...	-	1	...	1	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----
Other uterine inertia (062.2)												
All ages-----	3	...	3	1	...	1	2	...	2	1	...	1
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	1	...	1	1	...	1	-	...	-	-	...	-
35-39 years-----	1	...	1	-	...	-	1	...	1	1	...	1
40-44 years-----	1	...	1	-	...	-	1	...	1	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

RACE, AND SEX

Labor and delivery complicated by intrapartum hemorrhage, not elsewhere classified (067)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	8	...	8	7	...	7	1	...	1	-	...	-
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	1	...	1	1	...	1	-	...	-	-	...	-
25-29 years-----	1	...	1	1	...	1	-	...	-	-	...	-
30-34 years-----	2	...	2	2	...	2	-	...	-	-	...	-
35-39 years-----	3	...	3	2	...	2	1	...	1	-	...	-
40-44 years-----	1	...	1	1	...	1	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----

Intrapartum hemorrhage with coagulation defect (067.0)

All ages-----	3	...	3	2	...	2	1	...	1	-	...	-
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	1	...	1	1	...	1	-	...	-	-	...	-
30-34 years-----	1	...	1	1	...	1	-	...	-	-	...	-
35-39 years-----	1	...	1	-	...	-	1	...	1	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Intrapartum hemorrhage, unspecified (067.9)												
All ages-----	5	...	5	5	...	5	-	...	-	-	...	-
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	1	...	1	1	...	1	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	1	...	1	1	...	1	-	...	-	-	...	-
35-39 years-----	2	...	2	2	...	2	-	...	-	-	...	-
40-44 years-----	1	...	1	1	...	1	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----
Other obstetric trauma (071)												
All ages-----	4	...	4	3	...	3	1	...	1	1	...	1
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	1	...	1	1	...	1	-	...	-	-	...	-
30-34 years-----	1	...	1	-	...	-	1	...	1	1	...	1
35-39 years-----	1	...	1	1	...	1	-	...	-	-	...	-
40-44 years-----	1	...	1	1	...	1	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Rupture of uterus during labor (071.1)												
All ages-----	2	...	2	1	...	1	1	...	1	1	...	1
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	1	...	1	-	...	-	1	...	1	1	...	1
35-39 years-----	1	...	1	1	...	1	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----
Other obstetric injury to pelvic organs (071.5)												
All ages-----	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	1	...	1	1	...	1	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Obstetric hematoma of pelvis (071.7)												
All ages-----	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	1	...	1	1	...	1	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----

Postpartum hemorrhage (072)

All ages-----	17	...	17	8	...	8	9	...	9	7	...	7
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	2	...	2	-	...	-	2	...	2	2	...	2
20-24 years-----	3	...	3	2	...	2	1	...	1	-	...	-
25-29 years-----	2	...	2	1	...	1	1	...	1	1	...	1
30-34 years-----	6	...	6	5	...	5	1	...	1	-	...	-
35-39 years-----	4	...	4	-	...	-	4	...	4	4	...	4
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Third-stage hemorrhage (072.0)												
All ages-----	7	...	7	6	...	6	1	...	1	-	...	-
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	2	...	2	1	...	1	1	...	1	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	5	...	5	5	...	5	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----

Other immediate postpartum hemorrhage (072.1)

All ages-----	5	...	5	1	...	1	4	...	4	3	...	3
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	1	...	1	1	...	1	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	1	...	1	-	...	-	1	...	1	-	...	-
35-39 years-----	3	...	3	-	...	-	3	...	3	3	...	3
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

ALL RACES WHITE ALL OTHER BLACK

Delayed and secondary postpartum hemorrhage (072.2)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	2	...	2	1	...	1	1	...	1	1	...	1
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	2	...	2	1	...	1	1	...	1	1	...	1
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----

Postpartum coagulation defects (072.3)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	3	...	3	-	...	-	3	...	3	3	...	3
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	2	...	2	-	...	-	2	...	2	2	...	2
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	1	...	1	-	...	-	1	...	1	1	...	1
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Complications of anesthesia during labor and delivery (074)												
All ages-----	5	...	5	2	...	2	3	...	3	3	...	3
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	2	...	2	1	...	1	1	...	1	1	...	1
25-29 years-----	2	...	2	1	...	1	1	...	1	1	...	1
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	1	...	1	-	...	-	1	...	1	1	...	1
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----

Cardiac complications of anesthesia during labor and delivery (074.2)

All ages-----	2	...	2	1	...	1	1	...	1	1	...	1
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	1	...	1	1	...	1	-	...	-	-	...	-
25-29 years-----	1	...	1	-	...	-	1	...	1	1	...	1
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other complications of anesthesia during labor and delivery (074.8)												
All ages-----	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	1	...	1	1	...	1	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----

Complication of anesthesia during labor and delivery, unspecified (074.9)

All ages-----	2	...	2	-	...	-	2	...	2	2	...	2
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	1	...	1	-	...	-	1	...	1	1	...	1
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	1	...	1	-	...	-	1	...	1	1	...	1
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other complications of labor and delivery, not elsewhere classified (075)												
All ages-----	23	...	23	14	...	14	9	...	9	8	...	8
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	2	...	2	2	...	2	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	6	...	6	4	...	4	2	...	2	2	...	2
30-34 years-----	5	...	5	3	...	3	2	...	2	1	...	1
35-39 years-----	8	...	8	4	...	4	4	...	4	4	...	4
40-44 years-----	2	...	2	1	...	1	1	...	1	1	...	1
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----

Shock during or following labor and delivery (075.1)

All ages-----	2	...	2	1	...	1	1	...	1	-	...	-
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	1	...	1	-	...	-	1	...	1	-	...	-
35-39 years-----	1	...	1	1	...	1	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other complications of obstetric surgery and procedures (075.4)												
All ages-----	7	...	7	5	...	5	2	...	2	2	...	2
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	1	...	1	1	...	1	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	2	...	2	2	...	2	-	...	-	-	...	-
35-39 years-----	3	...	3	2	...	2	1	...	1	1	...	1
40-44 years-----	1	...	1	-	...	-	1	...	1	1	...	1
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----

Other specified complications of labor and delivery (075.8)

All ages-----	3	...	3	2	...	2	1	...	1	1	...	1
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	1	...	1	1	...	1	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	2	...	2	1	...	1	1	...	1	1	...	1
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

ALL RACES WHITE ALL OTHER BLACK

Complication of labor and delivery, unspecified (075.9)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	11	...	11	6	...	6	5	...	5	5	...	5
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	4	...	4	3	...	3	1	...	1	1	...	1
30-34 years-----	2	...	2	1	...	1	1	...	1	1	...	1
35-39 years-----	4	...	4	1	...	1	3	...	3	3	...	3
40-44 years-----	1	...	1	1	...	1	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----

Puerperal sepsis (085)

All ages-----	5	...	5	3	...	3	2	...	2	2	...	2
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	1	...	1	-	...	-	1	...	1	1	...	1
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	1	...	1	1	...	1	-	...	-	-	...	-
30-34 years-----	1	...	1	-	...	-	1	...	1	1	...	1
35-39 years-----	1	...	1	1	...	1	-	...	-	-	...	-
40-44 years-----	1	...	1	1	...	1	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other puerperal infections (086)												
All ages-----	2	...	2	1	...	1	1	...	1	1	...	1
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	1	...	1	1	...	1	-	...	-	-	...	-
25-29 years-----	1	...	1	-	...	-	1	...	1	1	...	1
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----

Pyrexia of unknown origin following delivery (086.4)

All ages-----	2	...	2	1	...	1	1	...	1	1	...	1
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	1	...	1	1	...	1	-	...	-	-	...	-
25-29 years-----	1	...	1	-	...	-	1	...	1	1	...	1
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Obstetric embolism (088)												
All ages-----	53	...	53	32	...	32	21	...	21	16	...	16
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	2	...	2	1	...	1	1	...	1	1	...	1
20-24 years-----	9	...	9	7	...	7	2	...	2	2	...	2
25-29 years-----	10	...	10	6	...	6	4	...	4	3	...	3
30-34 years-----	15	...	15	10	...	10	5	...	5	4	...	4
35-39 years-----	13	...	13	6	...	6	7	...	7	5	...	5
40-44 years-----	2	...	2	1	...	1	1	...	1	1	...	1
45-49 years-----	2	...	2	1	...	1	1	...	1	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----

Obstetric air embolism (088.0)

All ages-----	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	1	...	1	1	...	1	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Amniotic fluid embolism (088.1)												
All ages-----	35	...	35	19	...	19	16	...	16	12	...	12
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	1	...	1	-	...	-	1	...	1	1	...	1
20-24 years-----	3	...	3	2	...	2	1	...	1	1	...	1
25-29 years-----	7	...	7	3	...	3	4	...	4	3	...	3
30-34 years-----	11	...	11	8	...	8	3	...	3	3	...	3
35-39 years-----	10	...	10	5	...	5	5	...	5	3	...	3
40-44 years-----	1	...	1	-	...	-	1	1	...	1
45-49 years-----	2	...	2	1	...	1	1	...	1	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----

Obstetric blood-clot embolism (088.2)

All ages-----	17	...	17	12	...	12	5	...	5	4	...	4
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	1	...	1	1	...	1	-	...	-	-	...	-
20-24 years-----	6	...	6	5	...	5	1	...	1	1	...	1
25-29 years-----	2	...	2	2	...	2	-	...	-	-	...	-
30-34 years-----	4	...	4	2	...	2	2	...	2	1	...	1
35-39 years-----	3	...	3	1	...	1	2	...	2	2	...	2
40-44 years-----	1	...	1	1	...	1	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Complications of anesthesia during the puerperium (089)												
All ages-----	1	...	1	-	...	-	1	...	1	1	...	1
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	1	...	1	-	...	-	1	...	1	1	...	1
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----

Other complications of anesthesia during the puerperium (089.8)

All ages-----	1	...	1	-	...	-	1	...	1	1	...	1
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	1	...	1	-	...	-	1	...	1	1	...	1
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Complications of the puerperium, not elsewhere classified (090)												
All ages-----	23	...	23	11	...	11	12	...	12	12	...	12
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	3	...	3	3	...	3	-	...	-	-	...	-
20-24 years-----	2	...	2	-	...	-	2	...	2	2	...	2
25-29 years-----	6	...	6	2	...	2	4	...	4	4	...	4
30-34 years-----	7	...	7	2	...	2	5	...	5	5	...	5
35-39 years-----	2	...	2	2	...	2	-	...	-	-	...	-
40-44 years-----	2	...	2	1	...	1	1	...	1	1	...	1
45-49 years-----	1	...	1	1	...	1	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----

Cardiomyopathy in the puerperium (090.3)

All ages-----	22	...	22	10	...	10	12	...	12	12	...	12
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	3	...	3	3	...	3	-	...	-	-	...	-
20-24 years-----	2	...	2	-	...	-	2	...	2	2	...	2
25-29 years-----	6	...	6	2	...	2	4	...	4	4	...	4
30-34 years-----	7	...	7	2	...	2	5	...	5	5	...	5
35-39 years-----	2	...	2	2	...	2	-	...	-	-	...	-
40-44 years-----	1	...	1	-	...	-	1	...	1	1	...	1
45-49 years-----	1	...	1	1	...	1	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other complications of the puerperium, not elsewhere classified (090.8)												
All ages-----	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	1	...	1	1	...	1	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----

Obstetric death of unspecified cause (095)

All ages-----	5	...	5	3	...	3	2	...	2	2	...	2
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	2	...	2	2	...	2	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	3	...	3	1	...	1	2	...	2	2	...	2
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

RACE, AND SEX

Death from any obstetric cause occurring more than 42 days but less than 1 year after delivery (096)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	5	...	5	3	...	3	2	...	2	2	...	2
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	2	...	2	1	...	1	1	...	1	1	...	1
25-29 years-----	1	...	1	-	...	-	1	...	1	1	...	1
30-34 years-----	1	...	1	1	...	1	-	...	-	-	...	-
35-39 years-----	1	...	1	1	...	1	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----

Death from sequelae of direct obstetric causes (097)

All ages-----	10	...	10	3	...	3	7	...	7	6	...	6
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	1	...	1	-	...	-	1	...	1	1	...	1
20-24 years-----	1	...	1	-	...	-	1	...	1	1	...	1
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	1	...	1	-	...	-	1	...	1	-	...	-
35-39 years-----	4	...	4	3	...	3	1	...	1	1	...	1
40-44 years-----	1	...	1	-	...	-	1	...	1	1	...	1
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	2	...	2	-	...	-	2	...	2	2	...	2
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

ALL RACES WHITE ALL OTHER BLACK

Maternal infectious and parasitic diseases classifiable elsewhere but complicating pregnancy, childbirth, and the puerperium (098)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	3	...	3	1	...	1	2	...	2	1	...	1
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	1	...	1	1	...	1	-	...	-	-	...	-
25-29 years-----	1	...	1	-	...	-	1	...	1	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	1	...	1	-	...	-	1	...	1	1	...	1
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----

Other maternal infectious and parasitic diseases complicating pregnancy, childbirth, and the puerperium (098.8)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	3	...	3	1	...	1	2	...	2	1	...	1
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	1	...	1	1	...	1	-	...	-	-	...	-
25-29 years-----	1	...	1	-	...	-	1	...	1	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	1	...	1	-	...	-	1	...	1	1	...	1
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Other maternal diseases classifiable elsewhere but complicating pregnancy, childbirth, and the puerperium (099)

All ages-----	44	...	44	27	...	27	17	...	17	16	...	16
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	1	...	1	-	...	-	1	...	1	1	...	1
20-24 years-----	11	...	11	4	...	4	7	...	7	6	...	6
25-29 years-----	12	...	12	8	...	8	4	...	4	4	...	4
30-34 years-----	10	...	10	6	...	6	4	...	4	4	...	4
35-39 years-----	9	...	9	8	...	8	1	...	1	1	...	1
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	1	...	1	1	...	1	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----

Anemia complicating pregnancy, childbirth, and the puerperium (099.0)

All ages-----	1	...	1	-	...	-	1	...	1	1	...	1
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	1	...	1	-	...	-	1	...	1	1	...	1
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

RACE, AND SEX

Endocrine, nutritional, and metabolic diseases complicating pregnancy, childbirth, and the puerperium (099.2)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	1	...	1	1	...	1	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----

Diseases of the circulatory system complicating pregnancy, childbirth, and the puerperium (099.4)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	16	...	16	11	...	11	5	...	5	4	...	4
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	3	...	3	1	...	1	2	...	2	1	...	1
25-29 years-----	7	...	7	5	...	5	2	...	2	2	...	2
30-34 years-----	2	...	2	1	...	1	1	...	1	1	...	1
35-39 years-----	3	...	3	3	...	3	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	1	...	1	1	...	1	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Diseases of the respiratory system complicating pregnancy, childbirth, and the puerperium (099.5)												
All ages-----	3	...	3	1	...	1	2	...	2	2	...	2
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	1	...	1	1	...	1	-	...	1	1	...	1
25-29 years-----	1	...	1	-	...	-	1	...	1	1	...	1
30-34 years-----	1	...	1	-	...	-	1	...	1	1	...	1
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----

Diseases of the digestive system complicating pregnancy, childbirth, and the puerperium (099.6)

All ages-----	1	...	1	-	...	-	1	...	1	1	...	1
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	1	...	1	-	...	-	1	...	1	1	...	1
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

ALL RACES WHITE ALL OTHER BLACK

Other specified diseases and conditions complicating pregnancy, childbirth, and the puerperium (099.8)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	22	...	22	14	...	14	8	...	8	8	...	8
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	6	...	6	2	...	2	4	...	4	4	...	4
25-29 years-----	3	...	3	2	...	2	1	...	1	1	...	1
30-34 years-----	7	...	7	5	...	5	2	...	2	2	...	2
35-39 years-----	6	...	6	5	...	5	1	...	1	1	...	1
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----

Newborn affected by maternal conditions that may be unrelated to present pregnancy (P00)

All ages-----	141	77	64	83	42	41	58	35	23	53	31	22
Under 1 year-----	139	76	63	82	41	41	57	35	22	52	31	21
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	-	1	-	-	-	1	-	1	1	-	1
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Newborn affected by maternal hypertensive disorders (P00.0)												
All ages-----	73	34	39	43	19	24	30	15	15	28	13	15
Under 1 year----	71	33	38	42	18	24	29	15	14	27	13	14
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	-	1	-	-	-	1	-	1	1	-	1
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Newborn affected by maternal renal and urinary tract diseases (P00.1)

All ages-----	3	2	1	1	1	-	2	1	1	2	1	1
Under 1 year----	3	2	1	1	1	-	2	1	1	2	1	1
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Newborn affected by maternal infectious and parasitic diseases (P00.2)												
All ages-----	15	11	4	8	6	2	7	5	2	7	5	2
Under 1 year----	15	11	4	8	6	2	7	5	2	7	5	2
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Newborn affected by other maternal circulatory and respiratory diseases (P00.3)

All ages-----	4	2	2	3	2	1	1	-	1	1	-	1
Under 1 year----	4	2	2	3	2	1	1	-	1	1	-	1
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Newborn affected by maternal injury (P00.5)												
All ages-----	21	12	9	14	7	7	7	5	2	5	4	1
Under 1 year----	21	12	9	14	7	7	7	5	2	5	4	1
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Newborn affected by other maternal conditions (P00.8)

All ages-----	23	15	8	12	6	6	11	9	2	10	8	2
Under 1 year----	23	15	8	12	6	6	11	9	2	10	8	2
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Newborn affected by unspecified maternal condition (P00.9)												
All ages-----	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year-----	2	1	1	2	1	1	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Newborn affected by maternal complications of pregnancy (P01)

All ages-----	1,399	791	608	859	489	370	540	302	238	496	284	212
Under 1 year-----	1,399	791	608	859	489	370	540	302	238	496	284	212
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Newborn affected by incompetent cervix (P01.0)												
All ages-----	384	235	149	236	141	95	148	94	54	131	87	44
Under 1 year-----	384	235	149	236	141	95	148	94	54	131	87	44
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Newborn affected by premature rupture of membranes (P01.1)

All ages-----	647	357	290	389	219	170	258	138	120	235	128	107
Under 1 year-----	647	357	290	389	219	170	258	138	120	235	128	107
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

RACE, AND SEX

Newborn affected by oligohydramnios (P01.2)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	63	33	30	47	25	22	16	8	8	16	8	8
Under 1 year----	63	33	30	47	25	22	16	8	8	16	8	8
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Newborn affected by polyhydramnios (P01.3)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	23	12	11	19	10	9	4	2	2	3	2	1
Under 1 year----	23	12	11	19	10	9	4	2	2	3	2	1
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Newborn affected by ectopic pregnancy (P01.4)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Newborn affected by multiple pregnancy (P01.5)

All ages-----	225	118	107	135	72	63	90	46	44	87	45	42
Under 1 year-----	225	118	107	135	72	63	90	46	44	87	45	42
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Newborn affected by maternal death (P01.6)												
All ages-----	11	5	6	8	4	4	3	1	2	3	1	2
Under 1 year----	11	5	6	8	4	4	3	1	2	3	1	2
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Newborn affected by other maternal complications of pregnancy (P01.8)

All ages-----	44	30	14	24	17	7	20	13	7	20	13	7
Under 1 year----	44	30	14	24	17	7	20	13	7	20	13	7
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

RACE, AND SEX

Newborn affected by maternal complication of pregnancy, unspecified (P01.9)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	1	-	1	-	-	-	1	-	1	1	-	1
Under 1 year-----	1	-	1	-	-	-	1	-	1	1	-	1
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Newborn affected by complications of placenta, cord, and membranes (P02)

All ages-----	1,033	538	495	640	332	308	393	206	187	359	188	171
Under 1 year-----	1,025	533	492	633	328	305	392	205	187	358	187	171
1-4 years-----	4	3	1	3	2	1	1	1	-	1	1	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	2	1	1	2	1	1	-	-	-	-	-	-
15-19 years-----	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	1	1	-	1	1	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Newborn affected by placenta previa (P02.0)												
All ages-----	21	13	8	15	9	6	6	4	2	5	4	1
Under 1 year----	21	13	8	15	9	6	6	4	2	5	4	1
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Newborn affected by other forms of placental separation and hemorrhage (P02.1)

All ages-----	445	244	201	286	154	132	159	90	69	140	78	62
Under 1 year----	439	240	199	281	151	130	158	89	69	139	77	62
1-4 years-----	4	3	1	3	2	1	1	1	-	1	1	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Newborn affected by other and unspecified morphological and functional abnormalities of placenta (P02.2)												
All ages-----	16	6	10	8	4	4	8	2	6	8	2	6
Under 1 year----	16	6	10	8	4	4	8	2	6	8	2	6
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Newborn affected by placental transfusion syndromes (P02.3)

All ages-----	54	24	30	46	20	26	8	4	4	8	4	4
Under 1 year----	54	24	30	46	20	26	8	4	4	8	4	4
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

RACE, AND SEX

Newborn affected by prolapsed cord (P02.4)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	32	17	15	18	8	10	14	9	5	12	7	5
Under 1 year----	32	17	15	18	8	10	14	9	5	12	7	5
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Newborn affected by other compression of umbilical cord (P02.5)

All ages-----	17	9	8	15	7	8	2	2	-	2	2	-
Under 1 year----	17	9	8	15	7	8	2	2	-	2	2	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Newborn affected by other and unspecified conditions of umbilical cord (P02.6)												
All ages-----	15	6	9	10	4	6	5	2	3	5	2	3
Under 1 year----	15	6	9	10	4	6	5	2	3	5	2	3
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Newborn affected by chorioamnionitis (P02.7)

All ages-----	432	219	213	241	126	115	191	93	98	179	89	90
Under 1 year----	430	218	212	239	125	114	191	93	98	179	89	90
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	1	1	-	1	1	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Newborn affected by other abnormalities of membranes (P02.8)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year----	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Newborn affected by other complications of labor and delivery (P03)

All ages-----	145	72	73	102	48	54	43	24	19	36	20	16
Under 1 year----	145	72	73	102	48	54	43	24	19	36	20	16
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Newborn affected by breech delivery and extraction (P03.0)												
All ages-----	10	7	3	6	4	2	4	3	1	2	2	-
Under 1 year----	10	7	3	6	4	2	4	3	1	2	2	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Newborn affected by other malpresentation, malposition, and disproportion during labor and delivery (P03.1)

All ages-----	7	5	2	7	5	2	-	-	-	-	-	-
Under 1 year----	7	5	2	7	5	2	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Newborn affected by forceps delivery (P03.2)												
All ages-----	2	-	2	2	-	2	-	-	-	-	-	-
Under 1 year-----	2	-	2	2	-	2	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Newborn affected by delivery by vacuum extractor [ventouse] (P03.3)

All ages-----	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year-----	2	2	-	2	2	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Newborn affected by cesarean delivery (P03.4)												
All ages-----	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year-----	2	1	1	2	1	1	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Newborn affected by precipitate delivery (P03.5)

All ages-----	11	7	4	5	3	2	6	4	2	6	4	2
Under 1 year-----	11	7	4	5	3	2	6	4	2	6	4	2
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Newborn affected by abnormal uterine contractions (P03.6)												
All ages-----	6	3	3	1	-	1	5	3	2	5	3	2
Under 1 year----	6	3	3	1	-	1	5	3	2	5	3	2
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Newborn affected by other specified complications of labor and delivery (P03.8)

All ages-----	63	27	36	55	23	32	8	4	4	6	4	2
Under 1 year----	63	27	36	55	23	32	8	4	4	6	4	2
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Newborn affected by complication of labor and delivery, unspecified (P03.9)												
All ages-----	42	20	22	22	10	12	20	10	10	17	7	10
Under 1 year----	42	20	22	22	10	12	20	10	10	17	7	10
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Newborn affected by noxious influences transmitted via placenta or breast milk (P04)

All ages-----	32	20	12	9	6	3	23	14	9	23	14	9
Under 1 year----	30	18	12	8	5	3	22	13	9	22	13	9
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	2	2	-	1	1	-	1	1	-	1	1	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Newborn affected by other maternal medication (P04.1)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Newborn affected by maternal use of alcohol (P04.3)

All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Newborn affected by maternal use of drugs of addiction (P04.4)												
All ages-----	28	17	11	6	4	2	22	13	9	22	13	9
Under 1 year----	27	16	11	6	4	2	21	12	9	21	12	9
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	1	-	-	-	-	1	1	-	1	1	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Newborn affected by maternal noxious influence, unspecified (P04.9)

All ages-----	2	1	1	1	-	1	1	1	-	1	1	-
Under 1 year----	2	1	1	1	-	1	1	1	-	1	1	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Slow fetal growth and fetal malnutrition (P05)												
All ages-----	62	27	35	35	18	17	27	9	18	25	8	17
Under 1 year-----	62	27	35	35	18	17	27	9	18	25	8	17
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Light for gestational age (P05.0)

All ages-----	1	1	-	-	-	-	1	1	-	1	1	-
Under 1 year-----	1	1	-	-	-	-	1	1	-	1	1	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

ALL RACES WHITE ALL OTHER BLACK

Small for gestational age (P05.1)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	3	2	1	1	1	-	2	1	1	2	1	1
Under 1 year-----	3	2	1	1	1	-	2	1	1	2	1	1
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Slow fetal growth, unspecified (P05.9)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	58	24	34	34	17	17	24	7	17	22	6	16
Under 1 year-----	58	24	34	34	17	17	24	7	17	22	6	16
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Disorders related to short gestation and low birthweight, not elsewhere classified (P07)												
All ages-----	4,399	2,459	1,940	2,370	1,319	1,051	2,029	1,140	889	1,901	1,070	831
Under 1 year-----	4,392	2,455	1,937	2,366	1,317	1,049	2,026	1,138	888	1,898	1,068	830
1-4 years-----	4	2	2	3	2	1	1	-	1	1	-	1
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	3	2	1	1	-	1	2	2	-	2	2	-

Extremely low birthweight (P07.0)

All ages-----	140	76	64	53	24	29	87	52	35	83	49	34
Under 1 year-----	140	76	64	53	24	29	87	52	35	83	49	34
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other low birthweight (P07.1)												
All ages-----	20	12	8	10	6	4	10	6	4	10	6	4
Under 1 year----	20	12	8	10	6	4	10	6	4	10	6	4
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Extreme immaturity (P07.2)												
All ages-----	3,186	1,768	1,418	1,713	955	758	1,473	813	660	1,379	763	616
Under 1 year----	3,184	1,767	1,417	1,712	955	757	1,472	812	660	1,378	762	616
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	2	1	1	1	-	1	1	1	-	1	1	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other preterm infants (P07.3)												
All ages-----	1,053	603	450	594	334	260	459	269	190	429	252	177
Under 1 year-----	1,048	600	448	591	332	259	457	268	189	427	251	176
1-4 years-----	4	2	2	3	2	1	1	-	1	1	-	1
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	1	1	-	-	-	-	1	1	-	1	1	-
Other birth injuries to central nervous system (P11)												
All ages-----	14	11	3	7	7	-	7	4	3	3	2	1
Under 1 year-----	10	8	2	4	4	-	6	4	2	2	2	-
1-4 years-----	3	2	1	2	2	-	1	-	1	1	-	1
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

ALL RACES WHITE ALL OTHER BLACK

Other specified brain damage due to birth injury (P11.1)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	1	1	-	-	-	-	1	1	-	1	1	-
Under 1 year----	1	1	-	-	-	-	1	1	-	1	1	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Unspecified brain damage due to birth injury (P11.2)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	8	6	2	6	6	-	2	-	2	1	-	1
Under 1 year----	4	3	1	3	3	-	1	-	1	-	-	-
1-4 years-----	3	2	1	2	2	-	1	-	1	1	-	1
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Birth injury to spine and spinal cord (P11.5)												
All ages-----	2	2	-	1	1	-	1	1	-	-	-	-
Under 1 year-----	2	2	-	1	1	-	1	1	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Birth injury to central nervous system, unspecified (P11.9)

All ages-----	3	2	1	-	-	-	3	2	1	1	1	-
Under 1 year-----	3	2	1	-	-	-	3	2	1	1	1	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other birth injuries (P15)												
All ages-----	16	8	8	12	7	5	4	1	3	4	1	3
Under 1 year----	10	6	4	7	5	2	3	1	2	3	1	2
1-4 years-----	1	-	1	-	-	-	1	-	1	1	-	1
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	2	1	1	2	1	1	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Birth injury to liver (P15.0)												
All ages-----	4	3	1	2	2	-	2	1	1	2	1	1
Under 1 year----	4	3	1	2	2	-	2	1	1	2	1	1
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other specified birth injuries (P15.8)												
All ages-----	1	-	1	-	-	-	1	-	1	1	-	1
Under 1 year-----	1	-	1	-	-	-	1	-	1	1	-	1
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Birth injury, unspecified (P15.9)

All ages-----	11	5	6	10	5	5	1	-	1	1	-	1
Under 1 year-----	5	3	2	5	3	2	-	-	-	-	-	-
1-4 years-----	1	-	1	-	-	-	1	-	1	1	-	1
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	2	1	1	2	1	1	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Intrauterine hypoxia (P20)												
All ages-----	114	66	48	73	39	34	41	27	14	35	24	11
Under 1 year-----	114	66	48	73	39	34	41	27	14	35	24	11
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Intrauterine hypoxia first noted before onset of labor (P20.0)

All ages-----	2	-	2	1	-	1	1	-	1	-	-	-
Under 1 year-----	2	-	2	1	-	1	1	-	1	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Intrauterine hypoxia, unspecified (P20.9)												
All ages-----	112	66	46	72	39	33	40	27	13	35	24	11
Under 1 year-----	112	66	46	72	39	33	40	27	13	35	24	11
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Birth asphyxia (P21)

All ages-----	540	294	246	389	208	181	151	86	65	127	70	57
Under 1 year-----	499	269	230	356	190	166	143	79	64	122	66	56
1-4 years-----	20	11	9	14	6	8	6	5	1	4	3	1
5-9 years-----	8	4	4	6	2	4	2	2	-	1	1	-
10-14 years-----	3	2	1	3	2	1	-	-	-	-	-	-
15-19 years-----	4	2	2	4	2	2	-	-	-	-	-	-
20-24 years-----	4	4	-	4	4	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	1	1	-	1	1	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Severe birth asphyxia (P21.0)												
All ages-----	41	28	13	23	15	8	18	13	5	16	12	4
Under 1 year----	39	27	12	23	15	8	16	12	4	14	11	3
1-4 years-----	2	1	1	-	-	-	2	1	1	2	1	1
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Birth asphyxia, unspecified (P21.9)

All ages-----	499	266	233	366	193	173	133	73	60	111	58	53
Under 1 year----	460	242	218	333	175	158	127	67	60	108	55	53
1-4 years-----	18	10	8	14	6	8	4	4	-	2	2	-
5-9 years-----	8	4	4	6	2	4	2	2	-	1	1	-
10-14 years-----	3	2	1	3	2	1	-	-	-	-	-	-
15-19 years-----	4	2	2	4	2	2	-	-	-	-	-	-
20-24 years-----	4	4	-	4	4	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	1	1	-	1	1	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Respiratory distress of newborn (P22)												
All ages-----	1,113	655	458	707	405	302	406	250	156	375	233	142
Under 1 year-----	1,110	655	455	704	405	299	406	250	156	375	233	142
1-4 years-----	2	-	2	2	-	2	-	-	-	-	-	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Respiratory distress syndrome of newborn (P22.0)

All ages-----	1,024	609	415	646	375	271	378	234	144	350	218	132
Under 1 year-----	1,021	609	412	643	375	268	378	234	144	350	218	132
1-4 years-----	2	-	2	2	-	2	-	-	-	-	-	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Respiratory distress of newborn, unspecified (P22.9)												
All ages-----	89	46	43	61	30	31	28	16	12	25	15	10
Under 1 year-----	89	46	43	61	30	31	28	16	12	25	15	10
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Congenital pneumonia (P23)

All ages-----	83	36	47	55	26	29	28	10	18	26	9	17
Under 1 year-----	82	36	46	55	26	29	27	10	17	25	9	16
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	-	-	-	1	-	1	1	-	1
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

RACE, AND SEX

Congenital pneumonia due to viral agent (P23.0)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	1	1	-	-	-	-	1	1	-	1	1	-
Under 1 year-----	1	1	-	-	-	-	1	1	-	1	1	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Congenital pneumonia due to Escherichia coli (P23.4)

All ages-----	1	-	1	-	-	-	1	-	1	1	-	1
Under 1 year-----	1	-	1	-	-	-	1	-	1	1	-	1
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Congenital pneumonia due to Pseudomonas (P23.5)												
All ages-----	2	-	2	1	-	1	1	-	1	1	-	1
Under 1 year-----	2	-	2	1	-	1	1	-	1	1	-	1
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Congenital pneumonia, unspecified (P23.9)

All ages-----	79	35	44	54	26	28	25	9	16	23	8	15
Under 1 year-----	78	35	43	54	26	28	24	9	15	22	8	14
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	-	-	-	1	-	1	1	-	1
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Neonatal aspiration syndromes (P24)												
All ages-----	88	44	44	61	28	33	27	16	11	23	14	9
Under 1 year-----	84	41	43	60	27	33	24	14	10	21	13	8
1-4 years-----	3	2	1	1	1	-	2	1	1	2	1	1
5-9 years-----	1	1	-	-	-	-	1	1	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Neonatal aspiration of meconium (P24.0)

All ages-----	71	35	36	47	21	26	24	14	10	20	12	8
Under 1 year-----	67	32	35	46	20	26	21	12	9	18	11	7
1-4 years-----	3	2	1	1	1	-	2	1	1	2	1	1
5-9 years-----	1	1	-	-	-	-	1	1	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Neonatal aspiration of amniotic fluid and mucus (P24.1)												
All ages-----	7	5	2	5	3	2	2	2	-	2	2	-
Under 1 year-----	7	5	2	5	3	2	2	2	-	2	2	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Neonatal aspiration syndrome, unspecified (P24.9)

All ages-----	10	4	6	9	4	5	1	-	1	1	-	1
Under 1 year-----	10	4	6	9	4	5	1	-	1	1	-	1
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

ALL RACES WHITE ALL OTHER BLACK

Interstitial emphysema and related conditions originating in the perinatal period (P25)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	230	122	108	167	89	78	63	33	30	58	31	27
Under 1 year-----	230	122	108	167	89	78	63	33	30	58	31	27
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Interstitial emphysema originating in the perinatal period (P25.0)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	104	52	52	83	41	42	21	11	10	18	10	8
Under 1 year-----	104	52	52	83	41	42	21	11	10	18	10	8
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),

RACE, AND SEX - - - ALL RACES - - - - - - WHITE - - - - - - ALL OTHER - - - - - - BLACK - - -

TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Pneumothorax originating in the perinatal period (P25.1)

All ages-----	117	66	51	76	44	32	41	22	19	39	21	18
Under 1 year----	117	66	51	76	44	32	41	22	19	39	21	18
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Pneumomediastinum originating in the perinatal period (P25.2)

All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

ALL RACES WHITE ALL OTHER BLACK

Pneumopericardium originating in the perinatal period (P25.3)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	6	3	3	5	3	2	1	-	1	1	-	1
Under 1 year----	6	3	3	5	3	2	1	-	1	1	-	1
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other conditions related to interstitial emphysema originating in the perinatal period (P25.8)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	2	-	2	2	-	2	-	-	-	-	-	-
Under 1 year----	2	-	2	2	-	2	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

ALL RACES WHITE ALL OTHER BLACK

Pulmonary hemorrhage originating in the perinatal period (P26)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	269	164	105	178	111	67	91	53	38	87	50	37
Under 1 year----	269	164	105	178	111	67	91	53	38	87	50	37
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Massive pulmonary hemorrhage originating in the perinatal period (P26.1)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	15	10	5	10	8	2	5	2	3	4	1	3
Under 1 year----	15	10	5	10	8	2	5	2	3	4	1	3
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

RACE, AND SEX

Unspecified pulmonary hemorrhage originating in the perinatal period (P26.9)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	254	154	100	168	103	65	86	51	35	83	49	34
Under 1 year----	254	154	100	168	103	65	86	51	35	83	49	34
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Chronic respiratory disease originating in the perinatal period (P27)

All ages-----	380	239	141	220	142	78	160	97	63	145	86	59
Under 1 year----	336	207	129	197	126	71	139	81	58	130	75	55
1-4 years-----	35	25	10	16	10	6	19	15	4	15	11	4
5-9 years-----	4	3	1	3	3	-	1	-	1	-	-	-
10-14 years-----	4	4	-	3	3	-	1	1	-	-	-	-
15-19 years-----	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Wilson-Mikity syndrome (P27.0)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year----	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Bronchopulmonary dysplasia originating in the perinatal period (P27.1)

All ages-----	335	208	127	192	124	68	143	84	59	130	75	55
Under 1 year----	294	177	117	171	108	63	123	69	54	115	64	51
1-4 years-----	33	24	9	15	10	5	18	14	4	15	11	4
5-9 years-----	4	3	1	3	3	-	1	-	1	-	-	-
10-14 years-----	4	4	-	3	3	-	1	1	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

ALL RACES WHITE ALL OTHER BLACK

Other chronic respiratory diseases originating in the perinatal period (P27.8)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	2	1	1	1	1	-	1	-	1	1	-	1
Under 1 year----	2	1	1	1	1	-	1	-	1	1	-	1
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Unspecified chronic respiratory disease originating in the perinatal period (P27.9)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	42	30	12	26	17	9	16	13	3	14	11	3
Under 1 year----	39	29	10	24	17	7	15	12	3	14	11	3
1-4 years-----	2	1	1	1	-	1	1	1	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other respiratory conditions originating in the perinatal period (P28)												
All ages-----	718	430	288	495	310	185	223	120	103	207	112	95
Under 1 year-----	717	430	287	494	310	184	223	120	103	207	112	95
1-4 years-----	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Primary atelectasis of newborn (P28.0)

All ages-----	644	391	253	451	286	165	193	105	88	179	98	81
Under 1 year-----	644	391	253	451	286	165	193	105	88	179	98	81
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

RACE, AND SEX

Other and unspecified atelectasis of newborn (P28.1)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	3	1	2	-	-	-	3	1	2	3	1	2
Under 1 year-----	3	1	2	-	-	-	3	1	2	3	1	2
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other apnea of newborn (P28.4)

All ages-----	11	7	4	8	5	3	3	2	1	2	1	1
Under 1 year-----	10	7	3	7	5	2	3	2	1	2	1	1
1-4 years-----	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Respiratory failure of newborn (P28.5)												
All ages-----	36	19	17	21	13	8	15	6	9	14	6	8
Under 1 year-----	36	19	17	21	13	8	15	6	9	14	6	8
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other specified respiratory conditions of newborn (P28.8)

All ages-----	11	6	5	7	2	5	4	4	-	4	4	-
Under 1 year-----	11	6	5	7	2	5	4	4	-	4	4	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

RACE, AND SEX

Respiratory condition of newborn, unspecified (P28.9)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	13	6	7	8	4	4	5	2	3	5	2	3
Under 1 year-----	13	6	7	8	4	4	5	2	3	5	2	3
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Cardiovascular disorders originating in the perinatal period (P29)

All ages-----	1,056	601	455	635	366	269	421	235	186	389	215	174
Under 1 year-----	1,054	599	455	633	364	269	421	235	186	389	215	174
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Neonatal cardiac failure (P29.0)												
All ages-----	382	218	164	227	131	96	155	87	68	140	78	62
Under 1 year-----	382	218	164	227	131	96	155	87	68	140	78	62
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Neonatal cardiac dysrhythmia (P29.1)

All ages-----	643	365	278	386	223	163	257	142	115	241	132	109
Under 1 year-----	642	364	278	385	222	163	257	142	115	241	132	109
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Neonatal hypertension (P29.2)												
All ages-----	9	5	4	5	3	2	4	2	2	4	2	2
Under 1 year-----	9	5	4	5	3	2	4	2	2	4	2	2
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Persistent fetal circulation (P29.3)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Transient myocardial ischemia of newborn (P29.4)												
All ages-----	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year-----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other cardiovascular disorders originating in the perinatal period (P29.8)

All ages-----	18	9	9	13	5	8	5	4	1	4	3	1
Under 1 year-----	18	9	9	13	5	8	5	4	1	4	3	1
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Cardiovascular disorder originating in the perinatal period, unspecified (P29.9)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Congenital viral diseases (P35)

All ages-----	61	32	29	41	21	20	20	11	9	17	9	8
Under 1 year-----	42	25	17	27	17	10	15	8	7	13	7	6
1-4 years-----	7	4	3	3	1	2	4	3	1	3	2	1
5-9 years-----	3	1	2	3	1	2	-	-	-	-	-	-
10-14 years-----	3	-	3	2	-	2	1	-	1	1	-	1
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	2	1	1	2	1	1	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Congenital rubella syndrome (P35.0)												
All ages-----	8	3	5	8	3	5	-	-	-	-	-	-
Under 1 year----	2	1	1	2	1	1	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	2	1	1	2	1	1	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Congenital cytomegalovirus infection (P35.1)

All ages-----	24	12	12	16	7	9	8	5	3	7	4	3
Under 1 year----	13	7	6	10	5	5	3	2	1	3	2	1
1-4 years-----	7	4	3	3	1	2	4	3	1	3	2	1
5-9 years-----	2	1	1	2	1	1	-	-	-	-	-	-
10-14 years-----	2	-	2	1	-	1	1	-	1	1	-	1
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Congenital herpes-viral [herpes simplex] infection (P35.2)												
All ages-----	23	12	11	11	6	5	12	6	6	10	5	5
Under 1 year----	22	12	10	10	6	4	12	6	6	10	5	5
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Congenital viral hepatitis (P35.3)

All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other congenital viral diseases (P35.8)												
All ages-----	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year-----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Congenital viral disease, unspecified (P35.9)												
All ages-----	3	3	-	3	3	-	-	-	-	-	-	-
Under 1 year-----	3	3	-	3	3	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Bacterial sepsis of newborn (P36)												
All ages-----	693	397	296	419	230	189	274	167	107	253	156	97
Under 1 year-----	691	397	294	417	230	187	274	167	107	253	156	97
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Sepsis of newborn due to streptococcus, group B (P36.0)

All ages-----	31	16	15	21	12	9	10	4	6	8	3	5
Under 1 year-----	31	16	15	21	12	9	10	4	6	8	3	5
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Sepsis of newborn due to other and unspecified streptococci (P36.1)												
All ages-----	11	9	2	5	4	1	6	5	1	5	4	1
Under 1 year----	11	9	2	5	4	1	6	5	1	5	4	1
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Sepsis of newborn due to Staphylococcus aureus (P36.2)

All ages-----	9	4	5	8	4	4	1	-	1	1	-	1
Under 1 year----	9	4	5	8	4	4	1	-	1	1	-	1
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

RACE, AND SEX

Sepsis of newborn due to other and unspecified staphylococci (P36.3)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	8	6	2	5	4	1	3	2	1	3	2	1
Under 1 year----	8	6	2	5	4	1	3	2	1	3	2	1
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Sepsis of newborn due to Escherichia coli (P36.4)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	11	8	3	6	4	2	5	4	1	5	4	1
Under 1 year----	11	8	3	6	4	2	5	4	1	5	4	1
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other bacterial sepsis of newborn (P36.8)												
All ages-----	106	55	51	63	31	32	43	24	19	38	20	18
Under 1 year----	106	55	51	63	31	32	43	24	19	38	20	18
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Bacterial sepsis of newborn, unspecified (P36.9)

All ages-----	517	299	218	311	171	140	206	128	78	193	123	70
Under 1 year----	515	299	216	309	171	138	206	128	78	193	123	70
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other congenital infectious and parasitic diseases (P37)												
All ages-----	81	43	38	58	29	29	23	14	9	21	13	8
Under 1 year-----	74	40	34	53	27	26	21	13	8	20	12	8
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	2	-	2	1	-	1	1	-	1	-	-	-
10-14 years-----	1	1	-	-	-	-	1	1	-	1	1	-
15-19 years-----	2	2	-	2	2	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Congenital toxoplasmosis (P37.1)												
All ages-----	11	5	6	9	4	5	2	1	1	1	1	-
Under 1 year-----	4	2	2	4	2	2	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	2	-	2	1	-	1	1	-	1	-	-	-
10-14 years-----	1	1	-	-	-	-	1	1	-	1	1	-
15-19 years-----	2	2	-	2	2	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Neonatal (disseminated) listeriosis (P37.2)												
All ages-----	2	1	1	1	1	-	1	-	1	1	-	1
Under 1 year----	2	1	1	1	1	-	1	-	1	1	-	1
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Neonatal candidiasis (P37.5)

All ages-----	62	33	29	43	20	23	19	13	6	18	12	6
Under 1 year----	62	33	29	43	20	23	19	13	6	18	12	6
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other specified congenital infectious and parasitic diseases (P37.8)												
All ages-----	6	4	2	5	4	1	1	-	1	1	-	1
Under 1 year----	6	4	2	5	4	1	1	-	1	1	-	1
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other infections specific to the perinatal period (P39)

All ages-----	65	33	32	41	22	19	24	11	13	22	11	11
Under 1 year----	64	33	31	40	22	18	24	11	13	22	11	11
1-4 years-----	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),

RACE, AND SEX - - - ALL RACES - - - - - - WHITE - - - - - - ALL OTHER - - - - - - BLACK - - -

TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Intra-amniotic infection of fetus, not elsewhere classified (P39.2)

All ages-----	5	2	3	4	1	3	1	1	-	1	1	-
Under 1 year----	5	2	3	4	1	3	1	1	-	1	1	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Neonatal urinary tract infection (P39.3)

All ages-----	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year----	2	1	1	2	1	1	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

ALL RACES WHITE ALL OTHER BLACK

Other specified infections specific to the perinatal period (P39.8)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	8	2	6	3	1	2	5	1	4	5	1	4
Under 1 year----	8	2	6	3	1	2	5	1	4	5	1	4
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Infection specific to the perinatal period, unspecified (P39.9)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	50	28	22	32	19	13	18	9	9	16	9	7
Under 1 year----	49	28	21	31	19	12	18	9	9	16	9	7
1-4 years-----	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Fetal blood loss (P50)												
All ages-----	25	14	11	19	11	8	6	3	3	4	2	2
Under 1 year----	25	14	11	19	11	8	6	3	3	4	2	2
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Fetal blood loss from ruptured cord (P50.1)

All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Hemorrhage into co-twin (P50.3)												
All ages-----	2	-	2	1	-	1	1	-	1	1	-	1
Under 1 year----	2	-	2	1	-	1	1	-	1	1	-	1
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Hemorrhage into maternal circulation (P50.4)

All ages-----	8	4	4	6	2	4	2	2	-	2	2	-
Under 1 year----	8	4	4	6	2	4	2	2	-	2	2	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other fetal blood loss (P50.8)												
All ages-----	2	1	1	1	1	-	1	-	1	1	-	1
Under 1 year----	2	1	1	1	1	-	1	-	1	1	-	1
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Fetal blood loss, unspecified (P50.9)												
All ages-----	12	8	4	10	7	3	2	1	1	-	-	-
Under 1 year----	12	8	4	10	7	3	2	1	1	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Umbilical hemorrhage of newborn (P51)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Umbilical hemorrhage of newborn, unspecified (P51.9)

All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),

RACE, AND SEX - - - ALL RACES - - - - - - WHITE - - - - - - ALL OTHER - - - - - - BLACK - - -

TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Intracranial nontraumatic hemorrhage of fetus and newborn (P52)

All ages-----	440	272	168	306	192	114	134	80	54	113	67	46
Under 1 year----	440	272	168	306	192	114	134	80	54	113	67	46
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Unspecified intraventricular (nontraumatic) hemorrhage of newborn (P52.3)

All ages-----	270	167	103	182	111	71	88	56	32	73	48	25
Under 1 year----	270	167	103	182	111	71	88	56	32	73	48	25
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Intracerebral (nontraumatic) hemorrhage of newborn (P52.4)												
All ages-----	33	21	12	24	16	8	9	5	4	8	4	4
Under 1 year----	33	21	12	24	16	8	9	5	4	8	4	4
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Subarachnoid (nontraumatic) hemorrhage of newborn (P52.5)

All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year----	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Cerebellar (nontraumatic) and posterior fossa hemorrhage of newborn (P52.6)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other intracranial (nontraumatic) hemorrhages of newborn (P52.8)

All ages-----	7	4	3	5	3	2	2	1	1	2	1	1
Under 1 year-----	7	4	3	5	3	2	2	1	1	2	1	1
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),

RACE, AND SEX - - - ALL RACES - - - - - - WHITE - - - - - - ALL OTHER - - - - - - BLACK - - -

TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Intracranial (nontraumatic) hemorrhage of newborn, unspecified (P52.9)

All ages-----	128	79	49	93	61	32	35	18	17	30	14	16
Under 1 year-----	128	79	49	93	61	32	35	18	17	30	14	16
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Hemorrhagic disease of newborn (P53)

All ages-----	1	1	-	-	-	-	1	1	-	1	1	-
Under 1 year-----	1	1	-	-	-	-	1	1	-	1	1	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other neonatal hemorrhages (P54)												
All ages-----	40	22	18	28	16	12	12	6	6	10	5	5
Under 1 year----	40	22	18	28	16	12	12	6	6	10	5	5
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other neonatal gastrointestinal hemorrhage (P54.3)

All ages-----	5	3	2	4	2	2	1	1	-	1	1	-
Under 1 year----	5	3	2	4	2	2	1	1	-	1	1	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Neonatal cutaneous hemorrhage (P54.5)												
All ages-----	3	2	1	1	-	1	2	2	-	2	2	-
Under 1 year----	3	2	1	1	-	1	2	2	-	2	2	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Neonatal vaginal hemorrhage (P54.6)

All ages-----	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year----	1	...	1	1	...	1	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other specified neonatal hemorrhages (P54.8)												
All ages-----	16	11	5	13	10	3	3	1	2	2	-	2
Under 1 year----	16	11	5	13	10	3	3	1	2	2	-	2
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Neonatal hemorrhage, unspecified (P54.9)

All ages-----	15	6	9	9	4	5	6	2	4	5	2	3
Under 1 year----	15	6	9	9	4	5	6	2	4	5	2	3
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Hemolytic disease of fetus and newborn (P55)												
All ages-----	5	3	2	4	3	1	1	-	1	1	-	1
Under 1 year----	5	3	2	4	3	1	1	-	1	1	-	1
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Rh isoimmunization of newborn (P55.0)												
All ages-----	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year----	2	1	1	2	1	1	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Hemolytic disease of newborn, unspecified (P55.9)												
All ages-----	3	2	1	2	2	-	1	-	1	1	-	1
Under 1 year----	3	2	1	2	2	-	1	-	1	1	-	1
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Hydrops fetalis due to hemolytic disease (P56)

All ages-----	3	-	3	2	-	2	1	-	1	1	-	1
Under 1 year----	3	-	3	2	-	2	1	-	1	1	-	1
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Hydrops fetalis due to isoimmunization (P56.0)												
All ages-----	3	-	3	2	-	2	1	-	1	1	-	1
Under 1 year----	3	-	3	2	-	2	1	-	1	1	-	1
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Kernicterus (P57)												
All ages-----	3	3	-	2	2	-	1	1	-	1	1	-
Under 1 year----	2	2	-	1	1	-	1	1	-	1	1	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),

RACE, AND SEX - - - ALL RACES - - - - - - WHITE - - - - - - ALL OTHER - - - - - - BLACK - - -

TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Kernicterus due to isoimmunization (P57.0)

All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Kernicterus, unspecified (P57.9)

All ages-----	2	2	-	1	1	-	1	1	-	1	1	-
Under 1 year-----	1	1	-	-	-	-	1	1	-	1	1	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Neonatal jaundice due to other excessive hemolysis (P58)												
All ages-----	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year-----	2	2	-	2	2	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Neonatal jaundice due to bleeding (P58.1)

All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Neonatal jaundice due to infection (P58.2)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Neonatal jaundice from other and unspecified causes (P59)

All ages-----	4	2	2	2	1	1	2	1	1	2	1	1
Under 1 year-----	4	2	2	2	1	1	2	1	1	2	1	1
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),

RACE, AND SEX - - - ALL RACES - - - - - - WHITE - - - - - - ALL OTHER - - - - - - BLACK - - -

TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Neonatal jaundice from other and unspecified hepatocellular damage (P59.2)

All ages-----	1	-	1	-	-	-	1	-	1	1	-	1
Under 1 year-----	1	-	1	-	-	-	1	-	1	1	-	1
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Neonatal jaundice, unspecified (P59.9)

All ages-----	3	2	1	2	1	1	1	1	-	1	1	-
Under 1 year-----	3	2	1	2	1	1	1	1	-	1	1	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

ALL RACES WHITE ALL OTHER BLACK

Disseminated intravascular coagulation of newborn (P60)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	60	35	25	44	27	17	16	8	8	15	7	8
Under 1 year----	60	35	25	44	27	17	16	8	8	15	7	8
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other perinatal hematological disorders (P61)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	36	23	13	21	13	8	15	10	5	11	6	5
Under 1 year----	36	23	13	21	13	8	15	10	5	11	6	5
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),

RACE, AND SEX - - - ALL RACES - - - - - - WHITE - - - - - - ALL OTHER - - - - - - BLACK - - -

TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Transient neonatal thrombocytopenia (P61.0)

All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year----	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Anemia of prematurity (P61.2)

All ages-----	6	5	1	3	3	-	3	2	1	3	2	1
Under 1 year----	6	5	1	3	3	-	3	2	1	3	2	1
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),

RACE, AND SEX - - - ALL RACES - - - - - - WHITE - - - - - - ALL OTHER - - - - - - BLACK - - -

TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Congenital anemia from fetal blood loss (P61.3)

All ages-----	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year-----	2	2	-	2	2	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other congenital anemias, not elsewhere classified (P61.4)

All ages-----	23	14	9	12	6	6	11	8	3	7	4	3
Under 1 year-----	23	14	9	12	6	6	11	8	3	7	4	3
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

ALL RACES WHITE ALL OTHER BLACK

Other transient neonatal disorders of coagulation (P61.6)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	3	1	2	2	1	1	1	-	1	1	-	1
Under 1 year----	3	1	2	2	1	1	1	-	1	1	-	1
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Perinatal hematological disorder, unspecified (P61.9)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

ALL RACES WHITE ALL OTHER BLACK

Transitory disorders of carbohydrate metabolism specific to newborn (P70)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	12	7	5	9	5	4	3	2	1	3	2	1
Under 1 year-----	12	7	5	9	5	4	3	2	1	3	2	1
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Syndrome of infant of mother with gestational diabetes (P70.0)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	4	2	2	2	1	1	2	1	1	2	1	1
Under 1 year-----	4	2	2	2	1	1	2	1	1	2	1	1
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),

RACE, AND SEX - - - ALL RACES - - - - - - WHITE - - - - - - ALL OTHER - - - - - - BLACK - - -

TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Syndrome of infant of a diabetic mother (P70.1)

All ages-----	3	2	1	2	1	1	1	1	-	1	1	-
Under 1 year----	3	2	1	2	1	1	1	1	-	1	1	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Neonatal diabetes mellitus (P70.2)

All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year----	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Iatrogenic neonatal hypoglycemia (P70.3)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Other neonatal hypoglycemia (P70.4)												
All ages-----	3	2	1	3	2	1	-	-	-	-	-	-
Under 1 year-----	3	2	1	3	2	1	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),
RACE, AND SEX

ALL RACES WHITE ALL OTHER BLACK

Transitory neonatal disorders of calcium and magnesium metabolism (P71)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	1	-	1	-	-	-	1	-	1	1	-	1
Under 1 year-----	1	-	1	-	-	-	1	-	1	1	-	1
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other neonatal hypocalcemia (P71.1)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	1	-	1	-	-	-	1	-	1	1	-	1
Under 1 year-----	1	-	1	-	-	-	1	-	1	1	-	1
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

ALL RACES WHITE ALL OTHER BLACK

Other transitory neonatal endocrine disorders (P72)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	1	1	-	-	-	-	1	1	-	1	1	-
Under 1 year-----	1	1	-	-	-	-	1	1	-	1	1	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other specified transitory neonatal endocrine disorders (P72.8)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	1	1	-	-	-	-	1	1	-	1	1	-
Under 1 year-----	1	1	-	-	-	-	1	1	-	1	1	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Other transitory neonatal electrolyte and metabolic disturbances (P74)

All ages-----	15	8	7	7	2	5	8	6	2	7	6	1
Under 1 year----	15	8	7	7	2	5	8	6	2	7	6	1
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Late metabolic acidosis of newborn (P74.0)

All ages-----	4	2	2	3	1	2	1	1	-	1	1	-
Under 1 year----	4	2	2	3	1	2	1	1	-	1	1	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Dehydration of newborn (P74.1)												
All ages-----	9	5	4	4	1	3	5	4	1	5	4	1
Under 1 year----	9	5	4	4	1	3	5	4	1	5	4	1
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Disturbances of sodium balance of newborn (P74.2)

All ages-----	1	1	-	-	-	-	1	1	-	1	1	-
Under 1 year----	1	1	-	-	-	-	1	1	-	1	1	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other transitory electrolyte disturbances of newborn (P74.4)												
All ages-----	1	-	1	-	-	-	1	-	1	-	-	-
Under 1 year-----	1	-	1	-	-	-	1	-	1	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other intestinal obstruction of newborn (P76)

All ages-----	7	6	1	5	4	1	2	2	-	2	2	-
Under 1 year-----	6	5	1	4	3	1	2	2	-	2	2	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

RACE, AND SEX

Meconium plug syndrome (P76.0)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Intestinal obstruction due to inspissated milk (P76.2)

All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other specified intestinal obstruction of newborn (P76.8)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Intestinal obstruction of newborn, unspecified (P76.9)

All ages-----	4	4	-	2	2	-	2	2	-	2	2	-
Under 1 year-----	3	3	-	1	1	-	2	2	-	2	2	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Necrotizing enterocolitis of newborn (P77)												
All ages-----	405	239	166	210	129	81	195	110	85	178	102	76
Under 1 year-----	404	238	166	209	128	81	195	110	85	178	102	76
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Other perinatal digestive system disorders (P78)												
All ages-----	67	43	24	45	28	17	22	15	7	19	13	6
Under 1 year-----	67	43	24	45	28	17	22	15	7	19	13	6
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Perinatal intestinal perforation (P78.0)												
All ages-----	50	31	19	33	19	14	17	12	5	14	10	4
Under 1 year----	50	31	19	33	19	14	17	12	5	14	10	4
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Other neonatal peritonitis (P78.1)												
All ages-----	16	11	5	12	9	3	4	2	2	4	2	2
Under 1 year----	16	11	5	12	9	3	4	2	2	4	2	2
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Noninfective neonatal diarrhea (P78.3)												
All ages-----	1	1	-	-	-	-	1	1	-	1	1	-
Under 1 year-----	1	1	-	-	-	-	1	1	-	1	1	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Hypothermia of newborn (P80)												
All ages-----	9	3	6	6	3	3	3	-	3	2	-	2
Under 1 year-----	9	3	6	6	3	3	3	-	3	2	-	2
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),

RACE, AND SEX - - - ALL RACES - - - - - - WHITE - - - - - - ALL OTHER - - - - - - BLACK - - -

TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Hypothermia of newborn, unspecified (P80.9)

All ages-----	9	3	6	6	3	3	3	-	3	2	-	2
Under 1 year----	9	3	6	6	3	3	3	-	3	2	-	2
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other disturbances of temperature regulation of newborn (P81)

All ages-----	2	1	1	-	-	-	2	1	1	1	1	-
Under 1 year----	2	1	1	-	-	-	2	1	1	1	1	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

ALL RACES WHITE ALL OTHER BLACK

Disturbance of temperature regulation of newborn, unspecified (P81.9)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	2	1	1	-	-	-	2	1	1	1	1	-
Under 1 year----	2	1	1	-	-	-	2	1	1	1	1	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other conditions of integument specific to newborn (P83)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	195	94	101	158	81	77	37	13	24	30	9	21
Under 1 year----	194	93	101	157	80	77	37	13	24	30	9	21
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Sclerema neonatorum (P83.0)												
All ages-----	1	1	-	-	-	-	1	1	-	1	1	-
Under 1 year-----	1	1	-	-	-	-	1	1	-	1	1	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Hydrops fetalis not due to hemolytic disease (P83.2)

All ages-----	190	90	100	154	78	76	36	12	24	29	8	21
Under 1 year-----	189	89	100	153	77	76	36	12	24	29	8	21
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

RACE, AND SEX

Other and unspecified edema specific to newborn (P83.3)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	4	3	1	4	3	1	-	-	-	-	-	-
Under 1 year-----	4	3	1	4	3	1	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Convulsions of newborn (P90)

All ages-----	16	4	12	15	4	11	1	-	1	1	-	1
Under 1 year-----	6	-	6	5	-	5	1	-	1	1	-	1
1-4 years-----	5	2	3	5	2	3	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	2	1	1	2	1	1	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

ALL RACES WHITE ALL OTHER BLACK

Other disturbances of cerebral status of newborn (P91)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	17	10	7	11	6	5	6	4	2	3	2	1
Under 1 year----	15	8	7	9	4	5	6	4	2	3	2	1
1-4 years-----	2	2	-	2	2	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Neonatal cerebral ischemia (P91.0)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	6	2	4	4	1	3	2	1	1	1	-	1
Under 1 year----	6	2	4	4	1	3	2	1	1	1	-	1
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Neonatal cerebral leukomalacia (P91.2)												
All ages-----	7	6	1	5	4	1	2	2	-	2	2	-
Under 1 year----	5	4	1	3	2	1	2	2	-	2	2	-
1-4 years-----	2	2	-	2	2	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Neonatal cerebral depression (P91.4)

All ages-----	3	2	1	2	1	1	1	1	-	-	-	-
Under 1 year----	3	2	1	2	1	1	1	1	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

RACE, AND SEX - - - ALL RACES - - - - - - WHITE - - - - - - ALL OTHER - - - - - - BLACK - - -

TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Other specified disturbances of cerebral status of newborn (P91.8)

All ages-----	1	-	1	-	-	-	1	-	1	-	-	-
Under 1 year----	1	-	1	-	-	-	1	-	1	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Feeding problems of newborn (P92)

All ages-----	2	-	2	1	-	1	1	-	1	1	-	1
Under 1 year----	2	-	2	1	-	1	1	-	1	1	-	1
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Vomiting in newborn (P92.0)												
All ages-----	2	-	2	1	-	1	1	-	1	1	-	1
Under 1 year-----	2	-	2	1	-	1	1	-	1	1	-	1
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Disorders of muscle tone of newborn (P94)

All ages-----	4	3	1	3	2	1	1	1	-	1	1	-
Under 1 year-----	2	2	-	2	2	-	-	-	-	-	-	-
1-4 years-----	2	1	1	1	-	1	1	1	-	1	1	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Congenital hypotonia (P94.2)												
All ages-----	4	3	1	3	2	1	1	1	-	1	1	-
Under 1 year----	2	2	-	2	2	-	-	-	-	-	-	-
1-4 years-----	2	1	1	1	-	1	1	1	-	1	1	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other conditions originating in the perinatal period (P96)

All ages-----	154	88	66	91	58	33	63	30	33	56	27	29
Under 1 year----	151	85	66	88	55	33	63	30	33	56	27	29
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Congenital renal failure (P96.0)												
All ages-----	45	21	24	32	17	15	13	4	9	13	4	9
Under 1 year----	43	19	24	30	15	15	13	4	9	13	4	9
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Neonatal withdrawal symptoms from maternal use of drugs of addiction (P96.1)

All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Termination of pregnancy, fetus, and newborn (P96.4)												
All ages-----	43	20	23	20	12	8	23	8	15	21	8	13
Under 1 year----	43	20	23	20	12	8	23	8	15	21	8	13
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other specified conditions originating in the perinatal period (P96.8)

All ages-----	51	36	15	34	25	9	17	11	6	12	8	4
Under 1 year----	51	36	15	34	25	9	17	11	6	12	8	4
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Condition originating in the perinatal period, unspecified (P96.9)												
All ages-----	14	10	4	4	3	1	10	7	3	10	7	3
Under 1 year-----	13	9	4	3	2	1	10	7	3	10	7	3
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Anencephaly and similar malformations (Q00)

All ages-----	317	126	191	258	101	157	59	25	34	40	16	24
Under 1 year-----	311	123	188	253	99	154	58	24	34	39	15	24
1-4 years-----	2	1	1	1	-	1	1	1	1	1	1	-
5-9 years-----	3	1	2	3	1	2	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Anencephaly (Q00.0)												
All ages-----	317	126	191	258	101	157	59	25	34	40	16	24
Under 1 year-----	311	123	188	253	99	154	58	24	34	39	15	24
1-4 years-----	2	1	1	1	-	1	1	1	-	1	1	-
5-9 years-----	3	1	2	3	1	2	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Encephalocele (Q01)												
All ages-----	51	17	34	34	12	22	17	5	12	12	3	9
Under 1 year-----	35	13	22	25	10	15	10	3	7	7	3	4
1-4 years-----	4	2	2	2	1	1	2	1	1	1	-	1
5-9 years-----	2	-	2	1	-	1	1	-	1	1	-	1
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	1	-	1	-	-	-	1	-	1	1	-	1
60-64 years-----	1	-	1	-	-	-	1	-	1	1	-	1
65-69 years-----	1	1	-	-	-	-	1	1	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	1	-	1	-	-	-	1	-	1	1	-	1
85-89 years-----	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Frontal encephalocele (Q01.0)												
All ages-----	1	-	1	-	-	-	1	-	1	1	-	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	1	-	-	-	1	-	1	1	-	1
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Occipital encephalocele (Q01.2)

All ages-----	4	1	3	2	1	1	2	-	2	2	-	2
Under 1 year-----	4	1	3	2	1	1	2	-	2	2	-	2
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

RACE, AND SEX

Encephalocele of other sites (Q01.8)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	3	1	2	2	-	2	1	1	-	-	-	-
Under 1 year----	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	-	-	-	1	1	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Encephalocele, unspecified (Q01.9)

All ages-----	43	15	28	30	11	19	13	4	9	9	3	6
Under 1 year----	30	12	18	22	9	13	8	3	5	5	3	2
1-4 years-----	4	2	2	2	1	1	2	1	1	1	-	1
5-9 years-----	2	-	2	1	-	1	1	-	1	1	-	1
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	-	1	-	-	-	1	-	1	1	-	1
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	1	-	1	-	-	-	1	-	1	1	-	1
85-89 years-----	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Microcephaly (Q02)												
All ages-----	84	40	44	60	27	33	24	13	11	21	12	9
Under 1 year-----	11	8	3	6	5	1	5	3	2	4	2	2
1-4 years-----	22	11	11	16	7	9	6	4	2	6	4	2
5-9 years-----	10	4	6	7	4	3	3	-	3	2	-	2
10-14 years-----	9	6	3	6	4	2	3	2	1	2	2	-
15-19 years-----	4	2	2	3	1	2	1	1	-	1	1	-
20-24 years-----	5	-	5	5	-	5	-	-	-	-	-	-
25-29 years-----	6	2	4	6	2	4	-	-	-	-	-	-
30-34 years-----	3	-	3	1	-	1	2	-	2	2	-	2
35-39 years-----	2	2	-	-	-	-	2	2	-	2	2	-
40-44 years-----	3	1	2	3	1	2	-	-	-	-	-	-
45-49 years-----	4	2	2	3	1	2	1	1	-	1	1	-
50-54 years-----	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years-----	1	-	1	-	-	-	1	-	1	1	-	1
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Congenital hydrocephalus (Q03)

All ages-----	184	92	92	132	64	68	52	28	24	46	23	23
Under 1 year-----	93	43	50	66	29	37	27	14	13	23	11	12
1-4 years-----	22	9	13	15	7	8	7	2	5	7	2	5
5-9 years-----	12	9	3	6	4	2	6	5	1	5	4	1
10-14 years-----	14	6	8	11	4	7	3	2	1	3	2	1
15-19 years-----	7	2	5	4	1	3	3	1	2	3	1	2
20-24 years-----	3	2	1	2	1	1	1	1	-	1	1	-
25-29 years-----	5	3	2	5	3	2	-	-	-	-	-	-
30-34 years-----	8	2	6	7	2	5	1	-	1	1	-	1
35-39 years-----	3	2	1	3	2	1	-	-	-	-	-	-
40-44 years-----	1	1	-	-	-	-	1	1	-	1	1	-
45-49 years-----	5	4	1	4	3	1	1	1	-	1	1	-
50-54 years-----	4	3	1	2	2	-	2	1	1	1	-	1
55-59 years-----	2	2	-	2	2	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	2	2	-	2	2	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Malformations of aqueduct of Sylvius (Q03.0)												
All ages-----	7	3	4	5	2	3	2	1	1	2	1	1
Under 1 year----	2	1	1	1	-	1	1	1	-	1	1	-
1-4 years-----	2	-	2	1	-	1	1	-	1	1	-	1
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	2	1	1	2	1	1	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Atresia of foramina of Magendie and Luschka (Q03.1)

All ages-----	31	17	14	19	11	8	12	6	6	10	4	6
Under 1 year----	15	7	8	9	4	5	6	3	3	5	2	3
1-4 years-----	4	1	3	2	1	1	2	-	2	2	-	2
5-9 years-----	4	3	1	3	2	1	1	1	-	-	-	-
10-14 years-----	3	2	1	1	1	-	2	1	1	2	1	1
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	-	-	-	1	1	-	1	1	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other congenital hydrocephalus (Q03.8)												
All ages-----	3	3	-	-	-	-	3	3	-	3	3	-
Under 1 year----	1	1	-	-	-	-	1	1	-	1	1	-
1-4 years-----	1	1	-	-	-	-	1	1	-	1	1	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	-	-	-	1	1	-	1	1	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Congenital hydrocephalus, unspecified (Q03.9)

All ages-----	143	69	74	108	51	57	35	18	17	31	15	16
Under 1 year----	75	34	41	56	25	31	19	9	10	16	7	9
1-4 years-----	15	7	8	12	6	6	3	1	2	3	1	2
5-9 years-----	8	6	2	3	2	1	5	4	1	5	4	1
10-14 years-----	11	4	7	10	3	7	1	1	-	1	1	-
15-19 years-----	6	1	5	3	-	3	3	1	2	3	1	2
20-24 years-----	2	1	1	2	1	1	-	-	-	-	-	-
25-29 years-----	5	3	2	5	3	2	-	-	-	-	-	-
30-34 years-----	5	1	4	4	1	3	1	-	1	1	-	1
35-39 years-----	2	1	1	2	1	1	-	-	-	-	-	-
40-44 years-----	1	1	-	-	-	-	1	1	-	1	1	-
45-49 years-----	4	3	1	4	3	1	-	-	-	-	-	-
50-54 years-----	2	1	1	-	-	-	2	1	1	1	-	1
55-59 years-----	2	2	-	2	2	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	2	2	-	2	2	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

RACE, AND SEX

Other congenital malformations of brain (Q04)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	376	185	191	287	146	141	89	39	50	70	31	39
Under 1 year----	198	94	104	149	74	75	49	20	29	39	15	24
1-4 years-----	54	30	24	40	23	17	14	7	7	10	7	3
5-9 years-----	34	12	22	23	5	18	11	7	4	8	4	4
10-14 years-----	17	8	9	13	6	7	4	2	2	3	2	1
15-19 years-----	12	7	5	10	7	3	2	-	2	2	-	2
20-24 years-----	8	5	3	6	5	1	2	-	2	2	-	2
25-29 years-----	6	3	3	4	3	1	2	-	2	1	-	1
30-34 years-----	5	1	4	3	-	3	2	1	1	2	1	1
35-39 years-----	4	2	2	4	2	2	-	-	-	-	-	-
40-44 years-----	11	8	3	10	8	2	1	-	1	1	-	1
45-49 years-----	6	3	3	5	2	3	1	1	-	1	1	-
50-54 years-----	4	2	2	3	1	2	1	1	-	1	1	-
55-59 years-----	3	1	2	3	1	2	-	-	-	-	-	-
60-64 years-----	4	3	1	4	3	1	-	-	-	-	-	-
65-69 years-----	4	3	1	4	3	1	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	2	-	2	2	-	2	-	-	-	-	-	-
80-84 years-----	2	2	-	2	2	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Congenital malformations of corpus callosum (Q04.0)

All ages-----	14	7	7	13	6	7	1	1	-	1	1	-
Under 1 year----	3	2	1	2	1	1	1	1	-	1	1	-
1-4 years-----	3	2	1	3	2	1	-	-	-	-	-	-
5-9 years-----	6	1	5	6	1	5	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Arhinencephaly (Q04.1)												
All ages-----	1	1	-	-	-	-	1	1	-	-	-	-
Under 1 year-----	1	1	-	-	-	-	1	1	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Holoprosencephaly (Q04.2)												
All ages-----	91	45	46	68	35	33	23	10	13	19	8	11
Under 1 year-----	72	34	38	52	26	26	20	8	12	16	6	10
1-4 years-----	13	7	6	12	7	5	1	-	1	1	-	1
5-9 years-----	3	3	-	2	2	-	1	1	-	1	1	-
10-14 years-----	3	1	2	2	-	2	1	1	-	1	1	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),

RACE, AND SEX - - - ALL RACES - - - - - - WHITE - - - - - - ALL OTHER - - - - - - BLACK - - -

TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Other reduction deformities of brain (Q04.3)

All ages-----	76	33	43	59	27	32	17	6	11	11	4	7
Under 1 year----	44	17	27	35	15	20	9	2	7	7	2	5
1-4 years-----	13	6	7	10	5	5	3	1	2	1	1	-
5-9 years-----	9	4	5	5	1	4	4	3	1	2	1	1
10-14 years-----	5	2	3	5	2	3	-	-	-	-	-	-
15-19 years-----	2	1	1	1	1	-	1	-	1	1	-	1
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Septo-optic dysplasia (Q04.4)

All ages-----	6	3	3	5	2	3	1	1	-	1	1	-
Under 1 year----	2	1	1	2	1	1	1	1	-	-	-	-
1-4 years-----	2	1	1	1	-	1	1	1	-	1	1	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Megalencephaly (Q04.5)												
All ages-----	4	4	-	4	4	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	2	2	-	2	2	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Congenital cerebral cysts (Q04.6)												
All ages-----	41	17	24	26	10	16	15	7	8	11	6	5
Under 1 year-----	14	7	7	8	3	5	6	4	2	4	3	1
1-4 years-----	4	3	1	1	1	-	3	2	1	3	2	1
5-9 years-----	4	1	3	3	1	2	1	-	1	1	-	1
10-14 years-----	2	-	2	1	-	1	1	-	1	-	-	-
15-19 years-----	2	1	1	2	1	1	-	-	-	-	-	-
20-24 years-----	1	-	1	-	-	-	1	-	1	1	-	1
25-29 years-----	3	1	2	2	1	1	1	-	1	-	-	-
30-34 years-----	4	1	3	2	-	2	2	1	1	2	1	1
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other specified congenital malformations of brain (Q04.8)												
All ages-----	22	12	10	18	10	8	4	2	2	4	2	2
Under 1 year----	17	9	8	13	7	6	4	2	2	4	2	2
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Congenital malformation of brain, unspecified (Q04.9)

All ages-----	121	63	58	94	52	42	27	11	16	23	9	14
Under 1 year----	45	23	22	37	21	16	8	2	6	7	1	6
1-4 years-----	18	10	8	12	7	5	6	3	3	4	3	1
5-9 years-----	11	3	8	6	-	6	5	3	2	4	2	2
10-14 years-----	5	3	2	3	2	1	2	1	1	2	1	1
15-19 years-----	7	5	2	6	5	1	1	-	1	1	-	1
20-24 years-----	5	3	2	4	3	1	1	-	1	1	-	1
25-29 years-----	1	-	1	-	-	-	1	-	1	1	-	1
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	2	1	1	2	1	1	-	-	-	-	-	-
40-44 years-----	9	6	3	8	6	2	1	-	1	1	-	1
45-49 years-----	4	3	1	3	2	1	1	1	-	1	1	-
50-54 years-----	3	1	2	2	-	2	1	1	-	1	1	-
55-59 years-----	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years-----	3	2	1	3	2	1	-	-	-	-	-	-
65-69 years-----	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Spina bifida (Q05)												
All ages-----	112	49	63	102	44	58	10	5	5	9	4	5
Under 1 year-----	22	12	10	18	9	9	4	3	1	3	2	1
1-4 years-----	6	3	3	5	3	2	1	-	1	1	-	1
5-9 years-----	4	1	3	4	1	3	-	-	-	-	-	-
10-14 years-----	14	7	7	12	6	6	2	1	1	2	1	1
15-19 years-----	9	5	4	7	4	3	2	1	1	2	1	1
20-24 years-----	12	4	8	12	4	8	-	-	-	-	-	-
25-29 years-----	10	2	8	9	2	7	1	-	1	1	-	1
30-34 years-----	10	3	7	10	3	7	-	-	-	-	-	-
35-39 years-----	4	2	2	4	2	2	-	-	-	-	-	-
40-44 years-----	5	2	3	5	2	3	-	-	-	-	-	-
45-49 years-----	3	2	1	3	2	1	-	-	-	-	-	-
50-54 years-----	4	2	2	4	2	2	-	-	-	-	-	-
55-59 years-----	4	1	3	4	1	3	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Unspecified spina bifida with hydrocephalus (Q05.4)

All ages-----	20	14	6	16	10	6	4	4	-	3	3	-
Under 1 year-----	6	5	1	3	2	1	3	3	-	2	2	-
1-4 years-----	2	2	-	2	2	-	-	-	-	-	-	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	3	3	-	2	2	-	1	1	-	1	1	-
15-19 years-----	4	3	1	4	3	1	-	-	-	-	-	-
20-24 years-----	2	1	1	2	1	1	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Cervical spina bifida without hydrocephalus (Q05.5)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Thoracic spina bifida without hydrocephalus (Q05.6)

All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Spina bifida, unspecified (Q05.9)												
All ages-----	90	34	56	84	33	51	6	1	5	6	1	5
Under 1 year-----	16	7	9	15	7	8	1	-	1	1	-	1
1-4 years-----	4	1	3	3	1	2	1	-	1	1	-	1
5-9 years-----	3	1	2	3	1	2	-	-	-	-	-	-
10-14 years-----	10	4	6	9	4	5	1	-	1	1	-	1
15-19 years-----	5	2	3	3	1	2	2	1	1	2	1	1
20-24 years-----	10	3	7	10	3	7	-	-	-	-	-	-
25-29 years-----	10	2	8	9	2	7	1	-	1	1	-	1
30-34 years-----	10	3	7	10	3	7	-	-	-	-	-	-
35-39 years-----	4	2	2	4	2	2	-	-	-	-	-	-
40-44 years-----	4	2	2	4	2	2	-	-	-	-	-	-
45-49 years-----	3	2	1	3	2	1	-	-	-	-	-	-
50-54 years-----	3	2	1	3	2	1	-	-	-	-	-	-
55-59 years-----	3	-	3	3	-	3	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other congenital malformations of spinal cord (Q06)

All ages-----	3	1	2	3	1	2	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	2	-	2	2	-	2	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Congenital malformation of spinal cord, unspecified (Q06.9)												
All ages-----	3	1	2	3	1	2	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	2	-	2	2	-	2	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other congenital malformations of nervous system (Q07)

All ages-----	49	26	23	41	21	20	8	5	3	8	5	3
Under 1 year-----	20	10	10	15	6	9	5	4	1	5	4	1
1-4 years-----	3	1	2	3	1	2	-	-	-	-	-	-
5-9 years-----	2	2	-	2	2	-	-	-	-	-	-	-
10-14 years-----	3	1	2	3	1	2	-	-	-	-	-	-
15-19 years-----	3	2	1	2	1	1	1	1	-	1	1	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	2	2	-	2	2	-	-	-	-	-	-	-
30-34 years-----	4	2	2	4	2	2	-	-	-	-	-	-
35-39 years-----	2	-	2	1	-	1	1	-	1	1	-	1
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years-----	2	-	2	1	-	1	1	-	1	1	-	1
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	2	1	1	2	1	1	-	-	-	-	-	-
65-69 years-----	2	2	-	2	2	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Arnold-Chiari syndrome (Q07.0)												
All ages-----	22	14	8	21	13	8	1	1	-	1	1	-
Under 1 year----	2	1	1	1	-	1	1	1	-	1	1	-
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	2	2	-	2	2	-	-	-	-	-	-	-
10-14 years-----	3	1	2	3	1	2	-	-	-	-	-	-
15-19 years-----	2	1	1	2	1	1	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	3	1	2	3	1	2	-	-	-	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	2	1	1	2	1	1	-	-	-	-	-	-
65-69 years-----	2	2	-	2	2	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other specified congenital malformations of nervous system (Q07.8)

All ages-----	2	-	2	2	-	2	-	-	-	-	-	-
Under 1 year----	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Congenital malformation of nervous system, unspecified (Q07.9)												
All ages-----	25	12	13	18	8	10	7	4	3	7	4	3
Under 1 year----	17	9	8	13	6	7	4	3	1	4	3	1
1-4 years-----	2	-	2	2	-	2	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	-	-	-	1	1	-	1	1	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	1	-	1	-	-	-	1	-	1	1	-	1
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	1	-	1	-	-	-	1	-	1	1	-	1
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other congenital malformations of eye (Q15)

All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year----	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

ALL RACES WHITE ALL OTHER BLACK

Other specified congenital malformations of eye (Q15.8)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year----	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other congenital malformations of face and neck (Q18)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	3	-	3	1	-	1	2	-	2	2	-	2
Under 1 year----	2	-	2	1	-	1	1	-	1	1	-	1
1-4 years-----	1	-	1	-	-	-	1	-	1	1	-	1
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Webbing of neck (Q18.3)												
All ages-----	1	-	1	-	-	-	1	-	1	1	-	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	-	1	-	-	-	1	-	1	1	-	1
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Macrostomia (Q18.4)

All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year----	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Congenital malformation of face and neck, unspecified (Q18.9)												
All ages-----	1	-	1	-	-	-	1	-	1	1	-	1
Under 1 year-----	1	-	1	-	-	-	1	-	1	1	-	1
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Congenital malformations of cardiac chambers and connections (Q20)

All ages-----	272	160	112	221	129	92	51	31	20	41	26	15
Under 1 year-----	156	94	62	127	73	54	29	21	8	24	17	7
1-4 years-----	14	8	6	12	7	5	2	1	1	2	1	1
5-9 years-----	8	4	4	4	3	1	4	1	3	3	1	2
10-14 years-----	5	5	-	4	4	-	1	1	-	-	-	-
15-19 years-----	11	7	4	10	6	4	1	1	-	1	1	-
20-24 years-----	10	6	4	7	5	2	3	1	2	3	1	2
25-29 years-----	10	6	4	9	5	4	1	1	-	1	1	-
30-34 years-----	8	5	3	7	5	2	1	-	1	-	-	-
35-39 years-----	15	8	7	11	7	4	4	1	3	4	1	3
40-44 years-----	9	3	6	7	1	6	2	2	-	2	2	-
45-49 years-----	6	4	2	5	3	2	1	1	-	1	1	-
50-54 years-----	6	4	2	5	4	1	1	-	1	-	-	-
55-59 years-----	3	1	2	3	1	2	-	-	-	-	-	-
60-64 years-----	3	-	3	2	-	2	1	-	1	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	3	2	1	3	2	1	-	-	-	-	-	-
75-79 years-----	2	2	-	2	2	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Common arterial trunk (Q20.0)												
All ages-----	46	17	29	37	13	24	9	4	5	7	3	4
Under 1 year----	32	13	19	26	9	17	6	4	2	5	3	2
1-4 years-----	2	1	1	1	1	-	1	-	1	1	-	1
5-9 years-----	3	1	2	1	1	-	2	-	2	1	-	1
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Double outlet right ventricle (Q20.1)

All ages-----	36	19	17	27	13	14	9	6	3	7	4	3
Under 1 year----	29	15	14	23	11	12	6	4	2	4	2	2
1-4 years-----	4	2	2	3	1	2	1	1	-	1	1	-
5-9 years-----	1	-	1	-	-	-	1	-	1	1	-	1
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	-	-	-	1	1	-	1	1	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Double outlet left ventricle (Q20.2)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Discordant ventriculoarterial connection (Q20.3)

All ages-----	114	81	33	95	68	27	19	13	6	16	12	4
Under 1 year-----	72	51	21	58	40	18	14	11	3	13	11	2
1-4 years-----	4	3	1	4	3	1	-	-	-	-	-	-
5-9 years-----	3	2	1	2	1	1	1	1	-	1	1	-
10-14 years-----	4	4	-	3	3	-	1	1	-	-	-	-
15-19 years-----	6	5	1	6	5	1	-	-	-	-	-	-
20-24 years-----	6	3	3	4	3	1	2	-	2	2	-	2
25-29 years-----	4	2	2	4	2	2	-	-	-	-	-	-
30-34 years-----	4	4	-	4	4	-	-	-	-	-	-	-
35-39 years-----	2	2	-	2	2	-	-	-	-	-	-	-
40-44 years-----	2	1	1	2	1	1	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	1	-	1	-	-	-	1	-	1	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	3	2	1	3	2	1	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Double inlet ventricle (Q20.4)												
All ages-----	29	16	13	25	14	11	4	2	2	4	2	2
Under 1 year----	17	10	7	15	9	6	2	1	1	2	1	1
1-4 years-----	4	2	2	4	2	2	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	2	2	-	1	1	-	1	1	-	1	1	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	2	-	2	1	-	1	1	-	1	1	-	1
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Isomerism of atrial appendages (Q20.6)

All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other congenital malformations of cardiac chambers and connections (Q20.8)												
All ages-----	45	25	20	35	19	16	10	6	4	7	5	2
Under 1 year-----	4	3	1	3	2	1	1	1	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	2	-	2	2	-	2	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	4	4	-	3	3	-	1	1	-	1	1	-
30-34 years-----	3	1	2	2	1	1	1	-	1	-	-	-
35-39 years-----	9	5	4	6	4	2	3	1	2	3	1	2
40-44 years-----	5	2	3	3	-	3	2	2	-	2	2	-
45-49 years-----	5	3	2	4	2	2	1	1	-	1	1	-
50-54 years-----	5	3	2	4	3	1	1	-	1	-	-	-
55-59 years-----	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years-----	2	-	2	2	-	2	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Congenital malformations of cardiac septa (Q21)

All ages-----	961	425	536	790	337	453	171	88	83	135	73	62
Under 1 year-----	194	98	96	144	74	70	50	24	26	37	18	19
1-4 years-----	35	18	17	20	11	9	15	7	8	14	7	7
5-9 years-----	12	5	7	7	2	5	5	3	2	3	2	1
10-14 years-----	17	7	10	12	5	7	5	2	3	4	2	2
15-19 years-----	16	12	4	12	9	3	4	3	1	2	2	-
20-24 years-----	26	13	13	18	8	10	8	5	3	8	5	3
25-29 years-----	27	7	20	20	6	14	7	1	6	5	1	4
30-34 years-----	47	22	25	41	20	21	6	2	4	2	2	-
35-39 years-----	39	20	19	29	12	17	10	8	2	9	7	2
40-44 years-----	53	28	25	41	22	19	12	6	6	8	4	4
45-49 years-----	42	20	22	39	19	20	3	1	2	2	1	1
50-54 years-----	34	18	16	27	12	15	7	6	1	5	5	-
55-59 years-----	40	21	19	38	19	19	2	2	-	2	2	-
60-64 years-----	34	19	15	30	17	13	4	2	2	4	2	2
65-69 years-----	57	24	33	49	20	29	8	4	4	7	3	4
70-74 years-----	54	21	33	47	18	29	7	3	4	6	2	4
75-79 years-----	62	20	42	58	16	42	4	4	-	3	3	-
80-84 years-----	64	26	38	61	25	36	3	1	2	3	1	2
85-89 years-----	70	16	54	61	13	48	9	3	6	9	3	6
90-94 years-----	29	10	19	27	9	18	2	1	1	2	1	1
95-99 years-----	8	-	8	8	-	8	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Ventricular septal defect (Q21.0)												
All ages-----	241	115	126	193	88	105	48	27	21	33	20	13
Under 1 year-----	60	27	33	43	19	24	17	8	9	11	6	5
1-4 years-----	6	2	4	4	1	3	2	1	1	2	1	1
5-9 years-----	5	4	1	2	1	1	3	3	-	2	2	-
10-14 years-----	4	1	3	4	1	3	-	-	-	-	-	-
15-19 years-----	6	4	2	5	4	1	1	-	1	-	-	-
20-24 years-----	8	4	4	3	1	2	5	3	2	5	3	2
25-29 years-----	6	2	4	4	2	2	2	-	2	1	-	1
30-34 years-----	9	7	2	9	7	2	-	-	-	-	-	-
35-39 years-----	10	7	3	7	5	2	3	2	1	2	1	1
40-44 years-----	22	12	10	17	9	8	5	3	2	4	2	2
45-49 years-----	15	7	8	13	6	7	2	1	1	1	1	-
50-54 years-----	9	4	5	6	2	4	3	2	1	2	2	-
55-59 years-----	7	5	2	7	5	2	-	-	-	-	-	-
60-64 years-----	11	7	4	10	7	3	1	-	1	1	-	1
65-69 years-----	9	4	5	7	2	5	2	2	-	1	1	-
70-74 years-----	11	4	7	11	4	7	-	-	-	-	-	-
75-79 years-----	10	5	5	9	4	5	1	1	-	-	-	-
80-84 years-----	18	5	13	18	5	13	-	-	-	-	-	-
85-89 years-----	13	2	11	13	2	11	-	-	-	-	-	-
90-94 years-----	2	2	-	1	1	-	1	1	-	1	1	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Atrial septal defect (Q21.1)

All ages-----	331	128	203	281	104	177	50	24	26	41	20	21
Under 1 year-----	20	10	10	12	7	5	8	3	5	4	1	3
1-4 years-----	2	-	2	1	-	1	1	-	1	1	-	1
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	3	2	1	2	1	1	1	1	-	-	-	-
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years-----	2	1	1	2	1	1	-	-	-	-	-	-
30-34 years-----	6	2	4	4	2	2	2	-	2	-	-	-
35-39 years-----	8	3	5	5	-	5	3	3	-	3	3	-
40-44 years-----	10	5	5	7	4	3	3	1	2	2	1	1
45-49 years-----	11	6	5	11	6	5	-	-	-	-	-	-
50-54 years-----	10	7	3	7	4	3	3	3	-	2	2	-
55-59 years-----	10	6	4	8	4	4	2	2	-	2	2	-
60-64 years-----	12	9	3	12	9	3	-	-	-	-	-	-
65-69 years-----	30	9	21	24	7	17	6	2	4	6	2	4
70-74 years-----	26	13	13	21	11	10	5	2	3	5	2	3
75-79 years-----	45	13	32	42	10	32	3	3	-	3	3	-
80-84 years-----	45	20	25	42	19	23	3	1	2	3	1	2
85-89 years-----	55	14	41	46	11	35	9	3	6	9	3	6
90-94 years-----	26	8	18	25	8	17	1	-	1	1	-	1
95-99 years-----	8	-	8	8	-	8	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Atrioventricular septal defect (Q21.2)												
All ages-----	59	31	28	43	21	22	16	10	6	15	9	6
Under 1 year----	33	20	13	25	15	10	8	5	3	7	4	3
1-4 years-----	9	6	3	5	3	2	4	3	1	4	3	1
5-9 years-----	3	-	3	3	-	3	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	2	1	1	-	-	-	2	1	1	2	1	1
25-29 years-----	2	1	1	-	-	-	2	1	1	2	1	1
30-34 years-----	2	-	2	2	-	2	-	-	-	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	2	-	2	2	-	2	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Tetralogy of Fallot (Q21.3)

All ages-----	202	107	95	161	85	76	41	22	19	35	20	15
Under 1 year----	75	38	37	60	31	29	15	7	8	13	6	7
1-4 years-----	16	10	6	10	7	3	6	3	3	6	3	3
5-9 years-----	3	1	2	2	1	1	1	-	1	-	-	-
10-14 years-----	10	5	5	5	3	2	5	2	3	4	2	2
15-19 years-----	7	6	1	5	4	1	2	2	-	2	2	-
20-24 years-----	7	5	2	6	4	2	1	1	-	1	1	-
25-29 years-----	9	1	8	8	1	7	1	-	1	1	-	1
30-34 years-----	14	8	6	12	7	5	2	1	1	1	1	-
35-39 years-----	10	6	4	7	4	3	3	2	1	3	2	1
40-44 years-----	7	3	4	6	2	4	1	1	-	1	1	-
45-49 years-----	7	4	3	7	4	3	-	-	-	-	-	-
50-54 years-----	5	3	2	4	2	2	1	1	-	1	1	-
55-59 years-----	12	6	6	12	6	6	-	-	-	-	-	-
60-64 years-----	5	2	3	3	1	2	2	1	1	2	1	1
65-69 years-----	6	5	1	6	5	1	-	-	-	-	-	-
70-74 years-----	9	4	5	8	3	5	1	1	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other congenital malformations of cardiac septa (Q21.8)												
All ages-----	114	42	72	102	37	65	12	5	7	8	4	4
Under 1 year-----	3	3	-	2	2	-	1	1	-	1	1	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	8	3	5	8	3	5	-	-	-	-	-	-
25-29 years-----	7	1	6	5	1	4	2	-	2	1	-	1
30-34 years-----	15	5	10	13	4	9	2	1	1	1	1	-
35-39 years-----	10	4	6	9	3	6	1	1	-	1	1	-
40-44 years-----	12	7	5	9	6	3	3	1	2	1	-	1
45-49 years-----	8	2	6	7	2	5	1	-	1	1	-	1
50-54 years-----	8	4	4	8	4	4	-	-	-	-	-	-
55-59 years-----	9	4	5	9	4	5	-	-	-	-	-	-
60-64 years-----	6	1	5	5	-	5	1	1	-	1	1	-
65-69 years-----	12	6	6	12	6	6	-	-	-	-	-	-
70-74 years-----	6	-	6	5	-	5	1	-	1	1	-	1
75-79 years-----	7	2	5	7	2	5	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Congenital malformation of cardiac septum, unspecified (Q21.9)

All ages-----	14	2	12	10	2	8	4	-	4	3	-	3
Under 1 year-----	3	-	3	2	-	2	1	-	1	1	-	1
1-4 years-----	2	-	2	-	-	-	2	-	2	1	-	1
5-9 years-----	1	-	1	-	-	-	1	-	1	1	-	1
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	2	-	2	2	-	2	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

RACE, AND SEX

Congenital malformations of pulmonary and tricuspid valves (Q22)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	106	56	50	86	47	39	20	9	11	18	8	10
Under 1 year----	54	31	23	43	26	17	11	5	6	10	5	5
1-4 years-----	7	3	4	3	2	1	4	1	3	4	1	3
5-9 years-----	2	2	-	2	2	-	-	-	-	-	-	-
10-14 years-----	7	5	2	5	4	1	2	1	1	2	1	1
15-19 years-----	6	3	3	5	3	2	1	-	1	1	-	1
20-24 years-----	3	2	1	3	2	1	-	-	-	-	-	-
25-29 years-----	3	2	1	3	2	1	-	-	-	-	-	-
30-34 years-----	5	3	2	5	3	2	-	-	-	-	-	-
35-39 years-----	2	1	1	2	1	1	-	-	-	-	-	-
40-44 years-----	2	-	2	2	-	2	-	-	-	-	-	-
45-49 years-----	3	2	1	2	1	1	1	1	-	1	1	-
50-54 years-----	3	1	2	2	-	2	1	1	-	-	-	-
55-59 years-----	2	-	2	2	-	2	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	2	-	2	2	-	2	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Pulmonary valve atresia (Q22.0)

All ages-----	4	-	4	2	-	2	2	-	2	2	-	2
Under 1 year----	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	-	-	-	1	-	1	1	-	1
15-19 years-----	1	-	1	-	-	-	1	-	1	1	-	1
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Congenital pulmonary valve stenosis (Q22.1)												
All ages-----	3	1	2	3	1	2	-	-	-	-	-	-
Under 1 year-----	2	-	2	2	-	2	-	-	-	-	-	-
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Other congenital malformations of pulmonary valve (Q22.3)												
All ages-----	3	1	2	1	-	1	2	1	1	1	1	-
Under 1 year-----	2	1	1	-	-	-	2	1	1	1	1	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Congenital tricuspid stenosis (Q22.4)												
All ages-----	28	15	13	20	11	9	8	4	4	8	4	4
Under 1 year-----	10	6	4	6	4	2	4	2	2	4	2	2
1-4 years-----	5	2	3	2	1	1	3	1	2	3	1	2
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	2	1	1	1	-	1	1	1	-	1	1	-
15-19 years-----	3	2	1	3	2	1	-	-	-	-	-	-
20-24 years-----	3	2	1	3	2	1	-	-	-	-	-	-
25-29 years-----	2	1	1	2	1	1	-	-	-	-	-	-
30-34 years-----	3	1	2	3	1	2	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Ebstein's anomaly (Q22.5)												
All ages-----	51	29	22	49	28	21	2	1	1	1	-	1
Under 1 year-----	26	16	10	25	16	9	1	-	1	1	-	1
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	4	4	-	4	4	-	-	-	-	-	-	-
15-19 years-----	2	1	1	2	1	1	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	2	2	-	2	2	-	-	-	-	-	-	-
35-39 years-----	2	1	1	2	1	1	-	-	-	-	-	-
40-44 years-----	2	-	2	2	-	2	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	2	1	1	1	-	1	1	1	-	-	-	-
55-59 years-----	2	-	2	2	-	2	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	2	-	2	2	-	2	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Hypoplastic right heart syndrome (Q22.6)												
All ages-----	10	5	5	6	4	2	4	1	3	4	1	3
Under 1 year-----	9	5	4	6	4	2	3	1	2	3	1	2
1-4 years-----	1	-	1	-	-	-	1	-	1	1	-	1
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other congenital malformations of tricuspid valve (Q22.8)

All ages-----	3	2	1	2	1	1	1	1	-	1	1	-
Under 1 year-----	3	2	1	2	1	1	1	1	-	1	1	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Congenital malformation of tricuspid valve, unspecified (Q22.9)												
All ages-----	4	3	1	3	2	1	1	1	-	1	1	-
Under 1 year----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	2	1	1	1	-	1	1	1	-	1	1	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Congenital malformations of aortic and mitral valves (Q23)

All ages-----	608	367	241	510	318	192	98	49	49	81	41	40
Under 1 year----	449	253	196	362	212	150	87	41	46	73	35	38
1-4 years-----	17	13	4	15	13	2	2	-	2	1	-	1
5-9 years-----	7	5	2	6	4	2	1	1	-	1	1	-
10-14 years-----	5	2	3	5	2	3	-	-	-	-	-	-
15-19 years-----	11	8	3	10	7	3	1	1	-	1	1	-
20-24 years-----	5	4	1	4	3	1	1	1	-	1	1	-
25-29 years-----	2	2	-	2	2	-	-	-	-	-	-	-
30-34 years-----	5	4	1	5	4	1	-	-	-	-	-	-
35-39 years-----	11	8	3	11	8	3	-	-	-	-	-	-
40-44 years-----	13	9	4	10	6	4	3	3	-	2	2	-
45-49 years-----	19	17	2	18	16	2	1	1	-	1	1	-
50-54 years-----	15	12	3	13	11	2	2	1	1	1	-	1
55-59 years-----	10	10	-	10	10	-	-	-	-	-	-	-
60-64 years-----	11	6	5	11	6	5	-	-	-	-	-	-
65-69 years-----	4	2	2	4	2	2	-	-	-	-	-	-
70-74 years-----	4	4	-	4	4	-	-	-	-	-	-	-
75-79 years-----	7	3	4	7	3	4	-	-	-	-	-	-
80-84 years-----	3	2	1	3	2	1	-	-	-	-	-	-
85-89 years-----	3	1	2	3	1	2	-	-	-	-	-	-
90-94 years-----	4	1	3	4	1	3	-	-	-	-	-	-
95-99 years-----	3	1	2	3	1	2	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Congenital stenosis of aortic valve (Q23.0)												
All ages-----	73	41	32	64	38	26	9	3	6	8	3	5
Under 1 year----	43	22	21	35	20	15	8	2	6	7	2	5
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	2	1	1	2	1	1	-	-	-	-	-	-
15-19 years-----	3	3	-	2	2	-	1	1	-	1	1	-
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	2	1	1	2	1	1	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	5	4	1	5	4	1	-	-	-	-	-	-
50-54 years-----	2	1	1	2	1	1	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	4	1	3	4	1	3	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years-----	2	2	-	2	2	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Congenital insufficiency of aortic valve (Q23.1)

All ages-----	75	62	13	70	57	13	5	5	-	4	4	-
Under 1 year----	3	1	2	3	1	2	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	2	2	-	1	1	-	1	1	-	1	1	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	5	5	-	5	5	-	-	-	-	-	-	-
20-24 years-----	2	2	-	2	2	-	-	-	-	-	-	-
25-29 years-----	2	2	-	2	2	-	-	-	-	-	-	-
30-34 years-----	2	1	1	2	1	1	-	-	-	-	-	-
35-39 years-----	5	3	2	5	3	2	-	-	-	-	-	-
40-44 years-----	8	6	2	6	4	2	2	2	-	2	2	-
45-49 years-----	12	11	1	11	10	1	1	1	-	1	1	-
50-54 years-----	11	11	-	10	10	-	1	1	-	-	-	-
55-59 years-----	6	6	-	6	6	-	-	-	-	-	-	-
60-64 years-----	6	5	1	6	5	1	-	-	-	-	-	-
65-69 years-----	3	2	1	3	2	1	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	2	2	-	2	2	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Congenital mitral stenosis (Q23.2)												
All ages-----	13	7	6	10	6	4	3	1	2	2	1	1
Under 1 year----	5	2	3	4	2	2	1	-	1	-	-	-
1-4 years-----	2	2	-	2	2	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years-----	1	1	-	-	-	-	1	1	-	1	1	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	2	-	2	1	-	1	1	-	1	1	-	1
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Congenital mitral insufficiency (Q23.3)

All ages-----	10	6	4	10	6	4	-	-	-	-	-	-
Under 1 year----	4	2	2	4	2	2	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	2	2	-	2	2	-	-	-	-	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	2	2	-	2	2	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Hypoplastic left heart syndrome (Q23.4)												
All ages-----	414	240	174	333	200	133	81	40	41	67	33	34
Under 1 year-----	392	226	166	314	187	127	78	39	39	66	33	33
1-4 years-----	14	10	4	12	10	2	2	-	2	1	-	1
5-9 years-----	2	1	1	2	1	1	-	-	-	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	2	-	2	2	-	2	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	2	2	-	1	1	-	1	1	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other congenital malformations of aortic and mitral valves (Q23.8)

All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Congenital malformation of aortic and mitral valves, unspecified (Q23.9)												
All ages-----	22	11	11	22	11	11	-	-	-	-	-	-
Under 1 year----	2	-	2	2	-	2	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	2	2	-	2	2	-	-	-	-	-	-	-
35-39 years-----	3	3	-	3	3	-	-	-	-	-	-	-
40-44 years-----	3	1	2	3	1	2	-	-	-	-	-	-
45-49 years-----	2	2	-	2	2	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	2	2	-	2	2	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other congenital malformations of heart (Q24)

All ages-----	1,604	875	729	1,252	679	573	352	196	156	304	164	140
Under 1 year----	745	413	332	576	321	255	169	92	77	146	79	67
1-4 years-----	130	76	54	87	47	40	43	29	14	34	22	12
5-9 years-----	34	19	15	25	13	12	9	6	3	8	5	3
10-14 years-----	62	38	24	41	29	12	21	9	12	20	8	12
15-19 years-----	76	53	23	56	40	16	20	13	7	18	12	6
20-24 years-----	58	38	20	43	28	15	15	10	5	12	8	4
25-29 years-----	71	43	28	59	35	24	12	8	4	11	7	4
30-34 years-----	67	37	30	56	30	26	11	7	4	9	5	4
35-39 years-----	71	39	32	60	35	25	11	4	7	10	3	7
40-44 years-----	58	25	33	52	23	29	6	2	4	6	2	4
45-49 years-----	57	24	33	48	20	28	9	4	5	7	4	3
50-54 years-----	37	20	17	33	17	16	4	3	1	4	3	1
55-59 years-----	30	8	22	24	8	16	6	-	6	6	-	6
60-64 years-----	21	11	10	15	8	7	6	3	3	5	2	3
65-69 years-----	19	5	14	17	4	13	2	1	1	1	-	1
70-74 years-----	17	9	8	14	8	6	3	1	2	3	1	2
75-79 years-----	17	6	11	15	4	11	2	2	-	1	1	-
80-84 years-----	15	4	11	14	3	11	1	1	-	1	1	-
85-89 years-----	10	4	6	9	3	6	1	1	-	1	1	-
90-94 years-----	6	1	5	5	1	4	1	-	1	1	-	1
95-99 years-----	2	2	-	2	2	-	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Dextrocardia (Q24.0)												
All ages-----	7	5	2	6	4	2	1	1	-	1	1	-
Under 1 year----	3	3	-	3	3	-	-	-	-	-	-	-
1-4 years-----	1	1	-	-	-	-	1	1	-	1	1	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	2	-	2	2	-	2	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Cor triatriatum (Q24.2)												
All ages-----	1	1	-	-	-	-	1	1	-	1	1	-
Under 1 year----	1	1	-	-	-	-	1	1	-	1	1	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Congenital subaortic stenosis (Q24.4)												
All ages-----	31	10	21	27	7	20	4	3	1	3	2	1
Under 1 year-----	3	-	3	3	-	3	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	2	2	-	2	2	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	2	2	-	2	2	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	-	-	-	1	1	-	1	1	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	2	1	1	1	-	1	1	1	-	-	-	-
70-74 years-----	2	-	2	1	-	1	1	-	1	-	-	1
75-79 years-----	4	-	4	4	-	4	-	-	-	-	-	-
80-84 years-----	7	1	6	6	-	6	1	1	-	1	1	-
85-89 years-----	3	-	3	3	-	3	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Malformation of coronary vessels (Q24.5)

All ages-----	200	111	89	144	83	61	56	28	28	51	24	27
Under 1 year-----	23	11	12	12	8	4	11	3	8	11	3	8
1-4 years-----	6	4	2	5	3	2	1	1	-	1	1	-
5-9 years-----	3	2	1	1	-	1	2	2	-	2	2	-
10-14 years-----	12	6	6	5	4	1	7	2	5	7	2	5
15-19 years-----	18	15	3	11	10	1	7	5	2	7	5	2
20-24 years-----	10	9	1	6	5	1	4	4	-	4	4	-
25-29 years-----	19	12	7	14	9	5	5	3	2	4	2	2
30-34 years-----	16	8	8	13	7	6	3	1	2	2	-	2
35-39 years-----	19	11	8	17	11	6	2	-	2	2	-	2
40-44 years-----	17	7	10	15	7	8	2	-	2	2	-	2
45-49 years-----	16	7	9	13	6	7	3	1	2	2	1	1
50-54 years-----	17	10	7	15	8	7	2	2	-	2	2	-
55-59 years-----	3	1	2	3	1	2	-	-	-	-	-	-
60-64 years-----	5	2	3	2	1	1	3	1	2	2	-	2
65-69 years-----	7	1	6	7	1	6	-	-	-	-	-	-
70-74 years-----	4	1	3	2	-	2	2	1	1	2	1	1
75-79 years-----	3	2	1	2	1	1	1	1	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	1	1	-	-	-	-	1	1	-	1	1	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Congenital heart block (Q24.6)												
All ages-----	3	-	3	3	-	3	-	-	-	-	-	-
Under 1 year----	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other specified congenital malformations of heart (Q24.8)

All ages-----	112	60	52	95	47	48	17	13	4	15	12	3
Under 1 year----	57	33	24	42	22	20	15	11	4	13	10	3
1-4 years-----	1	1	-	-	-	-	1	1	-	1	1	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	3	1	2	3	1	2	-	-	-	-	-	-
15-19 years-----	4	3	1	3	2	1	1	1	-	1	1	-
20-24 years-----	4	1	3	4	1	3	-	-	-	-	-	-
25-29 years-----	4	3	1	4	3	1	-	-	-	-	-	-
30-34 years-----	4	2	2	4	2	2	-	-	-	-	-	-
35-39 years-----	5	3	2	5	3	2	-	-	-	-	-	-
40-44 years-----	4	3	1	4	3	1	-	-	-	-	-	-
45-49 years-----	5	3	2	5	3	2	-	-	-	-	-	-
50-54 years-----	2	1	1	2	1	1	-	-	-	-	-	-
55-59 years-----	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	3	2	1	3	2	1	-	-	-	-	-	-
75-79 years-----	3	-	3	3	-	3	-	-	-	-	-	-
80-84 years-----	4	1	3	4	1	3	-	-	-	-	-	-
85-89 years-----	3	-	3	3	-	3	-	-	-	-	-	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Congenital malformation of the heart, unspecified (Q24.9)												
All ages-----	1,250	688	562	977	538	439	273	150	123	233	124	109
Under 1 year-----	657	365	292	515	288	227	142	77	65	121	65	56
1-4 years-----	122	70	52	82	44	38	40	26	14	31	19	12
5-9 years-----	31	17	14	24	13	11	7	4	3	6	3	3
10-14 years-----	44	28	16	30	21	9	14	7	7	13	6	7
15-19 years-----	53	34	19	41	27	14	12	7	5	10	6	4
20-24 years-----	44	28	16	33	22	11	11	6	5	8	4	4
25-29 years-----	48	28	20	41	23	18	7	5	2	7	5	2
30-34 years-----	44	25	19	36	19	17	8	6	2	7	5	2
35-39 years-----	46	24	22	37	20	17	9	4	5	8	3	5
40-44 years-----	36	14	22	32	12	20	4	2	2	4	2	2
45-49 years-----	36	14	22	30	11	19	6	3	3	5	3	2
50-54 years-----	16	8	8	15	8	7	1	-	1	1	-	1
55-59 years-----	25	6	19	19	6	13	6	-	6	6	-	6
60-64 years-----	15	9	6	12	7	5	3	2	1	3	2	1
65-69 years-----	9	3	6	8	3	5	1	-	1	1	-	1
70-74 years-----	8	6	2	8	6	2	-	-	-	-	-	-
75-79 years-----	5	4	1	4	3	1	1	1	-	1	1	-
80-84 years-----	3	1	2	3	1	2	-	-	-	-	-	-
85-89 years-----	3	3	-	3	3	-	-	-	-	-	-	-
90-94 years-----	4	-	4	3	-	3	1	-	1	1	-	1
95-99 years-----	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Congenital malformations of great arteries (Q25)

All ages-----	244	120	124	177	91	86	67	29	38	54	24	30
Under 1 year-----	138	62	76	92	43	49	46	19	27	39	16	23
1-4 years-----	16	9	7	13	8	5	3	1	2	2	1	1
5-9 years-----	3	2	1	2	1	1	1	1	-	1	1	-
10-14 years-----	4	1	3	1	-	1	3	1	2	3	1	2
15-19 years-----	8	4	4	5	4	1	3	-	3	1	-	1
20-24 years-----	6	3	3	4	3	1	2	-	2	1	-	1
25-29 years-----	4	2	2	3	1	2	1	1	-	-	-	-
30-34 years-----	4	2	2	3	1	2	1	1	-	1	1	-
35-39 years-----	9	6	3	9	6	3	-	-	-	-	-	-
40-44 years-----	2	2	-	1	1	-	1	1	-	1	1	-
45-49 years-----	5	4	1	4	3	1	1	1	-	1	1	-
50-54 years-----	7	6	1	4	3	1	3	3	-	2	2	-
55-59 years-----	2	-	2	1	-	1	1	-	1	1	-	1
60-64 years-----	6	5	1	6	5	1	-	-	-	-	-	-
65-69 years-----	6	2	4	6	2	4	-	-	-	-	-	-
70-74 years-----	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years-----	8	5	3	7	5	2	1	-	1	1	-	1
80-84 years-----	6	2	4	6	2	4	-	-	-	-	-	-
85-89 years-----	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years-----	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years-----	4	1	3	4	1	3	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Patent ductus arteriosus (Q25.0)												
All ages-----	50	19	31	32	13	19	18	6	12	15	5	10
Under 1 year-----	35	16	19	22	11	11	13	5	8	12	4	8
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	2	-	2	1	-	1	1	-	1	-	-	-
20-24 years-----	3	-	3	1	-	1	2	-	2	1	-	1
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	-	-	-	1	1	-	1	1	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	2	-	2	1	-	1	1	-	1	1	-	1
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Coarctation of aorta (Q25.1)												
All ages-----	63	35	28	43	24	19	20	11	9	17	9	8
Under 1 year-----	36	14	22	21	7	14	15	7	8	14	7	7
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	2	1	1	1	-	1	1	1	-	1	1	-
15-19 years-----	2	1	1	1	1	-	1	-	1	1	-	1
20-24 years-----	3	3	-	3	3	-	-	-	-	-	-	-
25-29 years-----	3	2	1	2	1	1	1	1	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	3	2	1	3	2	1	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	2	2	-	2	2	-	-	-	-	-	-	-
50-54 years-----	4	3	1	2	1	1	2	2	-	1	1	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	2	2	-	2	2	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	2	2	-	2	2	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Atresia of aorta (Q25.2)												
All ages-----	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year-----	2	1	1	2	1	1	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Stenosis of aorta (Q25.3)												
All ages-----	8	4	4	8	4	4	-	-	-	-	-	-
Under 1 year-----	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other congenital malformations of aorta (Q25.4)												
All ages-----	12	9	3	11	8	3	1	1	-	1	1	-
Under 1 year-----	4	2	2	4	2	2	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	2	2	-	1	1	-	1	1	-	1	1	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Atresia of pulmonary artery (Q25.5)

All ages-----	55	23	32	39	18	21	16	5	11	12	3	9
Under 1 year-----	38	15	23	26	10	16	12	5	7	9	3	6
1-4 years-----	8	4	4	6	4	2	2	-	2	1	-	1
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	2	-	2	-	-	-	2	-	2	2	-	2
15-19 years-----	3	3	-	3	3	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	2	-	2	2	-	2	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Stenosis of pulmonary artery (Q25.6)												
All ages-----	44	24	20	35	19	16	9	5	4	7	5	2
Under 1 year-----	15	11	4	11	9	2	4	2	2	3	2	1
1-4 years-----	6	3	3	5	2	3	1	1	-	1	1	-
5-9 years-----	2	2	-	1	1	-	1	1	-	1	1	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	-	1	-	-	-	1	-	1	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	1	1	-	-	-	-	1	1	-	1	1	-
45-49 years-----	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	2	1	1	2	1	1	-	-	-	-	-	-
65-69 years-----	3	1	2	3	1	2	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	3	-	3	2	-	2	1	-	1	1	-	1
80-84 years-----	3	1	2	3	1	2	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	3	1	2	3	1	2	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other congenital malformations of pulmonary artery (Q25.7)

All ages-----	10	5	5	7	4	3	3	1	2	2	1	1
Under 1 year-----	7	3	4	5	3	2	2	-	2	1	-	1
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	2	1	1	2	1	1	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	-	-	-	1	1	-	1	1	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Congenital malformations of great veins (Q26)												
All ages-----	57	37	20	43	30	13	14	7	7	13	7	6
Under 1 year-----	53	35	18	40	28	12	13	7	6	12	7	5
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	-	1	-	-	-	1	-	1	1	-	1
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Total anomalous pulmonary venous connection (Q26.2)

All ages-----	15	6	9	12	4	8	3	2	1	3	2	1
Under 1 year-----	15	6	9	12	4	8	3	2	1	3	2	1
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),

RACE, AND SEX - - - ALL RACES - - - - - - WHITE - - - - - - ALL OTHER - - - - - - BLACK - - -

TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Partial anomalous pulmonary venous connection (Q26.3)

All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Anomalous pulmonary venous connection, unspecified (Q26.4)

All ages-----	30	24	6	23	20	3	7	4	3	6	4	2
Under 1 year-----	28	22	6	21	18	3	7	4	3	6	4	2
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

ALL RACES WHITE ALL OTHER BLACK

Other congenital malformations of great veins (Q26.8)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	10	5	5	6	4	2	4	1	3	4	1	3
Under 1 year-----	8	5	3	5	4	1	3	1	2	3	1	2
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	-	1	-	-	1	1	-	1	1	-	1
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Congenital malformation of great vein, unspecified (Q26.9)

All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other congenital malformations of peripheral vascular system (Q27)												
All ages-----	257	123	134	204	94	110	53	29	24	41	23	18
Under 1 year----	14	7	7	12	5	7	2	2	-	1	1	-
1-4 years-----	4	2	2	3	2	1	1	-	1	1	-	1
5-9 years-----	5	1	4	4	1	3	1	-	1	1	-	1
10-14 years-----	4	2	2	3	1	2	1	1	-	1	1	-
15-19 years-----	5	4	1	5	4	1	-	-	-	-	-	-
20-24 years-----	4	2	2	2	1	1	2	1	1	1	1	-
25-29 years-----	7	4	3	6	3	3	1	1	-	1	1	-
30-34 years-----	5	1	4	3	-	3	2	1	1	-	-	-
35-39 years-----	9	4	5	8	3	5	1	1	-	1	1	-
40-44 years-----	5	3	2	4	3	1	-	-	1	-	-	-
45-49 years-----	9	6	3	6	5	1	3	1	2	2	1	1
50-54 years-----	8	4	4	6	4	2	2	-	2	2	-	2
55-59 years-----	13	12	1	7	6	1	6	6	-	5	5	-
60-64 years-----	10	3	7	8	3	5	2	-	2	1	-	1
65-69 years-----	16	7	9	10	3	7	6	4	2	4	2	2
70-74 years-----	17	5	12	11	3	8	6	2	4	6	2	4
75-79 years-----	28	16	12	21	10	11	7	6	1	5	5	-
80-84 years-----	42	19	23	38	18	20	4	1	3	4	1	3
85-89 years-----	27	11	16	24	9	15	3	2	1	3	2	1
90-94 years-----	20	9	11	18	9	9	2	-	2	2	-	2
95-99 years-----	3	-	3	3	-	3	-	-	-	-	-	-
100 yrs & over---	2	1	1	2	1	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Peripheral arteriovenous malformation (Q27.3)

All ages-----	217	103	114	173	79	94	44	24	20	36	20	16
Under 1 year----	6	4	2	5	3	2	1	1	-	1	1	-
1-4 years-----	3	1	2	2	1	1	-	-	1	1	-	1
5-9 years-----	4	1	3	3	1	2	1	-	1	1	-	1
10-14 years-----	3	1	2	3	1	2	-	-	-	-	-	-
15-19 years-----	4	3	1	4	3	1	-	-	-	-	-	-
20-24 years-----	3	1	2	2	1	1	1	-	1	-	-	-
25-29 years-----	6	3	3	5	2	3	1	1	-	1	1	-
30-34 years-----	4	1	3	3	-	3	1	1	-	-	-	-
35-39 years-----	9	4	5	8	3	5	1	1	-	1	1	-
40-44 years-----	3	1	2	2	1	1	1	-	1	-	-	-
45-49 years-----	7	5	2	5	4	1	2	1	1	2	1	1
50-54 years-----	8	4	4	6	4	2	2	-	2	2	-	2
55-59 years-----	10	10	-	4	4	-	6	6	-	5	5	-
60-64 years-----	10	3	7	8	3	5	2	-	2	1	-	1
65-69 years-----	14	6	8	9	3	6	5	3	2	4	2	2
70-74 years-----	14	5	9	9	3	6	5	2	3	5	2	3
75-79 years-----	24	13	11	18	8	10	6	5	1	4	4	-
80-84 years-----	40	18	22	36	17	19	4	1	3	4	1	3
85-89 years-----	21	9	12	18	7	11	3	2	1	3	2	1
90-94 years-----	19	9	10	18	9	9	1	-	1	1	-	1
95-99 years-----	3	-	3	3	-	3	-	-	-	-	-	-
100 yrs & over---	2	1	1	2	1	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other specified congenital malformations of peripheral vascular system (Q27.8)												
All ages-----	3	3	-	3	3	-	-	-	-	-	-	-
Under 1 year-----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	2	2	-	2	2	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Congenital malformation of peripheral vascular system, unspecified (Q27.9)

All ages-----	37	17	20	28	12	16	9	5	4	5	3	2
Under 1 year-----	7	2	5	6	1	5	1	1	-	-	-	-
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	1	1	-	-	-	-	1	1	-	1	1	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	1	1	-	-	-	-	1	1	-	1	1	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	1	-	1	-	-	-	1	-	1	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	2	1	1	1	1	-	1	-	1	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	3	2	1	3	2	1	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	2	1	1	1	-	1	1	1	-	-	-	-
70-74 years-----	3	-	3	2	-	2	1	-	1	1	-	1
75-79 years-----	4	3	1	3	2	1	1	1	-	1	1	-
80-84 years-----	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years-----	6	2	4	6	2	4	-	-	-	-	-	-
90-94 years-----	1	-	1	-	-	-	1	-	1	1	-	1
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other congenital malformations of circulatory system (Q28)												
All ages-----	327	167	160	280	145	135	47	22	25	39	17	22
Under 1 year----	15	10	5	10	8	2	5	2	3	5	2	3
1-4 years-----	4	3	1	2	1	1	2	2	-	1	1	-
5-9 years-----	7	5	2	7	5	2	-	-	-	-	-	-
10-14 years-----	4	1	3	2	1	1	2	-	2	2	-	2
15-19 years-----	6	5	1	3	2	1	3	3	-	3	3	-
20-24 years-----	9	4	5	7	3	4	2	1	1	2	1	1
25-29 years-----	7	4	3	6	3	3	1	1	-	1	1	-
30-34 years-----	14	10	4	13	10	3	1	-	1	-	-	-
35-39 years-----	28	17	11	22	15	7	6	2	4	4	-	4
40-44 years-----	20	10	10	18	8	10	2	2	-	2	2	-
45-49 years-----	41	20	21	35	16	19	6	4	2	5	3	2
50-54 years-----	34	19	15	30	19	11	4	-	4	4	-	4
55-59 years-----	27	15	12	26	14	12	1	1	-	1	1	-
60-64 years-----	19	6	13	14	4	10	5	2	3	3	2	1
65-69 years-----	34	15	19	32	15	17	2	-	2	2	-	2
70-74 years-----	22	9	13	21	9	12	1	-	1	1	-	1
75-79 years-----	14	6	8	12	6	6	2	-	2	2	-	2
80-84 years-----	12	5	7	10	3	7	2	2	-	1	1	-
85-89 years-----	8	2	6	8	2	6	-	-	-	-	-	-
90-94 years-----	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Arteriovenous malformation of precerebral vessels (Q28.0)

All ages-----	3	2	1	3	2	1	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other malformations of precerebral vessels (Q28.1)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Arteriovenous malformation of cerebral vessels (Q28.2)

All ages-----	281	142	139	243	126	117	38	16	22	34	14	20
Under 1 year-----	9	6	3	7	6	1	2	-	2	2	-	2
1-4 years-----	3	2	1	2	1	1	1	1	-	1	1	-
5-9 years-----	6	4	2	6	4	2	-	-	-	-	-	-
10-14 years-----	4	1	3	2	1	1	2	-	2	2	-	2
15-19 years-----	5	4	1	3	2	1	2	2	-	2	2	-
20-24 years-----	8	3	5	6	2	4	2	1	1	2	1	1
25-29 years-----	7	4	3	6	3	3	1	1	-	1	1	-
30-34 years-----	11	9	2	10	9	1	1	-	1	-	-	-
35-39 years-----	23	12	11	19	12	7	4	-	4	4	-	4
40-44 years-----	17	9	8	15	7	8	2	2	-	2	2	-
45-49 years-----	37	18	19	31	14	17	6	4	2	5	3	2
50-54 years-----	30	18	12	26	18	8	4	-	4	4	-	4
55-59 years-----	25	14	11	24	13	11	1	1	-	1	1	-
60-64 years-----	17	6	11	13	4	9	4	2	2	3	2	1
65-69 years-----	29	12	17	28	12	16	1	-	1	1	-	1
70-74 years-----	19	7	12	18	7	11	1	-	1	1	-	1
75-79 years-----	13	5	8	11	5	6	2	-	2	2	-	2
80-84 years-----	10	5	5	8	3	5	2	2	-	1	1	-
85-89 years-----	6	2	4	6	2	4	-	-	-	-	-	-
90-94 years-----	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other malformations of cerebral vessels (Q28.3)												
All ages-----	35	18	17	29	14	15	6	4	2	5	3	2
Under 1 year----	5	3	2	2	1	1	3	2	1	3	2	1
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	-	-	-	1	1	-	1	1	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	2	-	2	2	-	2	-	-	-	-	-	-
35-39 years-----	4	4	-	3	3	-	1	1	-	-	-	-
40-44 years-----	3	1	2	3	1	2	-	-	-	-	-	-
45-49 years-----	4	2	2	4	2	2	-	-	-	-	-	-
50-54 years-----	2	-	2	2	-	2	-	-	-	-	-	-
55-59 years-----	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	5	3	2	4	3	1	1	-	1	1	-	1
70-74 years-----	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other specified congenital malformations of circulatory system (Q28.8)

All ages-----	4	3	1	2	2	-	2	1	1	-	-	-
Under 1 year----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	1	1	-	-	-	-	1	1	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	1	-	-	-	1	-	1	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),

RACE, AND SEX - - - ALL RACES - - - - - - WHITE - - - - - - ALL OTHER - - - - - - BLACK - - -

TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Congenital malformation of circulatory system, unspecified (Q28.9)

All ages-----	3	2	1	2	1	1	1	1	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	-	-	-	1	1	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Congenital malformations of nose (Q30)

All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),

RACE, AND SEX - - - ALL RACES - - - - - - WHITE - - - - - - ALL OTHER - - - - - - BLACK - - -

TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Other congenital malformations of nose (Q30.8)

All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Congenital malformations of larynx (Q31)

All ages-----	10	7	3	5	4	1	5	3	2	3	2	1
Under 1 year-----	6	5	1	4	3	1	2	2	-	1	1	-
1-4 years-----	3	2	1	1	1	-	2	1	1	2	1	1
5-9 years-----	1	-	1	-	-	-	1	-	1	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Congenital subglottic stenosis (Q31.1)												
All ages-----	2	2	-	-	-	-	2	2	-	1	1	-
Under 1 year-----	2	2	-	-	-	-	2	2	-	1	1	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Congenital laryngeal stridor (Q31.4)

All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other congenital malformations of larynx (Q31.8)												
All ages-----	5	3	2	4	3	1	1	-	1	1	-	1
Under 1 year----	3	2	1	3	2	1	-	-	-	-	-	-
1-4 years-----	2	1	1	1	1	-	1	-	1	1	-	1
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Congenital malformation of larynx, unspecified (Q31.9)

All ages-----	2	1	1	-	-	-	2	1	1	1	1	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	1	-	-	-	-	1	1	-	1	1	-
5-9 years-----	1	-	1	-	-	-	1	-	1	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Congenital malformations of trachea and bronchus (Q32)												
All ages-----	46	30	16	39	24	15	7	6	1	5	4	1
Under 1 year----	31	19	12	26	15	11	5	4	1	3	2	1
1-4 years-----	3	3	-	2	2	-	1	1	-	1	1	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	-	-	-	1	1	-	1	1	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	3	2	1	3	2	1	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	2	2	-	2	2	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Congenital tracheomalacia (Q32.0)

All ages-----	7	6	1	4	3	1	3	3	-	2	2	-
Under 1 year----	4	3	1	3	2	1	1	1	-	-	-	-
1-4 years-----	2	2	-	1	1	-	1	1	-	1	1	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	-	-	-	1	1	-	1	1	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other congenital malformations of trachea (Q32.1)												
All ages-----	31	18	13	30	18	12	1	-	1	1	-	1
Under 1 year----	19	10	9	18	10	8	1	-	1	1	-	1
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	3	2	1	3	2	1	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	2	2	-	2	2	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Congenital bronchomalacia (Q32.2)

All ages-----	7	5	2	5	3	2	2	2	-	1	1	-
Under 1 year----	7	5	2	5	3	2	2	2	-	1	1	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other congenital malformations of bronchus (Q32.4)												
All ages-----	1	1	-	-	-	-	1	1	-	1	1	-
Under 1 year-----	1	1	-	-	-	-	1	1	-	1	1	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Congenital malformations of lung (Q33)

All ages-----	545	318	227	404	231	173	141	87	54	121	79	42
Under 1 year-----	521	304	217	385	221	164	136	83	53	116	75	41
1-4 years-----	7	6	1	6	5	1	1	1	-	1	1	-
5-9 years-----	4	1	3	3	-	3	1	1	-	1	1	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	3	1	2	2	1	1	1	-	1	1	-	1
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	2	1	1	1	-	1	1	1	-	1	1	-
75-79 years-----	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Congenital cystic lung (Q33.0)												
All ages-----	8	6	2	8	6	2	-	-	-	-	-	-
Under 1 year-----	7	5	2	7	5	2	-	-	-	-	-	-
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Agenesis of lung (Q33.3)												
All ages-----	12	7	5	5	5	-	7	2	5	5	2	3
Under 1 year-----	7	3	4	3	3	-	4	-	4	2	-	2
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	-	-	-	1	-	1	1	-	1
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	-	-	-	1	1	-	1	1	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Congenital bronchiectasis (Q33.4)												
All ages-----	3	1	2	3	1	2	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Hypoplasia and dysplasia of lung (Q33.6)

All ages-----	503	292	211	372	209	163	131	83	48	113	75	38
Under 1 year-----	494	287	207	364	205	159	130	82	48	112	74	38
1-4 years-----	4	3	1	4	3	1	-	-	-	-	-	-
5-9 years-----	3	1	2	2	-	2	1	1	-	1	1	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other congenital malformations of lung (Q33.8)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Congenital malformation of lung, unspecified (Q33.9)

All ages-----	18	12	6	15	10	5	3	2	1	3	2	1
Under 1 year-----	13	9	4	11	8	3	2	1	1	2	1	1
1-4 years-----	2	2	-	1	1	-	1	1	-	1	1	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

RACE, AND SEX

Other congenital malformations of respiratory system (Q34)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	5	3	2	4	2	2	1	1	-	1	1	-
Under 1 year-----	5	3	2	4	2	2	1	1	-	1	1	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other specified congenital malformations of respiratory system (Q34.8)

All ages-----	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year-----	2	2	-	2	2	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Congenital malformation of respiratory system, unspecified (Q34.9)												
All ages-----	3	1	2	2	-	2	1	1	-	1	1	-
Under 1 year-----	3	1	2	2	-	2	1	1	-	1	1	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Cleft palate (Q35)												
All ages-----	7	4	3	6	3	3	1	1	-	-	-	-
Under 1 year-----	4	3	1	4	3	1	-	-	-	-	-	-
1-4 years-----	2	1	1	1	-	1	1	1	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),

RACE, AND SEX - - - ALL RACES - - - - - - WHITE - - - - - - ALL OTHER - - - - - - BLACK - - -

TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Cleft soft palate, unilateral (Q35.3)

All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Cleft palate, unspecified, unilateral (Q35.9)

All ages-----	6	3	3	5	2	3	1	1	-	-	-	-
Under 1 year-----	3	2	1	3	2	1	-	-	-	-	-	-
1-4 years-----	2	1	1	1	-	1	1	1	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Cleft lip (Q36)												
All ages-----	1	1	-	-	-	-	1	1	-	1	1	-
Under 1 year-----	1	1	-	-	-	-	1	1	-	1	1	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Cleft lip, unilateral (Q36.9)

All ages-----	1	1	-	-	-	-	1	1	-	1	1	-
Under 1 year-----	1	1	-	-	-	-	1	1	-	1	1	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Cleft palate with cleft lip (Q37)												
All ages-----	4	4	-	3	3	-	1	1	-	1	1	-
Under 1 year----	3	3	-	2	2	-	1	1	-	1	1	-
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Unspecified cleft palate with cleft lip, unilateral (Q37.9)

All ages-----	4	4	-	3	3	-	1	1	-	1	1	-
Under 1 year----	3	3	-	2	2	-	1	1	-	1	1	-
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other congenital malformations of tongue, mouth and pharynx (Q38)												
All ages-----	6	3	3	5	3	2	1	-	1	1	-	1
Under 1 year-----	3	1	2	2	1	1	1	-	1	1	-	1
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Congenital malformations of palate, not elsewhere classified (Q38.5)

All ages-----	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year-----	2	1	1	2	1	1	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

ALL RACES WHITE ALL OTHER BLACK

Other congenital malformations of mouth (Q38.6)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	1	-	1	-	-	-	1	-	1	1	-	1
Under 1 year----	1	-	1	-	-	-	1	-	1	1	-	1
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Pharyngeal pouch (Q38.7)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	3	2	1	3	2	1	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Congenital malformations of esophagus (Q39)												
All ages-----	37	16	21	34	13	21	3	3	-	3	3	-
Under 1 year-----	9	4	5	9	4	5	-	-	-	-	-	-
1-4 years-----	3	3	-	2	2	-	1	1	-	1	1	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	3	1	2	2	-	2	1	1	-	1	1	-
80-84 years-----	5	3	2	4	2	2	1	1	-	1	1	-
85-89 years-----	4	1	3	4	1	3	-	-	-	-	-	-
90-94 years-----	5	2	3	5	2	3	-	-	-	-	-	-
95-99 years-----	4	-	4	4	-	4	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Atresia of esophagus without fistula (Q39.0)

All ages-----	9	3	6	9	3	6	-	-	-	-	-	-
Under 1 year-----	5	1	4	5	1	4	-	-	-	-	-	-
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Congenital tracheoesophageal fistula without atresia (Q39.2)												
All ages-----	7	6	1	6	5	1	1	1	-	1	1	-
Under 1 year----	4	3	1	4	3	1	-	-	-	-	-	-
1-4 years-----	2	2	-	1	1	-	1	1	-	1	1	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Esophageal web (Q39.4)												
All ages-----	2	-	2	2	-	2	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Diverticulum of esophagus (Q39.6)												
All ages-----	18	7	11	16	5	11	2	2	-	2	2	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	3	1	2	2	-	2	1	1	-	1	1	-
80-84 years-----	4	3	1	3	2	1	1	1	-	1	1	-
85-89 years-----	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years-----	4	2	2	4	2	2	-	-	-	-	-	-
95-99 years-----	3	-	3	3	-	3	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Congenital malformation of esophagus, unspecified (Q39.9)

All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

ALL RACES WHITE ALL OTHER BLACK

Other congenital malformations of upper alimentary tract (Q40)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	5	4	1	3	2	1	2	2	-	1	1	-
Under 1 year----	3	3	-	1	1	-	2	2	-	1	1	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Congenital hypertrophic pyloric stenosis (Q40.0)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	3	3	-	1	1	-	2	2	-	1	1	-
Under 1 year----	3	3	-	1	1	-	2	2	-	1	1	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Congenital hiatus hernia (Q40.1)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Congenital malformation of stomach, unspecified (Q40.3)

All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

RACE, AND SEX

Congenital absence, atresia, and stenosis of small intestine (Q41)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	12	3	9	9	2	7	3	1	2	2	1	1
Under 1 year-----	10	2	8	7	1	6	3	1	2	2	1	1
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Congenital absence, atresia, and stenosis of duodenum (Q41.0)

All ages-----	2	1	1	-	-	-	2	1	1	1	1	-
Under 1 year-----	2	1	1	-	-	-	2	1	1	1	1	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),

RACE, AND SEX - - - ALL RACES - - - - - - WHITE - - - - - - ALL OTHER - - - - - - BLACK - - -

TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Congenital absence, atresia, and stenosis of jejunum (Q41.1)

All ages-----	5	-	5	5	-	5	-	-	-	-	-	-
Under 1 year-----	5	-	5	5	-	5	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Congenital absence, atresia, and stenosis of ileum (Q41.2)

All ages-----	3	1	2	2	1	1	1	-	1	1	-	1
Under 1 year-----	3	1	2	2	1	1	1	-	1	1	-	1
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Congenital absence, atresia, and stenosis of small intestine, part unspecified (Q41.9)												
All ages-----	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Congenital absence, atresia, and stenosis of large intestine (Q42)

All ages-----	3	2	1	3	2	1	-	-	-	-	-	-
Under 1 year-----	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Congenital absence, atresia, and stenosis of anus without fistula (Q42.3)												
All ages-----	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Congenital absence, atresia, and stenosis of large intestine, part unspecified (Q42.9)

All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other congenital malformations of intestine (Q43)												
All ages-----	81	53	28	61	43	18	20	10	10	17	10	7
Under 1 year-----	44	31	13	30	23	7	14	8	6	12	8	4
1-4 years-----	11	9	2	9	8	1	2	1	1	2	1	1
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	2	1	1	1	-	1	1	1	-	1	1	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	2	2	-	2	2	-	-	-	-	-	-	-
75-79 years-----	5	2	3	3	2	1	2	-	2	2	-	2
80-84 years-----	5	2	3	4	2	2	1	-	1	-	-	-
85-89 years-----	4	2	2	4	2	2	-	-	-	-	-	-
90-94 years-----	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Meckel's diverticulum (Q43.0)												
All ages-----	10	7	3	9	6	3	1	1	-	1	1	-
Under 1 year-----	1	1	-	-	-	-	1	1	-	1	1	-
1-4 years-----	3	2	1	3	2	1	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years-----	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Hirschsprung's disease (Q43.1)												
All ages-----	16	13	3	12	11	1	4	2	2	3	2	1
Under 1 year-----	9	7	2	7	6	1	2	1	1	1	1	-
1-4 years-----	5	4	1	3	3	-	2	1	1	2	1	1
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Congenital malformations of intestinal fixation (Q43.3)

All ages-----	19	14	5	14	10	4	5	4	1	5	4	1
Under 1 year-----	11	9	2	7	6	1	4	3	1	4	3	1
1-4 years-----	2	2	-	2	2	-	-	-	-	-	-	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	1	1	-	-	-	-	1	1	-	1	1	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Duplication of intestine (Q43.4)												
All ages-----	1	-	1	-	-	-	1	-	1	1	-	1
Under 1 year----	1	-	1	-	-	-	1	-	1	1	-	1
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Persistent cloaca (Q43.7)												
All ages-----	1	-	1	-	-	-	1	-	1	-	-	-
Under 1 year----	1	-	1	-	-	-	1	-	1	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

ALL RACES WHITE ALL OTHER BLACK

Other specified congenital malformations of intestine (Q43.8)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	24	14	10	19	11	8	5	3	2	5	3	2
Under 1 year----	19	12	7	14	9	5	5	3	2	5	3	2
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Congenital malformation of intestine, unspecified (Q43.9)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	10	5	5	7	5	2	3	-	3	2	-	2
Under 1 year----	2	2	-	2	2	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	2	-	2	-	-	2	2	-	2	2	-	2
80-84 years-----	1	-	1	-	-	1	1	-	1	-	-	-
85-89 years-----	3	2	1	3	2	1	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

RACE, AND SEX

Congenital malformations of gallbladder, bile ducts, and liver (Q44)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	49	17	32	37	12	25	12	5	7	10	4	6
Under 1 year----	13	3	10	9	2	7	4	1	3	4	1	3
1-4 years-----	9	2	7	5	1	4	4	1	3	3	1	2
5-9 years-----	3	1	2	1	-	1	2	1	1	2	1	1
10-14 years-----	2	2	-	1	1	-	1	1	-	1	1	-
15-19 years-----	2	1	1	2	1	1	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	3	2	1	3	2	1	-	-	-	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	3	1	2	3	1	2	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years-----	3	1	2	3	1	2	-	-	-	-	-	-
65-69 years-----	3	1	2	3	1	2	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	2	1	1	1	-	1	1	1	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Atresia of bile ducts (Q44.2)

All ages-----	6	4	2	3	2	1	3	2	1	3	2	1
Under 1 year----	3	2	1	2	1	1	1	1	-	1	1	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	2	1	1	-	-	-	2	1	1	2	1	1
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Cholelithiasis (K80.0)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other congenital malformations of bile ducts (Q44.5)

All ages-----	26	5	21	19	3	16	7	2	5	6	2	4
Under 1 year-----	8	-	8	6	-	6	2	-	2	2	-	2
1-4 years-----	9	2	7	5	1	4	4	1	3	3	1	2
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	2	2	-	1	1	-	1	1	-	1	1	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	2	1	1	2	1	1	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

RACE, AND SEX

Cystic disease of liver (Q44.6)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	10	5	5	9	4	5	1	1	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	3	1	2	3	1	2	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	1	1	-	-	-	-	1	1	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other congenital malformations of liver (Q44.7)

All ages-----	6	3	3	5	3	2	1	-	1	1	-	1
Under 1 year-----	2	1	1	1	1	-	1	-	1	1	-	1
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	2	2	-	2	2	-	-	-	-	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other congenital malformations of digestive system (Q45)												
All ages-----	5	1	4	4	1	3	1	-	1	-	-	-
Under 1 year----	2	-	2	1	-	1	1	-	1	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other congenital malformations of pancreas and pancreatic duct (Q45.3)

All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

ALL RACES WHITE ALL OTHER BLACK

Other specified congenital malformations of digestive system (Q45.8)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	1	-	1	-	-	-	1	-	1	-	-	-
Under 1 year----	1	-	1	-	-	-	1	-	1	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Congenital malformation of digestive system, unspecified (Q45.9)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	3	1	2	3	1	2	-	-	-	-	-	-
Under 1 year----	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other congenital malformations of female genitalia (Q52)												
All ages-----	1	...	1	-	...	-	1	...	1	1	...	1
Under 1 year-----	1	...	1	-	...	-	1	...	1	1	...	1
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Congenital malformation of female genitalia, unspecified (Q52.9)

All ages-----	1	...	1	-	...	-	1	...	1	1	...	1
Under 1 year-----	1	...	1	-	...	-	1	...	1	1	...	1
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Hypospadias (Q54)												
All ages-----	1	1	...	1	1	...	-	-	...	-	-	...
Under 1 year-----	1	1	...	1	1	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years-----	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years-----	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years-----	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years-----	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years-----	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years-----	-	-	...	-	-	...	-	-	...	-	-	...
85-89 years-----	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years-----	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...	-	-	...

Hypospadias, unspecified (Q54.9)

All ages-----	1	1	...	1	1	...	-	-	...	-	-	...
Under 1 year-----	1	1	...	1	1	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years-----	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years-----	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years-----	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years-----	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years-----	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years-----	-	-	...	-	-	...	-	-	...	-	-	...
85-89 years-----	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years-----	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...	-	-	...

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other congenital malformations of male genital organs (Q55)												
All ages-----	2	2	...	2	2	...	-	-	...	-	-	...
Under 1 year----	1	1	...	1	1	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years-----	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years-----	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years-----	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years-----	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years-----	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years-----	1	1	...	1	1	...	-	-	...	-	-	...
85-89 years-----	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years-----	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...	-	-	...

Other congenital malformations of vas deferens, epididymis, seminal vesicles, and prostate (Q55.4)

All ages-----	1	1	...	1	1	...	-	-	...	-	-	...
Under 1 year----	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years-----	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years-----	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years-----	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years-----	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years-----	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years-----	1	1	...	1	1	...	-	-	...	-	-	...
85-89 years-----	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years-----	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...	-	-	...

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Congenital absence and aplasia of penis (Q55.5)												
All ages-----	1	1	...	1	1	...	-	-	...	-	-	...
Under 1 year-----	1	1	...	1	1	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years-----	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years-----	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years-----	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years-----	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years-----	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years-----	-	-	...	-	-	...	-	-	...	-	-	...
85-89 years-----	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years-----	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...	-	-	...

Indeterminate sex and pseudohermaphroditism (Q56)

All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

RACE, AND SEX

Indeterminate sex, unspecified (Q56.4)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Renal agenesis and other reduction defects of kidney (Q60)

All ages-----	279	183	96	219	147	72	60	36	24	44	27	17
Under 1 year-----	263	177	86	205	142	63	58	35	23	42	26	16
1-4 years-----	2	1	1	1	-	1	1	1	-	1	1	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	2	-	2	1	-	1	1	-	1	1	-	1
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Renal agenesis, unilateral (Q60.0)												
All ages-----	10	4	6	10	4	6	-	-	-	-	-	-
Under 1 year----	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Renal agenesis, bilateral (Q60.1)

All ages-----	23	15	8	16	9	7	7	6	1	4	4	-
Under 1 year----	23	15	8	16	9	7	7	6	1	4	4	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Renal agenesis, unspecified (Q60.2)												
All ages-----	125	92	33	103	77	26	22	15	7	18	13	5
Under 1 year----	122	91	31	102	77	25	20	14	6	16	12	4
1-4 years-----	2	1	1	1	-	1	1	1	-	1	1	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	-	-	-	1	-	1	1	-	1
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Renal hypoplasia, unspecified (Q60.5)

All ages-----	15	6	9	8	3	5	7	3	4	5	3	2
Under 1 year----	11	5	6	4	2	2	7	3	4	5	3	2
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Potter's syndrome (Q60.6)												
All ages-----	106	66	40	82	54	28	24	12	12	17	7	10
Under 1 year-----	106	66	40	82	54	28	24	12	12	17	7	10
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Cystic kidney disease (Q61)												
All ages-----	418	202	216	363	169	194	55	33	22	43	28	15
Under 1 year-----	77	31	46	57	22	35	20	9	11	13	8	5
1-4 years-----	3	1	2	3	1	2	-	-	-	-	-	-
5-9 years-----	2	-	2	1	-	1	1	-	1	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	1	1	-	-	-	-	1	1	-	1	1	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	2	1	1	2	1	1	-	-	-	-	-	-
30-34 years-----	3	3	-	1	1	-	2	2	-	1	1	-
35-39 years-----	5	3	2	3	1	2	2	2	-	2	2	-
40-44 years-----	12	9	3	10	7	3	2	2	-	2	2	-
45-49 years-----	13	8	5	9	4	5	4	4	-	4	4	-
50-54 years-----	18	13	5	16	11	5	2	2	-	2	2	-
55-59 years-----	35	20	15	29	17	12	6	3	3	5	2	3
60-64 years-----	34	13	21	30	10	20	4	3	1	3	2	1
65-69 years-----	35	17	18	33	16	17	2	1	1	2	1	1
70-74 years-----	45	25	20	42	25	17	3	-	3	3	-	3
75-79 years-----	50	23	27	46	20	26	4	3	1	3	2	1
80-84 years-----	38	16	22	37	16	21	1	-	1	1	-	1
85-89 years-----	30	12	18	29	11	18	1	1	-	1	1	-
90-94 years-----	9	5	4	9	5	4	-	-	-	-	-	-
95-99 years-----	5	1	4	5	1	4	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Congenital single renal cyst (Q61.0)												
All ages-----	12	6	6	12	6	6	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	2	-	2	2	-	2	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	3	2	1	3	2	1	-	-	-	-	-	-
90-94 years-----	2	2	-	2	2	-	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Polycystic kidney, infantile type (Q61.1)

All ages-----	31	11	20	24	7	17	7	4	3	5	4	1
Under 1 year-----	30	11	19	23	7	16	7	4	3	5	4	1
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Polycystic kidney, adult type (Q61.2)												
All ages-----	6	4	2	5	3	2	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	2	2	-	1	1	-	1	1	-	1	1	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Polycystic kidney, unspecified (Q61.3)

All ages-----	322	161	161	287	139	148	35	22	13	31	19	12
Under 1 year-----	14	5	9	10	4	6	4	1	3	3	1	2
1-4 years-----	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	3	3	-	1	1	-	2	2	-	1	1	-
35-39 years-----	5	3	2	3	1	2	2	2	-	2	2	-
40-44 years-----	12	9	3	10	7	3	2	2	-	2	2	-
45-49 years-----	13	8	5	9	4	5	4	4	-	4	4	-
50-54 years-----	15	11	4	14	10	4	1	1	-	1	1	-
55-59 years-----	33	18	15	27	15	12	6	3	3	5	2	3
60-64 years-----	32	13	19	28	10	18	4	3	1	3	2	1
65-69 years-----	34	17	17	32	16	16	2	1	1	2	1	1
70-74 years-----	41	24	17	38	24	14	3	-	3	3	-	3
75-79 years-----	47	22	25	44	20	24	3	2	1	3	2	1
80-84 years-----	36	15	21	35	15	20	1	-	1	1	-	1
85-89 years-----	26	9	17	25	8	17	1	1	-	1	1	-
90-94 years-----	5	3	2	5	3	2	-	-	-	-	-	-
95-99 years-----	3	1	2	3	1	2	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Renal dysplasia (Q61.4)												
All ages-----	25	13	12	16	8	8	9	5	4	6	4	2
Under 1 year-----	21	11	10	13	7	6	8	4	4	5	3	2
1-4 years-----	2	1	1	2	1	1	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	-	-	-	1	1	-	1	1	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Medullary cystic kidney (Q61.5)

All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other cystic kidney diseases (Q61.8)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Cystic kidney disease, unspecified (Q61.9)

All ages-----	20	6	14	17	5	12	3	1	2	-	-	-
Under 1 year-----	12	4	8	11	4	7	1	-	1	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	2	-	2	1	-	1	1	-	1	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	1	1	-	-	-	-	1	1	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Congenital obstructive defects of renal pelvis and congenital malformations of ureter (Q62)												
All ages-----	7	2	5	6	2	4	1	-	1	1	-	1
Under 1 year----	2	2	-	2	2	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	-	-	-	1	-	1	1	-	1
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	2	-	2	2	-	2	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Congenital hydronephrosis (Q62.0)

All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Atresia and stenosis of ureter (Q62.1)												
All ages-----	4	1	3	3	1	2	1	-	1	1	-	1
Under 1 year----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	-	-	-	1	-	1	1	-	1
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Other obstructive defects of renal pelvis and ureter (Q62.3)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other congenital malformations of ureter (Q62.8)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other congenital malformations of kidney (Q63)

All ages-----	11	6	5	6	3	3	5	3	2	4	3	1
Under 1 year-----	6	4	2	3	2	1	3	2	1	3	2	1
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	2	1	1	-	-	-	2	1	1	1	1	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Lobulated, fused, and horseshoe kidney (Q63.1)												
All ages-----	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other specified congenital malformations of kidney (Q63.8)

All ages-----	2	-	2	1	-	1	1	-	1	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	-	1	-	-	-	1	-	1	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Congenital malformation of kidney, unspecified (Q63.9)												
All ages-----	7	5	2	3	2	1	4	3	1	4	3	1
Under 1 year-----	6	4	2	3	2	1	3	2	1	3	2	1
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	-	-	-	1	1	-	1	1	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other congenital malformations of urinary system (Q64)

All ages-----	19	14	5	13	9	4	6	5	1	6	5	1
Under 1 year-----	14	11	3	8	6	2	6	5	1	6	5	1
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Exstrophy of urinary bladder (Q64.1)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Congenital posterior urethral valves (Q64.2)												
All ages-----	8	8	-	4	4	-	4	4	-	4	4	-
Under 1 year-----	8	8	-	4	4	-	4	4	-	4	4	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other atresia and stenosis of urethra and bladder neck (Q64.3)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year----	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Malformation of urachus (Q64.4)

All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other congenital malformations of bladder and urethra (Q64.7)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other specified congenital malformations of urinary system (Q64.8)

All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Congenital malformation of urinary system, unspecified (Q64.9)												
All ages-----	6	3	3	4	2	2	2	1	1	2	1	1
Under 1 year----	3	1	2	1	-	1	2	1	1	2	1	1
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Congenital deformities of hip (Q65)

All ages-----	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Congenital dislocation of hip, unspecified (Q65.2)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other congenital deformities of hip (Q65.8)

All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

ALL RACES WHITE ALL OTHER BLACK

Congenital musculoskeletal deformities of head, face, spine, and chest (Q67)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	17	5	12	15	5	10	2	-	2	1	-	1
Under 1 year----	4	1	3	3	1	2	1	-	1	-	-	-
1-4 years-----	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	2	-	2	1	-	1	1	-	1	1	-	1
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	2	1	1	2	1	1	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	2	-	2	2	-	2	-	-	-	-	-	-
75-79 years-----	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Compression facies (Q67.1)

All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Congenital deformity of spine (Q67.5)												
All ages-----	12	4	8	11	4	7	1	-	1	1	-	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	2	-	2	1	-	1	1	-	1	1	-	1
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	2	1	1	2	1	1	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	2	-	2	2	-	2	-	-	-	-	-	-
75-79 years-----	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other congenital deformities of chest (Q67.8)

All ages-----	4	-	4	3	-	3	1	-	1	-	-	-
Under 1 year----	3	-	3	2	-	2	1	-	1	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other congenital musculoskeletal deformities (Q68)												
All ages-----	5	-	5	5	-	5	-	-	-	-	-	-
Under 1 year----	3	-	3	3	-	3	-	-	-	-	-	-
1-4 years-----	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other specified congenital musculoskeletal deformities (Q68.8)

All ages-----	5	-	5	5	-	5	-	-	-	-	-	-
Under 1 year----	3	-	3	3	-	3	-	-	-	-	-	-
1-4 years-----	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other congenital malformations of limb (s) (Q74)												
All ages-----	4	1	3	4	1	3	-	-	-	-	-	-
Under 1 year-----	3	1	2	3	1	2	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Arthrogryposis multiplex congenita (Q74.3)

All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other specified congenital malformations of limb (s) (Q74.8)												
All ages-----	2	-	2	2	-	2	-	-	-	-	-	-
Under 1 year----	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Unspecified congenital malformation of limb (s) (Q74.9)

All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other congenital malformations of skull and face bones (Q75)												
All ages-----	18	9	9	15	8	7	3	1	2	3	1	2
Under 1 year-----	9	3	6	7	2	5	2	1	1	2	1	1
1-4 years-----	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	3	3	-	3	3	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	-	-	-	1	-	1	1	-	1
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Craniosynostosis (Q75.0)

All ages-----	3	2	1	3	2	1	-	-	-	-	-	-
Under 1 year-----	2	1	1	2	1	1	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Craniofacial dysostosis (Q75.1)												
All ages-----	3	2	1	2	2	-	1	-	1	1	-	1
Under 1 year-----	1	-	1	-	-	-	1	-	1	1	-	1
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Macrocephaly (Q75.3)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Mandibulofacial dysostosis (Q75.4)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Other specified congenital malformations of skull and face bones (Q75.8)												
All ages-----	3	2	1	3	2	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Congenital malformation of skull and face bones, unspecified (Q75.9)												
All ages-----	7	2	5	5	1	4	2	1	1	2	1	1
Under 1 year----	4	1	3	3	-	3	1	1	-	1	1	-
1-4 years-----	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	-	-	-	1	-	1	1	-	1
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Congenital malformations of spine and bony thorax (Q76)

All ages-----	10	3	7	10	3	7	-	-	-	-	-	-
Under 1 year----	3	2	1	3	2	1	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	2	-	2	2	-	2	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Spina bifida occulta (Q76.0)												
All ages-----	2	-	2	2	-	2	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Klippel-Feil syndrome (Q76.1)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other congenital malformations of spine, not associated with scoliosis (Q76.4)												
All ages-----	6	2	4	6	2	4	-	-	-	-	-	-
Under 1 year-----	3	2	1	3	2	1	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	2	-	2	2	-	2	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other congenital malformations of ribs (Q76.6)

All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Osteochondrodysplasia with defects of growth of tubular bones and spine (Q77)												
All ages-----	59	33	26	39	20	19	20	13	7	17	10	7
Under 1 year-----	43	22	21	30	14	16	13	8	5	10	5	5
1-4 years-----	10	8	2	4	3	1	6	5	1	6	5	1
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	-	-	-	1	-	1	1	-	1
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Achondrogenesis (Q77.0)

All ages-----	3	2	1	3	2	1	-	-	-	-	-	-
Under 1 year-----	3	2	1	3	2	1	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Thanatophoric short stature (Q77.1)												
All ages-----	24	12	12	16	7	9	8	5	3	7	4	3
Under 1 year----	24	12	12	16	7	9	8	5	3	7	4	3
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Short rib syndrome (Q77.2)

All ages-----	14	9	5	8	5	3	6	4	2	4	2	2
Under 1 year----	11	7	4	7	4	3	4	3	1	2	1	1
1-4 years-----	3	2	1	1	1	-	2	1	1	2	1	1
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Chondrodysplasia punctata (Q77.3)												
All ages-----	4	2	2	2	-	2	2	2	-	2	2	-
Under 1 year-----	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years-----	3	2	1	1	-	1	2	2	-	2	2	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Achondroplasia (Q77.4)												
All ages-----	12	7	5	8	5	3	4	2	2	4	2	2
Under 1 year-----	2	-	2	1	-	1	1	-	1	1	-	1
1-4 years-----	4	4	-	2	2	-	2	2	-	2	2	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	-	-	-	1	-	1	1	-	1
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Spondyloepiphyseal dysplasia (Q77.7)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other osteochondrodysplasia with defects of growth of tubular bones and spine (Q77.8)

All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other osteochondrodysplasias (Q78)												
All ages-----	118	56	62	89	45	44	29	11	18	24	9	15
Under 1 year----	74	37	37	50	29	21	24	8	16	20	7	13
1-4 years-----	5	3	2	5	3	2	-	-	-	-	-	-
5-9 years-----	3	2	1	2	2	-	1	-	1	1	-	1
10-14 years-----	2	-	2	2	-	2	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	2	1	1	2	1	1	-	-	-	-	-	-
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	3	1	2	2	-	2	1	1	-	1	1	-
40-44 years-----	4	2	2	3	1	2	1	1	-	1	1	-
45-49 years-----	4	2	2	3	1	2	1	1	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	3	1	2	3	1	2	-	-	-	-	-	-
65-69 years-----	3	1	2	3	1	2	-	-	-	-	-	-
70-74 years-----	3	1	2	3	1	2	-	-	-	-	-	-
75-79 years-----	6	1	5	5	1	4	1	-	1	1	-	1
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	3	2	1	3	2	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Osteogenesis imperfecta (Q78.0)												
All ages-----	64	34	30	48	26	22	16	8	8	14	6	8
Under 1 year----	38	22	16	25	16	9	13	6	7	12	5	7
1-4 years-----	2	2	-	2	2	-	-	-	-	-	-	-
5-9 years-----	2	1	1	1	1	-	1	-	1	1	-	1
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	2	1	1	2	1	1	-	-	-	-	-	-
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	2	1	1	1	-	1	1	1	-	1	1	-
40-44 years-----	2	1	1	2	1	1	-	-	-	-	-	-
45-49 years-----	3	2	1	2	1	1	1	1	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	2	-	2	2	-	2	-	-	-	-	-	-
65-69 years-----	3	1	2	3	1	2	-	-	-	-	-	-
70-74 years-----	3	1	2	3	1	2	-	-	-	-	-	-
75-79 years-----	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Polyostotic fibrous dysplasia (Q78.1)												
All ages-----	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Osteopetrosis (Q78.2)												
All ages-----	10	5	5	10	5	5	-	-	-	-	-	-
Under 1 year-----	2	2	-	2	2	-	-	-	-	-	-	-
1-4 years-----	2	1	1	2	1	1	-	-	-	-	-	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	3	-	3	3	-	3	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Enchondromatosis (Q78.4)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Metaphyseal dysplasia (Q78.5)												
All ages-----	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other specified osteochondrodysplasias (Q78.8)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Osteochondrodysplasia, unspecified (Q78.9)

All ages-----	38	14	24	25	11	14	13	3	10	10	3	7
Under 1 year-----	34	13	21	23	11	12	11	2	9	8	2	6
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	-	-	-	1	1	-	1	1	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	-	-	-	1	-	1	1	-	1
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Congenital malformations of musculoskeletal system, not elsewhere classified (Q79)												
All ages-----	345	204	141	282	171	111	63	33	30	53	28	25
Under 1 year----	316	184	132	255	153	102	61	31	30	51	26	25
1-4 years-----	7	7	-	6	6	-	1	1	-	1	1	-
5-9 years-----	3	3	-	3	3	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	4	3	1	3	2	1	1	1	-	1	1	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	2	1	1	2	1	1	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	3	2	1	3	2	1	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Congenital diaphragmatic hernia (Q79.0)

All ages-----	247	147	100	201	125	76	46	22	24	37	18	19
Under 1 year----	239	140	99	194	119	75	45	21	24	36	17	19
1-4 years-----	4	4	-	3	3	-	1	1	-	1	1	-
5-9 years-----	3	3	-	3	3	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other congenital malformations of diaphragm (Q79.1)												
All ages-----	3	2	1	2	1	1	1	1	-	1	1	-
Under 1 year----	1	1	-	-	-	-	1	1	-	1	1	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Exomphalos (Q79.2)

All ages-----	25	14	11	19	12	7	6	2	4	5	1	4
Under 1 year----	25	14	11	19	12	7	6	2	4	5	1	4
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Gastroschisis (Q79.3)												
All ages-----	33	18	15	26	13	13	7	5	2	7	5	2
Under 1 year----	31	16	15	24	11	13	7	5	2	7	5	2
1-4 years-----	2	2	-	2	2	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Prune belly syndrome (Q79.4)												
All ages-----	3	3	-	2	2	-	1	1	-	1	1	-
Under 1 year----	2	2	-	2	2	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	-	-	-	1	1	-	1	1	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other congenital malformations of abdominal wall (Q79.5)												
All ages-----	9	6	3	8	5	3	1	1	-	1	1	-
Under 1 year-----	6	4	2	5	3	2	1	1	-	1	1	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Ehlers-Danlos syndrome (Q79.6)

All ages-----	9	4	5	9	4	5	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	3	2	1	3	2	1	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other congenital malformations of musculoskeletal system (Q79.8)												
All ages-----	9	6	3	8	5	3	1	1	-	1	1	-
Under 1 year----	8	5	3	7	4	3	1	1	-	1	1	-
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Congenital malformation of musculoskeletal system, unspecified (Q79.9)

All ages-----	7	4	3	7	4	3	-	-	-	-	-	-
Under 1 year----	4	2	2	4	2	2	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	2	1	1	2	1	1	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Congenital ichthyosis (Q80)												
All ages-----	6	6	-	5	5	-	1	1	-	-	-	-
Under 1 year-----	6	6	-	5	5	-	1	1	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Lamellar ichthyosis (Q80.2)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Harlequin fetus (Q80.4)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Other congenital ichthyosis (Q80.8)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Congenital ichthyosis, unspecified (Q80.9)												
All ages-----	3	3	-	2	2	-	1	1	-	-	-	-
Under 1 year-----	3	3	-	2	2	-	1	1	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Epidermolysis bullosa (Q81)												
All ages-----	27	10	17	19	7	12	8	3	5	6	1	5
Under 1 year-----	18	6	12	11	4	7	7	2	5	6	1	5
1-4 years-----	3	3	-	2	2	-	1	1	-	-	-	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	3	-	3	3	-	3	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Epidermolysis bullosa letalis (Q81.1)												
All ages-----	1	1	-	-	-	-	1	1	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	1	-	-	-	-	1	1	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Epidermolysis bullosa dystrophica (Q81.2)

All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Epidermolysis bullosa, unspecified (Q81.9)												
All ages-----	25	9	16	18	7	11	7	2	5	6	1	5
Under 1 year-----	18	6	12	11	4	7	7	2	5	6	1	5
1-4 years-----	2	2	-	2	2	-	-	-	-	-	-	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	2	-	2	2	-	2	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other congenital malformations of skin (Q82)

All ages-----	24	13	11	19	10	9	5	3	2	5	3	2
Under 1 year-----	4	4	-	2	2	-	2	2	-	2	2	-
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	1	1	-	-	-	-	1	1	-	1	1	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	2	-	2	1	-	1	1	-	1	1	-	1
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	4	3	1	4	3	1	-	-	-	-	-	-
75-79 years-----	2	-	2	2	-	2	-	-	-	-	-	-
80-84 years-----	4	1	3	3	1	2	1	-	1	1	-	1
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Hereditary lymphedema (Q82.0)												
All ages-----	4	1	3	2	1	1	2	-	2	2	-	2
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	-	-	-	1	-	1	1	-	1
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	-	1	-	-	-	1	-	1	1	-	1
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Mastocytosis (Q82.2)												
All ages-----	12	6	6	12	6	6	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	3	3	-	3	3	-	-	-	-	-	-	-
75-79 years-----	2	-	2	2	-	2	-	-	-	-	-	-
80-84 years-----	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Incontinentia pigmenti (Q82.3)												
All ages-----	1	1	-	-	-	-	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	1	-	-	-	-	1	1	-	1	1	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Ectodermal dysplasia (anhidrotic) (Q82.4)

All ages-----	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year-----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other specified congenital malformations of skin (Q82.8)												
All ages-----	4	3	1	2	1	1	2	2	-	2	2	-
Under 1 year-----	2	2	-	-	-	-	2	2	-	2	2	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Congenital malformation of skin, unspecified (Q82.9)

All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Phakomatoses, not elsewhere classified (Q85)												
All ages-----	119	61	58	96	48	48	23	13	10	21	11	10
Under 1 year-----	2	-	2	1	-	1	1	-	1	1	-	1
1-4 years-----	2	2	-	1	1	-	1	1	-	1	1	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	4	3	1	3	2	1	1	1	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	7	5	2	5	3	2	2	2	-	1	1	-
25-29 years-----	5	4	1	4	3	1	1	1	-	1	1	-
30-34 years-----	12	5	7	10	4	6	2	1	1	2	1	1
35-39 years-----	5	3	2	4	3	1	1	-	1	1	-	1
40-44 years-----	15	9	6	11	6	5	4	3	1	4	3	1
45-49 years-----	16	7	9	12	5	7	4	2	2	4	2	2
50-54 years-----	4	3	1	4	3	1	-	-	-	-	-	-
55-59 years-----	4	3	1	4	3	1	-	-	-	-	-	-
60-64 years-----	6	4	2	4	3	1	2	1	1	2	1	1
65-69 years-----	8	2	6	8	2	6	-	-	-	-	-	-
70-74 years-----	12	4	8	10	3	7	2	1	1	2	1	1
75-79 years-----	3	2	1	3	2	1	-	-	-	-	-	-
80-84 years-----	11	4	7	9	4	5	2	-	2	2	-	2
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Neurofibromatosis (nonmalignant) (Q85.0)

All ages-----	89	43	46	71	34	37	18	9	9	16	7	9
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	-	-	-	1	1	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	5	3	2	3	1	2	2	2	-	1	1	-
25-29 years-----	4	3	1	3	2	1	1	1	-	1	1	-
30-34 years-----	8	3	5	7	3	4	1	-	1	1	-	1
35-39 years-----	3	2	1	2	2	-	1	-	1	1	-	1
40-44 years-----	13	7	6	10	5	5	3	2	1	3	2	1
45-49 years-----	13	6	7	9	4	5	4	2	2	4	2	2
50-54 years-----	3	3	-	3	3	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	3	2	1	2	2	-	1	-	1	1	-	1
65-69 years-----	8	2	6	8	2	6	-	-	-	-	-	-
70-74 years-----	11	4	7	9	3	6	2	1	1	2	1	1
75-79 years-----	3	2	1	3	2	1	-	-	-	-	-	-
80-84 years-----	11	4	7	9	4	5	2	-	2	2	-	2
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Tuberous sclerosis (Q85.1)												
All ages-----	13	6	7	12	5	7	1	1	-	1	1	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	2	1	1	2	1	1	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	2	2	-	2	2	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	2	1	1	1	-	1	1	1	-	1	1	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	2	-	2	2	-	2	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other phakomatoses, not elsewhere classified (Q85.8)

All ages-----	15	11	4	12	8	4	3	3	-	3	3	-
Under 1 year----	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years-----	2	2	-	1	1	-	1	1	-	1	1	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	2	1	1	2	1	1	-	-	-	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	2	2	-	1	1	-	1	1	-	1	1	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	2	2	-	2	2	-	-	-	-	-	-	-
60-64 years-----	3	2	1	2	1	1	1	1	-	1	1	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Phakomatosis, unspecified (Q85.9)												
All ages-----	2	1	1	1	1	-	1	-	1	1	-	1
Under 1 year-----	1	-	1	-	-	-	1	-	1	1	-	1
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Congenital malformation syndromes due to known exogenous causes, not elsewhere classified (Q86)

All ages-----	10	6	4	6	3	3	4	3	1	3	2	1
Under 1 year-----	8	4	4	5	2	3	3	2	1	3	2	1
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	1	-	-	-	-	1	1	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Fetal alcohol syndrome (dysmorphic) (Q86.0)												
All ages-----	5	4	1	1	1	-	4	3	1	3	2	1
Under 1 year----	3	2	1	-	-	-	3	2	1	3	2	1
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	1	-	-	-	-	1	1	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Fetal hydantoin syndrome (Q86.1)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year----	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other congenital malformation syndromes due to known exogenous causes (Q86.8)												
All ages-----	4	2	2	4	2	2	-	-	-	-	-	-
Under 1 year-----	4	2	2	4	2	2	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other specified congenital malformation syndromes affecting multiple systems (Q87)

All ages-----	240	130	110	210	117	93	30	13	17	22	10	12
Under 1 year-----	57	29	28	46	25	21	11	4	7	6	3	3
1-4 years-----	22	10	12	19	9	10	3	1	2	3	1	2
5-9 years-----	6	3	3	6	3	3	-	-	-	-	-	-
10-14 years-----	9	5	4	5	2	3	4	3	1	3	2	1
15-19 years-----	11	5	6	10	5	5	1	-	1	-	-	-
20-24 years-----	20	14	6	19	13	6	1	1	-	1	1	-
25-29 years-----	11	7	4	10	6	4	1	1	-	1	1	-
30-34 years-----	11	7	4	9	7	2	2	-	2	2	-	2
35-39 years-----	24	12	12	22	12	10	2	-	2	2	-	2
40-44 years-----	15	10	5	14	9	5	1	1	-	-	-	-
45-49 years-----	12	7	5	12	7	5	-	-	-	-	-	-
50-54 years-----	15	9	6	14	8	6	1	1	-	1	1	-
55-59 years-----	5	2	3	5	2	3	-	-	-	-	-	-
60-64 years-----	6	2	4	6	2	4	-	-	-	-	-	-
65-69 years-----	8	4	4	7	4	3	1	-	1	1	-	1
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	3	2	1	1	1	-	2	1	1	2	1	1
80-84 years-----	4	1	3	4	1	3	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

RACE, AND SEX

Congenital malformation syndromes predominantly affecting facial appearance (Q87.0)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	15	8	7	12	6	6	3	2	1	2	1	1
Under 1 year----	11	7	4	9	5	4	2	2	-	1	1	-
1-4 years-----	2	1	1	2	1	1	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	-	-	-	1	-	1	1	-	1
15-19 years-----	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Congenital malformation syndromes predominantly associated with short stature (Q87.1)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	61	30	31	56	27	29	5	3	2	4	3	1
Under 1 year----	15	8	7	13	7	6	2	1	1	1	1	-
1-4 years-----	9	4	5	8	4	4	1	-	1	1	-	1
5-9 years-----	4	1	3	4	1	3	-	-	-	-	-	-
10-14 years-----	4	3	1	3	2	1	1	1	-	1	1	-
15-19 years-----	5	2	3	5	2	3	-	-	-	-	-	-
20-24 years-----	9	6	3	8	5	3	1	1	-	1	1	-
25-29 years-----	3	1	2	3	1	2	-	-	-	-	-	-
30-34 years-----	2	1	1	2	1	1	-	-	-	-	-	-
35-39 years-----	4	1	3	4	1	3	-	-	-	-	-	-
40-44 years-----	3	2	1	3	2	1	-	-	-	-	-	-
45-49 years-----	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Congenital malformation syndromes predominantly involving limbs (Q87.2)												
All ages-----	15	7	8	11	6	5	4	1	3	2	1	1
Under 1 year----	5	2	3	4	2	2	1	-	1	-	-	-
1-4 years-----	7	4	3	5	3	2	2	1	1	2	1	1
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	-	1	-	-	-	1	-	1	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Congenital malformation syndromes involving early overgrowth (Q87.3)

All ages-----	2	1	1	1	1	-	1	-	1	1	-	1
Under 1 year----	2	1	1	1	1	-	1	-	1	1	-	1
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Marfan's syndrome (Q87.4)												
All ages-----	110	66	44	97	60	37	13	6	7	10	4	6
Under 1 year-----	5	3	2	3	2	1	2	1	1	1	1	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	3	2	1	1	-	1	2	2	-	1	1	-
15-19 years-----	4	3	1	4	3	1	-	-	-	-	-	-
20-24 years-----	9	7	2	9	7	2	-	-	-	-	-	-
25-29 years-----	7	5	2	6	4	2	1	1	-	1	1	-
30-34 years-----	8	5	3	6	5	1	2	-	2	2	-	2
35-39 years-----	18	10	8	16	10	6	2	-	2	2	-	2
40-44 years-----	11	7	4	10	6	4	1	1	-	-	-	-
45-49 years-----	10	6	4	10	6	4	-	-	-	-	-	-
50-54 years-----	13	8	5	13	8	5	-	-	-	-	-	-
55-59 years-----	4	1	3	4	1	3	-	-	-	-	-	-
60-64 years-----	6	2	4	6	2	4	-	-	-	-	-	-
65-69 years-----	6	3	3	5	3	2	1	-	1	1	-	1
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	3	2	1	1	1	-	2	1	1	2	1	1
80-84 years-----	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other specified congenital malformation syndromes, not elsewhere classified (Q87.8)

All ages-----	37	18	19	33	17	16	4	1	3	3	1	2
Under 1 year-----	19	8	11	16	8	8	3	-	3	2	-	2
1-4 years-----	4	1	3	4	1	3	-	-	-	-	-	-
5-9 years-----	2	2	-	2	2	-	-	-	-	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	2	1	1	2	1	1	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	-	-	-	1	1	-	1	1	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	2	-	2	2	-	2	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other congenital malformations, not elsewhere classified (Q89)												
All ages-----	627	349	278	477	269	208	150	80	70	125	72	53
Under 1 year----	439	247	192	326	189	137	113	58	55	91	52	39
1-4 years-----	55	31	24	39	22	17	16	9	7	15	8	7
5-9 years-----	11	9	2	8	6	2	3	3	-	3	3	-
10-14 years-----	5	2	3	4	1	3	1	1	-	-	-	-
15-19 years-----	3	-	3	2	-	2	1	-	1	1	-	1
20-24 years-----	5	4	1	4	3	1	1	1	-	1	1	-
25-29 years-----	2	-	2	1	-	1	1	-	1	1	-	1
30-34 years-----	4	4	-	3	3	-	1	1	-	1	1	-
35-39 years-----	7	4	3	6	4	2	1	-	1	1	-	1
40-44 years-----	3	1	2	1	-	1	2	1	1	2	1	1
45-49 years-----	9	7	2	8	6	2	1	1	-	1	1	-
50-54 years-----	10	5	5	10	5	5	-	-	-	-	-	-
55-59 years-----	6	3	3	5	2	3	1	1	-	1	1	-
60-64 years-----	3	3	-	3	3	-	-	-	-	-	-	-
65-69 years-----	6	3	3	6	3	3	-	-	-	-	-	-
70-74 years-----	7	6	1	5	4	1	2	2	-	2	2	-
75-79 years-----	12	6	6	11	5	6	1	1	-	1	1	-
80-84 years-----	12	6	6	11	6	5	1	-	1	1	-	1
85-89 years-----	16	6	10	14	6	8	2	-	2	1	-	1
90-94 years-----	8	1	7	6	-	6	2	1	1	2	1	1
95-99 years-----	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	2	1	1	2	1	1	-	-	-	-	-	-

Congenital malformations of spleen (Q89.0)

All ages-----	15	8	7	11	7	4	4	1	3	3	1	2
Under 1 year----	5	2	3	3	2	1	2	-	2	1	-	1
1-4 years-----	2	2	-	1	1	-	1	1	-	1	1	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	2	-	2	1	-	1	1	-	1	1	-	1
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

RACE, AND SEX

Congenital malformations of adrenal gland (Q89.1)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	8	5	3	5	4	1	3	1	2	3	1	2
Under 1 year----	4	3	1	2	2	-	2	1	1	2	1	1
1-4 years-----	3	1	2	2	1	1	1	-	1	1	-	1
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Congenital malformations of other endocrine glands (Q89.2)

All ages-----	4	2	2	3	1	2	1	1	-	1	1	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	-	-	-	1	1	-	1	1	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Situs inversus (Q89.3)												
All ages-----	10	9	1	10	9	1	-	-	-	-	-	-
Under 1 year-----	2	1	1	2	1	1	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	2	2	-	2	2	-	-	-	-	-	-	-
50-54 years-----	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	2	2	-	2	2	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Conjoined twins (Q89.4)												
All ages-----	22	3	19	18	3	15	4	-	4	4	-	4
Under 1 year-----	22	3	19	18	3	15	4	-	4	4	-	4
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

RACE, AND SEX

Multiple congenital malformations, not elsewhere classified (Q89.7)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	333	200	133	242	149	93	91	51	40	76	47	29
Under 1 year-----	287	171	116	209	129	80	78	42	36	63	38	25
1-4 years-----	26	18	8	19	13	6	7	5	2	7	5	2
5-9 years-----	2	2	-	1	1	-	1	1	-	1	1	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	2	-	2	1	-	1	1	-	1	1	-	1
20-24 years-----	4	3	1	3	2	1	1	1	-	1	1	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	-	-	-	1	1	-	1	1	-
35-39 years-----	2	-	2	2	-	2	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	2	2	-	1	1	-	1	1	-	1	1	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	-	1	-	-	-	1	-	1	1	-	1
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	2	1	1	2	1	1	-	-	-	-	-	-

Other specified congenital malformations (Q89.8)

All ages-----	97	50	47	81	44	37	16	6	10	12	5	7
Under 1 year-----	55	28	27	44	24	20	11	4	7	7	3	4
1-4 years-----	11	4	7	8	3	5	3	1	2	3	1	2
5-9 years-----	4	2	2	4	2	2	-	-	-	-	-	-
10-14 years-----	2	-	2	2	-	2	-	-	-	-	-	-
15-19 years-----	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	2	2	-	2	2	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	6	3	3	6	3	3	-	-	-	-	-	-
55-59 years-----	2	2	-	2	2	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	3	2	1	3	2	1	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	2	1	1	1	-	1	1	1	-	1	1	-
80-84 years-----	3	1	2	2	1	1	1	-	1	1	-	1
85-89 years-----	3	2	1	3	2	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Congenital malformation, unspecified (Q89.9)												
All ages-----	138	72	66	107	52	55	31	20	11	26	17	9
Under 1 year-----	64	39	25	48	28	20	16	11	5	14	10	4
1-4 years-----	13	6	7	9	4	5	4	2	2	3	1	2
5-9 years-----	4	4	-	2	2	-	2	2	-	2	2	-
10-14 years-----	2	1	1	1	-	1	1	1	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	1	-	1	-	-	-	1	-	1	1	-	1
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	3	2	1	2	2	-	1	-	1	1	-	1
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years-----	2	-	2	2	-	2	-	-	-	-	-	-
55-59 years-----	3	1	2	2	-	2	1	1	-	1	1	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	2	-	2	2	-	2	-	-	-	-	-	-
70-74 years-----	4	4	-	2	2	-	2	2	-	2	2	-
75-79 years-----	7	2	5	7	2	5	-	-	-	-	-	-
80-84 years-----	8	5	3	8	5	3	-	-	-	-	-	-
85-89 years-----	11	3	8	9	3	6	2	-	2	1	-	1
90-94 years-----	7	1	6	6	-	6	1	1	-	1	1	-
95-99 years-----	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Down's syndrome (Q90)												
All ages-----	619	308	311	536	267	269	83	41	42	67	33	34
Under 1 year-----	94	47	47	79	39	40	15	8	7	11	6	5
1-4 years-----	13	8	5	7	4	3	6	4	2	6	4	2
5-9 years-----	4	2	2	3	2	1	1	-	1	1	-	1
10-14 years-----	9	5	4	6	2	4	3	3	-	3	3	-
15-19 years-----	7	4	3	5	2	3	2	2	-	1	1	-
20-24 years-----	14	8	6	8	6	2	6	2	4	4	1	3
25-29 years-----	12	6	6	9	5	4	3	1	2	2	-	2
30-34 years-----	27	15	12	17	9	8	10	6	4	9	5	4
35-39 years-----	21	14	7	18	11	7	3	3	-	2	2	-
40-44 years-----	34	15	19	29	13	16	5	2	3	3	2	1
45-49 years-----	70	40	30	62	36	26	8	4	4	8	4	4
50-54 years-----	86	35	51	78	33	45	8	2	6	8	2	6
55-59 years-----	102	50	52	98	49	49	4	1	3	2	1	1
60-64 years-----	77	42	35	74	41	33	3	1	2	2	1	1
65-69 years-----	33	13	20	29	13	16	4	-	4	4	-	4
70-74 years-----	11	4	7	9	2	7	2	2	-	1	1	-
75-79 years-----	4	-	4	4	-	4	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Down's syndrome, unspecified (Q90.9)												
All ages-----	619	308	311	536	267	269	83	41	42	67	33	34
Under 1 year-----	94	47	47	79	39	40	15	8	7	11	6	5
1-4 years-----	13	8	5	7	4	3	6	4	2	6	4	2
5-9 years-----	4	2	2	3	2	1	1	-	1	1	-	1
10-14 years-----	9	5	4	6	2	4	3	3	-	3	3	-
15-19 years-----	7	4	3	5	2	3	2	2	-	1	1	-
20-24 years-----	14	8	6	8	6	2	6	2	4	4	1	3
25-29 years-----	12	6	6	9	5	4	3	1	2	2	-	2
30-34 years-----	27	15	12	17	9	8	10	6	4	9	5	4
35-39 years-----	21	14	7	18	11	7	3	3	-	2	2	-
40-44 years-----	34	15	19	29	13	16	5	2	3	3	2	1
45-49 years-----	70	40	30	62	36	26	8	4	4	8	4	4
50-54 years-----	86	35	51	78	33	45	8	2	6	8	2	6
55-59 years-----	102	50	52	98	49	49	4	1	3	2	1	1
60-64 years-----	77	42	35	74	41	33	3	1	2	2	1	1
65-69 years-----	33	13	20	29	13	16	4	-	4	4	-	4
70-74 years-----	11	4	7	9	2	7	2	2	-	1	1	-
75-79 years-----	4	-	4	4	-	4	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Edwards' syndrome and Patau's syndrome (Q91)

All ages-----	725	301	424	566	236	330	159	65	94	136	59	77
Under 1 year-----	689	288	401	546	229	317	143	59	84	120	53	67
1-4 years-----	14	5	9	8	2	6	6	3	3	6	3	3
5-9 years-----	5	-	5	-	-	-	5	-	5	5	-	5
10-14 years-----	8	3	5	5	1	4	3	2	1	3	2	1
15-19 years-----	4	1	3	2	-	2	2	1	1	2	1	1
20-24 years-----	3	2	1	3	2	1	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

RACE, AND SEX

Trisomy 18, mosaicism (mitotic nondisjunction) (Q91.1)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Edwards' syndrome, unspecified (Q91.3)

All ages-----	455	164	291	360	128	232	95	36	59	76	31	45
Under 1 year-----	438	160	278	350	126	224	88	34	54	69	29	40
1-4 years-----	7	2	5	3	-	3	4	2	2	4	2	2
5-9 years-----	2	-	2	-	-	-	2	-	2	2	-	2
10-14 years-----	3	-	3	3	-	3	-	-	-	-	-	-
15-19 years-----	2	-	2	1	-	1	1	-	1	1	-	1
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Trisomy 13, translocation (Q91.6)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year----	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Patau's syndrome, unspecified (Q91.7)

All ages-----	268	136	132	204	107	97	64	29	35	60	28	32
Under 1 year----	249	127	122	194	102	92	55	25	30	51	24	27
1-4 years-----	7	3	4	5	2	3	2	1	1	2	1	1
5-9 years-----	3	-	3	-	-	-	3	-	3	3	-	3
10-14 years-----	5	3	2	2	1	1	3	2	1	3	2	1
15-19 years-----	2	1	1	1	-	1	1	1	-	1	1	-
20-24 years-----	2	2	-	2	2	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

RACE, AND SEX - - - ALL RACES - - - - - - WHITE - - - - - - ALL OTHER - - - - - - BLACK - - -

Other trisomies and partial trisomies of autosomes, not elsewhere classified (Q92)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	65	34	31	51	29	22	14	5	9	12	5	7
Under 1 year----	55	27	28	43	23	20	12	4	8	10	4	6
1-4 years-----	5	4	1	4	3	1	1	1	-	1	1	-
5-9 years-----	2	1	1	2	1	1	-	-	-	-	-	-
10-14 years-----	1	-	1	-	-	-	1	-	1	1	-	1
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	2	2	-	2	2	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Whole chromosome trisomy, mosaicism (mitotic nondisjunction) (Q92.1)

All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

ALL RACES WHITE ALL OTHER BLACK

Duplications with other complex rearrangements (Q92.5)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year----	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Triploidy and polyploidy (Q92.7)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	8	4	4	8	4	4	-	-	-	-	-	-
Under 1 year----	8	4	4	8	4	4	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Other specified trisomies and partial trisomies of autosomes (Q92.8)

All ages-----	30	13	17	19	10	9	11	3	8	9	3	6
Under 1 year-----	24	10	14	15	8	7	9	2	7	7	2	5
1-4 years-----	3	2	1	2	1	1	1	1	-	1	1	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	1	-	1	-	-	-	1	-	1	1	-	1
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Trisomy and partial trisomy of autosomes, unspecified (Q92.9)

All ages-----	25	16	9	22	14	8	3	2	1	3	2	1
Under 1 year-----	21	12	9	18	10	8	3	2	1	3	2	1
1-4 years-----	2	2	-	2	2	-	-	-	-	-	-	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Monosomies and deletions from the autosomes, not elsewhere classified (Q93)												
All ages-----	51	17	34	38	14	24	13	3	10	9	3	6
Under 1 year----	27	10	17	23	10	13	4	-	4	4	-	4
1-4 years-----	10	2	8	5	1	4	5	1	4	2	1	1
5-9 years-----	4	2	2	2	1	1	2	1	1	2	1	1
10-14 years-----	2	1	1	2	1	1	-	-	-	-	-	-
15-19 years-----	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years-----	3	-	3	2	-	2	1	-	1	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	2	1	1	1	-	1	1	1	-	1	1	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Deletion of short arm of chromosome 4 (Q93.3)

All ages-----	11	3	8	7	3	4	4	-	4	4	-	4
Under 1 year----	5	1	4	3	1	2	2	-	2	2	-	2
1-4 years-----	1	-	1	-	-	1	-	1	1	1	-	1
5-9 years-----	3	1	2	2	1	1	1	-	1	1	-	1
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),

RACE, AND SEX - - - ALL RACES - - - - - - WHITE - - - - - - ALL OTHER - - - - - - BLACK - - -

TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Deletion of short arm of chromosome 5 (Q93.4)

All ages-----	10	5	5	7	3	4	3	2	1	2	2	-
Under 1 year----	4	2	2	4	2	2	-	-	-	-	-	-
1-4 years-----	2	2	-	1	1	-	1	1	-	1	1	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	2	-	2	1	-	1	1	-	1	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	2	1	1	1	-	1	1	1	-	1	1	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other deletions of part of a chromosome (Q93.5)

All ages-----	17	3	14	13	3	10	4	-	4	1	-	1
Under 1 year----	8	2	6	7	2	5	1	-	1	1	-	1
1-4 years-----	6	-	6	3	-	3	3	-	3	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other deletions from the autosomes (Q93.8)												
All ages-----	9	5	4	7	4	3	2	1	1	2	1	1
Under 1 year----	7	4	3	6	4	2	1	-	1	1	-	1
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	1	-	-	-	-	1	1	-	1	1	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Deletion from autosomes, unspecified (Q93.9)

All ages-----	4	1	3	4	1	3	-	-	-	-	-	-
Under 1 year----	3	1	2	3	1	2	-	-	-	-	-	-
1-4 years-----	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Balanced rearrangements and structural markers, not elsewhere classified (Q95)												
All ages-----	2	2	-	-	-	-	2	2	-	1	1	-
Under 1 year-----	1	1	-	-	-	-	1	1	-	1	1	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	1	-	-	-	-	1	1	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Chromosome inversion in normal individual (Q95.1)

All ages-----	1	1	-	-	-	-	1	1	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	1	-	-	-	-	1	1	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Balanced rearrangement and structural marker, unspecified (Q95.9)												
All ages-----	1	1	-	-	-	-	1	1	-	1	1	-
Under 1 year----	1	1	-	-	-	-	1	1	-	1	1	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Turner's syndrome (Q96)

All ages-----	15	...	15	12	...	12	3	...	3	2	...	2
Under 1 year----	2	...	2	1	...	1	1	...	1	1	...	1
1-4 years-----	1	...	1	1	...	1	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	1	...	1	-	...	-	1	...	1	1	...	1
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	1	...	1	1	...	1	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	2	...	2	1	...	1	1	...	1	-	...	-
50-54 years-----	2	...	2	2	...	2	-	...	-	-	...	-
55-59 years-----	2	...	2	2	...	2	-	...	-	-	...	-
60-64 years-----	2	...	2	2	...	2	-	...	-	-	...	-
65-69 years-----	1	...	1	1	...	1	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years-----	1	...	1	1	...	1	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Turner's syndrome, unspecified (Q96.9)												
All ages-----	15	...	15	12	...	12	3	...	3	2	...	2
Under 1 year-----	2	...	2	1	...	1	1	...	1	1	...	1
1-4 years-----	1	...	1	1	...	1	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	1	...	1	-	...	-	1	...	1	1	...	1
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	1	...	1	1	...	1	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	2	...	2	1	...	1	1	...	1	-	...	-
50-54 years-----	2	...	2	2	...	2	-	...	-	-	...	-
55-59 years-----	2	...	2	2	...	2	-	...	-	-	...	-
60-64 years-----	2	...	2	2	...	2	-	...	-	-	...	-
65-69 years-----	1	...	1	1	...	1	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years-----	1	...	1	1	...	1	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Other sex chromosome abnormalities, male phenotype, not elsewhere classified (Q98)

All ages-----	2	2	...	1	1	...	1	1	...	-	-	...
Under 1 year-----	2	2	...	1	1	...	1	1	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years-----	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years-----	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years-----	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years-----	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years-----	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years-----	-	-	...	-	-	...	-	-	...	-	-	...
85-89 years-----	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years-----	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...	-	-	...

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Klinefelter's syndrome, unspecified (Q98.4)												
All ages-----	1	1	...	-	-	...	1	1	...	-	-	...
Under 1 year-----	1	1	...	-	-	...	1	1	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years-----	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years-----	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years-----	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years-----	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years-----	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years-----	-	-	...	-	-	...	-	-	...	-	-	...
85-89 years-----	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years-----	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...	-	-	...

Male with sex chromosome mosaicism (Q98.7)

All ages-----	1	1	...	1	1	...	-	-	...	-	-	...
Under 1 year-----	1	1	...	1	1	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years-----	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years-----	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years-----	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years-----	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years-----	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years-----	-	-	...	-	-	...	-	-	...	-	-	...
85-89 years-----	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years-----	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...	-	-	...

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

RACE, AND SEX

Other chromosome abnormalities, not elsewhere classified (Q99)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	111	51	60	89	43	46	22	8	14	14	4	10
Under 1 year----	79	36	43	63	30	33	16	6	10	10	3	7
1-4 years-----	10	5	5	9	4	5	1	1	-	-	-	-
5-9 years-----	3	1	2	2	1	1	1	-	1	1	-	1
10-14 years-----	6	2	4	4	2	2	2	-	2	2	-	2
15-19 years-----	3	1	2	2	1	1	1	-	1	-	-	-
20-24 years-----	2	2	-	2	2	-	-	-	-	-	-	-
25-29 years-----	2	2	-	2	2	-	-	-	-	-	-	-
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	2	1	1	1	-	1	1	1	-	1	1	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

46, XX true hermaphrodite (Q99.1)

All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

RACE, AND SEX

Other specified chromosome abnormalities (Q99.8)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	27	11	16	22	10	12	5	1	4	2	-	2
Under 1 year-----	18	7	11	14	6	8	4	1	3	2	-	2
1-4 years-----	3	2	1	3	2	1	-	-	-	-	-	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	2	1	1	2	1	1	-	-	-	-	-	-
15-19 years-----	1	-	1	-	-	-	1	-	1	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Chromosomal abnormality, unspecified (Q99.9)

All ages-----	83	40	43	66	33	33	17	7	10	12	4	8
Under 1 year-----	61	29	32	49	24	25	12	5	7	8	3	5
1-4 years-----	6	3	3	5	2	3	1	1	-	-	-	-
5-9 years-----	2	1	1	1	1	-	1	-	1	1	-	1
10-14 years-----	4	1	3	2	1	1	2	-	2	2	-	2
15-19 years-----	2	1	1	2	1	1	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	2	2	-	2	2	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	2	1	1	1	-	1	1	1	-	1	1	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Abnormalities of heart beat (R00)												
All ages-----	70	23	47	56	20	36	14	3	11	13	3	10
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	2	-	2	1	-	1	1	-	1	1	-	1
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	4	-	4	3	-	3	1	-	1	1	-	1
65-69 years-----	5	4	1	4	4	-	1	-	1	1	-	1
70-74 years-----	7	3	4	5	2	3	2	1	1	2	1	1
75-79 years-----	9	4	5	5	3	2	4	1	3	4	1	3
80-84 years-----	6	3	3	5	2	3	1	1	-	1	1	-
85-89 years-----	18	7	11	17	7	10	1	-	1	-	-	-
90-94 years-----	11	-	11	9	-	9	2	-	2	2	-	2
95-99 years-----	5	1	4	4	1	3	1	-	1	1	-	1
100 yrs & over---	2	-	2	2	-	2	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Tachycardia, unspecified (R00.0)

All ages-----	10	3	7	9	3	6	1	-	1	1	-	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	3	1	2	3	1	2	-	-	-	-	-	-
75-79 years-----	2	1	1	1	1	-	1	-	1	1	-	1
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Bradycardia, unspecified (R00.1)												
All ages-----	59	20	39	46	17	29	13	3	10	12	3	9
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	2	-	2	1	-	1	1	-	1	1	-	1
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	4	-	4	3	-	3	1	-	1	1	-	1
65-69 years-----	5	4	1	4	4	-	1	-	1	1	-	1
70-74 years-----	4	2	2	2	1	1	2	1	1	2	1	1
75-79 years-----	7	3	4	4	2	2	3	1	2	3	1	2
80-84 years-----	5	3	2	4	2	2	1	1	-	1	1	-
85-89 years-----	16	7	9	15	7	8	1	-	1	-	-	-
90-94 years-----	10	-	10	8	-	8	2	-	2	2	-	2
95-99 years-----	5	1	4	4	1	3	1	-	1	1	-	1
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other and unspecified abnormalities of heart beat (R00.8)

All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Gangrene, not elsewhere classified (R02)												
All ages-----	112	36	76	86	30	56	26	6	20	24	5	19
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	-	-	-	1	1	-	1	1	-
50-54 years-----	1	1	-	-	-	-	1	1	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	3	1	2	2	1	1	1	-	1	1	-	1
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	6	3	3	4	2	2	2	1	1	2	1	1
75-79 years-----	16	6	10	12	6	6	4	-	4	3	-	3
80-84 years-----	19	9	10	14	6	8	5	3	2	5	3	2
85-89 years-----	27	8	19	23	8	15	4	-	4	4	-	4
90-94 years-----	19	3	16	17	3	14	2	-	2	2	-	2
95-99 years-----	15	3	12	11	3	8	4	-	4	4	-	4
100 yrs & over---	3	-	3	1	-	1	2	-	2	2	-	2
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Hemorrhage from respiratory passages (R04)

All ages-----	91	52	39	69	41	28	22	11	11	20	10	10
Under 1 year-----	2	2	-	1	1	-	1	1	-	1	1	-
1-4 years-----	2	-	2	2	-	2	-	-	-	-	-	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	2	1	1	2	1	1	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	3	3	-	2	2	-	1	1	-	1	1	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	2	2	-	2	2	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	7	6	1	4	4	-	3	2	1	3	2	1
50-54 years-----	5	4	1	5	4	1	-	-	-	-	-	-
55-59 years-----	6	2	4	6	2	4	-	-	-	-	-	-
60-64 years-----	10	7	3	4	4	-	6	3	3	4	2	2
65-69 years-----	7	3	4	3	1	2	4	2	2	4	2	2
70-74 years-----	15	7	8	14	7	7	1	-	1	1	-	1
75-79 years-----	6	4	2	3	3	-	3	1	2	3	1	2
80-84 years-----	8	4	4	7	3	4	1	1	-	1	1	-
85-89 years-----	9	4	5	8	4	4	1	-	1	1	-	1
90-94 years-----	3	-	3	3	-	3	-	-	-	-	-	-
95-99 years-----	1	-	1	-	-	-	1	-	1	1	-	1
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Epistaxis (R04.0)												
All ages-----	4	1	3	1	-	1	3	1	2	3	1	2
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	-	-	-	1	-	1	1	-	1
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	1	-	-	-	-	1	1	-	1	1	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	1	-	1	-	-	-	1	-	1	1	-	1
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Hemoptysis (R04.2)												
All ages-----	25	16	9	20	13	7	5	3	2	4	3	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	2	2	-	1	1	-	1	1	-	1	1	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	6	5	1	3	3	-	3	2	1	2	2	-
65-69 years-----	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years-----	5	2	3	4	2	2	1	-	1	1	-	1
75-79 years-----	2	2	-	2	2	-	-	-	-	-	-	-
80-84 years-----	2	-	2	2	-	2	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Hemorrhage from other sites in respiratory passages (R04.8)												
All ages-----	62	35	27	48	28	20	14	7	7	13	6	7
Under 1 year----	2	2	-	1	1	-	1	1	-	1	1	-
1-4 years-----	2	-	2	2	-	2	-	-	-	-	-	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	2	1	1	2	1	1	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	2	2	-	2	2	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	5	5	-	3	3	-	2	2	-	2	2	-
50-54 years-----	3	2	1	3	2	1	-	-	-	-	-	-
55-59 years-----	5	2	3	5	2	3	-	-	-	-	-	-
60-64 years-----	4	2	2	1	1	-	3	1	2	2	-	2
65-69 years-----	5	2	3	1	-	1	4	2	2	4	2	2
70-74 years-----	10	5	5	10	5	5	-	-	-	-	-	-
75-79 years-----	4	2	2	1	1	-	3	1	2	3	1	2
80-84 years-----	5	3	2	5	3	2	-	-	-	-	-	-
85-89 years-----	8	3	5	7	3	4	1	-	1	1	-	1
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Abnormalities of breathing (R06)

All ages-----	199	86	113	181	79	102	18	7	11	18	7	11
Under 1 year----	5	3	2	5	3	2	-	-	-	-	-	-
1-4 years-----	3	2	1	3	2	1	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	-	-	-	1	1	-	1	1	-
20-24 years-----	1	-	1	-	-	-	1	-	1	1	-	1
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	2	1	1	2	1	1	-	-	-	-	-	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	3	3	-	3	3	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	8	4	4	7	3	4	1	1	-	1	1	-
60-64 years-----	14	8	6	12	8	4	2	-	2	2	-	2
65-69 years-----	19	7	12	18	6	12	1	1	-	1	1	-
70-74 years-----	20	6	14	18	6	12	2	-	2	2	-	2
75-79 years-----	31	20	11	28	19	9	3	1	2	3	1	2
80-84 years-----	30	12	18	28	12	16	2	-	2	2	-	2
85-89 years-----	31	12	19	27	10	17	4	2	2	4	2	2
90-94 years-----	19	5	14	18	4	14	1	1	-	1	1	-
95-99 years-----	7	1	6	7	1	6	-	-	-	-	-	-
100 yrs & over---	2	-	2	2	-	2	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Dyspnea (R06.0)												
All ages-----	61	30	31	54	27	27	7	3	4	7	3	4
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	-	-	-	1	1	-	1	1	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years-----	3	1	2	2	1	1	1	-	1	1	-	1
65-69 years-----	8	3	5	7	2	5	1	1	-	1	1	-
70-74 years-----	5	1	4	5	1	4	-	-	-	-	-	-
75-79 years-----	12	8	4	12	8	4	-	-	-	-	-	-
80-84 years-----	12	7	5	10	7	3	2	-	2	2	-	2
85-89 years-----	10	6	4	8	5	3	2	1	1	2	1	1
90-94 years-----	4	1	3	4	1	3	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Hyperventilation (R06.4)												
All ages-----	15	8	7	14	7	7	1	1	-	1	1	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	-	-	-	1	1	-	1	1	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years-----	3	2	1	3	2	1	-	-	-	-	-	-
75-79 years-----	5	3	2	5	3	2	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other and unspecified abnormalities of breathing (R06.8)												
All ages-----	123	48	75	113	45	68	10	3	7	10	3	7
Under 1 year-----	5	3	2	5	3	2	-	-	-	-	-	-
1-4 years-----	2	2	-	2	2	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	-	1	-	-	-	1	-	1	1	-	1
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	5	2	3	5	2	3	-	-	-	-	-	-
60-64 years-----	10	7	3	9	7	2	1	-	1	1	-	1
65-69 years-----	9	3	6	9	3	6	-	-	-	-	-	-
70-74 years-----	12	3	9	10	3	7	2	-	2	2	-	2
75-79 years-----	14	9	5	11	8	3	3	1	2	3	1	2
80-84 years-----	17	5	12	17	5	12	-	-	-	-	-	-
85-89 years-----	21	6	15	19	5	14	2	1	1	2	1	1
90-94 years-----	14	4	10	13	3	10	1	1	-	1	1	-
95-99 years-----	6	1	5	6	1	5	-	-	-	-	-	-
100 yrs & over---	2	-	2	2	-	2	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Pain in throat and chest (R07)

All ages-----	6	2	4	5	2	3	1	-	1	1	-	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	-	1	-	-	-	1	-	1	1	-	1
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Precordial pain (R07.2)												
All ages-----	1	-	1	-	-	-	1	-	1	1	-	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	-	1	-	-	-	1	-	1	1	-	1
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Chest pain, unspecified (R07.4)

All ages-----	5	2	3	5	2	3	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	-	1	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other symptoms and signs involving the circulatory and respiratory systems (R09)												
All ages-----	2,500	1,018	1,482	2,136	865	1,271	364	153	211	329	142	187
Under 1 year-----	31	19	12	19	14	5	12	5	7	11	5	6
1-4 years-----	12	9	3	11	8	3	1	1	-	1	1	-
5-9 years-----	2	1	1	1	-	1	1	1	-	1	1	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	3	-	3	1	-	1	2	-	2	1	-	1
20-24 years-----	7	4	3	5	3	2	2	1	1	1	1	-
25-29 years-----	8	4	4	6	4	2	2	-	2	2	-	2
30-34 years-----	7	-	7	7	-	7	-	-	-	-	-	-
35-39 years-----	19	11	8	13	8	5	6	3	3	6	3	3
40-44 years-----	27	20	7	22	17	5	5	3	2	5	3	2
45-49 years-----	35	24	11	25	17	8	10	7	3	10	7	3
50-54 years-----	52	32	20	39	27	12	13	5	8	12	4	8
55-59 years-----	78	50	28	60	39	21	18	11	7	15	10	5
60-64 years-----	102	53	49	82	42	40	20	11	9	18	10	8
65-69 years-----	163	93	70	129	74	55	34	19	15	34	19	15
70-74 years-----	216	104	112	182	86	96	34	18	16	32	17	15
75-79 years-----	311	152	159	262	129	133	49	23	26	44	21	23
80-84 years-----	380	151	229	334	131	203	46	20	26	39	17	22
85-89 years-----	414	128	286	378	120	258	36	8	28	32	7	25
90-94 years-----	387	112	275	344	101	243	43	11	32	40	11	29
95-99 years-----	196	48	148	175	42	133	21	6	15	17	5	12
100 yrs & over---	49	2	47	40	2	38	9	-	9	8	-	8
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Asphyxia (R09.0)

All ages-----	168	82	86	131	65	66	37	17	20	36	17	19
Under 1 year-----	24	17	7	15	12	3	9	5	4	8	5	3
1-4 years-----	6	5	1	5	4	1	1	1	-	1	1	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	-	1	-	-	-	1	-	1	1	-	1
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	5	3	2	3	3	-	2	-	2	2	-	2
30-34 years-----	4	-	4	4	-	4	-	-	-	-	-	-
35-39 years-----	5	3	2	2	2	-	3	1	2	3	1	2
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	4	3	1	3	2	1	1	1	-	1	1	-
50-54 years-----	5	3	2	5	3	2	-	-	-	-	-	-
55-59 years-----	4	2	2	3	2	1	1	-	1	1	-	1
60-64 years-----	3	3	-	3	3	-	-	-	-	-	-	-
65-69 years-----	15	9	6	11	7	4	4	2	2	4	2	2
70-74 years-----	11	6	5	8	3	5	3	3	-	3	3	-
75-79 years-----	20	13	7	15	10	5	5	3	2	5	3	2
80-84 years-----	18	6	12	16	5	11	2	1	1	2	1	1
85-89 years-----	15	4	11	13	4	9	2	-	2	2	-	2
90-94 years-----	15	3	12	13	3	10	2	-	2	2	-	2
95-99 years-----	10	1	9	9	1	8	1	-	1	1	-	1
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Respiratory arrest (R09.2)												
All ages-----	2,292	920	1,372	1,969	786	1,183	323	134	189	289	123	166
Under 1 year-----	6	2	4	4	2	2	2	-	2	2	-	2
1-4 years-----	6	4	2	6	4	2	-	-	-	-	-	-
5-9 years-----	2	1	1	1	-	1	1	1	-	1	1	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	2	-	2	1	-	1	1	-	1	-	-	-
20-24 years-----	5	2	3	3	1	2	2	1	1	1	1	-
25-29 years-----	2	1	1	2	1	1	-	-	-	-	-	-
30-34 years-----	3	-	3	3	-	3	-	-	-	-	-	-
35-39 years-----	14	8	6	11	6	5	3	2	1	3	2	1
40-44 years-----	24	19	5	19	16	3	5	3	2	5	3	2
45-49 years-----	30	20	10	21	14	7	9	6	3	9	6	3
50-54 years-----	43	28	15	30	23	7	13	5	8	12	4	8
55-59 years-----	72	47	25	55	36	19	17	11	6	14	10	4
60-64 years-----	97	50	47	78	39	39	19	11	8	17	10	7
65-69 years-----	147	83	64	117	66	51	30	17	13	30	17	13
70-74 years-----	201	96	105	170	81	89	31	15	16	29	14	15
75-79 years-----	287	135	152	245	117	128	42	18	24	37	16	21
80-84 years-----	355	144	211	311	125	186	44	19	25	37	16	21
85-89 years-----	395	124	271	361	116	245	34	8	26	30	7	23
90-94 years-----	368	106	262	327	95	232	41	11	30	38	11	27
95-99 years-----	184	47	137	164	41	123	20	6	14	16	5	11
100 yrs & over---	48	2	46	39	2	37	9	-	9	8	-	8
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other specified symptoms and signs involving the circulatory and respiratory systems (R09.8)

All ages-----	40	16	24	36	14	22	4	2	2	4	2	2
Under 1 year-----	1	-	1	-	-	-	1	-	1	1	-	1
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	2	1	1	2	1	1	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	4	1	3	4	1	3	-	-	-	-	-	-
55-59 years-----	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years-----	2	-	2	1	-	1	1	-	1	1	-	1
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	4	2	2	4	2	2	-	-	-	-	-	-
75-79 years-----	4	4	-	2	2	-	2	-	2	2	2	-
80-84 years-----	7	1	6	7	1	6	-	-	-	-	-	-
85-89 years-----	4	-	4	4	-	4	-	-	-	-	-	-
90-94 years-----	4	3	1	4	3	1	-	-	-	-	-	-
95-99 years-----	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Abdominal and pelvic pain (R10)												
All ages-----	64	27	37	60	27	33	4	-	4	3	-	3
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	1	-	-	-	1	-	1	1	-	1
65-69 years-----	3	2	1	3	2	1	-	-	-	-	-	-
70-74 years-----	6	3	3	5	3	2	1	-	1	1	-	1
75-79 years-----	6	4	2	6	4	2	-	-	-	-	-	-
80-84 years-----	9	4	5	9	4	5	-	-	-	-	-	-
85-89 years-----	17	7	10	15	7	8	2	-	2	1	-	1
90-94 years-----	11	2	9	11	2	9	-	-	-	-	-	-
95-99 years-----	7	3	4	7	3	4	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Acute abdomen (R10.0)												
All ages-----	26	11	15	24	11	13	2	-	2	1	-	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years-----	1	-	1	-	-	-	1	-	1	1	-	1
75-79 years-----	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years-----	4	2	2	4	2	2	-	-	-	-	-	-
85-89 years-----	6	3	3	5	3	2	1	-	1	-	-	-
90-94 years-----	4	1	3	4	1	3	-	-	-	-	-	-
95-99 years-----	5	2	3	5	2	3	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other and unspecified abdominal pain (R10.4)												
All ages-----	38	16	22	36	16	20	2	-	2	2	-	2
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	1	-	-	-	1	-	1	1	-	1
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	5	3	2	5	3	2	-	-	-	-	-	-
75-79 years-----	4	3	1	4	3	1	-	-	-	-	-	-
80-84 years-----	5	2	3	5	2	3	-	-	-	-	-	-
85-89 years-----	11	4	7	10	4	6	1	-	1	1	-	1
90-94 years-----	7	1	6	7	1	6	-	-	-	-	-	-
95-99 years-----	2	1	1	2	1	1	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Nausea and vomiting (R11)

All ages-----	3	-	3	1	-	1	2	-	2	2	-	2
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	-	-	-	1	-	1	1	-	1
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	-	-	-	1	-	1	1	-	1
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Dysphagia (R13)												
All ages-----	31	12	19	25	9	16	6	3	3	4	2	2
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	2	2	-	1	1	-	1	1	-	1	1	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	4	2	2	3	1	2	1	1	-	-	-	-
75-79 years-----	7	3	4	4	2	2	3	1	2	2	1	1
80-84 years-----	3	3	-	3	3	-	-	-	-	-	-	-
85-89 years-----	5	1	4	5	1	4	-	-	-	-	-	-
90-94 years-----	4	-	4	3	-	3	1	-	1	1	-	1
95-99 years-----	4	-	4	4	-	4	-	-	-	-	-	-
100 yrs & over---	2	1	1	2	1	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Flatulence and related conditions (R14)

All ages-----	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Hepatomegaly and splenomegaly, not elsewhere classified (R16)												
All ages-----	2	1	1	1	-	1	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	-	-	-	1	1	-	1	1	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Hepatomegaly, not elsewhere classified (R16.0)

All ages-----	1	1	-	-	-	-	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	-	-	-	1	1	-	1	1	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),

RACE, AND SEX - - - ALL RACES - - - - - - WHITE - - - - - - ALL OTHER - - - - - - BLACK - - -

TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Splenomegaly, not elsewhere classified (R16.1)

All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Unspecified jaundice (R17)

All ages-----	4	-	4	4	-	4	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Ascites (R18)												
All ages-----	12	5	7	11	5	6	1	-	1	1	-	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	-	-	-	1	-	1	1	-	1
70-74 years-----	2	-	2	2	-	2	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years-----	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other symptoms and signs involving the digestive system and abdomen (R19)

All ages-----	177	46	131	164	43	121	13	3	10	11	1	10
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	2	-	2	2	-	2	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	3	1	2	2	-	2	1	1	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	2	1	1	2	1	1	-	-	-	-	-	-
65-69 years-----	4	2	2	3	1	2	1	1	-	1	1	-
70-74 years-----	15	4	11	13	4	9	2	-	2	2	-	2
75-79 years-----	21	8	13	20	7	13	1	1	-	-	-	-
80-84 years-----	35	12	23	34	12	22	1	-	1	1	-	1
85-89 years-----	32	9	23	28	9	19	4	-	4	4	-	4
90-94 years-----	47	7	40	46	7	39	1	-	1	1	-	1
95-99 years-----	14	1	13	12	1	11	2	-	2	2	-	2
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Intra-abdominal and pelvic swelling, mass, and lump (R19.0)												
All ages-----	25	4	21	23	4	19	2	-	2	2	-	2
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	2	-	2	2	-	2	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	3	-	3	3	-	3	-	-	-	-	-	-
75-79 years-----	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years-----	3	-	3	2	-	2	1	-	1	1	-	1
85-89 years-----	4	1	3	4	1	3	-	-	-	-	-	-
90-94 years-----	6	2	4	6	2	4	-	-	-	-	-	-
95-99 years-----	4	-	4	3	-	3	1	-	1	1	-	1
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Visible peristalsis (R19.2)

All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

RACE, AND SEX

Other specified symptoms and signs involving the digestive system and abdomen (R19.8)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	151	42	109	140	39	101	11	3	8	9	1	8
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	2	-	2	2	-	2	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	-	-	-	1	1	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	2	1	1	2	1	1	-	-	-	-	-	-
65-69 years-----	4	2	2	3	1	2	1	1	-	1	1	-
70-74 years-----	12	4	8	10	4	6	2	-	2	2	-	2
75-79 years-----	19	7	12	18	6	12	1	1	-	-	-	-
80-84 years-----	32	12	20	32	12	20	-	-	-	-	-	-
85-89 years-----	27	8	19	23	8	15	4	-	4	4	-	4
90-94 years-----	41	5	36	40	5	35	1	-	1	1	-	1
95-99 years-----	10	1	9	9	1	8	1	-	1	1	-	1
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Localized swelling, mass, and lump of skin and subcutaneous tissue (R22)

All ages-----	4	2	2	3	1	2	1	1	-	1	1	-
Under 1 year----	1	1	-	-	-	-	1	1	-	1	1	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Localized swelling, mass, and lump, neck (R22.1)												
All ages-----	2	2	-	1	1	-	1	1	-	1	1	-
Under 1 year-----	1	1	-	-	-	-	1	1	-	1	1	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Localized swelling, mass, and lump, trunk (R22.2)

All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Localized swelling, mass, and lump, upper limb (R22.3)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Other lack of coordination (R27)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Ataxia, unspecified (R27.0)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other symptoms and signs involving the nervous and musculoskeletal systems (R29)

All ages-----	48	25	23	39	19	20	9	6	3	8	5	3
Under 1 year-----	4	4	-	2	2	-	2	2	-	2	2	-
1-4 years-----	1	1	-	-	-	-	1	1	-	1	1	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	2	2	-	1	1	-	1	1	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	2	2	-	2	2	-	-	-	-	-	-	-
40-44 years-----	2	2	-	1	1	-	1	1	-	1	1	-
45-49 years-----	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years-----	2	-	2	1	-	1	1	-	1	1	-	1
55-59 years-----	2	-	2	2	-	2	-	-	-	-	-	-
60-64 years-----	2	1	1	1	-	1	1	1	-	1	1	-
65-69 years-----	6	5	1	6	5	1	-	-	-	-	-	-
70-74 years-----	7	4	3	7	4	3	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	5	-	5	5	-	5	-	-	-	-	-	-
85-89 years-----	4	2	2	4	2	2	-	-	-	-	-	-
90-94 years-----	3	-	3	1	-	1	2	-	2	2	-	2
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

ALL RACES WHITE ALL OTHER BLACK

Other and unspecified symptoms and signs involving the nervous and musculoskeletal systems (R29.8)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	48	25	23	39	19	20	9	6	3	8	5	3
Under 1 year-----	4	4	-	2	2	-	2	2	-	2	2	-
1-4 years-----	1	1	-	-	-	-	1	1	-	1	1	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	2	2	-	1	1	-	1	1	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	2	2	-	2	2	-	-	-	-	-	-	-
40-44 years-----	2	2	-	1	1	-	1	1	-	1	1	-
45-49 years-----	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years-----	2	-	2	1	-	1	1	-	1	1	-	1
55-59 years-----	2	-	2	2	-	2	-	-	-	-	-	-
60-64 years-----	2	1	1	1	-	1	1	1	-	1	1	-
65-69 years-----	6	5	1	6	5	1	-	-	-	-	-	-
70-74 years-----	7	4	3	7	4	3	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	5	-	5	5	-	5	-	-	-	-	-	-
85-89 years-----	4	2	2	4	2	2	-	-	-	-	-	-
90-94 years-----	3	-	3	1	-	1	2	-	2	2	-	2
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Unspecified hematuria (R31)

All ages-----	3	1	2	3	1	2	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Anuria and oliguria (R34)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Somnolence, stupor, and coma (R40)												
All ages-----	19	4	15	14	3	11	5	1	4	5	1	4
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	1	-	-	-	-	1	1	-	1	1	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	-	-	-	1	-	1	1	-	1
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	3	1	2	2	1	1	1	-	1	1	-	1
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	2	-	2	1	-	1	1	-	1	1	-	1
80-84 years-----	5	-	5	5	-	5	-	-	-	-	-	-
85-89 years-----	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years-----	3	1	2	2	1	1	1	-	1	1	-	1
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Coma, unspecified (R40.2)												
All ages-----	19	4	15	14	3	11	5	1	4	5	1	4
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	1	-	-	-	-	1	1	-	1	1	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	-	-	-	1	-	1	1	-	1
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	3	1	2	2	1	1	1	-	1	1	-	1
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	2	-	2	1	-	1	1	-	1	1	-	1
80-84 years-----	5	-	5	5	-	5	-	-	-	-	-	-
85-89 years-----	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years-----	3	1	2	2	1	1	1	-	1	1	-	1
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other symptoms and signs involving cognitive functions and awareness (R41)

All ages-----	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Disoriented, unspecified (R41.0)												
All ages-----	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Symptoms and signs involving emotional state (R45)

All ages-----	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Restlessness and agitation (R45.1)												
All ages-----	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Speech disturbances, not elsewhere classified (R47)

All ages-----	3	-	3	3	-	3	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Dysphasia and aphasia (R47.0)												
All ages-----	3	-	3	3	-	3	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Fever of unknown origin (R50)												
All ages-----	52	23	29	37	15	22	15	8	7	14	8	6
Under 1 year-----	1	1	-	-	-	-	1	1	-	1	1	-
1-4 years-----	4	2	2	3	1	2	1	1	-	1	1	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	3	1	2	1	-	1	2	1	1	2	1	1
30-34 years-----	2	1	1	1	-	1	1	1	-	1	1	-
35-39 years-----	2	1	1	1	1	-	1	-	1	1	-	1
40-44 years-----	3	2	1	2	2	-	1	-	1	1	-	1
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	3	2	1	1	1	-	2	1	1	1	1	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	1	-	1	-	-	-	1	-	1	1	-	1
70-74 years-----	5	3	2	3	2	1	2	1	1	2	1	1
75-79 years-----	6	2	4	5	1	4	1	1	-	1	1	-
80-84 years-----	5	1	4	4	1	3	1	-	1	1	-	1
85-89 years-----	7	3	4	6	2	4	1	1	-	1	1	-
90-94 years-----	6	2	4	6	2	4	-	-	-	-	-	-
95-99 years-----	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Fever, unspecified (R50.9)												
All ages-----	52	23	29	37	15	22	15	8	7	14	8	6
Under 1 year-----	1	1	-	-	-	-	1	1	-	1	1	-
1-4 years-----	4	2	2	3	1	2	1	1	-	1	1	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	3	1	2	1	-	1	2	1	1	2	1	1
30-34 years-----	2	1	1	1	-	1	1	1	-	1	1	-
35-39 years-----	2	1	1	1	1	-	1	-	1	1	-	1
40-44 years-----	3	2	1	2	2	-	1	-	1	1	-	1
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	3	2	1	1	1	-	2	1	1	1	1	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	1	-	1	-	-	-	1	-	1	1	-	1
70-74 years-----	5	3	2	3	2	1	2	1	1	2	1	1
75-79 years-----	6	2	4	5	1	4	1	1	-	1	1	-
80-84 years-----	5	1	4	4	1	3	1	-	1	1	-	1
85-89 years-----	7	3	4	6	2	4	1	1	-	1	1	-
90-94 years-----	6	2	4	6	2	4	-	-	-	-	-	-
95-99 years-----	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Headache (R51)												
All ages-----	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Pain, not elsewhere classified (R52)												
All ages-----	4	1	3	4	1	3	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other chronic pain (R52.2)

All ages-----	3	1	2	3	1	2	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Pain, unspecified (R52.9)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Malaise and fatigue (R53)												
All ages-----	223	63	160	206	61	145	17	2	15	14	2	12
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	2	-	2	2	-	2	-	-	-	-	-	-
65-69 years-----	8	5	3	8	5	3	-	-	-	-	-	-
70-74 years-----	6	1	5	6	1	5	-	-	-	-	-	-
75-79 years-----	20	6	14	19	6	13	1	-	1	-	-	-
80-84 years-----	37	12	25	34	12	22	3	-	3	2	-	2
85-89 years-----	40	11	29	34	10	24	6	1	5	5	1	4
90-94 years-----	63	20	43	59	19	40	4	1	3	4	1	3
95-99 years-----	32	7	25	32	7	25	-	-	-	-	-	-
100 yrs & over---	14	1	13	11	1	10	3	-	3	3	-	3
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Senility (R54)												
All ages-----	3,150	890	2,260	2,923	812	2,111	227	78	149	213	72	141
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	3	3	-	2	2	-	1	1	-	1	1	-
55-59 years-----	3	2	1	3	2	1	-	-	-	-	-	-
60-64 years-----	13	8	5	9	5	4	4	3	1	4	3	1
65-69 years-----	32	18	14	30	17	13	2	1	1	1	-	1
70-74 years-----	98	60	38	87	53	34	11	7	4	11	7	4
75-79 years-----	215	92	123	187	80	107	28	12	16	25	11	14
80-84 years-----	438	160	278	391	141	250	47	19	28	46	19	27
85-89 years-----	643	192	451	612	179	433	31	13	18	27	11	16
90-94 years-----	847	208	639	805	195	610	42	13	29	38	11	27
95-99 years-----	569	102	467	533	95	438	36	7	29	35	7	28
100 yrs & over---	288	45	243	263	43	220	25	2	23	25	2	23
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Syncope and collapse (R55)

All ages-----	18	9	9	12	6	6	6	3	3	5	2	3
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	2	2	-	1	1	-	1	1	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	2	1	1	1	1	-	1	-	1	1	-	1
55-59 years-----	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	3	1	2	1	-	1	2	1	1	2	1	1
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	4	2	2	3	1	2	1	1	-	1	1	-
85-89 years-----	2	-	2	1	-	1	1	-	1	1	-	1
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Convulsions, not elsewhere classified (R56)												
All ages-----	1,046	618	428	708	406	302	338	212	126	323	204	119
Under 1 year----	9	5	4	7	5	2	2	-	2	1	-	1
1-4 years-----	17	8	9	11	6	5	6	2	4	5	1	4
5-9 years-----	7	5	2	7	5	2	-	-	-	-	-	-
10-14 years-----	8	4	4	4	3	1	4	1	3	3	-	3
15-19 years-----	43	29	14	29	17	12	14	12	2	12	10	2
20-24 years-----	59	34	25	36	20	16	23	14	9	22	14	8
25-29 years-----	91	57	34	57	39	18	34	18	16	33	17	16
30-34 years-----	94	59	35	62	36	26	32	23	9	32	23	9
35-39 years-----	141	91	50	96	66	30	45	25	20	43	24	19
40-44 years-----	125	80	45	87	52	35	38	28	10	35	26	9
45-49 years-----	120	78	42	79	48	31	41	30	11	40	30	10
50-54 years-----	84	54	30	53	32	21	31	22	9	30	22	8
55-59 years-----	61	38	23	46	26	20	15	12	3	15	12	3
60-64 years-----	37	19	18	26	12	14	11	7	4	10	7	3
65-69 years-----	31	20	11	16	10	6	15	10	5	15	10	5
70-74 years-----	23	8	15	15	7	8	8	1	7	8	1	7
75-79 years-----	27	11	16	20	7	13	7	4	3	7	4	3
80-84 years-----	30	9	21	23	8	15	7	1	6	7	1	6
85-89 years-----	11	3	8	9	2	7	2	1	1	2	1	1
90-94 years-----	17	3	14	17	3	14	-	-	-	-	-	-
95-99 years-----	8	3	5	6	2	4	2	1	1	2	1	1
100 yrs & over---	3	-	3	2	-	2	1	-	1	1	-	1
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other and unspecified convulsions (R56.8)

All ages-----	1,046	618	428	708	406	302	338	212	126	323	204	119
Under 1 year----	9	5	4	7	5	2	2	-	2	1	-	1
1-4 years-----	17	8	9	11	6	5	6	2	4	5	1	4
5-9 years-----	7	5	2	7	5	2	-	-	-	-	-	-
10-14 years-----	8	4	4	4	3	1	4	1	3	3	-	3
15-19 years-----	43	29	14	29	17	12	14	12	2	12	10	2
20-24 years-----	59	34	25	36	20	16	23	14	9	22	14	8
25-29 years-----	91	57	34	57	39	18	34	18	16	33	17	16
30-34 years-----	94	59	35	62	36	26	32	23	9	32	23	9
35-39 years-----	141	91	50	96	66	30	45	25	20	43	24	19
40-44 years-----	125	80	45	87	52	35	38	28	10	35	26	9
45-49 years-----	120	78	42	79	48	31	41	30	11	40	30	10
50-54 years-----	84	54	30	53	32	21	31	22	9	30	22	8
55-59 years-----	61	38	23	46	26	20	15	12	3	15	12	3
60-64 years-----	37	19	18	26	12	14	11	7	4	10	7	3
65-69 years-----	31	20	11	16	10	6	15	10	5	15	10	5
70-74 years-----	23	8	15	15	7	8	8	1	7	8	1	7
75-79 years-----	27	11	16	20	7	13	7	4	3	7	4	3
80-84 years-----	30	9	21	23	8	15	7	1	6	7	1	6
85-89 years-----	11	3	8	9	2	7	2	1	1	2	1	1
90-94 years-----	17	3	14	17	3	14	-	-	-	-	-	-
95-99 years-----	8	3	5	6	2	4	2	1	1	2	1	1
100 yrs & over---	3	-	3	2	-	2	1	-	1	1	-	1
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
 ON THE TENTH REVISION
 INTERNATIONAL CLASSIFICATION
 OF DISEASES, 1992),
 RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Shock, not elsewhere classified (R57)												
All ages-----	849	379	470	694	307	387	155	72	83	150	69	81
Under 1 year----	9	5	4	5	1	4	4	4	-	4	4	-
1-4 years-----	1	1	-	-	-	-	1	1	-	1	1	-
5-9 years-----	4	4	-	3	3	-	1	1	-	1	1	-
10-14 years-----	1	-	1	-	-	-	1	-	1	1	-	1
15-19 years-----	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years-----	2	-	2	-	-	-	2	-	2	2	-	2
25-29 years-----	4	1	3	3	1	2	1	-	1	1	-	1
30-34 years-----	4	3	1	1	1	-	3	2	1	3	2	1
35-39 years-----	6	5	1	4	4	-	2	1	1	2	1	1
40-44 years-----	12	6	6	8	4	4	4	2	2	4	2	2
45-49 years-----	11	6	5	7	4	3	4	2	2	4	2	2
50-54 years-----	26	16	10	18	12	6	8	4	4	8	4	4
55-59 years-----	39	26	13	28	19	9	11	7	4	11	7	4
60-64 years-----	49	35	14	40	30	10	9	5	4	9	5	4
65-69 years-----	64	25	39	49	21	28	15	4	11	14	4	10
70-74 years-----	91	53	38	75	44	31	16	9	7	16	9	7
75-79 years-----	138	67	71	112	53	59	26	14	12	26	14	12
80-84 years-----	127	50	77	109	44	65	18	6	12	17	5	12
85-89 years-----	124	43	81	109	37	72	15	6	9	13	4	9
90-94 years-----	101	26	75	90	22	68	11	4	7	10	4	6
95-99 years-----	30	7	23	28	7	21	2	-	2	2	-	2
100 yrs & over---	5	-	5	4	-	4	1	-	1	1	-	1
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Cardiogenic shock (R57.0)

All ages-----	516	241	275	416	193	223	100	48	52	96	45	51
Under 1 year----	3	1	2	2	-	2	1	1	-	1	1	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	4	3	1	3	3	-	1	-	1	1	-	1
40-44 years-----	4	2	2	1	1	-	3	1	2	3	1	2
45-49 years-----	6	4	2	4	3	1	2	1	1	2	1	1
50-54 years-----	15	10	5	11	7	4	4	3	1	4	3	1
55-59 years-----	24	19	5	17	14	3	7	5	2	7	5	2
60-64 years-----	28	21	7	24	18	6	4	3	1	4	3	1
65-69 years-----	42	17	25	33	16	17	9	1	8	8	1	7
70-74 years-----	66	35	31	54	28	26	12	7	5	12	7	5
75-79 years-----	91	48	43	70	35	35	21	13	8	21	13	8
80-84 years-----	86	37	49	74	32	42	12	5	7	11	4	7
85-89 years-----	78	29	49	65	25	40	13	4	9	11	2	9
90-94 years-----	50	12	38	42	8	34	8	4	4	8	4	4
95-99 years-----	16	2	14	14	2	12	2	-	2	2	-	2
100 yrs & over---	2	-	2	1	-	1	1	-	1	1	-	1
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Hypovolemic shock (R57.1)												
All ages-----	34	20	14	28	18	10	6	2	4	6	2	4
Under 1 year----	1	1	-	-	-	-	1	1	-	1	1	-
1-4 years-----	1	1	-	-	-	-	1	1	-	1	1	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	-	-	-	1	-	1	1	-	1
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	3	2	1	3	2	1	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	4	2	2	3	2	1	1	-	1	1	-	1
70-74 years-----	3	3	-	3	3	-	-	-	-	-	-	-
75-79 years-----	9	4	5	8	4	4	1	-	1	1	-	1
80-84 years-----	3	-	3	2	-	2	1	-	1	1	-	1
85-89 years-----	3	2	1	3	2	1	-	-	-	-	-	-
90-94 years-----	4	4	-	4	4	-	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Other shock (R57.8)												
All ages-----	34	12	22	28	10	18	6	2	4	6	2	4
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	-	-	-	1	1	-	1	1	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	4	3	1	3	3	-	1	-	1	1	-	1
55-59 years-----	2	-	2	1	-	1	1	-	1	1	-	1
60-64 years-----	4	3	1	2	2	1	2	1	1	2	1	1
65-69 years-----	5	-	5	4	-	4	1	-	1	1	-	1
70-74 years-----	3	1	2	3	1	2	-	-	-	-	-	-
75-79 years-----	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years-----	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years-----	7	2	5	7	2	5	-	-	-	-	-	-
90-94 years-----	3	-	3	3	-	3	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Shock, unspecified (R57.9)												
All ages-----	265	106	159	222	86	136	43	20	23	42	20	22
Under 1 year-----	5	3	2	3	1	2	2	2	-	2	2	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	4	4	-	3	3	-	1	1	-	1	1	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years-----	2	-	2	-	-	-	2	-	2	2	-	2
25-29 years-----	3	-	3	2	-	2	1	-	1	1	-	1
30-34 years-----	3	2	1	1	1	-	2	1	1	2	1	1
35-39 years-----	2	2	-	1	1	-	1	1	-	1	1	-
40-44 years-----	6	3	3	5	2	3	1	1	-	1	1	-
45-49 years-----	5	2	3	3	1	2	2	1	1	2	1	1
50-54 years-----	7	3	4	4	2	2	3	1	2	3	1	2
55-59 years-----	10	5	5	7	3	4	3	2	1	3	2	1
60-64 years-----	17	11	6	14	10	4	3	1	2	3	1	2
65-69 years-----	13	6	7	9	3	6	4	3	1	4	3	1
70-74 years-----	19	14	5	15	12	3	4	2	2	4	2	2
75-79 years-----	36	14	22	32	13	19	4	1	3	4	1	3
80-84 years-----	36	12	24	31	11	20	5	1	4	5	1	4
85-89 years-----	36	10	26	34	8	26	2	2	-	2	2	-
90-94 years-----	44	10	34	41	10	31	3	-	3	2	-	2
95-99 years-----	13	5	8	13	5	8	-	-	-	-	-	-
100 yrs & over---	3	-	3	3	-	3	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Hemorrhage, not elsewhere classified (R58)

All ages-----	199	91	108	158	77	81	41	14	27	40	14	26
Under 1 year-----	2	2	-	1	1	-	1	1	-	1	1	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	-	-	-	1	-	1	1	-	1
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	-	-	-	1	-	1	-	-	-
30-34 years-----	2	2	-	1	1	-	1	1	-	1	1	-
35-39 years-----	4	3	1	3	3	-	1	-	1	1	-	1
40-44 years-----	7	4	3	2	1	1	5	3	2	5	3	2
45-49 years-----	4	3	1	2	2	-	2	1	1	2	1	1
50-54 years-----	11	8	3	7	6	1	4	2	2	4	2	2
55-59 years-----	10	8	2	8	6	2	2	2	-	2	2	-
60-64 years-----	18	7	11	14	6	8	4	1	3	4	1	3
65-69 years-----	15	6	9	13	5	8	2	1	1	2	1	1
70-74 years-----	42	21	21	35	20	15	7	1	6	7	1	6
75-79 years-----	25	7	18	21	7	14	4	-	4	4	-	4
80-84 years-----	26	9	17	21	9	12	5	-	5	5	-	5
85-89 years-----	16	3	13	16	3	13	-	-	-	-	-	-
90-94 years-----	10	5	5	10	5	5	-	-	-	-	-	-
95-99 years-----	4	2	2	3	1	2	1	1	-	1	1	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Enlarged lymph nodes (R59)												
All ages-----	4	1	3	3	-	3	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	-	-	-	1	1	-	1	1	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Localized enlarged lymph nodes (R59.0)

All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Generalized enlarged lymph nodes (R59.1)												
All ages-----	2	1	1	1	-	1	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	-	-	-	1	1	-	1	1	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Enlarged lymph nodes, unspecified (R59.9)

All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Edema, not elsewhere classified (R60)												
All ages-----	11	3	8	9	3	6	2	-	2	2	-	2
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	1	-	1	-	-	-	1	-	1	1	-	1
70-74 years-----	1	-	1	-	-	-	1	-	1	1	-	1
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	3	3	-	3	3	-	-	-	-	-	-	-
90-94 years-----	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Localized edema (R60.0)

All ages-----	1	-	1	-	-	-	1	-	1	1	-	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	-	-	-	1	-	1	1	-	1
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Generalized edema (R60.1)												
All ages-----	7	3	4	6	3	3	1	-	1	1	-	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	-	-	-	1	-	1	1	-	1
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	3	3	-	3	3	-	-	-	-	-	-	-
90-94 years-----	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Edema, unspecified (R60.9)												
All ages-----	3	-	3	3	-	3	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Lack of expected normal physiological development (R62)												
All ages-----	566	120	446	523	110	413	43	10	33	33	9	24
Under 1 year-----	2	-	2	2	-	2	-	-	-	-	-	-
1-4 years-----	2	2	-	2	2	-	-	-	-	-	-	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	2	-	2	1	-	1	1	-	1	1	-	1
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	2	1	1	1	-	1	1	1	-	1	1	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years-----	18	9	9	17	9	8	1	-	1	1	-	1
75-79 years-----	31	10	21	30	10	20	1	-	1	1	-	1
80-84 years-----	75	23	52	72	22	50	3	1	2	2	1	1
85-89 years-----	129	25	104	116	21	95	13	4	9	12	4	8
90-94 years-----	167	30	137	154	26	128	13	4	9	8	3	5
95-99 years-----	109	15	94	103	15	88	6	-	6	5	-	5
100 yrs & over---	26	3	23	22	3	19	4	-	4	2	-	2
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other lack of expected normal physiological development (R62.8)

All ages-----	564	119	445	521	109	412	43	10	33	33	9	24
Under 1 year-----	2	-	2	2	-	2	-	-	-	-	-	-
1-4 years-----	2	2	-	2	2	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	-	-	-	1	-	1	1	-	1
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	2	1	1	1	-	1	1	1	-	1	1	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years-----	18	9	9	17	9	8	1	-	1	1	-	1
75-79 years-----	31	10	21	30	10	20	1	-	1	1	-	1
80-84 years-----	75	23	52	72	22	50	3	1	2	2	1	1
85-89 years-----	129	25	104	116	21	95	13	4	9	12	4	8
90-94 years-----	167	30	137	154	26	128	13	4	9	8	3	5
95-99 years-----	109	15	94	103	15	88	6	-	6	5	-	5
100 yrs & over---	26	3	23	22	3	19	4	-	4	2	-	2
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

ALL RACES WHITE ALL OTHER BLACK

Lack of expected normal physiological development, unspecified (R62.9)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Symptoms and signs concerning food and fluid intake (R63)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	61	13	48	56	13	43	5	-	5	5	-	5
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	-	-	-	1	-	1	1	-	1
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	2	-	2	2	-	2	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	13	2	11	10	2	8	3	-	3	3	-	3
85-89 years-----	12	2	10	12	2	10	-	-	-	-	-	-
90-94 years-----	18	6	12	18	6	12	-	-	-	-	-	-
95-99 years-----	12	-	12	11	-	11	1	-	1	1	-	1
100 yrs & over---	2	2	-	2	2	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Anorexia (R63.0)												
All ages-----	53	11	42	48	11	37	5	-	5	5	-	5
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	-	-	-	1	-	1	1	-	1
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	2	-	2	2	-	2	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	9	1	8	6	1	5	3	-	3	3	-	3
85-89 years-----	11	2	9	11	2	9	-	-	-	-	-	-
90-94 years-----	16	5	11	16	5	11	-	-	-	-	-	-
95-99 years-----	11	-	11	10	-	10	1	-	1	1	-	1
100 yrs & over---	2	2	-	2	2	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Abnormal weight loss (R63.4)												
All ages-----	8	2	6	8	2	6	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	4	1	3	4	1	3	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Cachexia (R64)												
All ages-----	378	115	263	349	103	246	29	12	17	26	10	16
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	2	1	1	-	-	-	2	1	1	2	1	1
40-44 years-----	1	-	1	-	-	-	1	-	1	1	-	1
45-49 years-----	3	2	1	2	1	1	1	1	-	1	1	-
50-54 years-----	1	1	-	-	-	-	1	1	-	-	-	-
55-59 years-----	1	-	1	-	-	-	1	-	1	1	-	1
60-64 years-----	2	2	-	2	2	-	-	-	-	-	-	-
65-69 years-----	7	2	5	6	2	4	1	-	1	1	-	1
70-74 years-----	21	11	10	17	9	8	4	2	2	3	2	1
75-79 years-----	40	21	19	36	18	18	4	3	1	4	3	1
80-84 years-----	57	22	35	54	20	34	3	2	1	3	2	1
85-89 years-----	77	25	52	76	24	52	1	1	-	-	-	-
90-94 years-----	85	17	68	79	16	63	6	1	5	6	1	5
95-99 years-----	54	6	48	53	6	47	1	-	1	1	-	1
100 yrs & over---	26	4	22	23	4	19	3	-	3	3	-	3
Not stated-----	1	1	-	1	1	-	-	-	-	-	-	-

Other general symptoms and signs (R68)

All ages-----	66	28	38	58	27	31	8	1	7	8	1	7
Under 1 year----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	2	2	-	2	2	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	-	-	-	1	-	1	1	-	1
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	4	2	2	4	2	2	-	-	-	-	-	-
55-59 years-----	4	-	4	1	-	1	3	-	3	3	-	3
60-64 years-----	3	1	2	3	1	2	-	-	-	-	-	-
65-69 years-----	6	4	2	6	4	2	-	-	-	-	-	-
70-74 years-----	4	1	3	4	1	3	-	-	-	-	-	-
75-79 years-----	11	5	6	10	5	5	1	-	1	1	-	1
80-84 years-----	10	5	5	9	4	5	1	1	-	1	1	-
85-89 years-----	6	4	2	6	4	2	-	-	-	-	-	-
90-94 years-----	7	1	6	6	1	5	1	-	1	1	-	1
95-99 years-----	3	-	3	3	-	3	-	-	-	-	-	-
100 yrs & over---	2	1	1	1	1	-	1	-	1	1	-	1
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Hypothermia, not associated with low environmental temperature (R68.0)												
All ages-----	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other specified general symptoms and signs (R68.8)

All ages-----	64	26	38	56	25	31	8	1	7	8	1	7
Under 1 year-----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	2	2	-	2	2	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	-	-	-	1	-	1	1	-	1
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	4	2	2	4	2	2	-	-	-	-	-	-
55-59 years-----	4	-	4	1	-	1	3	-	3	3	-	3
60-64 years-----	3	1	2	3	1	2	-	-	-	-	-	-
65-69 years-----	6	4	2	6	4	2	-	-	-	-	-	-
70-74 years-----	4	1	3	4	1	3	-	-	-	-	-	-
75-79 years-----	11	5	6	10	5	5	1	-	1	1	-	1
80-84 years-----	9	4	5	8	3	5	1	1	-	1	1	-
85-89 years-----	5	3	2	5	3	2	-	-	-	-	-	-
90-94 years-----	7	1	6	6	1	5	1	-	1	1	-	1
95-99 years-----	3	-	3	3	-	3	-	-	-	-	-	-
100 yrs & over---	2	1	1	1	1	-	1	-	1	1	-	1
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Elevated blood glucose level (R73)												
All ages-----	10	5	5	8	4	4	2	1	1	1	-	1
Under 1 year----	5	2	3	4	1	3	1	1	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	2	1	1	1	1	-	1	-	1	1	-	1
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Hyperglycemia, unspecified (R73.9)

All ages-----	10	5	5	8	4	4	2	1	1	1	-	1
Under 1 year----	5	2	3	4	1	3	1	1	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	2	1	1	1	1	-	1	-	1	1	-	1
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

RACE, AND SEX

Laboratory evidence of human immunodeficiency virus [HIV] (R75)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	9	7	2	1	1	-	8	6	2	8	6	2
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	-	-	-	1	1	-	1	1	-
35-39 years-----	1	1	-	-	-	-	1	1	-	1	1	-
40-44 years-----	3	2	1	-	-	-	3	2	1	3	2	1
45-49 years-----	2	2	-	-	-	-	2	2	-	2	2	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	2	1	1	1	1	-	1	-	1	1	-	1
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Findings of drugs and other substances, not normally found in blood (R78)

All ages-----	2	2	-	1	1	-	1	1	-	1	1	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	-	-	-	1	1	-	1	1	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

ALL RACES WHITE ALL OTHER BLACK

Finding of alcohol in blood (R78.0)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	2	2	-	1	1	-	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	-	-	-	1	1	-	1	1	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other abnormal findings of blood chemistry (R79)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	12	6	6	10	5	5	2	1	1	2	1	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	-	-	-	1	1	-	1	1	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	6	2	4	5	2	3	1	-	1	1	-	1
95-99 years-----	2	1	1	2	1	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other specified abnormal findings of blood chemistry (R79.8)												
All ages-----	12	6	6	10	5	5	2	1	1	2	1	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	-	-	-	1	1	-	1	1	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	6	2	4	5	2	3	1	-	1	1	-	1
95-99 years-----	2	1	1	2	1	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Abnormal findings in specimens from other organs, systems, and tissues (R89)

All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Abnormal level of other drugs, medicaments, and biological substances (R89.2)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Abnormal findings on diagnostic imaging of central nervous system (R90)

All ages-----	5	2	3	4	2	2	1	-	1	1	-	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	2	2	-	2	2	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	-	-	-	1	-	1	1	-	1
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Intracranial space-occupying lesion (R90.0)												
All ages-----	5	2	3	4	2	2	1	-	1	1	-	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	2	2	-	2	2	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	-	-	-	1	-	1	1	-	1
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Abnormal findings on diagnostic imaging of lung (R91)

All ages-----	93	45	48	81	37	44	12	8	4	12	8	4
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	-	-	-	1	-	1	1	-	1
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	2	2	-	1	1	-	1	1	-	1	1	-
65-69 years-----	6	6	-	5	5	-	1	1	-	1	1	-
70-74 years-----	7	3	4	5	2	3	2	1	1	2	1	1
75-79 years-----	19	11	8	17	9	8	2	2	-	2	2	-
80-84 years-----	21	10	11	19	9	10	2	1	1	2	1	1
85-89 years-----	20	9	11	18	7	11	2	2	-	2	2	-
90-94 years-----	12	3	9	11	3	8	1	-	1	1	-	1
95-99 years-----	4	-	4	4	-	4	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

ALL RACES WHITE ALL OTHER BLACK

Abnormal results of function studies (R94)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	2	-	2	2	-	2	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Abnormal results of cardiovascular function studies (R94.3)

All ages-----	2	-	2	2	-	2	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Sudden infant death syndrome (R95)												
All ages-----	2,648	1,553	1,095	1,711	1,013	698	937	540	397	839	477	362
Under 1 year----	2,648	1,553	1,095	1,711	1,013	698	937	540	397	839	477	362
1-4 years-----
5-9 years-----
10-14 years-----
15-19 years-----
20-24 years-----
25-29 years-----
30-34 years-----
35-39 years-----
40-44 years-----
45-49 years-----
50-54 years-----
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----

Other sudden death, cause unknown (R96)

All ages-----	363	181	182	316	156	160	47	25	22	44	24	20
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	26	15	11	21	14	7	5	1	4	3	1	2
5-9 years-----	1	-	1	-	-	-	1	-	1	1	-	1
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years-----	3	2	1	2	1	1	1	1	-	1	1	-
35-39 years-----	4	2	2	3	2	1	1	-	1	1	-	1
40-44 years-----	4	4	-	3	3	-	1	1	-	1	1	-
45-49 years-----	14	12	2	12	10	2	2	2	-	2	2	-
50-54 years-----	13	10	3	10	8	2	3	2	1	3	2	1
55-59 years-----	25	18	7	19	14	5	6	4	2	6	4	2
60-64 years-----	16	13	3	15	13	2	1	-	1	1	-	1
65-69 years-----	30	16	14	24	14	10	6	2	4	6	2	4
70-74 years-----	34	21	13	31	19	12	3	2	1	3	2	1
75-79 years-----	46	19	27	43	16	27	3	3	-	3	3	-
80-84 years-----	45	16	29	42	15	27	3	1	2	3	1	2
85-89 years-----	55	22	33	50	20	30	5	2	3	4	1	3
90-94 years-----	28	9	19	24	6	18	4	3	1	4	3	1
95-99 years-----	11	1	10	10	1	9	1	-	1	1	-	1
100 yrs & over---	7	-	7	7	-	7	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Instantaneous death (R96.0)												
All ages-----	363	181	182	316	156	160	47	25	22	44	24	20
Under 1 year----
1-4 years-----	26	15	11	21	14	7	5	1	4	3	1	2
5-9 years-----	1	-	1	-	-	-	1	-	1	1	-	1
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years-----	3	2	1	2	1	1	1	1	-	1	1	-
35-39 years-----	4	2	2	3	2	1	1	-	1	1	-	1
40-44 years-----	4	4	-	3	3	-	1	1	-	1	1	-
45-49 years-----	14	12	2	12	10	2	2	2	-	2	2	-
50-54 years-----	13	10	3	10	8	2	3	2	1	3	2	1
55-59 years-----	25	18	7	19	14	5	6	4	2	6	4	2
60-64 years-----	16	13	3	15	13	2	1	-	1	1	-	1
65-69 years-----	30	16	14	24	14	10	6	2	4	6	2	4
70-74 years-----	34	21	13	31	19	12	3	2	1	3	2	1
75-79 years-----	46	19	27	43	16	27	3	3	-	3	3	-
80-84 years-----	45	16	29	42	15	27	3	1	2	3	1	2
85-89 years-----	55	22	33	50	20	30	5	2	3	4	1	3
90-94 years-----	28	9	19	24	6	18	4	3	1	4	3	1
95-99 years-----	11	1	10	10	1	9	1	-	1	1	-	1
100 yrs & over---	7	-	7	7	-	7	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Unattended death (R98)

All ages-----	31	20	11	21	13	8	10	7	3	8	6	2
Under 1 year----	5	4	1	4	3	1	1	1	-	1	1	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	2	2	-	1	1	-	1	1	-	-	-	-
25-29 years-----	5	4	1	4	3	1	1	1	-	1	1	-
30-34 years-----	2	1	1	1	-	1	1	1	-	1	1	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	2	1	1	1	1	-	1	-	1	1	-	1
45-49 years-----	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years-----	2	1	1	-	-	-	2	1	1	2	1	1
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	1	1	-	-	-	-	1	1	-	1	1	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	2	2	-	2	2	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	2	1	1	-	-	-	2	1	1	1	1	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

RACE, AND SEX

Other ill-defined and unspecified causes of mortality (R99)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	13,511	7,356	6,155	10,824	5,770	5,054	2,687	1,586	1,101	2,400	1,424	976
Under 1 year-----	813	470	343	465	276	189	348	194	154	305	176	129
1-4 years-----	166	95	71	105	63	42	61	32	29	55	28	27
5-9 years-----	47	21	26	34	14	20	13	7	6	12	7	5
10-14 years-----	55	32	23	37	20	17	18	12	6	13	11	2
15-19 years-----	175	119	56	127	89	38	48	30	18	40	27	13
20-24 years-----	310	229	81	228	175	53	82	54	28	74	48	26
25-29 years-----	329	215	114	238	161	77	91	54	37	75	46	29
30-34 years-----	526	363	163	403	277	126	123	86	37	110	79	31
35-39 years-----	750	478	272	571	373	198	179	105	74	171	101	70
40-44 years-----	929	617	312	677	460	217	252	157	95	225	138	87
45-49 years-----	956	653	303	706	477	229	250	176	74	231	161	70
50-54 years-----	766	510	256	573	378	195	193	132	61	174	119	55
55-59 years-----	654	420	234	502	319	183	152	101	51	138	93	45
60-64 years-----	656	435	221	523	348	175	133	87	46	121	81	40
65-69 years-----	724	445	279	589	360	229	135	85	50	118	75	43
70-74 years-----	895	514	381	778	446	332	117	68	49	99	58	41
75-79 years-----	948	492	456	829	434	395	119	58	61	105	51	54
80-84 years-----	1,073	458	615	951	400	551	122	58	64	109	47	62
85-89 years-----	1,103	370	733	997	324	673	106	46	60	96	40	56
90-94 years-----	913	235	678	847	214	633	66	21	45	59	19	40
95-99 years-----	495	105	390	448	94	354	47	11	36	41	9	32
100 yrs & over---	156	26	130	136	22	114	20	4	16	19	4	15
Not stated-----	72	54	18	60	46	14	12	8	4	10	6	4

Pedestrian injured in collision with pedal cycle (V01)

All ages-----	9	8	1	8	7	1	1	1	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	-	-	-	1	1	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	4	3	1	4	3	1	-	-	-	-	-	-
80-84 years-----	2	2	-	2	2	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Nontraffiac accident (V01.0)												
All ages-----	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Traffic accident (V01.1)												
All ages-----	7	6	1	6	5	1	1	1	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	-	-	-	1	1	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	3	2	1	3	2	1	-	-	-	-	-	-
80-84 years-----	2	2	-	2	2	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

RACE, AND SEX

Pedestrian injured in collision with two- or three-wheeled motor vehicle (V02)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	31	21	10	20	13	7	11	8	3	9	6	3
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	2	2	-	1	1	-	1	1	-	1	1	-
10-14 years-----	1	-	1	-	-	-	1	-	1	1	-	1
15-19 years-----	1	1	-	-	-	-	1	1	-	-	-	-
20-24 years-----	2	2	-	2	2	-	-	-	-	-	-	-
25-29 years-----	4	4	-	1	1	-	3	3	-	2	2	-
30-34 years-----	2	1	1	-	-	-	2	1	1	2	1	1
35-39 years-----	2	2	-	1	1	-	1	1	-	1	1	-
40-44 years-----	5	5	-	5	5	-	-	-	-	-	-	-
45-49 years-----	4	3	1	3	2	1	1	1	-	1	1	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	2	-	2	2	-	2	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years-----	1	-	1	-	-	-	1	-	1	1	-	1
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Nontraffic accident (V02.0)

All ages-----	2	2	-	1	1	-	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	1	1	-	-	-	-	1	1	-	1	1	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Traffic accident (V02.1)												
All ages-----	29	19	10	19	12	7	10	7	3	8	5	3
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	1	-	1	-	-	-	1	-	1	1	-	1
15-19 years-----	1	1	-	-	-	-	1	1	-	-	-	-
20-24 years-----	2	2	-	2	2	-	-	-	-	-	-	-
25-29 years-----	4	4	-	1	1	-	3	3	-	2	2	-
30-34 years-----	2	1	1	-	-	-	2	1	1	2	1	1
35-39 years-----	2	2	-	1	1	-	1	1	-	1	1	-
40-44 years-----	5	5	-	5	5	-	-	-	-	-	-	-
45-49 years-----	4	3	1	3	2	1	1	1	-	1	1	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	2	-	2	2	-	2	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years-----	1	-	1	-	-	-	1	-	1	1	-	1
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Pedestrian injured in collision with car, pickup truck, or van (V03)

All ages-----	3,085	2,120	965	2,304	1,564	740	781	556	225	600	440	160
Under 1 year----	9	5	4	6	4	2	3	1	2	2	-	2
1-4 years-----	162	90	72	115	59	56	47	31	16	39	25	14
5-9 years-----	142	85	57	86	54	32	56	31	25	49	27	22
10-14 years-----	104	67	37	82	53	29	22	14	8	20	13	7
15-19 years-----	158	113	45	126	91	35	32	22	10	25	16	9
20-24 years-----	177	137	40	138	106	32	39	31	8	27	22	5
25-29 years-----	171	126	45	119	91	28	52	35	17	41	29	12
30-34 years-----	183	145	38	134	105	29	49	40	9	38	32	6
35-39 years-----	258	200	58	176	138	38	82	62	20	66	50	16
40-44 years-----	251	183	68	159	113	46	92	70	22	81	64	17
45-49 years-----	231	172	59	169	121	48	62	51	11	48	40	8
50-54 years-----	183	143	40	140	108	32	43	35	8	34	29	5
55-59 years-----	189	133	56	142	98	44	47	35	12	42	32	10
60-64 years-----	147	98	49	117	80	37	30	18	12	18	14	4
65-69 years-----	120	78	42	100	69	31	20	9	11	9	5	4
70-74 years-----	159	90	69	123	66	57	36	24	12	22	16	6
75-79 years-----	164	94	70	136	76	60	28	18	10	15	9	6
80-84 years-----	132	82	50	114	69	45	18	13	5	9	5	4
85-89 years-----	107	56	51	94	46	48	13	10	3	9	8	1
90-94 years-----	29	16	13	23	13	10	6	3	3	2	1	1
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	1	1	-	1	1	-	-	-	-	-	-	-
Not stated-----	7	6	1	3	3	-	4	3	1	4	3	1

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Nontraffiac accident (V03.0)												
All ages-----	187	116	71	158	96	62	29	20	9	18	14	4
Under 1 year-----	2	2	-	1	1	-	1	1	-	-	-	-
1-4 years-----	46	22	24	40	20	20	6	2	4	5	2	3
5-9 years-----	9	5	4	6	3	3	3	2	1	1	1	-
10-14 years-----	4	2	2	3	1	2	1	1	-	-	-	-
15-19 years-----	9	6	3	7	5	2	2	1	1	1	-	1
20-24 years-----	6	6	-	4	4	-	2	2	-	2	2	-
25-29 years-----	5	4	1	4	3	1	1	1	-	1	1	-
30-34 years-----	5	4	1	4	3	1	1	1	-	1	1	-
35-39 years-----	9	7	2	9	7	2	-	-	-	-	-	-
40-44 years-----	11	9	2	9	8	1	2	1	1	1	1	-
45-49 years-----	12	9	3	9	6	3	3	3	-	2	2	-
50-54 years-----	7	5	2	6	4	2	1	1	-	1	1	-
55-59 years-----	9	7	2	8	6	2	1	1	-	1	1	-
60-64 years-----	5	4	1	5	4	1	-	-	-	-	-	-
65-69 years-----	8	5	3	6	4	2	2	1	1	-	-	-
70-74 years-----	10	5	5	8	4	4	2	1	1	1	1	-
75-79 years-----	10	4	6	10	4	6	-	-	-	-	-	-
80-84 years-----	9	4	5	9	4	5	-	-	-	-	-	-
85-89 years-----	6	2	4	5	1	4	1	1	-	1	1	-
90-94 years-----	4	3	1	4	3	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	1	1	-	1	1	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Traffic accident (V03.1)

All ages-----	2,877	1,990	887	2,129	1,457	672	748	533	215	579	424	155
Under 1 year-----	7	3	4	5	3	2	2	-	2	2	-	2
1-4 years-----	116	68	48	75	39	36	41	29	12	34	23	11
5-9 years-----	133	80	53	80	51	29	53	29	24	48	26	22
10-14 years-----	100	65	35	79	52	27	21	13	8	20	13	7
15-19 years-----	148	106	42	118	85	33	30	21	9	24	16	8
20-24 years-----	168	131	37	132	102	30	36	29	7	24	20	4
25-29 years-----	166	122	44	115	88	27	51	34	17	40	28	12
30-34 years-----	177	140	37	129	101	28	48	39	9	37	31	6
35-39 years-----	246	190	56	164	128	36	82	62	20	66	50	16
40-44 years-----	240	174	66	150	105	45	90	69	21	80	63	17
45-49 years-----	219	163	56	160	115	45	59	48	11	46	38	8
50-54 years-----	173	135	38	133	103	30	40	32	8	31	26	5
55-59 years-----	177	124	53	131	90	41	46	34	12	41	31	10
60-64 years-----	140	92	48	111	75	36	29	17	12	18	14	4
65-69 years-----	111	73	38	93	65	28	18	8	10	9	5	4
70-74 years-----	148	85	63	114	62	52	34	23	11	21	15	6
75-79 years-----	154	90	64	126	72	54	28	18	10	15	9	6
80-84 years-----	122	77	45	104	64	40	18	13	5	9	5	4
85-89 years-----	100	53	47	88	44	44	12	9	3	8	7	1
90-94 years-----	24	13	11	18	10	8	6	3	3	2	1	1
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	7	6	1	3	3	-	4	3	1	4	3	1

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Unspecified whether traffic or nontraffic accident (V03.9)												
All ages-----	21	14	7	17	11	6	4	3	1	3	2	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	3	-	3	2	-	2	1	-	1	1	-	1
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	3	3	-	3	3	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	3	3	-	1	1	-	2	2	-	2	2	-
55-59 years-----	3	2	1	3	2	1	-	-	-	-	-	-
60-64 years-----	2	2	-	1	1	-	1	1	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Pedestrian injured in collision with heavy transport vehicle or bus (V04)

All ages-----	273	196	77	212	151	61	61	45	16	45	33	12
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	7	5	2	5	5	-	2	-	2	2	-	2
5-9 years-----	16	6	10	11	2	9	5	4	1	5	4	1
10-14 years-----	6	4	2	4	2	2	2	2	-	2	2	-
15-19 years-----	8	8	-	8	8	-	-	-	-	-	-	-
20-24 years-----	18	14	4	12	10	2	6	4	2	4	2	2
25-29 years-----	20	18	2	15	13	2	5	5	-	2	2	-
30-34 years-----	20	13	7	16	10	6	4	3	1	2	2	-
35-39 years-----	29	18	11	23	13	10	6	5	1	4	3	1
40-44 years-----	28	21	7	23	18	5	5	3	2	4	2	2
45-49 years-----	22	18	4	17	14	3	5	4	1	5	4	1
50-54 years-----	24	18	6	17	14	3	7	4	3	4	3	1
55-59 years-----	17	15	2	12	10	2	5	5	-	3	3	-
60-64 years-----	11	9	2	10	8	2	1	1	-	1	1	-
65-69 years-----	14	10	4	8	6	2	6	4	2	5	4	1
70-74 years-----	11	9	2	10	8	2	1	1	-	1	1	-
75-79 years-----	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years-----	5	3	2	5	3	2	-	-	-	-	-	-
85-89 years-----	9	3	6	9	3	6	-	-	-	-	-	-
90-94 years-----	5	2	3	4	2	2	1	-	1	1	-	1
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	1	1	-	1	1	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Nontraffice accident (V04.0)												
All ages-----	36	30	6	34	28	6	2	2	-	2	2	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	2	2	-	2	2	-	-	-	-	-	-	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	2	2	-	2	2	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	2	1	1	2	1	1	-	-	-	-	-	-
35-39 years-----	5	4	1	5	4	1	-	-	-	-	-	-
40-44 years-----	7	7	-	6	6	-	1	1	-	1	1	-
45-49 years-----	2	2	-	2	2	-	-	-	-	-	-	-
50-54 years-----	4	4	-	3	3	-	1	1	-	1	1	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	4	4	-	4	4	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	3	1	2	3	1	2	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Traffic accident (V04.1)

All ages-----	233	163	70	174	120	54	59	43	16	43	31	12
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	5	3	2	3	3	-	2	-	2	2	-	2
5-9 years-----	15	6	9	10	2	8	5	4	1	5	4	1
10-14 years-----	6	4	2	4	2	2	2	2	-	2	2	-
15-19 years-----	8	8	-	8	8	-	-	-	-	-	-	-
20-24 years-----	15	11	4	9	7	2	6	4	2	4	2	2
25-29 years-----	19	17	2	14	12	2	5	5	-	2	2	-
30-34 years-----	18	12	6	14	9	5	4	3	1	2	2	-
35-39 years-----	23	13	10	17	8	9	6	5	1	4	3	1
40-44 years-----	21	14	7	17	12	5	4	2	2	3	1	2
45-49 years-----	20	16	4	15	12	3	5	4	1	5	4	1
50-54 years-----	20	14	6	14	11	3	6	3	3	3	2	1
55-59 years-----	16	14	2	11	9	2	5	5	-	3	3	-
60-64 years-----	10	8	2	9	7	2	1	1	-	1	1	-
65-69 years-----	13	9	4	7	5	2	6	4	2	5	4	1
70-74 years-----	7	5	2	6	4	2	1	1	-	1	1	-
75-79 years-----	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years-----	5	3	2	5	3	2	-	-	-	-	-	-
85-89 years-----	5	2	3	5	2	3	-	-	-	-	-	-
90-94 years-----	4	2	2	3	2	1	1	-	1	1	-	1
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	1	1	-	1	1	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Unspecified whether traffic or nontraffic accident (V04.9)												
All ages-----	4	3	1	4	3	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Pedestrian injured in collision with railway train or railway vehicle (V05)

All ages-----	440	372	68	346	293	53	94	79	15	68	56	12
Under 1 year-----	1	1	-	-	-	-	1	1	-	1	1	-
1-4 years-----	2	1	1	2	1	1	-	-	-	-	-	-
5-9 years-----	6	5	1	4	4	-	2	1	1	1	1	-
10-14 years-----	15	13	2	12	10	2	3	3	-	2	2	-
15-19 years-----	32	26	6	25	21	4	7	5	2	3	2	1
20-24 years-----	49	46	3	37	34	3	12	12	-	5	5	-
25-29 years-----	42	36	6	33	27	6	9	9	-	7	7	-
30-34 years-----	46	42	4	37	35	2	9	7	2	6	5	1
35-39 years-----	70	61	9	54	47	7	16	14	2	13	11	2
40-44 years-----	57	49	8	50	44	6	7	5	2	6	4	2
45-49 years-----	39	30	9	29	23	6	10	7	3	9	6	3
50-54 years-----	23	17	6	18	14	4	5	3	2	5	3	2
55-59 years-----	15	14	1	11	10	1	4	4	-	4	4	-
60-64 years-----	11	8	3	8	6	2	3	2	1	2	1	1
65-69 years-----	6	2	4	5	1	4	1	1	-	1	1	-
70-74 years-----	7	6	1	6	5	1	1	1	-	1	1	-
75-79 years-----	7	4	3	6	3	3	1	1	-	-	-	-
80-84 years-----	4	3	1	3	2	1	1	1	-	-	-	-
85-89 years-----	2	2	-	1	1	-	1	1	-	1	1	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	5	5	-	4	4	-	1	1	-	1	1	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Nontraffiac accident (V05.0)												
All ages-----	198	172	26	155	134	21	43	38	5	27	24	3
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	4	3	1	2	2	-	2	1	1	1	1	-
10-14 years-----	5	3	2	3	1	2	2	2	-	1	1	-
15-19 years-----	11	9	2	7	6	1	4	3	1	1	1	-
20-24 years-----	24	21	3	19	16	3	5	5	-	1	1	-
25-29 years-----	23	23	-	16	16	-	7	7	-	5	5	-
30-34 years-----	19	19	-	16	16	-	3	3	-	2	2	-
35-39 years-----	38	34	4	34	30	4	4	4	-	3	3	-
40-44 years-----	20	18	2	18	16	2	2	2	-	1	1	-
45-49 years-----	19	14	5	14	11	3	5	3	2	5	3	2
50-54 years-----	10	8	2	8	6	2	2	2	-	2	2	-
55-59 years-----	7	7	-	5	5	-	2	2	-	2	2	-
60-64 years-----	7	4	3	4	2	2	3	2	1	2	1	1
65-69 years-----	3	1	2	3	1	2	-	-	-	-	-	-
70-74 years-----	2	2	-	1	1	-	1	1	-	1	1	-
75-79 years-----	2	2	-	1	1	-	1	1	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	3	3	-	3	3	-	-	-	-	-	-	-
Traffic accident (V05.1)												
All ages-----	74	60	14	58	48	10	16	12	4	11	8	3
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	3	3	-	2	2	-	1	1	-	1	1	-
15-19 years-----	11	9	2	9	8	1	2	1	1	1	-	1
20-24 years-----	11	11	-	8	8	-	3	3	-	1	1	-
25-29 years-----	9	7	2	8	6	2	1	1	-	1	1	-
30-34 years-----	7	6	1	5	5	-	2	1	1	1	1	-
35-39 years-----	5	4	1	3	2	1	2	2	-	1	1	-
40-44 years-----	9	6	3	8	6	2	1	-	1	1	-	1
45-49 years-----	3	1	2	2	1	1	1	-	1	1	-	1
50-54 years-----	3	2	1	3	2	1	-	-	-	-	-	-
55-59 years-----	2	2	-	-	-	-	2	2	-	2	2	-
60-64 years-----	2	2	-	2	2	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	3	3	-	3	3	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	1	1	-	-	-	-	1	1	-	1	1	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Unspecified whether traffic or nontraffic accident (V05.9)												
All ages-----	168	140	28	133	111	22	35	29	6	30	24	6
Under 1 year----	1	1	-	-	-	-	1	1	-	1	1	-
1-4 years-----	2	1	1	2	1	1	-	-	-	-	-	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	7	7	-	7	7	-	-	-	-	-	-	-
15-19 years-----	10	8	2	9	7	2	1	1	-	1	1	-
20-24 years-----	14	14	-	10	10	-	4	4	-	3	3	-
25-29 years-----	10	6	4	9	5	4	1	1	-	1	1	-
30-34 years-----	20	17	3	16	14	2	4	3	1	3	2	1
35-39 years-----	27	23	4	17	15	2	10	8	2	9	7	2
40-44 years-----	28	25	3	24	22	2	4	3	1	4	3	1
45-49 years-----	17	15	2	13	11	2	4	4	-	3	3	-
50-54 years-----	10	7	3	7	6	1	3	1	2	3	1	2
55-59 years-----	6	5	1	6	5	1	-	-	-	-	-	-
60-64 years-----	2	2	-	2	2	-	-	-	-	-	-	-
65-69 years-----	2	1	1	1	-	1	1	1	-	1	1	-
70-74 years-----	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years-----	4	2	2	4	2	2	-	-	-	-	-	-
80-84 years-----	2	1	1	1	-	1	1	1	-	-	-	-
85-89 years-----	2	2	-	1	1	-	1	1	-	1	1	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	1	1	-	1	1	-	-	-	-	-	-	-

Pedestrian injured in collision with other nonmotor vehicle (V06)

All ages-----	9	5	4	8	4	4	1	1	-	1	1	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	2	1	1	1	-	1	1	1	-	1	1	-
15-19 years-----	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Nontraffice accident (V06.0)												
All ages-----	7	3	4	7	3	4	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Traffic accident (V06.1)

All ages-----	1	1	-	-	-	-	1	1	-	1	1	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	-	-	-	1	1	-	1	1	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

RACE, AND SEX

Unspecified whether traffic or nontraffic accident (V06.9)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Pedestrian injured in other and unspecified transport accidents (V09)

All ages-----	2,200	1,552	648	1,673	1,182	491	527	370	157	419	301	118
Under 1 year-----	3	3	-	3	3	-	-	-	-	-	-	-
1-4 years-----	97	62	35	56	31	25	41	31	10	30	23	7
5-9 years-----	74	46	28	47	27	20	27	19	8	25	19	6
10-14 years-----	82	58	24	56	41	15	26	17	9	22	14	8
15-19 years-----	113	75	38	80	53	27	33	22	11	28	19	9
20-24 years-----	122	93	29	92	75	17	30	18	12	23	12	11
25-29 years-----	121	101	20	97	84	13	24	17	7	20	14	6
30-34 years-----	135	92	43	101	68	33	34	24	10	30	23	7
35-39 years-----	207	145	62	151	110	41	56	35	21	47	29	18
40-44 years-----	202	151	51	164	119	45	38	32	6	32	27	5
45-49 years-----	186	150	36	132	103	29	54	47	7	46	40	6
50-54 years-----	141	109	32	108	85	23	33	24	9	27	21	6
55-59 years-----	111	84	27	87	68	19	24	16	8	21	14	7
60-64 years-----	85	64	21	66	52	14	19	12	7	11	8	3
65-69 years-----	103	75	28	85	63	22	18	12	6	11	8	3
70-74 years-----	112	65	47	94	53	41	18	12	6	14	9	5
75-79 years-----	126	76	50	99	60	39	27	16	11	16	8	8
80-84 years-----	89	51	38	76	42	34	13	9	4	10	8	2
85-89 years-----	51	24	27	44	22	22	7	2	5	2	1	1
90-94 years-----	27	17	10	25	15	10	2	2	-	1	1	-
95-99 years-----	5	3	2	4	2	2	1	1	-	1	1	-
100 yrs & over---	1	1	-	-	-	-	1	1	-	1	1	-
Not stated-----	7	7	-	6	6	-	1	1	-	1	1	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Pedestrian injured in nontraffic accident involving other and unspecified motor vehicles (V09.0)												
All ages-----	78	54	24	65	43	22	13	11	2	10	9	1
Under 1 year----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	14	8	6	10	5	5	4	3	1	3	2	1
5-9 years-----	4	-	4	4	-	4	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	4	4	-	3	3	-	1	1	-	1	1	-
20-24 years-----	2	2	-	2	2	-	-	-	-	-	-	-
25-29 years-----	4	4	-	3	3	-	1	1	-	-	-	-
30-34 years-----	1	1	-	-	-	-	1	1	-	1	1	-
35-39 years-----	3	2	1	2	2	-	1	-	1	-	-	-
40-44 years-----	6	3	3	6	3	3	-	-	-	-	-	-
45-49 years-----	8	7	1	5	4	1	3	3	-	3	3	-
50-54 years-----	3	2	1	3	2	1	-	-	-	-	-	-
55-59 years-----	2	2	-	2	2	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	5	4	1	5	4	1	-	-	-	-	-	-
70-74 years-----	2	-	2	2	-	2	-	-	-	-	-	-
75-79 years-----	7	4	3	7	4	3	-	-	-	-	-	-
80-84 years-----	5	5	-	4	4	-	1	1	-	1	1	-
85-89 years-----	3	1	2	3	1	2	-	-	-	-	-	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	1	1	-	-	-	-	1	1	-	1	1	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Pedestrian injured in unspecified nontraffic accident (V09.1)

All ages-----	147	105	42	121	87	34	26	18	8	16	11	5
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	5	3	2	3	1	2	2	2	-	1	1	-
5-9 years-----	3	1	2	3	1	2	-	-	-	-	-	-
10-14 years-----	6	5	1	5	4	1	1	1	-	-	-	-
15-19 years-----	4	-	4	2	-	2	2	-	2	1	-	1
20-24 years-----	11	10	1	10	9	1	1	1	-	1	1	-
25-29 years-----	8	7	1	5	4	1	3	3	-	1	1	-
30-34 years-----	11	8	3	10	7	3	1	1	-	1	1	-
35-39 years-----	10	7	3	8	6	2	2	1	1	2	1	1
40-44 years-----	18	15	3	16	13	3	2	2	-	2	2	-
45-49 years-----	13	9	4	10	7	3	3	2	1	2	1	1
50-54 years-----	11	9	2	9	7	2	2	2	-	2	2	-
55-59 years-----	7	6	1	6	6	-	1	-	1	1	-	1
60-64 years-----	9	6	3	8	5	3	1	1	-	-	-	-
65-69 years-----	9	6	3	6	4	2	3	2	1	2	1	1
70-74 years-----	7	5	2	6	5	1	1	-	1	-	-	-
75-79 years-----	5	3	2	5	3	2	-	-	-	-	-	-
80-84 years-----	8	4	4	7	4	3	1	-	1	-	-	-
85-89 years-----	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Pedestrian injured in traffic accident involving other and unspecified motor vehicles (V09.2)												
All ages-----	1,381	977	404	1,025	729	296	356	248	108	292	209	83
Under 1 year-----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	48	34	14	27	17	10	21	17	4	14	12	2
5-9 years-----	43	29	14	25	17	8	18	12	6	18	12	6
10-14 years-----	57	37	20	37	25	12	20	12	8	19	11	8
15-19 years-----	76	50	26	53	34	19	23	16	7	20	14	6
20-24 years-----	68	48	20	48	38	10	20	10	10	18	8	10
25-29 years-----	81	65	16	66	56	10	15	9	6	14	9	5
30-34 years-----	78	58	20	57	42	15	21	16	5	18	15	3
35-39 years-----	136	96	40	94	69	25	42	27	15	36	22	14
40-44 years-----	125	95	30	100	74	26	25	21	4	21	18	3
45-49 years-----	118	97	21	81	65	16	37	32	5	34	30	4
50-54 years-----	93	68	25	71	54	17	22	14	8	16	11	5
55-59 years-----	71	54	17	53	41	12	18	13	5	15	11	4
60-64 years-----	54	41	13	39	32	7	15	9	6	9	7	2
65-69 years-----	61	46	15	51	37	14	10	9	1	6	6	-
70-74 years-----	78	43	35	64	34	30	14	9	5	12	7	5
75-79 years-----	78	49	29	60	37	23	18	12	6	11	7	4
80-84 years-----	49	27	22	40	21	19	9	6	3	8	6	2
85-89 years-----	36	19	17	30	17	13	6	2	4	1	1	-
90-94 years-----	21	12	9	20	11	9	1	1	-	1	1	-
95-99 years-----	3	2	1	3	2	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	6	6	-	5	5	-	1	1	-	1	1	-

Pedestrian injured in unspecified traffic accident (V09.3)

All ages-----	126	92	34	91	63	28	35	29	6	22	19	3
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	4	3	1	1	1	-	3	2	1	2	2	-
5-9 years-----	8	5	3	4	1	3	4	4	-	4	4	-
10-14 years-----	4	4	-	2	2	-	2	2	-	1	1	-
15-19 years-----	8	6	2	3	2	1	5	4	1	4	3	1
20-24 years-----	10	10	-	8	8	-	2	2	-	-	-	-
25-29 years-----	7	7	-	7	7	-	-	-	-	-	-	-
30-34 years-----	8	3	5	7	2	5	1	1	-	1	1	-
35-39 years-----	10	9	1	9	8	1	1	1	-	1	1	-
40-44 years-----	12	8	4	9	5	4	3	3	-	2	2	-
45-49 years-----	9	6	3	7	4	3	2	2	-	2	2	-
50-54 years-----	7	6	1	5	4	1	2	2	-	2	2	-
55-59 years-----	9	7	2	8	6	2	1	1	-	1	1	-
60-64 years-----	5	5	-	4	4	-	1	1	-	-	-	-
65-69 years-----	4	1	3	2	1	1	2	-	2	1	-	1
70-74 years-----	7	5	2	7	5	2	-	-	-	-	-	-
75-79 years-----	7	4	3	3	2	1	4	2	2	1	-	1
80-84 years-----	4	2	2	3	1	2	1	1	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	1	1	-	-	-	-	1	1	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Pedestrian injured in unspecified transport accident (V09.9)												
All ages-----	468	324	144	371	260	111	97	64	33	79	53	26
Under 1 year-----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	26	14	12	15	7	8	11	7	4	10	6	4
5-9 years-----	16	11	5	11	8	3	5	3	2	3	3	-
10-14 years-----	14	11	3	11	9	2	3	2	1	2	2	-
15-19 years-----	21	15	6	19	14	5	2	1	1	2	1	1
20-24 years-----	31	23	8	24	18	6	7	5	2	4	3	1
25-29 years-----	21	18	3	16	14	2	5	4	1	5	4	1
30-34 years-----	37	22	15	27	17	10	10	5	5	9	5	4
35-39 years-----	48	31	17	38	25	13	10	6	4	8	5	3
40-44 years-----	41	30	11	33	24	9	8	6	2	7	5	2
45-49 years-----	38	31	7	29	23	6	9	8	1	5	4	1
50-54 years-----	27	24	3	20	18	2	7	6	1	7	6	1
55-59 years-----	22	15	7	18	13	5	4	2	2	4	2	2
60-64 years-----	16	11	5	14	10	4	2	1	1	2	1	1
65-69 years-----	24	18	6	21	17	4	3	1	2	2	1	1
70-74 years-----	18	12	6	15	9	6	3	3	-	2	2	-
75-79 years-----	29	16	13	24	14	10	5	2	3	4	1	3
80-84 years-----	23	13	10	22	12	10	1	1	-	1	1	-
85-89 years-----	9	3	6	8	3	5	1	-	1	1	-	1
90-94 years-----	4	3	1	4	3	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	1	1	-	-	-	-	1	1	-	1	1	-
Not stated-----	1	1	-	1	1	-	-	-	-	-	-	-

Pedal cyclist injured in collision with other pedal cycle (V11)

All ages-----	6	5	1	5	4	1	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	1	1	-	-	-	-	1	1	-	1	1	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

RACE, AND SEX

Driver injured in nontraffic accident (V11.0)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Driver injured in traffic accident (V11.4)

All ages-----	3	2	1	2	1	1	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	-	-	-	1	1	-	1	1	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Unspecified pedal cyclist injured in traffic accident (V11.9)												
All ages-----	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Pedal cyclist injured in collision with two- or three-wheeled motor vehicle (V12)

All ages-----	6	6	-	4	4	-	2	2	-	2	2	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	2	2	-	-	-	-	2	2	-	2	2	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Passenger injured in nontraffic accident (V12.1)												
All ages-----	1	1	-	-	-	-	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	-	-	-	1	1	-	1	1	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Driver injured in traffic accident (V12.4)

All ages-----	3	3	-	2	2	-	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	-	-	-	1	1	-	1	1	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Unspecified pedal cyclist injured in traffic accident (V12.9)												
All ages-----	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Pedal cyclist injured in collision with car, pickup truck, or van (V13)

All ages-----	412	359	53	335	290	45	77	69	8	58	52	6
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	5	4	1	4	3	1	1	1	-	1	1	-
5-9 years-----	44	37	7	33	30	3	11	7	4	9	6	3
10-14 years-----	54	39	15	43	31	12	11	8	3	10	7	3
15-19 years-----	38	38	-	31	31	-	7	7	-	6	6	-
20-24 years-----	28	24	4	22	18	4	6	6	-	5	5	-
25-29 years-----	15	12	3	11	8	3	4	4	-	2	2	-
30-34 years-----	30	25	5	27	22	5	3	3	-	2	2	-
35-39 years-----	35	32	3	23	21	2	12	11	1	8	8	-
40-44 years-----	45	39	6	40	34	6	5	5	-	5	5	-
45-49 years-----	31	29	2	27	25	2	4	4	-	4	4	-
50-54 years-----	20	18	2	17	15	2	3	3	-	2	2	-
55-59 years-----	14	12	2	13	11	2	1	1	-	-	-	-
60-64 years-----	9	7	2	8	6	2	1	1	-	1	1	-
65-69 years-----	16	15	1	10	9	1	6	6	-	2	2	-
70-74 years-----	13	13	-	12	12	-	1	1	-	-	-	-
75-79 years-----	4	4	-	4	4	-	-	-	-	-	-	-
80-84 years-----	3	3	-	3	3	-	-	-	-	-	-	-
85-89 years-----	7	7	-	7	7	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	1	1	-	-	-	-	1	1	-	1	1	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Driver injured in nontraffic accident (V13.0)												
All ages-----	3	3	-	3	3	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Passenger injured in nontraffic accident (V13.1)

All ages-----	19	17	2	16	14	2	3	3	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	2	2	-	2	2	-	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	2	2	-	2	2	-	-	-	-	-	-	-
20-24 years-----	2	2	-	1	1	-	1	1	-	1	1	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	2	-	2	2	-	2	-	-	-	-	-	-
35-39 years-----	2	2	-	1	1	-	1	1	-	-	-	-
40-44 years-----	2	2	-	2	2	-	-	-	-	-	-	-
45-49 years-----	2	2	-	2	2	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	2	2	-	1	1	-	1	1	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Unspecified pedal cyclist injured in nontraffic accident (V13.2)												
All ages-----	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Driver injured in traffic accident (V13.4)

All ages-----	177	148	29	150	122	28	27	26	1	24	23	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years-----	13	10	3	11	9	2	2	1	1	2	1	1
10-14 years-----	24	16	8	21	13	8	3	3	-	2	2	-
15-19 years-----	15	15	-	11	11	-	4	4	-	3	3	-
20-24 years-----	11	8	3	10	7	3	1	1	-	1	1	-
25-29 years-----	6	4	2	4	2	2	2	2	-	2	2	-
30-34 years-----	19	17	2	18	16	2	1	1	-	1	1	-
35-39 years-----	12	10	2	7	5	2	5	5	-	5	5	-
40-44 years-----	18	15	3	15	12	3	3	3	-	3	3	-
45-49 years-----	16	15	1	14	13	1	2	2	-	2	2	-
50-54 years-----	10	9	1	9	8	1	1	1	-	1	1	-
55-59 years-----	9	7	2	9	7	2	-	-	-	-	-	-
60-64 years-----	3	2	1	3	2	1	-	-	-	-	-	-
65-69 years-----	6	6	-	5	5	-	1	1	-	1	1	-
70-74 years-----	5	5	-	4	4	-	1	1	-	-	-	-
75-79 years-----	3	3	-	3	3	-	-	-	-	-	-	-
80-84 years-----	2	2	-	2	2	-	-	-	-	-	-	-
85-89 years-----	3	3	-	3	3	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	1	1	-	-	-	-	1	1	-	1	1	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Passenger injured in traffic accident (V13.5)												
All ages-----	4	4	-	3	3	-	1	1	-	1	1	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	1	-	-	-	-	1	1	-	1	1	-
10-14 years-----	2	2	-	2	2	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Unspecified pedal cyclist injured in traffic accident (V13.9)

All ages-----	207	185	22	161	146	15	46	39	7	32	27	5
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	2	2	-	1	1	-	1	1	-	1	1	-
5-9 years-----	28	24	4	20	19	1	8	5	3	6	4	2
10-14 years-----	27	20	7	19	15	4	8	5	3	8	5	3
15-19 years-----	20	20	-	17	17	-	3	3	-	3	3	-
20-24 years-----	15	14	1	11	10	1	4	4	-	3	3	-
25-29 years-----	9	8	1	7	6	1	2	2	-	-	-	-
30-34 years-----	9	8	1	7	6	1	2	2	-	1	1	-
35-39 years-----	21	20	1	15	15	-	6	5	1	3	3	-
40-44 years-----	24	21	3	22	19	3	2	2	-	2	2	-
45-49 years-----	13	12	1	11	10	1	2	2	-	2	2	-
50-54 years-----	9	8	1	7	6	1	2	2	-	1	1	-
55-59 years-----	4	4	-	3	3	-	1	1	-	-	-	-
60-64 years-----	5	4	1	4	3	1	1	1	-	1	1	-
65-69 years-----	8	7	1	4	3	1	4	4	-	1	1	-
70-74 years-----	7	7	-	7	7	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	4	4	-	4	4	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Pedal cyclist injured in collision with heavy transport vehicle or bus (V14)												
All ages-----	36	29	7	27	21	6	9	8	1	7	7	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	6	3	3	4	2	2	2	1	1	1	1	-
10-14 years-----	6	4	2	5	3	2	1	1	-	1	1	-
15-19 years-----	4	4	-	2	2	-	2	2	-	1	1	-
20-24 years-----	3	2	1	3	2	1	-	-	-	-	-	-
25-29 years-----	3	2	1	3	2	1	-	-	-	-	-	-
30-34 years-----	1	1	-	-	-	-	1	1	-	1	1	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	7	7	-	6	6	-	1	1	-	1	1	-
45-49 years-----	2	2	-	2	2	-	-	-	-	-	-	-
50-54 years-----	1	1	-	-	-	-	1	1	-	1	1	-
55-59 years-----	1	1	-	-	-	-	1	1	-	1	1	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Driver injured in nontraffic accident (V14.0)

All ages-----	1	1	-	-	-	-	1	1	-	1	1	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	-	-	-	1	1	-	1	1	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Unspecified pedal cyclist injured in nontraffic accident (V14.2)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Driver injured in traffic accident (V14.4)

All ages-----	11	9	2	8	7	1	3	2	1	2	2	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	3	2	1	1	1	-	2	1	1	1	1	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	2	2	-	1	1	-	1	1	-	1	1	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	2	2	-	2	2	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Unspecified pedal cyclist injured in traffic accident (V14.9)												
All ages-----	23	19	4	18	14	4	5	5	-	4	4	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	2	1	1	2	1	1	-	-	-	-	-	-
10-14 years-----	5	4	1	4	3	1	1	1	-	1	1	-
15-19 years-----	2	2	-	1	1	-	1	1	-	-	-	-
20-24 years-----	3	2	1	3	2	1	-	-	-	-	-	-
25-29 years-----	2	1	1	2	1	1	-	-	-	-	-	-
30-34 years-----	1	1	-	-	-	-	1	1	-	1	1	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	5	5	-	4	4	-	1	1	-	1	1	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	1	1	-	-	-	-	1	1	-	1	1	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Pedal cyclist injured in collision with railway train or railway vehicle (V15)

All ages-----	9	9	-	8	8	-	1	1	-	1	1	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	2	2	-	2	2	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	2	2	-	1	1	-	1	1	-	1	1	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Driver injured in nontraffic accident (V15.0)												
All ages-----	3	3	-	2	2	-	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	-	-	-	1	1	-	1	1	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Unspecified pedal cyclist injured in traffic accident (V15.9)

All ages-----	6	6	-	6	6	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

ALL RACES WHITE ALL OTHER BLACK

Pedal cyclist injured in collision with fixed or stationary object (V17)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	13	12	1	12	11	1	1	1	-	1	1	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	2	1	1	1	-	1	1	1	-	1	1	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	3	3	-	3	3	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Driver injured in nontraffic accident (V17.0)

All ages-----	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Unspecified pedal cyclist injured in nontraffic accident (V17.2)												
All ages-----	3	2	1	3	2	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Driver injured in traffic accident (V17.4)

All ages-----	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Passenger injured in traffic accident (V17.5)												
All ages-----	1	1	-	-	-	-	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	1	-	-	-	-	1	1	-	1	1	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Unspecified pedal cyclist injured in traffic accident (V17.9)

All ages-----	5	5	-	5	5	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Pedal cyclist injured in noncollision transport accident (V18)												
All ages-----	65	62	3	58	55	3	7	7	-	7	7	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	4	4	-	2	2	-	2	2	-	2	2	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	3	3	-	3	3	-	-	-	-	-	-	-
30-34 years-----	3	3	-	2	2	-	1	1	-	1	1	-
35-39 years-----	4	4	-	4	4	-	-	-	-	-	-	-
40-44 years-----	7	7	-	6	6	-	1	1	-	1	1	-
45-49 years-----	6	6	-	6	6	-	-	-	-	-	-	-
50-54 years-----	8	7	1	8	7	1	-	-	-	-	-	-
55-59 years-----	4	4	-	4	4	-	-	-	-	-	-	-
60-64 years-----	6	4	2	5	3	2	1	1	-	1	1	-
65-69 years-----	4	4	-	4	4	-	-	-	-	-	-	-
70-74 years-----	5	5	-	4	4	-	1	1	-	1	1	-
75-79 years-----	6	6	-	5	5	-	1	1	-	1	1	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Driver injured in nontraffic accident (V18.0)

All ages-----	11	11	-	10	10	-	1	1	-	1	1	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	3	3	-	3	3	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	2	2	-	2	2	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	1	1	-	-	-	-	1	1	-	1	1	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Passenger injured in nontraffic accident (V18.1)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Unspecified pedal cyclist injured in nontraffic accident (V18.2)

All ages-----	8	8	-	8	8	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	2	2	-	2	2	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Driver injured in traffic accident (V18.4)												
All ages-----	14	13	1	12	11	1	2	2	-	2	2	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	2	2	-	1	1	-	1	1	-	1	1	-
45-49 years-----	3	3	-	3	3	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	3	2	1	2	1	1	1	1	-	1	1	-
65-69 years-----	2	2	-	2	2	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Unspecified pedal cyclist injured in traffic accident (V18.9)

All ages-----	31	29	2	27	25	2	4	4	-	4	4	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	4	4	-	2	2	-	2	2	-	2	2	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	2	2	-	2	2	-	-	-	-	-	-	-
30-34 years-----	1	1	-	-	-	-	1	1	-	1	1	-
35-39 years-----	3	3	-	3	3	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	2	2	-	2	2	-	-	-	-	-	-	-
50-54 years-----	4	3	1	4	3	1	-	-	-	-	-	-
55-59 years-----	2	2	-	2	2	-	-	-	-	-	-	-
60-64 years-----	3	2	1	3	2	1	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	3	3	-	3	3	-	-	-	-	-	-	-
75-79 years-----	4	4	-	3	3	-	1	1	-	1	1	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Pedal cyclist injured in other and unspecified transport accidents (V19)												
All ages-----	253	230	23	199	180	19	54	50	4	42	40	2
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	20	19	1	14	13	1	6	6	-	5	5	-
10-14 years-----	27	20	7	20	15	5	7	5	2	6	5	1
15-19 years-----	34	30	4	29	25	4	5	5	-	3	3	-
20-24 years-----	11	10	1	9	8	1	2	2	-	2	2	-
25-29 years-----	13	13	-	12	12	-	1	1	-	1	1	-
30-34 years-----	21	20	1	17	17	-	4	3	1	4	3	1
35-39 years-----	21	20	1	16	15	1	5	5	-	3	3	-
40-44 years-----	33	30	3	26	24	2	7	6	1	5	5	-
45-49 years-----	27	25	2	18	16	2	9	9	-	8	8	-
50-54 years-----	14	13	1	13	12	1	1	1	-	1	1	-
55-59 years-----	8	7	1	8	7	1	-	-	-	-	-	-
60-64 years-----	7	6	1	6	5	1	1	1	-	-	-	-
65-69 years-----	5	5	-	4	4	-	1	1	-	1	1	-
70-74 years-----	4	4	-	2	2	-	2	2	-	2	2	-
75-79 years-----	2	2	-	1	1	-	1	1	-	-	-	-
80-84 years-----	2	2	-	1	1	-	1	1	-	-	-	-
85-89 years-----	2	2	-	1	1	-	1	1	-	1	1	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Passenger injured in collision with other and unspecified motor vehicles in nontraffic accident (V19.1)

All ages-----	4	3	1	4	3	1	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

ALL RACES WHITE ALL OTHER BLACK

Unspecified pedal cyclist injured in collision with other and unspecified motor vehicles in nontraffic accident (V19.2)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	6	5	1	5	5	-	1	-	1	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	2	1	1	1	1	-	1	-	1	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Pedal cyclist [any] injured in an unspecified nontraffic accident (V19.3)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	5	5	-	4	4	-	1	1	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	3	3	-	3	3	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	-	-	-	1	1	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

RACE, AND SEX

Driver injured in collision with other and unspecified motor vehicles in traffic accident (V19.4)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	97	90	7	72	66	6	25	24	1	23	22	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	4	4	-	1	1	-	3	3	-	2	2	-
10-14 years-----	9	6	3	7	5	2	2	1	1	2	1	1
15-19 years-----	15	14	1	12	11	1	3	3	-	3	3	-
20-24 years-----	4	4	-	3	3	-	1	1	-	1	1	-
25-29 years-----	7	7	-	7	7	-	-	-	-	-	-	-
30-34 years-----	10	10	-	8	8	-	2	2	-	2	2	-
35-39 years-----	10	10	-	6	6	-	4	4	-	3	3	-
40-44 years-----	12	11	1	11	10	1	1	1	-	1	1	-
45-49 years-----	10	10	-	4	4	-	6	6	-	6	6	-
50-54 years-----	6	5	1	5	4	1	1	1	-	1	1	-
55-59 years-----	3	2	1	3	2	1	-	-	-	-	-	-
60-64 years-----	2	2	-	2	2	-	-	-	-	-	-	-
65-69 years-----	1	1	-	-	-	-	1	1	-	1	1	-
70-74 years-----	1	1	-	-	-	-	1	1	-	1	1	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Passenger injured in collision with other and unspecified motor vehicles in traffic accident (V19.5)

All ages-----	3	1	2	3	1	2	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	2	-	2	2	-	2	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

RACE, AND SEX

Unspecified pedal cyclist injured in collision with other and unspecified motor vehicles in traffic accident (V19.6)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	88	80	8	71	64	7	17	16	1	13	12	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	9	8	1	8	7	1	1	1	-	1	1	-
10-14 years-----	11	10	1	7	6	1	4	4	-	4	4	-
15-19 years-----	10	9	1	8	7	1	2	2	-	-	-	-
20-24 years-----	5	4	1	4	3	1	1	1	-	1	1	-
25-29 years-----	5	5	-	4	4	-	1	1	-	1	1	-
30-34 years-----	7	6	1	6	6	-	1	-	1	1	-	1
35-39 years-----	9	8	1	8	7	1	1	1	-	-	-	-
40-44 years-----	12	11	1	8	7	1	4	4	-	4	4	-
45-49 years-----	6	6	-	5	5	-	1	1	-	1	1	-
50-54 years-----	5	5	-	5	5	-	-	-	-	-	-	-
55-59 years-----	3	3	-	3	3	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	3	3	-	3	3	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	1	1	-	-	-	-	1	1	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Pedal cyclist [any] injured in other specified transport accidents (V19.8)

All ages-----	7	7	-	5	5	-	2	2	-	2	2	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	2	2	-	2	2	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	-	-	-	1	1	-	1	1	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	1	-	-	-	-	1	1	-	1	1	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Pedal cyclist [any] injured in unspecified traffic accident (V19.9)												
All ages-----	43	39	4	35	32	3	8	7	1	4	4	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	6	6	-	4	4	-	2	2	-	2	2	-
10-14 years-----	6	4	2	5	4	1	1	-	1	-	-	-
15-19 years-----	3	3	-	3	3	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	3	3	-	2	2	-	1	1	-	1	1	-
35-39 years-----	2	2	-	2	2	-	-	-	-	-	-	-
40-44 years-----	4	4	-	3	3	-	1	1	-	-	-	-
45-49 years-----	8	6	2	6	4	2	2	2	-	1	1	-
50-54 years-----	3	3	-	3	3	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	3	3	-	3	3	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	1	-	-	-	-	1	1	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Motorcycle rider injured in collision with pedestrian or animal (V20)

All ages-----	29	24	5	27	22	5	2	2	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	1	1	-	-	-	-	1	1	-	-	-	-
35-39 years-----	2	2	-	2	2	-	-	-	-	-	-	-
40-44 years-----	7	7	-	7	7	-	-	-	-	-	-	-
45-49 years-----	7	4	3	6	3	3	1	1	-	-	-	-
50-54 years-----	5	5	-	5	5	-	-	-	-	-	-	-
55-59 years-----	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Driver injured in traffic accident (V20.4)												
All ages-----	21	21	-	19	19	-	2	2	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	1	1	-	-	-	-	1	1	-	-	-	-
35-39 years-----	2	2	-	2	2	-	-	-	-	-	-	-
40-44 years-----	6	6	-	6	6	-	-	-	-	-	-	-
45-49 years-----	4	4	-	3	3	-	1	1	-	-	-	-
50-54 years-----	4	4	-	4	4	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Passenger injured in traffic accident (V20.5)

All ages-----	5	1	4	5	1	4	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	2	-	2	2	-	2	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Unspecified motorcycle rider injured in traffic accident (V20.9)												
All ages-----	3	2	1	3	2	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Motorcycle rider injured in collision with pedal cycle (V21)

All ages-----	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Driver injured in traffic accident (V21.4)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Passenger injured in traffic accident (V21.5)

All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Motorcycle rider injured in collision with two- or three-wheeled motor vehicle (V22)												
All ages-----	30	25	5	23	18	5	7	7	-	7	7	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	6	6	-	4	4	-	2	2	-	2	2	-
20-24 years-----	3	2	1	2	1	1	1	1	-	1	1	-
25-29 years-----	3	2	1	2	1	1	1	1	-	1	1	-
30-34 years-----	1	1	-	-	-	-	1	1	-	1	1	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	3	2	1	2	1	1	1	1	-	1	1	-
45-49 years-----	5	3	2	5	3	2	-	-	-	-	-	-
50-54 years-----	3	3	-	3	3	-	-	-	-	-	-	-
55-59 years-----	2	2	-	1	1	-	1	1	-	1	1	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Driver injured in nontraffic accident (V22.0)

All ages-----	3	3	-	3	3	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Passenger injured in nontraffic accident (V22.1)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Unspecified motorcycle rider injured in nontraffic accident (V22.2)

All ages-----	-	-	-	-	-	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Driver injured in traffic accident (V22.4)												
All ages-----	18	18	-	11	11	-	7	7	-	7	7	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	3	3	-	1	1	-	2	2	-	2	2	-
20-24 years-----	1	1	-	-	-	-	1	1	-	1	1	-
25-29 years-----	2	2	-	1	1	-	1	1	-	1	1	-
30-34 years-----	1	1	-	-	-	-	1	1	-	1	1	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	-	-	-	1	1	-	1	1	-
45-49 years-----	2	2	-	2	2	-	-	-	-	-	-	-
50-54 years-----	3	3	-	3	3	-	-	-	-	-	-	-
55-59 years-----	2	2	-	1	1	-	1	1	-	1	1	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Passenger injured in traffic accident (V22.5)

All ages-----	3	-	3	3	-	3	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Unspecified motorcycle rider injured in traffic accident (V22.9)												
All ages-----	5	3	2	5	3	2	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Motorcycle rider injured in collision with car, pickup truck, or van (V23)

All ages-----	690	623	67	594	530	64	96	93	3	89	87	2
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	2	1	1	2	1	1	-	-	-	-	-	-
10-14 years-----	6	5	1	6	5	1	-	-	-	-	-	-
15-19 years-----	32	30	2	29	27	2	3	3	-	3	3	-
20-24 years-----	108	105	3	84	82	2	24	23	1	22	21	1
25-29 years-----	108	102	6	72	66	6	36	36	-	34	34	-
30-34 years-----	72	67	5	61	56	5	11	11	-	10	10	-
35-39 years-----	87	82	5	76	71	5	11	11	-	11	11	-
40-44 years-----	95	79	16	92	77	15	3	2	1	2	1	1
45-49 years-----	68	59	9	66	57	9	2	2	-	2	2	-
50-54 years-----	50	41	9	48	39	9	2	2	-	2	2	-
55-59 years-----	31	25	6	29	24	5	2	1	1	1	1	-
60-64 years-----	15	14	1	14	13	1	1	1	-	1	1	-
65-69 years-----	7	6	1	6	5	1	1	1	-	1	1	-
70-74 years-----	4	3	1	4	3	1	-	-	-	-	-	-
75-79 years-----	5	4	1	5	4	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),

RACE, AND SEX - - - ALL RACES - - - - - - WHITE - - - - - - ALL OTHER - - - - - - BLACK - - -

Driver injured in nontraffic accident (V23.0)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	3	3	-	3	3	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Passenger injured in nontraffic accident (V23.1)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Driver injured in traffic accident (V23.4)												
All ages-----	522	500	22	441	420	21	81	80	1	76	76	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	4	3	1	4	3	1	-	-	-	-	-	-
15-19 years-----	24	24	-	21	21	-	3	3	-	3	3	-
20-24 years-----	87	87	-	67	67	-	20	20	-	18	18	-
25-29 years-----	88	83	5	59	54	5	29	29	-	28	28	-
30-34 years-----	49	49	-	40	40	-	9	9	-	9	9	-
35-39 years-----	63	63	-	53	53	-	10	10	-	10	10	-
40-44 years-----	71	65	6	69	63	6	2	2	-	1	1	-
45-49 years-----	47	44	3	45	42	3	2	2	-	2	2	-
50-54 years-----	43	39	4	41	37	4	2	2	-	2	2	-
55-59 years-----	19	18	1	17	17	-	2	1	1	1	1	-
60-64 years-----	14	13	1	13	12	1	1	1	-	1	1	-
65-69 years-----	6	6	-	5	5	-	1	1	-	1	1	-
70-74 years-----	3	2	1	3	2	1	-	-	-	-	-	-
75-79 years-----	3	3	-	3	3	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Passenger injured in traffic accident (V23.5)

All ages-----	57	21	36	53	19	34	4	2	2	4	2	2
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	2	2	-	2	2	-	-	-	-	-	-	-
15-19 years-----	2	1	1	2	1	1	-	-	-	-	-	-
20-24 years-----	3	1	2	2	1	1	1	-	1	1	-	1
25-29 years-----	6	5	1	4	3	1	2	2	-	2	2	-
30-34 years-----	6	3	3	6	3	3	-	-	-	-	-	-
35-39 years-----	7	2	5	7	2	5	-	-	-	-	-	-
40-44 years-----	10	1	9	9	1	8	1	-	1	1	-	1
45-49 years-----	10	4	6	10	4	6	-	-	-	-	-	-
50-54 years-----	5	1	4	5	1	4	-	-	-	-	-	-
55-59 years-----	4	1	3	4	1	3	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Unspecified motorcycle rider injured in traffic accident (V23.9)												
All ages-----	107	98	9	96	87	9	11	11	-	9	9	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	5	4	1	5	4	1	-	-	-	-	-	-
20-24 years-----	18	17	1	15	14	1	3	3	-	3	3	-
25-29 years-----	14	14	-	9	9	-	5	5	-	4	4	-
30-34 years-----	17	15	2	15	13	2	2	2	-	1	1	-
35-39 years-----	16	16	-	15	15	-	1	1	-	1	1	-
40-44 years-----	14	13	1	14	13	1	-	-	-	-	-	-
45-49 years-----	10	10	-	10	10	-	-	-	-	-	-	-
50-54 years-----	2	1	1	2	1	1	-	-	-	-	-	-
55-59 years-----	7	5	2	7	5	2	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Motorcycle rider injured in collision with heavy transport vehicle or bus (V24)

All ages-----	60	58	2	52	50	2	8	8	-	7	7	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	3	3	-	2	2	-	1	1	-	1	1	-
20-24 years-----	10	9	1	9	8	1	1	1	-	1	1	-
25-29 years-----	9	9	-	7	7	-	2	2	-	1	1	-
30-34 years-----	7	7	-	7	7	-	-	-	-	-	-	-
35-39 years-----	11	11	-	9	9	-	2	2	-	2	2	-
40-44 years-----	9	9	-	7	7	-	2	2	-	2	2	-
45-49 years-----	4	3	1	4	3	1	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	3	3	-	3	3	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	2	2	-	2	2	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Driver injured in traffic accident (V24.4)												
All ages-----	44	43	1	38	37	1	6	6	-	5	5	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	3	3	-	2	2	-	1	1	-	1	1	-
20-24 years-----	5	5	-	4	4	-	1	1	-	1	1	-
25-29 years-----	8	8	-	6	6	-	2	2	-	1	1	-
30-34 years-----	6	6	-	6	6	-	-	-	-	-	-	-
35-39 years-----	7	7	-	6	6	-	1	1	-	1	1	-
40-44 years-----	7	7	-	6	6	-	1	1	-	1	1	-
45-49 years-----	4	3	1	4	3	1	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	2	2	-	2	2	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Passenger injured in traffic accident (V24.5)

All ages-----	4	3	1	4	3	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	2	1	1	2	1	1	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Unspecified motorcycle rider injured in traffic accident (V24.9)												
All ages-----	12	12	-	10	10	-	2	2	-	2	2	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	3	3	-	3	3	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	3	3	-	2	2	-	1	1	-	1	1	-
40-44 years-----	1	1	-	-	-	-	1	1	-	1	1	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Motorcycle rider injured in collision with railway train or railway vehicle (V25)

All ages-----	6	6	-	5	5	-	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Driver injured in traffic accident (V25.4)												
All ages-----	5	5	-	4	4	-	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Unspecified motorcycle rider injured in traffic accident (V25.9)

All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Motorcycle rider injured in collision with other nonmotor vehicle (V26)												
All ages-----	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Driver injured in traffic accident (V26.4)

All ages-----	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Motorcycle rider injured in collision with fixed or stationary object (V27)												
All ages-----	441	411	30	385	361	24	56	50	6	46	44	2
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	2	2	-	2	2	-	-	-	-	-	-	-
15-19 years-----	34	30	4	31	28	3	3	2	1	2	1	1
20-24 years-----	76	74	2	62	61	1	14	13	1	13	13	-
25-29 years-----	77	74	3	63	61	2	14	13	1	12	12	-
30-34 years-----	51	49	2	42	40	2	9	9	-	8	8	-
35-39 years-----	59	55	4	51	47	4	8	8	-	6	6	-
40-44 years-----	62	52	10	56	49	7	6	3	3	3	2	1
45-49 years-----	39	37	2	38	36	2	1	1	-	1	1	-
50-54 years-----	21	20	1	21	20	1	-	-	-	-	-	-
55-59 years-----	9	7	2	9	7	2	-	-	-	-	-	-
60-64 years-----	9	9	-	8	8	-	1	1	-	1	1	-
65-69 years-----	2	2	-	2	2	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Driver injured in nontraffic accident (V27.0)

All ages-----	4	4	-	4	4	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Passenger injured in nontraffic accident (V27.1)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Unspecified motorcycle rider injured in nontraffic accident (V27.2)

All ages-----	3	3	-	3	3	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	2	2	-	2	2	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Driver injured in traffic accident (V27.4)												
All ages-----	331	319	12	289	279	10	42	40	2	36	35	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	20	18	2	17	16	1	3	2	1	2	1	1
20-24 years-----	56	55	1	44	44	-	12	11	1	11	11	-
25-29 years-----	54	53	1	45	44	1	9	9	-	8	8	-
30-34 years-----	43	41	2	36	34	2	7	7	-	6	6	-
35-39 years-----	46	43	3	40	37	3	6	6	-	5	5	-
40-44 years-----	48	46	2	45	43	2	3	3	-	2	2	-
45-49 years-----	31	30	1	30	29	1	1	1	-	1	1	-
50-54 years-----	16	16	-	16	16	-	-	-	-	-	-	-
55-59 years-----	7	7	-	7	7	-	-	-	-	-	-	-
60-64 years-----	8	8	-	7	7	-	1	1	-	1	1	-
65-69 years-----	2	2	-	2	2	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Passenger injured in traffic accident (V27.5)

All ages-----	36	20	16	31	19	12	5	1	4	1	-	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	6	4	2	6	4	2	-	-	-	-	-	-
20-24 years-----	7	6	1	7	6	1	-	-	-	-	-	-
25-29 years-----	6	4	2	5	4	1	1	-	1	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	2	2	-	1	1	-	1	1	-	-	-	-
40-44 years-----	10	2	8	7	2	5	3	-	3	1	-	1
45-49 years-----	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years-----	2	1	1	2	1	1	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Unspecified motorcycle rider injured in traffic accident (V27.9)												
All ages-----	66	64	2	57	55	2	9	9	-	9	9	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	2	2	-	2	2	-	-	-	-	-	-	-
15-19 years-----	7	7	-	7	7	-	-	-	-	-	-	-
20-24 years-----	11	11	-	9	9	-	2	2	-	2	2	-
25-29 years-----	15	15	-	11	11	-	4	4	-	4	4	-
30-34 years-----	7	7	-	5	5	-	2	2	-	2	2	-
35-39 years-----	10	9	1	9	8	1	1	1	-	1	1	-
40-44 years-----	4	4	-	4	4	-	-	-	-	-	-	-
45-49 years-----	5	5	-	5	5	-	-	-	-	-	-	-
50-54 years-----	3	3	-	3	3	-	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Motorcycle rider injured in noncollision transport accident (V28)

All ages-----	357	319	38	312	274	38	45	45	-	39	39	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	14	13	1	12	11	1	2	2	-	2	2	-
20-24 years-----	41	39	2	32	30	2	9	9	-	7	7	-
25-29 years-----	41	39	2	31	29	2	10	10	-	10	10	-
30-34 years-----	56	52	4	42	38	4	14	14	-	12	12	-
35-39 years-----	46	39	7	42	35	7	4	4	-	4	4	-
40-44 years-----	38	27	11	36	25	11	2	2	-	2	2	-
45-49 years-----	36	30	6	34	28	6	2	2	-	1	1	-
50-54 years-----	33	30	3	32	29	3	1	1	-	1	1	-
55-59 years-----	19	18	1	18	17	1	1	1	-	-	-	-
60-64 years-----	13	12	1	13	12	1	-	-	-	-	-	-
65-69 years-----	8	8	-	8	8	-	-	-	-	-	-	-
70-74 years-----	8	8	-	8	8	-	-	-	-	-	-	-
75-79 years-----	3	3	-	3	3	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Driver injured in nontraffic accident (V28.0)

All ages-----	11	11	-	11	11	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	2	2	-	2	2	-	-	-	-	-	-	-
20-24 years-----	2	2	-	2	2	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	2	2	-	2	2	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	2	2	-	2	2	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Unspecified motorcycle rider injured in nontraffic accident (V28.2)

All ages-----	7	7	-	7	7	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	2	2	-	2	2	-	-	-	-	-	-	-
35-39 years-----	2	2	-	2	2	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Driver injured in traffic accident (V28.4)												
All ages-----	266	256	10	226	216	10	40	40	-	36	36	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	10	10	-	8	8	-	2	2	-	2	2	-
20-24 years-----	33	33	-	26	26	-	7	7	-	6	6	-
25-29 years-----	30	30	-	21	21	-	9	9	-	9	9	-
30-34 years-----	42	41	1	30	29	1	12	12	-	11	11	-
35-39 years-----	29	27	2	25	23	2	4	4	-	4	4	-
40-44 years-----	27	24	3	25	22	3	2	2	-	2	2	-
45-49 years-----	26	23	3	24	21	3	2	2	-	1	1	-
50-54 years-----	27	27	-	26	26	-	1	1	-	1	1	-
55-59 years-----	16	15	1	15	14	1	1	1	-	-	-	-
60-64 years-----	9	9	-	9	9	-	-	-	-	-	-	-
65-69 years-----	8	8	-	8	8	-	-	-	-	-	-	-
70-74 years-----	7	7	-	7	7	-	-	-	-	-	-	-
75-79 years-----	2	2	-	2	2	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Passenger injured in traffic accident (V28.5)

All ages-----	30	4	26	30	4	26	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years-----	2	-	2	2	-	2	-	-	-	-	-	-
25-29 years-----	3	1	2	3	1	2	-	-	-	-	-	-
30-34 years-----	3	-	3	3	-	3	-	-	-	-	-	-
35-39 years-----	5	1	4	5	1	4	-	-	-	-	-	-
40-44 years-----	7	-	7	7	-	7	-	-	-	-	-	-
45-49 years-----	3	-	3	3	-	3	-	-	-	-	-	-
50-54 years-----	3	-	3	3	-	3	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Unspecified motorcycle rider injured in traffic accident (V28.9)												
All ages-----	43	41	2	38	36	2	5	5	-	3	3	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	3	3	-	1	1	-	2	2	-	1	1	-
25-29 years-----	6	6	-	5	5	-	1	1	-	1	1	-
30-34 years-----	9	9	-	7	7	-	2	2	-	1	1	-
35-39 years-----	8	7	1	8	7	1	-	-	-	-	-	-
40-44 years-----	4	3	1	4	3	1	-	-	-	-	-	-
45-49 years-----	5	5	-	5	5	-	-	-	-	-	-	-
50-54 years-----	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years-----	2	2	-	2	2	-	-	-	-	-	-	-
60-64 years-----	2	2	-	2	2	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Motorcycle rider injured in other and unspecified transport accidents (V29)

All ages-----	699	634	65	593	534	59	106	100	6	90	86	4
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	3	2	1	3	2	1	-	-	-	-	-	-
10-14 years-----	11	8	3	11	8	3	-	-	-	-	-	-
15-19 years-----	33	28	5	25	21	4	8	7	1	6	5	1
20-24 years-----	120	110	10	100	93	7	20	17	3	19	16	3
25-29 years-----	103	94	9	74	65	9	29	29	-	25	25	-
30-34 years-----	80	74	6	62	57	5	18	17	1	15	15	-
35-39 years-----	84	78	6	72	66	6	12	12	-	11	11	-
40-44 years-----	86	78	8	78	70	8	8	8	-	7	7	-
45-49 years-----	66	59	7	65	58	7	1	1	-	1	1	-
50-54 years-----	40	34	6	36	31	5	4	3	1	3	3	-
55-59 years-----	42	39	3	39	36	3	3	3	-	2	2	-
60-64 years-----	18	17	1	16	15	1	2	2	-	-	-	-
65-69 years-----	8	8	-	7	7	-	1	1	-	1	1	-
70-74 years-----	2	2	-	2	2	-	-	-	-	-	-	-
75-79 years-----	2	2	-	2	2	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Driver injured in collision with other and unspecified motor vehicles in nontraffic accident (V29.0)												
All ages-----	9	8	1	9	8	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	2	2	-	2	2	-	-	-	-	-	-	-
15-19 years-----	2	1	1	2	1	1	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	2	2	-	2	2	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Passenger injured in collision with other and unspecified motor vehicles in nontraffic accident (V29.1)

All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

RACE, AND SEX

Unspecified motorcycle rider injured in collision with other and unspecified motor vehicles in nontraffic accident (V29.2)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	4	4	-	3	3	-	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	2	2	-	2	2	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	-	-	-	1	1	-	1	1	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Motorcycle rider [any] injured in unspecified nontraffic accident (V29.3)

All ages-----	14	14	-	14	14	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	3	3	-	3	3	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	2	2	-	2	2	-	-	-	-	-	-	-
25-29 years-----	2	2	-	2	2	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	5	5	-	5	5	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Driver injured in collision with other and unspecified motor vehicles in traffic accident (V29.4)												
All ages-----	186	179	7	152	146	6	34	33	1	30	30	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	6	6	-	5	5	-	1	1	-	1	1	-
20-24 years-----	35	35	-	29	29	-	6	6	-	6	6	-
25-29 years-----	33	33	-	24	24	-	9	9	-	8	8	-
30-34 years-----	23	22	1	16	15	1	7	7	-	6	6	-
35-39 years-----	27	25	2	24	22	2	3	3	-	3	3	-
40-44 years-----	20	20	-	18	18	-	2	2	-	1	1	-
45-49 years-----	12	10	2	11	9	2	1	1	-	1	1	-
50-54 years-----	9	8	1	6	6	-	3	2	1	2	2	-
55-59 years-----	10	9	1	9	8	1	1	1	-	1	1	-
60-64 years-----	6	6	-	6	6	-	-	-	-	-	-	-
65-69 years-----	4	4	-	3	3	-	1	1	-	1	1	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Passenger injured in collision with other and unspecified motor vehicles in traffic accident (V29.5)

All ages-----	36	14	22	29	10	19	7	4	3	6	3	3
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	2	1	1	1	-	1	1	1	-	-	-	-
20-24 years-----	6	1	5	3	1	2	3	-	3	3	-	3
25-29 years-----	6	2	4	5	1	4	1	1	-	1	1	-
30-34 years-----	2	1	1	1	-	1	1	1	-	1	1	-
35-39 years-----	5	2	3	4	1	3	1	1	-	1	1	-
40-44 years-----	6	2	4	6	2	4	-	-	-	-	-	-
45-49 years-----	3	2	1	3	2	1	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	3	1	2	3	1	2	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

RACE, AND SEX

Unspecified motorcycle rider injured in collision with other and unspecified motor vehicles in traffic accident (V29.6)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	49	45	4	40	36	4	9	9	-	6	6	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	4	4	-	2	2	-	2	2	-	1	1	-
20-24 years-----	8	6	2	8	6	2	-	-	-	-	-	-
25-29 years-----	5	4	1	4	3	1	1	1	-	1	1	-
30-34 years-----	7	7	-	5	5	-	2	2	-	2	2	-
35-39 years-----	4	4	-	2	2	-	2	2	-	1	1	-
40-44 years-----	3	3	-	2	2	-	1	1	-	1	1	-
45-49 years-----	8	7	1	8	7	1	-	-	-	-	-	-
50-54 years-----	3	3	-	3	3	-	-	-	-	-	-	-
55-59 years-----	4	4	-	4	4	-	-	-	-	-	-	-
60-64 years-----	1	1	-	-	-	-	1	1	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Motorcycle rider [any] injured in other specified transport accidents (V29.8)

All ages-----	14	13	1	12	11	1	2	2	-	2	2	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	2	1	1	2	1	1	-	-	-	-	-	-
25-29 years-----	3	3	-	2	2	-	1	1	-	1	1	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	4	4	-	4	4	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	-	-	-	1	1	-	1	1	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Motorcycle rider [any] injured in unspecified traffic accident (V29.9)												
All ages-----	386	356	30	333	305	28	53	51	2	45	44	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	2	1	1	2	1	1	-	-	-	-	-	-
10-14 years-----	4	2	2	4	2	2	-	-	-	-	-	-
15-19 years-----	18	15	3	14	12	2	4	3	1	4	3	1
20-24 years-----	64	62	2	53	51	2	11	11	-	10	10	-
25-29 years-----	53	49	4	36	32	4	17	17	-	14	14	-
30-34 years-----	46	42	4	38	35	3	8	7	1	6	6	-
35-39 years-----	40	39	1	35	34	1	5	5	-	5	5	-
40-44 years-----	52	48	4	47	43	4	5	5	-	5	5	-
45-49 years-----	43	40	3	43	40	3	-	-	-	-	-	-
50-54 years-----	24	19	5	24	19	5	-	-	-	-	-	-
55-59 years-----	23	23	-	21	21	-	2	2	-	1	1	-
60-64 years-----	10	9	1	9	8	1	1	1	-	-	-	-
65-69 years-----	4	4	-	4	4	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Occupant of three-wheeled motor vehicle injured in collision with two- or three-wheeled motor vehicle (V32)

All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Person injured while boarding or alighting (V32.4)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Occupant of three-wheeled motor vehicle injured in collision with car, pickup truck, or van (V33)

All ages-----	5	5	-	4	4	-	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	-	-	-	1	1	-	1	1	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Driver injured in traffic accident (V33.5)												
All ages-----	3	3	-	2	2	-	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	-	-	-	1	1	-	1	1	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Passenger injured in traffic accident (V33.6)

All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

ALL RACES WHITE ALL OTHER BLACK

Unspecified occupant of three-wheeled motor vehicle injured in traffic accident (V33.9)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Occupant of three-wheeled motor vehicle injured in collision with fixed or stationary object (V37)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	5	5	-	5	5	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	2	2	-	2	2	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Passenger injured in nontraffic accident (V37.1)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Driver injured in traffic accident (V37.5)

All ages-----	4	4	-	4	4	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	2	2	-	2	2	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

ALL RACES WHITE ALL OTHER BLACK

Occupant of three-wheeled motor vehicle injured in noncollision transport accident (V38)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	13	10	3	10	8	2	3	2	1	2	1	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	2	2	-	2	2	-	-	-	-	-	-	-
15-19 years-----	3	2	1	1	1	-	2	1	1	1	-	1
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	2	1	1	1	-	1	1	1	-	1	1	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	2	2	-	2	2	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Passenger injured in nontraffic accident (V38.1)

All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

ALL RACES WHITE ALL OTHER BLACK

Unspecified occupant of three-wheeled motor vehicle injured in nontraffic accident (V38.3)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Driver injured in traffic accident (V38.5)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	6	5	1	5	4	1	1	1	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	1	1	-	-	-	-	1	1	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Passenger injured in traffic accident (V38.6)												
All ages-----	1	-	1	-	-	-	1	-	1	1	-	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	-	1	-	-	-	1	-	1	1	-	1
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Unspecified occupant of three-wheeled motor vehicle injured in traffic accident (V38.9)

All ages-----	4	4	-	3	3	-	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	-	-	-	1	1	-	1	1	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

ALL RACES WHITE ALL OTHER BLACK

Occupant of three-wheeled motor vehicle injured in other and unspecified transport accidents (V39)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	9	8	1	8	7	1	1	1	-	1	1	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	3	3	-	2	2	-	1	1	-	1	1	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	2	2	-	2	2	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Unspecified occupant of three-wheeled motor vehicle injured in collision with other and unspecified motor vehicles in nontraffic accident (V39.2)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

RACE, AND SEX

Occupant [any] of three-wheeled motor vehicle injured in unspecified nontraffic accident (V39.3)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	4	3	1	4	3	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Driver injured in collision with other and unspecified motor vehicles in traffic accident (V39.4)

All ages-----	3	3	-	2	2	-	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	-	-	-	1	1	-	1	1	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	2	2	-	2	2	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

ALL RACES WHITE ALL OTHER BLACK

Occupant [any] of three-wheeled motor vehicle injured in other specified transport accidents (V39.8)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	-	-	-	-	-	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Occupant [any] of three-wheeled motor vehicle injured in unspecified traffic accident (V39.9)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Car occupant injured in collision with pedestrian or animal (V40)												
All ages-----	46	24	22	36	19	17	10	5	5	7	5	2
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	7	4	3	7	4	3	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	1	-	1	-	-	-	1	-	1	-	-	-
30-34 years-----	3	3	-	2	2	-	1	1	-	1	1	-
35-39 years-----	4	2	2	2	1	1	2	1	1	2	1	1
40-44 years-----	3	1	2	2	1	1	1	-	1	-	-	-
45-49 years-----	2	-	2	1	-	1	1	-	1	-	-	-
50-54 years-----	8	6	2	6	4	2	2	2	-	2	2	-
55-59 years-----	2	-	2	1	-	1	1	-	1	1	-	1
60-64 years-----	3	3	-	3	3	-	-	-	-	-	-	-
65-69 years-----	3	2	1	3	2	1	-	-	-	-	-	-
70-74 years-----	3	1	2	2	-	2	1	1	-	1	1	-
75-79 years-----	2	-	2	2	-	2	-	-	-	-	-	-
80-84 years-----	3	1	2	3	1	2	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Driver injured in traffic accident (V40.5)

All ages-----	19	13	6	16	12	4	3	1	2	2	1	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	5	3	2	5	3	2	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	1	-	1	-	-	-	1	-	1	-	-	-
30-34 years-----	2	2	-	2	2	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	2	1	1	2	1	1	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	4	3	1	3	2	1	1	1	-	1	1	-
55-59 years-----	1	-	1	-	-	-	1	-	1	1	-	1
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	2	2	-	2	2	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

RACE, AND SEX

Passenger injured in traffic accident (V40.6)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	9	4	5	5	3	2	4	1	3	2	1	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	-	-	-	1	1	-	1	1	-
35-39 years-----	1	-	1	-	-	-	1	-	1	1	-	1
40-44 years-----	1	-	1	-	-	-	-	-	1	-	-	-
45-49 years-----	1	-	1	-	-	-	1	-	1	-	-	-
50-54 years-----	3	2	1	3	2	1	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Person on outside of vehicle injured in traffic accident (V40.7)

All ages-----	1	1	-	-	-	-	1	1	-	1	1	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	-	-	-	1	1	-	1	1	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

RACE, AND SEX

Unspecified car occupant injured in traffic accident (V40.9)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	17	6	11	15	4	11	2	2	-	2	2	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	2	1	1	2	1	1	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	1	1	-	-	-	-	1	1	-	1	1	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	2	2	-	2	2	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	3	1	2	2	-	2	1	1	-	1	1	-
75-79 years-----	2	-	2	2	-	2	-	-	-	-	-	-
80-84 years-----	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Car occupant injured in collision with two- or three-wheeled motor vehicle (V42)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	25	20	5	23	18	5	2	2	-	1	1	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	3	2	1	3	2	1	-	-	-	-	-	-
20-24 years-----	3	3	-	2	2	-	1	1	-	1	1	-
25-29 years-----	4	3	1	4	3	1	-	-	-	-	-	-
30-34 years-----	2	1	1	2	1	1	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	4	3	1	3	2	1	1	1	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Unspecified car occupant injured in nontraffic accident (V42.3)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Driver injured in traffic accident (V42.5)

All ages-----	11	10	1	10	9	1	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	2	2	-	1	1	-	1	1	-	1	1	-
25-29 years-----	2	2	-	2	2	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	2	2	-	2	2	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Passenger injured in traffic accident (V42.6)												
All ages-----	7	4	3	7	4	3	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Unspecified car occupant injured in traffic accident (V42.9)

All ages-----	6	5	1	5	4	1	1	1	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	2	1	1	2	1	1	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	-	-	-	1	1	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

RACE, AND SEX

Car occupant injured in collision with car, pickup truck, or van (V43)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	5,059	2,736	2,323	4,245	2,266	1,979	814	470	344	615	366	249
Under 1 year-----	29	20	9	19	16	3	10	4	6	9	4	5
1-4 years-----	76	42	34	57	28	29	19	14	5	13	9	4
5-9 years-----	96	50	46	76	40	36	20	10	10	16	9	7
10-14 years-----	103	49	54	87	38	49	16	11	5	14	9	5
15-19 years-----	570	326	244	483	268	215	87	58	29	58	41	17
20-24 years-----	489	309	180	386	244	142	103	65	38	80	48	32
25-29 years-----	348	204	144	278	170	108	70	34	36	52	29	23
30-34 years-----	336	219	117	263	174	89	73	45	28	61	37	24
35-39 years-----	313	151	162	249	119	130	64	32	32	55	27	28
40-44 years-----	320	175	145	254	134	120	66	41	25	51	34	17
45-49 years-----	283	156	127	229	126	103	54	30	24	39	24	15
50-54 years-----	263	151	112	223	125	98	40	26	14	28	19	9
55-59 years-----	267	120	147	225	95	130	42	25	17	30	18	12
60-64 years-----	193	95	98	161	78	83	32	17	15	24	12	12
65-69 years-----	225	99	126	198	86	112	27	13	14	19	10	9
70-74 years-----	308	138	170	273	124	149	35	14	21	22	11	11
75-79 years-----	308	140	168	290	134	156	18	6	12	14	6	8
80-84 years-----	305	157	148	285	142	143	20	15	5	15	11	4
85-89 years-----	163	98	65	153	93	60	10	5	5	8	4	4
90-94 years-----	46	24	22	40	21	19	6	3	3	5	2	3
95-99 years-----	13	8	5	12	7	5	1	1	-	1	1	-
100 yrs & over---	1	1	-	1	1	-	-	-	-	-	-	-
Not stated-----	4	4	-	3	3	-	1	1	-	1	1	-

Driver injured in nontraffic accident (V43.0)

All ages-----	8	6	2	7	5	2	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	1	1	-	-	-	-	1	1	-	1	1	-
25-29 years-----	2	1	1	2	1	1	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Passenger injured in nontraffic accident (V43.1)												
All ages-----	4	3	1	4	3	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Driver injured in traffic accident (V43.5)

All ages-----	2,988	1,792	1,196	2,526	1,500	1,026	462	292	170	351	230	121
Under 1 year-----	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years-----	2	2	-	2	2	-	-	-	-	-	-	-
5-9 years-----	2	1	1	2	1	1	-	-	-	-	-	-
10-14 years-----	2	1	1	1	1	-	1	-	1	1	-	1
15-19 years-----	284	176	108	242	145	97	42	31	11	24	19	5
20-24 years-----	304	193	111	238	152	86	66	41	25	53	31	22
25-29 years-----	236	146	90	184	119	65	52	27	25	37	22	15
30-34 years-----	242	166	76	194	133	61	48	33	15	41	29	12
35-39 years-----	223	116	107	180	92	88	43	24	19	38	21	17
40-44 years-----	223	129	94	181	100	81	42	29	13	34	25	9
45-49 years-----	189	112	77	155	90	65	34	22	12	25	18	7
50-54 years-----	181	115	66	153	97	56	28	18	10	19	12	7
55-59 years-----	162	84	78	139	69	70	23	15	8	17	11	6
60-64 years-----	125	72	53	106	62	44	19	10	9	15	9	6
65-69 years-----	139	77	62	122	65	57	17	12	5	14	10	4
70-74 years-----	170	96	74	152	87	65	18	9	9	9	6	3
75-79 years-----	184	101	83	176	97	79	8	4	4	8	4	4
80-84 years-----	187	111	76	173	99	74	14	12	2	9	8	1
85-89 years-----	102	70	32	97	67	30	5	3	2	5	3	2
90-94 years-----	24	19	5	23	18	5	1	1	-	1	1	-
95-99 years-----	5	4	1	4	3	1	1	1	-	1	1	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	1	1	-	1	1	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Passenger injured in traffic accident (V43.6)												
All ages-----	1,497	617	880	1,222	486	736	275	131	144	199	94	105
Under 1 year-----	24	18	6	16	14	2	8	4	4	7	4	3
1-4 years-----	69	37	32	52	25	27	17	12	5	11	7	4
5-9 years-----	87	46	41	69	37	32	18	9	9	14	8	6
10-14 years-----	88	40	48	75	31	44	13	9	4	11	7	4
15-19 years-----	224	113	111	188	92	96	36	21	15	27	16	11
20-24 years-----	118	69	49	89	51	38	29	18	11	19	11	8
25-29 years-----	76	40	36	62	34	28	14	6	8	12	6	6
30-34 years-----	59	32	27	40	23	17	19	9	10	14	5	9
35-39 years-----	57	19	38	45	16	29	12	3	9	9	2	7
40-44 years-----	58	22	36	38	12	26	20	10	10	13	7	6
45-49 years-----	60	22	38	41	15	26	19	7	12	13	5	8
50-54 years-----	37	12	25	32	8	24	5	4	1	4	4	-
55-59 years-----	69	19	50	58	15	43	11	4	7	6	2	4
60-64 years-----	46	14	32	35	9	26	11	5	6	8	2	6
65-69 years-----	69	12	57	62	12	50	7	-	7	4	-	4
70-74 years-----	107	22	85	94	20	74	13	2	11	10	2	8
75-79 years-----	84	23	61	75	21	54	9	2	7	6	2	4
80-84 years-----	85	27	58	82	26	56	3	1	2	3	1	2
85-89 years-----	51	20	31	46	18	28	5	2	3	3	1	2
90-94 years-----	20	4	16	15	2	13	5	2	3	4	1	3
95-99 years-----	6	3	3	6	3	3	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	3	3	-	2	2	-	1	1	-	1	1	-

Person on outside of vehicle injured in traffic accident (V43.7)

All ages-----	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Unspecified car occupant injured in traffic accident (V43.9)												
All ages-----	560	316	244	484	270	214	76	46	30	64	41	23
Under 1 year----	4	2	2	2	2	-	2	-	2	2	-	2
1-4 years-----	5	3	2	3	1	2	2	2	-	2	2	-
5-9 years-----	7	3	4	5	2	3	2	1	1	2	1	1
10-14 years-----	13	8	5	11	6	5	2	2	-	2	2	-
15-19 years-----	60	35	25	51	29	22	9	6	3	7	6	1
20-24 years-----	66	46	20	59	41	18	7	5	2	7	5	2
25-29 years-----	34	17	17	30	16	14	4	1	3	3	1	2
30-34 years-----	33	20	13	27	17	10	6	3	3	6	3	3
35-39 years-----	33	16	17	24	11	13	9	5	4	8	4	4
40-44 years-----	38	23	15	34	21	13	4	2	2	4	2	2
45-49 years-----	34	22	12	33	21	12	1	1	-	1	1	-
50-54 years-----	44	23	21	37	19	18	7	4	3	5	3	2
55-59 years-----	36	17	19	28	11	17	8	6	2	7	5	2
60-64 years-----	22	9	13	20	7	13	2	2	-	1	1	-
65-69 years-----	17	10	7	14	9	5	3	1	2	1	-	1
70-74 years-----	29	19	10	25	16	9	4	3	1	3	3	-
75-79 years-----	40	16	24	39	16	23	1	-	1	-	-	-
80-84 years-----	32	18	14	29	16	13	3	2	1	3	2	1
85-89 years-----	8	6	2	8	6	2	-	-	-	-	-	-
90-94 years-----	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years-----	2	1	1	2	1	1	-	-	-	-	-	-
100 yrs & over---	1	1	-	1	1	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Car occupant injured in collision with heavy transport vehicle or bus (V44)

All ages-----	1,004	579	425	853	496	357	151	83	68	122	68	54
Under 1 year----	7	3	4	7	3	4	-	-	-	-	-	-
1-4 years-----	15	11	4	12	10	2	3	1	2	2	-	2
5-9 years-----	12	7	5	7	5	2	5	2	3	5	2	3
10-14 years-----	16	7	9	14	7	7	2	-	2	2	-	2
15-19 years-----	115	68	47	101	60	41	14	8	6	9	6	3
20-24 years-----	107	62	45	92	51	41	15	11	4	11	9	2
25-29 years-----	91	66	25	72	54	18	19	12	7	18	11	7
30-34 years-----	75	45	30	62	38	24	13	7	6	10	5	5
35-39 years-----	61	36	25	47	27	20	14	9	5	12	7	5
40-44 years-----	60	35	25	45	26	19	15	9	6	13	9	4
45-49 years-----	62	38	24	57	36	21	5	2	3	4	2	2
50-54 years-----	48	21	27	37	18	19	11	3	8	6	1	5
55-59 years-----	52	27	25	45	25	20	7	2	5	7	2	5
60-64 years-----	45	27	18	39	23	16	6	4	2	4	3	1
65-69 years-----	45	26	19	42	23	19	3	3	-	2	2	-
70-74 years-----	50	23	27	46	21	25	4	2	2	4	2	2
75-79 years-----	59	31	28	52	26	26	7	5	2	5	4	1
80-84 years-----	44	25	19	40	24	16	4	1	3	4	1	3
85-89 years-----	33	16	17	29	14	15	4	2	2	4	2	2
90-94 years-----	7	5	2	7	5	2	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Driver injured in nontraffic accident (V44.0)												
All ages-----	2	2	-	1	1	-	1	1	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	-	-	-	1	1	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Passenger injured in nontraffic accident (V44.1)

All ages-----	2	1	1	1	1	-	1	-	1	1	-	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	-	1	-	-	-	1	-	1	1	-	1
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Driver injured in traffic accident (V44.5)												
All ages-----	657	404	253	567	350	217	90	54	36	74	45	29
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	72	45	27	62	39	23	10	6	4	6	4	2
20-24 years-----	64	40	24	58	35	23	6	5	1	5	5	-
25-29 years-----	70	48	22	54	38	16	16	10	6	16	10	6
30-34 years-----	54	32	22	46	27	19	8	5	3	5	3	2
35-39 years-----	40	24	16	30	16	14	10	8	2	9	7	2
40-44 years-----	49	29	20	39	23	16	10	6	4	9	6	3
45-49 years-----	40	28	12	37	26	11	3	2	1	3	2	1
50-54 years-----	30	16	14	23	14	9	7	2	5	3	-	3
55-59 years-----	36	21	15	31	20	11	5	1	4	5	1	4
60-64 years-----	36	21	15	33	19	14	3	2	1	2	1	1
65-69 years-----	26	17	9	24	15	9	2	2	-	1	1	-
70-74 years-----	40	23	17	36	21	15	4	2	2	4	2	2
75-79 years-----	40	24	16	38	23	15	2	1	1	2	1	1
80-84 years-----	29	18	11	28	17	11	1	1	-	1	1	-
85-89 years-----	26	14	12	23	13	10	3	1	2	3	1	2
90-94 years-----	4	4	-	4	4	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Passenger injured in traffic accident (V44.6)

All ages-----	258	116	142	209	94	115	49	22	27	39	18	21
Under 1 year-----	7	3	4	7	3	4	-	-	-	-	-	-
1-4 years-----	14	10	4	11	9	2	3	1	2	2	-	2
5-9 years-----	12	7	5	7	5	2	5	2	3	5	2	3
10-14 years-----	15	7	8	13	7	6	2	-	2	2	-	2
15-19 years-----	39	21	18	36	19	17	3	2	1	3	2	1
20-24 years-----	33	15	18	25	10	15	8	5	3	6	4	2
25-29 years-----	11	9	2	9	8	1	2	1	1	2	1	1
30-34 years-----	10	5	5	5	3	2	5	2	3	5	2	3
35-39 years-----	9	4	5	6	3	3	3	1	2	2	-	2
40-44 years-----	9	6	3	4	3	1	5	3	2	4	3	1
45-49 years-----	16	7	9	15	7	8	1	-	1	-	-	-
50-54 years-----	14	4	10	10	3	7	4	1	3	3	1	2
55-59 years-----	10	3	7	9	2	7	1	1	-	1	1	-
60-64 years-----	6	4	2	4	3	1	2	1	1	1	1	-
65-69 years-----	13	4	9	13	4	9	-	-	-	-	-	-
70-74 years-----	9	-	9	9	-	9	-	-	-	-	-	-
75-79 years-----	13	2	11	10	-	10	3	2	1	1	1	-
80-84 years-----	11	4	7	9	4	5	2	-	2	2	-	2
85-89 years-----	5	-	5	5	-	5	-	-	-	-	-	-
90-94 years-----	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Unspecified car occupant injured in traffic accident (V44.9)												
All ages-----	85	56	29	75	50	25	10	6	4	8	5	3
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	4	2	2	3	2	1	1	-	1	-	-	-
20-24 years-----	10	7	3	9	6	3	1	1	-	-	-	-
25-29 years-----	9	8	1	9	8	1	-	-	-	-	-	-
30-34 years-----	10	7	3	10	7	3	-	-	-	-	-	-
35-39 years-----	11	7	4	10	7	3	1	-	1	1	-	1
40-44 years-----	2	-	2	2	-	2	-	-	-	-	-	-
45-49 years-----	6	3	3	5	3	2	1	-	1	1	-	1
50-54 years-----	4	1	3	4	1	3	-	-	-	-	-	-
55-59 years-----	6	3	3	5	3	2	1	-	1	1	-	1
60-64 years-----	3	2	1	2	1	1	1	1	-	1	1	-
65-69 years-----	6	5	1	5	4	1	1	1	-	1	1	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	6	5	1	4	3	1	2	2	-	2	2	-
80-84 years-----	3	3	-	3	3	-	-	-	-	-	-	-
85-89 years-----	2	2	-	1	1	-	1	1	-	1	1	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Car occupant injured in collision with railway train or railway vehicle (V45)

All ages-----	160	97	63	129	77	52	31	20	11	26	16	10
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	6	5	1	4	3	1	2	2	-	2	2	-
5-9 years-----	5	3	2	3	3	-	2	-	2	2	-	2
10-14 years-----	3	2	1	3	2	1	-	-	-	-	-	-
15-19 years-----	22	14	8	17	9	8	5	5	-	1	1	-
20-24 years-----	23	13	10	18	9	9	5	4	1	5	4	1
25-29 years-----	11	7	4	9	7	2	2	-	2	2	-	2
30-34 years-----	11	7	4	10	6	4	1	1	-	1	1	-
35-39 years-----	9	6	3	9	6	3	-	-	-	-	-	-
40-44 years-----	12	10	2	9	8	1	3	2	1	3	2	1
45-49 years-----	12	10	2	9	8	1	3	2	1	2	2	-
50-54 years-----	3	-	3	2	-	2	1	-	1	1	-	1
55-59 years-----	7	3	4	6	2	4	1	1	-	1	1	-
60-64 years-----	4	1	3	3	-	3	1	1	-	1	1	-
65-69 years-----	4	2	2	3	2	1	1	-	1	1	-	1
70-74 years-----	7	4	3	6	4	2	1	-	1	1	-	1
75-79 years-----	3	2	1	3	2	1	-	-	-	-	-	-
80-84 years-----	9	5	4	9	5	4	-	-	-	-	-	-
85-89 years-----	6	2	4	4	1	3	2	1	1	2	1	1
90-94 years-----	2	1	1	1	-	1	1	1	-	1	1	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Driver injured in nontraffic accident (V45.0)												
All ages-----	4	4	-	2	2	-	2	2	-	1	1	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	-	-	-	1	1	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	-	-	-	1	1	-	1	1	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Passenger injured in nontraffic accident (V45.1)

All ages-----	6	2	4	4	1	3	2	1	1	1	-	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	2	1	1	1	1	-	1	-	1	1	-	1
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	-	-	-	1	1	-	-	-	-
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Unspecified car occupant injured in nontraffic accident (V45.3)												
All ages-----	5	4	1	4	3	1	1	1	-	1	1	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	2	1	1	2	1	1	-	-	-	-	-	-
20-24 years-----	1	1	-	-	-	-	1	1	-	1	1	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Driver injured in traffic accident (V45.5)												
All ages-----	76	51	25	61	43	18	15	8	7	14	8	6
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	7	4	3	7	4	3	-	-	-	-	-	-
20-24 years-----	11	7	4	8	5	3	3	2	1	3	2	1
25-29 years-----	8	5	3	6	5	1	2	-	2	2	-	2
30-34 years-----	6	4	2	6	4	2	-	-	-	-	-	-
35-39 years-----	5	5	-	5	5	-	-	-	-	-	-	-
40-44 years-----	10	10	-	8	8	-	2	2	-	2	2	-
45-49 years-----	6	4	2	4	3	1	2	1	1	1	1	-
50-54 years-----	2	-	2	1	-	1	1	-	1	1	-	1
55-59 years-----	1	1	-	-	-	-	1	1	-	1	1	-
60-64 years-----	2	1	1	1	1	1	1	1	-	1	1	-
65-69 years-----	3	2	1	2	2	-	1	-	1	1	-	1
70-74 years-----	2	1	1	1	1	-	1	-	1	1	-	1
75-79 years-----	3	2	1	3	2	1	-	-	-	-	-	-
80-84 years-----	6	3	3	6	3	3	-	-	-	-	-	-
85-89 years-----	3	1	2	3	1	2	-	-	-	-	-	-
90-94 years-----	1	1	-	-	-	-	1	1	-	1	1	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Passenger injured in traffic accident (V45.6)												
All ages-----	32	21	11	23	15	8	9	6	3	8	5	3
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	5	5	-	3	3	-	2	2	-	2	2	-
5-9 years-----	2	1	1	1	1	-	1	-	1	1	-	1
10-14 years-----	3	2	1	3	2	1	-	-	-	-	-	-
15-19 years-----	7	5	2	5	3	2	2	2	-	1	1	-
20-24 years-----	4	3	1	3	2	1	1	1	-	1	1	-
25-29 years-----	3	2	1	3	2	1	-	-	-	-	-	-
30-34 years-----	3	2	1	2	1	1	1	1	-	1	1	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	1	-	1	-	-	-	1	-	1	1	-	1
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	-	-	-	1	-	1	1	-	1
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Unspecified car occupant injured in traffic accident (V45.9)

All ages-----	37	15	22	35	13	22	2	2	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	4	2	2	3	1	2	1	1	-	-	-	-
20-24 years-----	5	1	4	5	1	4	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	3	1	2	3	1	2	-	-	-	-	-	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	4	4	-	4	4	-	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	6	2	4	6	2	4	-	-	-	-	-	-
60-64 years-----	2	-	2	2	-	2	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years-----	2	1	1	1	-	1	1	1	-	1	1	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Car occupant injured in collision with other nonmotor vehicle (V46)												
All ages-----	8	5	3	7	4	3	1	1	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	2	1	1	2	1	1	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	-	-	-	1	1	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	2	1	1	2	1	1	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Driver injured in traffic accident (V46.5)

All ages-----	7	4	3	7	4	3	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	2	1	1	2	1	1	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	2	1	1	2	1	1	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Passenger injured in traffic accident (V46.6)												
All ages-----	1	1	-	-	-	-	1	1	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	-	-	-	1	1	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Car occupant injured in collision with fixed or stationary object (V47)

All ages-----	2,984	2,101	883	2,366	1,663	703	618	438	180	510	368	142
Under 1 year-----	12	8	4	5	4	1	7	4	3	6	3	3
1-4 years-----	13	6	7	8	6	2	5	-	5	5	-	5
5-9 years-----	16	12	4	13	10	3	3	2	1	3	2	1
10-14 years-----	54	37	17	42	29	13	12	8	4	12	8	4
15-19 years-----	582	389	193	480	317	163	102	72	30	83	60	23
20-24 years-----	506	399	107	383	304	79	123	95	28	100	77	23
25-29 years-----	309	243	66	236	183	53	73	60	13	61	51	10
30-34 years-----	248	185	63	191	140	51	57	45	12	48	39	9
35-39 years-----	235	171	64	184	138	46	51	33	18	44	28	16
40-44 years-----	201	142	59	157	108	49	44	34	10	39	30	9
45-49 years-----	154	99	55	125	78	47	29	21	8	20	16	4
50-54 years-----	113	82	31	85	68	17	28	14	14	21	11	10
55-59 years-----	90	51	39	71	42	29	19	9	10	15	8	7
60-64 years-----	74	49	25	58	37	21	16	12	4	13	11	2
65-69 years-----	88	55	33	76	47	29	12	8	4	9	5	4
70-74 years-----	84	50	34	75	44	31	9	6	3	7	5	2
75-79 years-----	90	51	39	74	43	31	16	8	8	16	8	8
80-84 years-----	70	44	26	63	40	23	7	4	3	5	3	2
85-89 years-----	33	23	10	28	20	8	5	3	2	3	3	-
90-94 years-----	10	5	5	10	5	5	-	-	-	-	-	-
95-99 years-----	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

RACE, AND SEX

Driver injured in nontraffic accident (V47.0)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	11	7	4	10	6	4	1	1	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	3	3	-	3	3	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	3	3	-	2	2	-	1	1	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	3	-	3	3	-	3	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Passenger injured in nontraffic accident (V47.1)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	8	4	4	5	2	3	3	2	1	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	-	-	-	1	1	-	1	1	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	2	1	1	1	-	1	1	1	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	-	-	-	1	-	1	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

RACE, AND SEX

Person on outside of vehicle injured in nontraffic accident (V47.2)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Unspecified car occupant injured in nontraffic accident (V47.3)

All ages-----	6	4	2	6	4	2	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	4	3	1	4	3	1	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Person injured while boarding or alighting (V47.4)												
All ages-----	3	3	-	2	2	-	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	1	-	-	-	-	1	1	-	1	1	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Driver injured in traffic accident (V47.5)

All ages-----	1,861	1,364	497	1,483	1,076	407	378	288	90	308	237	71
Under 1 year-----	1	1	-	-	-	-	1	1	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	6	4	2	5	3	2	1	1	-	1	1	-
15-19 years-----	302	219	83	251	178	73	51	41	10	43	35	8
20-24 years-----	303	241	62	225	179	46	78	62	16	64	50	14
25-29 years-----	214	168	46	161	124	37	53	44	9	42	36	6
30-34 years-----	172	139	33	132	106	26	40	33	7	33	29	4
35-39 years-----	159	117	42	126	97	29	33	20	13	30	18	12
40-44 years-----	146	103	43	114	80	34	32	23	9	27	19	8
45-49 years-----	114	77	37	96	63	33	18	14	4	11	9	2
50-54 years-----	80	62	18	63	50	13	17	12	5	13	9	4
55-59 years-----	61	32	29	47	24	23	14	8	6	11	7	4
60-64 years-----	54	36	18	44	28	16	10	8	2	8	7	1
65-69 years-----	58	39	19	51	35	16	7	4	3	4	1	3
70-74 years-----	58	35	23	51	30	21	7	5	2	6	5	1
75-79 years-----	54	41	13	46	35	11	8	6	2	8	6	2
80-84 years-----	52	31	21	46	27	19	6	4	2	5	3	2
85-89 years-----	21	15	6	19	13	6	2	2	-	2	2	-
90-94 years-----	5	4	1	5	4	1	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Passenger injured in traffic accident (V47.6)												
All ages-----	712	436	276	543	341	202	169	95	74	143	84	59
Under 1 year-----	11	7	4	5	4	1	6	3	3	6	3	3
1-4 years-----	13	6	7	8	6	2	5	-	5	5	-	5
5-9 years-----	15	11	4	12	9	3	3	2	1	3	2	1
10-14 years-----	41	27	14	32	22	10	9	5	4	9	5	4
15-19 years-----	205	119	86	164	96	68	41	23	18	30	17	13
20-24 years-----	125	90	35	94	69	25	31	21	10	25	18	7
25-29 years-----	61	49	12	46	37	9	15	12	3	14	11	3
30-34 years-----	45	26	19	36	21	15	9	5	4	9	5	4
35-39 years-----	45	31	14	38	28	10	7	3	4	7	3	4
40-44 years-----	30	23	7	21	15	6	9	8	1	9	8	1
45-49 years-----	18	7	11	11	3	8	7	4	3	6	4	2
50-54 years-----	8	2	6	3	1	2	5	1	4	3	1	2
55-59 years-----	13	5	8	8	4	4	5	1	4	4	1	3
60-64 years-----	10	6	4	5	3	2	5	3	2	4	3	1
65-69 years-----	17	7	10	14	5	9	3	2	1	3	2	1
70-74 years-----	14	5	9	12	4	8	2	1	1	1	-	1
75-79 years-----	18	2	16	13	1	12	5	1	4	5	1	4
80-84 years-----	10	7	3	9	7	2	1	-	1	-	-	-
85-89 years-----	7	5	2	6	5	1	1	-	1	-	-	-
90-94 years-----	5	1	4	5	1	4	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Person on outside of vehicle injured in traffic accident (V47.7)

All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Unspecified car occupant injured in traffic accident (V47.9)												
All ages-----	381	283	98	315	232	83	66	51	15	57	45	12
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	5	5	-	4	4	-	1	1	-	1	1	-
15-19 years-----	69	46	23	59	38	21	10	8	2	10	8	2
20-24 years-----	75	66	9	62	55	7	13	11	2	11	9	2
25-29 years-----	31	23	8	26	19	7	5	4	1	5	4	1
30-34 years-----	31	20	11	23	13	10	8	7	1	6	5	1
35-39 years-----	28	20	8	18	11	7	10	9	1	7	7	-
40-44 years-----	25	16	9	22	13	9	3	3	-	3	3	-
45-49 years-----	22	15	7	18	12	6	4	3	1	3	3	-
50-54 years-----	25	18	7	19	17	2	6	1	5	5	1	4
55-59 years-----	16	14	2	16	14	2	-	-	-	-	-	-
60-64 years-----	10	7	3	9	6	3	1	1	-	1	1	-
65-69 years-----	9	8	1	7	6	1	2	2	-	2	2	-
70-74 years-----	11	9	2	11	9	2	-	-	-	-	-	-
75-79 years-----	12	7	5	9	6	3	3	1	2	3	1	2
80-84 years-----	8	6	2	8	6	2	-	-	-	-	-	-
85-89 years-----	3	2	1	3	2	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Car occupant injured in noncollision transport accident (V48)

All ages-----	2,550	1,665	885	2,078	1,371	707	472	294	178	317	202	115
Under 1 year----	10	8	2	5	5	-	5	3	2	4	3	1
1-4 years-----	32	15	17	20	13	7	12	2	10	9	1	8
5-9 years-----	40	20	20	29	15	14	11	5	6	10	5	5
10-14 years-----	33	22	11	28	19	9	5	3	2	3	1	2
15-19 years-----	467	300	167	401	257	144	66	43	23	42	26	16
20-24 years-----	423	302	121	341	250	91	82	52	30	50	30	20
25-29 years-----	273	202	71	214	156	58	59	46	13	39	33	6
30-34 years-----	205	142	63	167	118	49	38	24	14	29	19	10
35-39 years-----	243	151	92	191	121	70	52	30	22	35	22	13
40-44 years-----	194	119	75	156	99	57	38	20	18	29	16	13
45-49 years-----	148	97	51	115	76	39	33	21	12	24	16	8
50-54 years-----	110	78	32	92	63	29	18	15	3	13	11	2
55-59 years-----	85	52	33	71	45	26	14	7	7	9	5	4
60-64 years-----	63	36	27	51	30	21	12	6	6	4	2	2
65-69 years-----	73	45	28	61	36	25	12	9	3	7	6	1
70-74 years-----	52	21	31	44	16	28	8	5	3	4	3	1
75-79 years-----	37	21	16	34	20	14	3	1	2	3	1	2
80-84 years-----	29	14	15	28	14	14	1	-	1	1	-	1
85-89 years-----	26	18	8	24	16	8	2	2	-	2	2	-
90-94 years-----	5	2	3	4	2	2	1	-	1	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

RACE, AND SEX

Driver injured in nontraffic accident (V48.0)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	13	10	3	8	5	3	5	5	-	2	2	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	-	-	-	1	1	-	-	-	-
20-24 years-----	2	2	-	2	2	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	3	3	-	1	1	-	2	2	-	-	-	-
40-44 years-----	3	2	1	1	-	1	2	2	-	2	2	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Passenger injured in nontraffic accident (V48.1)

All ages-----	7	4	3	5	4	1	2	-	2	-	-	-
Under 1 year-----	1	-	1	-	-	-	1	-	1	-	-	-
1-4 years-----	1	-	1	-	-	-	1	-	1	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	2	2	-	2	2	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Person on outside of vehicle injured in nontraffic accident (V48.2)												
All ages-----	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Unspecified car occupant injured in nontraffic accident (V48.3)

All ages-----	10	7	3	7	5	2	3	2	1	2	2	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	3	2	1	1	-	1	2	2	-	2	2	-
20-24 years-----	2	1	1	1	1	-	1	-	1	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Person injured while boarding or alighting (V48.4)												
All ages-----	8	3	5	6	2	4	2	1	1	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	-	-	-	1	-	1	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	2	1	1	1	-	1	1	1	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Driver injured in traffic accident (V48.5)

All ages-----	1,436	968	468	1,192	806	386	244	162	82	180	119	61
Under 1 year----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	2	2	-	2	2	-	-	-	-	-	-	-
15-19 years-----	224	148	76	203	134	69	21	14	7	16	11	5
20-24 years-----	239	170	69	191	142	49	48	28	20	33	18	15
25-29 years-----	171	130	41	131	98	33	40	32	8	29	24	5
30-34 years-----	142	97	45	119	82	37	23	15	8	19	12	7
35-39 years-----	156	98	58	127	81	46	29	17	12	24	14	10
40-44 years-----	113	69	44	91	59	32	22	10	12	18	8	10
45-49 years-----	93	64	29	71	48	23	22	16	6	16	12	4
50-54 years-----	74	53	21	61	42	19	13	11	2	9	8	1
55-59 years-----	52	36	16	45	31	14	7	5	2	5	4	1
60-64 years-----	41	26	15	33	22	11	8	4	4	3	1	2
65-69 years-----	49	30	19	43	25	18	6	5	1	4	3	1
70-74 years-----	28	14	14	24	10	14	4	4	-	3	3	-
75-79 years-----	20	10	10	19	9	10	1	1	-	1	1	-
80-84 years-----	17	10	7	17	10	7	-	-	-	-	-	-
85-89 years-----	12	8	4	12	8	4	-	-	-	-	-	-
90-94 years-----	2	2	-	2	2	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Passenger injured in traffic accident (V48.6)												
All ages-----	650	387	263	493	299	194	157	88	69	98	57	41
Under 1 year-----	6	5	1	3	3	-	3	2	1	3	2	1
1-4 years-----	26	11	15	17	10	7	9	1	8	9	1	8
5-9 years-----	35	16	19	26	12	14	9	4	5	8	4	4
10-14 years-----	24	16	8	22	16	6	2	-	2	2	-	2
15-19 years-----	170	104	66	132	80	52	38	24	14	24	13	11
20-24 years-----	105	70	35	80	52	28	25	18	7	13	10	3
25-29 years-----	55	41	14	43	31	12	12	10	2	7	7	-
30-34 years-----	35	24	11	24	17	7	11	7	4	8	6	2
35-39 years-----	41	24	17	30	19	11	11	5	6	5	3	2
40-44 years-----	31	15	16	23	12	11	8	3	5	4	2	2
45-49 years-----	29	16	13	20	12	8	9	4	5	6	3	3
50-54 years-----	14	8	6	12	7	5	2	1	1	2	1	1
55-59 years-----	16	7	9	13	6	7	3	1	2	1	-	1
60-64 years-----	12	5	7	9	3	6	3	2	1	1	1	-
65-69 years-----	14	9	5	9	6	3	5	3	2	2	2	-
70-74 years-----	14	5	9	10	4	6	4	1	3	1	-	1
75-79 years-----	6	5	1	6	5	1	-	-	-	-	-	-
80-84 years-----	6	1	5	6	1	5	-	-	-	-	-	-
85-89 years-----	8	5	3	6	3	3	2	2	-	2	2	-
90-94 years-----	2	-	2	1	-	1	1	-	1	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Person on outside of vehicle injured in traffic accident (V48.7)

All ages-----	3	3	-	2	2	-	1	1	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	3	3	-	2	2	-	1	1	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Unspecified car occupant injured in traffic accident (V48.9)												
All ages-----	421	281	140	363	246	117	58	35	23	35	22	13
Under 1 year-----	2	2	-	1	1	-	1	1	-	1	1	-
1-4 years-----	3	2	1	1	1	-	2	1	1	-	-	-
5-9 years-----	4	3	1	2	2	-	2	1	1	2	1	1
10-14 years-----	6	4	2	3	1	2	3	3	-	1	1	-
15-19 years-----	64	40	24	61	39	22	3	1	2	-	-	-
20-24 years-----	73	57	16	65	51	14	8	6	2	4	2	2
25-29 years-----	46	30	16	39	26	13	7	4	3	3	2	1
30-34 years-----	28	21	7	24	19	5	4	2	2	2	1	1
35-39 years-----	42	26	16	33	20	13	9	6	3	6	5	1
40-44 years-----	46	33	13	40	28	12	6	5	1	5	4	1
45-49 years-----	25	16	9	23	15	8	2	1	1	2	1	1
50-54 years-----	19	15	4	17	13	4	2	2	-	2	2	-
55-59 years-----	17	9	8	13	8	5	4	1	3	3	1	2
60-64 years-----	9	4	5	8	4	4	1	-	1	-	-	-
65-69 years-----	10	6	4	9	5	4	1	1	-	1	1	-
70-74 years-----	8	2	6	8	2	6	-	-	-	-	-	-
75-79 years-----	11	6	5	9	6	3	2	-	2	2	-	2
80-84 years-----	3	2	1	2	2	-	1	-	1	1	-	1
85-89 years-----	4	3	1	4	3	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Car occupant injured in other and unspecified transport accidents (V49)

All ages-----	2,713	1,663	1,050	2,282	1,370	912	431	293	138	370	256	114
Under 1 year-----	18	7	11	14	7	7	4	-	4	4	-	4
1-4 years-----	30	16	14	19	12	7	11	4	7	10	4	6
5-9 years-----	45	22	23	34	15	19	11	7	4	11	7	4
10-14 years-----	49	25	24	36	17	19	13	8	5	13	8	5
15-19 years-----	390	247	143	340	212	128	50	35	15	40	29	11
20-24 years-----	340	242	98	282	200	82	58	42	16	42	31	11
25-29 years-----	235	167	68	189	132	57	46	35	11	37	29	8
30-34 years-----	196	124	72	157	97	60	39	27	12	34	24	10
35-39 years-----	180	116	64	137	84	53	43	32	11	39	29	10
40-44 years-----	203	134	69	175	116	59	28	18	10	26	18	8
45-49 years-----	150	89	61	123	73	50	27	16	11	25	15	10
50-54 years-----	119	69	50	97	53	44	22	16	6	19	14	5
55-59 years-----	96	53	43	83	44	39	13	9	4	13	9	4
60-64 years-----	95	45	50	85	39	46	10	6	4	9	5	4
65-69 years-----	110	72	38	91	59	32	19	13	6	18	12	6
70-74 years-----	108	60	48	96	51	45	12	9	3	11	8	3
75-79 years-----	134	69	65	123	61	62	11	8	3	7	7	-
80-84 years-----	123	60	63	116	58	58	7	2	5	6	2	4
85-89 years-----	65	29	36	62	27	35	3	2	1	3	2	1
90-94 years-----	21	15	6	18	12	6	3	3	-	2	2	-
95-99 years-----	4	-	4	4	-	4	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	2	2	-	1	1	-	1	1	-	1	1	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Driver injured in collision with other and unspecified motor vehicles in nontraffic accident (V49.0)												
All ages-----	3	1	2	3	1	2	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	2	1	1	2	1	1	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Passenger injured in collision with other and unspecified motor vehicles in nontraffic accident (V49.1)

All ages-----	3	2	1	2	1	1	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	-	-	-	1	1	-	1	1	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

ALL RACES WHITE ALL OTHER BLACK

Unspecified car occupant injured in collision with other and unspecified motor vehicles in nontraffic accident (V49.2)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	5	4	1	4	3	1	1	1	-	1	1	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	2	2	-	1	1	-	1	1	-	1	1	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	2	2	-	2	2	-	-	-	-	-	-	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Car occupant [any] injured in unspecified nontraffic accident (V49.3)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	9	6	3	7	4	3	2	2	-	2	2	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	2	2	-	1	1	-	1	1	-	1	1	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	-	-	-	1	1	-	1	1	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Driver injured in collision with other and unspecified motor vehicles in traffic accident (V49.4)												
All ages-----	396	256	140	341	217	124	55	39	16	43	31	12
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	39	25	14	34	21	13	5	4	1	3	2	1
20-24 years-----	46	29	17	40	25	15	6	4	2	2	2	-
25-29 years-----	38	29	9	34	26	8	4	3	1	4	3	1
30-34 years-----	30	19	11	20	12	8	10	7	3	8	6	2
35-39 years-----	24	14	10	19	11	8	5	3	2	4	2	2
40-44 years-----	28	13	15	24	11	13	4	2	2	4	2	2
45-49 years-----	12	7	5	12	7	5	-	-	-	-	-	-
50-54 years-----	24	14	10	19	10	9	5	4	1	3	3	-
55-59 years-----	13	8	5	10	6	4	3	2	1	3	2	1
60-64 years-----	16	11	5	15	10	5	1	1	-	1	1	-
65-69 years-----	29	19	10	25	17	8	4	2	2	3	1	2
70-74 years-----	17	14	3	15	12	3	2	2	-	2	2	-
75-79 years-----	35	23	12	33	21	12	2	2	-	2	2	-
80-84 years-----	28	20	8	26	19	7	2	1	1	2	1	1
85-89 years-----	10	6	4	9	5	4	1	1	-	1	1	-
90-94 years-----	5	4	1	4	3	1	1	1	-	1	1	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Passenger injured in collision with other and unspecified motor vehicles in traffic accident (V49.5)

All ages-----	326	163	163	269	128	141	57	35	22	51	31	20
Under 1 year-----	3	1	2	3	1	2	-	-	-	-	-	-
1-4 years-----	8	6	2	6	5	1	2	1	1	2	1	1
5-9 years-----	10	4	6	8	3	5	2	1	1	2	1	1
10-14 years-----	10	5	5	8	3	5	2	2	-	2	2	-
15-19 years-----	54	27	27	47	24	23	7	3	4	7	3	4
20-24 years-----	42	30	12	35	24	11	7	6	1	6	5	1
25-29 years-----	19	14	5	13	9	4	6	5	1	6	5	1
30-34 years-----	16	10	6	11	6	5	5	4	1	5	4	1
35-39 years-----	19	9	10	12	3	9	7	6	1	5	4	1
40-44 years-----	21	14	7	19	13	6	2	1	1	2	1	1
45-49 years-----	11	6	5	11	6	5	-	-	-	-	-	-
50-54 years-----	12	5	7	10	4	6	2	1	1	1	-	1
55-59 years-----	8	4	4	5	2	3	3	2	1	3	2	1
60-64 years-----	12	4	8	11	4	7	1	-	1	1	-	1
65-69 years-----	13	6	7	10	5	5	3	1	2	3	1	2
70-74 years-----	12	3	9	9	2	7	3	1	2	3	1	2
75-79 years-----	22	9	13	21	9	12	1	-	1	-	-	-
80-84 years-----	18	3	15	15	2	13	3	1	2	2	1	1
85-89 years-----	13	3	10	12	3	9	1	-	1	1	-	1
90-94 years-----	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Unspecified car occupant injured in collision with other and unspecified motor vehicles in traffic accident (V49.6)												
All ages-----	291	172	119	247	142	105	44	30	14	32	24	8
Under 1 year-----	3	-	3	2	-	2	1	-	1	1	-	1
1-4 years-----	3	2	1	3	2	1	-	-	-	-	-	-
5-9 years-----	7	3	4	7	3	4	-	-	-	-	-	-
10-14 years-----	6	3	3	6	3	3	-	-	-	-	-	-
15-19 years-----	52	36	16	44	31	13	8	5	3	6	4	2
20-24 years-----	40	25	15	30	17	13	10	8	2	6	5	1
25-29 years-----	23	17	6	19	14	5	4	3	1	2	2	-
30-34 years-----	22	11	11	18	9	9	4	2	2	4	2	2
35-39 years-----	18	13	5	15	10	5	3	3	-	3	3	-
40-44 years-----	19	12	7	16	11	5	3	1	2	2	1	1
45-49 years-----	9	5	4	6	2	4	3	3	-	2	2	-
50-54 years-----	11	5	6	9	3	6	2	2	-	2	2	-
55-59 years-----	13	6	7	12	6	6	1	-	1	1	-	1
60-64 years-----	16	10	6	15	9	6	1	1	-	1	1	-
65-69 years-----	10	9	1	8	7	1	2	2	-	2	2	-
70-74 years-----	9	3	6	9	3	6	-	-	-	-	-	-
75-79 years-----	11	4	7	9	4	5	2	-	2	-	-	-
80-84 years-----	8	3	5	8	3	5	-	-	-	-	-	-
85-89 years-----	7	2	5	7	2	5	-	-	-	-	-	-
90-94 years-----	3	2	1	3	2	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	1	1	-	1	1	-	-	-	-	-	-	-

Car occupant [any] injured in other specified transport accidents (V49.8)

All ages-----	30	19	11	27	18	9	3	1	2	3	1	2
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	-	1	-	-	-	1	-	1	1	-	1
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	6	4	2	6	4	2	-	-	-	-	-	-
20-24 years-----	5	5	-	5	5	-	-	-	-	-	-	-
25-29 years-----	2	-	2	2	-	2	-	-	-	-	-	-
30-34 years-----	3	2	1	3	2	1	-	-	-	-	-	-
35-39 years-----	3	1	2	2	1	1	1	-	1	1	-	1
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	2	1	1	1	-	1	1	1	-	1	1	-
50-54 years-----	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	2	2	-	2	2	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

RACE, AND SEX

Car occupant [any] injured in unspecified traffic accident (V49.9)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	1,650	1,040	610	1,382	856	526	268	184	84	237	165	72
Under 1 year-----	12	6	6	9	6	3	3	-	3	3	-	3
1-4 years-----	17	8	9	9	5	4	8	3	5	7	3	4
5-9 years-----	28	15	13	19	9	10	9	6	3	9	6	3
10-14 years-----	31	16	15	20	10	10	11	6	5	11	6	5
15-19 years-----	236	153	83	206	130	76	30	23	7	24	20	4
20-24 years-----	207	153	54	172	129	43	35	24	11	28	19	9
25-29 years-----	151	105	46	120	82	38	31	23	8	24	18	6
30-34 years-----	123	80	43	104	67	37	19	13	6	16	11	5
35-39 years-----	114	77	37	87	57	30	27	20	7	26	20	6
40-44 years-----	132	93	39	113	79	34	19	14	5	18	14	4
45-49 years-----	115	70	45	92	58	34	23	12	11	22	12	10
50-54 years-----	70	43	27	57	34	23	13	9	4	13	9	4
55-59 years-----	61	34	27	56	30	26	5	4	1	5	4	1
60-64 years-----	50	20	30	43	16	27	7	4	3	6	3	3
65-69 years-----	58	38	20	48	30	18	10	8	2	10	8	2
70-74 years-----	67	37	30	61	32	29	6	5	1	5	4	1
75-79 years-----	63	32	31	57	26	31	6	6	-	5	5	-
80-84 years-----	66	32	34	64	32	32	2	-	2	2	-	2
85-89 years-----	35	18	17	34	17	17	1	1	-	1	1	-
90-94 years-----	11	9	2	9	7	2	2	2	-	1	1	-
95-99 years-----	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	1	1	-	-	-	-	1	1	-	1	1	-

Occupant of pickup truck or van injured in collision with pedestrian or animal (V50)

All ages-----	7	6	1	6	5	1	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	2	1	1	2	1	1	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	1	1	-	-	-	-	1	1	-	1	1	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Driver injured in traffic accident (V50.5)												
All ages-----	3	3	-	3	3	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Passenger injured in traffic accident (V50.6)

All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

RACE, AND SEX - - - ALL RACES - - - - - - WHITE - - - - - - ALL OTHER - - - - - - BLACK - - -

TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Person on outside of vehicle injured in traffic accident (V50.7)

All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Unspecified occupant of pickup truck or van injured in traffic accident (V50.9)

All ages-----	2	2	-	1	1	-	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	-	-	-	1	1	-	1	1	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Occupant of pickup truck or van injured in collision with two- or three-wheeled motor vehicle (V52)

All ages-----	5	5	-	5	5	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	2	2	-	2	2	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Driver injured in traffic accident (V52.5)

All ages-----	3	3	-	3	3	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Unspecified occupant of pickup truck or van injured in traffic accident (V52.9)												
All ages-----	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Occupant of pickup truck or van injured in collision with car, pickup truck, or van (V53)

All ages-----	727	523	204	642	461	181	85	62	23	65	47	18
Under 1 year-----	2	2	-	1	1	-	1	1	-	-	-	-
1-4 years-----	6	5	1	4	3	1	2	2	-	2	2	-
5-9 years-----	16	7	9	15	6	9	1	1	-	-	-	-
10-14 years-----	19	11	8	14	8	6	5	3	2	3	1	2
15-19 years-----	53	37	16	47	35	12	6	2	4	5	2	3
20-24 years-----	38	29	9	35	28	7	3	1	2	2	1	1
25-29 years-----	52	34	18	49	33	16	3	1	2	3	1	2
30-34 years-----	58	46	12	53	41	12	5	5	-	4	4	-
35-39 years-----	66	51	15	52	38	14	14	13	1	10	10	-
40-44 years-----	79	59	20	68	51	17	11	8	3	8	6	2
45-49 years-----	72	52	20	61	43	18	11	9	2	9	7	2
50-54 years-----	52	31	21	43	27	16	9	4	5	9	4	5
55-59 years-----	37	28	9	36	28	8	1	-	1	1	-	1
60-64 years-----	40	32	8	35	28	7	5	4	1	3	3	-
65-69 years-----	22	9	13	21	8	13	1	1	-	1	1	-
70-74 years-----	45	39	6	41	35	6	4	4	-	3	3	-
75-79 years-----	36	28	8	33	25	8	3	3	-	2	2	-
80-84 years-----	20	16	4	20	16	4	-	-	-	-	-	-
85-89 years-----	10	3	7	10	3	7	-	-	-	-	-	-
90-94 years-----	4	4	-	4	4	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Driver injured in nontraffic accident (V53.0)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Unspecified occupant of pickup truck or van injured in nontraffic accident (V53.3)

All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Person injured while boarding or alighting (V53.4)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Driver injured in traffic accident (V53.5)

All ages-----	478	386	92	419	339	80	59	47	12	46	36	10
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	30	23	7	28	23	5	2	-	2	1	-	1
20-24 years-----	17	14	3	15	13	2	2	1	1	2	1	1
25-29 years-----	37	24	13	36	23	13	1	1	-	1	1	-
30-34 years-----	44	37	7	40	33	7	4	4	-	3	3	-
35-39 years-----	54	44	10	42	33	9	12	11	1	8	8	-
40-44 years-----	53	43	10	45	36	9	8	7	1	6	5	1
45-49 years-----	56	46	10	45	37	8	11	9	2	9	7	2
50-54 years-----	44	29	15	35	25	10	9	4	5	9	4	5
55-59 years-----	27	21	6	27	21	6	-	-	-	-	-	-
60-64 years-----	25	24	1	22	21	1	3	3	-	2	2	-
65-69 years-----	13	9	4	12	8	4	1	1	-	1	1	-
70-74 years-----	31	28	3	28	25	3	3	3	-	2	2	-
75-79 years-----	24	24	-	21	21	-	3	3	-	2	2	-
80-84 years-----	15	14	1	15	14	1	-	-	-	-	-	-
85-89 years-----	4	3	1	4	3	1	-	-	-	-	-	-
90-94 years-----	3	3	-	3	3	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Passenger injured in traffic accident (V53.6)												
All ages-----	194	95	99	172	83	89	22	12	10	15	8	7
Under 1 year-----	2	2	-	1	1	-	1	1	-	-	-	-
1-4 years-----	5	4	1	3	2	1	2	2	-	2	2	-
5-9 years-----	14	6	8	13	5	8	1	1	-	-	-	-
10-14 years-----	18	11	7	13	8	5	5	3	2	3	1	2
15-19 years-----	20	12	8	17	10	7	3	2	1	3	2	1
20-24 years-----	15	10	5	14	10	4	1	-	1	-	-	-
25-29 years-----	10	6	4	8	6	2	2	-	2	2	-	2
30-34 years-----	8	3	5	8	3	5	-	-	-	-	-	-
35-39 years-----	10	5	5	9	4	5	1	1	-	1	1	-
40-44 years-----	18	10	8	15	9	6	3	1	2	2	1	1
45-49 years-----	12	3	9	12	3	9	-	-	-	-	-	-
50-54 years-----	7	1	6	7	1	6	-	-	-	-	-	-
55-59 years-----	7	5	2	6	5	1	1	-	1	1	-	1
60-64 years-----	11	4	7	10	4	6	1	-	1	-	-	-
65-69 years-----	9	-	9	9	-	9	-	-	-	-	-	-
70-74 years-----	11	9	2	10	8	2	1	1	-	1	1	-
75-79 years-----	7	2	5	7	2	5	-	-	-	-	-	-
80-84 years-----	3	1	2	3	1	2	-	-	-	-	-	-
85-89 years-----	6	-	6	6	-	6	-	-	-	-	-	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Unspecified occupant of pickup truck or van injured in traffic accident (V53.9)

All ages-----	52	40	12	48	37	11	4	3	1	4	3	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	2	1	1	2	1	1	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	3	2	1	2	2	-	1	-	1	1	-	1
20-24 years-----	5	4	1	5	4	1	-	-	-	-	-	-
25-29 years-----	5	4	1	5	4	1	-	-	-	-	-	-
30-34 years-----	6	6	-	5	5	-	1	1	-	1	1	-
35-39 years-----	2	2	-	1	1	-	1	1	-	1	1	-
40-44 years-----	8	6	2	8	6	2	-	-	-	-	-	-
45-49 years-----	4	3	1	4	3	1	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years-----	4	4	-	3	3	-	1	1	-	1	1	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	3	2	1	3	2	1	-	-	-	-	-	-
75-79 years-----	4	2	2	4	2	2	-	-	-	-	-	-
80-84 years-----	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

RACE, AND SEX

Occupant of pickup truck or van injured in collision with heavy transport vehicle or bus (V54)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	402	313	89	365	284	81	37	29	8	23	21	2
Under 1 year-----	2	-	2	2	-	2	-	-	-	-	-	-
1-4 years-----	3	1	2	3	1	2	-	-	-	-	-	-
5-9 years-----	3	-	3	2	-	2	1	-	1	-	-	-
10-14 years-----	7	4	3	7	4	3	-	-	-	-	-	-
15-19 years-----	35	24	11	34	23	11	1	1	-	-	-	-
20-24 years-----	47	42	5	44	39	5	3	3	-	1	1	-
25-29 years-----	20	18	2	20	18	2	-	-	-	-	-	-
30-34 years-----	20	14	6	20	14	6	-	-	-	-	-	-
35-39 years-----	36	27	9	30	23	7	6	4	2	5	4	1
40-44 years-----	33	26	7	27	21	6	6	5	1	4	4	-
45-49 years-----	34	28	6	31	26	5	3	2	1	3	2	1
50-54 years-----	36	29	7	33	26	7	3	3	-	2	2	-
55-59 years-----	31	25	6	27	23	4	4	2	2	1	1	-
60-64 years-----	13	12	1	10	10	-	3	2	1	1	1	-
65-69 years-----	19	14	5	17	12	5	2	2	-	1	1	-
70-74 years-----	19	13	6	17	11	6	2	2	-	2	2	-
75-79 years-----	25	19	6	24	18	6	1	1	-	1	1	-
80-84 years-----	9	9	-	8	8	-	1	1	-	1	1	-
85-89 years-----	7	5	2	7	5	2	-	-	-	-	-	-
90-94 years-----	2	2	-	2	2	-	-	-	-	-	-	-
95-99 years-----	1	1	-	-	-	-	1	1	-	1	1	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Driver injured in traffic accident (V54.5)

All ages-----	286	247	39	262	227	35	24	20	4	15	14	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	19	13	6	18	12	6	1	1	-	-	-	-
20-24 years-----	36	34	2	35	33	2	1	1	-	-	-	-
25-29 years-----	16	16	-	16	16	-	-	-	-	-	-	-
30-34 years-----	13	9	4	13	9	4	-	-	-	-	-	-
35-39 years-----	29	23	6	25	20	5	4	3	1	3	3	-
40-44 years-----	29	23	6	26	21	5	3	2	1	1	1	-
45-49 years-----	26	23	3	23	21	2	3	2	1	3	2	1
50-54 years-----	26	22	4	24	20	4	2	2	-	1	1	-
55-59 years-----	25	22	3	22	20	2	3	2	1	1	1	-
60-64 years-----	9	9	-	7	7	-	2	2	-	1	1	-
65-69 years-----	12	10	2	12	10	2	-	-	-	-	-	-
70-74 years-----	13	11	2	11	9	2	2	2	-	2	2	-
75-79 years-----	16	16	-	15	15	-	1	1	-	1	1	-
80-84 years-----	9	9	-	8	8	-	1	1	-	1	1	-
85-89 years-----	5	4	1	5	4	1	-	-	-	-	-	-
90-94 years-----	2	2	-	2	2	-	-	-	-	-	-	-
95-99 years-----	1	1	-	-	-	-	1	1	-	1	1	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

RACE, AND SEX

Passenger injured in traffic accident (V54.6)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	90	44	46	81	38	43	9	6	3	6	5	1
Under 1 year-----	2	-	2	2	-	2	-	-	-	-	-	-
1-4 years-----	3	1	2	3	1	2	-	-	-	-	-	-
5-9 years-----	3	-	3	2	-	2	1	-	1	-	-	-
10-14 years-----	7	4	3	7	4	3	-	-	-	-	-	-
15-19 years-----	13	8	5	13	8	5	-	-	-	-	-	-
20-24 years-----	9	6	3	8	5	3	1	1	-	-	-	-
25-29 years-----	3	2	1	3	2	1	-	-	-	-	-	-
30-34 years-----	5	3	2	5	3	2	-	-	-	-	-	-
35-39 years-----	7	4	3	5	3	2	2	1	1	2	1	1
40-44 years-----	4	3	1	1	-	1	3	3	-	3	3	-
45-49 years-----	6	3	3	6	3	3	-	-	-	-	-	-
50-54 years-----	7	5	2	6	4	2	1	1	-	1	1	-
55-59 years-----	4	1	3	3	1	2	1	-	1	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	4	1	3	4	1	3	-	-	-	-	-	-
70-74 years-----	5	1	4	5	1	4	-	-	-	-	-	-
75-79 years-----	7	1	6	7	1	6	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Unspecified occupant of pickup truck or van injured in traffic accident (V54.9)

All ages-----	26	22	4	22	19	3	4	3	1	2	2	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	3	3	-	3	3	-	-	-	-	-	-	-
20-24 years-----	2	2	-	1	1	-	1	1	-	1	1	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	2	2	-	2	2	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	2	2	-	2	2	-	-	-	-	-	-	-
50-54 years-----	3	2	1	3	2	1	-	-	-	-	-	-
55-59 years-----	2	2	-	2	2	-	-	-	-	-	-	-
60-64 years-----	4	3	1	3	3	-	1	-	1	-	-	-
65-69 years-----	3	3	-	1	1	-	2	2	-	1	1	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	2	2	-	2	2	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),
RACE, AND SEX

ALL RACES WHITE ALL OTHER BLACK

Occupant of pickup truck or van injured in collision with railway train or railway vehicle (V55)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	60	49	11	56	46	10	4	3	1	4	3	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	6	6	-	6	6	-	-	-	-	-	-	-
20-24 years-----	4	4	-	4	4	-	-	-	-	-	-	-
25-29 years-----	5	2	3	5	2	3	-	-	-	-	-	-
30-34 years-----	3	2	1	3	2	1	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	7	4	3	5	3	2	2	1	1	2	1	1
45-49 years-----	8	7	1	6	5	1	2	2	-	2	2	-
50-54 years-----	5	5	-	5	5	-	-	-	-	-	-	-
55-59 years-----	6	5	1	6	5	1	-	-	-	-	-	-
60-64 years-----	3	2	1	3	2	1	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	5	4	1	5	4	1	-	-	-	-	-	-
75-79 years-----	5	5	-	5	5	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Driver injured in nontraffic accident (V55.0)

All ages-----	5	3	2	5	3	2	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Unspecified occupant of pickup truck or van injured in nontraffic accident (V55.3)

All ages-----	5	4	1	5	4	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Driver injured in traffic accident (V55.5)

All ages-----	30	28	2	29	27	2	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	3	3	-	3	3	-	-	-	-	-	-	-
20-24 years-----	2	2	-	2	2	-	-	-	-	-	-	-
25-29 years-----	3	2	1	3	2	1	-	-	-	-	-	-
30-34 years-----	2	2	-	2	2	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	2	2	-	2	2	-	-	-	-	-	-	-
45-49 years-----	2	2	-	1	1	-	1	1	-	1	1	-
50-54 years-----	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years-----	4	4	-	4	4	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	4	3	1	4	3	1	-	-	-	-	-	-
75-79 years-----	2	2	-	2	2	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Passenger injured in traffic accident (V55.6)												
All ages-----	10	5	5	8	4	4	2	1	1	2	1	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	4	2	2	2	1	1	2	1	1	2	1	1
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Unspecified occupant of pickup truck or van injured in traffic accident (V55.9)

All ages-----	10	9	1	9	8	1	1	1	-	1	1	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	2	2	-	1	1	-	1	1	-	1	1	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	2	1	1	2	1	1	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	2	2	-	2	2	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Occupant of pickup truck or van injured in collision with other nonmotor vehicle (V56)												
All ages-----	3	2	1	3	2	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Driver injured in traffic accident (V56.5)

All ages-----	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Unspecified occupant of pickup truck or van injured in traffic accident (V56.9)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Occupant of pickup truck or van injured in collision with fixed or stationary object (V57)

All ages-----	660	563	97	584	504	80	76	59	17	61	51	10
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	7	3	4	4	2	2	3	1	2	3	1	2
5-9 years-----	8	4	4	6	2	4	2	2	-	2	2	-
10-14 years-----	6	4	2	6	4	2	-	-	-	-	-	-
15-19 years-----	77	62	15	73	59	14	4	3	1	3	3	-
20-24 years-----	105	97	8	92	87	5	13	10	3	11	8	3
25-29 years-----	73	65	8	66	60	6	7	5	2	5	4	1
30-34 years-----	71	61	10	65	56	9	6	5	1	5	4	1
35-39 years-----	63	53	10	55	45	10	8	8	-	6	6	-
40-44 years-----	54	46	8	51	44	7	3	2	1	2	2	-
45-49 years-----	46	40	6	38	34	4	8	6	2	8	6	2
50-54 years-----	31	30	1	26	25	1	5	5	-	4	4	-
55-59 years-----	33	28	5	27	22	5	6	6	-	5	5	-
60-64 years-----	26	20	6	21	18	3	5	2	3	2	2	-
65-69 years-----	25	21	4	21	19	2	4	2	2	3	2	1
70-74 years-----	12	11	1	10	9	1	2	2	-	2	2	-
75-79 years-----	13	11	2	13	11	2	-	-	-	-	-	-
80-84 years-----	6	6	-	6	6	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	2	1	1	2	1	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Driver injured in nontraffic accident (V57.0)												
All ages-----	5	5	-	5	5	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	2	2	-	2	2	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Passenger injured in nontraffic accident (V57.1)

All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Person on outside of vehicle injured in nontraffic accident (V57.2)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Driver injured in traffic accident (V57.5)

All ages-----	469	425	44	425	385	40	44	40	4	39	38	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	48	42	6	46	40	6	2	2	-	2	2	-
20-24 years-----	72	69	3	66	64	2	6	5	1	6	5	1
25-29 years-----	59	53	6	55	50	5	4	3	1	2	2	-
30-34 years-----	55	47	8	52	44	8	3	3	-	2	2	-
35-39 years-----	44	37	7	38	31	7	6	6	-	6	6	-
40-44 years-----	44	39	5	41	37	4	3	2	1	2	2	-
45-49 years-----	31	29	2	27	25	2	4	4	-	4	4	-
50-54 years-----	26	26	-	22	22	-	4	4	-	4	4	-
55-59 years-----	22	21	1	17	16	1	5	5	-	5	5	-
60-64 years-----	22	18	4	19	16	3	3	2	1	2	2	-
65-69 years-----	18	18	-	16	16	-	2	2	-	2	2	-
70-74 years-----	10	10	-	8	8	-	2	2	-	2	2	-
75-79 years-----	10	9	1	10	9	1	-	-	-	-	-	-
80-84 years-----	6	6	-	6	6	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Passenger injured in traffic accident (V57.6)												
All ages-----	122	76	46	95	62	33	27	14	13	18	9	9
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	7	3	4	4	2	2	3	1	2	3	1	2
5-9 years-----	6	3	3	4	1	3	2	2	-	2	2	-
10-14 years-----	5	3	2	5	3	2	-	-	-	-	-	-
15-19 years-----	25	16	9	23	15	8	2	1	1	1	1	-
20-24 years-----	19	14	5	14	11	3	5	3	2	3	1	2
25-29 years-----	5	3	2	4	3	1	1	-	1	1	-	1
30-34 years-----	10	8	2	7	6	1	3	2	1	3	2	1
35-39 years-----	7	5	2	6	4	2	1	1	-	-	-	-
40-44 years-----	7	6	1	7	6	1	-	-	-	-	-	-
45-49 years-----	12	8	4	8	6	2	4	2	2	4	2	2
50-54 years-----	3	2	1	2	1	1	1	1	-	-	-	-
55-59 years-----	5	2	3	4	1	3	1	1	-	-	-	-
60-64 years-----	3	1	2	1	1	-	2	-	2	-	-	-
65-69 years-----	3	-	3	1	-	1	2	-	2	1	-	1
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	3	2	1	3	2	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Unspecified occupant of pickup truck or van injured in traffic accident (V57.9)

All ages-----	62	56	6	57	51	6	5	5	-	4	4	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	2	1	1	2	1	1	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	4	4	-	4	4	-	-	-	-	-	-	-
20-24 years-----	13	13	-	11	11	-	2	2	-	2	2	-
25-29 years-----	7	7	-	5	5	-	2	2	-	2	2	-
30-34 years-----	6	6	-	6	6	-	-	-	-	-	-	-
35-39 years-----	11	10	1	10	9	1	1	1	-	-	-	-
40-44 years-----	2	1	1	2	1	1	-	-	-	-	-	-
45-49 years-----	2	2	-	2	2	-	-	-	-	-	-	-
50-54 years-----	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years-----	6	5	1	6	5	1	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	4	3	1	4	3	1	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Occupant of pickup truck or van injured in noncollision transport accident (V58)												
All ages-----	966	760	206	834	661	173	132	99	33	85	70	15
Under 1 year-----	4	1	3	4	1	3	-	-	-	-	-	-
1-4 years-----	14	8	6	10	6	4	4	2	2	4	2	2
5-9 years-----	16	9	7	14	7	7	2	2	-	2	2	-
10-14 years-----	24	11	13	21	9	12	3	2	1	1	1	-
15-19 years-----	144	100	44	129	89	40	15	11	4	10	9	1
20-24 years-----	139	121	18	122	106	16	17	15	2	10	9	1
25-29 years-----	94	78	16	88	74	14	6	4	2	3	1	2
30-34 years-----	90	67	23	77	58	19	13	9	4	6	5	1
35-39 years-----	80	66	14	67	57	10	13	9	4	8	7	1
40-44 years-----	92	83	9	79	73	6	13	10	3	8	7	1
45-49 years-----	67	52	15	54	44	10	13	8	5	9	6	3
50-54 years-----	46	40	6	36	31	5	10	9	1	8	7	1
55-59 years-----	46	40	6	37	32	5	9	8	1	6	6	-
60-64 years-----	38	28	10	31	23	8	7	5	2	5	3	2
65-69 years-----	22	20	2	22	20	2	-	-	-	-	-	-
70-74 years-----	16	12	4	15	11	4	1	1	-	1	1	-
75-79 years-----	21	17	4	18	15	3	3	2	1	2	2	-
80-84 years-----	7	3	4	5	2	3	2	1	1	1	1	-
85-89 years-----	3	2	1	3	2	1	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	1	1	-	-	-	-	1	1	-	1	1	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	1	1	-	1	1	-	-	-	-	-	-	-

Driver injured in nontraffic accident (V58.0)

All ages-----	4	4	-	4	4	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Passenger injured in nontraffic accident (V58.1)												
All ages-----	4	2	2	4	2	2	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Person on outside of vehicle injured in nontraffic accident (V58.2)

All ages-----	3	2	1	3	2	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

ALL RACES WHITE ALL OTHER BLACK

Unspecified occupant of pickup truck or van injured in nontraffic accident (V58.3)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	8	8	-	8	8	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Person injured while boarding or alighting (V58.4)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Driver injured in traffic accident (V58.5)												
All ages-----	534	461	73	465	401	64	69	60	9	45	43	2
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	3	3	-	3	3	-	-	-	-	-	-	-
15-19 years-----	51	39	12	44	34	10	7	5	2	3	3	-
20-24 years-----	76	71	5	67	62	5	9	9	-	6	6	-
25-29 years-----	48	43	5	46	41	5	2	2	-	1	1	-
30-34 years-----	67	52	15	60	46	14	7	6	1	3	3	-
35-39 years-----	59	50	9	50	43	7	9	7	2	6	5	1
40-44 years-----	61	57	4	53	50	3	8	7	1	6	6	-
45-49 years-----	45	38	7	37	32	5	8	6	2	6	5	1
50-54 years-----	31	28	3	25	22	3	6	6	-	5	5	-
55-59 years-----	25	22	3	20	17	3	5	5	-	4	4	-
60-64 years-----	19	17	2	16	14	2	3	3	-	1	1	-
65-69 years-----	15	15	-	15	15	-	-	-	-	-	-	-
70-74 years-----	13	9	4	12	8	4	1	1	-	1	1	-
75-79 years-----	13	11	2	11	10	1	2	1	1	1	1	-
80-84 years-----	4	3	1	3	2	1	1	1	-	1	1	-
85-89 years-----	2	2	-	2	2	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	1	1	-	-	-	-	1	1	-	1	1	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Passenger injured in traffic accident (V58.6)

All ages-----	287	181	106	242	154	88	45	27	18	27	17	10
Under 1 year-----	3	1	2	3	1	2	-	-	-	-	-	-
1-4 years-----	12	7	5	8	5	3	4	2	2	4	2	2
5-9 years-----	14	7	7	12	5	7	2	2	-	2	2	-
10-14 years-----	18	8	10	15	6	9	3	2	1	1	1	-
15-19 years-----	78	52	26	72	47	25	6	5	1	6	5	1
20-24 years-----	44	33	11	39	29	10	5	4	1	1	1	-
25-29 years-----	33	23	10	30	21	9	3	2	1	1	-	1
30-34 years-----	11	5	6	9	5	4	2	-	2	1	-	1
35-39 years-----	10	8	2	8	7	1	2	1	1	1	1	-
40-44 years-----	13	10	3	10	9	1	3	1	2	1	-	1
45-49 years-----	13	5	8	9	4	5	4	1	3	2	-	2
50-54 years-----	8	6	2	4	3	1	4	3	1	3	2	1
55-59 years-----	9	7	2	6	5	1	3	2	1	1	1	-
60-64 years-----	10	3	7	8	2	6	2	1	1	2	1	1
65-69 years-----	4	2	2	4	2	2	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	3	3	-	2	2	-	1	1	-	1	1	-
80-84 years-----	2	-	2	1	-	1	1	-	1	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	1	1	-	1	1	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Person on outside of vehicle injured in traffic accident (V58.7)												
All ages-----	6	6	-	6	6	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Unspecified occupant of pickup truck or van injured in traffic accident (V58.9)

All ages-----	119	96	23	101	84	17	18	12	6	13	10	3
Under 1 year-----	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years-----	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	2	-	2	2	-	2	-	-	-	-	-	-
15-19 years-----	14	9	5	12	8	4	2	1	1	1	1	-
20-24 years-----	18	16	2	15	14	1	3	2	1	3	2	1
25-29 years-----	10	9	1	9	9	-	1	-	1	1	-	1
30-34 years-----	9	7	2	5	4	1	4	3	1	2	2	-
35-39 years-----	9	7	2	7	6	1	2	1	1	1	1	-
40-44 years-----	16	14	2	14	12	2	2	2	-	1	1	-
45-49 years-----	7	7	-	6	6	-	1	1	-	1	1	-
50-54 years-----	7	6	1	7	6	1	-	-	-	-	-	-
55-59 years-----	8	7	1	7	6	1	1	1	-	1	1	-
60-64 years-----	8	7	1	6	6	-	2	1	1	2	1	1
65-69 years-----	2	2	-	2	2	-	-	-	-	-	-	-
70-74 years-----	2	2	-	2	2	-	-	-	-	-	-	-
75-79 years-----	3	2	1	3	2	1	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Occupant of pickup truck or van injured in other and unspecified transport accidents (V59)												
All ages-----	303	233	70	263	201	62	40	32	8	19	14	5
Under 1 year-----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	2	2	-	2	2	-	-	-	-	-	-	-
5-9 years-----	5	3	2	5	3	2	-	-	-	-	-	-
10-14 years-----	12	6	6	10	4	6	2	2	-	1	1	-
15-19 years-----	35	26	9	33	25	8	2	1	1	-	-	-
20-24 years-----	29	24	5	27	23	4	2	1	1	2	1	1
25-29 years-----	31	23	8	22	16	6	9	7	2	4	3	1
30-34 years-----	32	28	4	29	26	3	3	2	1	3	2	1
35-39 years-----	20	15	5	16	12	4	4	3	1	3	2	1
40-44 years-----	28	23	5	23	19	4	5	4	1	-	-	-
45-49 years-----	20	17	3	18	15	3	2	2	-	1	1	-
50-54 years-----	21	18	3	19	16	3	2	2	-	1	1	-
55-59 years-----	12	9	3	10	7	3	2	2	-	2	2	-
60-64 years-----	13	12	1	10	9	1	3	3	-	1	1	-
65-69 years-----	13	8	5	11	6	5	2	2	-	-	-	-
70-74 years-----	12	11	1	12	11	1	-	-	-	-	-	-
75-79 years-----	5	3	2	5	3	2	-	-	-	-	-	-
80-84 years-----	6	2	4	5	2	3	1	-	1	1	-	1
85-89 years-----	5	1	4	4	-	4	1	1	-	-	-	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Driver injured in collision with other and unspecified motor vehicles in nontraffic accident (V59.0)

All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Passenger injured in collision with other and unspecified motor vehicles in nontraffic accident (V59.1)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Occupant [any] of pickup truck or van injured in unspecified nontraffic accident (V59.3)

All ages-----	5	4	1	4	4	-	1	-	1	1	-	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	2	1	1	1	1	-	1	-	1	1	-	1
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Driver injured in collision with other and unspecified motor vehicles in traffic accident (V59.4)												
All ages-----	67	56	11	60	52	8	7	4	3	3	1	2
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	3	2	1	2	2	-	1	-	1	-	-	-
20-24 years-----	2	1	1	1	1	-	1	-	1	1	-	1
25-29 years-----	7	6	1	5	5	-	2	1	1	1	-	1
30-34 years-----	9	9	-	9	9	-	-	-	-	-	-	-
35-39 years-----	5	3	2	5	3	2	-	-	-	-	-	-
40-44 years-----	5	4	1	4	3	1	1	1	-	-	-	-
45-49 years-----	8	7	1	7	6	1	1	1	-	-	-	-
50-54 years-----	7	7	-	7	7	-	-	-	-	-	-	-
55-59 years-----	2	2	-	1	1	-	1	1	-	1	1	-
60-64 years-----	5	4	1	5	4	1	-	-	-	-	-	-
65-69 years-----	4	3	1	4	3	1	-	-	-	-	-	-
70-74 years-----	4	3	1	4	3	1	-	-	-	-	-	-
75-79 years-----	2	2	-	2	2	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Passenger injured in collision with other and unspecified motor vehicles in traffic accident (V59.5)

All ages-----	59	41	18	48	32	16	11	9	2	2	2	-
Under 1 year-----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	2	2	-	2	2	-	-	-	-	-	-	-
10-14 years-----	3	1	2	3	1	2	-	-	-	-	-	-
15-19 years-----	4	3	1	4	3	1	-	-	-	-	-	-
20-24 years-----	5	4	1	5	4	1	-	-	-	-	-	-
25-29 years-----	9	5	4	4	1	3	5	4	1	2	2	-
30-34 years-----	4	4	-	4	4	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	8	6	2	5	4	1	3	2	1	-	-	-
45-49 years-----	3	3	-	3	3	-	-	-	-	-	-	-
50-54 years-----	4	3	1	4	3	1	-	-	-	-	-	-
55-59 years-----	4	1	3	4	1	3	-	-	-	-	-	-
60-64 years-----	1	1	-	-	-	-	1	1	-	-	-	-
65-69 years-----	2	1	1	1	-	1	1	1	-	-	-	-
70-74 years-----	4	4	-	4	4	-	-	-	-	-	-	-
75-79 years-----	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	3	1	2	2	-	2	1	1	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Unspecified occupant of pickup truck or van injured in collision with other and unspecified motor vehicles in traffic accident (V59.6)												
All ages-----	23	17	6	20	14	6	3	3	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	3	2	1	3	2	1	-	-	-	-	-	-
15-19 years-----	4	3	1	4	3	1	-	-	-	-	-	-
20-24 years-----	2	2	-	2	2	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	2	2	-	1	1	-	1	1	-	1	1	-
35-39 years-----	4	3	1	4	3	1	-	-	-	-	-	-
40-44 years-----	4	3	1	3	2	1	1	1	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	-	-	-	1	1	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Occupant [any] of pickup truck or van injured in other specified transport accidents (V59.8)

All ages-----	34	26	8	26	19	7	8	7	1	3	2	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	3	2	1	2	1	1	1	1	-	-	-	-
15-19 years-----	7	6	1	6	5	1	1	1	-	-	-	-
20-24 years-----	4	4	-	4	4	-	-	-	-	-	-	-
25-29 years-----	5	4	1	4	3	1	1	1	-	-	-	-
30-34 years-----	2	1	1	1	-	1	1	1	-	1	1	-
35-39 years-----	2	2	-	1	1	-	1	1	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	2	2	-	2	2	-	-	-	-	-	-	-
50-54 years-----	5	3	2	4	2	2	1	1	-	1	1	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	-	-	-	1	1	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	-	1	-	-	-	1	-	1	1	-	1
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

ALL RACES WHITE ALL OTHER BLACK

Occupant [any] of pickup truck or van injured in unspecified traffic accident (V59.9)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	113	89	24	103	80	23	10	9	1	9	8	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	2	1	1	2	1	1	-	-	-	-	-	-
10-14 years-----	2	1	1	1	-	1	1	1	-	1	1	-
15-19 years-----	16	11	5	16	11	5	-	-	-	-	-	-
20-24 years-----	15	13	2	14	12	2	1	1	-	1	1	-
25-29 years-----	9	8	1	8	7	1	1	1	-	1	1	-
30-34 years-----	14	11	3	13	11	2	1	-	1	1	-	1
35-39 years-----	7	6	1	5	4	1	2	2	-	2	2	-
40-44 years-----	11	10	1	11	10	1	-	-	-	-	-	-
45-49 years-----	7	5	2	6	4	2	1	1	-	1	1	-
50-54 years-----	5	5	-	4	4	-	1	1	-	-	-	-
55-59 years-----	6	6	-	5	5	-	1	1	-	1	1	-
60-64 years-----	6	6	-	5	5	-	1	1	-	1	1	-
65-69 years-----	4	1	3	4	1	3	-	-	-	-	-	-
70-74 years-----	3	3	-	3	3	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	3	1	2	3	1	2	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Occupant of heavy transport vehicle injured in collision with pedestrian or animal (V60)

All ages-----	6	6	-	4	4	-	2	2	-	2	2	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	1	1	-	-	-	-	1	1	-	1	1	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	1	1	-	-	-	-	1	1	-	1	1	-
50-54 years-----	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE

Unspecified occupant of heavy transport vehicle injured in nontraffic accident (V60.3)

All ages-----	2	2	-	1	1	-	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	-	-	-	1	1	-	1	1	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Driver injured in traffic accident (V60.5)

All ages-----	4	4	-	3	3	-	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	1	1	-	-	-	-	1	1	-	1	1	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),
RACE, AND SEX

ALL RACES WHITE ALL OTHER BLACK

Occupant of heavy transport vehicle injured in collision with two- or three-wheeled motor vehicle (V62)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	1	1	-	-	-	-	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	-	-	-	1	1	-	1	1	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Driver injured in traffic accident (V62.5)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	1	1	-	-	-	-	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	-	-	-	1	1	-	1	1	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

RACE, AND SEX

Occupant of heavy transport vehicle injured in collision with car, pickup truck, or van (V63)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	44	36	8	40	33	7	4	3	1	3	2	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	3	2	1	3	2	1	-	-	-	-	-	-
25-29 years-----	1	1	-	-	-	-	1	1	-	-	-	-
30-34 years-----	7	5	2	6	5	1	1	-	1	1	-	1
35-39 years-----	5	3	2	5	3	2	-	-	-	-	-	-
40-44 years-----	6	6	-	6	6	-	-	-	-	-	-	-
45-49 years-----	5	4	1	4	3	1	1	1	-	1	1	-
50-54 years-----	6	6	-	6	6	-	-	-	-	-	-	-
55-59 years-----	4	4	-	3	3	-	1	1	-	1	1	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	2	2	-	2	2	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Driver injured in traffic accident (V63.5)

All ages-----	30	28	2	27	25	2	3	3	-	2	2	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	2	2	-	2	2	-	-	-	-	-	-	-
25-29 years-----	1	1	-	-	-	-	1	1	-	-	-	-
30-34 years-----	6	5	1	6	5	1	-	-	-	-	-	-
35-39 years-----	3	2	1	3	2	1	-	-	-	-	-	-
40-44 years-----	4	4	-	4	4	-	-	-	-	-	-	-
45-49 years-----	4	4	-	3	3	-	1	1	-	1	1	-
50-54 years-----	3	3	-	3	3	-	-	-	-	-	-	-
55-59 years-----	3	3	-	2	2	-	1	1	-	1	1	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Passenger injured in traffic accident (V63.6)												
All ages-----	7	3	4	6	3	3	1	-	1	1	-	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	-	1	-	-	-	1	-	1	1	-	1
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Unspecified occupant of heavy transport vehicle injured in traffic accident (V63.9)

All ages-----	7	5	2	7	5	2	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	2	2	-	2	2	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	3	3	-	3	3	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Occupant of heavy transport vehicle injured in collision with heavy transport vehicle or bus (V64)

All ages-----	64	61	3	58	55	3	6	6	-	4	4	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	3	3	-	3	3	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	7	7	-	6	6	-	1	1	-	-	-	-
30-34 years-----	5	4	1	4	3	1	1	1	-	1	1	-
35-39 years-----	11	11	-	10	10	-	1	1	-	1	1	-
40-44 years-----	8	8	-	7	7	-	1	1	-	-	-	-
45-49 years-----	10	10	-	10	10	-	-	-	-	-	-	-
50-54 years-----	7	6	1	6	5	1	1	1	-	1	1	-
55-59 years-----	8	8	-	7	7	-	1	1	-	1	1	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Driver injured in nontraffic accident (V64.0)

All ages-----	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Driver injured in traffic accident (V64.5)												
All ages-----	50	48	2	45	43	2	5	5	-	4	4	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	3	3	-	3	3	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	4	4	-	3	3	-	1	1	-	-	-	-
30-34 years-----	4	4	-	3	3	-	1	1	-	1	1	-
35-39 years-----	10	10	-	9	9	-	1	1	-	1	1	-
40-44 years-----	5	5	-	5	5	-	-	-	-	-	-	-
45-49 years-----	9	9	-	9	9	-	-	-	-	-	-	-
50-54 years-----	4	3	1	3	2	1	1	1	-	1	1	-
55-59 years-----	6	6	-	5	5	-	1	1	-	1	1	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Passenger injured in traffic accident (V64.6)

All ages-----	3	3	-	2	2	-	1	1	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	1	1	-	-	-	-	1	1	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Unspecified occupant of heavy transport vehicle injured in traffic accident (V64.9)												
All ages-----	9	8	1	9	8	1	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	2	2	-	2	2	-	-	-	-	-	-	-
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	3	3	-	3	3	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Occupant of heavy transport vehicle injured in collision with railway train or railway vehicle (V65)

All ages-----	8	6	2	7	6	1	1	-	1	1	-	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years-----	2	1	1	1	1	-	1	-	1	1	-	1
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Driver injured in traffic accident (V65.5)												
All ages-----	6	6	-	6	6	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Passenger injured in traffic accident (V65.6)

All ages-----	2	-	2	1	-	1	1	-	1	1	-	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years-----	1	-	1	-	-	-	1	-	1	1	-	1
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Occupant of heavy transport vehicle injured in collision with fixed or stationary object (V67)												
All ages-----	82	75	7	66	60	6	16	15	1	14	13	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	7	7	-	7	7	-	-	-	-	-	-	-
25-29 years-----	4	4	-	3	3	-	1	1	-	1	1	-
30-34 years-----	9	9	-	7	7	-	2	2	-	2	2	-
35-39 years-----	9	8	1	6	5	1	3	3	-	2	2	-
40-44 years-----	7	7	-	5	5	-	2	2	-	2	2	-
45-49 years-----	13	11	2	10	8	2	3	3	-	2	2	-
50-54 years-----	12	11	1	10	9	1	2	2	-	2	2	-
55-59 years-----	8	8	-	7	7	-	1	1	-	1	1	-
60-64 years-----	6	5	1	5	5	-	1	-	1	1	-	1
65-69 years-----	3	3	-	3	3	-	-	-	-	-	-	-
70-74 years-----	1	1	-	-	-	-	1	1	-	1	1	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	1	-	1	1	-	1	-	-	-	-	-	-

Driver injured in nontraffic accident (V67.0)

All ages-----	2	2	-	1	1	-	1	1	-	1	1	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	-	-	-	1	1	-	1	1	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Unspecified occupant of heavy transport vehicle injured in nontraffic accident (V67.3)

All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Driver injured in traffic accident (V67.5)

All ages-----	61	58	3	47	45	2	14	13	1	12	11	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	4	4	-	4	4	-	-	-	-	-	-	-
25-29 years-----	3	3	-	2	2	-	1	1	-	1	1	-
30-34 years-----	6	6	-	5	5	-	1	1	-	1	1	-
35-39 years-----	8	7	1	5	4	1	3	3	-	2	2	-
40-44 years-----	5	5	-	3	3	-	2	2	-	2	2	-
45-49 years-----	10	9	1	7	6	1	3	3	-	2	2	-
50-54 years-----	10	10	-	9	9	-	1	1	-	1	1	-
55-59 years-----	6	6	-	5	5	-	1	1	-	1	1	-
60-64 years-----	6	5	1	5	5	-	1	-	1	1	-	1
65-69 years-----	2	2	-	2	2	-	-	-	-	-	-	-
70-74 years-----	1	1	-	-	-	-	1	1	-	1	1	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Passenger injured in traffic accident (V67.6)												
All ages-----	8	5	3	8	5	3	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	1	-	1	1	-	1	-	-	-	-	-	-

Unspecified occupant of heavy transport vehicle injured in traffic accident (V67.9)

All ages-----	10	9	1	9	8	1	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	2	2	-	2	2	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	2	2	-	1	1	-	1	1	-	1	1	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	2	2	-	2	2	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

RACE, AND SEX

Occupant of heavy transport vehicle injured in noncollision transport accident (V68)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	167	151	16	149	137	12	18	14	4	16	13	3
Under 1 year-----	2	1	1	2	1	1	-	-	-	-	-	-
1-4 years-----	2	1	1	1	-	1	1	1	-	1	1	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	1	-	1	-	-	-	1	-	1	1	-	1
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	17	15	2	16	14	2	1	1	-	-	-	-
25-29 years-----	17	16	1	15	14	1	2	2	-	2	2	-
30-34 years-----	13	12	1	10	10	-	3	2	1	3	2	1
35-39 years-----	27	26	1	22	22	-	5	4	1	5	4	1
40-44 years-----	24	23	1	20	19	1	4	4	-	4	4	-
45-49 years-----	22	20	2	22	20	2	-	-	-	-	-	-
50-54 years-----	10	8	2	9	8	1	1	-	1	-	-	-
55-59 years-----	10	10	-	10	10	-	-	-	-	-	-	-
60-64 years-----	11	10	1	11	10	1	-	-	-	-	-	-
65-69 years-----	6	5	1	6	5	1	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Passenger injured in nontraffic accident (V68.1)

All ages-----	2	2	-	1	1	-	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	1	-	-	-	-	1	1	-	1	1	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE

Unspecified occupant of heavy transport vehicle injured in nontraffic accident (V68.3)

All ages-----	3	2	1	3	2	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Person injured while boarding or alighting (V68.4)

All ages-----	3	2	1	3	2	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

RACE, AND SEX

Driver injured in traffic accident (V68.5)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	98	95	3	90	87	3	8	8	-	8	8	-
Under 1 year----	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	7	6	1	7	6	1	-	-	-	-	-	-
25-29 years-----	10	10	-	10	10	-	-	-	-	-	-	-
30-34 years-----	7	7	-	5	5	-	2	2	-	2	2	-
35-39 years-----	21	21	-	18	18	-	3	3	-	3	3	-
40-44 years-----	19	18	1	16	15	1	3	3	-	3	3	-
45-49 years-----	12	12	-	12	12	-	-	-	-	-	-	-
50-54 years-----	4	4	-	4	4	-	-	-	-	-	-	-
55-59 years-----	6	6	-	6	6	-	-	-	-	-	-	-
60-64 years-----	7	7	-	7	7	-	-	-	-	-	-	-
65-69 years-----	3	3	-	3	3	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Passenger injured in traffic accident (V68.6)

All ages-----	18	10	8	13	8	5	5	2	3	4	2	2
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	1	-	1	-	-	-	1	-	1	1	-	1
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	3	2	1	3	2	1	-	-	-	-	-	-
25-29 years-----	3	2	1	2	1	1	1	1	-	1	1	-
30-34 years-----	2	1	1	1	1	-	1	-	1	1	-	1
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	1	1	-	-	-	-	1	1	-	1	1	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	1	-	1	-	-	-	1	-	1	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Person on outside of vehicle injured in traffic accident (V68.7)												
All ages-----	3	3	-	3	3	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Unspecified occupant of heavy transport vehicle injured in traffic accident (V68.9)

All ages-----	40	37	3	36	34	2	4	3	1	3	2	1
Under 1 year-----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	5	5	-	4	4	-	1	1	-	-	-	-
25-29 years-----	4	4	-	3	3	-	1	1	-	1	1	-
30-34 years-----	4	4	-	4	4	-	-	-	-	-	-	-
35-39 years-----	4	3	1	2	2	-	2	1	1	2	1	1
40-44 years-----	3	3	-	3	3	-	-	-	-	-	-	-
45-49 years-----	7	6	1	7	6	1	-	-	-	-	-	-
50-54 years-----	5	4	1	5	4	1	-	-	-	-	-	-
55-59 years-----	2	2	-	2	2	-	-	-	-	-	-	-
60-64 years-----	2	2	-	2	2	-	-	-	-	-	-	-
65-69 years-----	2	2	-	2	2	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

ALL RACES WHITE ALL OTHER BLACK

Occupant of heavy transport vehicle injured in other and unspecified transport accidents (V69)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	50	41	9	43	36	7	7	5	2	6	5	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	3	3	-	3	3	-	-	-	-	-	-	-
30-34 years-----	2	2	-	2	2	-	-	-	-	-	-	-
35-39 years-----	8	6	2	6	4	2	2	2	2	2	2	-
40-44 years-----	12	11	1	11	10	1	1	1	-	1	1	-
45-49 years-----	6	6	-	5	5	-	1	1	-	1	1	-
50-54 years-----	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years-----	4	3	1	3	2	1	1	1	-	1	1	-
60-64 years-----	5	5	-	5	5	-	-	-	-	-	-	-
65-69 years-----	2	-	2	1	-	1	1	-	1	1	-	1
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	2	1	1	1	1	-	1	-	1	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Occupant [any] of heavy transport vehicle injured in unspecified nontraffic accident (V69.3)

All ages-----	2	2	-	1	1	-	1	1	-	1	1	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	-	-	-	1	1	-	1	1	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Driver injured in collision with other and unspecified motor vehicles in traffic accident (V69.4)												
All ages-----	13	12	1	12	12	-	1	-	1	1	-	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	5	5	-	5	5	-	-	-	-	-	-	-
45-49 years-----	2	2	-	2	2	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	-	-	-	1	-	1	1	-	1
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Passenger injured in collision with other and unspecified motor vehicles in traffic accident (V69.5)

All ages-----	9	7	2	8	6	2	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	3	3	-	2	2	-	1	1	-	1	1	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Unspecified occupant of heavy transport vehicle injured in collision with other and unspecified motor vehicles in traffic accident (V69.6)												
All ages-----	3	2	1	2	1	1	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	1	1	-	-	-	-	1	1	-	1	1	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Occupant [any] of heavy transport vehicle injured in other specified transport accidents (V69.8)

All ages-----	9	7	2	8	6	2	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	2	2	-	2	2	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	3	2	1	2	1	1	1	1	-	1	1	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	2	2	-	2	2	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

RACE, AND SEX

Occupant [any] of heavy transport vehicle injured in unspecified traffic accident (V69.9)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	14	11	3	12	10	2	2	1	1	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	3	2	1	2	1	1	1	1	-	1	1	-
40-44 years-----	2	2	-	2	2	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	3	2	1	3	2	1	-	-	-	-	-	-
60-64 years-----	3	3	-	3	3	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	2	1	1	1	1	-	1	-	1	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Bus occupant injured in collision with pedestrian or animal (V70)

All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Unspecified bus occupant injured in traffic accident (V70.9)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Bus occupant injured in collision with car, pickup truck, or van (V73)

All ages-----	6	6	-	5	5	-	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	-	-	-	1	1	-	1	1	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Driver injured in traffic accident (V73.5)												
All ages-----	3	3	-	2	2	-	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	-	-	-	1	1	-	1	1	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Passenger injured in traffic accident (V73.6)

All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Unspecified bus occupant injured in traffic accident (V73.9)												
All ages-----	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Bus occupant injured in collision with heavy transport vehicle or bus (V74)

All ages-----	11	6	5	9	4	5	2	2	-	2	2	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	2	1	1	1	-	1	1	1	-	1	1	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	2	-	2	2	-	2	-	-	-	-	-	-
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	2	2	-	1	1	-	1	1	-	1	1	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	2	2	-	2	2	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

RACE, AND SEX

Driver injured in traffic accident (V74.5)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	5	5	-	4	4	-	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	2	2	-	1	1	-	1	1	-	1	1	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	2	2	-	2	2	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Passenger injured in traffic accident (V74.6)

All ages-----	5	1	4	4	-	4	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	2	1	1	1	-	1	1	1	-	1	1	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	2	-	2	2	-	2	-	-	-	-	-	-
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Unspecified bus occupant injured in traffic accident (V74.9)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Bus occupant injured in collision with fixed or stationary object (V77)

All ages-----	8	3	5	7	3	4	1	-	1	1	-	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	4	1	3	4	1	3	-	-	-	-	-	-
15-19 years-----	1	-	1	-	-	-	1	-	1	1	-	1
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Passenger injured in traffic accident (V77.6)												
All ages-----	8	3	5	7	3	4	1	-	1	1	-	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	4	1	3	4	1	3	-	-	-	-	-	-
15-19 years-----	1	-	1	-	-	-	1	-	1	1	-	1
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Bus occupant injured in noncollision transport accident (V78)

All ages-----	5	4	1	5	4	1	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Person injured while boarding or alighting (V78.4)												
All ages-----	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Driver injured in traffic accident (V78.5)

All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Passenger injured in traffic accident (V78.6)												
All ages-----	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Bus occupant injured in other and unspecified transport accidents (V79)

All ages-----	31	12	19	26	10	16	5	2	3	5	2	3
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	1	1	-	-	-	-	1	1	-	1	1	-
50-54 years-----	1	1	-	-	-	-	1	1	-	1	1	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	2	-	2	1	-	1	1	-	1	1	-	1
65-69 years-----	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years-----	7	2	5	7	2	5	-	-	-	-	-	-
75-79 years-----	4	-	4	4	-	4	-	-	-	-	-	-
80-84 years-----	7	2	5	6	2	4	1	-	1	1	-	1
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	2	-	2	1	-	1	1	-	1	1	-	1
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Bus occupant [any] injured in unspecified nontraffic accident (V79.3)												
All ages-----	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Driver injured in collision with other and unspecified motor vehicles in traffic accident (V79.4)

All ages-----	2	2	-	1	1	-	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	-	-	-	1	1	-	1	1	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

ALL RACES WHITE ALL OTHER BLACK

Unspecified bus occupant injured in collision with other and unspecified motor vehicles in traffic accident (V79.6)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Bus occupant [any] injured in other specified transport accidents (V79.8)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	3	1	2	3	1	2	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Bus occupant [any] injured in unspecified traffic accident (V79.9)												
All ages-----	22	5	17	18	4	14	4	1	3	4	1	3
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	1	1	-	-	-	-	1	1	-	1	1	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	1	-	-	-	1	-	1	1	-	1
65-69 years-----	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years-----	6	1	5	6	1	5	-	-	-	-	-	-
75-79 years-----	4	-	4	4	-	4	-	-	-	-	-	-
80-84 years-----	4	-	4	3	-	3	1	-	1	1	-	1
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	2	-	2	1	-	1	1	-	1	1	-	1
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Animal-rider or occupant of animal-drawn vehicle injured in transport accident (V80)

All ages-----	110	65	45	105	60	45	5	5	-	1	1	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years-----	5	4	1	5	4	1	-	-	-	-	-	-
10-14 years-----	6	3	3	6	3	3	-	-	-	-	-	-
15-19 years-----	5	2	3	5	2	3	-	-	-	-	-	-
20-24 years-----	2	2	-	2	2	-	-	-	-	-	-	-
25-29 years-----	4	3	1	4	3	1	-	-	-	-	-	-
30-34 years-----	10	5	5	10	5	5	-	-	-	-	-	-
35-39 years-----	8	2	6	8	2	6	-	-	-	-	-	-
40-44 years-----	9	5	4	9	5	4	-	-	-	-	-	-
45-49 years-----	14	8	6	12	6	6	2	2	-	1	1	-
50-54 years-----	9	5	4	8	4	4	1	1	-	-	-	-
55-59 years-----	14	7	7	14	7	7	-	-	-	-	-	-
60-64 years-----	7	5	2	7	5	2	-	-	-	-	-	-
65-69 years-----	8	7	1	7	6	1	1	1	-	-	-	-
70-74 years-----	2	2	-	1	1	-	1	1	-	-	-	-
75-79 years-----	3	2	1	3	2	1	-	-	-	-	-	-
80-84 years-----	2	2	-	2	2	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Rider or occupant injured by fall from or being thrown from animal or animal-drawn vehicle in noncollision accident (V80.0)												
All ages-----	74	42	32	70	38	32	4	4	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	4	3	1	4	3	1	-	-	-	-	-	-
10-14 years-----	3	1	2	3	1	2	-	-	-	-	-	-
15-19 years-----	3	2	1	3	2	1	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	3	3	-	3	3	-	-	-	-	-	-	-
30-34 years-----	5	2	3	5	2	3	-	-	-	-	-	-
35-39 years-----	7	2	5	7	2	5	-	-	-	-	-	-
40-44 years-----	5	3	2	5	3	2	-	-	-	-	-	-
45-49 years-----	11	5	6	10	4	6	1	1	-	-	-	-
50-54 years-----	8	4	4	7	3	4	1	1	-	-	-	-
55-59 years-----	10	3	7	10	3	7	-	-	-	-	-	-
60-64 years-----	3	3	-	3	3	-	-	-	-	-	-	-
65-69 years-----	7	6	1	6	5	1	1	1	-	-	-	-
70-74 years-----	2	2	-	1	1	-	1	1	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Rider or occupant injured in collision with car, pickup truck, van, heavy transport vehicle, or bus (V80.4)

All ages-----	9	5	4	9	5	4	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	2	1	1	2	1	1	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Rider or occupant injured in collision with fixed or stationary object (V80.8)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Rider or occupant injured in other and unspecified transport accidents (V80.9)

All ages-----	26	17	9	25	16	9	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	2	1	1	2	1	1	-	-	-	-	-	-
15-19 years-----	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	3	2	1	3	2	1	-	-	-	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	3	2	1	3	2	1	-	-	-	-	-	-
45-49 years-----	2	2	-	1	1	-	1	1	-	1	1	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	4	4	-	4	4	-	-	-	-	-	-	-
60-64 years-----	3	1	2	3	1	2	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

RACE, AND SEX

Occupant of railway train or railway vehicle injured in transport accident (V81)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	54	43	11	44	34	10	10	9	1	8	7	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	2	1	1	1	-	1	1	1	-	1	1	-
10-14 years-----	3	1	2	3	1	2	-	-	-	-	-	-
15-19 years-----	1	1	-	-	-	-	1	1	-	1	1	-
20-24 years-----	9	8	1	6	6	-	3	2	1	2	1	1
25-29 years-----	4	3	1	4	3	1	-	-	-	-	-	-
30-34 years-----	3	3	-	2	2	-	1	1	-	1	1	-
35-39 years-----	3	3	-	3	3	-	-	-	-	-	-	-
40-44 years-----	9	7	2	7	5	2	2	2	-	1	1	-
45-49 years-----	6	5	1	5	4	1	1	1	-	1	1	-
50-54 years-----	4	4	-	3	3	-	1	1	-	1	1	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	4	3	1	4	3	1	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	1	1	-	1	1	-	-	-	-	-	-	-

Occupant of railway train or railway vehicle injured in collision with motor vehicle in nontraffic accident (V81.0)

All ages-----	10	1	9	9	1	8	1	-	1	1	-	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	2	-	2	2	-	2	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	-	1	-	-	-	1	-	1	1	-	1
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	2	-	2	2	-	2	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Occupant of railway train or railway vehicle injured in collision with or hit by rolling stock (V81.2)												
All ages-----	7	7	-	6	6	-	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	-	-	-	1	1	-	1	1	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	2	2	-	2	2	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Occupant of railway train or railway vehicle injured in collision with other object (V81.3)

All ages-----	3	3	-	3	3	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Occupant of railway train or railway vehicle injured by fall in railway train or railway vehicle (V81.5)												
All ages-----	3	3	-	3	3	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Occupant of railway train or railway vehicle injured by fall from railway train or railway vehicle (V81.6)

All ages-----	12	11	1	8	7	1	4	4	-	3	3	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	1	-	-	-	-	1	1	-	1	1	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	1	1	-	-	-	-	1	1	-	1	1	-
20-24 years-----	4	4	-	3	3	-	1	1	-	-	-	-
25-29 years-----	2	1	1	2	1	1	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	-	-	-	1	1	-	1	1	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	1	1	-	1	1	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Occupant of railway train or railway vehicle injured in derailment without antecedent collision (V81.7)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Occupant of railway train or railway vehicle injured in other specified railway accidents (V81.8)

All ages-----	7	7	-	6	6	-	1	1	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	3	3	-	2	2	-	1	1	-	-	-	-
45-49 years-----	2	2	-	2	2	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Occupant of railway train or railway vehicle injured in unspecified railway accident (V81.9)												
All ages-----	11	10	1	8	7	1	3	3	-	3	3	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	2	2	-	1	1	-	1	1	-	1	1	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	3	3	-	2	2	-	1	1	-	1	1	-
45-49 years-----	2	2	-	1	1	-	1	1	-	1	1	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Occupant of streetcar injured in transport accident (V82)

All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Person injured while boarding or alighting from streetcar (V82.4)

All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Occupant of special vehicle mainly used on industrial premises injured in transport accident (V83)

All ages-----	18	15	3	15	12	3	3	3	-	3	3	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	-	-	-	1	1	-	1	1	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	2	2	-	2	2	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	3	3	-	3	3	-	-	-	-	-	-	-
45-49 years-----	2	2	-	1	1	-	1	1	-	1	1	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	3	2	1	2	1	1	1	1	-	1	1	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Passenger of special industrial vehicle injured in traffic accident (V83.1)												
All ages-----	2	-	2	2	-	2	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Person on outside of special industrial vehicle injured in traffic accident (V83.2)

All ages-----	3	3	-	3	3	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Unspecified occupant of special industrial vehicle injured in traffic accident (V83.3)												
All ages-----	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Person injured while boarding or alighting from special industrial vehicle (V83.4)

All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Driver of special industrial vehicle injured in nontraffic accident (V83.5)												
All ages-----	3	3	-	2	2	-	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	-	-	-	1	1	-	1	1	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Passenger of special industrial vehicle injured in nontraffic accident (V83.6)

All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Person on outside of special industrial vehicle injured in nontraffic accident (V83.7)												
All ages-----	3	3	-	2	2	-	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	1	1	-	-	-	-	1	1	-	1	1	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Unspecified occupant of special industrial vehicle injured in nontraffic accident (V83.9)

All ages-----	3	3	-	2	2	-	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	1	1	-	-	-	-	1	1	-	1	1	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Occupant of special vehicle mainly used in agriculture injured in transport accident (V84)												
All ages-----	348	332	16	331	316	15	17	16	1	15	14	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	8	6	2	8	6	2	-	-	-	-	-	-
5-9 years-----	6	4	2	5	4	1	1	-	1	1	-	1
10-14 years-----	7	5	2	7	5	2	-	-	-	-	-	-
15-19 years-----	8	7	1	8	7	1	-	-	-	-	-	-
20-24 years-----	4	4	-	4	4	-	-	-	-	-	-	-
25-29 years-----	13	12	1	12	11	1	1	1	-	1	1	-
30-34 years-----	11	9	2	11	9	2	-	-	-	-	-	-
35-39 years-----	14	14	-	13	13	-	1	1	-	1	1	-
40-44 years-----	16	15	1	15	14	1	1	1	-	1	1	-
45-49 years-----	17	17	-	15	15	-	2	2	-	1	1	-
50-54 years-----	33	32	1	31	30	1	2	2	-	2	2	-
55-59 years-----	27	27	-	27	27	-	-	-	-	-	-	-
60-64 years-----	31	29	2	28	26	2	3	3	-	3	3	-
65-69 years-----	42	41	1	39	38	1	3	3	-	3	3	-
70-74 years-----	34	34	-	33	33	-	1	1	-	1	1	-
75-79 years-----	37	37	-	36	36	-	1	1	-	-	-	-
80-84 years-----	18	17	1	18	17	1	-	-	-	-	-	-
85-89 years-----	20	20	-	19	19	-	1	1	-	1	1	-
90-94 years-----	2	2	-	2	2	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Driver of special agricultural vehicle injured in traffic accident (V84.0)

All ages-----	42	41	1	39	38	1	3	3	-	2	2	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	2	2	-	2	2	-	-	-	-	-	-	-
20-24 years-----	2	2	-	2	2	-	-	-	-	-	-	-
25-29 years-----	4	4	-	4	4	-	-	-	-	-	-	-
30-34 years-----	3	2	1	3	2	1	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	4	4	-	4	4	-	-	-	-	-	-	-
45-49 years-----	3	3	-	2	2	-	1	1	-	1	1	-
50-54 years-----	2	2	-	1	1	-	1	1	-	1	1	-
55-59 years-----	4	4	-	4	4	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	3	3	-	3	3	-	-	-	-	-	-	-
70-74 years-----	4	4	-	4	4	-	-	-	-	-	-	-
75-79 years-----	4	4	-	3	3	-	1	1	-	-	-	-
80-84 years-----	3	3	-	3	3	-	-	-	-	-	-	-
85-89 years-----	2	2	-	2	2	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

ALL RACES WHITE ALL OTHER BLACK

Person on outside of special agricultural vehicle injured in traffic accident (V84.2)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Unspecified occupant of special agricultural vehicle injured in traffic accident (V84.3)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	12	11	1	12	11	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	2	2	-	2	2	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	3	3	-	3	3	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

ALL RACES WHITE ALL OTHER BLACK

Person injured while boarding or alighting from special agricultural vehicle (V84.4)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Driver of special agricultural vehicle injured in nontraffic accident (V84.5)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	43	41	2	41	39	2	2	2	-	2	2	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	2	2	-	2	2	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	2	2	-	2	2	-	-	-	-	-	-	-
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	2	2	-	1	1	-	1	1	-	1	1	-
40-44 years-----	2	2	-	2	2	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	8	7	1	8	7	1	-	-	-	-	-	-
55-59 years-----	2	2	-	2	2	-	-	-	-	-	-	-
60-64 years-----	6	6	-	5	5	-	1	1	-	1	1	-
65-69 years-----	4	4	-	4	4	-	-	-	-	-	-	-
70-74 years-----	5	5	-	5	5	-	-	-	-	-	-	-
75-79 years-----	2	2	-	2	2	-	-	-	-	-	-	-
80-84 years-----	3	3	-	3	3	-	-	-	-	-	-	-
85-89 years-----	3	3	-	3	3	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Passenger of special agricultural vehicle injured in nontraffic accident (V84.6)												
All ages-----	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	2	1	1	2	1	1	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Person on outside of special agricultural vehicle injured in nontraffic accident (V84.7)

All ages-----	16	15	1	15	14	1	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	2	2	-	1	1	-	1	1	-	1	1	-
65-69 years-----	3	3	-	3	3	-	-	-	-	-	-	-
70-74 years-----	2	2	-	2	2	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Unspecified occupant of special agricultural vehicle injured in nontraffic accident (V84.9)												
All ages-----	231	222	9	220	212	8	11	10	1	10	9	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	7	5	2	7	5	2	-	-	-	-	-	-
5-9 years-----	5	3	2	4	3	1	1	-	1	1	-	1
10-14 years-----	2	2	-	2	2	-	-	-	-	-	-	-
15-19 years-----	3	3	-	3	3	-	-	-	-	-	-	-
20-24 years-----	2	2	-	2	2	-	-	-	-	-	-	-
25-29 years-----	6	6	-	5	5	-	1	1	-	1	1	-
30-34 years-----	6	6	-	6	6	-	-	-	-	-	-	-
35-39 years-----	10	10	-	10	10	-	-	-	-	-	-	-
40-44 years-----	9	8	1	8	7	1	1	1	-	1	1	-
45-49 years-----	13	13	-	12	12	-	1	1	-	-	-	-
50-54 years-----	20	20	-	19	19	-	1	1	-	1	1	-
55-59 years-----	20	20	-	20	20	-	-	-	-	-	-	-
60-64 years-----	21	19	2	20	18	2	1	1	-	1	1	-
65-69 years-----	31	30	1	28	27	1	3	3	-	3	3	-
70-74 years-----	23	23	-	22	22	-	1	1	-	1	1	-
75-79 years-----	27	27	-	27	27	-	-	-	-	-	-	-
80-84 years-----	10	9	1	10	9	1	-	-	-	-	-	-
85-89 years-----	14	14	-	13	13	-	1	1	-	1	1	-
90-94 years-----	2	2	-	2	2	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Occupant of special construction vehicle injured in transport accident (V85)

All ages-----	38	36	2	33	31	2	5	5	-	3	3	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	2	1	1	2	1	1	-	-	-	-	-	-
20-24 years-----	2	2	-	2	2	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	4	4	-	3	3	-	1	1	-	1	1	-
40-44 years-----	6	6	-	5	5	-	1	1	-	1	1	-
45-49 years-----	4	4	-	3	3	-	1	1	-	1	1	-
50-54 years-----	7	6	1	6	5	1	1	1	-	-	-	-
55-59 years-----	4	4	-	3	3	-	1	1	-	-	-	-
60-64 years-----	4	4	-	4	4	-	-	-	-	-	-	-
65-69 years-----	3	3	-	3	3	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Driver of special construction vehicle injured in traffic accident (V85.0)												
All ages-----	13	12	1	9	8	1	4	4	-	3	3	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	2	2	-	1	1	-	1	1	-	1	1	-
40-44 years-----	3	3	-	2	2	-	1	1	-	1	1	-
45-49 years-----	2	2	-	1	1	-	1	1	-	1	1	-
50-54 years-----	3	3	-	2	2	-	1	1	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Person on outside of special construction vehicle injured in traffic accident (V85.2)

All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

ALL RACES WHITE ALL OTHER BLACK

Unspecified occupant of special construction vehicle injured in traffic accident (V85.3)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	4	4	-	4	4	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Driver of special construction vehicle injured in nontraffic accident (V85.5)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	9	9	-	8	8	-	1	1	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	2	2	-	2	2	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years-----	2	2	-	1	1	-	1	1	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Person on outside of special construction vehicle injured in nontraffic accident (V85.7)												
All ages-----	4	3	1	4	3	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	2	2	-	2	2	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Unspecified occupant of special construction vehicle injured in nontraffic accident (V85.9)

All ages-----	7	7	-	7	7	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	2	2	-	2	2	-	-	-	-	-	-	-
65-69 years-----	2	2	-	2	2	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Occupant of special all-terrain or other motor vehicle designed primarily for off-road use, injured in transport accident (V86)

All ages-----	603	541	62	569	509	60	34	32	2	17	16	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	7	5	2	5	3	2	2	2	-	2	2	-
5-9 years-----	28	24	4	24	20	4	4	4	-	3	3	-
10-14 years-----	68	62	6	63	58	5	5	4	1	4	3	1
15-19 years-----	79	69	10	70	60	10	9	9	-	3	3	-
20-24 years-----	77	72	5	76	71	5	1	1	-	1	1	-
25-29 years-----	56	49	7	55	48	7	1	1	-	-	-	-
30-34 years-----	65	61	4	64	60	4	1	1	-	1	1	-
35-39 years-----	48	44	4	45	41	4	3	3	-	-	-	-
40-44 years-----	44	40	4	44	40	4	-	-	-	-	-	-
45-49 years-----	36	32	4	33	30	3	3	2	1	2	2	-
50-54 years-----	22	18	4	22	18	4	-	-	-	-	-	-
55-59 years-----	14	11	3	12	9	3	2	2	-	-	-	-
60-64 years-----	12	12	-	11	11	-	1	1	-	-	-	-
65-69 years-----	15	14	1	13	12	1	2	2	-	1	1	-
70-74 years-----	14	13	1	14	13	1	-	-	-	-	-	-
75-79 years-----	4	4	-	4	4	-	-	-	-	-	-	-
80-84 years-----	9	7	2	9	7	2	-	-	-	-	-	-
85-89 years-----	4	3	1	4	3	1	-	-	-	-	-	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Driver of all-terrain or other off-road motor vehicle injured in traffic accident (V86.0)

All ages-----	118	108	10	110	100	10	8	8	-	6	6	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	5	4	1	4	3	1	1	1	-	1	1	-
10-14 years-----	15	13	2	14	12	2	1	1	-	1	1	-
15-19 years-----	22	20	2	19	17	2	3	3	-	1	1	-
20-24 years-----	16	15	1	15	14	1	1	1	-	1	1	-
25-29 years-----	9	8	1	9	8	1	-	-	-	-	-	-
30-34 years-----	17	17	-	17	17	-	-	-	-	-	-	-
35-39 years-----	7	7	-	7	7	-	-	-	-	-	-	-
40-44 years-----	10	10	-	10	10	-	-	-	-	-	-	-
45-49 years-----	5	4	1	3	2	1	2	2	-	2	2	-
50-54 years-----	3	2	1	3	2	1	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	2	2	-	2	2	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	2	2	-	2	2	-	-	-	-	-	-	-
85-89 years-----	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Passenger of all-terrain or other off-road motor vehicle injured in traffic accident (V86.1)												
All ages-----	24	13	11	22	12	10	2	1	1	1	-	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years-----	2	1	1	2	1	1	-	-	-	-	-	-
10-14 years-----	7	4	3	6	4	2	1	-	1	1	-	1
15-19 years-----	7	5	2	6	4	2	1	1	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	2	1	1	2	1	1	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Person on outside of all-terrain or other off-road motor vehicle injured in traffic accident (V86.2)

All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Unspecified occupant of all-terrain or other off-road motor vehicles injured in traffic accident (V86.3)												
All ages-----	83	78	5	78	73	5	5	5	-	5	5	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	1	-	-	-	-	1	1	-	1	1	-
5-9 years-----	3	3	-	1	1	-	2	2	-	2	2	-
10-14 years-----	8	8	-	7	7	-	1	1	-	1	1	-
15-19 years-----	9	8	1	9	8	1	-	-	-	-	-	-
20-24 years-----	12	12	-	12	12	-	-	-	-	-	-	-
25-29 years-----	6	5	1	6	5	1	-	-	-	-	-	-
30-34 years-----	10	10	-	10	10	-	-	-	-	-	-	-
35-39 years-----	9	7	2	9	7	2	-	-	-	-	-	-
40-44 years-----	10	10	-	10	10	-	-	-	-	-	-	-
45-49 years-----	3	3	-	3	3	-	-	-	-	-	-	-
50-54 years-----	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years-----	2	2	-	2	2	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	3	3	-	2	2	-	1	1	-	1	1	-
70-74 years-----	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	3	3	-	3	3	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Driver of all-terrain or other off-road motor vehicle injured in nontraffic accident (V86.5)

All ages-----	133	121	12	129	117	12	4	4	-	2	2	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	4	4	-	4	4	-	-	-	-	-	-	-
10-14 years-----	15	15	-	14	14	-	1	1	-	1	1	-
15-19 years-----	13	11	2	11	9	2	2	2	-	1	1	-
20-24 years-----	13	12	1	13	12	1	-	-	-	-	-	-
25-29 years-----	20	19	1	20	19	1	-	-	-	-	-	-
30-34 years-----	12	11	1	12	11	1	-	-	-	-	-	-
35-39 years-----	13	12	1	12	11	1	1	1	-	-	-	-
40-44 years-----	10	10	-	10	10	-	-	-	-	-	-	-
45-49 years-----	11	9	2	11	9	2	-	-	-	-	-	-
50-54 years-----	4	3	1	4	3	1	-	-	-	-	-	-
55-59 years-----	3	1	2	3	1	2	-	-	-	-	-	-
60-64 years-----	3	3	-	3	3	-	-	-	-	-	-	-
65-69 years-----	3	3	-	3	3	-	-	-	-	-	-	-
70-74 years-----	6	6	-	6	6	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Passenger of all-terrain or other off-road motor vehicle injured in nontraffic accident (V86.6)												
All ages-----	17	13	4	15	12	3	2	1	1	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	2	2	-	2	2	-	-	-	-	-	-	-
5-9 years-----	2	1	1	2	1	1	-	-	-	-	-	-
10-14 years-----	3	3	-	3	3	-	-	-	-	-	-	-
15-19 years-----	4	3	1	3	2	1	1	1	-	-	-	-
20-24 years-----	2	1	1	2	1	1	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	1	-	1	-	-	-	1	-	1	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Person on outside of all-terrain or other off-road motor vehicle injured in nontraffic accident (V86.7)

All ages-----	6	6	-	6	6	-	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	2	2	-	2	2	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Unspecified occupant of all-terrain or other off-road motor vehicle injured in nontraffic accident (V86.9)												
All ages-----	221	201	20	208	188	20	13	13	-	3	3	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	3	2	1	2	1	1	1	1	-	1	1	-
5-9 years-----	12	11	1	11	10	1	1	1	-	-	-	-
10-14 years-----	20	19	1	19	18	1	1	1	-	-	-	-
15-19 years-----	23	21	2	21	19	2	2	2	-	1	1	-
20-24 years-----	33	31	2	33	31	2	-	-	-	-	-	-
25-29 years-----	18	15	3	17	14	3	1	1	-	-	-	-
30-34 years-----	24	21	3	23	20	3	1	1	-	1	1	-
35-39 years-----	16	15	1	14	13	1	2	2	-	-	-	-
40-44 years-----	11	8	3	11	8	3	-	-	-	-	-	-
45-49 years-----	16	16	-	16	16	-	-	-	-	-	-	-
50-54 years-----	13	11	2	13	11	2	-	-	-	-	-	-
55-59 years-----	7	7	-	5	5	-	2	2	-	-	-	-
60-64 years-----	6	6	-	5	5	-	1	1	-	-	-	-
65-69 years-----	8	8	-	7	7	-	1	1	-	-	-	-
70-74 years-----	5	5	-	5	5	-	-	-	-	-	-	-
75-79 years-----	2	2	-	2	2	-	-	-	-	-	-	-
80-84 years-----	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Traffic accident of specified type but victim's mode of transport unknown (V87)

All ages-----	4,160	2,629	1,531	3,510	2,213	1,297	650	416	234	502	328	174
Under 1 year----	20	9	11	15	8	7	5	1	4	5	1	4
1-4 years-----	53	27	26	41	21	20	12	6	6	10	5	5
5-9 years-----	67	38	29	51	30	21	16	8	8	14	8	6
10-14 years-----	93	50	43	76	43	33	17	7	10	10	3	7
15-19 years-----	525	341	184	453	290	163	72	51	21	58	39	19
20-24 years-----	450	315	135	364	253	111	86	62	24	57	43	14
25-29 years-----	291	200	91	229	159	70	62	41	21	51	35	16
30-34 years-----	279	185	94	228	148	80	51	37	14	33	24	9
35-39 years-----	350	222	128	292	185	107	58	37	21	45	32	13
40-44 years-----	300	203	97	248	168	80	52	35	17	34	26	8
45-49 years-----	252	166	86	204	133	71	48	33	15	43	30	13
50-54 years-----	230	126	104	185	102	83	45	24	21	34	21	13
55-59 years-----	174	115	59	145	97	48	29	18	11	19	11	8
60-64 years-----	163	88	75	137	73	64	26	15	11	22	12	10
65-69 years-----	176	105	71	160	97	63	16	8	8	15	7	8
70-74 years-----	184	100	84	170	95	75	14	5	9	13	4	9
75-79 years-----	223	144	79	201	127	74	22	17	5	21	16	5
80-84 years-----	185	105	80	174	99	75	11	6	5	10	6	4
85-89 years-----	110	71	39	104	67	37	6	4	2	6	4	2
90-94 years-----	30	17	13	28	16	12	2	1	1	2	1	1
95-99 years-----	4	1	3	4	1	3	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	1	1	-	1	1	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Person injured in collision between car and two- or three-wheeled motor vehicle (traffic) (V87.0)												
All ages-----	57	52	5	48	43	5	9	9	-	9	9	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	4	4	-	4	4	-	-	-	-	-	-	-
20-24 years-----	11	11	-	8	8	-	3	3	-	3	3	-
25-29 years-----	8	8	-	6	6	-	2	2	-	2	2	-
30-34 years-----	6	6	-	3	3	-	3	3	-	3	3	-
35-39 years-----	4	2	2	4	2	2	-	-	-	-	-	-
40-44 years-----	10	8	2	9	7	2	1	1	-	1	1	-
45-49 years-----	4	4	-	4	4	-	-	-	-	-	-	-
50-54 years-----	4	4	-	4	4	-	-	-	-	-	-	-
55-59 years-----	3	3	-	3	3	-	-	-	-	-	-	-
60-64 years-----	2	1	1	2	1	1	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Person injured in collision between other motor vehicle and two- or three-wheeled motor vehicle (traffic) (V87.1)

All ages-----	12	10	2	11	9	2	1	1	-	1	1	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	3	3	-	2	2	-	1	1	-	1	1	-
30-34 years-----	2	1	1	2	1	1	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	2	2	-	2	2	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

RACE, AND SEX

Person injured in collision between car and pickup truck or van (traffic) (V87.2)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	258	152	106	217	125	92	41	27	14	36	24	12
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	5	1	4	5	1	4	-	-	-	-	-	-
5-9 years-----	5	2	3	4	2	2	1	-	1	1	-	1
10-14 years-----	6	4	2	4	2	2	2	2	-	1	1	-
15-19 years-----	44	26	18	41	24	17	3	2	1	3	2	1
20-24 years-----	20	13	7	15	9	6	5	4	1	3	2	1
25-29 years-----	17	8	9	13	6	7	4	2	2	4	2	2
30-34 years-----	12	7	5	11	6	5	1	1	-	1	1	-
35-39 years-----	24	17	7	23	16	7	1	1	-	1	1	-
40-44 years-----	16	11	5	13	9	4	3	2	1	2	2	-
45-49 years-----	12	10	2	7	5	2	5	5	-	5	5	-
50-54 years-----	14	6	8	7	2	5	7	4	3	6	4	2
55-59 years-----	9	4	5	7	4	3	2	-	2	2	-	2
60-64 years-----	11	5	6	9	4	5	2	1	1	2	1	1
65-69 years-----	16	9	7	16	9	7	-	-	-	-	-	-
70-74 years-----	12	9	3	10	8	2	2	1	1	2	1	1
75-79 years-----	18	11	7	16	9	7	2	2	-	2	2	-
80-84 years-----	14	8	6	13	8	5	1	-	1	1	-	1
85-89 years-----	3	1	2	3	1	2	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Person injured in collision between car and bus (traffic) (V87.3)

All ages-----	11	4	7	8	2	6	3	2	1	3	2	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	2	-	2	2	-	2	-	-	-	-	-	-
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	-	-	-	1	1	-	1	1	-
35-39 years-----	2	1	1	2	1	1	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	2	-	2	1	-	1	1	-	1	1	-	1
75-79 years-----	1	1	-	-	-	-	1	1	-	1	1	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Person injured in collision between car and heavy transport vehicle (traffic) (V87.4)												
All ages-----	81	53	28	63	43	20	18	10	8	18	10	8
Under 1 year-----	2	-	2	1	-	1	1	-	1	1	-	1
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	1	-	-	-	-	1	1	-	1	1	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	10	6	4	9	5	4	1	1	-	1	1	-
20-24 years-----	7	5	2	6	5	1	1	-	1	1	-	1
25-29 years-----	6	5	1	4	4	-	2	1	1	2	1	1
30-34 years-----	8	6	2	8	6	2	-	-	-	-	-	-
35-39 years-----	6	2	4	5	2	3	1	-	1	1	-	1
40-44 years-----	7	5	2	4	4	-	3	1	2	3	1	2
45-49 years-----	5	2	3	3	1	2	2	1	1	2	1	1
50-54 years-----	3	2	1	2	1	1	1	1	-	1	1	-
55-59 years-----	4	4	-	3	3	-	1	1	-	1	1	-
60-64 years-----	2	-	2	2	-	2	-	-	-	-	-	-
65-69 years-----	4	3	1	3	2	1	1	1	-	1	1	-
70-74 years-----	3	3	-	3	3	-	-	-	-	-	-	-
75-79 years-----	9	6	3	6	4	2	3	2	1	3	2	1
80-84 years-----	2	2	-	2	2	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Person injured in collision between heavy transport vehicle and bus (traffic) (V87.5)

All ages-----	3	2	1	3	2	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Person injured in collision between railway train or railway vehicle and car (traffic) (V87.6)												
All ages-----	24	17	7	21	15	6	3	2	1	1	1	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	3	-	3	3	-	3	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	2	2	-	1	1	-	1	1	-	-	-	-
35-39 years-----	2	1	1	-	-	-	2	1	1	1	1	-
40-44 years-----	2	2	-	2	2	-	-	-	-	-	-	-
45-49 years-----	2	2	-	2	2	-	-	-	-	-	-	-
50-54 years-----	2	1	1	2	1	1	-	-	-	-	-	-
55-59 years-----	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years-----	3	2	1	3	2	1	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	3	3	-	3	3	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Person injured in collision between other specified motor vehicles (traffic) (V87.7)

All ages-----	3,135	1,927	1,208	2,687	1,650	1,037	448	277	171	347	219	128
Under 1 year----	16	8	8	12	7	5	4	1	3	4	1	3
1-4 years-----	41	22	19	33	18	15	8	4	4	7	3	4
5-9 years-----	53	30	23	41	24	17	12	6	6	10	6	4
10-14 years-----	73	39	34	58	34	24	15	5	10	9	2	7
15-19 years-----	348	221	127	304	190	114	44	31	13	34	23	11
20-24 years-----	318	209	109	266	175	91	52	34	18	37	27	10
25-29 years-----	212	138	74	169	111	58	43	27	16	34	22	12
30-34 years-----	200	132	68	165	110	55	35	22	13	25	17	8
35-39 years-----	247	155	92	206	128	78	41	27	14	33	23	10
40-44 years-----	212	141	71	177	117	60	35	24	11	22	16	6
45-49 years-----	189	122	67	156	102	54	33	20	13	29	17	12
50-54 years-----	176	98	78	149	84	65	27	14	13	20	12	8
55-59 years-----	139	89	50	116	73	43	23	16	7	14	10	4
60-64 years-----	133	71	62	112	58	54	21	13	8	17	10	7
65-69 years-----	146	87	59	133	80	53	13	7	6	12	6	6
70-74 years-----	158	82	76	148	78	70	10	4	6	9	3	6
75-79 years-----	182	115	67	166	103	63	16	12	4	15	11	4
80-84 years-----	162	91	71	153	85	68	9	6	3	9	6	3
85-89 years-----	100	63	37	95	60	35	5	3	2	5	3	2
90-94 years-----	26	13	13	24	12	12	2	1	1	2	1	1
95-99 years-----	4	1	3	4	1	3	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Person injured in other specified noncollision transport accidents involving motor vehicle (traffic) (V87.8)												
All ages-----	569	402	167	443	315	128	126	87	39	86	61	25
Under 1 year-----	2	1	1	2	1	1	-	-	-	-	-	-
1-4 years-----	7	4	3	3	2	1	4	2	2	3	2	1
5-9 years-----	8	5	3	6	4	2	2	1	1	2	1	1
10-14 years-----	11	5	6	11	5	6	-	-	-	-	-	-
15-19 years-----	110	80	30	86	63	23	24	17	7	20	13	7
20-24 years-----	91	75	16	66	54	12	25	21	4	13	11	2
25-29 years-----	44	37	7	34	29	5	10	8	2	8	7	1
30-34 years-----	48	30	18	38	21	17	10	9	1	3	2	1
35-39 years-----	62	41	21	49	33	16	13	8	5	9	7	2
40-44 years-----	47	30	17	38	24	14	9	6	3	5	5	-
45-49 years-----	39	26	13	31	19	12	8	7	1	7	7	-
50-54 years-----	30	15	15	20	10	10	10	5	5	7	4	3
55-59 years-----	17	14	3	14	13	1	3	1	2	2	-	2
60-64 years-----	12	9	3	9	8	1	3	1	2	3	1	2
65-69 years-----	10	6	4	8	6	2	2	-	2	2	-	2
70-74 years-----	7	5	2	6	5	1	1	-	1	1	-	1
75-79 years-----	9	7	2	9	7	2	-	-	-	-	-	-
80-84 years-----	6	3	3	5	3	2	1	-	1	-	-	-
85-89 years-----	4	4	-	3	3	-	1	1	-	1	1	-
90-94 years-----	4	4	-	4	4	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	1	1	-	1	1	-	-	-	-	-	-	-

Person injured in other specified (collision) (noncollision) transport accidents involving nonmotor vehicle (traffic) (V87.9)

All ages-----	10	10	-	9	9	-	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	2	2	-	2	2	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	2	2	-	2	2	-	-	-	-	-	-	-
40-44 years-----	3	3	-	2	2	-	1	1	-	1	1	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

RACE, AND SEX

Nontraffiac accident of specified type but victim's mode of transport unknown (V88)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	51	31	20	47	29	18	4	2	2	2	-	2
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	11	4	7	11	4	7	-	-	-	-	-	-
20-24 years-----	4	2	2	4	2	2	-	-	-	-	-	-
25-29 years-----	7	6	1	5	4	1	2	2	-	-	-	-
30-34 years-----	2	2	-	2	2	-	-	-	-	-	-	-
35-39 years-----	4	4	-	4	4	-	-	-	-	-	-	-
40-44 years-----	5	3	2	5	3	2	-	-	-	-	-	-
45-49 years-----	4	3	1	4	3	1	-	-	-	-	-	-
50-54 years-----	2	1	1	2	1	1	-	-	-	-	-	-
55-59 years-----	2	2	-	2	2	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	2	-	2	1	-	1	1	-	1	1	-	1
75-79 years-----	2	-	2	1	-	1	1	-	1	1	-	1
80-84 years-----	3	3	-	3	3	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Person injured in collision between car and heavy transport vehicle, nontraffiac (V88.4)

All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Person injured in collision between railway train or railway vehicle and car, nontraffic (V88.6)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Person injured in collision between other specified motor vehicles, nontraffic (V88.7)

All ages-----	36	22	14	33	20	13	3	2	1	1	-	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	9	3	6	9	3	6	-	-	-	-	-	-
20-24 years-----	3	2	1	3	2	1	-	-	-	-	-	-
25-29 years-----	4	3	1	2	1	1	2	2	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	4	4	-	4	4	-	-	-	-	-	-	-
40-44 years-----	5	3	2	5	3	2	-	-	-	-	-	-
45-49 years-----	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years-----	2	1	1	2	1	1	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	1	-	1	-	-	-	1	-	1	1	-	1
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	3	3	-	3	3	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

RACE, AND SEX

Person injured in other specified noncollision transport accidents involving motor vehicle, nontraffic (V88.8)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	10	8	2	10	8	2	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	2	2	-	2	2	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	2	2	-	2	2	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Person injured in other specified (collision) (noncollision) transport accidents involving nonmotor vehicle, nontraffic (V88.9)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	3	1	2	2	1	1	1	-	1	1	-	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	2	-	2	1	-	1	1	-	1	1	-	1
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

RACE, AND SEX

Motor- or nonmotor-vehicle accident, type of vehicle unspecified (V89)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	11,774	7,547	4,227	10,004	6,419	3,585	1,770	1,128	642	1,346	889	457
Under 1 year-----	68	32	36	52	26	26	16	6	10	13	6	7
1-4 years-----	147	74	73	103	50	53	44	24	20	38	20	18
5-9 years-----	166	89	77	129	66	63	37	23	14	31	18	13
10-14 years-----	194	105	89	158	84	74	36	21	15	24	17	7
15-19 years-----	1,698	1,080	618	1,465	929	536	233	151	82	171	114	57
20-24 years-----	1,508	1,119	389	1,260	936	324	248	183	65	186	141	45
25-29 years-----	1,058	754	304	883	638	245	175	116	59	127	92	35
30-34 years-----	862	575	287	700	465	235	162	110	52	117	81	36
35-39 years-----	928	621	307	783	527	256	145	94	51	115	71	44
40-44 years-----	795	519	276	670	444	226	125	75	50	97	58	39
45-49 years-----	692	457	235	566	379	187	126	78	48	103	67	36
50-54 years-----	569	378	191	478	319	159	91	59	32	70	51	19
55-59 years-----	474	311	163	410	269	141	64	42	22	45	32	13
60-64 years-----	361	222	139	303	184	119	58	38	20	44	32	12
65-69 years-----	430	243	187	368	211	157	62	32	30	46	27	19
70-74 years-----	471	249	222	420	227	193	51	22	29	36	15	21
75-79 years-----	515	271	244	477	249	228	38	22	16	32	19	13
80-84 years-----	435	221	214	401	204	197	34	17	17	29	15	14
85-89 years-----	278	153	125	260	142	118	18	11	7	15	9	6
90-94 years-----	105	60	45	99	57	42	6	3	3	6	3	3
95-99 years-----	13	9	4	12	8	4	1	1	-	1	1	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	6	5	1	6	5	1	-	-	-	-	-	-

Person injured in unspecified motor-vehicle accident, nontraffic (V89.0)

All ages-----	96	66	30	80	59	21	16	7	9	12	6	6
Under 1 year-----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	2	2	-	1	1	-	1	1	-	1	1	-
5-9 years-----	2	1	1	1	-	1	1	1	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	16	11	5	14	10	4	2	1	1	1	1	-
20-24 years-----	14	10	4	10	9	1	4	1	3	3	1	2
25-29 years-----	8	6	2	7	5	2	1	1	-	1	1	-
30-34 years-----	4	3	1	3	3	-	1	-	1	1	-	1
35-39 years-----	4	2	2	3	2	1	1	-	1	1	-	1
40-44 years-----	12	10	2	10	10	-	2	-	2	1	-	1
45-49 years-----	7	4	3	4	2	2	3	2	1	3	2	1
50-54 years-----	3	1	2	3	1	2	-	-	-	-	-	-
55-59 years-----	4	4	-	4	4	-	-	-	-	-	-	-
60-64 years-----	3	3	-	3	3	-	-	-	-	-	-	-
65-69 years-----	4	2	2	4	2	2	-	-	-	-	-	-
70-74 years-----	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years-----	3	-	3	3	-	3	-	-	-	-	-	-
80-84 years-----	2	-	2	2	-	2	-	-	-	-	-	-
85-89 years-----	3	3	-	3	3	-	-	-	-	-	-	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Person injured in unspecified nonmotor-vehicle accident, nontraffic (V89.1)												
All ages-----	6	6	-	5	5	-	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	2	2	-	2	2	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	-	-	-	1	1	-	1	1	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Person injured in unspecified motor-vehicle accident, traffic (V89.2)

All ages-----	11,066	7,080	3,986	9,384	6,010	3,374	1,682	1,070	612	1,293	852	441
Under 1 year-----	65	29	36	49	23	26	16	6	10	13	6	7
1-4 years-----	136	68	68	93	45	48	43	23	20	37	19	18
5-9 years-----	152	82	70	119	62	57	33	20	13	28	16	12
10-14 years-----	183	100	83	147	79	68	36	21	15	24	17	7
15-19 years-----	1,596	1,015	581	1,376	874	502	220	141	79	166	109	57
20-24 years-----	1,417	1,050	367	1,185	879	306	232	171	61	178	136	42
25-29 years-----	989	701	288	824	592	232	165	109	56	121	87	34
30-34 years-----	814	544	270	661	440	221	153	104	49	112	78	34
35-39 years-----	881	588	293	744	499	245	137	89	48	109	67	42
40-44 years-----	744	481	263	627	410	217	117	71	46	94	56	38
45-49 years-----	639	420	219	520	347	173	119	73	46	97	62	35
50-54 years-----	538	357	181	449	299	150	89	58	31	69	50	19
55-59 years-----	445	288	157	382	247	135	63	41	22	44	31	13
60-64 years-----	341	208	133	284	171	113	57	37	20	43	31	12
65-69 years-----	403	228	175	344	197	147	59	31	28	44	26	18
70-74 years-----	454	243	211	404	221	183	50	22	28	35	15	20
75-79 years-----	483	259	224	446	237	209	37	22	15	31	19	12
80-84 years-----	413	213	200	381	196	185	32	17	15	27	15	12
85-89 years-----	259	140	119	241	129	112	18	11	7	15	9	6
90-94 years-----	96	53	43	91	51	40	5	2	3	5	2	3
95-99 years-----	11	8	3	10	7	3	1	1	-	1	1	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	6	5	1	6	5	1	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Person injured in unspecified nonmotor-vehicle accident, traffic (V89.3)												
All ages-----	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Person injured in unspecified vehicle accident (V89.9)

All ages-----	604	394	210	533	344	189	71	50	21	40	30	10
Under 1 year-----	2	2	-	2	2	-	-	-	-	-	-	-
1-4 years-----	9	4	5	9	4	5	-	-	-	-	-	-
5-9 years-----	12	6	6	9	4	5	3	2	1	3	2	1
10-14 years-----	9	3	6	9	3	6	-	-	-	-	-	-
15-19 years-----	86	54	32	75	45	30	11	9	2	4	4	-
20-24 years-----	77	59	18	65	48	17	12	11	1	5	4	1
25-29 years-----	59	45	14	50	39	11	9	6	3	5	4	1
30-34 years-----	44	28	16	36	22	14	8	6	2	4	3	1
35-39 years-----	42	30	12	36	26	10	6	4	2	4	3	1
40-44 years-----	38	27	11	32	23	9	6	4	2	2	2	-
45-49 years-----	45	33	12	41	30	11	4	3	1	3	3	-
50-54 years-----	28	20	8	26	19	7	2	1	1	1	1	-
55-59 years-----	25	19	6	24	18	6	1	1	-	1	1	-
60-64 years-----	17	11	6	16	10	6	1	1	-	1	1	-
65-69 years-----	22	12	10	19	11	8	3	1	2	2	1	1
70-74 years-----	15	5	10	14	5	9	1	-	1	1	-	1
75-79 years-----	29	12	17	28	12	16	1	-	1	1	-	1
80-84 years-----	19	7	12	17	7	10	2	-	2	2	-	2
85-89 years-----	16	10	6	16	10	6	-	-	-	-	-	-
90-94 years-----	8	6	2	7	5	2	1	1	-	1	1	-
95-99 years-----	2	1	1	2	1	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Accident to watercraft causing drowning and submersion (V90)												
All ages-----	268	226	42	220	185	35	48	41	7	36	31	5
Under 1 year----	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years-----	6	2	4	5	1	4	1	1	-	1	1	-
5-9 years-----	7	5	2	6	4	2	1	1	-	-	-	-
10-14 years-----	10	8	2	7	5	2	3	3	-	3	3	-
15-19 years-----	14	13	1	10	10	-	4	3	1	2	1	1
20-24 years-----	27	23	4	26	22	4	1	1	-	-	-	-
25-29 years-----	22	18	4	17	15	2	5	3	2	4	2	2
30-34 years-----	25	21	4	20	16	4	5	5	-	5	5	-
35-39 years-----	26	20	6	21	18	3	5	2	3	4	2	2
40-44 years-----	28	23	5	23	18	5	5	5	-	5	5	-
45-49 years-----	26	25	1	23	22	1	3	3	-	2	2	-
50-54 years-----	25	22	3	20	18	2	5	4	1	2	2	-
55-59 years-----	15	14	1	11	10	1	4	4	-	3	3	-
60-64 years-----	14	13	1	11	10	1	3	3	-	3	3	-
65-69 years-----	12	12	-	9	9	-	3	3	-	2	2	-
70-74 years-----	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years-----	3	2	1	3	2	1	-	-	-	-	-	-
80-84 years-----	5	4	1	5	4	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Passenger ship (V90.1)

All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Fishing boat (V90.2)												
All ages-----	23	20	3	22	19	3	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	4	3	1	4	3	1	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	3	3	-	3	3	-	-	-	-	-	-	-
35-39 years-----	2	2	-	2	2	-	-	-	-	-	-	-
40-44 years-----	2	1	1	1	1	1	1	1	-	1	1	-
45-49 years-----	5	5	-	5	5	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	2	2	-	2	2	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	3	2	1	3	2	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Other powered watercraft (V90.3)												
All ages-----	22	13	9	18	11	7	4	2	2	3	1	2
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	2	1	1	2	1	1	-	-	-	-	-	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	2	-	2	2	-	2	-	-	-	-	-	-
25-29 years-----	2	1	1	2	1	1	-	-	-	-	-	-
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	4	2	2	2	2	-	2	-	2	2	-	2
40-44 years-----	4	2	2	3	1	2	1	1	-	1	1	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	2	2	-	1	1	-	1	1	-	-	-	-
55-59 years-----	2	2	-	2	2	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Sailboat (V90.4)												
All ages-----	4	4	-	4	4	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Canoe or kayak (V90.5)												
All ages-----	34	27	7	29	25	4	5	2	3	2	1	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	2	1	1	1	1	-	1	-	1	1	-	1
20-24 years-----	3	3	-	3	3	-	-	-	-	-	-	-
25-29 years-----	4	4	-	3	3	-	1	1	-	1	1	-
30-34 years-----	2	2	-	2	2	-	-	-	-	-	-	-
35-39 years-----	5	4	1	4	4	-	1	-	1	-	-	-
40-44 years-----	4	3	1	4	3	1	-	-	-	-	-	-
45-49 years-----	2	2	-	2	2	-	-	-	-	-	-	-
50-54 years-----	6	5	1	5	5	-	1	-	1	-	-	-
55-59 years-----	1	1	-	-	-	-	1	1	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

RACE, AND SEX

Inflatable craft (nonpowered) (V90.6)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	7	2	5	7	2	5	-	-	-	-	-	-
Under 1 year-----	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	2	-	2	2	-	2	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Water-skis (V90.7)

All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other unpowered watercraft (V90.8)												
All ages-----	7	6	1	7	6	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	2	2	-	2	2	-	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Unspecified watercraft (V90.9)												
All ages-----	169	153	16	131	117	14	38	36	2	30	28	2
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	4	1	3	3	-	3	1	1	-	1	1	-
5-9 years-----	6	4	2	5	3	2	1	1	-	-	-	-
10-14 years-----	8	7	1	5	4	1	3	3	-	3	3	-
15-19 years-----	10	10	-	7	7	-	3	3	-	1	1	-
20-24 years-----	13	12	1	12	11	1	1	1	-	-	-	-
25-29 years-----	14	12	2	10	10	-	4	2	2	3	1	2
30-34 years-----	17	14	3	12	9	3	5	5	-	5	5	-
35-39 years-----	14	11	3	12	9	3	2	2	-	2	2	-
40-44 years-----	17	17	-	14	14	-	3	3	-	3	3	-
45-49 years-----	16	16	-	13	13	-	3	3	-	2	2	-
50-54 years-----	13	13	-	10	10	-	3	3	-	2	2	-
55-59 years-----	9	8	1	6	5	1	3	3	-	3	3	-
60-64 years-----	13	13	-	10	10	-	3	3	-	3	3	-
65-69 years-----	10	10	-	7	7	-	3	3	-	2	2	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	2	2	-	2	2	-	-	-	-	-	-	-
80-84 years-----	2	2	-	2	2	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Accident to watercraft causing other injury (V91)												
All ages-----	79	63	16	73	59	14	6	4	2	6	4	2
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	2	2	-	-	-	-	2	2	-	2	2	-
5-9 years-----	3	2	1	3	2	1	-	-	-	-	-	-
10-14 years-----	7	6	1	5	4	1	2	2	-	2	2	-
15-19 years-----	10	6	4	10	6	4	-	-	-	-	-	-
20-24 years-----	6	4	2	6	4	2	-	-	-	-	-	-
25-29 years-----	9	7	2	8	7	1	1	-	1	1	-	1
30-34 years-----	5	3	2	5	3	2	-	-	-	-	-	-
35-39 years-----	10	8	2	9	8	1	1	-	1	1	-	1
40-44 years-----	8	7	1	8	7	1	-	-	-	-	-	-
45-49 years-----	9	8	1	9	8	1	-	-	-	-	-	-
50-54 years-----	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years-----	4	4	-	4	4	-	-	-	-	-	-	-
60-64 years-----	2	2	-	2	2	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Merchant ship (V91.0)

All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other powered watercraft (V91.3)												
All ages-----	25	19	6	25	19	6	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	2	1	1	2	1	1	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	3	2	1	3	2	1	-	-	-	-	-	-
20-24 years-----	5	3	2	5	3	2	-	-	-	-	-	-
25-29 years-----	2	2	-	2	2	-	-	-	-	-	-	-
30-34 years-----	2	1	1	2	1	1	-	-	-	-	-	-
35-39 years-----	3	3	-	3	3	-	-	-	-	-	-	-
40-44 years-----	3	2	1	3	2	1	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	2	2	-	2	2	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Canoe or kayak (V91.5)

All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other unpowered watercraft (V91.8)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Unspecified watercraft (V91.9)												
All ages-----	51	42	9	45	38	7	6	4	2	6	4	2
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	2	2	-	-	-	-	2	2	-	2	2	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	6	5	1	4	3	1	2	2	-	2	2	-
15-19 years-----	6	4	2	6	4	2	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	7	5	2	6	5	1	1	-	1	1	-	1
30-34 years-----	2	1	1	2	1	1	-	-	-	-	-	-
35-39 years-----	7	5	2	6	5	1	1	-	1	1	-	1
40-44 years-----	5	5	-	5	5	-	-	-	-	-	-	-
45-49 years-----	8	7	1	8	7	1	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	3	3	-	3	3	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Water-transport-related drowning and submersion without accident to watercraft (V92)

All ages-----	233	214	19	185	170	15	48	44	4	40	37	3
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	4	3	1	3	3	-	1	-	1	1	-	1
5-9 years-----	4	3	1	4	3	1	-	-	-	-	-	-
10-14 years-----	6	5	1	6	5	1	-	-	-	-	-	-
15-19 years-----	17	12	5	15	10	5	2	2	-	2	2	-
20-24 years-----	15	14	1	13	12	1	2	2	-	2	2	-
25-29 years-----	22	19	3	18	16	2	4	3	1	2	1	1
30-34 years-----	25	23	2	20	19	1	5	4	1	4	3	1
35-39 years-----	22	22	-	15	15	-	7	7	-	7	7	-
40-44 years-----	22	21	1	18	17	1	4	4	-	4	4	-
45-49 years-----	30	29	1	22	21	1	8	8	-	6	6	-
50-54 years-----	15	15	-	11	11	-	4	4	-	3	3	-
55-59 years-----	13	12	1	12	12	-	1	-	1	-	-	-
60-64 years-----	13	12	1	9	8	1	4	4	-	4	4	-
65-69 years-----	12	12	-	10	10	-	2	2	-	2	2	-
70-74 years-----	9	9	-	6	6	-	3	3	-	2	2	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	2	2	-	1	1	-	1	1	-	1	1	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Passenger ship (V92.1)

All ages-----	4	2	2	2	1	1	2	1	1	2	1	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	-	-	-	1	1	-	1	1	-
25-29 years-----	1	-	1	-	-	-	1	-	1	1	-	1
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Fishing boat (V92.2)												
All ages-----	19	19	-	12	12	-	7	7	-	5	5	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	2	2	-	-	-	-	2	2	-	-	-	-
30-34 years-----	2	2	-	2	2	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	3	3	-	1	1	-	2	2	-	2	2	-
50-54 years-----	4	4	-	3	3	-	1	1	-	1	1	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	2	2	-	1	1	-	1	1	-	1	1	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	1	1	-	-	-	-	1	1	-	1	1	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Other powered watercraft (V92.3)												
All ages-----	15	13	2	13	11	2	2	2	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	3	2	1	3	2	1	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	2	1	1	2	1	1	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	1	1	-	-	-	-	1	1	-	1	1	-
40-44 years-----	2	2	-	2	2	-	-	-	-	-	-	-
45-49 years-----	4	4	-	3	3	-	1	1	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Sailboat (V92.4)												
All ages-----	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	2	2	-	2	2	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Canoe or kayak (V92.5)												
All ages-----	21	20	1	18	17	1	3	3	-	3	3	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	2	1	1	1	-	1	1	1	-	1	1	-
20-24 years-----	2	2	-	2	2	-	-	-	-	-	-	-
25-29 years-----	4	4	-	4	4	-	-	-	-	-	-	-
30-34 years-----	4	4	-	4	4	-	-	-	-	-	-	-
35-39 years-----	6	6	-	4	4	-	2	2	-	2	2	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Inflatable craft (nonpowered) (V92.6)												
All ages-----	15	11	4	15	11	4	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	2	1	1	2	1	1	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	4	2	2	4	2	2	-	-	-	-	-	-
20-24 years-----	2	1	1	2	1	1	-	-	-	-	-	-
25-29 years-----	2	2	-	2	2	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	2	2	-	2	2	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Water-skis (V92.7)												
All ages-----	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other unpowered watercraft (V92.8)												
All ages-----	11	8	3	7	5	2	4	3	1	2	2	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	3	2	1	2	1	1	1	1	-	1	1	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	3	3	-	1	1	-	2	2	-	1	1	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	2	1	1	1	1	-	1	-	1	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Unspecified watercraft (V92.9)												
All ages-----	144	137	7	114	109	5	30	28	2	27	25	2
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	3	2	1	2	2	-	1	-	1	1	-	1
5-9 years-----	2	2	-	2	2	-	-	-	-	-	-	-
10-14 years-----	5	4	1	5	4	1	-	-	-	-	-	-
15-19 years-----	5	5	-	5	5	-	-	-	-	-	-	-
20-24 years-----	7	7	-	6	6	-	1	1	-	1	1	-
25-29 years-----	10	9	1	9	8	1	1	1	-	1	1	-
30-34 years-----	13	11	2	10	9	1	3	2	1	3	2	1
35-39 years-----	11	11	-	7	7	-	4	4	-	4	4	-
40-44 years-----	18	17	1	14	13	1	4	4	-	4	4	-
45-49 years-----	20	20	-	15	15	-	5	5	-	4	4	-
50-54 years-----	8	8	-	5	5	-	3	3	-	2	2	-
55-59 years-----	10	10	-	10	10	-	-	-	-	-	-	-
60-64 years-----	10	10	-	7	7	-	3	3	-	3	3	-
65-69 years-----	11	11	-	9	9	-	2	2	-	2	2	-
70-74 years-----	7	7	-	5	5	-	2	2	-	1	1	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	2	2	-	1	1	-	1	1	-	1	1	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

ALL RACES WHITE ALL OTHER BLACK

Accident onboard watercraft without accident to watercraft, not causing drowning and submersion (V93)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	18	13	5	13	11	2	5	2	3	3	1	2
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	-	-	-	1	-	1	1	-	1
15-19 years-----	2	1	1	2	1	1	-	-	-	-	-	-
20-24 years-----	3	1	2	2	1	1	1	-	1	1	-	1
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	3	3	-	3	3	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	2	2	-	-	-	-	2	2	-	1	1	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	1	-	1	-	-	-	1	-	1	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Merchant ship (V93.0)

All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other powered watercraft (V93.3)												
All ages-----	2	-	2	1	-	1	1	-	1	1	-	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years-----	1	-	1	-	-	-	1	-	1	1	-	1
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Sailboat (V93.4)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Unspecified watercraft (V93.9)												
All ages-----	14	11	3	10	9	1	4	2	2	2	1	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	-	-	-	1	-	1	1	-	1
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	2	1	1	2	1	1	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	3	3	-	3	3	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	2	2	-	-	-	-	2	2	-	1	1	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	-	-	-	1	-	1	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other and unspecified water transport accidents (V94)

All ages-----	81	67	14	76	62	14	5	5	-	3	3	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	4	2	2	4	2	2	-	-	-	-	-	-
10-14 years-----	5	3	2	5	3	2	-	-	-	-	-	-
15-19 years-----	5	5	-	5	5	-	-	-	-	-	-	-
20-24 years-----	12	11	1	11	10	1	1	1	-	1	1	-
25-29 years-----	11	9	2	11	9	2	-	-	-	-	-	-
30-34 years-----	5	4	1	5	4	1	-	-	-	-	-	-
35-39 years-----	8	7	1	8	7	1	-	-	-	-	-	-
40-44 years-----	10	6	4	9	5	4	1	1	-	1	1	-
45-49 years-----	3	2	1	3	2	1	-	-	-	-	-	-
50-54 years-----	5	5	-	4	4	-	1	1	-	1	1	-
55-59 years-----	5	5	-	3	3	-	2	2	-	-	-	-
60-64 years-----	2	2	-	2	2	-	-	-	-	-	-	-
65-69 years-----	3	3	-	3	3	-	-	-	-	-	-	-
70-74 years-----	3	3	-	3	3	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other powered watercraft (V94.3)												
All ages-----	10	6	4	10	6	4	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	2	1	1	2	1	1	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	2	1	1	2	1	1	-	-	-	-	-	-
25-29 years-----	2	2	-	2	2	-	-	-	-	-	-	-
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Canoe or kayak (V94.5)

All ages-----	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Inflatable craft (nonpowered) (V94.6)												
All ages-----	1	1	-	-	-	-	1	1	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	-	-	-	1	1	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Water-skis (V94.7)												
All ages-----	3	3	-	3	3	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	2	2	-	2	2	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other unpowered watercraft (V94.8)												
All ages-----	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Unspecified watercraft (V94.9)												
All ages-----	63	53	10	59	49	10	4	4	-	3	3	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	4	2	2	4	2	2	-	-	-	-	-	-
10-14 years-----	3	2	1	3	2	1	-	-	-	-	-	-
15-19 years-----	3	3	-	3	3	-	-	-	-	-	-	-
20-24 years-----	7	7	-	6	6	-	1	1	-	1	1	-
25-29 years-----	9	7	2	9	7	2	-	-	-	-	-	-
30-34 years-----	4	4	-	4	4	-	-	-	-	-	-	-
35-39 years-----	6	5	1	6	5	1	-	-	-	-	-	-
40-44 years-----	8	4	4	7	3	4	1	1	-	1	1	-
45-49 years-----	2	2	-	2	2	-	-	-	-	-	-	-
50-54 years-----	5	5	-	4	4	-	1	1	-	1	1	-
55-59 years-----	4	4	-	3	3	-	1	1	-	-	-	-
60-64 years-----	2	2	-	2	2	-	-	-	-	-	-	-
65-69 years-----	3	3	-	3	3	-	-	-	-	-	-	-
70-74 years-----	3	3	-	3	3	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Accident to powered aircraft causing injury to occupant (V95)												
All ages-----	671	548	123	650	528	122	21	20	1	9	9	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	9	6	3	8	5	3	1	1	-	1	1	-
10-14 years-----	11	8	3	11	8	3	-	-	-	-	-	-
15-19 years-----	12	9	3	12	9	3	-	-	-	-	-	-
20-24 years-----	29	24	5	28	23	5	1	1	-	-	-	-
25-29 years-----	58	47	11	55	44	11	3	3	-	1	1	-
30-34 years-----	60	49	11	56	45	11	4	4	-	2	2	-
35-39 years-----	70	54	16	67	51	16	3	3	-	-	-	-
40-44 years-----	72	55	17	72	55	17	-	-	-	-	-	-
45-49 years-----	74	62	12	71	59	12	3	3	-	2	2	-
50-54 years-----	71	58	13	68	55	13	3	3	-	3	3	-
55-59 years-----	65	58	7	65	58	7	-	-	-	-	-	-
60-64 years-----	46	44	2	45	43	2	1	1	-	-	-	-
65-69 years-----	36	27	9	35	27	8	1	-	1	-	-	-
70-74 years-----	36	31	5	35	30	5	1	1	-	-	-	-
75-79 years-----	13	9	4	13	9	4	-	-	-	-	-	-
80-84 years-----	5	4	1	5	4	1	-	-	-	-	-	-
85-89 years-----	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Helicopter accident injuring occupant (V95.0)

All ages-----	59	54	5	56	51	5	3	3	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	3	3	-	3	3	-	-	-	-	-	-	-
25-29 years-----	13	13	-	12	12	-	1	1	-	-	-	-
30-34 years-----	15	13	2	14	12	2	1	1	-	-	-	-
35-39 years-----	5	4	1	5	4	1	-	-	-	-	-	-
40-44 years-----	7	5	2	7	5	2	-	-	-	-	-	-
45-49 years-----	7	7	-	6	6	-	1	1	-	1	1	-
50-54 years-----	5	5	-	5	5	-	-	-	-	-	-	-
55-59 years-----	3	3	-	3	3	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Ultralight, microlight, or powered-glider accident injuring occupant (V95.1)												
All ages-----	33	30	3	33	30	3	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	2	2	-	2	2	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	2	2	-	2	2	-	-	-	-	-	-	-
30-34 years-----	3	3	-	3	3	-	-	-	-	-	-	-
35-39 years-----	3	1	2	3	1	2	-	-	-	-	-	-
40-44 years-----	3	3	-	3	3	-	-	-	-	-	-	-
45-49 years-----	3	3	-	3	3	-	-	-	-	-	-	-
50-54 years-----	4	4	-	4	4	-	-	-	-	-	-	-
55-59 years-----	5	4	1	5	4	1	-	-	-	-	-	-
60-64 years-----	4	4	-	4	4	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	3	3	-	3	3	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Accident to other private fixed-wing aircraft, injuring occupant (V95.2)

All ages-----	60	45	15	58	43	15	2	2	-	2	2	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	2	-	2	2	-	2	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	2	1	1	2	1	1	-	-	-	-	-	-
20-24 years-----	2	1	1	2	1	1	-	-	-	-	-	-
25-29 years-----	5	5	-	4	4	-	1	1	-	1	1	-
30-34 years-----	3	2	1	3	2	1	-	-	-	-	-	-
35-39 years-----	7	3	4	7	3	4	-	-	-	-	-	-
40-44 years-----	7	5	2	7	5	2	-	-	-	-	-	-
45-49 years-----	6	5	1	6	5	1	-	-	-	-	-	-
50-54 years-----	6	6	-	5	5	-	1	1	-	1	1	-
55-59 years-----	3	3	-	3	3	-	-	-	-	-	-	-
60-64 years-----	4	4	-	4	4	-	-	-	-	-	-	-
65-69 years-----	9	7	2	9	7	2	-	-	-	-	-	-
70-74 years-----	4	3	1	4	3	1	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Accident to commercial fixed-wing aircraft, injuring occupant (V95.3)												
All ages-----	30	20	10	30	20	10	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	2	1	1	2	1	1	-	-	-	-	-	-
15-19 years-----	3	2	1	3	2	1	-	-	-	-	-	-
20-24 years-----	2	1	1	2	1	1	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	4	4	-	4	4	-	-	-	-	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	2	2	-	2	2	-	-	-	-	-	-	-
45-49 years-----	4	3	1	4	3	1	-	-	-	-	-	-
50-54 years-----	3	2	1	3	2	1	-	-	-	-	-	-
55-59 years-----	2	2	-	2	2	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	4	1	3	4	1	3	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other aircraft accidents injuring occupant (V95.8)

All ages-----	30	27	3	29	26	3	1	1	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	3	3	-	3	3	-	-	-	-	-	-	-
20-24 years-----	4	4	-	4	4	-	-	-	-	-	-	-
25-29 years-----	3	3	-	3	3	-	-	-	-	-	-	-
30-34 years-----	7	4	3	7	4	3	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	2	2	-	2	2	-	-	-	-	-	-	-
45-49 years-----	2	2	-	2	2	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	1	1	-	-	-	-	1	1	-	-	-	-
65-69 years-----	2	2	-	2	2	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Unspecified aircraft accident injuring occupant (V95.9)												
All ages-----	459	372	87	444	358	86	15	14	1	6	6	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	7	6	1	6	5	1	1	1	-	1	1	-
10-14 years-----	7	5	2	7	5	2	-	-	-	-	-	-
15-19 years-----	4	3	1	4	3	1	-	-	-	-	-	-
20-24 years-----	18	15	3	17	14	3	1	1	-	-	-	-
25-29 years-----	34	23	11	33	22	11	1	1	-	-	-	-
30-34 years-----	28	23	5	25	20	5	3	3	-	2	2	-
35-39 years-----	53	45	8	50	42	8	3	3	-	-	-	-
40-44 years-----	51	38	13	51	38	13	-	-	-	-	-	-
45-49 years-----	52	42	10	50	40	10	2	2	-	1	1	-
50-54 years-----	52	40	12	50	38	12	2	2	-	2	2	-
55-59 years-----	51	45	6	51	45	6	-	-	-	-	-	-
60-64 years-----	35	33	2	35	33	2	-	-	-	-	-	-
65-69 years-----	21	17	4	20	17	3	1	-	1	-	-	-
70-74 years-----	28	24	4	27	23	4	1	1	-	-	-	-
75-79 years-----	10	7	3	10	7	3	-	-	-	-	-	-
80-84 years-----	4	3	1	4	3	1	-	-	-	-	-	-
85-89 years-----	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Accident to nonpowered aircraft causing injury to occupant (V96)

All ages-----	13	11	2	13	11	2	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	2	2	-	2	2	-	-	-	-	-	-	-
40-44 years-----	2	1	1	2	1	1	-	-	-	-	-	-
45-49 years-----	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years-----	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years-----	2	2	-	2	2	-	-	-	-	-	-	-
60-64 years-----	2	2	-	2	2	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Balloon accident injuring occupant (V96.0)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Hang-glider accident injuring occupant (V96.1)

All ages-----	6	5	1	6	5	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	2	2	-	2	2	-	-	-	-	-	-	-
40-44 years-----	2	1	1	2	1	1	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	2	2	-	2	2	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other nonpowered-aircraft accidents injuring occupant (V96.8)												
All ages-----	5	4	1	5	4	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years-----	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Unspecified nonpowered-aircraft accident injuring occupant (V96.9)

All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other specified air transport accidents (V97)												
All ages-----	31	28	3	28	26	2	3	2	1	2	2	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	2	1	1	1	1	-	1	-	1	-	-	-
25-29 years-----	6	6	-	6	6	-	-	-	-	-	-	-
30-34 years-----	4	4	-	3	3	-	1	1	-	1	1	-
35-39 years-----	2	2	-	2	2	-	-	-	-	-	-	-
40-44 years-----	4	4	-	4	4	-	-	-	-	-	-	-
45-49 years-----	5	4	1	5	4	1	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	3	2	1	2	1	1	1	1	-	1	1	-
60-64 years-----	2	2	-	2	2	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Occupant of aircraft injured in other specified air transport accidents (V97.0)

All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Person injured while boarding or alighting from aircraft (V97.1)												
All ages-----	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Parachutist injured in air transport accident (V97.2)

All ages-----	24	22	2	22	21	1	2	1	1	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	2	1	1	1	1	-	1	-	1	-	-	-
25-29 years-----	6	6	-	6	6	-	-	-	-	-	-	-
30-34 years-----	4	4	-	3	3	-	1	1	-	1	1	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	4	4	-	4	4	-	-	-	-	-	-	-
45-49 years-----	3	3	-	3	3	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Person on ground injured in air transport accident (V97.3)												
All ages-----	4	4	-	3	3	-	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	-	-	-	1	1	-	1	1	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other specified transport accidents (V98)

All ages-----	8	4	4	7	4	3	1	-	1	1	-	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	2	1	1	2	1	1	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	-	1	-	-	-	1	-	1	1	-	1
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Unspecified transport accident (V99)												
All ages-----	6	3	3	5	2	3	1	1	-	1	1	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	2	1	1	1	-	1	1	1	-	1	1	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Fall on same level involving ice and snow (W00)

All ages-----	74	47	27	70	47	23	4	-	4	3	-	3
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	2	1	1	2	1	1	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	2	-	2	2	-	2	-	-	-	-	-	-
45-49 years-----	2	2	-	2	2	-	-	-	-	-	-	-
50-54 years-----	3	2	1	2	2	-	1	-	1	1	-	1
55-59 years-----	2	2	-	2	2	-	-	-	-	-	-	-
60-64 years-----	3	3	-	3	3	-	-	-	-	-	-	-
65-69 years-----	7	2	5	6	2	4	1	-	1	1	-	1
70-74 years-----	9	5	4	9	5	4	-	-	-	-	-	-
75-79 years-----	9	6	3	9	6	3	-	-	-	-	-	-
80-84 years-----	13	10	3	11	10	1	2	-	2	1	-	1
85-89 years-----	13	7	6	13	7	6	-	-	-	-	-	-
90-94 years-----	7	6	1	7	6	1	-	-	-	-	-	-
95-99 years-----	2	1	1	2	1	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Fall on same level from slipping, tripping, and stumbling (W01)												
All ages-----	611	272	339	564	252	312	47	20	27	38	16	22
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	2	2	-	2	2	-	-	-	-	-	-	-
20-24 years-----	1	-	1	-	-	-	1	-	1	1	-	1
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	3	-	3	3	-	3	-	-	-	-	-	-
40-44 years-----	4	2	2	4	2	2	-	-	-	-	-	-
45-49 years-----	13	6	7	10	3	7	3	3	-	3	3	-
50-54 years-----	18	10	8	11	8	3	7	2	5	7	2	5
55-59 years-----	9	4	5	7	3	4	2	1	1	2	1	1
60-64 years-----	14	6	8	11	5	6	3	1	2	1	-	1
65-69 years-----	33	18	15	28	16	12	5	2	3	5	2	3
70-74 years-----	51	26	25	46	24	22	5	2	3	3	2	1
75-79 years-----	90	36	54	83	34	49	7	2	5	5	1	4
80-84 years-----	129	59	70	122	57	65	7	2	5	5	1	4
85-89 years-----	131	63	68	127	60	67	4	3	1	3	2	1
90-94 years-----	89	30	59	86	28	58	3	2	1	3	2	1
95-99 years-----	16	5	11	16	5	11	-	-	-	-	-	-
100 yrs & over---	5	2	3	5	2	3	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Fall involving ice skates, skis, roller skates, or skateboards (W02)

All ages-----	57	41	16	55	39	16	2	2	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	5	3	2	5	3	2	-	-	-	-	-	-
15-19 years-----	9	8	1	8	7	1	1	1	-	-	-	-
20-24 years-----	4	3	1	4	3	1	-	-	-	-	-	-
25-29 years-----	4	3	1	4	3	1	-	-	-	-	-	-
30-34 years-----	3	2	1	2	1	1	1	1	-	-	-	-
35-39 years-----	4	4	-	4	4	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	4	3	1	4	3	1	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	2	2	-	2	2	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	3	3	-	3	3	-	-	-	-	-	-	-
70-74 years-----	2	2	-	2	2	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	4	2	2	4	2	2	-	-	-	-	-	-
90-94 years-----	4	1	3	4	1	3	-	-	-	-	-	-
95-99 years-----	3	1	2	3	1	2	-	-	-	-	-	-
100 yrs & over---	2	-	2	2	-	2	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

RACE, AND SEX

Other fall on same level due to collision with, or pushing by, another person (W03)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	15	11	4	12	8	4	3	3	-	1	1	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	3	2	1	2	1	1	1	1	-	1	1	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	-	-	-	1	1	-	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	2	2	-	1	1	-	1	1	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	4	3	1	4	3	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Fall while being carried or supported by other persons (W04)

All ages-----	13	6	7	7	1	6	6	5	1	5	5	-
Under 1 year----	1	1	-	-	-	-	1	1	-	1	1	-
1-4 years-----	3	3	-	1	1	-	2	2	-	2	2	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	-	-	-	1	1	-	1	1	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	2	1	1	1	-	1	1	1	-	1	1	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	-	-	-	1	-	1	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Fall involving wheelchair (W05)												
All ages-----	169	70	99	155	66	89	14	4	10	12	4	8
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	2	2	-	2	2	-	-	-	-	-	-	-
45-49 years-----	5	3	2	5	3	2	-	-	-	-	-	-
50-54 years-----	1	-	1	-	-	-	1	-	1	1	-	1
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	3	1	2	2	1	1	1	-	1	1	-	1
65-69 years-----	11	5	6	10	5	5	1	-	1	1	-	1
70-74 years-----	16	9	7	14	8	6	2	1	1	1	1	-
75-79 years-----	21	9	12	16	7	9	5	2	3	4	2	2
80-84 years-----	29	18	11	28	17	11	1	1	-	1	1	-
85-89 years-----	31	9	22	30	9	21	1	-	1	1	-	1
90-94 years-----	30	10	20	29	10	19	1	-	1	1	-	1
95-99 years-----	9	-	9	9	-	9	-	-	-	-	-	-
100 yrs & over---	7	1	6	6	1	5	1	-	1	1	-	1
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Fall involving bed (W06)

All ages-----	400	159	241	368	144	224	32	15	17	27	12	15
Under 1 year-----	2	1	1	1	1	-	1	-	1	1	-	1
1-4 years-----	3	3	-	2	2	-	1	1	-	1	1	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	2	2	-	2	2	-	-	-	-	-	-	-
20-24 years-----	2	1	1	1	-	1	1	1	-	1	1	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	2	-	2	2	-	2	-	-	-	-	-	-
35-39 years-----	3	1	2	3	1	2	-	-	-	-	-	-
40-44 years-----	2	2	-	1	1	-	1	1	-	1	1	-
45-49 years-----	8	4	4	6	3	3	2	1	1	2	1	1
50-54 years-----	4	3	1	4	3	1	-	-	-	-	-	-
55-59 years-----	4	2	2	2	1	1	2	1	1	2	1	1
60-64 years-----	6	2	4	2	1	1	4	1	3	4	1	3
65-69 years-----	15	11	4	12	8	4	3	3	-	2	2	-
70-74 years-----	22	13	9	19	12	7	3	1	2	3	1	2
75-79 years-----	63	39	24	62	38	24	1	1	-	1	1	-
80-84 years-----	69	28	41	64	24	40	5	4	1	3	2	1
85-89 years-----	79	23	56	76	23	53	3	-	3	3	-	3
90-94 years-----	78	20	58	75	20	55	3	-	3	2	-	2
95-99 years-----	28	3	25	26	3	23	2	-	2	1	-	1
100 yrs & over---	8	1	7	8	1	7	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Fall involving chair (W07)												
All ages-----	178	71	107	162	62	100	16	9	7	13	7	6
Under 1 year----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	3	3	-	2	2	-	1	1	-	1	1	-
45-49 years-----	4	3	1	3	2	1	1	1	-	-	-	-
50-54 years-----	2	-	2	2	-	2	-	-	-	-	-	-
55-59 years-----	3	3	-	3	3	-	-	-	-	-	-	-
60-64 years-----	5	4	1	3	3	-	2	1	1	2	1	1
65-69 years-----	9	4	5	5	2	3	4	2	2	3	2	1
70-74 years-----	13	7	6	12	7	5	1	-	1	1	-	1
75-79 years-----	22	7	15	21	6	15	1	1	-	1	1	-
80-84 years-----	29	15	14	27	14	13	2	1	1	2	1	1
85-89 years-----	41	12	29	39	11	28	2	1	1	1	-	1
90-94 years-----	32	10	22	31	9	22	1	1	-	1	1	-
95-99 years-----	8	-	8	8	-	8	-	-	-	-	-	-
100 yrs & over---	4	1	3	3	1	2	1	-	1	1	-	1
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Fall involving other furniture (W08)

All ages-----	46	27	19	42	24	18	4	3	1	2	2	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	2	2	-	2	2	-	-	-	-	-	-	-
45-49 years-----	3	2	1	3	2	1	-	-	-	-	-	-
50-54 years-----	3	3	-	3	3	-	-	-	-	-	-	-
55-59 years-----	2	1	1	1	-	1	1	1	-	1	1	-
60-64 years-----	2	1	1	-	-	-	2	1	1	1	1	-
65-69 years-----	4	3	1	4	3	1	-	-	-	-	-	-
70-74 years-----	3	-	3	3	-	3	-	-	-	-	-	-
75-79 years-----	8	5	3	7	4	3	1	1	-	-	-	-
80-84 years-----	6	3	3	6	3	3	-	-	-	-	-	-
85-89 years-----	5	3	2	5	3	2	-	-	-	-	-	-
90-94 years-----	4	3	1	4	3	1	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Fall involving playground equipment (W09)												
All ages-----	4	1	3	3	1	2	1	-	1	1	-	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years-----	3	1	2	2	1	1	1	-	1	1	-	1
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Fall on and from stairs and steps (W10)

All ages-----	1,421	808	613	1,320	743	577	101	65	36	79	49	30
Under 1 year----	2	2	-	2	2	-	-	-	-	-	-	-
1-4 years-----	5	3	2	2	2	-	3	1	2	2	1	1
5-9 years-----	1	1	-	-	-	-	1	1	-	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	5	5	-	5	5	-	-	-	-	-	-	-
20-24 years-----	8	7	1	8	7	1	-	-	-	-	-	-
25-29 years-----	13	10	3	12	9	3	1	1	-	-	-	-
30-34 years-----	17	13	4	17	13	4	-	-	-	-	-	-
35-39 years-----	36	26	10	34	25	9	2	1	1	2	1	1
40-44 years-----	32	23	9	32	23	9	-	-	-	-	-	-
45-49 years-----	68	56	12	56	47	9	12	9	3	11	8	3
50-54 years-----	45	31	14	38	26	12	7	5	2	6	4	2
55-59 years-----	67	40	27	59	33	26	8	7	1	6	5	1
60-64 years-----	79	52	27	74	47	27	5	5	-	3	3	-
65-69 years-----	108	71	37	96	62	34	12	9	3	11	9	2
70-74 years-----	146	75	71	137	68	69	9	7	2	7	5	2
75-79 years-----	232	108	124	217	98	119	15	10	5	10	6	4
80-84 years-----	258	149	109	246	142	104	12	7	5	9	5	4
85-89 years-----	188	90	98	180	89	91	8	1	7	6	1	5
90-94 years-----	90	38	52	86	38	48	4	-	4	4	-	4
95-99 years-----	18	7	11	16	6	10	2	1	1	2	1	1
100 yrs & over---	2	1	1	2	1	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Fall on and from ladder (W11)												
All ages-----	320	304	16	296	281	15	24	23	1	8	8	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	2	2	-	2	2	-	-	-	-	-	-	-
25-29 years-----	4	3	1	4	3	1	-	-	-	-	-	-
30-34 years-----	7	7	-	7	7	-	-	-	-	-	-	-
35-39 years-----	4	4	-	4	4	-	-	-	-	-	-	-
40-44 years-----	20	20	-	16	16	-	4	4	-	2	2	-
45-49 years-----	20	20	-	20	20	-	-	-	-	-	-	-
50-54 years-----	17	17	-	13	13	-	4	4	-	2	2	-
55-59 years-----	26	24	2	25	23	2	1	1	-	-	-	-
60-64 years-----	37	34	3	35	32	3	2	2	-	1	1	-
65-69 years-----	32	32	-	30	30	-	2	2	-	2	2	-
70-74 years-----	39	36	3	36	34	2	3	2	1	-	-	-
75-79 years-----	40	36	4	36	32	4	4	4	-	1	1	-
80-84 years-----	36	34	2	34	32	2	2	2	-	-	-	-
85-89 years-----	28	27	1	26	25	1	2	2	-	-	-	-
90-94 years-----	6	6	-	6	6	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Fall on and from scaffolding (W12)

All ages-----	55	55	-	49	49	-	6	6	-	5	5	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	2	2	-	2	2	-	-	-	-	-	-	-
25-29 years-----	5	5	-	5	5	-	-	-	-	-	-	-
30-34 years-----	6	6	-	5	5	-	1	1	-	1	1	-
35-39 years-----	4	4	-	4	4	-	-	-	-	-	-	-
40-44 years-----	6	6	-	4	4	-	2	2	-	2	2	-
45-49 years-----	6	6	-	6	6	-	-	-	-	-	-	-
50-54 years-----	9	9	-	7	7	-	2	2	-	2	2	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	6	6	-	5	5	-	1	1	-	-	-	-
65-69 years-----	5	5	-	5	5	-	-	-	-	-	-	-
70-74 years-----	2	2	-	2	2	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	2	2	-	2	2	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Fall from, out of, or through building or structure (W13)												
All ages-----	550	449	101	489	401	88	61	48	13	49	41	8
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	11	4	7	9	3	6	2	1	1	2	1	1
5-9 years-----	3	2	1	3	2	1	-	-	-	-	-	-
10-14 years-----	4	4	-	3	3	-	1	1	-	1	1	-
15-19 years-----	22	20	2	18	18	-	4	2	2	3	2	1
20-24 years-----	24	21	3	22	19	3	2	2	-	2	2	-
25-29 years-----	38	32	6	32	29	3	6	3	3	4	2	2
30-34 years-----	39	38	1	35	35	-	4	3	1	4	3	1
35-39 years-----	41	35	6	35	30	5	6	5	1	5	4	1
40-44 years-----	51	48	3	46	43	3	5	5	-	4	4	-
45-49 years-----	34	32	2	29	27	2	5	5	-	4	4	-
50-54 years-----	34	32	2	27	27	-	7	5	2	6	5	1
55-59 years-----	30	29	1	26	25	1	4	4	-	3	3	-
60-64 years-----	35	32	3	32	29	3	3	3	-	3	3	-
65-69 years-----	34	30	4	32	28	4	2	2	-	2	2	-
70-74 years-----	23	18	5	19	14	5	4	4	-	2	2	-
75-79 years-----	39	29	10	35	27	8	4	2	2	2	2	-
80-84 years-----	29	19	10	29	19	10	-	-	-	-	-	-
85-89 years-----	27	12	15	25	11	14	2	1	1	2	1	1
90-94 years-----	27	10	17	27	10	17	-	-	-	-	-	-
95-99 years-----	4	1	3	4	1	3	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	1	1	-	1	1	-	-	-	-	-	-	-

Fall from tree (W14)

All ages-----	72	69	3	67	64	3	5	5	-	3	3	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	5	5	-	4	4	-	1	1	-	1	1	-
30-34 years-----	4	4	-	4	4	-	-	-	-	-	-	-
35-39 years-----	4	4	-	4	4	-	-	-	-	-	-	-
40-44 years-----	6	6	-	5	5	-	1	1	-	1	1	-
45-49 years-----	7	6	1	7	6	1	-	-	-	-	-	-
50-54 years-----	3	2	1	3	2	1	-	-	-	-	-	-
55-59 years-----	8	8	-	8	8	-	-	-	-	-	-	-
60-64 years-----	11	11	-	11	11	-	-	-	-	-	-	-
65-69 years-----	8	8	-	7	7	-	1	1	-	1	1	-
70-74 years-----	9	9	-	8	8	-	1	1	-	-	-	-
75-79 years-----	2	2	-	2	2	-	-	-	-	-	-	-
80-84 years-----	3	2	1	2	1	1	1	1	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Fall from cliff (W15)												
All ages-----	83	69	14	71	58	13	12	11	1	2	2	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	2	2	-	2	2	-	-	-	-	-	-	-
15-19 years-----	15	11	4	15	11	4	-	-	-	-	-	-
20-24 years-----	12	10	2	9	8	1	3	2	1	1	1	-
25-29 years-----	10	9	1	8	7	1	2	2	-	-	-	-
30-34 years-----	5	5	-	4	4	-	1	1	-	-	-	-
35-39 years-----	5	5	-	4	4	-	1	1	-	-	-	-
40-44 years-----	12	10	2	10	8	2	2	2	-	1	1	-
45-49 years-----	7	7	-	7	7	-	-	-	-	-	-	-
50-54 years-----	3	2	1	2	1	1	1	1	-	-	-	-
55-59 years-----	3	2	1	2	1	1	1	1	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	3	1	2	3	1	2	-	-	-	-	-	-
75-79 years-----	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years-----	1	1	-	-	-	-	1	1	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Diving or jumping into water causing injury other than drowning or submersion (W16)

All ages-----	61	49	12	52	42	10	9	7	2	7	5	2
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	6	6	-	6	6	-	-	-	-	-	-	-
5-9 years-----	1	1	-	-	-	-	1	1	-	1	1	-
10-14 years-----	2	-	2	1	-	1	1	-	1	1	-	1
15-19 years-----	2	2	-	2	2	-	-	-	-	-	-	-
20-24 years-----	4	4	-	4	4	-	-	-	-	-	-	-
25-29 years-----	5	5	-	4	4	-	1	1	-	-	-	-
30-34 years-----	4	4	-	3	3	-	1	1	-	1	1	-
35-39 years-----	6	5	1	6	5	1	-	-	-	-	-	-
40-44 years-----	8	7	1	6	5	1	2	2	-	2	2	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	4	4	-	3	3	-	1	1	-	-	-	-
55-59 years-----	5	3	2	4	3	1	1	-	1	1	-	1
60-64 years-----	2	1	1	2	1	1	-	-	-	-	-	-
65-69 years-----	4	3	1	3	2	1	1	1	-	1	1	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	3	3	-	3	3	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other fall from one level to another (W17)												
All ages-----	552	463	89	465	384	81	87	79	8	60	56	4
Under 1 year-----	3	1	2	1	1	-	2	-	2	-	-	-
1-4 years-----	14	11	3	12	9	3	2	2	-	2	2	-
5-9 years-----	4	3	1	2	1	1	2	2	-	2	2	-
10-14 years-----	5	4	1	5	4	1	-	-	-	-	-	-
15-19 years-----	28	23	5	25	20	5	3	3	-	1	1	-
20-24 years-----	29	26	3	25	23	2	4	3	1	2	1	1
25-29 years-----	35	34	1	29	28	1	6	6	-	5	5	-
30-34 years-----	34	31	3	21	19	2	13	12	1	9	8	1
35-39 years-----	45	43	2	36	35	1	9	8	1	5	5	-
40-44 years-----	56	49	7	43	38	5	13	11	2	11	10	1
45-49 years-----	44	38	6	36	30	6	8	8	-	3	3	-
50-54 years-----	34	31	3	28	25	3	6	6	-	5	5	-
55-59 years-----	28	28	-	22	22	-	6	6	-	4	4	-
60-64 years-----	28	22	6	24	19	5	4	3	1	3	2	1
65-69 years-----	31	26	5	29	24	5	2	2	-	2	2	-
70-74 years-----	32	23	9	28	19	9	4	4	-	3	3	-
75-79 years-----	35	27	8	34	26	8	1	1	-	1	1	-
80-84 years-----	29	21	8	28	20	8	1	1	-	1	1	-
85-89 years-----	19	12	7	18	11	7	1	1	-	1	1	-
90-94 years-----	13	7	6	13	7	6	-	-	-	-	-	-
95-99 years-----	4	2	2	4	2	2	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	1	1	-	1	1	-	-	-	-	-	-	-

Other fall on same level (W18)

All ages-----	674	372	302	600	321	279	74	51	23	47	35	12
Under 1 year-----	2	1	1	2	1	1	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	2	2	-	2	2	-	-	-	-	-	-	-
20-24 years-----	3	3	-	3	3	-	-	-	-	-	-	-
25-29 years-----	7	6	1	6	6	-	1	-	1	-	-	-
30-34 years-----	5	4	1	4	3	1	1	1	-	1	1	-
35-39 years-----	13	12	1	8	7	1	5	5	-	5	5	-
40-44 years-----	14	8	6	13	7	6	1	1	-	-	-	-
45-49 years-----	24	21	3	18	15	3	6	6	-	6	6	-
50-54 years-----	23	19	4	17	14	3	6	5	1	4	4	-
55-59 years-----	24	15	9	17	11	6	7	4	3	6	4	2
60-64 years-----	20	13	7	15	9	6	5	4	1	4	3	1
65-69 years-----	26	20	6	20	15	5	6	5	1	6	5	1
70-74 years-----	53	35	18	49	33	16	4	2	2	3	2	1
75-79 years-----	95	56	39	86	50	36	9	6	3	2	1	1
80-84 years-----	123	57	66	115	53	62	8	4	4	6	3	3
85-89 years-----	119	53	66	112	50	62	7	3	4	1	-	1
90-94 years-----	86	35	51	79	31	48	7	4	3	3	1	2
95-99 years-----	31	10	21	30	9	21	1	1	-	-	-	-
100 yrs & over---	4	2	2	4	2	2	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Unspecified fall (W19)												
All ages-----	7,807	3,766	4,041	7,145	3,365	3,780	662	401	261	516	313	203
Under 1 year----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	10	5	5	8	4	4	2	1	1	2	1	1
5-9 years-----	11	9	2	9	8	1	2	1	1	2	1	1
10-14 years-----	7	6	1	5	4	1	2	2	-	2	2	-
15-19 years-----	20	16	4	17	14	3	3	2	1	3	2	1
20-24 years-----	37	33	4	30	27	3	7	6	1	6	5	1
25-29 years-----	28	24	4	25	21	4	3	3	-	3	3	-
30-34 years-----	57	40	17	42	30	12	15	10	5	14	10	4
35-39 years-----	104	81	23	90	69	21	14	12	2	10	9	1
40-44 years-----	147	113	34	118	89	29	29	24	5	23	19	4
45-49 years-----	195	154	41	148	120	28	47	34	13	44	34	10
50-54 years-----	172	128	44	140	102	38	32	26	6	29	24	5
55-59 years-----	184	132	52	143	101	42	41	31	10	34	26	8
60-64 years-----	234	163	71	176	123	53	58	40	18	48	32	16
65-69 years-----	332	191	141	284	159	125	48	32	16	44	29	15
70-74 years-----	576	332	244	506	294	212	70	38	32	47	27	20
75-79 years-----	971	473	498	902	434	468	69	39	30	48	27	21
80-84 years-----	1,463	692	771	1,399	663	736	64	29	35	52	22	30
85-89 years-----	1,618	651	967	1,546	614	932	72	37	35	41	18	23
90-94 years-----	1,154	389	765	1,099	363	736	55	26	29	41	16	25
95-99 years-----	406	110	296	384	103	281	22	7	15	18	5	13
100 yrs & over---	78	21	57	71	20	51	7	1	6	5	1	4
Not stated-----	2	2	-	2	2	-	-	-	-	-	-	-

Struck by thrown, projected, or falling object (W20)

All ages-----	701	629	72	612	549	63	89	80	9	76	68	8
Under 1 year----	5	2	3	4	2	2	1	-	1	1	-	1
1-4 years-----	26	15	11	22	13	9	4	2	2	3	2	1
5-9 years-----	15	13	2	13	13	-	2	-	2	2	-	2
10-14 years-----	11	6	5	9	5	4	2	1	1	2	1	1
15-19 years-----	34	30	4	34	30	4	-	-	-	-	-	-
20-24 years-----	30	27	3	25	22	3	5	5	-	4	4	-
25-29 years-----	35	31	4	34	30	4	1	1	-	1	1	-
30-34 years-----	47	44	3	41	39	2	6	5	1	4	3	1
35-39 years-----	75	70	5	64	60	4	11	10	1	8	7	1
40-44 years-----	77	71	6	63	57	6	14	14	-	11	11	-
45-49 years-----	67	63	4	58	54	4	9	9	-	9	9	-
50-54 years-----	75	75	-	67	67	-	8	8	-	7	7	-
55-59 years-----	59	57	2	47	45	2	12	12	-	11	11	-
60-64 years-----	43	42	1	40	39	1	3	3	-	3	3	-
65-69 years-----	30	30	-	25	25	-	5	5	-	4	4	-
70-74 years-----	26	22	4	21	18	3	5	4	1	5	4	1
75-79 years-----	23	19	4	22	18	4	1	1	-	1	1	-
80-84 years-----	8	5	3	8	5	3	-	-	-	-	-	-
85-89 years-----	10	4	6	10	4	6	-	-	-	-	-	-
90-94 years-----	3	2	1	3	2	1	-	-	-	-	-	-
95-99 years-----	2	1	1	2	1	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

RACE, AND SEX

Striking against or struck by sports equipment (W21)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	10	10	-	9	9	-	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	3	3	-	2	2	-	1	1	-	1	1	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	2	2	-	2	2	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Striking against or struck by other objects (W22)

All ages-----	131	104	27	117	92	25	14	12	2	11	9	2
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	4	2	2	4	2	2	-	-	-	-	-	-
5-9 years-----	2	2	-	1	1	-	1	1	-	-	-	-
10-14 years-----	4	3	1	4	3	1	-	-	-	-	-	-
15-19 years-----	6	5	1	5	4	1	1	1	-	1	1	-
20-24 years-----	10	10	-	9	9	-	1	1	-	-	-	-
25-29 years-----	11	11	-	10	10	-	1	1	-	1	1	-
30-34 years-----	8	8	-	6	6	-	2	2	-	2	2	-
35-39 years-----	7	6	1	6	5	1	1	1	-	1	1	-
40-44 years-----	9	7	2	9	7	2	-	-	-	-	-	-
45-49 years-----	11	8	3	8	6	2	3	2	1	3	2	1
50-54 years-----	8	7	1	7	6	1	1	1	-	1	1	-
55-59 years-----	4	3	1	4	3	1	-	-	-	-	-	-
60-64 years-----	6	6	-	5	5	-	1	1	-	1	1	-
65-69 years-----	7	4	3	6	4	2	1	-	1	1	-	1
70-74 years-----	9	8	1	9	8	1	-	-	-	-	-	-
75-79 years-----	5	5	-	5	5	-	-	-	-	-	-	-
80-84 years-----	7	5	2	6	4	2	1	1	-	-	-	-
85-89 years-----	9	3	6	9	3	6	-	-	-	-	-	-
90-94 years-----	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years-----	2	1	1	2	1	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Caught, crushed, jammed, or pinched in or between objects (W23)												
All ages-----	93	74	19	73	57	16	20	17	3	18	16	2
Under 1 year-----	2	-	2	2	-	2	-	-	-	-	-	-
1-4 years-----	2	1	1	2	1	1	-	-	-	-	-	-
5-9 years-----	3	2	1	2	1	1	1	1	-	1	1	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	4	2	2	3	1	2	1	1	-	1	1	-
20-24 years-----	5	5	-	4	4	-	1	1	-	1	1	-
25-29 years-----	3	2	1	3	2	1	-	-	-	-	-	-
30-34 years-----	6	6	-	3	3	-	3	3	-	3	3	-
35-39 years-----	5	5	-	4	4	-	1	1	-	1	1	-
40-44 years-----	6	6	-	5	5	-	-	1	-	1	1	-
45-49 years-----	14	14	-	10	10	-	4	4	-	3	3	-
50-54 years-----	7	7	-	4	4	-	3	3	-	3	3	-
55-59 years-----	5	3	2	4	3	1	1	-	1	1	-	1
60-64 years-----	5	4	1	5	4	1	-	-	-	-	-	-
65-69 years-----	6	5	1	5	4	1	1	1	-	1	1	-
70-74 years-----	2	2	-	1	1	-	1	1	-	1	1	-
75-79 years-----	4	2	2	4	2	2	-	-	-	-	-	-
80-84 years-----	4	3	1	4	3	1	-	-	-	-	-	-
85-89 years-----	4	3	1	4	3	1	-	-	-	-	-	-
90-94 years-----	4	1	3	2	1	1	2	-	2	1	-	1
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Contact with lifting and transmission devices, not elsewhere classified (W24)

All ages-----	117	110	7	100	94	6	17	16	1	15	14	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	3	3	-	3	3	-	-	-	-	-	-	-
20-24 years-----	8	8	-	7	7	-	1	1	-	1	1	-
25-29 years-----	18	17	1	14	14	-	4	3	1	3	2	1
30-34 years-----	7	6	1	6	5	1	1	1	-	1	1	-
35-39 years-----	21	21	-	21	21	-	-	-	-	-	-	-
40-44 years-----	22	21	1	18	17	1	4	4	-	4	4	-
45-49 years-----	7	5	2	5	3	2	2	2	-	2	2	-
50-54 years-----	10	10	-	7	7	-	3	3	-	2	2	-
55-59 years-----	6	6	-	5	5	-	1	1	-	1	1	-
60-64 years-----	6	6	-	5	5	-	1	1	-	1	1	-
65-69 years-----	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years-----	3	3	-	3	3	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Contact with sharp glass (W25)												
All ages-----	30	27	3	21	20	1	9	7	2	8	7	1
Under 1 year----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	2	1	1	1	1	-	1	-	1	1	-	1
20-24 years-----	2	2	-	1	1	-	1	1	-	1	1	-
25-29 years-----	4	4	-	3	3	-	1	1	-	1	1	-
30-34 years-----	6	5	1	3	3	-	3	2	1	2	2	-
35-39 years-----	3	3	-	3	3	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	4	4	-	2	2	-	2	2	-	2	2	-
50-54 years-----	2	2	-	1	1	-	1	1	-	1	1	-
55-59 years-----	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Contact with knife, sword, or dagger (W26)

All ages-----	3	2	1	2	2	-	1	-	1	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	-	1	-	-	-	1	-	1	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	2	2	-	2	2	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Contact with nonpowered hand tool (W27)												
All ages-----	6	4	2	5	3	2	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	-	-	-	1	1	-	1	1	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Contact with powered lawn mower (W28)

All ages-----	23	20	3	23	20	3	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	2	2	-	2	2	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	3	3	-	3	3	-	-	-	-	-	-	-
75-79 years-----	4	3	1	4	3	1	-	-	-	-	-	-
80-84 years-----	6	5	1	6	5	1	-	-	-	-	-	-
85-89 years-----	2	2	-	2	2	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Contact with other powered hand tools and household machinery (W29)												
All ages-----	6	5	1	5	5	-	1	-	1	1	-	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	2	1	1	1	1	-	1	-	1	1	-	1
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Contact with agricultural machinery (W30)

All ages-----	198	185	13	189	178	11	9	7	2	8	6	2
Under 1 year-----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	7	4	3	6	3	3	1	1	-	1	1	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	2	1	1	2	1	1	-	-	-	-	-	-
15-19 years-----	5	5	-	5	5	-	-	-	-	-	-	-
20-24 years-----	6	5	1	6	5	1	-	-	-	-	-	-
25-29 years-----	6	6	-	5	5	-	1	1	-	1	1	-
30-34 years-----	3	3	-	3	3	-	-	-	-	-	-	-
35-39 years-----	11	10	1	10	10	-	1	-	1	1	-	1
40-44 years-----	20	20	-	20	20	-	-	-	-	-	-	-
45-49 years-----	13	13	-	12	12	-	1	1	-	-	-	-
50-54 years-----	17	16	1	17	16	1	-	-	-	-	-	-
55-59 years-----	22	22	-	20	20	-	2	2	-	2	2	-
60-64 years-----	16	16	-	15	15	-	1	1	-	1	1	-
65-69 years-----	20	17	3	20	17	3	-	-	-	-	-	-
70-74 years-----	12	11	1	12	11	1	-	-	-	-	-	-
75-79 years-----	18	17	1	17	16	1	1	1	-	1	1	-
80-84 years-----	9	9	-	9	9	-	-	-	-	-	-	-
85-89 years-----	6	6	-	6	6	-	-	-	-	-	-	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	1	-	1	-	-	-	1	-	1	1	-	1
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	1	1	-	1	1	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

RACE, AND SEX

Contact with other and unspecified machinery (W31)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	307	293	14	267	253	14	40	40	-	32	32	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	3	1	2	3	1	2	-	-	-	-	-	-
5-9 years-----	4	3	1	4	3	1	-	-	-	-	-	-
10-14 years-----	3	3	-	3	3	-	-	-	-	-	-	-
15-19 years-----	8	7	1	7	6	1	1	1	-	-	-	-
20-24 years-----	23	23	-	20	20	-	3	3	-	2	2	-
25-29 years-----	30	29	1	25	24	1	5	5	-	3	3	-
30-34 years-----	24	22	2	22	20	2	2	2	-	2	2	-
35-39 years-----	37	34	3	31	28	3	6	6	-	3	3	-
40-44 years-----	44	43	1	38	37	1	6	6	-	5	5	-
45-49 years-----	37	37	-	29	29	-	8	8	-	8	8	-
50-54 years-----	33	31	2	31	29	2	2	2	-	2	2	-
55-59 years-----	16	16	-	13	13	-	3	3	-	3	3	-
60-64 years-----	18	18	-	16	16	-	2	2	-	2	2	-
65-69 years-----	7	7	-	7	7	-	-	-	-	-	-	-
70-74 years-----	6	5	1	6	5	1	-	-	-	-	-	-
75-79 years-----	8	8	-	6	6	-	2	2	-	2	2	-
80-84 years-----	4	4	-	4	4	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Handgun discharge (W32)

All ages-----	130	118	12	102	91	11	28	27	1	23	22	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	2	2	-	1	1	-	1	1	-	1	1	-
5-9 years-----	2	2	-	-	-	-	2	2	-	2	2	-
10-14 years-----	12	9	3	10	8	2	2	1	1	2	1	1
15-19 years-----	29	29	-	21	21	-	8	8	-	6	6	-
20-24 years-----	30	30	-	19	19	-	11	11	-	8	8	-
25-29 years-----	16	13	3	15	12	3	1	1	-	1	1	-
30-34 years-----	8	7	1	8	7	1	-	-	-	-	-	-
35-39 years-----	5	3	2	4	2	2	1	1	-	1	1	-
40-44 years-----	5	5	-	5	5	-	-	-	-	-	-	-
45-49 years-----	8	7	1	8	7	1	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	2	2	-	2	2	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	3	2	1	2	1	1	1	1	-	1	1	-
70-74 years-----	3	3	-	3	3	-	-	-	-	-	-	-
75-79 years-----	2	2	-	2	2	-	-	-	-	-	-	-
80-84 years-----	1	1	-	-	-	-	1	1	-	1	1	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Rifle, shotgun, and larger firearm discharge (W33)												
All ages-----	112	99	13	102	92	10	10	7	3	9	6	3
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years-----	3	2	1	2	2	-	1	-	1	1	-	1
10-14 years-----	18	14	4	16	14	2	2	-	2	2	-	2
15-19 years-----	20	18	2	19	17	2	1	1	-	1	1	-
20-24 years-----	10	8	2	9	7	2	1	1	-	1	1	-
25-29 years-----	8	8	-	7	7	-	1	1	-	1	1	-
30-34 years-----	6	6	-	3	3	-	3	3	-	2	2	-
35-39 years-----	6	6	-	6	6	-	-	-	-	-	-	-
40-44 years-----	11	9	2	10	8	2	1	1	-	1	1	-
45-49 years-----	6	6	-	6	6	-	-	-	-	-	-	-
50-54 years-----	8	7	1	8	7	1	-	-	-	-	-	-
55-59 years-----	5	5	-	5	5	-	-	-	-	-	-	-
60-64 years-----	4	4	-	4	4	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	4	4	-	4	4	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Discharge from other and unspecified firearms (W34)

All ages-----	582	490	92	445	371	74	137	119	18	124	107	17
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	9	5	4	3	2	1	6	3	3	6	3	3
5-9 years-----	14	9	5	7	2	5	7	7	-	6	6	-
10-14 years-----	27	24	3	22	20	2	5	4	1	4	3	1
15-19 years-----	77	68	9	48	42	6	29	26	3	29	26	3
20-24 years-----	85	76	9	58	52	6	27	24	3	22	19	3
25-29 years-----	52	41	11	40	30	10	12	11	1	10	10	-
30-34 years-----	53	47	6	42	37	5	11	10	1	9	8	1
35-39 years-----	56	47	9	46	38	8	10	9	1	8	7	1
40-44 years-----	53	42	11	45	35	10	8	7	1	8	7	1
45-49 years-----	37	33	4	31	28	3	6	5	1	6	5	1
50-54 years-----	32	24	8	27	19	8	5	5	-	5	5	-
55-59 years-----	18	15	3	14	12	2	4	3	1	4	3	1
60-64 years-----	18	15	3	15	14	1	3	1	2	3	1	2
65-69 years-----	11	10	1	10	9	1	1	1	-	1	1	-
70-74 years-----	11	11	-	10	10	-	1	1	-	1	1	-
75-79 years-----	12	10	2	10	8	2	2	2	-	2	2	-
80-84 years-----	7	6	1	7	6	1	-	-	-	-	-	-
85-89 years-----	8	5	3	8	5	3	-	-	-	-	-	-
90-94 years-----	2	2	-	2	2	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Explosion and rupture of boiler (W35)												
All ages-----	6	5	1	5	4	1	1	1	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	4	3	1	3	2	1	1	1	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Explosion and rupture of gas cylinder (W36)

All ages-----	6	5	1	4	3	1	2	2	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	1	-	-	-	-	1	1	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	3	2	1	2	1	1	1	1	-	1	1	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Explosion and rupture of pressurized tire, pipe, or hose (W37)												
All ages-----	14	14	-	11	11	-	3	3	-	3	3	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	3	3	-	3	3	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	3	3	-	2	2	-	1	1	-	1	1	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	2	2	-	1	1	-	1	1	-	1	1	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	2	2	-	1	1	-	1	1	-	1	1	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Explosion and rupture of other specified pressurized devices (W38)

All ages-----	7	5	2	7	5	2	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Discharge of firework (W39)												
All ages-----	7	5	2	7	5	2	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	2	2	-	2	2	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Explosion of other materials (W40)

All ages-----	166	141	25	149	127	22	17	14	3	12	11	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	3	3	-	3	3	-	-	-	-	-	-	-
15-19 years-----	4	4	-	4	4	-	-	-	-	-	-	-
20-24 years-----	10	9	1	9	8	1	1	1	-	1	1	-
25-29 years-----	12	11	1	12	11	1	-	-	-	-	-	-
30-34 years-----	13	11	2	10	8	2	3	3	-	3	3	-
35-39 years-----	15	13	2	15	13	2	-	-	-	-	-	-
40-44 years-----	25	23	2	21	19	2	4	4	-	2	2	-
45-49 years-----	19	16	3	17	14	3	2	2	-	2	2	-
50-54 years-----	15	14	1	15	14	1	-	-	-	-	-	-
55-59 years-----	12	10	2	9	8	1	3	2	1	3	2	1
60-64 years-----	5	3	2	4	3	1	1	-	1	-	-	-
65-69 years-----	5	2	3	5	2	3	-	-	-	-	-	-
70-74 years-----	9	8	1	8	7	1	1	1	-	1	1	-
75-79 years-----	5	4	1	5	4	1	-	-	-	-	-	-
80-84 years-----	5	5	-	5	5	-	-	-	-	-	-	-
85-89 years-----	7	4	3	6	4	2	1	-	1	-	-	-
90-94 years-----	1	1	-	-	-	-	1	1	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Exposure to high pressure jet (W41)												
All ages-----	3	2	1	3	2	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	2	2	-	2	2	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Foreign body entering into or through eye or natural orifice (W44)

All ages-----	32	21	11	27	17	10	5	4	1	5	4	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	6	4	2	6	4	2	-	-	-	-	-	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	2	2	-	1	1	-	1	1	-	1	1	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	2	1	1	2	1	1	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	3	3	-	3	3	-	-	-	-	-	-	-
55-59 years-----	2	2	-	2	2	-	-	-	-	-	-	-
60-64 years-----	2	1	1	1	-	1	1	1	-	1	1	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years-----	5	2	3	3	1	2	2	1	1	2	1	1
80-84 years-----	2	2	-	2	2	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	1	1	-	-	-	-	1	1	-	1	1	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Foreign body or object entering through skin (W45)												
All ages-----	6	4	2	5	3	2	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	2	-	2	2	-	2	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	2	2	-	1	1	-	1	1	-	1	1	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Exposure to other and unspecified inanimate mechanical forces (W49)

All ages-----	43	28	15	35	23	12	8	5	3	7	4	3
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	2	1	1	1	1	-	1	-	1	1	-	1
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	3	2	1	3	2	1	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	2	2	-	2	2	-	-	-	-	-	-	-
30-34 years-----	4	4	-	2	2	-	2	2	-	1	1	-
35-39 years-----	2	1	1	2	1	1	-	-	-	-	-	-
40-44 years-----	4	4	-	2	2	-	2	2	-	2	2	-
45-49 years-----	4	2	2	3	2	1	1	-	1	1	-	1
50-54 years-----	2	2	-	1	1	-	1	1	-	1	1	-
55-59 years-----	2	2	-	2	2	-	-	-	-	-	-	-
60-64 years-----	2	-	2	2	-	2	-	-	-	-	-	-
65-69 years-----	2	2	-	2	2	-	-	-	-	-	-	-
70-74 years-----	3	1	2	3	1	2	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	5	3	2	5	3	2	-	-	-	-	-	-
85-89 years-----	4	1	3	3	1	2	1	-	1	1	-	1
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Hit, struck, kicked, twisted, bitten, or scratched by another person (W50)												
All ages-----	35	29	6	29	24	5	6	5	1	5	4	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	3	3	-	3	3	-	-	-	-	-	-	-
25-29 years-----	5	5	-	4	4	-	1	1	-	1	1	-
30-34 years-----	4	4	-	3	3	-	1	1	-	1	1	-
35-39 years-----	4	4	-	3	3	-	1	1	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	4	1	3	3	1	2	1	-	1	1	-	1
50-54 years-----	4	4	-	3	3	-	1	1	-	1	1	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	2	2	-	2	2	-	-	-	-	-	-	-
65-69 years-----	2	2	-	2	2	-	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	2	1	1	1	-	1	1	1	-	1	1	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Striking against or bumped into by another person (W51)

All ages-----	17	11	6	16	11	5	1	-	1	1	-	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	3	-	3	2	-	2	1	-	1	1	-	1
10-14 years-----	3	2	1	3	2	1	-	-	-	-	-	-
15-19 years-----	3	3	-	3	3	-	-	-	-	-	-	-
20-24 years-----	2	2	-	2	2	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	2	1	1	2	1	1	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Bitten by rat (W53)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Bitten or struck by dog (W54)

All ages-----	25	18	7	16	11	5	9	7	2	5	5	-
Under 1 year-----	3	3	-	2	2	-	1	1	-	1	1	-
1-4 years-----	10	8	2	8	6	2	2	2	-	1	1	-
5-9 years-----	6	4	2	4	3	1	2	1	1	-	-	-
10-14 years-----	1	1	-	-	-	-	1	1	-	1	1	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	-	-	-	1	1	-	1	1	-
45-49 years-----	2	1	1	-	-	-	2	1	1	1	1	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Bitten or struck by other mammals (W55)												
All ages-----	68	57	11	66	55	11	2	2	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	4	4	-	3	3	-	1	1	-	-	-	-
5-9 years-----	3	2	1	3	2	1	-	-	-	-	-	-
10-14 years-----	4	1	3	4	1	3	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	2	2	-	2	2	-	-	-	-	-	-	-
25-29 years-----	3	2	1	3	2	1	-	-	-	-	-	-
30-34 years-----	4	4	-	3	3	-	1	1	-	-	-	-
35-39 years-----	3	3	-	3	3	-	-	-	-	-	-	-
40-44 years-----	5	3	2	5	3	2	-	-	-	-	-	-
45-49 years-----	4	3	1	4	3	1	-	-	-	-	-	-
50-54 years-----	8	7	1	8	7	1	-	-	-	-	-	-
55-59 years-----	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years-----	3	3	-	3	3	-	-	-	-	-	-	-
65-69 years-----	7	7	-	7	7	-	-	-	-	-	-	-
70-74 years-----	6	5	1	6	5	1	-	-	-	-	-	-
75-79 years-----	5	5	-	5	5	-	-	-	-	-	-	-
80-84 years-----	2	2	-	2	2	-	-	-	-	-	-	-
85-89 years-----	2	2	-	2	2	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Bitten or stung by nonvenomous insect and other nonvenomous arthropods (W57)

All ages-----	10	9	1	10	9	1	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	2	2	-	2	2	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Bitten or crushed by other reptiles (W59)												
All ages-----	45	21	24	39	19	20	6	2	4	6	2	4
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	2	1	1	1	1	-	1	-	1	1	-	1
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	2	1	1	2	1	1	-	-	-	-	-	-
65-69 years-----	3	3	-	3	3	-	-	-	-	-	-	-
70-74 years-----	4	3	1	3	2	1	1	1	-	1	1	-
75-79 years-----	9	3	6	7	3	4	2	-	2	2	-	2
80-84 years-----	5	1	4	5	1	4	-	-	-	-	-	-
85-89 years-----	7	4	3	6	4	2	1	-	1	1	-	1
90-94 years-----	4	-	4	4	-	4	-	-	-	-	-	-
95-99 years-----	5	1	4	5	1	4	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Exposure to other and unspecified animate mechanical forces (W64)

All ages-----	13	10	3	13	10	3	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	2	1	1	2	1	1	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	2	2	-	2	2	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Drowning and submersion while in bathtub (W65)												
All ages-----	290	145	145	233	115	118	57	30	27	49	27	22
Under 1 year----	40	21	19	28	15	13	12	6	6	11	5	6
1-4 years-----	48	27	21	38	21	17	10	6	4	7	4	3
5-9 years-----	5	3	2	3	2	1	2	1	1	2	1	1
10-14 years-----	7	4	3	5	2	3	2	2	-	2	2	-
15-19 years-----	8	4	4	6	2	4	2	2	-	2	2	-
20-24 years-----	8	2	6	7	1	6	1	1	-	1	1	-
25-29 years-----	13	10	3	10	7	3	3	3	-	3	3	-
30-34 years-----	18	11	7	14	8	6	4	3	1	4	3	1
35-39 years-----	13	9	4	13	9	4	-	-	-	-	-	-
40-44 years-----	19	7	12	17	7	10	2	-	2	2	-	2
45-49 years-----	15	7	8	14	6	8	1	1	-	1	1	-
50-54 years-----	13	8	5	13	8	5	-	-	-	-	-	-
55-59 years-----	15	8	7	14	8	6	1	-	1	1	-	1
60-64 years-----	13	4	9	11	4	7	2	-	2	2	-	2
65-69 years-----	5	3	2	3	1	2	2	2	-	2	2	-
70-74 years-----	12	5	7	9	4	5	3	1	2	2	1	1
75-79 years-----	11	3	8	7	2	5	4	1	3	3	1	2
80-84 years-----	9	4	5	8	4	4	1	-	1	1	-	1
85-89 years-----	11	4	7	8	3	5	3	1	2	1	1	-
90-94 years-----	5	1	4	5	1	4	-	-	-	-	-	-
95-99 years-----	2	-	2	-	-	-	2	-	2	2	-	2
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Drowning and submersion following fall into bathtub (W66)

All ages-----	30	17	13	24	12	12	6	5	1	4	3	1
Under 1 year----	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years-----	3	1	2	2	-	2	1	1	-	1	1	-
5-9 years-----	1	1	-	-	-	-	1	1	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	3	1	2	3	1	2	-	-	-	-	-	-
20-24 years-----	2	1	1	2	1	1	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	4	3	1	3	2	1	1	1	-	1	1	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	2	2	-	2	2	-	-	-	-	-	-	-
50-54 years-----	2	-	2	1	-	1	1	-	1	1	-	1
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	2	1	1	2	1	1	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	2	-	2	2	-	2	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	2	2	-	-	-	-	2	2	-	1	1	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Drowning and submersion while in swimming pool (W67)												
All ages-----	421	301	120	299	202	97	122	99	23	99	83	16
Under 1 year----	4	3	1	3	2	1	1	1	-	1	1	-
1-4 years-----	144	90	54	127	78	49	17	12	5	15	11	4
5-9 years-----	51	37	14	25	16	9	26	21	5	24	19	5
10-14 years-----	32	26	6	7	5	2	25	21	4	21	18	3
15-19 years-----	22	19	3	10	9	1	12	10	2	10	8	2
20-24 years-----	20	17	3	9	7	2	11	10	1	8	8	-
25-29 years-----	12	12	-	5	5	-	7	7	-	4	4	-
30-34 years-----	13	10	3	8	6	2	5	4	1	4	3	1
35-39 years-----	14	12	2	10	8	2	4	4	-	4	4	-
40-44 years-----	18	14	4	16	13	3	2	1	1	1	1	-
45-49 years-----	14	12	2	12	10	2	2	2	-	2	2	-
50-54 years-----	7	4	3	5	4	1	2	-	2	-	-	-
55-59 years-----	9	8	1	7	6	1	2	2	-	2	2	-
60-64 years-----	6	5	1	5	4	1	1	1	-	-	-	-
65-69 years-----	7	5	2	7	5	2	-	-	-	-	-	-
70-74 years-----	13	8	5	9	5	4	4	3	1	3	2	1
75-79 years-----	7	5	2	7	5	2	-	-	-	-	-	-
80-84 years-----	15	10	5	14	10	4	1	-	1	-	-	-
85-89 years-----	10	3	7	10	3	7	-	-	-	-	-	-
90-94 years-----	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Drowning and submersion following fall into swimming pool (W68)

All ages-----	109	73	36	90	60	30	19	13	6	16	12	4
Under 1 year----	2	1	1	2	1	1	-	-	-	-	-	-
1-4 years-----	78	54	24	68	46	22	10	8	2	9	7	2
5-9 years-----	5	2	3	2	1	1	3	1	2	3	1	2
10-14 years-----	2	2	-	2	2	-	-	-	-	-	-	-
15-19 years-----	2	2	-	1	1	-	1	1	-	1	1	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	3	1	2	2	1	1	1	-	1	-	-	-
60-64 years-----	3	3	-	2	2	-	1	1	-	1	1	-
65-69 years-----	3	2	1	2	1	1	1	1	-	1	1	-
70-74 years-----	4	2	2	2	1	1	2	1	1	1	1	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	2	2	-	2	2	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Drowning and submersion while in natural water (W69)												
All ages-----	949	855	94	749	671	78	200	184	16	139	129	10
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	31	19	12	23	14	9	8	5	3	3	1	2
5-9 years-----	23	18	5	15	10	5	8	8	-	7	7	-
10-14 years-----	50	42	8	28	25	3	22	17	5	17	13	4
15-19 years-----	143	138	5	108	103	5	35	35	-	21	21	-
20-24 years-----	138	130	8	106	100	6	32	30	2	25	23	2
25-29 years-----	84	79	5	65	60	5	19	19	-	16	16	-
30-34 years-----	73	68	5	55	54	1	18	14	4	12	10	2
35-39 years-----	79	72	7	69	62	7	10	10	-	9	9	-
40-44 years-----	71	67	4	62	58	4	9	9	-	7	7	-
45-49 years-----	66	58	8	59	51	8	7	7	-	4	4	-
50-54 years-----	55	52	3	44	42	2	11	10	1	6	6	-
55-59 years-----	31	26	5	24	19	5	7	7	-	6	6	-
60-64 years-----	17	15	2	14	12	2	3	3	-	-	-	-
65-69 years-----	25	24	1	21	20	1	4	4	-	1	1	-
70-74 years-----	20	12	8	16	9	7	4	3	1	2	2	-
75-79 years-----	16	14	2	14	12	2	2	2	-	2	2	-
80-84 years-----	8	6	2	7	5	2	1	1	-	1	1	-
85-89 years-----	4	3	1	4	3	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	15	12	3	15	12	3	-	-	-	-	-	-

Drowning and submersion following fall into natural water (W70)

All ages-----	263	217	46	222	180	42	41	37	4	31	27	4
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	28	20	8	28	20	8	-	-	-	-	-	-
5-9 years-----	17	13	4	13	10	3	4	3	1	4	3	1
10-14 years-----	9	6	3	7	5	2	2	1	1	2	1	1
15-19 years-----	20	19	1	14	13	1	6	6	-	2	2	-
20-24 years-----	14	12	2	13	11	2	1	1	-	-	-	-
25-29 years-----	8	8	-	6	6	-	2	2	-	-	-	-
30-34 years-----	17	15	2	16	14	2	1	1	-	1	1	-
35-39 years-----	26	24	2	19	17	2	7	7	-	6	6	-
40-44 years-----	25	21	4	22	18	4	3	3	-	3	3	-
45-49 years-----	25	23	2	20	18	2	5	5	-	5	5	-
50-54 years-----	13	11	2	12	10	2	1	1	-	1	1	-
55-59 years-----	9	7	2	9	7	2	-	-	-	-	-	-
60-64 years-----	9	8	1	7	6	1	2	2	-	2	2	-
65-69 years-----	8	7	1	7	6	1	1	1	-	1	1	-
70-74 years-----	3	1	2	1	-	1	2	1	1	2	1	1
75-79 years-----	13	9	4	9	6	3	4	3	1	2	1	1
80-84 years-----	12	10	2	12	10	2	-	-	-	-	-	-
85-89 years-----	5	2	3	5	2	3	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	2	1	1	2	1	1	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other specified drowning and submersion (W73)												
All ages-----	222	172	50	166	128	38	56	44	12	42	36	6
Under 1 year----	4	3	1	3	3	-	1	-	1	1	-	1
1-4 years-----	35	21	14	29	18	11	6	3	3	4	3	1
5-9 years-----	12	9	3	8	6	2	4	3	1	2	2	-
10-14 years-----	14	8	6	7	5	2	7	3	4	6	3	3
15-19 years-----	28	27	1	16	16	-	12	11	1	11	10	1
20-24 years-----	23	23	-	16	16	-	7	7	-	6	6	-
25-29 years-----	10	10	-	5	5	-	5	5	-	5	5	-
30-34 years-----	14	11	3	12	9	3	2	2	-	-	-	-
35-39 years-----	10	7	3	10	7	3	-	-	-	-	-	-
40-44 years-----	15	13	2	13	12	1	2	1	1	1	1	-
45-49 years-----	8	7	1	6	5	1	2	2	-	-	-	-
50-54 years-----	10	7	3	9	7	2	1	-	1	-	-	-
55-59 years-----	8	3	5	6	1	5	2	2	-	2	2	-
60-64 years-----	3	3	-	2	2	-	1	1	-	1	1	-
65-69 years-----	4	2	2	4	2	2	-	-	-	-	-	-
70-74 years-----	10	7	3	8	5	3	2	2	-	2	2	-
75-79 years-----	6	6	-	6	6	-	-	-	-	-	-	-
80-84 years-----	4	2	2	3	1	2	1	1	-	1	1	-
85-89 years-----	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	2	2	-	1	1	-	1	1	-	-	-	-

Unspecified drowning and submersion (W74)

All ages-----	1,245	1,014	231	932	752	180	313	262	51	254	213	41
Under 1 year----	17	11	6	9	5	4	8	6	2	8	6	2
1-4 years-----	123	78	45	101	65	36	22	13	9	21	13	8
5-9 years-----	78	56	22	40	26	14	38	30	8	34	27	7
10-14 years-----	62	47	15	23	16	7	39	31	8	35	28	7
15-19 years-----	133	120	13	89	81	8	44	39	5	38	34	4
20-24 years-----	83	77	6	62	57	5	21	20	1	13	13	-
25-29 years-----	84	74	10	59	52	7	25	22	3	20	17	3
30-34 years-----	98	88	10	73	66	7	25	22	3	19	18	1
35-39 years-----	104	88	16	81	67	14	23	21	2	12	10	2
40-44 years-----	76	64	12	57	46	11	19	18	1	14	13	1
45-49 years-----	66	56	10	60	50	10	6	6	-	5	5	-
50-54 years-----	71	62	9	57	50	7	14	12	2	12	11	1
55-59 years-----	46	41	5	36	33	3	10	8	2	8	6	2
60-64 years-----	44	36	8	39	32	7	5	4	1	4	3	1
65-69 years-----	31	21	10	27	18	9	4	3	1	4	3	1
70-74 years-----	37	30	7	35	29	6	2	1	1	-	-	-
75-79 years-----	34	25	9	30	21	9	4	4	-	4	4	-
80-84 years-----	20	14	6	20	14	6	-	-	-	-	-	-
85-89 years-----	12	6	6	9	5	4	3	1	2	2	1	1
90-94 years-----	7	2	5	7	2	5	-	-	-	-	-	-
95-99 years-----	4	3	1	4	3	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	15	15	-	14	14	-	1	1	-	1	1	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Accidental suffocation and strangulation in bed (W75)												
All ages-----	330	178	152	229	119	110	101	59	42	91	51	40
Under 1 year-----	255	146	109	165	91	74	90	55	35	80	47	33
1-4 years-----	16	12	4	13	11	2	3	1	2	3	1	2
5-9 years-----	3	2	1	2	1	1	1	1	-	1	1	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	2	2	-	2	2	-	-	-	-	-	-	-
35-39 years-----	2	2	-	2	2	-	-	-	-	-	-	-
40-44 years-----	5	2	3	3	2	1	2	-	2	2	-	2
45-49 years-----	2	-	2	2	-	2	-	-	-	-	-	-
50-54 years-----	2	1	1	2	1	1	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	2	-	2	2	-	2	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	6	3	3	4	1	3	2	2	-	2	2	-
75-79 years-----	8	4	4	8	4	4	-	-	-	-	-	-
80-84 years-----	6	1	5	4	1	3	2	-	2	2	-	2
85-89 years-----	11	1	10	10	1	9	1	-	1	1	-	1
90-94 years-----	5	-	5	5	-	5	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other accidental hanging and strangulation (W76)

All ages-----	307	253	54	278	231	47	29	22	7	18	13	5
Under 1 year-----	13	9	4	11	7	4	2	2	-	-	-	-
1-4 years-----	24	9	15	22	8	14	2	1	1	-	-	-
5-9 years-----	18	14	4	15	13	2	3	1	2	2	1	1
10-14 years-----	44	42	2	38	36	2	6	6	-	4	4	-
15-19 years-----	17	17	-	15	15	-	2	2	-	1	1	-
20-24 years-----	24	21	3	23	20	3	1	1	-	1	1	-
25-29 years-----	15	14	1	12	12	-	3	2	1	2	1	1
30-34 years-----	16	11	5	14	9	5	2	2	-	2	2	-
35-39 years-----	29	27	2	27	26	1	2	1	1	1	-	1
40-44 years-----	24	24	-	23	23	-	1	1	-	1	1	-
45-49 years-----	27	26	1	26	25	1	1	1	-	1	1	-
50-54 years-----	10	9	1	10	9	1	-	-	-	-	-	-
55-59 years-----	12	10	2	10	8	2	2	2	-	1	1	-
60-64 years-----	7	5	2	7	5	2	-	-	-	-	-	-
65-69 years-----	3	3	-	3	3	-	-	-	-	-	-	-
70-74 years-----	7	3	4	6	3	3	1	-	1	1	-	1
75-79 years-----	4	3	1	4	3	1	-	-	-	-	-	-
80-84 years-----	4	2	2	4	2	2	-	-	-	-	-	-
85-89 years-----	7	3	4	6	3	3	1	-	1	1	-	1
90-94 years-----	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

RACE, AND SEX

Threat to breathing due to cave-in, falling earth, and other substances (W77)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	47	45	2	46	44	2	1	1	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	3	3	-	3	3	-	-	-	-	-	-	-
10-14 years-----	2	2	-	2	2	-	-	-	-	-	-	-
15-19 years-----	3	3	-	3	3	-	-	-	-	-	-	-
20-24 years-----	4	4	-	4	4	-	-	-	-	-	-	-
25-29 years-----	7	7	-	7	7	-	-	-	-	-	-	-
30-34 years-----	3	3	-	3	3	-	-	-	-	-	-	-
35-39 years-----	5	5	-	5	5	-	-	-	-	-	-	-
40-44 years-----	7	6	1	7	6	1	-	-	-	-	-	-
45-49 years-----	6	6	-	6	6	-	-	-	-	-	-	-
50-54 years-----	3	3	-	2	2	-	1	1	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Inhalation of gastric contents (W78)

All ages-----	417	222	195	347	185	162	70	37	33	62	34	28
Under 1 year-----	17	10	7	13	8	5	4	2	2	4	2	2
1-4 years-----	12	9	3	7	6	1	5	3	2	4	3	1
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	6	2	4	4	1	3	2	1	1	2	1	1
15-19 years-----	5	4	1	4	3	1	1	1	-	1	1	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	8	4	4	7	4	3	1	-	1	1	-	1
30-34 years-----	10	6	4	8	4	4	2	2	-	2	2	-
35-39 years-----	14	9	5	13	8	5	1	1	-	1	1	-
40-44 years-----	22	18	4	19	15	4	3	3	-	3	3	-
45-49 years-----	16	6	10	13	5	8	3	1	2	3	1	2
50-54 years-----	23	18	5	17	13	4	6	5	1	6	5	1
55-59 years-----	16	10	6	12	7	5	4	3	1	4	3	1
60-64 years-----	17	6	11	13	5	8	4	1	3	2	-	2
65-69 years-----	23	13	10	18	11	7	5	2	3	3	1	2
70-74 years-----	37	27	10	34	25	9	3	2	1	3	2	1
75-79 years-----	42	21	21	33	18	15	9	3	6	7	2	5
80-84 years-----	46	18	28	40	14	26	6	4	2	6	4	2
85-89 years-----	55	24	31	49	22	27	6	2	4	5	2	3
90-94 years-----	32	14	18	29	13	16	3	1	2	3	1	2
95-99 years-----	9	2	7	8	2	6	1	-	1	1	-	1
100 yrs & over---	5	-	5	4	-	4	1	-	1	1	-	1
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Inhalation and ingestion of food causing obstruction of respiratory tract (W79)												
All ages-----	640	345	295	545	284	261	95	61	34	77	50	27
Under 1 year-----	16	10	6	11	6	5	5	4	1	5	4	1
1-4 years-----	34	24	10	21	15	6	13	9	4	10	7	3
5-9 years-----	7	5	2	6	4	2	1	1	-	1	1	-
10-14 years-----	8	5	3	5	2	3	3	3	-	3	3	-
15-19 years-----	3	1	2	2	-	2	1	1	-	-	-	-
20-24 years-----	4	3	1	4	3	1	-	-	-	-	-	-
25-29 years-----	5	3	2	3	2	1	2	1	1	1	1	-
30-34 years-----	12	8	4	9	6	3	3	2	1	3	2	1
35-39 years-----	18	13	5	13	9	4	5	4	1	3	2	1
40-44 years-----	27	17	10	24	15	9	3	2	1	3	2	1
45-49 years-----	30	18	12	26	17	9	4	1	3	4	1	3
50-54 years-----	35	25	10	34	24	10	1	1	-	1	1	-
55-59 years-----	39	22	17	33	18	15	6	4	2	4	2	2
60-64 years-----	47	29	18	39	21	18	8	8	-	7	7	-
65-69 years-----	51	24	27	45	22	23	6	2	4	6	2	4
70-74 years-----	59	32	27	47	26	21	12	6	6	10	5	5
75-79 years-----	74	41	33	65	34	31	9	7	2	9	7	2
80-84 years-----	63	33	30	57	31	26	6	2	4	3	1	2
85-89 years-----	56	18	38	51	16	35	5	2	3	2	1	1
90-94 years-----	38	10	28	37	10	27	1	-	1	1	-	1
95-99 years-----	13	4	9	12	3	9	1	1	-	1	1	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Inhalation and ingestion of other objects causing obstruction of respiratory tract (W80)

All ages-----	2,828	1,350	1,478	2,401	1,138	1,263	427	212	215	401	201	200
Under 1 year-----	30	17	13	19	12	7	11	5	6	10	4	6
1-4 years-----	42	27	15	27	18	9	15	9	6	14	8	6
5-9 years-----	16	9	7	9	5	4	7	4	3	6	4	2
10-14 years-----	8	4	4	7	3	4	1	1	-	1	1	-
15-19 years-----	9	4	5	8	3	5	1	1	-	1	1	-
20-24 years-----	19	14	5	15	11	4	4	3	1	4	3	1
25-29 years-----	14	10	4	8	6	2	6	4	2	5	4	1
30-34 years-----	30	21	9	20	15	5	10	6	4	9	5	4
35-39 years-----	27	16	11	21	12	9	6	4	2	6	4	2
40-44 years-----	51	32	19	43	26	17	8	6	2	8	6	2
45-49 years-----	61	31	30	45	24	21	16	7	9	16	7	9
50-54 years-----	76	54	22	61	43	18	15	11	4	14	10	4
55-59 years-----	72	40	32	51	28	23	21	12	9	19	11	8
60-64 years-----	81	45	36	57	33	24	24	12	12	23	12	11
65-69 years-----	138	74	64	113	60	53	25	14	11	24	13	11
70-74 years-----	258	145	113	211	121	90	47	24	23	44	24	20
75-79 years-----	365	176	189	308	147	161	57	29	28	53	28	25
80-84 years-----	482	235	247	423	209	214	59	26	33	54	24	30
85-89 years-----	519	222	297	469	203	266	50	19	31	48	19	29
90-94 years-----	365	130	235	334	119	215	31	11	20	29	9	20
95-99 years-----	136	40	96	124	37	87	12	3	9	12	3	9
100 yrs & over---	29	4	25	28	3	25	1	1	-	1	1	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Confined to or trapped in a low-oxygen environment (W81)												
All ages-----	16	14	2	14	12	2	2	2	-	2	2	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	5	4	1	4	3	1	1	1	-	1	1	-
20-24 years-----	2	2	-	1	1	-	1	1	-	1	1	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	2	2	-	2	2	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	2	2	-	2	2	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	2	2	-	2	2	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other specified threats to breathing (W83)

All ages-----	154	101	53	131	87	44	23	14	9	17	11	6
Under 1 year----	38	20	18	26	14	12	12	6	6	10	6	4
1-4 years-----	11	4	7	10	4	6	1	-	1	1	-	1
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	4	4	-	4	4	-	-	-	-	-	-	-
15-19 years-----	10	9	1	9	8	1	1	1	-	-	-	-
20-24 years-----	7	6	1	5	4	1	2	2	-	1	1	-
25-29 years-----	7	7	-	7	7	-	-	-	-	-	-	-
30-34 years-----	5	4	1	5	4	1	-	-	-	-	-	-
35-39 years-----	8	7	1	7	7	-	1	-	1	-	-	-
40-44 years-----	14	14	-	14	14	-	-	-	-	-	-	-
45-49 years-----	11	8	3	9	6	3	2	2	-	1	1	-
50-54 years-----	10	8	2	9	7	2	1	1	-	1	1	-
55-59 years-----	5	4	1	4	3	1	1	1	-	1	1	-
60-64 years-----	2	1	1	2	1	1	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	4	2	2	4	2	2	-	-	-	-	-	-
75-79 years-----	4	-	4	4	-	4	-	-	-	-	-	-
80-84 years-----	7	1	6	5	-	5	2	1	1	2	1	1
85-89 years-----	4	1	3	4	1	3	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Unspecified threat to breathing (W84)												
All ages-----	764	449	315	620	354	266	144	95	49	132	86	46
Under 1 year-----	103	69	34	56	37	19	47	32	15	45	30	15
1-4 years-----	22	11	11	13	5	8	9	6	3	7	5	2
5-9 years-----	5	3	2	3	2	1	2	1	1	1	1	-
10-14 years-----	5	5	-	2	2	-	3	3	-	2	2	-
15-19 years-----	13	9	4	13	9	4	-	-	-	-	-	-
20-24 years-----	12	10	2	10	8	2	2	2	-	2	2	-
25-29 years-----	22	20	2	17	16	1	5	4	1	5	4	1
30-34 years-----	19	19	-	17	17	-	2	2	-	2	2	-
35-39 years-----	20	14	6	17	13	4	3	1	2	3	1	2
40-44 years-----	29	20	9	24	16	8	5	4	1	5	4	1
45-49 years-----	26	20	6	20	15	5	6	5	1	5	5	-
50-54 years-----	34	25	9	29	23	6	5	2	3	4	1	3
55-59 years-----	25	21	4	18	15	3	7	6	1	7	6	1
60-64 years-----	21	13	8	16	10	6	5	3	2	4	2	2
65-69 years-----	36	24	12	32	20	12	4	4	-	3	3	-
70-74 years-----	53	31	22	45	24	21	8	7	1	8	7	1
75-79 years-----	85	48	37	69	40	29	16	8	8	15	7	8
80-84 years-----	69	29	40	65	27	38	4	2	2	4	2	2
85-89 years-----	88	34	54	80	31	49	8	3	5	7	2	5
90-94 years-----	53	17	36	52	17	35	1	-	1	1	-	1
95-99 years-----	19	5	14	18	5	13	1	-	1	1	-	1
100 yrs & over---	5	2	3	4	2	2	1	-	1	1	-	1
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Exposure to electric transmission lines (W85)

All ages-----	127	124	3	110	107	3	17	17	-	17	17	-
Under 1 year-----	1	1	-	-	-	-	1	1	-	1	1	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	6	5	1	6	5	1	-	-	-	-	-	-
15-19 years-----	12	12	-	11	11	-	1	1	-	1	1	-
20-24 years-----	14	14	-	13	13	-	1	1	-	1	1	-
25-29 years-----	9	9	-	8	8	-	1	1	-	1	1	-
30-34 years-----	13	13	-	11	11	-	2	2	-	2	2	-
35-39 years-----	19	19	-	17	17	-	2	2	-	2	2	-
40-44 years-----	18	17	1	16	15	1	2	2	-	2	2	-
45-49 years-----	16	15	1	12	11	1	4	4	-	4	4	-
50-54 years-----	3	3	-	2	2	-	1	1	-	1	1	-
55-59 years-----	8	8	-	8	8	-	-	-	-	-	-	-
60-64 years-----	3	3	-	2	2	-	1	1	-	1	1	-
65-69 years-----	4	4	-	3	3	-	1	1	-	1	1	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Exposure to other specified electric current (W86)												
All ages-----	147	136	11	136	127	9	11	9	2	9	7	2
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	3	2	1	3	2	1	-	-	-	-	-	-
5-9 years-----	4	4	-	4	4	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	5	5	-	5	5	-	-	-	-	-	-	-
20-24 years-----	17	16	1	16	15	1	1	1	-	-	-	-
25-29 years-----	17	16	1	15	14	1	2	2	-	2	2	-
30-34 years-----	16	14	2	13	12	1	3	2	1	2	1	1
35-39 years-----	17	17	-	17	17	-	-	-	-	-	-	-
40-44 years-----	19	18	1	17	16	1	2	2	-	2	2	-
45-49 years-----	17	15	2	16	14	2	1	1	-	1	1	-
50-54 years-----	7	7	-	7	7	-	-	-	-	-	-	-
55-59 years-----	8	8	-	7	7	-	1	1	-	1	1	-
60-64 years-----	5	5	-	5	5	-	-	-	-	-	-	-
65-69 years-----	2	2	-	2	2	-	-	-	-	-	-	-
70-74 years-----	3	2	1	3	2	1	-	-	-	-	-	-
75-79 years-----	4	3	1	4	3	1	-	-	-	-	-	-
80-84 years-----	2	2	-	2	2	-	-	-	-	-	-	-
85-89 years-----	1	-	1	-	-	-	1	-	1	1	-	1
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Exposure to unspecified electric current (W87)

All ages-----	163	154	9	148	140	8	15	14	1	14	13	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	3	1	2	3	1	2	-	-	-	-	-	-
5-9 years-----	2	1	1	2	1	1	-	-	-	-	-	-
10-14 years-----	1	1	-	-	-	-	1	1	-	1	1	-
15-19 years-----	15	14	1	14	13	1	1	1	-	1	1	-
20-24 years-----	14	13	1	13	12	1	1	1	-	1	1	-
25-29 years-----	20	19	1	20	19	1	-	-	-	-	-	-
30-34 years-----	12	12	-	12	12	-	-	-	-	-	-	-
35-39 years-----	23	22	1	22	21	1	1	1	-	1	1	-
40-44 years-----	23	22	1	20	19	1	3	3	-	3	3	-
45-49 years-----	12	12	-	9	9	-	3	3	-	3	3	-
50-54 years-----	7	7	-	5	5	-	2	2	-	2	2	-
55-59 years-----	12	11	1	10	10	-	2	1	1	2	1	1
60-64 years-----	4	4	-	4	4	-	-	-	-	-	-	-
65-69 years-----	5	5	-	4	4	-	1	1	-	-	-	-
70-74 years-----	6	6	-	6	6	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	2	2	-	2	2	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Exposure to excessive heat of man-made origin (W92)												
All ages-----	15	10	5	10	6	4	5	4	1	5	4	1
Under 1 year----	2	1	1	-	-	-	2	1	1	2	1	1
1-4 years-----	4	3	1	2	1	1	2	2	-	2	2	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	2	1	1	2	1	1	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	3	1	2	2	-	2	1	1	-	1	1	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Exposure to excessive cold of man-made origin (W93)

All ages-----	3	-	3	2	-	2	1	-	1	1	-	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	-	1	-	-	-	1	-	1	1	-	1
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Exposure to high and low air pressure and changes in air pressure (W94)												
All ages-----	22	16	6	20	15	5	2	1	1	2	1	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	2	2	-	2	2	-	-	-	-	-	-	-
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	2	2	-	2	2	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	3	2	1	3	2	1	-	-	-	-	-	-
45-49 years-----	2	1	1	1	-	1	1	1	-	1	1	-
50-54 years-----	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	3	2	1	3	2	1	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	2	1	1	1	1	-	1	-	1	1	-	1
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Exposure to other and unspecified man-made environmental factors (W99)

All ages-----	2	1	1	1	-	1	1	1	-	1	1	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	-	-	-	1	1	-	1	1	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Exposure to uncontrolled fire in building or structure (X00)												
All ages-----	2,676	1,546	1,130	1,862	1,087	775	814	459	355	756	425	331
Under 1 year-----	39	21	18	25	14	11	14	7	7	14	7	7
1-4 years-----	280	160	120	164	94	70	116	66	50	105	60	45
5-9 years-----	162	88	74	93	50	43	69	38	31	69	38	31
10-14 years-----	83	46	37	54	30	24	29	16	13	28	15	13
15-19 years-----	78	51	27	61	40	21	17	11	6	15	9	6
20-24 years-----	87	55	32	63	39	24	24	16	8	20	13	7
25-29 years-----	120	76	44	90	60	30	30	16	14	25	13	12
30-34 years-----	113	80	33	87	62	25	26	18	8	21	14	7
35-39 years-----	164	107	57	114	74	40	50	33	17	47	32	15
40-44 years-----	177	126	51	138	100	38	39	26	13	36	24	12
45-49 years-----	150	101	49	107	70	37	43	31	12	39	28	11
50-54 years-----	140	87	53	106	66	40	34	21	13	33	21	12
55-59 years-----	122	74	48	94	52	42	28	22	6	28	22	6
60-64 years-----	126	71	55	85	55	30	41	16	25	38	15	23
65-69 years-----	147	79	68	100	53	47	47	26	21	42	22	20
70-74 years-----	166	92	74	117	62	55	49	30	19	44	28	16
75-79 years-----	195	87	108	135	57	78	60	30	30	58	29	29
80-84 years-----	157	75	82	114	59	55	43	16	27	40	15	25
85-89 years-----	102	42	60	70	32	38	32	10	22	31	10	21
90-94 years-----	52	20	32	35	12	23	17	8	9	17	8	9
95-99 years-----	12	6	6	8	5	3	4	1	3	4	1	3
100 yrs & over---	2	-	2	1	-	1	1	-	1	1	-	1
Not stated-----	2	2	-	1	1	-	1	1	-	1	1	-

Exposure to uncontrolled fire, not in building or structure (X01)

All ages-----	78	65	13	67	54	13	11	11	-	8	8	-
Under 1 year-----	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years-----	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	2	2	-	2	2	-	-	-	-	-	-	-
20-24 years-----	6	5	1	5	4	1	1	1	-	-	-	-
25-29 years-----	8	7	1	8	7	1	-	-	-	-	-	-
30-34 years-----	5	5	-	4	4	-	1	1	-	-	-	-
35-39 years-----	3	2	1	2	1	1	1	1	-	1	1	-
40-44 years-----	8	7	1	7	6	1	1	1	-	1	1	-
45-49 years-----	7	7	-	5	5	-	2	2	-	1	1	-
50-54 years-----	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years-----	5	4	1	5	4	1	-	-	-	-	-	-
60-64 years-----	3	3	-	2	2	-	1	1	-	1	1	-
65-69 years-----	6	4	2	5	3	2	1	1	-	1	1	-
70-74 years-----	6	6	-	4	4	-	2	2	-	2	2	-
75-79 years-----	7	6	1	6	5	1	1	1	-	1	1	-
80-84 years-----	6	3	3	6	3	3	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Exposure to controlled fire in building or structure (X02)												
All ages-----	56	33	23	34	19	15	22	14	8	17	9	8
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	4	2	2	2	1	1	2	1	1	2	1	1
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	2	1	1	2	1	1	-	-	-	-	-	-
20-24 years-----	4	1	3	2	1	1	2	-	2	2	-	2
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	3	2	1	1	1	-	2	1	1	2	1	1
35-39 years-----	1	1	-	-	-	-	1	1	-	1	1	-
40-44 years-----	6	5	1	3	2	1	3	3	-	1	1	-
45-49 years-----	4	4	-	2	2	-	2	2	-	1	1	-
50-54 years-----	4	3	1	2	1	1	2	2	-	1	1	-
55-59 years-----	4	3	1	2	2	-	2	1	1	2	1	1
60-64 years-----	3	2	1	2	1	1	1	1	-	1	1	-
65-69 years-----	2	2	-	1	1	-	1	1	-	1	1	-
70-74 years-----	2	1	1	1	1	-	1	-	1	1	-	1
75-79 years-----	1	1	-	-	-	-	1	1	-	-	-	-
80-84 years-----	6	2	4	6	2	4	-	-	-	-	-	-
85-89 years-----	5	1	4	4	1	3	1	-	1	1	-	1
90-94 years-----	4	1	3	3	1	2	1	-	1	1	-	1
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Exposure to controlled fire, not in building or structure (X03)

All ages-----	32	31	1	25	24	1	7	7	-	6	6	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	2	2	-	2	2	-	-	-	-	-	-	-
30-34 years-----	2	2	-	1	1	-	1	1	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	3	3	-	3	3	-	-	-	-	-	-	-
45-49 years-----	2	2	-	1	1	-	1	1	-	1	1	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	2	1	1	2	1	1	-	-	-	-	-	-
65-69 years-----	4	4	-	4	4	-	-	-	-	-	-	-
70-74 years-----	5	5	-	3	3	-	2	2	-	2	2	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	5	5	-	3	3	-	2	2	-	2	2	-
85-89 years-----	2	2	-	1	1	-	1	1	-	1	1	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	1	1	-	1	1	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Exposure to ignition of highly flammable material (X04)												
All ages-----	73	60	13	58	50	8	15	10	5	14	9	5
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	2	2	-	2	2	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	3	2	1	3	2	1	-	-	-	-	-	-
15-19 years-----	3	2	1	2	2	-	1	-	1	1	-	1
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	4	4	-	3	3	-	1	1	-	-	-	-
35-39 years-----	6	5	1	4	4	-	2	1	1	2	1	1
40-44 years-----	3	2	1	2	1	1	1	1	-	1	1	-
45-49 years-----	3	3	-	3	3	-	-	-	-	-	-	-
50-54 years-----	6	4	2	4	2	2	2	2	-	2	2	-
55-59 years-----	7	6	1	5	5	-	2	1	1	2	1	1
60-64 years-----	3	3	-	3	3	-	-	-	-	-	-	-
65-69 years-----	6	3	3	5	3	2	1	-	1	1	-	1
70-74 years-----	4	4	-	2	2	-	2	2	-	2	2	-
75-79 years-----	9	6	3	8	6	2	1	-	1	1	-	1
80-84 years-----	6	6	-	5	5	-	1	1	-	1	1	-
85-89 years-----	3	3	-	2	2	-	1	1	-	1	1	-
90-94 years-----	3	3	-	3	3	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Exposure to ignition or melting of nightwear (X05)

All ages-----	6	1	5	5	1	4	1	-	1	1	-	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	-	-	-	1	-	1	1	-	1
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

RACE, AND SEX

Exposure to ignition or melting of other clothing and apparel (X06)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	112	65	47	85	51	34	27	14	13	27	14	13
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	1	-	-	-	-	1	1	-	1	1	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	2	1	1	1	1	-	1	-	1	1	-	1
30-34 years-----	3	2	1	2	2	-	1	-	1	1	-	1
35-39 years-----	3	3	-	3	3	-	-	-	-	-	-	-
40-44 years-----	2	1	1	-	-	-	2	1	1	2	1	1
45-49 years-----	4	4	-	3	3	-	1	1	-	1	1	-
50-54 years-----	3	2	1	1	1	-	2	1	1	2	1	1
55-59 years-----	5	3	2	5	3	2	-	-	-	-	-	-
60-64 years-----	7	4	3	4	3	1	3	1	2	3	1	2
65-69 years-----	8	7	1	7	6	1	1	1	-	1	1	-
70-74 years-----	13	9	4	9	7	2	4	2	2	4	2	2
75-79 years-----	21	9	12	18	7	11	3	2	1	3	2	1
80-84 years-----	16	9	7	13	7	6	3	2	1	3	2	1
85-89 years-----	15	8	7	13	7	6	2	1	1	2	1	1
90-94 years-----	5	1	4	3	1	2	2	-	2	2	-	2
95-99 years-----	3	1	2	2	-	2	1	1	-	1	1	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Exposure to other specified smoke, fire, and flames (X08)

All ages-----	69	50	19	57	41	16	12	9	3	10	7	3
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	5	4	1	3	2	1	2	2	-	2	2	-
25-29 years-----	1	1	-	-	-	-	1	1	-	-	-	-
30-34 years-----	3	3	-	3	3	-	-	-	-	-	-	-
35-39 years-----	4	3	1	3	2	1	1	1	-	1	1	-
40-44 years-----	8	8	-	6	6	-	2	2	-	2	2	-
45-49 years-----	7	6	1	6	5	1	1	1	-	-	-	-
50-54 years-----	2	1	1	2	1	1	-	-	-	-	-	-
55-59 years-----	3	1	2	2	1	1	1	-	1	1	-	1
60-64 years-----	6	4	2	6	4	2	-	-	-	-	-	-
65-69 years-----	6	3	3	4	2	2	2	1	1	2	1	1
70-74 years-----	7	3	4	6	3	3	1	-	1	1	-	1
75-79 years-----	5	4	1	5	4	1	-	-	-	-	-	-
80-84 years-----	7	6	1	6	5	1	1	1	-	1	1	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Exposure to unspecified smoke, fire, and flames (X09)												
All ages-----	246	174	72	187	139	48	59	35	24	53	32	21
Under 1 year-----	1	-	1	-	-	-	1	-	1	1	-	1
1-4 years-----	14	8	6	8	5	3	6	3	3	4	2	2
5-9 years-----	7	6	1	3	2	1	4	4	-	4	4	-
10-14 years-----	3	3	-	3	3	-	-	-	-	-	-	-
15-19 years-----	2	1	1	2	1	1	-	-	-	-	-	-
20-24 years-----	10	9	1	9	9	-	1	-	1	-	-	-
25-29 years-----	7	4	3	4	2	2	3	2	1	3	2	1
30-34 years-----	7	6	1	7	6	1	-	-	-	-	-	-
35-39 years-----	18	16	2	14	12	2	4	4	-	3	3	-
40-44 years-----	14	10	4	10	8	2	4	2	2	4	2	2
45-49 years-----	21	17	4	18	17	1	3	-	3	3	-	3
50-54 years-----	13	11	2	10	9	1	3	2	1	3	2	1
55-59 years-----	10	6	4	9	6	3	1	-	1	1	-	1
60-64 years-----	12	8	4	8	6	2	4	2	2	3	2	1
65-69 years-----	14	9	5	10	5	5	4	4	-	4	4	-
70-74 years-----	19	13	6	15	10	5	4	3	1	4	3	1
75-79 years-----	19	15	4	14	10	4	5	5	-	4	4	-
80-84 years-----	25	13	12	19	11	8	6	2	4	6	2	4
85-89 years-----	19	10	9	14	8	6	5	2	3	5	2	3
90-94 years-----	7	6	1	6	6	-	1	-	1	1	-	1
95-99 years-----	2	1	1	2	1	1	-	-	-	-	-	-
100 yrs & over---	1	1	-	1	1	-	-	-	-	-	-	-
Not stated-----	1	1	-	1	1	-	-	-	-	-	-	-

Contact with hot drinks, food, fats, and cooking oils (X10)

All ages-----	5	2	3	4	2	2	1	-	1	1	-	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	2	-	2	1	-	1	1	-	1	1	-	1
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Contact with hot tap water (X11)												
All ages-----	51	22	29	29	11	18	22	11	11	17	9	8
Under 1 year----	1	-	1	-	-	-	1	-	1	1	-	1
1-4 years-----	2	2	-	-	-	-	2	2	-	2	2	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	6	4	2	5	4	1	1	-	1	1	-	1
45-49 years-----	3	2	1	1	-	1	2	2	-	1	1	-
50-54 years-----	1	1	-	-	-	-	1	1	-	1	1	-
55-59 years-----	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years-----	4	2	2	1	-	1	3	2	1	3	2	1
65-69 years-----	2	1	1	-	-	-	2	1	1	2	1	1
70-74 years-----	4	2	2	2	1	1	2	1	1	2	1	1
75-79 years-----	2	1	1	1	-	1	1	1	-	1	1	-
80-84 years-----	7	2	5	5	1	4	2	1	1	1	-	1
85-89 years-----	10	1	9	6	1	5	4	-	4	1	-	1
90-94 years-----	5	2	3	5	2	3	-	-	-	-	-	-
95-99 years-----	1	-	1	-	-	-	1	-	1	1	-	1
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Contact with other hot fluids (X12)

All ages-----	15	6	9	13	4	9	2	2	-	2	2	-
Under 1 year----	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	-	-	-	1	1	-	1	1	-
55-59 years-----	3	2	1	2	1	1	1	1	-	1	1	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Contact with steam and hot vapors (X13)												
All ages-----	5	5	-	5	5	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Contact with hot air and gases (X14)

All ages-----	2	1	1	1	-	1	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Contact with hot household appliances (X15)												
All ages-----	11	5	6	9	5	4	2	-	2	1	-	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	2	2	-	2	2	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	2	-	2	2	-	2	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	2	1	1	1	1	-	1	-	1	1	-	1
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	3	1	2	2	1	1	1	-	1	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Contact with hot heating appliances, radiators, and pipes (X16)

All ages-----	17	12	5	12	7	5	5	5	-	4	4	-
Under 1 year----	1	1	-	-	-	-	1	1	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	2	2	-	1	1	-	1	1	-	1	1	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	2	2	-	1	1	-	1	1	-	1	1	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	2	2	-	2	2	-	-	-	-	-	-	-
80-84 years-----	5	4	1	4	3	1	1	1	-	1	1	-
85-89 years-----	4	1	3	3	-	3	1	1	-	1	1	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Contact with hot engines, machinery, and tools (X17)												
All ages-----	2	1	1	-	-	-	2	1	1	2	1	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	-	-	-	1	-	1	1	-	1
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	-	-	-	1	1	-	1	1	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Contact with other hot metals (X18)

All ages-----	6	4	2	5	3	2	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	2	2	-	1	1	-	1	1	-	1	1	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Contact with other and unspecified heat and hot substances (X19)												
All ages-----	9	3	6	9	3	6	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	3	1	2	3	1	2	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	2	-	2	2	-	2	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Contact with venomous snakes and lizards (X20)

All ages-----	7	6	1	7	6	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	2	2	-	2	2	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	2	2	-	2	2	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Contact with venomous spiders (X21)												
All ages-----	6	4	2	6	4	2	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	3	3	-	3	3	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Contact with hornets, wasps, and bees (X23)

All ages-----	43	31	12	41	30	11	2	1	1	2	1	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	4	3	1	4	3	1	-	-	-	-	-	-
40-44 years-----	6	4	2	5	3	2	1	1	-	1	1	-
45-49 years-----	7	5	2	7	5	2	-	-	-	-	-	-
50-54 years-----	9	8	1	8	8	-	1	-	1	1	-	1
55-59 years-----	6	4	2	6	4	2	-	-	-	-	-	-
60-64 years-----	4	2	2	4	2	2	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years-----	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),

RACE, AND SEX - - - ALL RACES - - - - - - WHITE - - - - - - ALL OTHER - - - - - - BLACK - - -

TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Contact with centipedes and venomous millipedes (tropical) (X24)

All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Contact with other specified venomous arthropods (X25)

All ages-----	2	1	1	1	1	-	1	-	1	1	-	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	-	1	-	-	-	1	-	1	1	-	1
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Contact with unspecified venomous animal or plant (X29)												
All ages-----	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Exposure to excessive natural heat (X30)

All ages-----	594	345	249	369	217	152	225	128	97	213	121	92
Under 1 year-----	3	3	-	-	-	-	3	3	-	3	3	-
1-4 years-----	16	12	4	11	9	2	5	3	2	5	3	2
5-9 years-----	1	-	1	-	-	-	1	-	1	-	-	-
10-14 years-----	4	2	2	2	1	1	2	1	1	1	1	-
15-19 years-----	5	4	1	1	1	-	4	3	1	4	3	1
20-24 years-----	8	8	-	4	4	-	4	4	-	3	3	-
25-29 years-----	11	9	2	8	7	1	3	2	1	3	2	1
30-34 years-----	17	12	5	10	8	2	7	4	3	6	3	3
35-39 years-----	21	19	2	15	15	-	6	4	2	6	4	2
40-44 years-----	42	28	14	28	18	10	14	10	4	13	10	3
45-49 years-----	40	33	7	21	17	4	19	16	3	18	15	3
50-54 years-----	48	39	9	29	23	6	19	16	3	18	15	3
55-59 years-----	32	23	9	21	14	7	11	9	2	11	9	2
60-64 years-----	33	22	11	18	13	5	15	9	6	13	7	6
65-69 years-----	47	30	17	31	21	10	16	9	7	15	9	6
70-74 years-----	54	23	31	34	14	20	20	9	11	20	9	11
75-79 years-----	70	26	44	46	20	26	24	6	18	22	5	17
80-84 years-----	76	29	47	47	18	29	29	11	18	29	11	18
85-89 years-----	34	12	22	21	6	15	13	6	7	13	6	7
90-94 years-----	22	7	15	17	5	12	5	2	3	5	2	3
95-99 years-----	5	-	5	1	-	1	4	-	4	4	-	4
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	4	4	-	3	3	-	1	1	-	1	1	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Exposure to excessive natural cold (X31)												
All ages-----	598	380	218	423	259	164	175	121	54	139	95	44
Under 1 year-----	2	1	1	1	1	-	1	-	1	1	-	1
1-4 years-----	3	2	1	3	2	1	-	-	-	-	-	-
5-9 years-----	3	2	1	3	2	1	-	-	-	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	5	4	1	3	3	-	2	1	1	1	1	-
20-24 years-----	7	4	3	5	3	2	2	1	1	-	-	-
25-29 years-----	8	8	-	6	6	-	2	2	-	1	1	-
30-34 years-----	9	9	-	4	4	-	5	5	-	1	1	-
35-39 years-----	24	16	8	16	12	4	8	4	4	6	3	3
40-44 years-----	32	22	10	22	14	8	10	8	2	8	6	2
45-49 years-----	40	35	5	25	21	4	15	14	1	11	10	1
50-54 years-----	41	34	7	29	25	4	12	9	3	10	8	2
55-59 years-----	33	26	7	23	17	6	10	9	1	8	7	1
60-64 years-----	30	23	7	22	16	6	8	7	1	8	7	1
65-69 years-----	45	32	13	24	14	10	21	18	3	18	16	2
70-74 years-----	32	23	9	23	17	6	9	6	3	7	5	2
75-79 years-----	64	35	29	47	24	23	17	11	6	11	7	4
80-84 years-----	79	44	35	59	35	24	20	9	11	16	7	9
85-89 years-----	76	36	40	56	24	32	20	12	8	19	11	8
90-94 years-----	44	15	29	37	12	25	7	3	4	7	3	4
95-99 years-----	16	7	9	12	6	6	4	1	3	4	1	3
100 yrs & over---	3	1	2	2	1	1	1	-	1	1	-	1
Not stated-----	1	1	-	-	-	-	1	1	-	1	1	-

Exposure to sunlight (X32)

All ages-----	3	2	1	3	2	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Victim of lightning (X33)												
All ages-----	64	53	11	57	48	9	7	5	2	3	3	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	-	1	-	-	-	1	-	1	-	-	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	4	1	3	4	1	3	-	-	-	-	-	-
15-19 years-----	4	4	-	4	4	-	-	-	-	-	-	-
20-24 years-----	6	6	-	5	5	-	1	1	-	1	1	-
25-29 years-----	4	4	-	4	4	-	-	-	-	-	-	-
30-34 years-----	10	7	3	8	6	2	2	1	1	1	1	-
35-39 years-----	10	9	1	9	8	1	1	1	-	-	-	-
40-44 years-----	7	5	2	7	5	2	-	-	-	-	-	-
45-49 years-----	5	5	-	5	5	-	-	-	-	-	-	-
50-54 years-----	5	4	1	4	3	1	1	1	-	-	-	-
55-59 years-----	5	5	-	4	4	-	1	1	-	1	1	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	2	2	-	2	2	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Victim of earthquake (X34)												
All ages-----	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Victim of avalanche, landslide, and other earth movements (X36)												
All ages-----	44	38	6	42	38	4	2	-	2	1	-	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	-	1	-	-	-	1	-	1	1	-	1
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	4	4	-	4	4	-	-	-	-	-	-	-
20-24 years-----	10	8	2	10	8	2	-	-	-	-	-	-
25-29 years-----	8	8	-	8	8	-	-	-	-	-	-	-
30-34 years-----	5	4	1	5	4	1	-	-	-	-	-	-
35-39 years-----	7	5	2	6	5	1	1	-	1	-	-	-
40-44 years-----	3	3	-	3	3	-	-	-	-	-	-	-
45-49 years-----	3	3	-	3	3	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Victim of cataclysmic storm (X37)

All ages-----	129	72	57	107	57	50	22	15	7	17	12	5
Under 1 year----	3	3	-	3	3	-	-	-	-	-	-	-
1-4 years-----	1	-	1	-	-	-	1	-	1	-	-	-
5-9 years-----	3	1	2	2	1	1	1	-	1	1	-	1
10-14 years-----	3	1	2	3	1	2	-	-	-	-	-	-
15-19 years-----	2	2	-	2	2	-	-	-	-	-	-	-
20-24 years-----	4	3	1	3	3	-	1	-	1	1	-	1
25-29 years-----	7	3	4	6	3	3	1	-	1	-	-	-
30-34 years-----	4	2	2	3	2	1	1	-	1	1	-	1
35-39 years-----	11	7	4	10	6	4	1	1	-	-	-	-
40-44 years-----	17	10	7	14	7	7	3	3	-	3	3	-
45-49 years-----	9	4	5	7	2	5	2	2	-	2	2	-
50-54 years-----	15	9	6	10	5	5	5	4	1	4	3	1
55-59 years-----	9	3	6	9	3	6	-	-	-	-	-	-
60-64 years-----	7	5	2	6	4	2	1	1	-	1	1	-
65-69 years-----	10	4	6	9	3	6	1	1	-	-	-	-
70-74 years-----	4	3	1	3	2	1	1	1	-	1	1	-
75-79 years-----	9	6	3	7	4	3	2	2	-	2	2	-
80-84 years-----	6	5	1	6	5	1	-	-	-	-	-	-
85-89 years-----	4	1	3	3	1	2	1	-	1	1	-	1
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Victim of flood (X38)												
All ages-----	15	7	8	10	5	5	5	2	3	4	2	2
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	2	2	-	2	2	-	-	-	-	-	-	-
25-29 years-----	3	-	3	2	-	2	1	-	1	1	-	1
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	3	-	3	2	-	2	1	-	1	-	-	-
40-44 years-----	1	1	-	-	-	1	1	1	-	1	1	-
45-49 years-----	1	-	1	-	-	-	1	-	1	1	-	1
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	-	-	-	1	1	-	1	1	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Exposure to other and unspecified forces of nature (X39)

All ages-----	39	29	10	22	17	5	17	12	5	12	7	5
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	6	4	2	3	1	2	3	3	-	1	1	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	5	5	-	2	2	-	3	3	-	2	2	-
50-54 years-----	3	2	1	1	1	-	2	1	1	2	1	1
55-59 years-----	2	2	-	2	2	-	-	-	-	-	-	-
60-64 years-----	2	2	-	-	-	-	2	2	-	1	1	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	2	2	-	1	1	-	1	1	-	1	1	-
75-79 years-----	3	2	1	2	1	1	1	1	-	-	-	-
80-84 years-----	2	-	2	1	-	1	1	-	1	1	-	1
85-89 years-----	5	4	1	3	3	-	2	1	1	2	1	1
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	1	-	1	-	-	-	1	-	1	1	-	1
100 yrs & over---	1	-	1	-	-	-	1	-	1	1	-	1
Not stated-----	2	2	-	2	2	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Accidental poisoning by and exposure to nonopioid analgesics, antipyretics, and antirheumatics (X40)												
All ages-----	168	82	86	136	70	66	32	12	20	25	8	17
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	4	2	2	1	1	-	3	1	2	3	1	2
5-9 years-----	1	-	1	-	-	-	1	-	1	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	4	2	2	4	2	2	-	-	-	-	-	-
20-24 years-----	7	5	2	5	4	1	2	1	1	1	1	-
25-29 years-----	7	3	4	5	2	3	2	1	1	2	1	1
30-34 years-----	15	7	8	9	4	5	6	3	3	4	1	3
35-39 years-----	17	7	10	14	5	9	3	2	1	2	1	1
40-44 years-----	21	8	13	18	7	11	3	1	2	3	1	2
45-49 years-----	21	11	10	19	11	8	2	-	2	2	-	2
50-54 years-----	16	7	9	14	7	7	2	-	2	2	-	2
55-59 years-----	17	9	8	15	8	7	2	1	1	1	-	1
60-64 years-----	11	6	5	9	6	3	2	-	2	2	-	2
65-69 years-----	3	2	1	2	2	-	1	-	1	1	-	1
70-74 years-----	7	3	4	4	1	3	3	2	1	2	2	-
75-79 years-----	5	3	2	5	3	2	-	-	-	-	-	-
80-84 years-----	2	-	2	2	-	2	-	-	-	-	-	-
85-89 years-----	8	5	3	8	5	3	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Accidental poisoning by and exposure to antiepileptic, sedative-hypnotic, antiparkinsonism, and psychotropic drugs, not elsewhere classified (X41)

All ages-----	671	412	259	588	362	226	83	50	33	58	35	23
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	4	1	3	3	-	3	1	1	-	1	1	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	2	2	-	2	2	-	-	-	-	-	-	-
15-19 years-----	19	11	8	17	10	7	2	1	1	1	-	1
20-24 years-----	37	23	14	31	20	11	6	3	3	3	2	1
25-29 years-----	43	27	16	37	23	14	6	4	2	3	2	1
30-34 years-----	65	49	16	59	44	15	6	5	1	3	3	-
35-39 years-----	115	71	44	101	65	36	14	6	8	8	4	4
40-44 years-----	124	79	45	114	74	40	10	5	5	7	3	4
45-49 years-----	100	74	26	87	63	24	13	11	2	13	11	2
50-54 years-----	65	32	33	59	28	31	6	4	2	4	2	2
55-59 years-----	48	25	23	40	19	21	8	6	2	7	5	2
60-64 years-----	13	8	5	10	6	4	3	2	1	1	-	1
65-69 years-----	7	3	4	7	3	4	-	-	-	-	-	-
70-74 years-----	5	1	4	3	1	2	2	-	2	1	-	1
75-79 years-----	7	1	6	5	-	5	2	1	1	2	1	1
80-84 years-----	6	1	5	5	1	4	1	-	1	1	-	1
85-89 years-----	6	3	3	3	2	1	3	1	2	3	1	2
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	2	1	1	2	1	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	1	-	1	1	-	1	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

RACE, AND SEX

Accidental poisoning by and exposure to narcotics and psychodysleptics [hallucinogens] , not elsewhere classified (X42)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	6,009	4,808	1,201	4,573	3,727	846	1,436	1,081	355	1,355	1,023	332
Under 1 year-----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	2	1	1	-	-	-	2	1	1	2	1	1
5-9 years-----	1	-	1	-	-	-	1	-	1	1	-	1
10-14 years-----	3	2	1	2	1	1	1	1	-	1	1	-
15-19 years-----	117	90	27	104	78	26	13	12	1	11	10	1
20-24 years-----	356	296	60	302	251	51	54	45	9	49	41	8
25-29 years-----	543	448	95	452	377	75	91	71	20	79	63	16
30-34 years-----	772	612	160	598	491	107	174	121	53	164	112	52
35-39 years-----	1,100	868	232	872	710	162	228	158	70	215	149	66
40-44 years-----	1,293	1,034	259	970	805	165	323	229	94	304	216	88
45-49 years-----	1,055	848	207	757	617	140	298	231	67	288	223	65
50-54 years-----	430	345	85	280	223	57	150	122	28	145	120	25
55-59 years-----	179	151	28	129	107	22	50	44	6	47	42	5
60-64 years-----	76	62	14	44	32	12	32	30	2	32	30	2
65-69 years-----	37	29	8	26	19	7	11	10	1	10	9	1
70-74 years-----	11	7	4	8	5	3	3	2	1	2	2	-
75-79 years-----	9	4	5	8	3	5	1	1	-	1	1	-
80-84 years-----	10	4	6	9	3	6	1	1	-	1	1	-
85-89 years-----	5	-	5	4	-	4	1	-	1	1	-	1
90-94 years-----	3	1	2	3	1	2	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	6	5	1	4	3	1	2	2	-	2	2	-

Accidental poisoning by and exposure to other drugs acting on the autonomic nervous system (X43)

All ages-----	21	13	8	19	12	7	2	1	1	2	1	1
Under 1 year-----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	4	3	1	4	3	1	-	-	-	-	-	-
35-39 years-----	3	2	1	3	2	1	-	-	-	-	-	-
40-44 years-----	3	-	3	3	-	3	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	4	2	2	2	1	1	2	1	1	2	1	1
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	2	2	-	2	2	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Accidental poisoning by and exposure to other and unspecified drugs, medicaments, and biological substances (X44)												
All ages-----	4,286	2,796	1,490	3,746	2,437	1,309	540	359	181	480	324	156
Under 1 year-----	6	5	1	5	4	1	1	1	-	1	1	-
1-4 years-----	6	4	2	5	4	1	1	-	1	1	-	1
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	5	3	2	5	3	2	-	-	-	-	-	-
15-19 years-----	68	52	16	64	49	15	4	3	1	2	2	-
20-24 years-----	241	184	57	223	172	51	18	12	6	16	12	4
25-29 years-----	314	237	77	280	214	66	34	23	11	30	20	10
30-34 years-----	468	342	126	423	310	113	45	32	13	38	26	12
35-39 years-----	736	482	254	657	433	224	79	49	30	63	39	24
40-44 years-----	881	587	294	755	501	254	126	86	40	118	83	35
45-49 years-----	637	434	203	542	363	179	95	71	24	88	66	22
50-54 years-----	321	203	118	266	162	104	55	41	14	49	35	14
55-59 years-----	135	66	69	114	51	63	21	15	6	18	14	4
60-64 years-----	74	37	37	59	27	32	15	10	5	15	10	5
65-69 years-----	75	36	39	63	30	33	12	6	6	11	6	5
70-74 years-----	76	40	36	65	36	29	11	4	7	10	4	6
75-79 years-----	79	32	47	75	31	44	4	1	3	4	1	3
80-84 years-----	72	24	48	67	22	45	5	2	3	4	2	2
85-89 years-----	60	21	39	50	19	31	10	2	8	8	2	6
90-94 years-----	21	5	16	20	5	15	1	-	1	1	-	1
95-99 years-----	8	2	6	6	1	5	2	1	1	2	1	1
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	2	-	2	1	-	1	1	-	1	1	-	1

Accidental poisoning by and exposure to alcohol (X45)

All ages-----	320	254	66	239	196	43	81	58	23	46	36	10
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	7	6	1	2	2	-	5	4	1	3	3	-
20-24 years-----	17	14	3	12	11	1	5	3	2	1	1	-
25-29 years-----	14	13	1	12	12	-	2	1	1	-	-	-
30-34 years-----	24	17	7	14	9	5	10	8	2	5	4	1
35-39 years-----	49	40	9	39	33	6	10	7	3	7	6	1
40-44 years-----	71	58	13	56	50	6	15	8	7	4	2	2
45-49 years-----	54	42	12	41	33	8	13	9	4	9	6	3
50-54 years-----	31	23	8	26	19	7	5	4	1	5	4	1
55-59 years-----	26	19	7	19	12	7	7	7	-	6	6	-
60-64 years-----	10	9	1	8	7	1	2	2	-	1	1	-
65-69 years-----	9	7	2	3	2	1	6	5	1	4	3	1
70-74 years-----	3	2	1	2	2	-	1	-	1	1	-	1
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	3	3	-	3	3	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Accidental poisoning by and exposure to organic solvents and halogenated hydrocarbons and their vapors (X46)												
All ages-----	63	53	10	53	46	7	10	7	3	6	5	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	3	3	-	3	3	-	-	-	-	-	-	-
15-19 years-----	12	9	3	11	9	2	1	-	1	-	-	-
20-24 years-----	4	3	1	2	1	1	2	2	-	1	1	-
25-29 years-----	7	7	-	6	6	-	1	1	-	1	1	-
30-34 years-----	8	5	3	5	3	2	3	2	1	1	1	-
35-39 years-----	6	5	1	6	5	1	-	-	-	-	-	-
40-44 years-----	5	5	-	5	5	-	-	-	-	-	-	-
45-49 years-----	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years-----	2	2	-	1	1	-	1	1	-	1	1	-
55-59 years-----	1	-	1	-	-	-	1	-	1	1	-	1
60-64 years-----	3	3	-	3	3	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	2	2	-	2	2	-	-	-	-	-	-	-
80-84 years-----	3	3	-	2	2	-	1	1	-	1	1	-
85-89 years-----	2	2	-	2	2	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Accidental poisoning by and exposure to other gases and vapors (X47)

All ages-----	534	410	124	432	338	94	102	72	30	78	57	21
Under 1 year-----	3	3	-	3	3	-	-	-	-	-	-	-
1-4 years-----	14	6	8	8	2	6	6	4	2	4	3	1
5-9 years-----	6	5	1	1	1	-	5	4	1	4	3	1
10-14 years-----	6	4	2	4	2	2	2	2	-	1	1	-
15-19 years-----	29	21	8	25	19	6	4	2	2	1	-	1
20-24 years-----	36	29	7	32	26	6	4	3	1	4	3	1
25-29 years-----	19	17	2	19	17	2	-	-	-	-	-	-
30-34 years-----	43	35	8	34	30	4	9	5	4	5	3	2
35-39 years-----	52	45	7	38	33	5	14	12	2	10	8	2
40-44 years-----	60	52	8	50	44	6	10	8	2	9	7	2
45-49 years-----	49	39	10	38	30	8	11	9	2	11	9	2
50-54 years-----	41	32	9	31	24	7	10	8	2	7	7	-
55-59 years-----	36	26	10	30	22	8	6	4	2	4	3	1
60-64 years-----	24	21	3	19	17	2	5	4	1	5	4	1
65-69 years-----	20	15	5	19	15	4	1	-	1	-	-	-
70-74 years-----	26	15	11	19	10	9	7	5	2	6	4	2
75-79 years-----	25	17	8	22	15	7	3	2	1	3	2	1
80-84 years-----	25	16	9	23	16	7	2	-	2	1	-	1
85-89 years-----	14	7	7	12	7	5	2	-	2	2	-	2
90-94 years-----	5	4	1	4	4	-	1	-	1	1	-	1
95-99 years-----	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Accidental poisoning by and exposure to pesticides (X48)												
All ages-----	12	10	2	9	8	1	3	2	1	3	2	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	1	1	-	-	-	-	1	1	-	1	1	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	2	2	-	2	2	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	2	1	1	-	-	-	2	1	1	2	1	1
65-69 years-----	2	2	-	2	2	-	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Accidental poisoning by and exposure to other and unspecified chemicals and noxious substances (X49)

All ages-----	102	49	53	88	44	44	14	5	9	9	3	6
Under 1 year-----	1	1	-	-	-	-	1	1	-	-	-	-
1-4 years-----	3	2	1	2	1	1	1	1	-	1	1	-
5-9 years-----	2	1	1	1	-	1	1	1	-	1	1	-
10-14 years-----	5	1	4	3	1	2	2	-	2	-	-	-
15-19 years-----	3	3	-	3	3	-	-	-	-	-	-	-
20-24 years-----	5	4	1	5	4	1	-	-	-	-	-	-
25-29 years-----	4	4	-	4	4	-	-	-	-	-	-	-
30-34 years-----	4	1	3	3	1	2	1	-	1	1	-	1
35-39 years-----	2	1	1	2	1	1	-	-	-	-	-	-
40-44 years-----	9	3	6	8	2	6	1	1	-	-	-	-
45-49 years-----	6	5	1	5	5	-	1	-	1	-	-	-
50-54 years-----	8	4	4	6	4	2	2	-	2	2	-	2
55-59 years-----	5	1	4	4	1	3	1	-	1	1	-	1
60-64 years-----	6	3	3	5	2	3	1	1	-	1	1	-
65-69 years-----	4	3	1	4	3	1	-	-	-	-	-	-
70-74 years-----	12	5	7	10	5	5	2	-	2	2	-	2
75-79 years-----	10	4	6	10	4	6	-	-	-	-	-	-
80-84 years-----	7	3	4	7	3	4	-	-	-	-	-	-
85-89 years-----	5	-	5	5	-	5	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Overexertion and strenuous or repetitive movements (X50)												
All ages-----	21	17	4	19	15	4	2	2	-	2	2	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	2	2	-	2	2	-	-	-	-	-	-	-
25-29 years-----	4	3	1	3	2	1	1	1	-	1	1	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	2	2	-	1	1	-	1	1	-	1	1	-
45-49 years-----	2	2	-	2	2	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	2	2	-	2	2	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Lack of food (X53)												
All ages-----	137	40	97	128	34	94	9	6	3	7	5	2
Under 1 year----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	2	-	2	2	-	2	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	1	1	-	-	-	-	1	1	-	-	-	-
35-39 years-----	1	1	-	-	-	-	1	1	-	1	1	-
40-44 years-----	2	1	1	2	1	1	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	2	1	1	2	1	1	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	2	-	2	2	-	2	-	-	-	-	-	-
65-69 years-----	6	2	4	6	2	4	-	-	-	-	-	-
70-74 years-----	3	2	1	-	-	-	3	2	1	3	2	1
75-79 years-----	16	7	9	15	6	9	1	1	-	1	1	-
80-84 years-----	23	4	19	23	4	19	-	-	-	-	-	-
85-89 years-----	34	6	28	32	6	26	2	-	2	1	-	1
90-94 years-----	25	8	17	25	8	17	-	-	-	-	-	-
95-99 years-----	14	5	9	14	5	9	-	-	-	-	-	-
100 yrs & over---	2	1	1	1	-	1	1	1	-	1	1	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Lack of water (X54)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Unspecified privation (X57)												
All ages-----	32	15	17	28	13	15	4	2	2	4	2	2
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	2	2	-	1	1	-	1	1	-	1	1	-
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years-----	1	-	1	-	-	-	1	-	1	1	-	1
30-34 years-----	3	1	2	3	1	2	-	-	-	-	-	-
35-39 years-----	2	1	1	2	1	1	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	3	2	1	3	2	1	-	-	-	-	-	-
50-54 years-----	3	1	2	3	1	2	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	4	2	2	3	1	2	1	1	-	1	1	-
70-74 years-----	5	3	2	5	3	2	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	2	1	1	1	1	-	1	-	1	1	-	1
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Exposure to other specified factors (X58)												
All ages-----	77	51	26	57	38	19	20	13	7	17	11	6
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	2	2	-	1	1	-	1	1	-	1	1	-
15-19 years-----	3	2	1	3	2	1	-	-	-	-	-	-
20-24 years-----	5	4	1	4	3	1	1	1	-	1	1	-
25-29 years-----	2	2	-	1	1	-	1	1	-	1	1	-
30-34 years-----	5	4	1	5	4	1	-	-	-	-	-	-
35-39 years-----	2	2	-	2	2	-	-	-	-	-	-	-
40-44 years-----	3	3	-	1	1	-	2	2	-	2	2	-
45-49 years-----	5	3	2	4	2	2	1	1	-	1	1	-
50-54 years-----	5	5	-	3	3	-	2	2	-	1	1	-
55-59 years-----	3	3	-	2	2	-	1	1	-	-	-	-
60-64 years-----	6	4	2	4	3	1	2	1	1	2	1	1
65-69 years-----	3	2	1	2	2	-	1	-	1	1	-	1
70-74 years-----	6	4	2	3	2	1	3	2	1	3	2	1
75-79 years-----	6	4	2	6	4	2	-	-	-	-	-	-
80-84 years-----	10	3	7	7	2	5	3	1	2	2	1	1
85-89 years-----	5	2	3	3	2	1	2	-	2	2	-	2
90-94 years-----	3	-	3	3	-	3	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	2	1	1	2	1	1	-	-	-	-	-	-

Exposure to unspecified factor (X59)

All ages-----	7,459	3,414	4,045	6,815	3,041	3,774	644	373	271	551	317	234
Under 1 year-----	24	15	9	18	11	7	6	4	2	5	3	2
1-4 years-----	22	15	7	15	9	6	7	6	1	7	6	1
5-9 years-----	20	13	7	18	12	6	2	1	1	2	1	1
10-14 years-----	23	16	7	18	13	5	5	3	2	5	3	2
15-19 years-----	80	57	23	61	40	21	19	17	2	14	14	-
20-24 years-----	83	69	14	68	58	10	15	11	4	13	11	2
25-29 years-----	83	67	16	61	50	11	22	17	5	17	12	5
30-34 years-----	92	73	19	75	59	16	17	14	3	17	14	3
35-39 years-----	111	80	31	97	69	28	14	11	3	13	10	3
40-44 years-----	163	117	46	132	95	37	31	22	9	28	19	9
45-49 years-----	151	106	45	118	85	33	33	21	12	28	18	10
50-54 years-----	162	111	51	136	92	44	26	19	7	21	14	7
55-59 years-----	169	109	60	140	92	48	29	17	12	24	15	9
60-64 years-----	217	133	84	175	113	62	42	20	22	32	16	16
65-69 years-----	302	169	133	262	145	117	40	24	16	35	21	14
70-74 years-----	472	262	210	420	231	189	52	31	21	46	27	19
75-79 years-----	781	386	395	710	350	360	71	36	35	64	33	31
80-84 years-----	1,226	545	681	1,156	510	646	70	35	35	57	24	33
85-89 years-----	1,487	562	925	1,420	529	891	67	33	34	56	29	27
90-94 years-----	1,202	364	838	1,151	338	813	51	26	25	45	23	22
95-99 years-----	496	121	375	477	118	359	19	3	16	18	3	15
100 yrs & over---	88	19	69	82	17	65	6	2	4	4	1	3
Not stated-----	5	5	-	5	5	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Intentional self-poisoning (suicide) by and exposure to nonopioid analgesics, antipyretics, and antirheumatics (X60)												
All ages-----	173	64	109	162	60	102	11	4	7	4	3	1
Under 1 year-----
1-4 years-----
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	10	3	7	8	2	6	2	1	1	1	1	-
20-24 years-----	6	1	5	6	1	5	-	-	-	-	-	-
25-29 years-----	13	5	8	12	5	7	1	-	1	-	-	-
30-34 years-----	17	3	14	13	2	11	4	1	3	1	1	-
35-39 years-----	14	7	7	14	7	7	-	-	-	-	-	-
40-44 years-----	18	8	10	17	8	9	1	-	1	1	-	1
45-49 years-----	31	11	20	29	10	19	2	1	1	1	1	-
50-54 years-----	16	6	10	16	6	10	-	-	-	-	-	-
55-59 years-----	15	8	7	15	8	7	-	-	-	-	-	-
60-64 years-----	7	3	4	7	3	4	-	-	-	-	-	-
65-69 years-----	2	1	1	1	-	1	1	1	-	-	-	-
70-74 years-----	8	3	5	8	3	5	-	-	-	-	-	-
75-79 years-----	7	1	6	7	1	6	-	-	-	-	-	-
80-84 years-----	4	1	3	4	1	3	-	-	-	-	-	-
85-89 years-----	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Intentional self-poisoning (suicide) by and exposure to antiepileptic, sedative-hypnotic, antiparkinsonism, and psychotropic drugs, not elsewhere classified (X61)												
All ages-----	859	401	458	799	375	424	60	26	34	44	20	24
Under 1 year-----
1-4 years-----
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	3	2	1	3	2	1	-	-	-	-	-	-
15-19 years-----	13	6	7	13	6	7	-	-	-	-	-	-
20-24 years-----	25	13	12	21	11	10	4	2	2	3	2	1
25-29 years-----	43	19	24	37	17	20	6	2	4	2	1	1
30-34 years-----	76	40	36	66	36	30	10	4	6	9	4	5
35-39 years-----	110	56	54	101	52	49	9	4	5	8	3	5
40-44 years-----	158	85	73	149	83	66	9	2	7	7	2	5
45-49 years-----	135	68	67	128	64	64	7	4	3	6	3	3
50-54 years-----	103	39	64	95	36	59	8	3	5	6	2	4
55-59 years-----	55	22	33	54	22	32	1	-	1	-	-	-
60-64 years-----	32	13	19	30	11	19	2	2	-	1	1	-
65-69 years-----	27	9	18	24	6	18	3	3	-	2	2	-
70-74 years-----	26	11	15	26	11	15	-	-	-	-	-	-
75-79 years-----	20	5	15	19	5	14	1	-	1	-	-	-
80-84 years-----	19	6	13	19	6	13	-	-	-	-	-	-
85-89 years-----	8	4	4	8	4	4	-	-	-	-	-	-
90-94 years-----	5	3	2	5	3	2	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Intentional self-poisoning (suicide) by and exposure to narcotics and psychodysleptics [hallucinogens] , not elsewhere classified (X62)												
All ages-----	380	206	174	360	196	164	20	10	10	15	9	6
Under 1 year-----
1-4 years-----
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	7	1	6	7	1	6	-	-	-	-	-	-
20-24 years-----	16	8	8	15	8	7	1	-	1	1	-	1
25-29 years-----	29	18	11	27	16	11	2	-	2	2	2	-
30-34 years-----	37	18	19	34	17	17	3	1	2	1	1	-
35-39 years-----	59	33	26	55	32	23	4	1	3	3	1	2
40-44 years-----	70	38	32	65	36	29	5	2	3	5	2	3
45-49 years-----	61	37	24	57	34	23	4	3	1	3	3	-
50-54 years-----	43	25	18	43	25	18	-	-	-	-	-	-
55-59 years-----	15	6	9	15	6	9	-	-	-	-	-	-
60-64 years-----	14	5	9	14	5	9	-	-	-	-	-	-
65-69 years-----	11	5	6	11	5	6	-	-	-	-	-	-
70-74 years-----	5	3	2	5	3	2	-	-	-	-	-	-
75-79 years-----	7	5	2	6	4	2	1	1	-	-	-	-
80-84 years-----	5	3	2	5	3	2	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Intentional self-poisoning (suicide) by and exposure to other drugs acting on the autonomic nervous system (X63)

All ages-----	22	12	10	19	11	8	3	1	2	1	1	-
Under 1 year-----
1-4 years-----
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years-----	2	2	-	2	2	-	-	-	-	-	-	-
30-34 years-----	2	1	1	2	1	1	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	4	2	2	4	2	2	-	-	-	-	-	-
45-49 years-----	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years-----	3	3	-	2	2	-	1	1	-	1	1	-
55-59 years-----	4	1	3	2	1	1	2	-	2	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Intentional self-poisoning (suicide) by and exposure to other and unspecified drugs, medicaments, and biological substances (X64)												
All ages-----	1,747	828	919	1,629	768	861	118	60	58	77	41	36
Under 1 year-----
1-4 years-----
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	2	-	2	2	-	2	-	-	-	-	-	-
15-19 years-----	39	17	22	34	15	19	5	2	3	2	1	1
20-24 years-----	73	41	32	64	39	25	9	2	7	3	-	3
25-29 years-----	118	59	59	100	47	53	18	12	6	12	8	4
30-34 years-----	133	64	69	118	55	63	15	9	6	11	6	5
35-39 years-----	253	129	124	237	119	118	16	10	6	10	8	2
40-44 years-----	310	146	164	286	136	150	24	10	14	19	9	10
45-49 years-----	249	122	127	238	118	120	11	4	7	10	3	7
50-54 years-----	205	91	114	199	87	112	6	4	2	3	2	1
55-59 years-----	123	51	72	115	48	67	8	3	5	5	3	2
60-64 years-----	64	28	36	61	25	36	3	3	-	1	1	-
65-69 years-----	54	34	20	53	34	19	1	-	1	-	-	-
70-74 years-----	42	18	24	42	18	24	-	-	-	-	-	-
75-79 years-----	43	11	32	41	10	31	2	1	1	1	-	1
80-84 years-----	25	12	13	25	12	13	-	-	-	-	-	-
85-89 years-----	8	2	6	8	2	6	-	-	-	-	-	-
90-94 years-----	5	2	3	5	2	3	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	1	1	-	1	1	-	-	-	-	-	-	-

Intentional self-poisoning (suicide) by and exposure to alcohol (X65)

All ages-----	24	17	7	22	15	7	2	2	-	2	2	-
Under 1 year-----
1-4 years-----
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	2	1	1	2	1	1	-	-	-	-	-	-
35-39 years-----	5	4	1	4	3	1	1	1	-	1	1	-
40-44 years-----	5	5	-	4	4	-	1	1	-	1	1	-
45-49 years-----	2	-	2	2	2	-	-	-	-	-	-	-
50-54 years-----	4	3	1	4	3	1	-	-	-	-	-	-
55-59 years-----	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years-----	2	2	-	2	2	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Intentional self-poisoning (suicide) by and exposure to organic solvents and halogenated hydrocarbons and their vapors (X66)												
All ages-----	64	49	15	61	48	13	3	1	2	2	-	2
Under 1 year-----
1-4 years-----
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	15	13	2	15	13	2	-	-	-	-	-	-
30-34 years-----	9	8	1	9	8	1	-	-	-	-	-	-
35-39 years-----	10	9	1	9	9	-	1	-	1	1	-	1
40-44 years-----	9	4	5	8	4	4	1	-	1	1	-	1
45-49 years-----	5	4	1	4	3	1	1	1	-	-	-	-
50-54 years-----	3	2	1	3	2	1	-	-	-	-	-	-
55-59 years-----	6	4	2	6	4	2	-	-	-	-	-	-
60-64 years-----	4	2	2	4	2	2	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	2	2	-	2	2	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Intentional self-poisoning (suicide) by and exposure to other gases and vapors (X67)

All ages-----	1,535	1,191	344	1,470	1,143	327	65	48	17	41	33	8
Under 1 year-----
1-4 years-----
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	33	28	5	32	27	5	1	1	-	1	1	-
20-24 years-----	99	86	13	94	82	12	5	4	1	1	1	-
25-29 years-----	101	85	16	86	74	12	15	11	4	9	7	2
30-34 years-----	179	139	40	172	134	38	7	5	2	4	3	1
35-39 years-----	199	159	40	192	154	38	7	5	2	4	4	-
40-44 years-----	212	170	42	199	161	38	13	9	4	12	8	4
45-49 years-----	198	149	49	187	140	47	11	9	2	7	7	-
50-54 years-----	148	103	45	145	101	44	3	2	1	1	1	-
55-59 years-----	90	65	25	89	64	25	1	1	-	-	-	-
60-64 years-----	61	41	20	60	40	20	1	1	-	1	1	-
65-69 years-----	33	26	7	32	26	6	1	-	1	1	-	1
70-74 years-----	34	23	11	34	23	11	-	-	-	-	-	-
75-79 years-----	56	40	16	56	40	16	-	-	-	-	-	-
80-84 years-----	42	30	12	42	30	12	-	-	-	-	-	-
85-89 years-----	38	35	3	38	35	3	-	-	-	-	-	-
90-94 years-----	11	11	-	11	11	-	-	-	-	-	-	-
95-99 years-----	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Intentional self-poisoning (suicide) by and exposure to pesticides (X68)												
All ages-----	16	12	4	11	9	2	5	3	2	2	1	1
Under 1 year-----
1-4 years-----
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	-	1	-	-	-	1	-	1	1	-	1
35-39 years-----	1	1	-	-	-	-	1	1	-	1	1	-
40-44 years-----	3	3	-	3	3	-	-	-	-	-	-	-
45-49 years-----	3	2	1	1	1	-	2	1	1	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	3	2	1	3	2	1	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	1	1	-	-	-	-	1	1	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Intentional self-poisoning (suicide) by and exposure to other and unspecified chemicals and noxious substances (X69)

All ages-----	73	47	26	61	39	22	12	8	4	4	3	1
Under 1 year-----
1-4 years-----
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	3	2	1	1	1	-	2	1	1	-	-	-
25-29 years-----	4	3	1	-	-	-	4	3	1	1	1	-
30-34 years-----	4	2	2	2	2	-	2	-	2	1	-	1
35-39 years-----	5	2	3	5	2	3	-	-	-	-	-	-
40-44 years-----	10	8	2	9	7	2	1	1	-	-	-	-
45-49 years-----	12	8	4	12	8	4	-	-	-	-	-	-
50-54 years-----	12	8	4	11	7	4	1	1	-	1	1	-
55-59 years-----	6	4	2	5	3	2	1	1	-	-	-	-
60-64 years-----	7	4	3	7	4	3	-	-	-	-	-	-
65-69 years-----	3	2	1	2	1	1	1	1	-	1	1	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	3	2	1	3	2	1	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Intentional self harm (suicide) by hanging, strangulation, and suffocation (X70)												
All ages-----	5,427	4,490	937	4,672	3,886	786	755	604	151	377	334	43
Under 1 year----
1-4 years-----
5-9 years-----	2	2	-	2	2	-	-	-	-	-	-	-
10-14 years-----	125	103	22	99	83	16	26	20	6	22	16	6
15-19 years-----	434	347	87	351	284	67	83	63	20	39	30	9
20-24 years-----	532	456	76	442	384	58	90	72	18	48	44	4
25-29 years-----	615	526	89	510	441	69	105	85	20	55	49	6
30-34 years-----	708	613	95	599	523	76	109	90	19	62	55	7
35-39 years-----	738	644	94	641	559	82	97	85	12	57	55	2
40-44 years-----	614	520	94	557	472	85	57	48	9	35	31	4
45-49 years-----	418	349	69	375	311	64	43	38	5	20	20	-
50-54 years-----	314	250	64	276	219	57	38	31	7	14	13	1
55-59 years-----	189	159	30	167	141	26	22	18	4	5	4	1
60-64 years-----	139	107	32	117	93	24	22	14	8	5	3	2
65-69 years-----	136	94	42	115	82	33	21	12	9	9	8	1
70-74 years-----	113	86	27	102	78	24	11	8	3	2	2	-
75-79 years-----	129	87	42	112	75	37	17	12	5	3	3	-
80-84 years-----	99	64	35	92	61	31	7	3	4	-	-	-
85-89 years-----	75	52	23	68	47	21	7	5	2	1	1	-
90-94 years-----	34	22	12	34	22	12	-	-	-	-	-	-
95-99 years-----	9	5	4	9	5	4	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	4	4	-	4	4	-	-	-	-	-	-	-

Intentional self harm (suicide) by drowning and submersion (X71)

All ages-----	311	201	110	239	155	84	72	46	26	57	41	16
Under 1 year----
1-4 years-----
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	12	10	2	5	5	-	7	5	2	6	5	1
20-24 years-----	19	14	5	12	8	4	7	6	1	5	5	-
25-29 years-----	13	11	2	9	8	1	4	3	1	3	2	1
30-34 years-----	23	17	6	11	9	2	12	8	4	10	8	2
35-39 years-----	42	30	12	33	22	11	9	8	1	8	7	1
40-44 years-----	40	22	18	33	17	16	7	5	2	6	4	2
45-49 years-----	23	14	9	16	12	4	7	2	5	4	2	2
50-54 years-----	27	17	10	20	15	5	7	2	5	4	1	3
55-59 years-----	10	8	2	7	6	1	3	2	1	3	2	1
60-64 years-----	16	9	7	14	8	6	2	1	1	1	1	-
65-69 years-----	16	11	5	15	10	5	1	1	-	1	1	-
70-74 years-----	18	6	12	17	6	11	1	-	1	1	-	1
75-79 years-----	12	7	5	11	6	5	1	1	-	1	1	-
80-84 years-----	16	10	6	15	10	5	1	-	1	1	-	1
85-89 years-----	13	9	4	13	9	4	-	-	-	-	-	-
90-94 years-----	7	2	5	6	2	4	1	-	1	1	-	1
95-99 years-----	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	3	3	-	1	1	-	2	2	-	2	2	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Intentional self harm (suicide) by handgun discharge (X72)												
All ages-----	3,476	2,922	554	3,155	2,643	512	321	279	42	203	180	23
Under 1 year-----
1-4 years-----
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	20	12	8	19	11	8	1	1	-	-	-	-
15-19 years-----	180	141	39	143	109	34	37	32	5	22	20	2
20-24 years-----	254	228	26	195	176	19	59	52	7	39	34	5
25-29 years-----	252	215	37	206	173	33	46	42	4	34	32	2
30-34 years-----	264	218	46	222	180	42	42	38	4	30	28	2
35-39 years-----	309	248	61	282	224	58	27	24	3	14	11	3
40-44 years-----	306	243	63	281	223	58	25	20	5	11	8	3
45-49 years-----	315	244	71	293	230	63	22	14	8	12	9	3
50-54 years-----	276	230	46	262	219	43	14	11	3	7	6	1
55-59 years-----	233	189	44	220	176	44	13	13	-	6	6	-
60-64 years-----	165	141	24	153	129	24	12	12	-	9	9	-
65-69 years-----	191	163	28	184	158	26	7	5	2	6	5	1
70-74 years-----	215	190	25	211	186	25	4	4	-	3	3	-
75-79 years-----	216	200	16	211	195	16	5	5	-	5	5	-
80-84 years-----	150	141	9	147	138	9	3	3	-	1	1	-
85-89 years-----	104	98	6	101	96	5	3	2	1	3	2	1
90-94 years-----	15	12	3	15	12	3	-	-	-	-	-	-
95-99 years-----	10	8	2	9	7	2	1	1	-	1	1	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	1	1	-	1	1	-	-	-	-	-	-	-

Intentional self harm (suicide) by rifle, shotgun, and larger firearm discharge (X73)

All ages-----	2,776	2,600	176	2,633	2,461	172	143	139	4	106	103	3
Under 1 year-----
1-4 years-----
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	24	20	4	24	20	4	-	-	-	-	-	-
15-19 years-----	203	192	11	188	177	11	15	15	-	9	9	-
20-24 years-----	281	269	12	258	246	12	23	23	-	19	19	-
25-29 years-----	210	195	15	184	171	13	26	24	2	15	14	1
30-34 years-----	242	219	23	226	204	22	16	15	1	12	11	1
35-39 years-----	298	264	34	281	247	34	17	17	-	13	13	-
40-44 years-----	236	216	20	228	209	19	8	7	1	5	4	1
45-49 years-----	245	223	22	240	218	22	5	5	-	3	3	-
50-54 years-----	182	175	7	177	170	7	5	5	-	4	4	-
55-59 years-----	175	165	10	165	155	10	10	10	-	9	9	-
60-64 years-----	115	111	4	111	107	4	4	4	-	4	4	-
65-69 years-----	112	107	5	108	103	5	4	4	-	4	4	-
70-74 years-----	153	152	1	149	148	1	4	4	-	3	3	-
75-79 years-----	114	111	3	113	110	3	1	1	-	1	1	-
80-84 years-----	99	95	4	98	94	4	1	1	-	1	1	-
85-89 years-----	74	73	1	70	69	1	4	4	-	4	4	-
90-94 years-----	12	12	-	12	12	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	1	1	-	1	1	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Intentional self harm (suicide) by other and unspecified firearm discharge (X74)												
All ages-----	10,347	8,957	1,390	9,347	8,063	1,284	1,000	894	106	816	735	81
Under 1 year----
1-4 years-----
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	59	48	11	51	41	10	8	7	1	5	4	1
15-19 years-----	592	534	58	486	438	48	106	96	10	89	80	9
20-24 years-----	805	719	86	629	561	68	176	158	18	149	136	13
25-29 years-----	830	727	103	691	601	90	139	126	13	107	98	9
30-34 years-----	823	696	127	724	609	115	99	87	12	74	67	7
35-39 years-----	1,010	837	173	889	729	160	121	108	13	98	89	9
40-44 years-----	938	778	160	872	717	155	66	61	5	58	54	4
45-49 years-----	902	754	148	827	691	136	75	63	12	62	52	10
50-54 years-----	757	625	132	715	585	130	42	40	2	32	30	2
55-59 years-----	650	528	122	613	496	117	37	32	5	31	27	4
60-64 years-----	522	460	62	492	436	56	30	24	6	23	19	4
65-69 years-----	524	472	52	493	446	47	31	26	5	26	21	5
70-74 years-----	596	531	65	569	504	65	27	27	-	23	23	-
75-79 years-----	616	564	52	593	544	49	23	20	3	22	19	3
80-84 years-----	411	388	23	395	373	22	16	15	1	13	12	1
85-89 years-----	221	205	16	219	203	16	2	2	-	2	2	-
90-94 years-----	75	75	-	73	73	-	2	2	-	2	2	-
95-99 years-----	13	13	-	13	13	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	3	3	-	3	3	-	-	-	-	-	-	-

Intentional self harm (suicide) by explosive material (X75)

All ages-----	8	7	1	7	6	1	1	1	-	1	1	-
Under 1 year----
1-4 years-----
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	-	-	-	1	1	-	1	1	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	4	3	1	4	3	1	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	1	1	-	1	1	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Intentional self harm (suicide) by smoke, fire, and flames (X76)												
All ages-----	171	114	57	139	92	47	32	22	10	20	11	9
Under 1 year----
1-4 years-----
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	7	6	1	7	6	1	-	-	-	-	-	-
20-24 years-----	11	9	2	9	8	1	2	1	1	2	1	1
25-29 years-----	8	7	1	6	5	1	2	2	-	2	2	-
30-34 years-----	22	14	8	16	10	6	6	4	2	3	1	2
35-39 years-----	19	10	9	14	7	7	5	3	2	4	2	2
40-44 years-----	23	14	9	20	12	8	3	2	1	1	-	1
45-49 years-----	25	19	6	22	17	5	3	2	1	2	1	1
50-54 years-----	16	10	6	11	6	5	5	4	1	2	2	-
55-59 years-----	10	8	2	10	8	2	-	-	-	-	-	-
60-64 years-----	9	6	3	6	4	2	3	2	1	2	1	1
65-69 years-----	7	5	2	5	3	2	2	2	-	1	1	-
70-74 years-----	5	3	2	4	3	1	1	-	1	1	-	1
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	2	-	2	2	-	2	-	-	-	-	-	-
85-89 years-----	4	1	3	4	1	3	-	-	-	-	-	-
90-94 years-----	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Intentional self harm (suicide) by sharp object (X78)

All ages-----	404	328	76	352	289	63	52	39	13	27	19	8
Under 1 year----
1-4 years-----
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	2	1	1	1	1	-	1	-	1	1	-	1
20-24 years-----	14	14	-	10	10	-	4	4	-	2	2	-
25-29 years-----	24	22	2	16	16	-	8	6	2	2	2	-
30-34 years-----	34	27	7	29	23	6	5	4	1	1	1	-
35-39 years-----	42	35	7	35	29	6	7	6	1	3	3	-
40-44 years-----	48	37	11	43	34	9	5	3	2	4	2	2
45-49 years-----	64	54	10	59	50	9	5	4	1	4	3	1
50-54 years-----	51	42	9	49	40	9	2	2	-	1	1	-
55-59 years-----	34	24	10	29	21	8	5	3	2	3	1	2
60-64 years-----	17	11	6	14	10	4	3	1	2	1	-	1
65-69 years-----	23	18	5	19	14	5	4	4	-	3	3	-
70-74 years-----	13	10	3	11	8	3	2	2	-	1	1	-
75-79 years-----	15	13	2	15	13	2	-	-	-	-	-	-
80-84 years-----	11	11	-	11	11	-	-	-	-	-	-	-
85-89 years-----	6	5	1	6	5	1	-	-	-	-	-	-
90-94 years-----	5	4	1	4	4	-	1	-	1	1	-	1
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Intentional self harm (suicide) by blunt object (X79)												
All ages-----	3	3	-	3	3	-	-	-	-	-	-	-
Under 1 year-----
1-4 years-----
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Intentional self harm (suicide) by jumping from a high place (X80)

All ages-----	693	504	189	565	412	153	128	92	36	79	60	19
Under 1 year-----
1-4 years-----
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	2	2	-	2	2	-	-	-	-	-	-	-
15-19 years-----	38	26	12	29	20	9	9	6	3	5	5	-
20-24 years-----	74	61	13	55	45	10	19	16	3	13	10	3
25-29 years-----	57	46	11	43	35	8	14	11	3	9	7	2
30-34 years-----	58	46	12	45	34	11	13	12	1	10	9	1
35-39 years-----	91	65	26	72	50	22	19	15	4	13	10	3
40-44 years-----	82	62	20	69	56	13	13	6	7	8	6	2
45-49 years-----	69	53	16	57	44	13	12	9	3	7	5	2
50-54 years-----	46	31	15	40	26	14	6	5	1	4	3	1
55-59 years-----	30	18	12	25	15	10	5	3	2	3	1	2
60-64 years-----	19	9	10	16	7	9	3	2	1	2	2	-
65-69 years-----	25	16	9	22	15	7	3	1	2	1	-	1
70-74 years-----	27	21	6	24	19	5	3	2	1	2	1	1
75-79 years-----	24	14	10	22	14	8	2	-	2	1	-	1
80-84 years-----	27	18	9	22	16	6	5	2	3	1	1	-
85-89 years-----	17	11	6	16	10	6	1	1	-	-	-	-
90-94 years-----	4	3	1	4	3	1	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	2	2	-	1	1	-	1	1	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Intentional self harm (suicide) by jumping or lying before moving object (X81)												
All ages-----	272	199	73	219	160	59	53	39	14	39	29	10
Under 1 year----
1-4 years-----
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	3	1	2	1	-	1	2	1	1	1	1	-
15-19 years-----	23	17	6	20	15	5	3	2	1	2	1	1
20-24 years-----	30	26	4	24	20	4	6	6	-	4	4	-
25-29 years-----	26	21	5	19	16	3	7	5	2	4	3	1
30-34 years-----	36	31	5	29	25	4	7	6	1	6	5	1
35-39 years-----	33	20	13	26	14	12	7	6	1	6	5	1
40-44 years-----	38	28	10	30	24	6	8	4	4	7	4	3
45-49 years-----	21	14	7	16	11	5	5	3	2	4	3	1
50-54 years-----	18	12	6	16	10	6	2	2	-	2	2	-
55-59 years-----	12	8	4	11	7	4	1	1	-	1	1	-
60-64 years-----	4	4	-	3	3	-	1	1	-	-	-	-
65-69 years-----	5	2	3	5	2	3	-	-	-	-	-	-
70-74 years-----	12	8	4	9	7	2	3	1	2	2	-	2
75-79 years-----	3	2	1	3	2	1	-	-	-	-	-	-
80-84 years-----	8	5	3	7	4	3	1	1	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Intentional self harm (suicide) by crashing of motor vehicle (X82)

All ages-----	87	59	28	80	53	27	7	6	1	6	5	1
Under 1 year----
1-4 years-----
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	5	3	2	5	3	2	-	-	-	-	-	-
20-24 years-----	13	7	6	13	7	6	-	-	-	-	-	-
25-29 years-----	9	7	2	8	6	2	1	1	-	1	1	-
30-34 years-----	8	6	2	7	5	2	1	1	-	1	1	-
35-39 years-----	14	12	2	12	10	2	2	2	-	1	1	-
40-44 years-----	14	11	3	12	9	3	2	2	-	2	2	-
45-49 years-----	4	3	1	4	3	1	-	-	-	-	-	-
50-54 years-----	7	2	5	7	2	5	-	-	-	-	-	-
55-59 years-----	3	3	-	3	3	-	-	-	-	-	-	-
60-64 years-----	2	1	1	2	1	1	-	-	-	-	-	-
65-69 years-----	3	1	2	2	1	1	1	-	1	1	-	1
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Intentional self harm (suicide) by other specified means (X83)												
All ages-----	196	142	54	173	126	47	23	16	7	18	13	5
Under 1 year----
1-4 years-----
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	6	4	2	5	3	2	1	1	-	1	1	-
20-24 years-----	14	10	4	11	8	3	3	2	1	2	1	1
25-29 years-----	16	13	3	13	11	2	3	2	1	3	2	1
30-34 years-----	17	14	3	14	12	2	3	2	1	2	2	-
35-39 years-----	21	16	5	18	13	5	3	3	-	3	3	-
40-44 years-----	21	15	6	19	14	5	2	1	1	2	1	1
45-49 years-----	18	15	3	16	14	2	2	1	1	1	1	-
50-54 years-----	22	17	5	21	16	5	1	1	-	1	1	-
55-59 years-----	9	6	3	8	6	2	1	-	1	1	-	1
60-64 years-----	11	8	3	10	7	3	1	1	-	-	-	-
65-69 years-----	10	4	6	8	3	5	2	1	1	2	1	1
70-74 years-----	7	6	1	6	5	1	1	1	-	-	-	-
75-79 years-----	8	7	1	8	7	1	-	-	-	-	-	-
80-84 years-----	10	5	5	10	5	5	-	-	-	-	-	-
85-89 years-----	3	1	2	3	1	2	-	-	-	-	-	-
90-94 years-----	3	1	2	3	1	2	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Intentional self harm (suicide) by unspecified means (X84)

All ages-----	116	90	26	104	80	24	12	10	2	8	6	2
Under 1 year----
1-4 years-----
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	8	8	-	7	7	-	1	1	-	1	1	-
20-24 years-----	14	13	1	13	12	1	1	1	-	-	-	-
25-29 years-----	8	7	1	7	6	1	1	1	-	-	-	-
30-34 years-----	9	8	1	6	6	-	3	2	1	3	2	1
35-39 years-----	10	6	4	10	6	4	-	-	-	-	-	-
40-44 years-----	13	9	4	11	8	3	2	1	1	2	1	1
45-49 years-----	14	7	7	13	6	7	1	1	-	-	-	-
50-54 years-----	11	11	-	9	9	-	2	2	-	1	1	-
55-59 years-----	3	3	-	2	2	-	1	1	-	1	1	-
60-64 years-----	6	4	2	6	4	2	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	6	5	1	6	5	1	-	-	-	-	-	-
75-79 years-----	4	3	1	4	3	1	-	-	-	-	-	-
80-84 years-----	3	2	1	3	2	1	-	-	-	-	-	-
85-89 years-----	4	2	2	4	2	2	-	-	-	-	-	-
90-94 years-----	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

RACE, AND SEX - - - ALL RACES - - - - - - WHITE - - - - - - ALL OTHER - - - - - - BLACK - - -

Assault (homicide) by drugs, medicaments, and biological substances (X85)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	40	19	21	35	17	18	5	2	3	5	2	3
Under 1 year----	4	2	2	3	2	1	1	-	1	1	-	1
1-4 years-----	4	1	3	3	1	2	1	-	1	1	-	1
5-9 years-----	2	-	2	2	-	2	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	2	-	2	2	-	2	-	-	-	-	-	-
20-24 years-----	5	1	4	5	1	4	-	-	-	-	-	-
25-29 years-----	5	2	3	4	2	2	1	-	1	1	-	1
30-34 years-----	4	3	1	3	2	1	1	1	-	1	1	-
35-39 years-----	2	2	-	2	2	-	-	-	-	-	-	-
40-44 years-----	5	3	2	4	2	2	1	1	-	1	1	-
45-49 years-----	2	2	-	2	2	-	-	-	-	-	-	-
50-54 years-----	3	2	1	3	2	1	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Assault (homicide) by corrosive substance (X86)

All ages-----	2	1	1	1	-	1	1	1	-	1	1	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	-	-	-	1	1	-	1	1	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),

RACE, AND SEX - - - ALL RACES - - - - - - WHITE - - - - - - ALL OTHER - - - - - - BLACK - - -

TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Assault (homicide) by gases and vapors (X88)

All ages-----	19	9	10	18	8	10	1	1	-	1	1	-
Under 1 year----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	3	1	2	3	1	2	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	2	1	1	2	1	1	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	2	1	1	2	1	1	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	1	1	-	-	-	-	1	1	-	1	1	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	2	-	2	2	-	2	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Assault (homicide) by other specified chemicals and noxious substances (X89)

All ages-----	4	3	1	4	3	1	-	-	-	-	-	-
Under 1 year----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Assault (homicide) by unspecified chemical or noxious substance (X90)												
All ages-----	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Assault (homicide) by hanging, strangulation, and suffocation (X91)

All ages-----	708	238	470	450	161	289	258	77	181	222	67	155
Under 1 year-----	34	22	12	22	14	8	12	8	4	11	7	4
1-4 years-----	21	11	10	14	7	7	7	4	3	6	3	3
5-9 years-----	14	6	8	12	5	7	2	1	1	2	1	1
10-14 years-----	19	7	12	16	7	9	3	-	3	2	-	2
15-19 years-----	45	9	36	25	5	20	20	4	16	18	3	15
20-24 years-----	69	15	54	43	8	35	26	7	19	21	7	14
25-29 years-----	81	20	61	46	12	34	35	8	27	31	8	23
30-34 years-----	90	27	63	53	17	36	37	10	27	31	8	23
35-39 years-----	88	28	60	51	17	34	37	11	26	33	10	23
40-44 years-----	65	17	48	37	11	26	28	6	22	22	4	18
45-49 years-----	37	14	23	24	9	15	13	5	8	9	3	6
50-54 years-----	28	12	16	20	10	10	8	2	6	8	2	6
55-59 years-----	17	11	6	12	8	4	5	3	2	5	3	2
60-64 years-----	9	2	7	4	2	2	5	-	5	5	-	5
65-69 years-----	29	18	11	22	13	9	7	5	2	7	5	2
70-74 years-----	16	4	12	12	4	8	4	-	4	3	-	3
75-79 years-----	19	5	14	15	4	11	4	1	3	3	1	2
80-84 years-----	8	2	6	6	2	4	2	-	2	2	-	2
85-89 years-----	9	4	5	8	3	5	1	1	-	1	1	-
90-94 years-----	3	1	2	3	1	2	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	7	3	4	5	2	3	2	1	1	2	1	1

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Assault (homicide) by drowning and submersion (X92)												
All ages-----	70	40	30	43	22	21	27	18	9	23	15	8
Under 1 year----	13	9	4	8	5	3	5	4	1	4	3	1
1-4 years-----	10	6	4	5	3	2	5	3	2	5	3	2
5-9 years-----	7	3	4	3	1	2	4	2	2	4	2	2
10-14 years-----	1	1	-	-	-	-	1	1	-	-	-	-
15-19 years-----	2	-	2	1	-	1	1	-	1	1	-	1
20-24 years-----	3	1	2	3	1	2	-	-	-	-	-	-
25-29 years-----	7	5	2	2	2	-	5	3	2	3	2	1
30-34 years-----	4	1	3	2	-	2	2	1	1	2	1	1
35-39 years-----	7	5	2	6	4	2	1	1	-	1	1	-
40-44 years-----	5	3	2	4	2	2	1	1	-	1	1	-
45-49 years-----	2	2	-	1	1	-	1	1	-	1	1	-
50-54 years-----	2	2	-	1	1	-	1	1	-	1	1	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	4	1	3	4	1	3	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	1	1	-	1	1	-	-	-	-	-	-	-

Assault (homicide) by handgun discharge (X93)

All ages-----	1,082	862	220	529	398	131	553	464	89	500	427	73
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	8	2	6	6	2	4	2	-	2	1	-	1
5-9 years-----	7	6	1	3	3	-	4	3	1	3	3	-
10-14 years-----	25	18	7	15	10	5	10	8	2	7	5	2
15-19 years-----	178	148	30	73	60	13	105	88	17	93	78	15
20-24 years-----	235	206	29	86	73	13	149	133	16	139	127	12
25-29 years-----	167	140	27	71	58	13	96	82	14	86	74	12
30-34 years-----	111	87	24	54	40	14	57	47	10	53	44	9
35-39 years-----	99	72	27	54	38	16	45	34	11	43	33	10
40-44 years-----	82	58	24	47	31	16	35	27	8	34	27	7
45-49 years-----	50	41	9	29	22	7	21	19	2	20	18	2
50-54 years-----	36	24	12	27	19	8	9	5	4	6	3	3
55-59 years-----	24	19	5	13	9	4	11	10	1	7	7	-
60-64 years-----	24	19	5	19	15	4	5	4	1	4	4	-
65-69 years-----	12	9	3	9	6	3	3	3	-	3	3	-
70-74 years-----	9	4	5	9	4	5	-	-	-	-	-	-
75-79 years-----	8	5	3	7	4	3	1	1	-	1	1	-
80-84 years-----	4	2	2	4	2	2	-	-	-	-	-	-
85-89 years-----	2	2	-	2	2	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

RACE, AND SEX

Assault (homicide) by rifle, shotgun, and larger firearm discharge (X94)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	693	512	181	415	294	121	278	218	60	248	196	52
Under 1 year----	1	-	1	-	-	-	1	-	1	-	-	-
1-4 years-----	9	4	5	2	2	-	7	2	5	5	-	5
5-9 years-----	7	6	1	4	4	-	3	2	1	2	1	1
10-14 years-----	14	8	6	13	8	5	1	-	1	1	-	1
15-19 years-----	92	79	13	44	36	8	48	43	5	41	37	4
20-24 years-----	106	88	18	48	38	10	58	50	8	53	45	8
25-29 years-----	78	62	16	38	27	11	40	35	5	37	33	4
30-34 years-----	74	57	17	54	42	12	20	15	5	16	13	3
35-39 years-----	80	54	26	51	38	13	29	16	13	26	15	11
40-44 years-----	79	54	25	51	32	19	28	22	6	26	20	6
45-49 years-----	47	32	15	34	23	11	13	9	4	13	9	4
50-54 years-----	33	24	9	16	11	5	17	13	4	15	12	3
55-59 years-----	18	16	2	16	14	2	2	2	-	2	2	-
60-64 years-----	19	12	7	14	7	7	5	5	-	5	5	-
65-69 years-----	9	5	4	9	5	4	-	-	-	-	-	-
70-74 years-----	13	6	7	10	5	5	3	1	2	3	1	2
75-79 years-----	5	2	3	3	-	3	2	2	-	2	2	-
80-84 years-----	4	1	3	4	1	3	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	2	1	1	1	-	1	1	1	-	1	1	-

Assault (homicide) by other and unspecified firearm discharge (X95)

All ages-----	9,053	7,570	1,483	3,974	3,128	846	5,079	4,442	637	4,829	4,260	569
Under 1 year----	7	5	2	4	4	-	3	1	2	2	1	1
1-4 years-----	33	20	13	18	10	8	15	10	5	12	7	5
5-9 years-----	47	25	22	25	13	12	22	12	10	18	11	7
10-14 years-----	124	92	32	67	48	19	57	44	13	51	41	10
15-19 years-----	1,438	1,271	167	545	471	74	893	800	93	857	768	89
20-24 years-----	1,989	1,777	212	688	577	111	1,301	1,200	101	1,267	1,172	95
25-29 years-----	1,550	1,366	184	566	483	83	984	883	101	945	854	91
30-34 years-----	1,068	897	171	454	358	96	614	539	75	587	519	68
35-39 years-----	875	681	194	450	332	118	425	349	76	399	330	69
40-44 years-----	653	495	158	358	265	93	295	230	65	276	218	58
45-49 years-----	454	353	101	250	185	65	204	168	36	189	156	33
50-54 years-----	273	202	71	170	132	38	103	70	33	83	62	21
55-59 years-----	164	132	32	110	83	27	54	49	5	50	46	4
60-64 years-----	124	96	28	80	58	22	44	38	6	36	30	6
65-69 years-----	81	54	27	61	39	22	20	15	5	17	14	3
70-74 years-----	69	46	23	50	31	19	19	15	4	16	13	3
75-79 years-----	48	27	21	33	16	17	15	11	4	14	11	3
80-84 years-----	26	11	15	21	8	13	5	3	2	4	2	2
85-89 years-----	14	5	9	13	4	9	1	1	-	1	1	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	2	1	1	1	1	-	1	-	1	1	-	1
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	13	13	-	9	9	-	4	4	-	4	4	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Assault (homicide) by explosive material (X96)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Assault (homicide) by smoke, fire, and flames (X97)

All ages-----	190	92	98	107	53	54	83	39	44	78	37	41
Under 1 year-----	7	3	4	2	2	-	5	1	4	5	1	4
1-4 years-----	22	10	12	13	7	6	9	3	6	9	3	6
5-9 years-----	21	11	10	11	4	7	10	7	3	10	7	3
10-14 years-----	9	3	6	7	2	5	2	1	1	2	1	1
15-19 years-----	9	2	7	1	-	1	8	2	6	6	1	5
20-24 years-----	10	1	9	5	-	5	5	1	4	4	1	3
25-29 years-----	12	7	5	4	2	2	8	5	3	8	5	3
30-34 years-----	9	1	8	6	1	5	3	-	3	3	-	3
35-39 years-----	17	8	9	8	5	3	9	3	6	8	2	6
40-44 years-----	18	10	8	7	3	4	11	7	4	10	7	3
45-49 years-----	9	6	3	6	4	2	3	2	1	3	2	1
50-54 years-----	10	6	4	7	4	3	3	2	1	3	2	1
55-59 years-----	6	4	2	4	3	1	2	1	1	2	1	1
60-64 years-----	6	5	1	6	5	1	-	-	-	-	-	-
65-69 years-----	6	4	2	6	4	2	-	-	-	-	-	-
70-74 years-----	7	5	2	5	3	2	2	2	-	2	2	-
75-79 years-----	5	3	2	3	2	1	2	1	1	2	1	1
80-84 years-----	3	1	2	3	1	2	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	3	2	1	2	1	1	1	1	-	1	1	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Assault (homicide) by steam, hot vapors, and hot objects (X98)												
All ages-----	7	2	5	2	1	1	5	1	4	5	1	4
Under 1 year-----	1	1	-	-	-	-	1	1	-	1	1	-
1-4 years-----	5	1	4	1	1	-	4	-	4	4	-	4
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Assault (homicide) by sharp object (X99)

All ages-----	1,879	1,350	529	1,056	750	306	823	600	223	730	534	196
Under 1 year-----	3	1	2	1	-	1	2	1	1	2	1	1
1-4 years-----	18	4	14	9	2	7	9	2	7	6	1	5
5-9 years-----	13	10	3	11	8	3	2	2	-	2	2	-
10-14 years-----	20	7	13	12	5	7	8	2	6	8	2	6
15-19 years-----	159	124	35	87	67	20	72	57	15	63	49	14
20-24 years-----	252	187	65	142	109	33	110	78	32	102	71	31
25-29 years-----	218	161	57	135	105	30	83	56	27	71	47	24
30-34 years-----	249	178	71	135	95	40	114	83	31	99	72	27
35-39 years-----	249	178	71	121	81	40	128	97	31	114	89	25
40-44 years-----	221	174	47	118	89	29	103	85	18	93	77	16
45-49 years-----	148	109	39	77	60	17	71	49	22	63	44	19
50-54 years-----	101	72	29	62	45	17	39	27	12	34	25	9
55-59 years-----	65	47	18	40	24	16	25	23	2	21	19	2
60-64 years-----	42	28	14	30	19	11	12	9	3	12	9	3
65-69 years-----	33	23	10	22	15	7	11	8	3	11	8	3
70-74 years-----	30	15	15	20	9	11	10	6	4	7	5	2
75-79 years-----	28	17	11	14	7	7	14	10	4	13	9	4
80-84 years-----	13	6	7	9	5	4	4	1	3	3	-	3
85-89 years-----	8	4	4	4	2	2	4	2	2	4	2	2
90-94 years-----	4	2	2	3	1	2	1	1	-	1	1	-
95-99 years-----	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	4	2	2	3	1	2	1	1	-	1	1	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Assault (homicide) by blunt object (Y00)												
All ages-----	242	158	84	167	113	54	75	45	30	65	40	25
Under 1 year-----	7	3	4	4	2	2	3	1	2	2	1	1
1-4 years-----	13	4	9	6	2	4	7	2	5	7	2	5
5-9 years-----	4	-	4	2	-	2	2	-	2	2	-	2
10-14 years-----	4	2	2	3	1	2	1	1	-	1	1	-
15-19 years-----	7	6	1	4	3	1	3	3	-	2	2	-
20-24 years-----	25	15	10	17	11	6	8	4	4	7	3	4
25-29 years-----	27	13	14	16	10	6	11	3	8	9	3	6
30-34 years-----	20	14	6	12	9	3	8	5	3	6	4	2
35-39 years-----	21	17	4	15	13	2	6	4	2	6	4	2
40-44 years-----	24	19	5	17	14	3	7	5	2	7	5	2
45-49 years-----	15	12	3	9	6	3	6	6	-	5	5	-
50-54 years-----	15	11	4	13	9	4	2	2	-	1	1	-
55-59 years-----	16	11	5	13	8	5	3	3	-	3	3	-
60-64 years-----	10	7	3	7	5	2	3	2	1	3	2	1
65-69 years-----	12	9	3	10	7	3	2	2	-	2	2	-
70-74 years-----	9	7	2	9	7	2	-	-	-	-	-	-
75-79 years-----	3	2	1	3	2	1	-	-	-	-	-	-
80-84 years-----	8	6	2	5	4	1	3	2	1	2	2	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	1	-	1	1	-	1	-	-	-	-	-	-

Assault (homicide) by pushing from high place (Y01)

All ages-----	17	14	3	12	10	2	5	4	1	5	4	1
Under 1 year-----	1	-	1	-	-	-	1	-	1	1	-	1
1-4 years-----	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	2	2	-	2	2	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	2	1	1	2	1	1	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	5	5	-	3	3	-	2	2	-	2	2	-
50-54 years-----	4	4	-	3	3	-	1	1	-	1	1	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	-	-	-	1	1	-	1	1	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Assault (homicide) by pushing or placing victim before moving object (Y02)												
All ages-----	85	54	31	58	34	24	27	20	7	24	20	4
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years-----	3	1	2	1	1	-	2	-	2	2	-	2
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	9	4	5	6	2	4	3	2	1	2	2	-
20-24 years-----	11	9	2	9	7	2	2	2	-	2	2	-
25-29 years-----	9	7	2	5	3	2	4	4	-	4	4	-
30-34 years-----	4	1	3	2	-	2	2	1	1	1	1	-
35-39 years-----	8	7	1	4	4	-	4	3	1	4	3	1
40-44 years-----	10	8	2	9	7	2	1	1	-	1	1	-
45-49 years-----	12	8	4	6	4	2	6	4	2	5	4	1
50-54 years-----	2	1	1	1	-	1	1	1	-	1	1	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	3	2	1	2	1	1	1	1	-	1	1	-
70-74 years-----	2	1	1	1	-	1	1	1	-	1	1	-
75-79 years-----	3	1	2	3	1	2	-	-	-	-	-	-
80-84 years-----	2	-	2	2	-	2	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	2	2	-	2	2	-	-	-	-	-	-	-

Assault (homicide) by crashing of motor vehicle (Y03)

All ages-----	106	56	50	85	42	43	21	14	7	15	11	4
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	7	5	2	6	4	2	1	1	-	1	1	-
5-9 years-----	4	1	3	1	-	1	3	1	2	-	-	-
10-14 years-----	3	2	1	3	2	1	-	-	-	-	-	-
15-19 years-----	13	7	6	12	6	6	1	1	-	1	1	-
20-24 years-----	15	8	7	9	5	4	6	3	3	4	2	2
25-29 years-----	11	3	8	10	3	7	1	-	1	1	-	1
30-34 years-----	9	4	5	7	2	5	2	2	-	1	1	-
35-39 years-----	9	5	4	6	3	3	3	2	1	3	2	1
40-44 years-----	12	5	7	11	4	7	1	1	-	1	1	-
45-49 years-----	6	5	1	4	3	1	2	2	-	2	2	-
50-54 years-----	5	4	1	5	4	1	-	-	-	-	-	-
55-59 years-----	2	2	-	1	1	-	1	1	-	1	1	-
60-64 years-----	2	2	-	2	2	-	-	-	-	-	-	-
65-69 years-----	4	3	1	4	3	1	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Assault (homicide) by bodily force (Y04)												
All ages-----	166	139	27	97	82	15	69	57	12	60	49	11
Under 1 year----	4	3	1	3	3	-	1	-	1	1	-	1
1-4 years-----	2	1	1	1	1	-	1	-	1	1	-	1
5-9 years-----	1	-	1	-	-	-	1	-	1	1	-	1
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	11	10	1	6	5	1	5	5	-	2	2	-
20-24 years-----	17	16	1	9	9	-	8	7	1	7	6	1
25-29 years-----	20	17	3	6	6	-	14	11	3	13	11	2
30-34 years-----	14	13	1	10	9	1	4	4	-	4	4	-
35-39 years-----	26	21	5	15	12	3	11	9	2	10	8	2
40-44 years-----	23	18	5	13	10	3	10	8	2	9	7	2
45-49 years-----	15	13	2	11	9	2	4	4	-	4	4	-
50-54 years-----	13	11	2	10	8	2	3	3	-	2	2	-
55-59 years-----	5	5	-	2	2	-	3	3	-	3	3	-
60-64 years-----	2	2	-	2	2	-	-	-	-	-	-	-
65-69 years-----	5	4	1	4	3	1	1	1	-	1	1	-
70-74 years-----	3	3	-	2	2	-	1	1	-	-	-	-
75-79 years-----	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	-	-	-	1	-	1	1	-	1
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	1	1	-	-	-	-	1	1	-	1	1	-

Sexual assault (homicide) by bodily force (Y05)

All ages-----	4	1	3	2	1	1	2	-	2	2	-	2
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	-	-	-	1	-	1	1	-	1
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	-	-	-	1	-	1	1	-	1
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Neglect and abandonment (Y06)												
All ages-----	38	16	22	16	7	9	22	9	13	19	7	12
Under 1 year----	19	9	10	10	6	4	9	3	6	9	3	6
1-4 years-----	6	3	3	1	-	1	5	3	2	4	2	2
5-9 years-----	2	-	2	1	-	1	1	-	1	1	-	1
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	2	1	1	-	-	-	2	1	1	2	1	1
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	1	1	-	-	-	-	1	1	-	1	1	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	-	-	-	1	1	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	-	-	-	1	-	1	-	-	-
80-84 years-----	3	-	3	2	-	2	1	-	1	1	-	1
85-89 years-----	2	1	1	1	1	-	1	-	1	1	-	1
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

By acquaintance or friend (Y06.2)

All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
By other specified persons (Y06.8)												
All ages-----	3	2	1	2	1	1	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	1	1	-	-	-	-	1	1	-	1	1	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

By unspecified person (Y06.9)

All ages-----	34	13	21	13	5	8	21	8	13	18	6	12
Under 1 year-----	18	8	10	9	5	4	9	3	6	9	3	6
1-4 years-----	6	3	3	1	-	1	5	3	2	4	2	2
5-9 years-----	2	-	2	1	-	1	1	-	1	1	-	1
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	2	1	1	-	-	-	2	1	1	2	1	1
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	-	-	-	1	1	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	-	-	-	1	-	1	-	-	-
80-84 years-----	3	-	3	2	-	2	1	-	1	1	-	1
85-89 years-----	1	-	1	-	-	-	1	-	1	1	-	1
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other maltreatment syndromes (Y07)												
All ages-----	189	106	83	111	64	47	78	42	36	71	37	34
Under 1 year-----	106	62	44	66	40	26	40	22	18	36	19	17
1-4 years-----	58	30	28	28	15	13	30	15	15	29	15	14
5-9 years-----	9	5	4	5	2	3	4	3	1	3	2	1
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	-	1	-	-	-	1	-	1	1	-	1
20-24 years-----	2	1	1	2	1	1	-	-	-	-	-	-
25-29 years-----	1	-	1	-	-	-	1	-	1	1	-	1
30-34 years-----	5	5	-	4	4	-	1	1	-	-	-	-
35-39 years-----	2	2	-	1	1	-	1	1	-	1	1	-
40-44 years-----	2	1	1	2	1	1	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	2	-	2	2	-	2	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

By spouse or partner (Y07.0)

All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
By parent (Y07.1)												
All ages-----	7	2	5	6	1	5	1	1	-	1	1	-
Under 1 year-----	5	1	4	5	1	4	-	-	-	-	-	-
1-4 years-----	2	1	1	1	-	1	1	1	-	1	1	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

By acquaintance or friend (Y07.2)

All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
By other specified persons (Y07.8)												
All ages-----	9	6	3	8	6	2	1	-	1	1	-	1
Under 1 year-----	3	3	-	3	3	-	-	-	-	-	-	-
1-4 years-----	3	1	2	2	1	1	1	-	1	1	-	1
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

By unspecified person (Y07.9)

All ages-----	171	97	74	95	56	39	76	41	35	69	36	33
Under 1 year-----	98	58	40	58	36	22	40	22	18	36	19	17
1-4 years-----	53	28	25	25	14	11	28	14	14	27	14	13
5-9 years-----	9	5	4	5	2	3	4	3	1	3	2	1
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	-	1	-	-	-	1	-	1	1	-	1
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	-	-	-	1	-	1	1	-	1
30-34 years-----	5	5	-	4	4	-	1	1	-	-	-	-
35-39 years-----	1	1	-	-	-	-	1	1	-	1	1	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Assault (homicide) by other specified means (Y08)												
All ages-----	741	519	222	461	318	143	280	201	79	252	184	68
Under 1 year-----	14	9	5	8	4	4	6	5	1	5	5	-
1-4 years-----	37	21	16	17	7	10	20	14	6	20	14	6
5-9 years-----	18	11	7	11	7	4	7	4	3	7	4	3
10-14 years-----	11	7	4	8	4	4	3	3	-	3	3	-
15-19 years-----	46	34	12	30	20	10	16	14	2	15	13	2
20-24 years-----	60	40	20	40	25	15	20	15	5	17	15	2
25-29 years-----	60	44	16	39	30	9	21	14	7	21	14	7
30-34 years-----	89	63	26	56	40	16	33	23	10	26	18	8
35-39 years-----	93	62	31	56	38	18	37	24	13	34	21	13
40-44 years-----	79	57	22	43	33	10	36	24	12	32	23	9
45-49 years-----	63	46	17	43	32	11	20	14	6	20	14	6
50-54 years-----	48	41	7	29	23	6	19	18	1	17	16	1
55-59 years-----	30	22	8	17	12	5	13	10	3	11	8	3
60-64 years-----	20	15	5	13	9	4	7	6	1	6	5	1
65-69 years-----	15	12	3	9	7	2	6	5	1	6	5	1
70-74 years-----	18	11	7	13	7	6	5	4	1	3	3	-
75-79 years-----	15	8	7	11	8	3	4	-	4	3	-	3
80-84 years-----	8	7	1	4	4	-	4	3	1	3	2	1
85-89 years-----	7	3	4	5	2	3	2	1	1	2	1	1
90-94 years-----	3	1	2	3	1	2	-	-	-	-	-	-
95-99 years-----	4	2	2	3	2	1	1	-	1	1	-	1
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	3	3	-	3	3	-	-	-	-	-	-	-

Assault (homicide) by unspecified means (Y09)

All ages-----	1,411	908	503	912	601	311	499	307	192	426	262	164
Under 1 year-----	108	56	52	67	37	30	41	19	22	38	18	20
1-4 years-----	113	65	48	72	40	32	41	25	16	37	22	15
5-9 years-----	14	4	10	5	2	3	9	2	7	7	2	5
10-14 years-----	11	5	6	9	5	4	2	-	2	2	-	2
15-19 years-----	76	50	26	47	29	18	29	21	8	26	19	7
20-24 years-----	92	65	27	65	45	20	27	20	7	22	19	3
25-29 years-----	103	65	38	56	34	22	47	31	16	42	26	16
30-34 years-----	100	60	40	58	37	21	42	23	19	40	22	18
35-39 years-----	159	102	57	97	64	33	62	38	24	52	31	21
40-44 years-----	153	108	45	89	70	19	64	38	26	57	35	22
45-49 years-----	115	84	31	77	59	18	38	25	13	28	18	10
50-54 years-----	83	54	29	56	32	24	27	22	5	19	15	4
55-59 years-----	60	43	17	50	39	11	10	4	6	7	3	4
60-64 years-----	38	26	12	27	19	8	11	7	4	7	4	3
65-69 years-----	41	34	7	28	23	5	13	11	2	11	10	1
70-74 years-----	35	18	17	26	13	13	9	5	4	9	5	4
75-79 years-----	36	28	8	29	24	5	7	4	3	6	3	3
80-84 years-----	36	25	11	28	20	8	8	5	3	6	4	2
85-89 years-----	17	8	9	13	4	9	4	4	-	3	3	-
90-94 years-----	7	2	5	5	1	4	2	1	1	2	1	1
95-99 years-----	2	1	1	1	-	1	1	1	-	1	1	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	12	5	7	7	4	3	5	1	4	4	1	3

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Poisoning by and exposure to nonopioid analgesics, antipyretics, and antirheumatics, undetermined intent (Y10)												
All ages-----	38	15	23	29	13	16	9	2	7	7	2	5
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	2	-	2	1	-	1	1	-	1	1	-	1
20-24 years-----	7	3	4	3	2	1	4	1	3	3	1	2
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	1	1	-	-	-	-	1	1	-	1	1	-
35-39 years-----	7	3	4	5	3	2	2	-	2	1	-	1
40-44 years-----	5	2	3	5	2	3	-	-	-	-	-	-
45-49 years-----	2	-	2	2	-	2	-	-	-	-	-	-
50-54 years-----	4	2	2	3	2	1	1	-	1	1	-	1
55-59 years-----	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	2	-	2	2	-	2	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	3	2	1	3	2	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Poisoning by and exposure to antiepileptic, sedative-hypnotic, antiparkinsonism, and psychotropic drugs, not elsewhere classified, undetermined intent (Y11)

All ages-----	231	121	110	205	112	93	26	9	17	19	6	13
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	4	3	1	2	2	-	2	1	1	-	-	-
20-24 years-----	5	1	4	4	1	3	1	-	1	1	-	1
25-29 years-----	9	6	3	7	4	3	2	2	-	2	2	-
30-34 years-----	26	16	10	25	15	10	1	1	-	1	1	-
35-39 years-----	45	20	25	41	20	21	4	-	4	3	-	3
40-44 years-----	43	24	19	37	22	15	6	2	4	5	1	4
45-49 years-----	47	30	17	42	29	13	5	1	4	5	1	4
50-54 years-----	22	7	15	19	7	12	3	-	3	1	-	1
55-59 years-----	11	7	4	10	6	4	1	1	-	-	-	-
60-64 years-----	6	3	3	5	2	3	1	1	-	1	1	-
65-69 years-----	6	3	3	6	3	3	-	-	-	-	-	-
70-74 years-----	4	1	3	4	1	3	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	2	-	2	2	-	2	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Poisoning by and exposure to narcotics and psychodysleptics [hallucinogens] , not elsewhere classified, undetermined intent (Y12)												
All ages-----	1,425	1,058	367	1,077	781	296	348	277	71	334	265	69
Under 1 year-----	3	3	-	-	-	-	3	3	-	3	3	-
1-4 years-----	4	3	1	2	2	-	2	1	1	2	1	1
5-9 years-----	1	1	-	-	-	-	1	1	-	1	1	-
10-14 years-----	2	1	1	2	1	1	-	-	-	-	-	-
15-19 years-----	30	22	8	30	22	8	-	-	-	-	-	-
20-24 years-----	94	69	25	86	62	24	8	7	1	6	5	1
25-29 years-----	141	114	27	113	90	23	28	24	4	27	23	4
30-34 years-----	189	139	50	152	114	38	37	25	12	36	25	11
35-39 years-----	291	217	74	213	154	59	78	63	15	76	61	15
40-44 years-----	306	225	81	226	168	58	80	57	23	76	54	22
45-49 years-----	210	149	61	144	95	49	66	54	12	65	53	12
50-54 years-----	95	79	16	66	52	14	29	27	2	28	26	2
55-59 years-----	28	17	11	19	9	10	9	8	1	7	6	1
60-64 years-----	14	10	4	10	6	4	4	4	-	4	4	-
65-69 years-----	4	3	1	3	2	1	1	1	-	1	1	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years-----	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	5	4	1	3	2	1	2	2	-	2	2	-

Poisoning by and exposure to other drugs acting on the autonomic nervous system, undetermined intent (Y13)

All ages-----	4	3	1	4	3	1	-	-	-	-	-	-
Under 1 year-----	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Poisoning by and exposure to other and unspecified drugs, medicaments, and biological substances, undetermined intent (Y14)												
All ages-----	775	420	355	702	379	323	73	41	32	62	35	27
Under 1 year-----	4	2	2	2	1	1	2	1	1	2	1	1
1-4 years-----	1	-	1	-	-	-	1	-	1	1	-	1
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	-	-	-	1	-	1	1	-	1
15-19 years-----	15	12	3	15	12	3	-	-	-	-	-	-
20-24 years-----	36	29	7	35	28	7	1	1	-	1	1	-
25-29 years-----	57	27	30	51	23	28	6	4	2	4	2	2
30-34 years-----	100	55	45	96	52	44	4	3	1	3	2	1
35-39 years-----	144	88	56	135	83	52	9	5	4	7	4	3
40-44 years-----	157	85	72	135	76	59	22	9	13	17	7	10
45-49 years-----	130	69	61	117	59	58	13	10	3	12	10	2
50-54 years-----	54	23	31	44	19	25	10	4	6	10	4	6
55-59 years-----	31	18	13	29	16	13	2	2	-	2	2	-
60-64 years-----	14	3	11	13	2	11	1	1	-	1	1	-
65-69 years-----	12	5	7	12	5	7	-	-	-	-	-	-
70-74 years-----	5	2	3	4	1	3	1	1	-	1	1	-
75-79 years-----	4	1	3	4	1	3	-	-	-	-	-	-
80-84 years-----	4	1	3	4	1	3	-	-	-	-	-	-
85-89 years-----	3	-	3	3	-	3	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	1	-	1	1	-	1	-	-	-	-	-	-

Poisoning by and exposure to alcohol, undetermined intent (Y15)

All ages-----	17	10	7	16	9	7	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	3	2	1	3	2	1	-	-	-	-	-	-
40-44 years-----	3	2	1	3	2	1	-	-	-	-	-	-
45-49 years-----	4	2	2	3	1	2	1	1	-	1	1	-
50-54 years-----	3	1	2	3	1	2	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Poisoning by and exposure to organic solvents and halogenated hydrocarbons and their vapors, undetermined intent (Y16)												
All ages-----	9	4	5	6	3	3	3	1	2	1	1	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	-	1	-	-	-	1	-	1	-	-	-
20-24 years-----	1	1	-	-	-	-	1	1	-	1	1	-
25-29 years-----	2	1	1	2	1	1	-	-	-	-	-	-
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	-	-	-	1	-	1	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Poisoning by and exposure to other gases and vapors, undetermined intent (Y17)

All ages-----	80	56	24	69	48	21	11	8	3	10	8	2
Under 1 year----	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years-----	2	-	2	-	-	-	2	-	2	1	-	1
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	5	5	-	4	4	-	1	1	-	1	1	-
25-29 years-----	4	4	-	3	3	-	1	1	-	1	1	-
30-34 years-----	6	2	4	5	1	4	1	1	-	1	1	-
35-39 years-----	9	6	3	8	5	3	1	1	-	1	1	-
40-44 years-----	12	11	1	10	10	-	2	1	1	2	1	1
45-49 years-----	6	3	3	6	3	3	-	-	-	-	-	-
50-54 years-----	6	4	2	6	4	2	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	7	6	1	6	5	1	1	1	-	1	1	-
65-69 years-----	3	3	-	1	1	-	2	2	-	2	2	-
70-74 years-----	3	2	1	3	2	1	-	-	-	-	-	-
75-79 years-----	4	3	1	4	3	1	-	-	-	-	-	-
80-84 years-----	6	3	3	6	3	3	-	-	-	-	-	-
85-89 years-----	4	3	1	4	3	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Poisoning by and exposure to pesticides, undetermined intent (Y18)												
All ages-----	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Poisoning by and exposure to other and unspecified chemicals and noxious substances, undetermined intent (Y19)

All ages-----	14	9	5	12	8	4	2	1	1	2	1	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	2	1	1	2	1	1	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	3	2	1	2	2	-	1	-	1	1	-	1
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	3	1	2	2	-	2	1	1	-	1	1	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Hanging, strangulation, and suffocation, undetermined intent (Y20)												
All ages-----	110	81	29	91	71	20	19	10	9	17	9	8
Under 1 year-----	31	18	13	20	13	7	11	5	6	10	4	6
1-4 years-----	3	1	2	2	1	1	1	-	1	1	-	1
5-9 years-----	6	3	3	6	3	3	-	-	-	-	-	-
10-14 years-----	16	15	1	14	13	1	2	2	-	2	2	-
15-19 years-----	10	10	-	10	10	-	-	-	-	-	-	-
20-24 years-----	6	4	2	5	4	1	1	-	1	1	-	1
25-29 years-----	8	7	1	7	7	-	1	-	1	-	-	-
30-34 years-----	4	4	-	3	3	-	1	1	-	1	1	-
35-39 years-----	7	5	2	7	5	2	-	-	-	-	-	-
40-44 years-----	4	4	-	3	3	-	1	1	-	1	1	-
45-49 years-----	5	5	-	5	5	-	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	4	3	1	3	2	1	1	1	-	1	1	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Drowning and submersion, undetermined intent (Y21)

All ages-----	243	179	64	169	121	48	74	58	16	59	49	10
Under 1 year-----	5	3	2	4	2	2	1	1	-	1	1	-
1-4 years-----	5	1	4	4	1	3	1	-	1	1	-	1
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	3	3	-	2	2	-	1	1	-	1	1	-
15-19 years-----	5	4	1	4	3	1	1	1	-	1	1	-
20-24 years-----	15	13	2	5	5	-	10	8	2	8	7	1
25-29 years-----	21	15	6	18	12	6	3	3	-	1	1	-
30-34 years-----	23	16	7	13	8	5	10	8	2	10	8	2
35-39 years-----	29	24	5	20	16	4	9	8	1	6	5	1
40-44 years-----	28	19	9	15	11	4	13	8	5	8	7	1
45-49 years-----	28	23	5	18	15	3	10	8	2	9	7	2
50-54 years-----	22	15	7	18	12	6	4	3	1	4	3	1
55-59 years-----	13	9	4	9	5	4	4	4	-	4	4	-
60-64 years-----	7	5	2	7	5	2	-	-	-	-	-	-
65-69 years-----	11	7	4	9	6	3	2	1	1	2	1	1
70-74 years-----	6	4	2	4	3	1	2	1	1	1	1	-
75-79 years-----	5	4	1	5	4	1	-	-	-	-	-	-
80-84 years-----	5	4	1	4	3	1	1	1	-	-	-	-
85-89 years-----	2	2	-	2	2	-	-	-	-	-	-	-
90-94 years-----	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	8	7	1	6	5	1	2	2	-	2	2	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Handgun discharge, undetermined intent (Y22)												
All ages-----	70	65	5	53	50	3	17	15	2	9	8	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	3	3	-	3	3	-	-	-	-	-	-	-
15-19 years-----	21	19	2	14	14	-	7	5	2	3	2	1
20-24 years-----	17	16	1	14	13	1	3	3	-	2	2	-
25-29 years-----	6	5	1	5	4	1	1	1	-	1	1	-
30-34 years-----	2	2	-	1	1	-	1	1	-	-	-	-
35-39 years-----	6	6	-	6	6	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	6	5	1	3	2	1	3	3	-	2	2	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	3	3	-	2	2	-	1	1	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	2	2	-	1	1	-	1	1	-	1	1	-
75-79 years-----	2	2	-	2	2	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Rifle, shotgun, and larger firearm discharge, undetermined intent (Y23)

All ages-----	33	30	3	30	27	3	3	3	-	2	2	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	5	4	1	4	3	1	1	1	-	-	-	-
20-24 years-----	9	8	1	9	8	1	-	-	-	-	-	-
25-29 years-----	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	-	-	-	1	1	-	1	1	-
40-44 years-----	6	5	1	6	5	1	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	2	2	-	2	2	-	-	-	-	-	-	-
80-84 years-----	2	2	-	2	2	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

RACE, AND SEX

Other and unspecified firearm discharge, undetermined intent (Y24)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	221	182	39	164	135	29	57	47	10	55	46	9
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	3	3	-	1	1	-	2	2	-	2	2	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	9	9	-	8	8	-	1	1	-	1	1	-
15-19 years-----	42	38	4	24	22	2	18	16	2	17	15	2
20-24 years-----	33	26	7	20	16	4	13	10	3	13	10	3
25-29 years-----	25	22	3	17	15	2	8	7	1	8	7	1
30-34 years-----	17	14	3	13	11	2	4	3	1	4	3	1
35-39 years-----	21	17	4	19	15	4	2	2	-	2	2	-
40-44 years-----	22	15	7	18	14	4	4	1	3	3	1	2
45-49 years-----	11	9	2	9	7	2	2	2	-	2	2	-
50-54 years-----	8	4	4	8	4	4	-	-	-	-	-	-
55-59 years-----	5	4	1	4	3	1	1	1	-	1	1	-
60-64 years-----	4	2	2	4	2	2	-	-	-	-	-	-
65-69 years-----	8	7	1	8	7	1	-	-	-	-	-	-
70-74 years-----	3	3	-	2	2	-	1	1	-	1	1	-
75-79 years-----	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years-----	5	5	-	4	4	-	1	1	-	1	1	-
85-89 years-----	3	3	-	3	3	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Contact with explosive material, undetermined intent (Y25)

All ages-----	6	5	1	5	5	-	1	-	1	1	-	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	-	-	-	1	-	1	1	-	1
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Exposure to smoke, fire, and flames, undetermined intent (Y26)												
All ages-----	70	51	19	51	36	15	19	15	4	17	13	4
Under 1 year----	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years-----	3	2	1	1	1	-	2	1	1	2	1	1
5-9 years-----	2	1	1	2	1	1	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	2	2	-	2	2	-	-	-	-	-	-	-
20-24 years-----	4	2	2	2	1	1	2	1	1	2	1	1
25-29 years-----	7	6	1	6	5	1	1	1	-	1	1	-
30-34 years-----	5	3	2	1	-	1	4	3	1	3	2	1
35-39 years-----	7	5	2	5	3	2	2	2	-	2	2	-
40-44 years-----	6	5	1	5	4	1	1	1	-	1	1	-
45-49 years-----	6	4	2	5	3	2	1	1	-	1	1	-
50-54 years-----	7	5	2	5	3	2	2	2	-	2	2	-
55-59 years-----	7	7	-	6	6	-	1	1	-	1	1	-
60-64 years-----	4	4	-	3	3	-	1	1	-	-	-	-
65-69 years-----	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years-----	2	1	1	1	-	1	1	1	-	1	1	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	2	2	-	2	2	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	1	-	1	-	-	-	1	-	1	1	-	1

Contact with steam, hot vapors, and hot objects, undetermined intent (Y27)

All ages-----	1	-	1	-	-	-	1	-	1	1	-	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	-	-	-	1	-	1	1	-	1
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Contact with sharp object, undetermined intent (Y28)												
All ages-----	12	12	-	9	9	-	3	3	-	2	2	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	2	2	-	2	2	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	2	2	-	2	2	-	-	-	-	-	-	-
35-39 years-----	2	2	-	1	1	-	1	1	-	1	1	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	-	-	-	1	1	-	1	1	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	1	-	-	-	-	1	1	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	1	1	-	1	1	-	-	-	-	-	-	-

Contact with blunt object, undetermined intent (Y29)

All ages-----	3	3	-	2	2	-	1	1	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	1	1	-	-	-	-	1	1	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

RACE, AND SEX

Falling, jumping, or pushed from a high place, undetermined intent (Y30)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	59	46	13	47	37	10	12	9	3	10	7	3
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	2	1	1	-	-	-	2	1	1	2	1	1
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	4	4	-	3	3	-	1	1	-	1	1	-
20-24 years-----	4	3	1	4	3	1	-	-	-	-	-	-
25-29 years-----	5	4	1	4	3	1	1	1	-	1	1	-
30-34 years-----	8	7	1	4	4	-	4	3	1	3	2	1
35-39 years-----	11	9	2	9	7	2	2	2	-	1	1	-
40-44 years-----	5	5	-	5	5	-	-	-	-	-	-	-
45-49 years-----	10	7	3	9	7	2	1	-	1	1	-	1
50-54 years-----	2	1	1	2	1	1	-	-	-	-	-	-
55-59 years-----	1	1	-	-	-	-	1	1	-	1	1	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	3	1	2	3	1	2	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Falling, lying, or running before or into moving object, undetermined intent (Y31)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	45	35	10	37	28	9	8	7	1	7	6	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	1	-	-	-	-	1	1	-	1	1	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	2	-	2	2	-	2	-	-	-	-	-	-
20-24 years-----	9	8	1	9	8	1	-	-	-	-	-	-
25-29 years-----	2	2	-	1	1	-	1	1	-	1	1	-
30-34 years-----	8	4	4	6	3	3	2	1	1	2	1	1
35-39 years-----	9	7	2	6	4	2	3	3	-	2	2	-
40-44 years-----	3	2	1	3	2	1	-	-	-	-	-	-
45-49 years-----	3	3	-	3	3	-	-	-	-	-	-	-
50-54 years-----	3	3	-	3	3	-	-	-	-	-	-	-
55-59 years-----	2	2	-	2	2	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	2	2	-	2	2	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	1	-	-	-	-	1	1	-	1	1	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Crashing of motor vehicle, undetermined intent (Y32)												
All ages-----	30	20	10	26	17	9	4	3	1	4	3	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	3	2	1	3	2	1	-	-	-	-	-	-
20-24 years-----	1	1	-	-	-	-	1	1	-	1	1	-
25-29 years-----	3	3	-	3	3	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	4	2	2	3	2	1	1	-	1	1	-	1
40-44 years-----	3	3	-	1	1	-	2	2	-	2	2	-
45-49 years-----	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years-----	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years-----	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	3	2	1	3	2	1	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other specified events, undetermined intent (Y33)

All ages-----	122	74	48	96	59	37	26	15	11	20	11	9
Under 1 year-----	1	-	1	-	-	-	1	-	1	1	-	1
1-4 years-----	4	2	2	4	2	2	-	-	-	-	-	-
5-9 years-----	2	-	2	1	-	1	1	-	1	1	-	1
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	4	3	1	3	3	-	1	-	1	1	-	1
20-24 years-----	10	9	1	7	7	-	3	2	1	2	2	-
25-29 years-----	6	2	4	5	1	4	1	1	-	1	1	-
30-34 years-----	12	10	2	7	7	-	5	3	2	4	2	2
35-39 years-----	12	8	4	8	5	3	4	3	1	3	2	1
40-44 years-----	11	8	3	9	6	3	2	2	-	2	2	-
45-49 years-----	15	10	5	11	7	4	4	3	1	1	1	-
50-54 years-----	11	8	3	9	7	2	2	1	1	2	1	1
55-59 years-----	4	3	1	4	3	1	-	-	-	-	-	-
60-64 years-----	2	1	1	2	1	1	-	-	-	-	-	-
65-69 years-----	4	3	1	3	3	-	1	-	1	1	-	1
70-74 years-----	4	1	3	3	1	2	1	-	1	1	-	1
75-79 years-----	5	3	2	5	3	2	-	-	-	-	-	-
80-84 years-----	6	2	4	6	2	4	-	-	-	-	-	-
85-89 years-----	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years-----	5	1	4	5	1	4	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	1	-	1	1	-	1	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Unspecified event, undetermined intent (Y34)												
All ages-----	258	182	76	195	132	63	63	50	13	44	39	5
Under 1 year-----	8	7	1	7	6	1	1	1	-	1	1	-
1-4 years-----	14	6	8	8	4	4	6	2	4	3	2	1
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	4	4	-	3	3	-	1	1	-	1	1	-
20-24 years-----	10	10	-	6	6	-	4	4	-	3	3	-
25-29 years-----	8	6	2	7	5	2	1	1	-	1	1	-
30-34 years-----	15	11	4	13	9	4	2	2	-	-	-	-
35-39 years-----	30	18	12	22	13	9	8	5	3	6	4	2
40-44 years-----	30	21	9	21	14	7	9	7	2	7	6	1
45-49 years-----	35	29	6	25	20	5	10	9	1	8	8	-
50-54 years-----	13	13	-	6	6	-	7	7	-	7	7	-
55-59 years-----	18	15	3	14	11	3	4	4	-	2	2	-
60-64 years-----	17	13	4	16	12	4	1	1	-	-	-	-
65-69 years-----	11	8	3	9	7	2	2	1	1	2	1	1
70-74 years-----	4	3	1	3	2	1	1	1	-	-	-	-
75-79 years-----	16	9	7	13	6	7	3	3	-	3	3	-
80-84 years-----	9	4	5	8	3	5	1	1	-	-	-	-
85-89 years-----	7	3	4	7	3	4	-	-	-	-	-	-
90-94 years-----	6	1	5	4	1	3	2	-	2	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	2	1	1	2	1	1	-	-	-	-	-	-
Legal intervention (Y35)												
All ages-----	397	391	6	255	250	5	142	141	1	125	124	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	-	-	-	1	1	-	1	1	-
15-19 years-----	20	20	-	9	9	-	11	11	-	10	10	-
20-24 years-----	47	47	-	22	22	-	25	25	-	22	22	-
25-29 years-----	66	66	-	39	39	-	27	27	-	24	24	-
30-34 years-----	70	69	1	47	47	-	23	22	1	18	17	1
35-39 years-----	72	69	3	47	44	3	25	25	-	21	21	-
40-44 years-----	49	48	1	33	32	1	16	16	-	15	15	-
45-49 years-----	19	19	-	15	15	-	4	4	-	4	4	-
50-54 years-----	31	30	1	25	24	1	6	6	-	6	6	-
55-59 years-----	8	8	-	7	7	-	1	1	-	1	1	-
60-64 years-----	11	11	-	8	8	-	3	3	-	3	3	-
65-69 years-----	2	2	-	2	2	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Legal intervention involving firearm discharge (Y35.0)												
All ages-----	299	293	6	194	189	5	105	104	1	93	92	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	-	-	-	1	1	-	1	1	-
15-19 years-----	19	19	-	8	8	-	11	11	-	10	10	-
20-24 years-----	45	45	-	20	20	-	25	25	-	22	22	-
25-29 years-----	53	53	-	34	34	-	19	19	-	18	18	-
30-34 years-----	59	58	1	38	38	-	21	20	1	16	15	1
35-39 years-----	46	43	3	32	29	3	14	14	-	12	12	-
40-44 years-----	30	29	1	22	21	1	8	8	-	8	8	-
45-49 years-----	14	14	-	11	11	-	3	3	-	3	3	-
50-54 years-----	18	17	1	17	16	1	1	1	-	1	1	-
55-59 years-----	4	4	-	3	3	-	1	1	-	1	1	-
60-64 years-----	7	7	-	6	6	-	1	1	-	1	1	-
65-69 years-----	2	2	-	2	2	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Legal intervention involving explosives (Y35.1)

All ages-----	1	1	-	-	-	-	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	-	-	-	1	1	-	1	1	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Legal intervention involving blunt objects (Y35.3)												
All ages-----	1	1	-	-	-	-	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	-	-	-	1	1	-	1	1	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Legal execution (Y35.5)												
All ages-----	88	88	-	54	54	-	34	34	-	30	30	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	11	11	-	4	4	-	7	7	-	6	6	-
30-34 years-----	8	8	-	7	7	-	1	1	-	1	1	-
35-39 years-----	25	25	-	14	14	-	11	11	-	9	9	-
40-44 years-----	18	18	-	10	10	-	8	8	-	7	7	-
45-49 years-----	5	5	-	4	4	-	1	1	-	1	1	-
50-54 years-----	12	12	-	8	8	-	4	4	-	4	4	-
55-59 years-----	4	4	-	4	4	-	-	-	-	-	-	-
60-64 years-----	4	4	-	2	2	-	2	2	-	2	2	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Legal intervention involving other specified means (Y35.6)												
All ages-----	8	8	-	7	7	-	1	1	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	2	2	-	1	1	-	1	1	-	-	-	-
30-34 years-----	2	2	-	2	2	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Operations of war (Y36)												
All ages-----	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
War operations, unspecified (Y36.9)												
All ages-----	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Systemic antibiotics (Y40)												
All ages-----	20	9	11	16	7	9	4	2	2	4	2	2
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	-	-	-	1	1	-	1	1	-
35-39 years-----	4	2	2	3	1	2	1	1	-	1	1	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	3	2	1	3	2	1	-	-	-	-	-	-
70-74 years-----	3	-	3	3	-	3	-	-	-	-	-	-
75-79 years-----	3	1	2	1	1	-	2	-	2	2	-	2
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Penicillins (Y40.0)												
All ages-----	3	3	-	2	2	-	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	-	-	-	1	1	-	1	1	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Cefalosporins and other - lactam antibiotics (Y40.1)												
All ages-----	6	2	4	5	2	3	1	-	1	1	-	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years-----	2	-	2	2	-	2	-	-	-	-	-	-
75-79 years-----	2	1	1	1	1	-	1	-	1	1	-	1
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Macrolides (Y40.3)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Other systemic antibiotics (Y40.8)												
All ages-----	3	2	1	3	2	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

RACE, AND SEX

Systemic antibiotic, unspecified (Y40.9)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	7	2	5	5	1	4	2	1	1	2	1	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	2	2	-	1	1	-	1	1	-	1	1	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	1	-	1	-	-	-	1	-	1	1	-	1
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other systemic anti-infectives and antiparasitics (Y41)

All ages-----	1	1	-	-	-	-	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	-	-	-	1	1	-	1	1	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Sulfonamides (Y41.0)												
All ages-----	1	1	-	-	-	-	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	-	-	-	1	1	-	1	1	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Hormones and their synthetic substitutes and antagonists, not elsewhere classified (Y42)

All ages-----	12	6	6	10	5	5	2	1	1	2	1	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	-	-	-	1	1	-	1	1	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	-	-	-	1	-	1	1	-	1
80-84 years-----	4	1	3	4	1	3	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

RACE, AND SEX

Insulin and oral hypoglycemic [antidiabetic] drugs (Y42.3)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	12	6	6	10	5	5	2	1	1	2	1	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	-	-	-	1	1	-	1	1	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	-	-	-	1	-	1	1	-	1
80-84 years-----	4	1	3	4	1	3	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Primarily systemic agents (Y43)

All ages-----	15	6	9	14	5	9	1	1	-	-	-	-
Under 1 year----	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	3	1	2	3	1	2	-	-	-	-	-	-
60-64 years-----	4	2	2	3	1	2	1	1	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Antiallergic and antiemetic drugs (Y43.0)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Antineoplastic antimetabolites (Y43.1)

All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other antineoplastic drugs (Y43.3)												
All ages-----	7	1	6	7	1	6	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	2	-	2	2	-	2	-	-	-	-	-	-
60-64 years-----	2	1	1	2	1	1	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Immunosuppressive agents (Y43.4)

All ages-----	5	3	2	4	2	2	1	1	-	-	-	-
Under 1 year-----	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	2	1	1	1	-	1	1	1	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Enzymes, not elsewhere classified (Y43.6)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Agents primarily affecting blood constituents (Y44)

All ages-----	33	21	12	30	19	11	3	2	1	3	2	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	-	-	-	1	1	-	1	1	-
50-54 years-----	3	2	1	3	2	1	-	-	-	-	-	-
55-59 years-----	4	3	1	3	2	1	1	1	-	1	1	-
60-64 years-----	4	2	2	4	2	2	-	-	-	-	-	-
65-69 years-----	4	1	3	3	1	2	1	-	1	1	-	1
70-74 years-----	8	6	2	8	6	2	-	-	-	-	-	-
75-79 years-----	3	1	2	3	1	2	-	-	-	-	-	-
80-84 years-----	4	4	-	4	4	-	-	-	-	-	-	-
85-89 years-----	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Iron preparations and other anti-hypochromic-anemia preparations (Y44.0)												
All ages-----	2	1	1	1	1	-	1	-	1	1	-	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	-	-	-	1	-	1	1	-	1
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Anticoagulants (Y44.2)												
All ages-----	17	12	5	16	11	5	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	-	-	-	1	1	-	1	1	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years-----	5	4	1	5	4	1	-	-	-	-	-	-
75-79 years-----	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years-----	3	3	-	3	3	-	-	-	-	-	-	-
85-89 years-----	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Anticoagulant antagonists, vitamin K, and other coagulants (Y44.3)												
All ages-----	9	4	5	9	4	5	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	2	1	1	2	1	1	-	-	-	-	-	-
55-59 years-----	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	2	2	-	2	2	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Thrombolytic drugs (Y44.5)

All ages-----	4	4	-	3	3	-	1	1	-	1	1	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	2	2	-	1	1	-	1	1	-	1	1	-
60-64 years-----	2	2	-	2	2	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other and unspecified agents affecting blood constituents (Y44.9)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Analgesics, antipyretics, and anti-inflammatory drugs (Y45)

All ages-----	15	9	6	15	9	6	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	6	4	2	6	4	2	-	-	-	-	-	-
40-44 years-----	2	1	1	2	1	1	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	2	2	-	2	2	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Opioids and related analgesics (Y45.0)												
All ages-----	8	4	4	8	4	4	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	3	1	2	3	1	2	-	-	-	-	-	-
40-44 years-----	2	1	1	2	1	1	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Salicylates (Y45.1)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Propionic acid derivatives (Y45.2)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other nonsteroidal anti-inflammatory drugs [NSAID] (Y45.3)

All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
4- Aminophenol derivatives (Y45.5)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other analgesics, antipyretics, and anti-inflammatory drugs (Y45.8)

All ages-----	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Analgesic, antipyretic, and anti-inflammatory drug, unspecified (Y45.9)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Antiepileptics and antiparkinsonism drugs (Y46)

All ages-----	5	2	3	-	-	-	5	2	3	5	2	3
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	-	-	-	1	1	-	1	1	-
35-39 years-----	2	1	1	-	-	-	2	1	1	2	1	1
40-44 years-----	1	-	1	-	-	-	1	-	1	1	-	1
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	-	-	-	1	-	1	1	-	1
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Hydantoin derivatives (Y46.2)												
All ages-----	4	1	3	-	-	-	4	1	3	4	1	3
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	-	-	-	1	1	-	1	1	-
35-39 years-----	1	-	1	-	-	-	1	-	1	1	-	1
40-44 years-----	1	-	1	-	-	-	1	-	1	1	-	1
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	-	-	-	1	-	1	1	-	1
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Other and unspecified antiepileptics (Y46.6)												
All ages-----	1	1	-	-	-	-	1	1	-	1	1	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	-	-	-	1	1	-	1	1	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Anesthetics and therapeutic gases (Y48)												
All ages-----	8	4	4	7	4	3	1	-	1	1	-	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	2	1	1	2	1	1	-	-	-	-	-	-
25-29 years-----	1	-	1	-	-	-	1	-	1	1	-	1
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Inhaled anesthetics (Y48.0)

All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Local anesthetics (Y48.3)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Anesthetic, unspecified (Y48.4)

All ages-----	5	1	4	4	1	3	1	-	1	1	-	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years-----	1	-	1	-	-	-	1	-	1	1	-	1
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Therapeutic gases (Y48.5)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Psychotropic drugs, not elsewhere classified (Y49)

All ages-----	5	4	1	4	3	1	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	1	-	-
30-34 years-----	2	2	-	1	1	-	1	1	-	1	1	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Phenothiazine antipsychotics and neuroleptics (Y49.3)												
All ages-----	1	1	-	-	-	-	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	-	-	-	1	1	-	1	1	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Butyrophenone and thioxanthene neuroleptics (Y49.4)

All ages-----	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Psychostimulants with abuse potential (Y49.7)												
All ages-----	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Agents primarily affecting the cardiovascular system (Y52)

All ages-----	5	-	5	3	-	3	2	-	2	2	-	2
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	-	1	-	-	-	1	-	1	1	-	1
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	-	-	-	1	-	1	1	-	1
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Cardiac-stimulant glycosides and drugs of similar action (Y52.0)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Angiotensin-converting-enzyme inhibitors (Y52.4)

All ages-----	3	-	3	2	-	2	1	-	1	1	-	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	-	-	-	1	-	1	1	-	1
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

ALL RACES WHITE ALL OTHER BLACK

Other and unspecified agents primarily affecting the cardiovascular system (Y52.9)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	1	-	1	-	-	-	1	-	1	1	-	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	-	1	-	-	-	1	-	1	1	-	1
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Agents primarily affecting the gastrointestinal system (Y53)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year-----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Histamine H 2- receptor antagonists (Y53.0)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Other agents primarily affecting the gastrointestinal system (Y53.8)												
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

ALL RACES WHITE ALL OTHER BLACK

Agents primarily affecting water balance and mineral and uric acid metabolism (Y54)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	5	4	1	3	2	1	2	2	-	2	2	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	-	-	-	1	1	-	1	1	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Mineralocorticoids (Y54.0)

All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other diuretics (Y54.5)												
All ages-----	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Electrolytic, caloric, and water balance agents (Y54.6)

All ages-----	1	1	-	-	-	-	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Agents affecting uric acid metabolism (Y54.8)												
All ages-----	1	1	-	-	-	-	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	-	-	-	1	1	-	1	1	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Agents primarily acting on smooth and skeletal muscles and the respiratory system (Y55)

All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

RACE, AND SEX

Antiasthmatics, not elsewhere classified (Y55.6)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Topical agents primarily affecting skin and mucous membrane and ophthalmological, otorhinolaryngological, and dental drugs (Y56)

All ages-----	3	2	1	2	1	1	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	-	-	-	1	1	-	1	1	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

ALL RACES WHITE ALL OTHER BLACK

Keratolytics, keratoplastics, and other hair treatment drugs and preparations (Y56.4)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other topical agents (Y56.8)

All ages-----	1	1	-	-	-	-	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	-	-	-	1	1	-	1	1	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Topical agent, unspecified (Y56.9)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Other and unspecified drugs and medicaments (Y57)												
All ages-----	92	45	47	73	34	39	19	11	8	15	9	6
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	3	-	3	2	-	2	1	-	1	1	-	1
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	4	2	2	4	2	2	-	-	-	-	-	-
20-24 years-----	2	2	-	2	2	-	-	-	-	-	-	-
25-29 years-----	4	1	3	1	-	1	3	1	2	2	1	1
30-34 years-----	4	4	-	4	4	-	-	-	-	-	-	-
35-39 years-----	5	4	1	5	4	1	-	-	-	-	-	-
40-44 years-----	7	4	3	4	2	2	3	2	1	3	2	1
45-49 years-----	12	7	5	9	4	5	3	3	-	3	3	-
50-54 years-----	9	4	5	7	3	4	2	1	1	2	1	1
55-59 years-----	3	3	-	3	3	-	-	-	-	-	-	-
60-64 years-----	6	2	4	3	-	3	3	2	1	-	-	-
65-69 years-----	7	4	3	5	3	2	2	1	1	2	1	1
70-74 years-----	5	4	1	4	3	1	1	1	-	1	1	-
75-79 years-----	4	1	3	4	1	3	-	-	-	-	-	-
80-84 years-----	6	2	4	5	2	3	1	-	1	1	-	1
85-89 years-----	5	1	4	5	1	4	-	-	-	-	-	-
90-94 years-----	3	-	3	3	-	3	-	-	-	-	-	-
95-99 years-----	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
X-ray contrast media (Y57.5)												
All ages-----	9	3	6	8	3	5	1	-	1	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	-	-	-	1	-	1	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	3	1	2	3	1	2	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Other drugs and medicaments (Y57.8)												
All ages-----	4	3	1	4	3	1	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

RACE, AND SEX

Drug or medicament, unspecified (Y57.9)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	79	39	40	61	28	33	18	11	7	15	9	6
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	3	-	3	2	-	2	1	-	1	1	-	1
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	3	1	2	3	1	2	-	-	-	-	-	-
20-24 years-----	2	2	-	2	2	-	-	-	-	-	-	-
25-29 years-----	3	1	2	1	-	1	2	1	1	2	1	1
30-34 years-----	4	4	-	4	4	-	-	-	-	-	-	-
35-39 years-----	4	3	1	4	3	1	-	-	-	-	-	-
40-44 years-----	7	4	3	4	2	2	3	2	1	3	2	1
45-49 years-----	11	7	4	8	4	4	3	3	-	3	3	-
50-54 years-----	8	4	4	6	3	3	2	1	1	2	1	1
55-59 years-----	3	3	-	3	3	-	-	-	-	-	-	-
60-64 years-----	5	2	3	2	-	2	3	2	1	-	-	-
65-69 years-----	3	2	1	1	1	-	2	1	1	2	1	1
70-74 years-----	3	2	1	2	1	1	1	1	-	1	1	-
75-79 years-----	4	1	3	4	1	3	-	-	-	-	-	-
80-84 years-----	6	2	4	5	2	3	1	-	1	1	-	1
85-89 years-----	4	1	3	4	1	3	-	-	-	-	-	-
90-94 years-----	3	-	3	3	-	3	-	-	-	-	-	-
95-99 years-----	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other and unspecified vaccines and biological substances (Y59)

All ages-----	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year-----	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Vaccine or biological substance, unspecified (Y59.9)												
All ages-----	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year----	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Unintentional cut, puncture, perforation, or hemorrhage during surgical and medical care (Y60)

All ages-----	123	46	77	98	40	58	25	6	19	24	6	18
Under 1 year----	4	2	2	2	1	1	2	1	1	2	1	1
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	-	-	-	1	1	-	1	1	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	3	2	1	2	2	-	1	-	1	-	-	-
35-39 years-----	5	2	3	3	1	2	2	1	1	2	1	1
40-44 years-----	6	3	3	5	3	2	1	-	1	1	-	1
45-49 years-----	8	1	7	5	1	4	3	-	3	3	-	3
50-54 years-----	5	-	5	3	-	3	2	-	2	2	-	2
55-59 years-----	8	4	4	6	4	2	2	-	2	2	-	2
60-64 years-----	5	3	2	5	3	2	-	-	-	-	-	-
65-69 years-----	12	4	8	11	3	8	1	1	-	1	1	-
70-74 years-----	17	6	11	11	4	7	6	2	4	6	2	4
75-79 years-----	18	7	11	17	7	10	1	-	1	1	-	1
80-84 years-----	18	7	11	16	7	9	2	-	2	2	-	2
85-89 years-----	8	1	7	7	1	6	1	-	1	1	-	1
90-94 years-----	4	3	1	4	3	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
During surgical operation (Y60.0)												
All ages-----	41	14	27	33	13	20	8	1	7	8	1	7
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	2	1	1	1	1	-	1	-	1	1	-	1
40-44 years-----	2	1	1	2	1	1	-	-	-	-	-	-
45-49 years-----	4	-	4	3	-	3	1	-	1	1	-	1
50-54 years-----	2	-	2	1	-	1	1	-	1	1	-	1
55-59 years-----	5	3	2	4	3	1	1	-	1	1	-	1
60-64 years-----	3	2	1	3	2	1	-	-	-	-	-	-
65-69 years-----	5	2	3	4	1	3	1	1	-	1	1	-
70-74 years-----	5	1	4	3	1	2	2	-	2	2	-	2
75-79 years-----	5	1	4	5	1	4	-	-	-	-	-	-
80-84 years-----	3	1	2	3	1	2	-	-	-	-	-	-
85-89 years-----	3	1	2	2	1	1	1	-	1	1	-	1
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

During infusion or transfusion (Y60.1)

All ages-----	1	-	1	-	-	-	1	-	1	1	-	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	-	-	-	1	-	1	1	-	1
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
During kidney dialysis or other perfusion (Y60.2)												
All ages-----	4	2	2	4	2	2	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

During injection or immunization (Y60.3)

All ages-----	2	1	1	1	-	1	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	-	-	-	1	1	-	1	1	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
During endoscopic examination (Y60.4)												
All ages-----	12	2	10	11	2	9	1	-	1	1	-	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	-	1	-	-	-	1	-	1	1	-	1
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	3	1	2	3	1	2	-	-	-	-	-	-
85-89 years-----	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

During heart catheterization (Y60.5)

All ages-----	6	2	4	4	2	2	2	-	2	1	-	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	-	1	-	-	-	1	-	1	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	-	-	-	1	-	1	1	-	1
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
During aspiration, puncture, and other catheterization (Y60.6)												
All ages-----	17	9	8	16	8	8	1	1	-	1	1	-
Under 1 year----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	2	1	1	1	-	1	1	1	-	1	1	-
40-44 years-----	2	1	1	2	1	1	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	4	1	3	4	1	3	-	-	-	-	-	-
80-84 years-----	3	2	1	3	2	1	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

During administration of enema (Y60.7)

All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

RACE, AND SEX

During other surgical and medical care (Y60.8)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	29	13	16	21	11	10	8	2	6	8	2	6
Under 1 year----	3	1	2	1	-	1	2	1	1	2	1	1
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	2	1	1	1	1	-	1	-	1	1	-	1
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	-	1	-	-	-	1	-	1	1	-	1
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years-----	7	3	4	5	2	3	2	1	1	2	1	1
75-79 years-----	5	3	2	5	3	2	-	-	-	-	-	-
80-84 years-----	6	2	4	4	2	2	2	-	2	2	-	2
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

During unspecified surgical and medical care (Y60.9)

All ages-----	10	2	8	7	1	6	3	1	2	3	1	2
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	-	-	-	1	1	-	1	1	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	-	-	-	1	-	1	1	-	1
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	3	-	3	3	-	3	-	-	-	-	-	-
70-74 years-----	1	-	1	-	-	-	1	-	1	1	-	1
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Foreign object accidentally left in body during surgical and medical care (Y61)												
All ages-----	8	5	3	7	4	3	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	1	-	-	-	-	1	1	-	1	1	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

During surgical operation (Y61.0)

All ages-----	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
During infusion or transfusion (Y61.1)												
All ages-----	2	-	2	2	-	2	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

During aspiration, puncture, and other catheterization (Y61.6)

All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
During other surgical and medical care (Y61.8)												
All ages-----	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

During unspecified surgical and medical care (Y61.9)

All ages-----	1	1	-	-	-	-	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	1	-	-	-	-	1	1	-	1	1	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

ALL RACES WHITE ALL OTHER BLACK

Failure of sterile precautions during surgical and medical care (Y62)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	2	1	1	1	1	-	1	-	1	1	-	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	2	1	1	1	1	-	1	-	1	1	-	1
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

During injection or immunization (Y62.3)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
During other surgical and medical care (Y62.8)												
All ages-----	1	-	1	-	-	-	1	-	1	1	-	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	-	-	-	1	-	1	1	-	1
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Failure in dosage during surgical and medical care (Y63)

All ages-----	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

ALL RACES WHITE ALL OTHER BLACK

Overdose of radiation given during therapy (Y63.2)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Failure in dosage during unspecified surgical and medical care (Y63.9)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),

RACE, AND SEX - - - ALL RACES - - - - - - WHITE - - - - - - ALL OTHER - - - - - - BLACK - - -

Contaminated medical or biological substances (Y64)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Contaminated medical or biological substance, transfused or infused (Y64.0)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other misadventures during surgical and medical care (Y65)												
All ages-----	31	14	17	21	8	13	10	6	4	7	3	4
Under 1 year----	1	1	-	-	-	-	1	1	-	1	1	-
1-4 years-----	3	-	3	2	-	2	1	-	1	1	-	1
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	2	1	1	2	1	1	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years-----	2	-	2	2	-	2	-	-	-	-	-	-
65-69 years-----	2	2	-	1	1	-	1	1	-	-	-	-
70-74 years-----	4	-	4	2	-	2	2	-	2	2	-	2
75-79 years-----	4	3	1	2	1	1	2	2	-	1	1	-
80-84 years-----	4	1	3	4	1	3	-	-	-	-	-	-
85-89 years-----	6	4	2	3	2	1	3	2	1	2	1	1
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Failure to introduce or to remove other tube or instrument (Y65.4)

All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other specified misadventures during surgical and medical care (Y65.8)												
All ages-----	30	14	16	20	8	12	10	6	4	7	3	4
Under 1 year----	1	1	-	-	-	-	1	1	-	1	1	-
1-4 years-----	2	-	2	1	-	1	1	-	1	1	-	1
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	2	1	1	2	1	1	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years-----	2	-	2	2	-	2	-	-	-	-	-	-
65-69 years-----	2	2	-	1	1	-	1	1	-	-	-	-
70-74 years-----	4	-	4	2	-	2	2	-	2	2	-	2
75-79 years-----	4	3	1	2	1	1	2	2	-	1	1	-
80-84 years-----	4	1	3	4	1	3	-	-	-	-	-	-
85-89 years-----	6	4	2	3	2	1	3	2	1	2	1	1
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Unspecified misadventure during surgical and medical care (Y69)

All ages-----	6	3	3	5	3	2	1	-	1	1	-	1
Under 1 year----	1	-	1	-	-	-	1	-	1	1	-	1
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	2	2	-	2	2	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Otorhinolaryngological devices associated with adverse incidents (Y72)

All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Miscellaneous devices, not elsewhere classified (Y72.8)

All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Gastroenterology and urology devices associated with adverse incidents (Y73)												
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Therapeutic (nonsurgical) and rehabilitative devices (Y73.1)

All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

ALL RACES WHITE ALL OTHER BLACK

Physical medicine devices associated with adverse incidents (Y80)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	1	1	-	-	-	-	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	-	-	-	1	1	-	1	1	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Diagnostic and monitoring devices (Y80.0)

All ages-----	1	1	-	-	-	-	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	-	-	-	1	1	-	1	1	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

ALL RACES WHITE ALL OTHER BLACK

General- and plastic-surgery devices associated with adverse incidents (Y81)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Miscellaneous devices, not elsewhere classified (Y81.8)

All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other and unspecified medical devices associated with adverse incidents (Y82)												
All ages-----	4	1	3	4	1	3	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Therapeutic (nonsurgical) and rehabilitative devices (Y82.1)

All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

ALL RACES WHITE ALL OTHER BLACK

Surgical instruments, materials, and devices (including sutures) (Y82.3)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Miscellaneous devices, not elsewhere classified (Y82.8)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Surgical operation and other surgical procedures as the cause of abnormal reaction of the patient, or of later complication, without mention of misadventure at the time of the procedure (Y83)												
All ages-----	1,838	848	990	1,543	716	827	295	132	163	257	111	146
Under 1 year-----	31	19	12	21	15	6	10	4	6	10	4	6
1-4 years-----	16	7	9	10	6	4	6	1	5	6	1	5
5-9 years-----	5	3	2	4	2	2	1	1	-	1	1	-
10-14 years-----	5	2	3	3	1	2	2	1	1	2	1	1
15-19 years-----	7	3	4	6	3	3	1	-	1	1	-	1
20-24 years-----	8	5	3	6	4	2	2	1	1	2	1	1
25-29 years-----	12	4	8	6	3	3	6	1	5	4	-	4
30-34 years-----	22	13	9	17	11	6	5	2	3	4	2	2
35-39 years-----	24	13	11	18	10	8	6	3	3	5	2	3
40-44 years-----	47	23	24	36	17	19	11	6	5	10	5	5
45-49 years-----	52	18	34	41	14	27	11	4	7	10	4	6
50-54 years-----	70	33	37	50	23	27	20	10	10	19	10	9
55-59 years-----	88	51	37	63	36	27	25	15	10	20	10	10
60-64 years-----	122	62	60	100	53	47	22	9	13	20	9	11
65-69 years-----	151	67	84	132	60	72	19	7	12	16	6	10
70-74 years-----	227	118	109	200	100	100	27	18	9	24	16	8
75-79 years-----	281	138	143	240	121	119	41	17	24	37	16	21
80-84 years-----	287	128	159	259	117	142	28	11	17	22	9	13
85-89 years-----	215	88	127	187	74	113	28	14	14	22	8	14
90-94 years-----	122	38	84	107	33	74	15	5	10	15	5	10
95-99 years-----	37	12	25	31	12	19	6	-	6	5	-	5
100 yrs & over---	9	3	6	6	1	5	3	2	1	2	1	1
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Surgical operation with transplant of whole organ (Y83.0)

All ages-----	79	50	29	63	42	21	16	8	8	14	7	7
Under 1 year-----	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years-----	5	1	4	2	1	1	3	-	3	3	-	3
5-9 years-----	2	2	-	2	2	-	-	-	-	-	-	-
10-14 years-----	2	1	1	-	-	-	2	1	1	2	1	1
15-19 years-----	2	1	1	2	1	1	-	-	-	-	-	-
20-24 years-----	3	3	-	2	2	-	1	1	-	1	1	-
25-29 years-----	3	1	2	2	1	1	1	-	1	1	-	1
30-34 years-----	5	5	-	4	4	-	1	1	-	1	1	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	12	9	3	12	9	3	-	-	-	-	-	-
45-49 years-----	5	2	3	5	2	3	-	-	-	-	-	-
50-54 years-----	8	3	5	8	3	5	-	-	-	-	-	-
55-59 years-----	14	12	2	11	9	2	3	3	-	2	2	-
60-64 years-----	9	4	5	6	3	3	3	1	2	3	1	2
65-69 years-----	6	4	2	5	4	1	1	-	1	-	-	-
70-74 years-----	1	1	-	-	-	-	1	1	-	1	1	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Surgical operation with implant of artificial internal device (Y83.1)												
All ages-----	291	137	154	266	128	138	25	9	16	21	8	13
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	1	-	-	-	-	1	1	-	1	1	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	2	2	-	1	1	-	1	1	-	1	1	-
35-39 years-----	1	-	1	-	-	-	1	-	1	1	-	1
40-44 years-----	2	1	1	2	1	1	-	-	-	-	-	-
45-49 years-----	6	3	3	6	3	3	-	-	-	-	-	-
50-54 years-----	5	4	1	4	4	-	1	-	1	1	-	1
55-59 years-----	4	3	1	3	2	1	1	1	-	1	1	-
60-64 years-----	13	7	6	13	7	6	-	-	-	-	-	-
65-69 years-----	20	8	12	20	8	12	-	-	-	-	-	-
70-74 years-----	28	11	17	25	10	15	3	1	2	3	1	2
75-79 years-----	50	27	23	44	26	18	6	1	5	5	1	4
80-84 years-----	55	26	29	51	26	25	4	-	4	3	-	3
85-89 years-----	67	35	32	61	31	30	6	4	2	5	3	2
90-94 years-----	28	7	21	28	7	21	-	-	-	-	-	-
95-99 years-----	6	1	5	5	1	4	1	-	1	-	-	-
100 yrs & over---	3	1	2	3	1	2	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Surgical operation with anastomosis, bypass, or graft (Y83.2)

All ages-----	190	102	88	162	87	75	28	15	13	26	14	12
Under 1 year-----	8	6	2	8	6	2	-	-	-	-	-	-
1-4 years-----	3	2	1	3	2	1	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	3	1	2	2	1	1	1	-	1	1	-	1
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	4	3	1	3	2	1	1	1	-	1	1	-
40-44 years-----	5	2	3	4	1	3	1	1	-	1	1	-
45-49 years-----	3	2	1	2	1	1	1	1	-	1	1	-
50-54 years-----	8	2	6	6	2	4	2	-	2	2	-	2
55-59 years-----	11	6	5	8	5	3	3	1	2	3	1	2
60-64 years-----	19	15	4	12	10	2	7	5	2	7	5	2
65-69 years-----	22	8	14	17	6	11	5	2	3	4	2	2
70-74 years-----	27	17	10	26	16	10	1	1	-	1	1	-
75-79 years-----	30	15	15	29	15	14	1	-	1	1	-	1
80-84 years-----	25	14	11	23	13	10	2	1	1	2	1	1
85-89 years-----	14	4	10	11	2	9	3	2	1	2	1	1
90-94 years-----	3	2	1	3	2	1	-	-	-	-	-	-
95-99 years-----	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Surgical operation with formation of external stoma (Y83.3)												
All ages-----	84	36	48	61	28	33	23	8	15	21	7	14
Under 1 year-----	3	2	1	2	2	-	1	-	1	1	-	1
1-4 years-----	2	1	1	-	-	-	2	1	1	2	1	1
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	2	1	1	1	1	-	1	-	1	1	-	1
35-39 years-----	2	1	1	2	1	1	-	-	-	-	-	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	2	-	2	1	-	1	1	-	1	1	-	1
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	3	2	1	1	1	-	2	1	1	2	1	1
60-64 years-----	5	1	4	3	1	2	2	-	2	2	-	2
65-69 years-----	6	3	3	3	1	2	3	2	1	3	2	1
70-74 years-----	7	5	2	7	5	2	-	-	-	-	-	-
75-79 years-----	13	5	8	10	4	6	3	1	2	3	1	2
80-84 years-----	17	8	9	13	7	6	4	1	3	3	1	2
85-89 years-----	10	5	5	9	4	5	1	1	-	-	-	-
90-94 years-----	9	2	7	6	1	5	3	1	2	3	1	2
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other reconstructive surgery (Y83.4)

All ages-----	123	62	61	111	56	55	12	6	6	9	4	5
Under 1 year-----	13	7	6	6	4	2	7	3	4	7	3	4
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	3	2	1	3	2	1	-	-	-	-	-	-
60-64 years-----	7	3	4	7	3	4	-	-	-	-	-	-
65-69 years-----	11	5	6	11	5	6	-	-	-	-	-	-
70-74 years-----	14	8	6	13	8	5	1	-	1	-	-	-
75-79 years-----	27	15	12	25	14	11	2	1	1	1	-	1
80-84 years-----	23	10	13	22	9	13	1	1	-	-	-	-
85-89 years-----	15	7	8	15	7	8	-	-	-	-	-	-
90-94 years-----	5	1	4	5	1	4	-	-	-	-	-	-
95-99 years-----	2	2	-	2	2	-	-	-	-	-	-	-
100 yrs & over---	1	1	-	-	-	-	1	1	-	1	1	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Amputation of limb (s) (Y83.5)												
All ages-----	168	85	83	120	63	57	48	22	26	46	21	25
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	3	1	2	2	1	1	1	-	1	1	-	1
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	2	1	1	1	1	-	1	-	1	1	-	1
50-54 years-----	5	2	3	2	-	2	3	2	1	3	2	1
55-59 years-----	4	2	2	2	1	1	2	1	1	2	1	1
60-64 years-----	9	5	4	7	4	3	2	1	1	1	1	-
65-69 years-----	14	11	3	11	9	2	3	2	1	3	2	1
70-74 years-----	27	19	8	21	15	6	6	4	2	6	4	2
75-79 years-----	22	13	9	15	8	7	7	5	2	7	5	2
80-84 years-----	29	14	15	26	12	14	3	2	1	3	2	1
85-89 years-----	27	11	16	19	10	9	8	1	7	8	1	7
90-94 years-----	16	5	11	9	2	7	7	3	4	7	3	4
95-99 years-----	7	-	7	3	-	3	4	-	4	4	-	4
100 yrs & over---	2	1	1	1	-	1	1	1	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Removal of other organ (partial) (total) (Y83.6)												
All ages-----	129	41	88	105	34	71	24	7	17	18	4	14
Under 1 year-----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	3	2	1	2	2	-	1	-	1	1	-	1
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	1	-	1	-	-	-	1	-	1	1	-	1
30-34 years-----	5	1	4	5	1	4	-	-	-	-	-	-
35-39 years-----	3	2	1	3	2	1	-	-	-	-	-	-
40-44 years-----	11	2	9	8	2	6	3	-	3	3	-	3
45-49 years-----	5	1	4	2	-	2	3	1	2	3	1	2
50-54 years-----	8	2	6	6	2	4	2	-	2	2	-	2
55-59 years-----	6	1	5	5	1	4	1	-	1	1	-	1
60-64 years-----	6	4	2	5	4	1	1	-	1	1	-	1
65-69 years-----	12	3	9	12	3	9	-	-	-	-	-	-
70-74 years-----	13	6	7	10	4	6	3	2	1	2	1	1
75-79 years-----	16	4	12	13	3	10	3	1	2	2	1	1
80-84 years-----	26	9	17	21	7	14	5	2	3	2	1	1
85-89 years-----	8	1	7	7	-	7	1	1	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other surgical procedures (Y83.8)												
All ages-----	126	59	67	99	41	58	27	18	9	21	13	8
Under 1 year----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	2	1	1	1	1	-	1	-	1	1	-	1
25-29 years-----	1	1	-	-	-	-	1	1	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	4	1	3	2	-	2	2	1	1	2	1	1
40-44 years-----	4	4	-	1	1	-	3	3	-	2	2	-
45-49 years-----	7	2	5	6	2	4	1	-	1	1	-	1
50-54 years-----	6	5	1	5	4	1	1	1	-	1	1	-
55-59 years-----	11	4	7	8	1	7	3	3	-	1	1	-
60-64 years-----	10	5	5	7	3	4	3	2	1	3	2	1
65-69 years-----	14	9	5	13	9	4	1	-	1	1	-	1
70-74 years-----	14	5	9	12	4	8	2	1	1	2	1	1
75-79 years-----	17	10	7	15	9	6	2	1	1	1	1	-
80-84 years-----	13	3	10	11	2	9	2	1	1	2	1	1
85-89 years-----	14	6	8	9	2	7	5	4	1	4	3	1
90-94 years-----	6	2	4	6	2	4	-	-	-	-	-	-
95-99 years-----	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Surgical procedure, unspecified (Y83.9)

All ages-----	648	276	372	556	237	319	92	39	53	81	33	48
Under 1 year----	4	2	2	2	1	1	2	1	1	2	1	1
1-4 years-----	3	1	2	3	1	2	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years-----	6	1	5	3	1	2	3	-	3	2	-	2
30-34 years-----	7	4	3	5	4	1	2	-	2	1	-	1
35-39 years-----	5	3	2	4	2	2	1	1	-	-	-	-
40-44 years-----	12	5	7	8	3	5	4	2	2	4	2	2
45-49 years-----	22	7	15	18	5	13	4	2	2	3	2	1
50-54 years-----	30	15	15	19	8	11	11	7	4	10	7	3
55-59 years-----	32	19	13	22	14	8	10	5	5	8	3	5
60-64 years-----	44	18	26	40	18	22	4	-	4	3	-	3
65-69 years-----	46	16	30	40	15	25	6	1	5	5	-	5
70-74 years-----	96	46	50	86	38	48	10	8	2	9	7	2
75-79 years-----	106	49	57	89	42	47	17	7	10	17	7	10
80-84 years-----	99	44	55	92	41	51	7	3	4	7	3	4
85-89 years-----	60	19	41	56	18	38	4	1	3	3	-	3
90-94 years-----	55	19	36	50	18	32	5	1	4	5	1	4
95-99 years-----	17	8	9	16	8	8	1	-	1	1	-	1
100 yrs & over---	2	-	2	1	-	1	1	-	1	1	-	1
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other medical procedures as the cause of abnormal reaction of the patient, or of later complication, without mention of misadventure at the time of the procedure (Y84)												
All ages-----	499	239	260	377	184	193	122	55	67	112	51	61
Under 1 year-----	14	8	6	9	5	4	5	3	2	4	2	2
1-4 years-----	5	3	2	4	3	1	1	-	1	1	-	1
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	3	2	1	2	2	-	-	-	1	1	-	1
15-19 years-----	4	1	3	4	1	3	-	-	-	-	-	-
20-24 years-----	4	3	1	3	2	1	1	1	-	1	1	-
25-29 years-----	7	3	4	5	1	4	2	2	-	2	2	-
30-34 years-----	11	7	4	10	6	4	1	1	-	1	1	-
35-39 years-----	11	7	4	9	6	3	2	1	1	2	1	1
40-44 years-----	17	7	10	10	4	6	7	3	4	6	3	3
45-49 years-----	13	7	6	9	4	5	4	3	1	4	3	1
50-54 years-----	25	16	9	18	13	5	7	3	4	7	3	4
55-59 years-----	18	8	10	10	4	6	8	4	4	8	4	4
60-64 years-----	25	12	13	17	8	9	8	4	4	7	4	3
65-69 years-----	36	18	18	28	14	14	8	4	4	8	4	4
70-74 years-----	77	35	42	56	27	29	21	8	13	20	8	12
75-79 years-----	67	34	33	58	30	28	9	4	5	9	4	5
80-84 years-----	71	33	38	50	23	27	21	10	11	16	7	9
85-89 years-----	60	25	35	48	23	25	12	2	10	11	2	9
90-94 years-----	16	5	11	15	4	11	1	1	-	1	1	-
95-99 years-----	11	4	7	9	3	6	2	1	1	2	1	1
100 yrs & over---	3	-	3	2	-	2	1	-	1	1	-	1
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Cardiac catheterization (Y84.0)

All ages-----	11	6	5	6	4	2	5	2	3	5	2	3
Under 1 year-----	1	1	-	-	-	-	1	1	-	1	1	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	-	-	-	1	-	1	1	-	1
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	3	2	1	3	2	1	-	-	-	-	-	-
70-74 years-----	3	2	1	1	1	-	2	1	1	2	1	1
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	2	-	2	1	-	1	1	-	1	1	-	1
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Kidney dialysis (Y84.1)												
All ages-----	54	34	20	36	24	12	18	10	8	17	10	7
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	2	2	-	1	1	-	1	1	-	1	1	-
40-44 years-----	1	1	-	-	-	-	1	1	-	1	1	-
45-49 years-----	3	3	-	1	1	-	2	2	-	2	2	-
50-54 years-----	2	2	-	1	1	-	1	1	-	1	1	-
55-59 years-----	2	1	1	-	-	-	2	1	1	2	1	1
60-64 years-----	6	4	2	3	3	-	3	1	2	3	1	2
65-69 years-----	4	2	2	4	2	2	-	-	-	-	-	-
70-74 years-----	10	4	6	7	3	4	3	1	2	3	1	2
75-79 years-----	9	6	3	9	6	3	-	-	-	-	-	-
80-84 years-----	8	5	3	8	5	3	-	-	-	-	-	-
85-89 years-----	6	3	3	2	2	-	4	1	3	3	1	2
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Radiological procedure and radiotherapy (Y84.2)												
All ages-----	11	7	4	10	7	3	1	-	1	1	-	1
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years-----	1	-	1	-	-	-	1	-	1	1	-	1
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	2	2	-	2	2	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Aspiration of fluid (Y84.4)												
All ages-----	2	1	1	1	-	1	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	-	-	-	1	1	-	1	1	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Insertion of gastric or duodenal sound (Y84.5)

All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Urinary catheterization (Y84.6)												
All ages-----	95	46	49	79	37	42	16	9	7	14	8	6
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	3	3	-	3	3	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	1	1	-	-	-	-	1	1	-	1	1	-
50-54 years-----	5	3	2	3	2	1	2	1	1	2	1	1
55-59 years-----	3	1	2	3	1	2	-	-	-	-	-	-
60-64 years-----	4	1	3	2	-	2	2	1	1	1	1	-
65-69 years-----	8	3	5	5	3	2	3	-	3	3	-	3
70-74 years-----	8	2	6	8	2	6	-	-	-	-	-	-
75-79 years-----	15	5	10	14	4	10	1	1	-	1	1	-
80-84 years-----	19	13	6	14	9	5	5	4	1	4	3	1
85-89 years-----	12	7	5	12	7	5	-	-	-	-	-	-
90-94 years-----	7	3	4	7	3	4	-	-	-	-	-	-
95-99 years-----	5	4	1	4	3	1	1	1	-	1	1	-
100 yrs & over---	2	-	2	1	-	1	1	-	1	1	-	1
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Blood-sampling (Y84.7)

All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Other medical procedures (Y84.8)												
All ages-----	312	137	175	234	106	128	78	31	47	71	28	43
Under 1 year-----	13	7	6	9	5	4	4	2	2	3	1	2
1-4 years-----	4	3	1	3	3	-	1	-	1	1	-	1
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	3	2	1	2	2	-	1	-	1	1	-	1
15-19 years-----	3	-	3	3	-	3	-	-	-	-	-	-
20-24 years-----	4	3	1	3	2	1	1	1	-	1	1	-
25-29 years-----	4	2	2	3	1	2	1	1	-	1	1	-
30-34 years-----	8	4	4	7	3	4	1	1	-	1	1	-
35-39 years-----	8	4	4	7	4	3	1	-	1	1	-	1
40-44 years-----	13	5	8	8	3	5	5	2	3	4	2	2
45-49 years-----	9	3	6	8	3	5	1	-	1	1	-	1
50-54 years-----	14	8	6	11	8	3	3	-	3	3	-	3
55-59 years-----	11	5	6	6	3	3	5	2	3	5	2	3
60-64 years-----	14	7	7	11	5	6	3	2	1	3	2	1
65-69 years-----	16	9	7	13	6	7	3	3	-	3	3	-
70-74 years-----	55	27	28	40	21	19	15	6	9	14	6	8
75-79 years-----	38	19	19	30	16	14	8	3	5	8	3	5
80-84 years-----	40	14	26	25	8	17	15	6	9	11	4	7
85-89 years-----	39	13	26	31	12	19	8	1	7	8	1	7
90-94 years-----	8	1	7	7	-	7	1	1	-	1	1	-
95-99 years-----	6	-	6	5	-	5	1	-	1	1	-	1
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Medical procedure, unspecified (Y84.9)

All ages-----	12	7	5	9	5	4	3	2	1	3	2	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	3	2	1	2	1	1	1	1	-	1	1	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	3	1	2	1	-	1	2	1	1	2	1	1
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	4	3	1	4	3	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Sequelae of transport accidents (Y85)												
All ages-----	496	354	142	399	283	116	97	71	26	77	57	20
Under 1 year----
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	5	2	3	3	1	2	2	1	1	2	1	1
10-14 years-----	2	2	-	2	2	-	-	-	-	-	-	-
15-19 years-----	21	15	6	15	10	5	6	5	1	5	4	1
20-24 years-----	23	12	11	16	9	7	7	3	4	7	3	4
25-29 years-----	36	29	7	32	25	7	4	4	-	4	4	-
30-34 years-----	45	30	15	37	24	13	8	6	2	4	3	1
35-39 years-----	60	42	18	52	35	17	8	7	1	8	7	1
40-44 years-----	53	41	12	44	33	11	9	8	1	7	6	1
45-49 years-----	45	31	14	37	28	9	8	3	5	7	3	4
50-54 years-----	53	41	12	43	35	8	10	6	4	8	5	3
55-59 years-----	37	29	8	25	19	6	12	10	2	7	6	1
60-64 years-----	32	21	11	22	13	9	10	8	2	8	7	1
65-69 years-----	19	15	4	17	13	4	2	2	-	1	1	-
70-74 years-----	22	18	4	19	15	4	3	3	-	2	2	-
75-79 years-----	19	13	6	16	12	4	3	1	2	2	1	1
80-84 years-----	13	6	7	10	4	6	3	2	1	3	2	1
85-89 years-----	7	6	1	5	4	1	2	2	-	2	2	-
90-94 years-----	3	1	2	3	1	2	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Sequelae of motor-vehicle accident (Y85.0)

All ages-----	456	324	132	365	258	107	91	66	25	71	52	19
Under 1 year----
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	5	2	3	3	1	2	2	1	1	2	1	1
10-14 years-----	2	2	-	2	2	-	-	-	-	-	-	-
15-19 years-----	20	14	6	15	10	5	5	4	1	4	3	1
20-24 years-----	21	10	11	14	7	7	7	3	4	7	3	4
25-29 years-----	29	23	6	26	20	6	3	3	-	3	3	-
30-34 years-----	41	27	14	33	21	12	8	6	2	4	3	1
35-39 years-----	58	41	17	51	34	17	7	7	-	7	7	-
40-44 years-----	49	38	11	41	31	10	8	7	1	6	5	1
45-49 years-----	42	28	14	35	26	9	7	2	5	6	2	4
50-54 years-----	48	38	10	38	32	6	10	6	4	8	5	3
55-59 years-----	32	25	7	20	15	5	12	10	2	7	6	1
60-64 years-----	31	20	11	22	13	9	9	7	2	7	6	1
65-69 years-----	16	13	3	14	11	3	2	2	-	1	1	-
70-74 years-----	22	18	4	19	15	4	3	3	-	2	2	-
75-79 years-----	19	13	6	16	12	4	3	1	2	2	1	1
80-84 years-----	12	6	6	9	4	5	3	2	1	3	2	1
85-89 years-----	6	5	1	4	3	1	2	2	-	2	2	-
90-94 years-----	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED
ON THE TENTH REVISION
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE

Sequelae of other and unspecified transport accidents (Y85.9)

All ages-----	40	30	10	34	25	9	6	5	1	6	5	1
Under 1 year-----
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	-	-	-	1	1	-	1	1	-
20-24 years-----	2	2	-	2	2	-	-	-	-	-	-	-
25-29 years-----	7	6	1	6	5	1	1	1	-	1	1	-
30-34 years-----	4	3	1	4	3	1	-	-	-	-	-	-
35-39 years-----	2	1	1	1	1	-	1	-	1	1	-	1
40-44 years-----	4	3	1	3	2	1	1	1	-	1	1	-
45-49 years-----	3	3	-	2	2	-	1	1	-	1	1	-
50-54 years-----	5	3	2	5	3	2	-	-	-	-	-	-
55-59 years-----	5	4	1	5	4	1	-	-	-	-	-	-
60-64 years-----	1	1	-	-	-	-	1	1	-	1	1	-
65-69 years-----	3	2	1	3	2	1	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Sequelae of other accidents (Y86)

All ages-----	878	553	325	727	440	287	151	113	38	137	102	35
Under 1 year-----
1-4 years-----	2	2	-	-	-	-	2	2	-	2	2	-
5-9 years-----	10	4	6	7	2	5	3	2	1	3	2	1
10-14 years-----	9	6	3	8	5	3	1	1	-	-	-	-
15-19 years-----	10	8	2	8	7	1	2	1	1	2	1	1
20-24 years-----	13	13	-	9	9	-	4	4	-	4	4	-
25-29 years-----	19	15	4	15	12	3	4	3	1	4	3	1
30-34 years-----	33	27	6	29	24	5	4	3	1	4	3	1
35-39 years-----	45	35	10	38	29	9	7	6	1	7	6	1
40-44 years-----	70	59	11	52	44	8	18	15	3	16	13	3
45-49 years-----	49	42	7	33	27	6	16	15	1	15	14	1
50-54 years-----	37	27	10	27	20	7	10	7	3	7	5	2
55-59 years-----	46	37	9	34	28	6	12	9	3	12	9	3
60-64 years-----	45	38	7	35	29	6	10	9	1	9	8	1
65-69 years-----	48	31	17	41	26	15	7	5	2	7	5	2
70-74 years-----	58	40	18	47	31	16	11	9	2	10	8	2
75-79 years-----	91	54	37	79	45	34	12	9	3	10	8	2
80-84 years-----	98	54	44	90	50	40	8	4	4	7	4	3
85-89 years-----	91	35	56	81	29	52	10	6	4	9	5	4
90-94 years-----	70	21	49	62	18	44	8	3	5	7	2	5
95-99 years-----	33	5	28	31	5	26	2	-	2	2	-	2
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Sequelae of intentional self harm, assault, and events of undetermined intent (Y87)												
All ages-----	186	150	36	106	81	25	80	69	11	75	65	10
Under 1 year----
1-4 years-----
5-9 years-----	9	4	5	5	3	2	4	1	3	3	1	2
10-14 years-----	3	3	-	1	1	-	2	2	-	2	2	-
15-19 years-----	6	5	1	2	1	1	4	4	-	3	3	-
20-24 years-----	12	12	-	6	6	-	6	6	-	6	6	-
25-29 years-----	20	15	5	13	10	3	7	5	2	6	4	2
30-34 years-----	23	16	7	13	8	5	10	8	2	10	8	2
35-39 years-----	17	16	1	11	10	1	6	6	-	6	6	-
40-44 years-----	25	20	5	11	7	4	14	13	1	14	13	1
45-49 years-----	16	13	3	8	5	3	8	8	-	7	7	-
50-54 years-----	14	13	1	5	5	-	9	8	1	8	7	1
55-59 years-----	11	10	1	8	7	1	3	3	-	3	3	-
60-64 years-----	5	4	1	5	4	1	-	-	-	-	-	-
65-69 years-----	6	5	1	5	4	1	1	1	-	1	1	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	6	3	3	4	1	3	2	2	-	2	2	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	4	4	-	4	4	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Sequelae of intentional self harm (Y87.0)

All ages-----	19	15	4	18	14	4	1	1	-	1	1	-
Under 1 year----
1-4 years-----
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	4	3	1	4	3	1	-	-	-	-	-	-
30-34 years-----	3	3	-	3	3	-	-	-	-	-	-	-
35-39 years-----	2	2	-	2	2	-	-	-	-	-	-	-
40-44 years-----	4	2	2	4	2	2	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	-	-	-	1	1	-	1	1	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Sequelae of assault (Y87.1)												
All ages-----	140	113	27	70	52	18	70	61	9	67	59	8
Under 1 year----
1-4 years-----	7	5	2	3	3	-	4	2	2	4	2	2
5-9 years-----	9	4	5	5	3	2	4	1	3	3	1	2
10-14 years-----	2	2	-	-	-	-	2	2	-	2	2	-
15-19 years-----	5	4	1	1	-	1	4	4	-	3	3	-
20-24 years-----	10	10	-	5	5	-	5	5	-	5	5	-
25-29 years-----	12	10	2	7	7	-	5	3	2	5	3	2
30-34 years-----	18	12	6	9	4	5	9	8	1	9	8	1
35-39 years-----	11	10	1	6	5	1	5	5	-	5	5	-
40-44 years-----	19	17	2	6	5	1	13	12	1	13	12	1
45-49 years-----	14	11	3	7	4	3	7	7	-	7	7	-
50-54 years-----	11	11	-	4	4	-	7	7	-	6	6	-
55-59 years-----	9	8	1	6	5	1	3	3	-	3	3	-
60-64 years-----	3	2	1	3	2	1	-	-	-	-	-	-
65-69 years-----	5	5	-	4	4	-	1	1	-	1	1	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	4	1	3	3	-	3	1	1	-	1	1	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Sequelae of events of undetermined intent (Y87.2)

All ages-----	27	22	5	18	15	3	9	7	2	7	5	2
Under 1 year----
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	2	2	-	1	1	-	1	1	-	1	1	-
25-29 years-----	4	2	2	2	-	2	2	2	-	1	1	-
30-34 years-----	2	1	1	1	1	-	1	-	1	1	-	1
35-39 years-----	4	4	-	3	3	-	1	1	-	1	1	-
40-44 years-----	2	1	1	1	-	1	1	1	-	1	1	-
45-49 years-----	2	2	-	1	1	-	1	1	-	-	-	-
50-54 years-----	3	2	1	1	1	-	2	1	1	2	1	1
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	3	3	-	3	3	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

ALL RACES MALE FEMALE WHITE MALE FEMALE ALL OTHER MALE FEMALE BLACK MALE FEMALE

Sequelae with surgical and medical care as external cause (Y88)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	81	31	50	70	26	44	11	5	6	8	3	5
Under 1 year-----
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	2	1	1	2	1	1	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	3	1	2	2	1	1	1	-	1	1	-	1
40-44 years-----	1	-	1	-	-	-	-	-	1	1	-	1
45-49 years-----	3	1	2	2	1	1	1	-	1	-	-	-
50-54 years-----	3	2	1	2	1	1	1	1	-	1	1	-
55-59 years-----	5	2	3	3	1	2	2	1	1	1	-	1
60-64 years-----	5	3	2	5	3	2	-	-	-	-	-	-
65-69 years-----	7	1	6	6	1	5	1	-	1	1	-	1
70-74 years-----	9	4	5	9	4	5	-	-	-	-	-	-
75-79 years-----	12	2	10	11	2	9	1	-	1	1	-	1
80-84 years-----	10	4	6	9	3	6	1	1	-	1	1	-
85-89 years-----	13	7	6	11	5	6	2	2	-	1	1	-
90-94 years-----	4	1	3	4	1	3	-	-	-	-	-	-
95-99 years-----	2	1	1	2	1	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Sequelae of adverse effects caused by drugs, medicaments, and biological substances in therapeutic use (Y88.0)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	8	2	6	7	2	5	1	-	1	-	-	-
Under 1 year-----
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	-	-	-	1	-	1	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

ALL RACES MALE FEMALE WHITE MALE FEMALE ALL OTHER MALE FEMALE BLACK MALE FEMALE

Sequelae of misadventures to patients during surgical and medical procedures (Y88.1)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	6	2	4	5	1	4	1	1	-	1	1	-
Under 1 year-----
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	3	1	2	2	-	2	1	1	-	1	1	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Sequelae of surgical and medical procedures as the cause of abnormal reaction of the patient, or of later complication, without mention of misadventure at the time of the procedure (Y88.3)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	67	27	40	58	23	35	9	4	5	7	2	5
Under 1 year-----
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	2	1	1	2	1	1	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	3	1	2	2	1	1	1	-	1	1	-	1
40-44 years-----	1	-	1	-	-	-	1	-	1	1	-	1
45-49 years-----	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years-----	3	2	1	2	1	1	1	1	-	1	1	-
55-59 years-----	5	2	3	3	1	2	2	1	1	1	-	1
60-64 years-----	4	3	1	4	3	1	-	-	-	-	-	-
65-69 years-----	6	1	5	5	1	4	1	-	1	1	-	1
70-74 years-----	7	3	4	7	3	4	-	-	-	-	-	-
75-79 years-----	11	2	9	10	2	8	1	-	1	1	-	1
80-84 years-----	7	3	4	7	3	4	-	-	-	-	-	-
85-89 years-----	10	6	4	8	4	4	2	2	-	1	1	-
90-94 years-----	4	1	3	4	1	3	-	-	-	-	-	-
95-99 years-----	2	1	1	2	1	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Sequelae of other external causes (Y89)												
All ages-----	34	30	4	27	24	3	7	6	1	7	6	1
Under 1 year-----
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	3	2	1	3	2	1	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	3	3	-	1	1	-	2	2	-	2	2	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	3	3	-	1	1	-	2	2	-	2	2	-
60-64 years-----	1	1	-	-	-	-	1	1	-	1	1	-
65-69 years-----	3	3	-	2	2	-	1	1	-	1	1	-
70-74 years-----	6	6	-	6	6	-	-	-	-	-	-	-
75-79 years-----	4	4	-	4	4	-	-	-	-	-	-	-
80-84 years-----	3	3	-	3	3	-	-	-	-	-	-	-
85-89 years-----	5	2	3	4	2	2	1	-	1	1	-	1
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Sequelae of legal intervention (Y89.0)

All ages-----	1	1	-	-	-	-	1	1	-	1	1	-
Under 1 year-----
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	-	-	-	1	1	-	1	1	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System, Mortality

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

RACE, AND SEX

Sequelae of war operations (Y89.1)

	ALL RACES			WHITE			ALL OTHER			BLACK		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	21	21	-	20	20	-	1	1	-	1	1	-
Under 1 year-----
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	2	2	-	1	1	-	1	1	-	1	1	-
70-74 years-----	6	6	-	6	6	-	-	-	-	-	-	-
75-79 years-----	4	4	-	4	4	-	-	-	-	-	-	-
80-84 years-----	3	3	-	3	3	-	-	-	-	-	-	-
85-89 years-----	2	2	-	2	2	-	-	-	-	-	-	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Sequelae of unspecified external cause (Y89.9)

All ages-----	12	8	4	7	4	3	5	4	1	5	4	1
Under 1 year-----
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	3	2	1	3	2	1	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	3	3	-	1	1	-	2	2	-	2	2	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	-	-	-	1	1	-	1	1	-
60-64 years-----	1	1	-	-	-	-	1	1	-	1	1	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	3	-	3	2	-	2	1	-	1	1	-	1
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

- QUANTITY ZERO.
... CATEGORY NOT APPLICABLE.