

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
II. Neoplasms (C00-D48)												
United States												
All races, both sexes.....	570,570	143	462	581	580	764	1,053	1,320	2,715	5,287	11,164	19,622
Male.....	295,304	72	246	319	330	445	621	711	1,241	2,243	5,009	9,587
Female.....	275,266	71	216	262	250	319	432	609	1,474	3,044	6,155	10,035
White, both sexes.....	494,394	115	349	464	449	608	859	1,017	2,101	4,121	8,747	15,454
Male.....	255,769	62	189	245	251	362	506	555	987	1,775	3,994	7,638
Female.....	238,625	53	160	219	198	246	353	462	1,114	2,346	4,753	7,816
Black, both sexes.....	63,760	21	88	92	98	121	144	225	475	938	2,035	3,499
Male.....	33,127	6	42	61	54	69	80	108	190	357	841	1,645
Female.....	30,633	15	46	31	44	52	64	117	285	581	1,194	1,854
American Indian 1/, both sexes.....	2,209	1	5	6	7	9	11	12	24	39	64	109
Male.....	1,096	-	2	3	5	4	6	6	8	14	30	44
Female.....	1,113	1	3	3	2	5	5	6	16	25	34	65
Asian or Pacific Islander 2/, both sexes.....	10,207	6	20	19	26	26	39	66	115	189	318	560
Male.....	5,312	4	13	10	20	10	29	42	56	97	144	260
Female.....	4,895	2	7	9	6	16	10	24	59	92	174	300
Alabama												
All races, both sexes.....	9,922	1	7	5	8	12	16	21	46	100	173	368
Male.....	5,413	-	5	4	6	8	7	5	23	33	86	192
Female.....	4,509	1	2	1	2	4	9	16	23	67	87	176
White, both sexes.....	7,615	-	5	4	5	7	10	11	31	65	114	241
Male.....	4,157	-	3	3	3	3	3	1	16	23	57	124
Female.....	3,458	-	2	1	2	4	7	10	15	42	57	117
Black, both sexes.....	2,277	1	2	1	2	5	6	9	15	34	59	125
Male.....	1,241	-	2	1	2	5	4	4	7	10	29	66
Female.....	1,036	1	-	-	-	-	2	5	8	24	30	59
American Indian 1/, both sexes.....	10	-	-	-	-	-	-	-	-	1	-	1
Male.....	6	-	-	-	-	-	-	-	-	-	-	1
Female.....	4	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	20	-	-	-	1	-	-	1	-	-	-	1
Male.....	9	-	-	-	1	-	-	-	-	-	-	1
Female.....	11	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
II. Neoplasms (C00-D48)												
Alaska												
All races, both sexes.....	728	-	1	-	1	1	1	3	2	10	21	38
Male.....	405	-	-	-	1	1	1	2	-	1	12	18
Female.....	323	-	1	-	-	-	-	1	2	9	9	20
White, both sexes.....	535	-	-	-	-	-	1	2	1	5	16	31
Male.....	298	-	-	-	-	-	1	1	-	-	9	13
Female.....	237	-	-	-	-	-	-	1	1	5	7	18
Black, both sexes.....	22	-	-	-	-	-	-	-	-	-	1	-
Male.....	15	-	-	-	-	-	-	-	-	-	1	-
Female.....	7	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	146	-	1	-	1	1	-	1	1	5	3	3
Male.....	81	-	-	-	1	1	-	1	-	1	2	2
Female.....	65	-	1	-	-	-	-	-	1	4	1	1
Asian or Pacific Islander 2/, both sexes.....	25	-	-	-	-	-	-	-	-	-	1	4
Male.....	11	-	-	-	-	-	-	-	-	-	-	3
Female.....	14	-	-	-	-	-	-	-	-	-	1	1
Arizona												
All races, both sexes.....	9,661	2	5	10	10	18	24	17	46	91	182	331
Male.....	5,243	1	2	5	3	11	13	10	24	35	90	176
Female.....	4,418	1	3	5	7	7	11	7	22	56	92	155
White, both sexes.....	9,184	2	4	8	8	16	20	15	36	74	162	307
Male.....	5,001	1	2	4	1	10	10	8	21	27	79	166
Female.....	4,183	1	2	4	7	6	10	7	15	47	83	141
Black, both sexes.....	225	-	1	-	-	-	1	-	2	4	13	14
Male.....	130	-	-	-	-	-	1	-	1	3	7	8
Female.....	95	-	1	-	-	-	-	-	1	1	6	6
American Indian 1/, both sexes.....	182	-	-	2	1	2	3	1	6	10	5	8
Male.....	82	-	-	1	1	1	2	1	2	3	3	1
Female.....	100	-	-	1	-	1	1	-	4	7	2	7
Asian or Pacific Islander 2/, both sexes.....	70	-	-	-	1	-	-	1	2	3	2	2
Male.....	30	-	-	-	1	-	-	1	-	2	1	1
Female.....	40	-	-	-	-	-	-	-	2	1	1	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
II. Neoplasms (C00-D48)												
Arkansas												
All races, both sexes.....	6,414	2	4	8	7	9	5	20	30	59	112	192
Male.....	3,499	-	2	5	5	7	2	9	17	26	58	85
Female.....	2,915	2	2	3	2	2	3	11	13	33	54	107
White, both sexes.....	5,548	2	3	6	6	8	2	16	23	47	82	141
Male.....	3,057	-	2	3	4	6	2	8	14	21	45	61
Female.....	2,491	2	1	3	2	2	-	8	9	26	37	80
Black, both sexes.....	831	-	1	2	1	1	3	4	7	12	28	50
Male.....	428	-	-	2	1	1	-	1	3	5	12	24
Female.....	403	-	1	-	-	-	3	3	4	7	16	26
American Indian 1/, both sexes.....	11	-	-	-	-	-	-	-	-	-	1	-
Male.....	7	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	24	-	-	-	-	-	-	-	-	-	1	1
Male.....	7	-	-	-	-	-	-	-	-	-	1	-
Female.....	17	-	-	-	-	-	-	-	-	-	-	1
California												
All races, both sexes.....	55,400	30	71	82	98	106	126	150	316	572	1,153	2,049
Male.....	28,187	17	37	44	60	65	81	93	143	237	480	928
Female.....	27,213	13	34	38	38	41	45	57	173	335	673	1,121
White, both sexes.....	46,713	21	56	67	77	83	107	115	254	441	923	1,567
Male.....	23,688	12	26	35	47	53	67	69	116	180	388	719
Female.....	23,025	9	30	32	30	30	40	46	138	261	535	848
Black, both sexes.....	4,136	7	5	6	6	11	9	9	25	56	99	241
Male.....	2,138	3	5	4	1	6	5	7	9	20	31	105
Female.....	1,998	4	-	2	5	5	4	2	16	36	68	136
American Indian 1/, both sexes.....	209	-	-	1	-	-	1	2	3	2	7	14
Male.....	110	-	-	1	-	-	1	2	2	2	4	5
Female.....	99	-	-	-	-	-	-	-	1	-	3	9
Asian or Pacific Islander 2/, both sexes.....	4,342	2	10	8	15	12	9	24	34	73	124	227
Male.....	2,251	2	6	4	12	6	8	15	16	35	57	99
Female.....	2,091	-	4	4	3	6	1	9	18	38	67	128

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
II. Neoplasms (C00-D48)												
Florida												
All races, both sexes.....	40,148	3	27	24	36	33	62	75	161	319	666	1,192
Male.....	21,519	2	13	15	21	22	36	38	79	125	314	580
Female.....	18,629	1	14	9	15	11	26	37	82	194	352	612
White, both sexes.....	36,276	3	20	18	32	18	52	52	121	247	537	958
Male.....	19,513	2	10	10	18	12	31	26	68	105	262	486
Female.....	16,763	1	10	8	14	6	21	26	53	142	275	472
Black, both sexes.....	3,662	-	7	6	4	15	10	21	39	66	122	219
Male.....	1,904	-	3	5	3	10	5	11	11	19	49	87
Female.....	1,758	-	4	1	1	5	5	10	28	47	73	132
American Indian 1/, both sexes.....	46	-	-	-	-	-	-	-	-	-	1	3
Male.....	25	-	-	-	-	-	-	-	-	-	-	2
Female.....	21	-	-	-	-	-	-	-	-	-	1	1
Asian or Pacific Islander 2/, both sexes.....	164	-	-	-	-	-	-	2	1	6	6	12
Male.....	77	-	-	-	-	-	-	1	-	1	3	5
Female.....	87	-	-	-	-	-	-	1	1	5	3	7
Georgia												
All races, both sexes.....	14,313	3	16	15	17	21	37	40	88	169	383	645
Male.....	7,590	-	6	8	8	10	17	17	34	69	155	327
Female.....	6,723	3	10	7	9	11	20	23	54	100	228	318
White, both sexes.....	10,512	1	11	8	8	13	30	26	49	100	219	406
Male.....	5,586	-	4	3	4	8	15	10	23	43	98	211
Female.....	4,926	1	7	5	4	5	15	16	26	57	121	195
Black, both sexes.....	3,680	2	5	6	9	8	7	14	36	67	157	235
Male.....	1,948	-	2	4	4	2	2	7	11	25	54	114
Female.....	1,732	2	3	2	5	6	5	7	25	42	103	121
American Indian 1/, both sexes.....	22	-	-	-	-	-	-	-	1	-	1	-
Male.....	11	-	-	-	-	-	-	-	-	-	1	-
Female.....	11	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	99	-	-	1	-	-	-	-	2	2	6	4
Male.....	45	-	-	1	-	-	-	-	-	1	2	2
Female.....	54	-	-	-	-	-	-	-	2	1	4	2

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
II. Neoplasms (C00-D48)												
Kentucky												
All races, both sexes.....	9,624	2	2	8	10	8	14	21	42	103	193	337
Male.....	5,174	1	1	5	3	7	5	8	18	45	101	176
Female.....	4,450	1	1	3	7	1	9	13	24	58	92	161
White, both sexes.....	8,976	2	2	8	9	7	13	18	42	91	172	298
Male.....	4,844	1	1	5	3	6	4	8	18	39	93	152
Female.....	4,132	1	1	3	6	1	9	10	24	52	79	146
Black, both sexes.....	627	-	-	-	1	1	1	2	-	12	18	38
Male.....	320	-	-	-	-	1	1	-	-	6	8	23
Female.....	307	-	-	-	1	-	-	2	-	6	10	15
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	20	-	-	-	-	-	-	1	-	-	3	1
Male.....	9	-	-	-	-	-	-	-	-	-	-	1
Female.....	11	-	-	-	-	-	-	1	-	-	3	-
Louisiana												
All races, both sexes.....	9,668	3	16	11	11	14	19	24	47	107	210	399
Male.....	5,147	2	11	9	8	10	14	10	20	45	96	200
Female.....	4,521	1	5	2	3	4	5	14	27	62	114	199
White, both sexes.....	6,702	2	11	4	5	11	9	14	24	55	107	211
Male.....	3,570	2	9	2	3	8	6	6	10	24	53	107
Female.....	3,132	-	2	2	2	3	3	8	14	31	54	104
Black, both sexes.....	2,903	1	5	7	6	3	9	10	20	50	102	184
Male.....	1,546	-	2	7	5	2	7	4	8	20	43	91
Female.....	1,357	1	3	-	1	1	2	6	12	30	59	93
American Indian 1/, both sexes.....	19	-	-	-	-	-	-	-	-	1	-	-
Male.....	8	-	-	-	-	-	-	-	-	1	-	-
Female.....	11	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	44	-	-	-	-	-	1	-	3	1	1	4
Male.....	23	-	-	-	-	-	1	-	2	-	-	2
Female.....	21	-	-	-	-	-	-	-	1	1	1	2

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
II. Neoplasms (C00-D48)												
Maine												
All races, both sexes.....	3,291	-	2	3	5	6	6	5	9	23	41	89
Male.....	1,716	-	1	2	4	5	2	3	3	8	19	42
Female.....	1,575	-	1	1	1	1	4	2	6	15	22	47
White, both sexes.....	3,263	-	2	2	5	6	6	5	9	23	40	89
Male.....	1,698	-	1	2	4	5	2	3	3	8	18	42
Female.....	1,565	-	1	-	1	1	4	2	6	15	22	47
Black, both sexes.....	6	-	-	1	-	-	-	-	-	-	-	-
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	15	-	-	-	-	-	-	-	-	-	-	-
Male.....	9	-	-	-	-	-	-	-	-	-	-	-
Female.....	6	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	-	-	-	-	-	-	-	-	-	1	-
Male.....	6	-	-	-	-	-	-	-	-	-	1	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Maryland												
All races, both sexes.....	10,626	2	10	7	8	16	18	17	52	127	227	411
Male.....	5,374	1	5	5	5	11	13	9	24	57	102	185
Female.....	5,252	1	5	2	3	5	5	8	28	70	125	226
White, both sexes.....	7,830	2	6	3	5	11	10	9	34	74	143	246
Male.....	3,958	1	5	3	4	7	8	6	16	39	70	126
Female.....	3,872	1	1	-	1	4	2	3	18	35	73	120
Black, both sexes.....	2,629	-	4	2	2	4	7	8	15	50	77	152
Male.....	1,325	-	-	1	1	4	4	3	6	18	29	55
Female.....	1,304	-	4	1	1	-	3	5	9	32	48	97
American Indian 1/, both sexes.....	18	-	-	-	-	-	1	-	1	-	1	2
Male.....	12	-	-	-	-	-	1	-	1	-	1	-
Female.....	6	-	-	-	-	-	-	-	-	-	-	2
Asian or Pacific Islander 2/, both sexes.....	149	-	-	2	1	1	-	-	2	3	6	11
Male.....	79	-	-	1	-	-	-	-	1	-	2	4
Female.....	70	-	-	1	1	1	-	-	1	3	4	7

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
II. Neoplasms (C00-D48)												
Massachusetts												
All races, both sexes.....	14,257	1	7	10	12	14	20	29	54	122	235	404
Male.....	7,036	1	3	7	8	8	11	15	27	56	113	195
Female.....	7,221	-	4	3	4	6	9	14	27	66	122	209
White, both sexes.....	13,529	1	5	8	11	12	16	26	42	114	204	368
Male.....	6,646	1	2	5	7	6	9	13	22	51	96	178
Female.....	6,883	-	3	3	4	6	7	13	20	63	108	190
Black, both sexes.....	553	-	2	2	-	2	4	3	11	5	22	24
Male.....	292	-	1	2	-	2	2	2	5	2	11	14
Female.....	261	-	1	-	-	-	2	1	6	3	11	10
American Indian 1/, both sexes.....	10	-	-	-	-	-	-	-	-	-	-	-
Male.....	5	-	-	-	-	-	-	-	-	-	-	-
Female.....	5	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	165	-	-	-	1	-	-	-	1	3	9	12
Male.....	93	-	-	-	1	-	-	-	-	3	6	3
Female.....	72	-	-	-	-	-	-	-	1	-	3	9
Michigan												
All races, both sexes.....	20,399	5	12	18	23	27	39	56	108	169	371	768
Male.....	10,473	4	5	12	10	15	23	32	49	67	167	379
Female.....	9,926	1	7	6	13	12	16	24	59	102	204	389
White, both sexes.....	17,517	4	11	13	20	23	32	45	79	130	294	597
Male.....	8,986	4	4	9	8	13	21	25	37	58	134	299
Female.....	8,531	-	7	4	12	10	11	20	42	72	160	298
Black, both sexes.....	2,681	1	1	4	3	4	6	10	26	31	74	157
Male.....	1,384	-	1	3	2	2	2	6	11	8	32	73
Female.....	1,297	1	-	1	1	2	4	4	15	23	42	84
American Indian 1/, both sexes.....	99	-	-	-	-	-	1	-	-	3	1	7
Male.....	51	-	-	-	-	-	-	-	-	-	1	1
Female.....	48	-	-	-	-	-	1	-	-	3	-	6
Asian or Pacific Islander 2/, both sexes.....	102	-	-	1	-	-	-	1	3	5	2	7
Male.....	52	-	-	-	-	-	-	1	1	1	-	6
Female.....	50	-	-	1	-	-	-	-	2	4	2	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
II. Neoplasms (C00-D48)												
Minnesota												
All races, both sexes.....	9,492	1	6	13	7	17	16	27	38	71	165	290
Male.....	4,874	-	3	7	4	9	10	10	17	39	77	147
Female.....	4,618	1	3	6	3	8	6	17	21	32	88	143
White, both sexes.....	9,197	1	5	13	6	14	14	23	35	62	150	273
Male.....	4,708	-	3	7	3	8	8	9	15	34	72	136
Female.....	4,489	1	2	6	3	6	6	14	20	28	78	137
Black, both sexes.....	157	-	1	-	1	1	1	1	1	3	9	9
Male.....	94	-	-	-	1	1	1	-	1	-	3	7
Female.....	63	-	1	-	-	-	-	1	-	3	6	2
American Indian 1/, both sexes.....	59	-	-	-	-	1	-	2	1	1	1	1
Male.....	31	-	-	-	-	-	-	1	-	-	-	1
Female.....	28	-	-	-	-	1	-	1	1	1	1	-
Asian or Pacific Islander 2/, both sexes.....	79	-	-	-	-	1	1	1	1	5	5	7
Male.....	41	-	-	-	-	-	1	-	1	5	2	3
Female.....	38	-	-	-	-	1	-	1	-	-	3	4
Mississippi												
All races, both sexes.....	6,157	-	3	7	-	8	11	18	34	70	135	263
Male.....	3,344	-	2	5	-	4	5	6	13	30	59	131
Female.....	2,813	-	1	2	-	4	6	12	21	40	76	132
White, both sexes.....	4,163	-	2	1	-	5	6	8	24	35	77	156
Male.....	2,262	-	1	1	-	3	3	3	7	15	32	78
Female.....	1,901	-	1	-	-	2	3	5	17	20	45	78
Black, both sexes.....	1,966	-	1	6	-	3	5	10	10	34	57	106
Male.....	1,070	-	1	4	-	1	2	3	6	15	26	52
Female.....	896	-	-	2	-	2	3	7	4	19	31	54
American Indian 1/, both sexes.....	14	-	-	-	-	-	-	-	-	-	1	-
Male.....	7	-	-	-	-	-	-	-	-	-	1	-
Female.....	7	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	14	-	-	-	-	-	-	-	-	1	-	1
Male.....	5	-	-	-	-	-	-	-	-	-	-	1
Female.....	9	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
II. Neoplasms (C00-D48)												
Nebraska												
All races, both sexes.....	3,520	1	3	5	3	1	7	6	13	27	67	94
Male.....	1,787	1	1	3	1	1	2	4	6	9	24	47
Female.....	1,733	-	2	2	2	-	5	2	7	18	43	47
White, both sexes.....	3,395	1	3	5	3	1	7	6	12	24	64	84
Male.....	1,725	1	1	3	1	1	2	4	6	8	24	40
Female.....	1,670	-	2	2	2	-	5	2	6	16	40	44
Black, both sexes.....	92	-	-	-	-	-	-	-	1	3	1	8
Male.....	49	-	-	-	-	-	-	-	-	1	-	6
Female.....	43	-	-	-	-	-	-	-	1	2	1	2
American Indian 1/, both sexes.....	17	-	-	-	-	-	-	-	-	-	1	-
Male.....	5	-	-	-	-	-	-	-	-	-	-	-
Female.....	12	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	16	-	-	-	-	-	-	-	-	-	1	2
Male.....	8	-	-	-	-	-	-	-	-	-	-	1
Female.....	8	-	-	-	-	-	-	-	-	-	1	1
Nevada												
All races, both sexes.....	4,004	2	2	2	2	5	13	14	19	37	61	129
Male.....	2,141	1	1	-	1	3	10	11	9	14	28	67
Female.....	1,863	1	1	2	1	2	3	3	10	23	33	62
White, both sexes.....	3,659	1	2	2	1	5	12	10	15	32	52	105
Male.....	1,984	1	1	-	-	3	10	7	6	13	23	59
Female.....	1,675	-	1	2	1	2	2	3	9	19	29	46
Black, both sexes.....	209	1	-	-	1	-	1	2	2	3	5	15
Male.....	98	-	-	-	1	-	-	2	2	1	2	6
Female.....	111	1	-	-	-	-	1	-	-	2	3	9
American Indian 1/, both sexes.....	25	-	-	-	-	-	-	-	1	-	-	2
Male.....	13	-	-	-	-	-	-	-	-	-	-	1
Female.....	12	-	-	-	-	-	-	-	1	-	-	1
Asian or Pacific Islander 2/, both sexes.....	111	-	-	-	-	-	-	2	1	2	4	7
Male.....	46	-	-	-	-	-	-	2	1	-	3	1
Female.....	65	-	-	-	-	-	-	-	-	2	1	6

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
II. Neoplasms (C00-D48)												
New Hampshire												
All races, both sexes.....	2,587	-	1	6	-	2	10	3	15	19	58	88
Male.....	1,360	-	1	2	-	1	8	1	9	12	27	44
Female.....	1,227	-	-	4	-	1	2	2	6	7	31	44
White, both sexes.....	2,570	-	1	6	-	2	10	3	14	19	58	87
Male.....	1,348	-	1	2	-	1	8	1	8	12	27	43
Female.....	1,222	-	-	4	-	1	2	2	6	7	31	44
Black, both sexes.....	4	-	-	-	-	-	-	-	-	-	-	-
Male.....	4	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	10	-	-	-	-	-	-	-	1	-	-	1
Male.....	6	-	-	-	-	-	-	-	1	-	-	1
Female.....	4	-	-	-	-	-	-	-	-	-	-	-
New Jersey												
All races, both sexes.....	18,325	6	14	17	24	30	39	38	82	171	320	582
Male.....	8,963	1	7	8	12	17	27	23	35	71	131	272
Female.....	9,362	5	7	9	12	13	12	15	47	100	189	310
White, both sexes.....	15,828	5	10	12	17	24	25	29	55	135	240	456
Male.....	7,704	1	5	3	6	15	19	19	25	60	98	219
Female.....	8,124	4	5	9	11	9	6	10	30	75	142	237
Black, both sexes.....	2,172	1	3	5	7	4	10	7	21	31	70	104
Male.....	1,069	-	2	5	6	2	5	2	8	10	28	40
Female.....	1,103	1	1	-	1	2	5	5	13	21	42	64
American Indian 1/, both sexes.....	14	-	-	-	-	-	-	-	1	-	-	3
Male.....	6	-	-	-	-	-	-	-	-	-	-	1
Female.....	8	-	-	-	-	-	-	-	1	-	-	2
Asian or Pacific Islander 2/, both sexes.....	311	-	1	-	-	2	4	2	5	5	10	19
Male.....	184	-	-	-	-	-	3	2	2	1	5	12
Female.....	127	-	1	-	-	2	1	-	3	4	5	7

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
II. Neoplasms (C00-D48)												
New Mexico												
All races, both sexes.....	3,151	2	1	4	2	7	6	7	15	35	61	96
Male.....	1,700	1	-	3	1	3	1	6	7	17	27	50
Female.....	1,451	1	1	1	1	4	5	1	8	18	34	46
White, both sexes.....	2,940	2	-	3	2	7	5	7	15	34	56	86
Male.....	1,591	1	-	2	1	3	-	6	7	17	25	45
Female.....	1,349	1	-	1	1	4	5	1	8	17	31	41
Black, both sexes.....	47	-	1	-	-	-	-	-	-	-	-	3
Male.....	33	-	-	-	-	-	-	-	-	-	-	3
Female.....	14	-	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	149	-	-	1	-	-	1	-	-	1	5	6
Male.....	71	-	-	1	-	-	1	-	-	-	2	2
Female.....	78	-	-	-	-	-	-	-	-	1	3	4
Asian or Pacific Islander 2/, both sexes.....	15	-	-	-	-	-	-	-	-	-	-	1
Male.....	5	-	-	-	-	-	-	-	-	-	-	-
Female.....	10	-	-	-	-	-	-	-	-	-	-	1
New York												
All races, both sexes.....	37,433	8	30	37	33	39	65	95	165	378	717	1,266
Male.....	18,443	1	18	21	21	23	42	55	70	167	294	568
Female.....	18,990	7	12	16	12	16	23	40	95	211	423	698
White, both sexes.....	31,543	6	20	24	24	28	48	63	113	273	527	944
Male.....	15,521	1	13	13	13	17	30	34	47	120	219	424
Female.....	16,022	5	7	11	11	11	18	29	66	153	308	520
Black, both sexes.....	5,008	1	10	11	7	8	10	24	41	85	161	273
Male.....	2,438	-	5	8	6	4	7	15	18	36	64	117
Female.....	2,570	1	5	3	1	4	3	9	23	49	97	156
American Indian 1/, both sexes.....	45	-	-	-	1	-	-	1	-	-	-	3
Male.....	24	-	-	-	1	-	-	1	-	-	-	1
Female.....	21	-	-	-	-	-	-	-	-	-	-	2
Asian or Pacific Islander 2/, both sexes.....	837	1	-	2	1	3	7	7	11	20	29	46
Male.....	460	-	-	-	1	2	5	5	5	11	11	26
Female.....	377	1	-	2	-	1	2	2	6	9	18	20

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
II. Neoplasms (C00-D48)												
North Carolina												
All races, both sexes.....	16,572	2	11	24	10	23	22	42	98	156	377	609
Male.....	8,745	-	6	9	6	15	12	27	43	60	168	280
Female.....	7,827	2	5	15	4	8	10	15	55	96	209	329
White, both sexes.....	13,060	2	6	17	5	14	15	23	71	114	274	406
Male.....	6,871	-	2	6	4	9	8	17	35	46	126	182
Female.....	6,189	2	4	11	1	5	7	6	36	68	148	224
Black, both sexes.....	3,344	-	4	7	5	9	6	14	24	39	95	195
Male.....	1,796	-	3	3	2	6	4	8	8	13	38	96
Female.....	1,548	-	1	4	3	3	2	6	16	26	57	99
American Indian 1/, both sexes.....	109	-	-	-	-	-	-	-	1	2	6	5
Male.....	52	-	-	-	-	-	-	-	-	-	2	1
Female.....	57	-	-	-	-	-	-	-	1	2	4	4
Asian or Pacific Islander 2/, both sexes.....	59	-	1	-	-	-	1	5	2	1	2	3
Male.....	26	-	1	-	-	-	-	2	-	1	2	1
Female.....	33	-	-	-	-	-	1	3	2	-	-	2
North Dakota												
All races, both sexes.....	1,324	-	3	1	2	1	1	1	4	10	24	31
Male.....	682	-	3	1	1	-	1	1	1	5	13	11
Female.....	642	-	-	-	1	1	-	-	3	5	11	20
White, both sexes.....	1,277	-	2	1	-	1	1	1	4	7	23	29
Male.....	661	-	2	1	-	-	1	1	1	4	13	10
Female.....	616	-	-	-	-	1	-	-	3	3	10	19
Black, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	45	-	1	-	1	-	-	-	-	2	1	2
Male.....	20	-	1	-	-	-	-	-	-	1	-	1
Female.....	25	-	-	-	1	-	-	-	-	1	1	1
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
II. Neoplasms (C00-D48)												
Ohio												
All races, both sexes.....	25,834	4	15	19	27	27	38	50	105	225	506	901
Male.....	13,236	-	4	11	16	12	23	21	42	104	236	460
Female.....	12,598	4	11	8	11	15	15	29	63	121	270	441
White, both sexes.....	22,988	3	13	17	19	23	33	38	93	187	431	755
Male.....	11,756	-	3	10	12	10	19	18	41	84	203	391
Female.....	11,232	3	10	7	7	13	14	20	52	103	228	364
Black, both sexes.....	2,756	1	2	2	8	4	5	12	11	35	72	140
Male.....	1,434	-	1	1	4	2	4	3	1	19	33	65
Female.....	1,322	1	1	1	4	2	1	9	10	16	39	75
American Indian 1/, both sexes.....	9	-	-	-	-	-	-	-	-	-	-	1
Male.....	4	-	-	-	-	-	-	-	-	-	-	1
Female.....	5	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	81	-	-	-	-	-	-	-	1	3	3	5
Male.....	42	-	-	-	-	-	-	-	-	1	-	3
Female.....	39	-	-	-	-	-	-	-	1	2	3	2
Oklahoma												
All races, both sexes.....	7,678	4	2	9	5	11	12	25	38	59	141	263
Male.....	4,075	3	1	7	2	3	8	10	15	30	58	141
Female.....	3,603	1	1	2	3	8	4	15	23	29	83	122
White, both sexes.....	6,822	3	2	9	4	9	11	20	33	50	114	229
Male.....	3,634	2	1	7	2	2	7	9	14	26	42	127
Female.....	3,188	1	1	2	2	7	4	11	19	24	72	102
Black, both sexes.....	486	1	-	-	-	-	1	3	2	4	16	17
Male.....	273	1	-	-	-	-	1	1	1	2	12	8
Female.....	213	-	-	-	-	-	-	2	1	2	4	9
American Indian 1/, both sexes.....	341	-	-	-	1	2	-	2	3	4	10	17
Male.....	158	-	-	-	-	1	-	-	-	2	4	6
Female.....	183	-	-	-	1	1	-	2	3	2	6	11
Asian or Pacific Islander 2/, both sexes.....	29	-	-	-	-	-	-	-	-	1	1	-
Male.....	10	-	-	-	-	-	-	-	-	-	-	-
Female.....	19	-	-	-	-	-	-	-	-	1	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
II. Neoplasms (C00-D48)												
Oregon												
All races, both sexes.....	7,430	-	3	11	6	10	21	13	35	58	121	251
Male.....	3,777	-	2	8	3	7	14	4	13	26	49	137
Female.....	3,653	-	1	3	3	3	7	9	22	32	72	114
White, both sexes.....	7,174	-	2	11	6	9	20	11	32	56	114	232
Male.....	3,646	-	2	8	3	6	14	4	12	26	47	124
Female.....	3,528	-	-	3	3	3	6	7	20	30	67	108
Black, both sexes.....	94	-	1	-	-	-	-	-	1	2	1	7
Male.....	49	-	-	-	-	-	-	-	-	-	-	5
Female.....	45	-	1	-	-	-	-	-	1	2	1	2
American Indian 1/, both sexes.....	57	-	-	-	-	-	-	1	-	-	2	1
Male.....	30	-	-	-	-	-	-	-	-	-	1	1
Female.....	27	-	-	-	-	-	-	1	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	105	-	-	-	-	1	1	1	2	-	4	11
Male.....	52	-	-	-	-	1	-	-	1	-	1	7
Female.....	53	-	-	-	-	-	1	1	1	-	3	4
Pennsylvania												
All races, both sexes.....	30,620	4	19	23	24	26	37	59	123	229	482	872
Male.....	15,474	2	15	14	12	19	22	34	59	98	208	417
Female.....	15,146	2	4	9	12	7	15	25	64	131	274	455
White, both sexes.....	27,741	4	12	19	20	24	32	53	102	195	395	747
Male.....	14,048	2	11	11	11	17	21	32	48	82	176	362
Female.....	13,693	2	1	8	9	7	11	21	54	113	219	385
Black, both sexes.....	2,726	-	5	2	3	2	5	5	20	29	81	115
Male.....	1,343	-	2	1	1	2	1	1	10	12	29	52
Female.....	1,383	-	3	1	2	-	4	4	10	17	52	63
American Indian 1/, both sexes.....	11	-	-	-	-	-	-	-	-	-	-	-
Male.....	6	-	-	-	-	-	-	-	-	-	-	-
Female.....	5	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	142	-	2	2	1	-	-	1	1	5	6	10
Male.....	77	-	2	2	-	-	-	1	1	4	3	3
Female.....	65	-	-	-	1	-	-	-	-	1	3	7

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
II. Neoplasms (C00-D48)												
South Dakota												
All races, both sexes.....	1,587	-	1	4	-	1	1	3	8	11	24	44
Male.....	813	-	-	2	-	1	-	-	3	3	7	16
Female.....	774	-	1	2	-	-	1	3	5	8	17	28
White, both sexes.....	1,515	-	-	3	-	1	-	2	5	9	22	43
Male.....	774	-	-	1	-	1	-	-	1	2	6	15
Female.....	741	-	-	2	-	-	-	2	4	7	16	28
Black, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	69	-	1	-	-	-	1	1	3	2	2	1
Male.....	37	-	-	-	-	-	-	-	2	1	1	1
Female.....	32	-	1	-	-	-	1	1	1	1	1	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Tennessee												
All races, both sexes.....	12,731	1	11	16	9	16	18	28	64	135	266	467
Male.....	6,838	1	9	8	3	8	10	15	28	60	118	248
Female.....	5,893	-	2	8	6	8	8	13	36	75	148	219
White, both sexes.....	10,913	-	7	13	6	10	16	23	45	112	212	370
Male.....	5,883	-	6	6	2	5	8	13	18	52	98	202
Female.....	5,030	-	1	7	4	5	8	10	27	60	114	168
Black, both sexes.....	1,770	-	4	3	2	6	2	5	19	23	51	92
Male.....	936	-	3	2	1	3	2	2	10	8	18	46
Female.....	834	-	1	1	1	3	-	3	9	15	33	46
American Indian 1/, both sexes.....	5	-	-	-	-	-	-	-	-	-	-	-
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	43	1	-	-	1	-	-	-	-	-	3	5
Male.....	16	1	-	-	-	-	-	-	-	-	2	-
Female.....	27	-	-	-	1	-	-	-	-	-	1	5

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
II. Neoplasms (C00-D48)												
Texas												
All races, both sexes.....	34,884	11	40	41	59	79	104	113	198	390	871	1,374
Male.....	18,452	6	22	17	35	51	65	55	87	162	387	717
Female.....	16,432	5	18	24	24	28	39	58	111	228	484	657
White, both sexes.....	30,216	10	33	34	51	70	97	89	159	320	678	1,107
Male.....	15,978	5	17	15	32	47	61	47	70	132	291	588
Female.....	14,238	5	16	19	19	23	36	42	89	188	387	519
Black, both sexes.....	4,254	1	3	6	7	9	6	21	32	59	176	245
Male.....	2,248	1	2	2	2	4	4	6	13	25	85	118
Female.....	2,006	-	1	4	5	5	2	15	19	34	91	127
American Indian 1/, both sexes.....	26	-	1	1	-	-	-	-	-	-	1	2
Male.....	16	-	1	-	-	-	-	-	-	-	1	2
Female.....	10	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	388	-	3	-	1	-	1	3	7	11	16	20
Male.....	210	-	2	-	1	-	-	2	4	5	10	9
Female.....	178	-	1	-	-	-	1	1	3	6	6	11
Utah												
All races, both sexes.....	2,471	3	6	9	1	3	12	13	20	23	49	106
Male.....	1,358	3	4	7	-	2	8	8	13	8	30	51
Female.....	1,113	-	2	2	1	1	4	5	7	15	19	55
White, both sexes.....	2,404	3	5	9	1	3	10	12	16	23	47	101
Male.....	1,328	3	4	7	-	2	6	7	11	8	30	49
Female.....	1,076	-	1	2	1	1	4	5	5	15	17	52
Black, both sexes.....	12	-	-	-	-	-	-	-	1	-	1	1
Male.....	4	-	-	-	-	-	-	-	-	-	-	1
Female.....	8	-	-	-	-	-	-	-	1	-	1	-
American Indian 1/, both sexes.....	17	-	1	-	-	-	-	-	-	-	1	3
Male.....	6	-	-	-	-	-	-	-	-	-	-	1
Female.....	11	-	1	-	-	-	-	-	-	-	1	2
Asian or Pacific Islander 2/, both sexes.....	38	-	-	-	-	-	2	1	3	-	-	1
Male.....	20	-	-	-	-	-	2	1	2	-	-	-
Female.....	18	-	-	-	-	-	-	-	1	-	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
II. Neoplasms (C00-D48)												
Vermont												
All races, both sexes.....	1,254	-	1	1	2	1	-	5	2	14	22	46
Male.....	647	-	-	1	1	-	-	2	-	5	13	19
Female.....	607	-	1	-	1	1	-	3	2	9	9	27
White, both sexes.....	1,246	-	1	1	1	1	-	4	2	13	22	46
Male.....	643	-	-	1	-	-	-	1	-	5	13	19
Female.....	603	-	1	-	1	1	-	3	2	8	9	27
Black, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	-	-	-	1	-	1	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	1	-	-
Virginia												
All races, both sexes.....	13,913	3	13	9	7	11	26	25	82	146	305	475
Male.....	7,269	3	4	4	4	4	10	16	38	60	137	246
Female.....	6,644	-	9	5	3	7	16	9	44	86	168	229
White, both sexes.....	10,872	2	7	7	5	8	21	17	58	92	206	325
Male.....	5,649	2	2	4	3	4	9	11	27	32	94	170
Female.....	5,223	-	5	3	2	4	12	6	31	60	112	155
Black, both sexes.....	2,826	1	5	2	1	3	5	8	21	48	89	132
Male.....	1,522	1	1	-	-	-	1	5	10	23	38	69
Female.....	1,304	-	4	2	1	3	4	3	11	25	51	63
American Indian 1/, both sexes.....	9	-	-	-	-	-	-	-	-	-	-	-
Male.....	5	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	206	-	1	-	1	-	-	-	3	6	10	18
Male.....	93	-	1	-	1	-	-	-	1	5	5	7
Female.....	113	-	-	-	-	-	-	-	2	1	5	11

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
II. Neoplasms (C00-D48)												
United States												
All races, both sexes.....	30,729	42,048	52,536	64,526	82,579	91,702	79,957	52,350	23,485	6,138	822	7
Male.....	15,970	22,737	29,058	35,917	45,483	48,879	40,405	24,245	9,504	2,051	226	5
Female.....	14,759	19,311	23,478	28,609	37,096	42,823	39,552	28,105	13,981	4,087	596	2
White, both sexes.....	24,645	34,895	44,268	55,138	72,411	81,639	72,108	47,636	21,238	5,438	690	4
Male.....	12,827	18,858	24,356	30,792	39,985	43,463	36,341	22,051	8,538	1,808	183	3
Female.....	11,818	16,037	19,912	24,346	32,426	38,176	35,767	25,585	12,700	3,630	507	1
Black, both sexes.....	5,065	6,031	6,938	7,945	8,512	8,442	6,524	3,964	1,900	586	114	3
Male.....	2,642	3,304	3,962	4,380	4,650	4,524	3,360	1,816	798	198	38	2
Female.....	2,423	2,727	2,976	3,565	3,862	3,918	3,164	2,148	1,102	388	76	1
American Indian 1/, both sexes.....	186	220	269	276	322	256	212	105	54	18	4	-
Male.....	94	123	145	143	168	133	108	42	13	4	1	-
Female.....	92	97	124	133	154	123	104	63	41	14	3	-
Asian or Pacific Islander 2/, both sexes.....	833	902	1,061	1,167	1,334	1,365	1,113	645	293	96	14	-
Male.....	407	452	595	602	680	759	596	336	155	41	4	-
Female.....	426	450	466	565	654	606	517	309	138	55	10	-
Alabama												
All races, both sexes.....	566	831	973	1,230	1,478	1,549	1,257	822	351	91	17	-
Male.....	321	485	575	717	857	834	679	392	143	37	4	-
Female.....	245	346	398	513	621	715	578	430	208	54	13	-
White, both sexes.....	379	626	765	946	1,182	1,246	1,015	642	251	63	7	-
Male.....	218	367	452	559	692	674	538	304	98	19	-	-
Female.....	161	259	313	387	490	572	477	338	153	44	7	-
Black, both sexes.....	185	200	203	279	291	302	240	180	100	28	10	-
Male.....	102	116	121	155	163	160	139	88	45	18	4	-
Female.....	83	84	82	124	128	142	101	92	55	10	6	-
American Indian 1/, both sexes.....	1	1	2	-	1	1	2	-	-	-	-	-
Male.....	1	1	1	-	-	-	2	-	-	-	-	-
Female.....	-	-	1	-	1	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	4	3	5	4	-	-	-	-	-	-	-
Male.....	-	1	1	3	2	-	-	-	-	-	-	-
Female.....	1	3	2	2	2	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
II. Neoplasms (C00-D48)												
Alaska												
All races, both sexes.....	67	86	97	67	96	107	66	35	20	7	2	-
Male.....	39	50	51	39	65	57	39	17	7	5	-	-
Female.....	28	36	46	28	31	50	27	18	13	2	2	-
White, both sexes.....	48	65	70	50	68	79	47	30	17	4	1	-
Male.....	25	37	38	29	47	41	30	16	7	4	-	-
Female.....	23	28	32	21	21	38	17	14	10	-	1	-
Black, both sexes.....	5	3	4	1	2	4	1	1	-	-	-	-
Male.....	3	2	3	1	1	3	1	-	-	-	-	-
Female.....	2	1	1	-	1	1	-	1	-	-	-	-
American Indian 1/, both sexes.....	11	16	21	13	25	19	16	4	2	2	1	-
Male.....	9	10	10	8	17	10	8	1	-	-	-	-
Female.....	2	6	11	5	8	9	8	3	2	2	1	-
Asian or Pacific Islander 2/, both sexes.....	3	2	2	3	1	5	2	-	1	1	-	-
Male.....	2	1	-	1	-	3	-	-	-	1	-	-
Female.....	1	1	2	2	1	2	2	-	1	-	-	-
Arizona												
All races, both sexes.....	475	708	914	1,123	1,426	1,578	1,388	874	347	78	14	-
Male.....	242	411	491	671	822	863	715	452	171	31	4	-
Female.....	233	297	423	452	604	715	673	422	176	47	10	-
White, both sexes.....	443	662	862	1,073	1,353	1,526	1,344	852	335	69	13	-
Male.....	229	384	466	644	786	831	694	442	166	27	3	-
Female.....	214	278	396	429	567	695	650	410	169	42	10	-
Black, both sexes.....	14	28	25	27	37	27	18	7	4	2	1	-
Male.....	8	18	16	17	17	17	8	3	3	2	1	-
Female.....	6	10	9	10	20	10	10	4	1	-	-	-
American Indian 1/, both sexes.....	16	14	19	16	19	15	20	10	8	7	-	-
Male.....	5	6	7	7	13	10	11	4	2	2	-	-
Female.....	11	8	12	9	6	5	9	6	6	5	-	-
Asian or Pacific Islander 2/, both sexes.....	2	4	8	7	17	10	6	5	-	-	-	-
Male.....	-	3	2	3	6	5	2	3	-	-	-	-
Female.....	2	1	6	4	11	5	4	2	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
II. Neoplasms (C00-D48)												
Arkansas												
All races, both sexes.....	344	537	653	772	934	995	831	566	251	74	9	-
Male.....	182	288	385	451	555	556	443	278	119	21	5	-
Female.....	162	249	268	321	379	439	388	288	132	53	4	-
White, both sexes.....	291	450	570	693	833	878	725	490	215	59	8	-
Male.....	155	240	335	407	503	499	390	241	97	20	4	-
Female.....	136	210	235	286	330	379	335	249	118	39	4	-
Black, both sexes.....	49	81	75	78	97	112	104	75	35	15	1	-
Male.....	27	45	45	44	51	54	53	37	21	1	1	-
Female.....	22	36	30	34	46	58	51	38	14	14	-	-
American Indian 1/, both sexes.....	-	3	3	1	1	2	-	-	-	-	-	-
Male.....	-	2	2	-	1	2	-	-	-	-	-	-
Female.....	-	1	1	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	3	5	-	3	3	2	1	1	-	-	-
Male.....	-	1	3	-	-	1	-	-	1	-	-	-
Female.....	4	2	2	-	3	2	2	1	-	-	-	-
California												
All races, both sexes.....	3,035	3,988	5,067	6,103	7,665	8,792	7,925	5,180	2,189	620	83	-
Male.....	1,518	2,134	2,709	3,304	4,094	4,578	4,000	2,506	896	237	26	-
Female.....	1,517	1,854	2,358	2,799	3,571	4,214	3,925	2,674	1,293	383	57	-
White, both sexes.....	2,375	3,232	4,126	5,033	6,528	7,564	6,965	4,637	1,934	533	75	-
Male.....	1,194	1,742	2,159	2,736	3,504	3,920	3,483	2,236	777	201	24	-
Female.....	1,181	1,490	1,967	2,297	3,024	3,644	3,482	2,401	1,157	332	51	-
Black, both sexes.....	315	387	491	547	521	577	425	244	111	41	3	-
Male.....	161	207	292	297	289	302	221	112	46	14	1	-
Female.....	154	180	199	250	232	275	204	132	65	27	2	-
American Indian 1/, both sexes.....	16	15	28	17	39	33	20	7	1	2	1	-
Male.....	9	10	16	11	16	16	11	3	-	1	-	-
Female.....	7	5	12	6	23	17	9	4	1	1	1	-
Asian or Pacific Islander 2/, both sexes.....	329	354	422	506	577	618	515	292	143	44	4	-
Male.....	154	175	242	260	285	340	285	155	73	21	1	-
Female.....	175	179	180	246	292	278	230	137	70	23	3	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

II. Neoplasms (C00-D48)

Colorado

All races, both sexes.....	381	463	573	727	931	1,003	970	601	273	57	10	-
Male.....	189	254	297	393	521	506	507	290	117	20	3	-
Female.....	192	209	276	334	410	497	463	311	156	37	7	-
White, both sexes.....	362	446	536	687	889	951	938	584	266	54	10	-
Male.....	175	242	276	373	504	484	490	284	114	19	3	-
Female.....	187	204	260	314	385	467	448	300	152	35	7	-
Black, both sexes.....	12	14	27	27	32	31	20	11	5	3	-	-
Male.....	10	10	14	15	14	15	11	4	1	1	-	-
Female.....	2	4	13	12	18	16	9	7	4	2	-	-
American Indian 1/, both sexes.....	1	1	2	4	3	5	3	1	1	-	-	-
Male.....	1	1	-	2	-	1	1	1	1	-	-	-
Female.....	-	-	2	2	3	4	2	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	2	8	9	7	16	9	5	1	-	-	-
Male.....	3	1	7	3	3	6	5	1	1	-	-	-
Female.....	3	1	1	6	4	10	4	4	-	-	-	-

Connecticut

All races, both sexes.....	351	522	556	662	1,016	1,285	1,123	838	413	101	9	-
Male.....	175	261	311	368	532	680	546	405	164	37	1	-
Female.....	176	261	245	294	484	605	577	433	249	64	8	-
White, both sexes.....	306	461	499	602	946	1,218	1,069	825	396	93	7	-
Male.....	149	228	276	335	505	647	517	403	155	34	1	-
Female.....	157	233	223	267	441	571	552	422	241	59	6	-
Black, both sexes.....	38	57	51	58	61	62	48	12	17	8	1	-
Male.....	22	31	31	32	26	32	26	2	9	3	-	-
Female.....	16	26	20	26	35	30	22	10	8	5	1	-
American Indian 1/, both sexes.....	1	1	1	-	3	2	2	-	-	-	-	-
Male.....	-	1	1	-	-	1	2	-	-	-	-	-
Female.....	1	-	-	-	3	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	3	5	2	6	3	4	1	-	-	1	-
Male.....	4	1	3	1	1	-	1	-	-	-	-	-
Female.....	2	2	2	1	5	3	3	1	-	-	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
II. Neoplasms (C00-D48)												
Delaware												
All races, both sexes.....	89	110	155	204	270	299	218	111	59	18	1	-
Male.....	47	68	70	128	149	171	126	50	27	9	1	-
Female.....	42	42	85	76	121	128	92	61	32	9	-	-
White, both sexes.....	71	82	130	163	228	263	194	104	49	18	-	-
Male.....	40	52	58	105	129	146	112	46	22	9	-	-
Female.....	31	30	72	58	99	117	82	58	27	9	-	-
Black, both sexes.....	16	25	25	38	41	34	22	7	10	-	1	-
Male.....	7	13	12	21	20	23	14	4	5	-	1	-
Female.....	9	12	13	17	21	11	8	3	5	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	3	-	3	1	2	1	-	-	-	-	-
Male.....	-	3	-	2	-	2	-	-	-	-	-	-
Female.....	2	-	-	1	1	-	1	-	-	-	-	-
Dist. of Columbia												
All races, both sexes.....	90	105	130	137	190	191	171	120	55	16	1	2
Male.....	50	59	83	75	109	95	84	48	20	6	-	1
Female.....	40	46	47	62	81	96	87	72	35	10	1	1
White, both sexes.....	9	22	27	18	37	40	43	37	18	8	-	-
Male.....	4	7	15	12	21	23	20	10	8	2	-	-
Female.....	5	15	12	6	16	17	23	27	10	6	-	-
Black, both sexes.....	80	81	101	117	152	148	124	81	36	7	1	2
Male.....	46	52	68	63	88	70	62	38	12	3	-	1
Female.....	34	29	33	54	64	78	62	43	24	4	1	1
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	2	2	2	1	2	4	2	1	1	-	-
Male.....	-	-	-	-	-	1	2	-	-	1	-	-
Female.....	1	2	2	2	1	1	2	2	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
II. Neoplasms (C00-D48)												
Florida												
All races, both sexes.....	1,862	2,718	3,421	4,464	5,885	6,912	6,130	3,885	1,792	425	55	1
Male.....	1,003	1,480	1,950	2,480	3,343	3,791	3,293	1,936	798	187	12	1
Female.....	859	1,238	1,471	1,984	2,542	3,121	2,837	1,949	994	238	43	-
White, both sexes.....	1,548	2,340	3,005	3,984	5,366	6,415	5,750	3,671	1,698	389	52	-
Male.....	855	1,283	1,722	2,211	3,046	3,502	3,091	1,825	759	178	11	-
Female.....	693	1,057	1,283	1,773	2,320	2,913	2,659	1,846	939	211	41	-
Black, both sexes.....	287	357	397	451	492	472	362	207	90	34	3	1
Male.....	138	191	219	254	279	272	195	107	36	8	1	1
Female.....	149	166	178	197	213	200	167	100	54	26	2	-
American Indian 1/, both sexes.....	4	8	4	10	5	8	2	-	-	1	-	-
Male.....	3	3	2	5	5	5	-	-	-	-	-	-
Female.....	1	5	2	5	-	3	2	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	23	13	15	19	22	17	16	7	4	1	-	-
Male.....	7	3	7	10	13	12	7	4	3	1	-	-
Female.....	16	10	8	9	9	5	9	3	1	-	-	-
Georgia												
All races, both sexes.....	959	1,332	1,525	1,768	2,015	2,037	1,690	1,034	418	87	14	-
Male.....	535	754	907	1,044	1,145	1,080	804	466	178	21	5	-
Female.....	424	578	618	724	870	957	886	568	240	66	9	-
White, both sexes.....	627	931	1,114	1,298	1,563	1,574	1,361	795	313	58	7	-
Male.....	344	528	661	778	886	829	650	356	119	13	3	-
Female.....	283	403	453	520	677	745	711	439	194	45	4	-
Black, both sexes.....	315	390	401	448	439	449	320	232	104	29	7	-
Male.....	182	219	239	255	256	247	152	104	59	8	2	-
Female.....	133	171	162	193	183	202	168	128	45	21	5	-
American Indian 1/, both sexes.....	2	2	2	3	4	2	-	4	1	-	-	-
Male.....	-	2	1	1	1	1	-	4	-	-	-	-
Female.....	2	-	1	2	3	1	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	15	9	8	19	9	12	9	3	-	-	-	-
Male.....	9	5	6	10	2	3	2	2	-	-	-	-
Female.....	6	4	2	9	7	9	7	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
II. Neoplasms (C00-D48)												
Hawaii												
All races, both sexes.....	122	171	193	185	262	324	271	196	88	26	3	-
Male.....	72	94	121	94	146	197	150	103	54	11	1	-
Female.....	50	77	72	91	116	127	121	93	34	15	2	-
White, both sexes.....	30	47	68	54	70	82	90	63	23	4	-	-
Male.....	20	23	47	26	43	46	51	31	13	2	-	-
Female.....	10	24	21	28	27	36	39	32	10	2	-	-
Black, both sexes.....	1	2	2	1	1	1	1	1	-	-	-	-
Male.....	-	2	1	1	-	1	1	1	-	-	-	-
Female.....	1	-	1	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	2	-	-	-	1	3	1	-	-	-
Male.....	-	-	1	-	-	-	1	1	1	-	-	-
Female.....	1	-	1	-	-	-	-	2	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	90	122	121	130	191	241	179	129	64	22	3	-
Male.....	52	69	72	67	103	150	97	70	40	9	1	-
Female.....	38	53	49	63	88	91	82	59	24	13	2	-
Idaho												
All races, both sexes.....	121	123	188	266	309	360	317	226	102	21	2	-
Male.....	60	61	100	148	161	201	163	116	45	11	-	-
Female.....	61	62	88	118	148	159	154	110	57	10	2	-
White, both sexes.....	119	123	184	264	305	352	310	226	101	21	2	-
Male.....	60	61	99	148	158	200	158	116	45	11	-	-
Female.....	59	62	85	116	147	152	152	110	56	10	2	-
Black, both sexes.....	-	-	1	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	-	3	1	4	1	2	-	1	-	-	-
Male.....	-	-	1	-	3	-	1	-	-	-	-	-
Female.....	2	-	2	1	1	1	1	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	7	4	-	-	-	-	-
Male.....	-	-	-	-	-	1	3	-	-	-	-	-
Female.....	-	-	-	1	-	6	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
II. Neoplasms (C00-D48)												
Illinois												
All races, both sexes.....	1,370	1,813	2,371	2,862	3,657	4,047	3,494	2,458	1,075	300	40	-
Male.....	669	942	1,321	1,528	2,029	2,180	1,751	1,071	415	88	14	-
Female.....	701	871	1,050	1,334	1,628	1,867	1,743	1,387	660	212	26	-
White, both sexes.....	1,020	1,437	1,917	2,312	3,079	3,516	3,062	2,233	979	270	30	-
Male.....	516	739	1,065	1,241	1,696	1,918	1,534	986	382	80	12	-
Female.....	504	698	852	1,071	1,383	1,598	1,528	1,247	597	190	18	-
Black, both sexes.....	319	339	415	519	530	500	390	207	91	30	10	-
Male.....	137	183	237	270	301	245	196	79	30	8	2	-
Female.....	182	156	178	249	229	255	194	128	61	22	8	-
American Indian 1/, both sexes.....	3	1	-	-	2	-	1	1	-	-	-	-
Male.....	3	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	1	-	-	1	-	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	28	36	39	31	46	31	41	17	5	-	-	-
Male.....	13	20	19	17	31	17	21	6	3	-	-	-
Female.....	15	16	20	14	15	14	20	11	2	-	-	-
Indiana												
All races, both sexes.....	726	950	1,263	1,481	1,986	2,174	1,751	1,115	551	153	20	-
Male.....	358	522	693	821	1,063	1,155	848	499	219	50	6	-
Female.....	368	428	570	660	923	1,019	903	616	332	103	14	-
White, both sexes.....	642	860	1,144	1,332	1,824	2,018	1,631	1,052	519	140	18	-
Male.....	314	471	624	743	989	1,078	790	467	207	44	5	-
Female.....	328	389	520	589	835	940	841	585	312	96	13	-
Black, both sexes.....	82	85	116	147	157	156	119	61	32	13	2	-
Male.....	44	48	67	78	73	77	58	31	12	6	1	-
Female.....	38	37	49	69	84	79	61	30	20	7	1	-
American Indian 1/, both sexes.....	1	1	3	-	2	-	-	-	-	-	-	-
Male.....	-	-	2	-	-	-	-	-	-	-	-	-
Female.....	1	1	1	-	2	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	4	-	2	3	-	1	2	-	-	-	-
Male.....	-	3	-	-	1	-	-	1	-	-	-	-
Female.....	1	1	-	2	2	-	1	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
II. Neoplasms (C00-D48)												
Iowa												
All races, both sexes.....	257	381	538	752	896	1,157	1,049	725	359	108	17	-
Male.....	142	210	309	409	518	619	524	334	127	34	6	-
Female.....	115	171	229	343	378	538	525	391	232	74	11	-
White, both sexes.....	249	369	526	738	880	1,133	1,039	720	358	108	16	-
Male.....	135	202	300	403	509	607	520	330	127	34	6	-
Female.....	114	167	226	335	371	526	519	390	231	74	10	-
Black, both sexes.....	7	10	8	11	13	21	10	4	1	-	1	-
Male.....	6	6	7	4	6	11	4	3	-	-	-	-
Female.....	1	4	1	7	7	10	6	1	1	-	1	-
American Indian 1/, both sexes.....	-	1	1	1	-	-	-	-	-	-	-	-
Male.....	-	1	1	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	3	2	3	3	-	1	-	-	-	-
Male.....	1	1	1	1	3	1	-	1	-	-	-	-
Female.....	-	-	2	1	-	2	-	-	-	-	-	-
Kansas												
All races, both sexes.....	288	372	427	569	725	883	839	563	307	85	10	-
Male.....	137	195	235	333	395	476	413	270	123	25	4	-
Female.....	151	177	192	236	330	407	426	293	184	60	6	-
White, both sexes.....	261	340	393	534	674	838	801	539	292	83	9	-
Male.....	119	176	218	311	369	455	390	257	116	24	3	-
Female.....	142	164	175	223	305	383	411	282	176	59	6	-
Black, both sexes.....	22	24	29	32	36	38	31	22	15	2	1	-
Male.....	16	16	14	21	20	16	20	12	7	1	1	-
Female.....	6	8	15	11	16	22	11	10	8	1	-	-
American Indian 1/, both sexes.....	4	3	3	2	2	3	7	2	-	-	-	-
Male.....	2	2	2	-	1	3	3	1	-	-	-	-
Female.....	2	1	1	2	1	-	4	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	5	2	1	13	4	-	-	-	-	-	-
Male.....	-	1	1	1	5	2	-	-	-	-	-	-
Female.....	1	4	1	-	8	2	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
II. Neoplasms (C00-D48)												
Kentucky												
All races, both sexes.....	558	807	1,061	1,220	1,427	1,497	1,165	725	346	71	7	-
Male.....	305	476	582	690	811	826	618	314	157	25	-	-
Female.....	253	331	479	530	616	671	547	411	189	46	7	-
White, both sexes.....	515	744	997	1,139	1,335	1,393	1,104	690	325	67	5	-
Male.....	284	436	554	642	765	776	587	300	146	24	-	-
Female.....	231	308	443	497	570	617	517	390	179	43	5	-
Black, both sexes.....	41	61	62	80	87	101	61	34	21	4	2	-
Male.....	21	38	28	47	44	47	31	13	11	1	-	-
Female.....	20	23	34	33	43	54	30	21	10	3	2	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	2	1	5	3	-	1	-	-	-	-
Male.....	-	1	-	1	2	3	-	1	-	-	-	-
Female.....	2	-	2	-	3	-	-	-	-	-	-	-
Louisiana												
All races, both sexes.....	575	785	980	1,130	1,415	1,487	1,267	705	368	81	14	-
Male.....	305	475	560	647	791	812	643	315	140	31	3	-
Female.....	270	310	420	483	624	675	624	390	228	50	11	-
White, both sexes.....	325	508	652	779	1,042	1,124	962	530	265	54	8	-
Male.....	186	310	369	441	582	631	471	238	90	19	3	-
Female.....	139	198	283	338	460	493	491	292	175	35	5	-
Black, both sexes.....	248	269	320	347	365	353	300	171	101	26	6	-
Male.....	119	160	187	204	203	176	172	75	50	11	-	-
Female.....	129	109	133	143	162	177	128	96	51	15	6	-
American Indian 1/, both sexes.....	1	2	5	1	1	2	3	1	2	-	-	-
Male.....	-	2	3	1	-	-	-	1	-	-	-	-
Female.....	1	-	2	-	1	2	3	-	2	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	6	3	3	7	8	2	3	-	1	-	-
Male.....	-	3	1	1	6	5	-	1	-	1	-	-
Female.....	1	3	2	2	1	3	2	2	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
II. Neoplasms (C00-D48)												
Maine												
All races, both sexes.....	188	246	296	352	503	528	476	320	140	45	8	-
Male.....	109	137	172	205	278	278	225	148	60	14	1	-
Female.....	79	109	124	147	225	250	251	172	80	31	7	-
White, both sexes.....	184	245	293	351	496	522	475	317	140	45	8	-
Male.....	106	136	170	204	273	275	225	146	60	14	1	-
Female.....	78	109	123	147	223	247	250	171	80	31	7	-
Black, both sexes.....	-	-	2	-	1	-	1	1	-	-	-	-
Male.....	-	-	1	-	1	-	-	1	-	-	-	-
Female.....	-	-	1	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	1	6	5	-	2	-	-	-	-
Male.....	1	-	-	1	4	2	-	1	-	-	-	-
Female.....	-	-	-	-	2	3	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	1	1	-	-	1	-	-	-	-	-	-
Male.....	2	1	1	-	-	1	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Maryland												
All races, both sexes.....	631	849	1,057	1,185	1,465	1,681	1,474	876	393	100	20	-
Male.....	312	465	580	651	774	869	736	381	155	30	4	-
Female.....	319	384	477	534	691	812	738	495	238	70	16	-
White, both sexes.....	389	552	732	830	1,113	1,332	1,198	734	316	79	12	-
Male.....	190	309	395	459	582	676	597	316	124	23	2	-
Female.....	199	243	337	371	531	656	601	418	192	56	10	-
Black, both sexes.....	227	280	310	335	334	331	257	134	74	20	6	-
Male.....	113	146	174	182	183	181	129	59	29	7	1	-
Female.....	114	134	136	153	151	150	128	75	45	13	5	-
American Indian 1/, both sexes.....	3	1	2	2	1	1	1	1	1	-	-	-
Male.....	2	1	-	1	1	1	1	1	1	-	-	-
Female.....	1	-	2	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	12	16	13	18	17	17	18	7	2	1	2	-
Male.....	7	9	11	9	8	11	9	5	1	-	1	-
Female.....	5	7	2	9	9	6	9	2	1	1	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
II. Neoplasms (C00-D48)												
Massachusetts												
All races, both sexes.....	666	966	1,110	1,462	2,040	2,380	2,212	1,544	763	184	22	-
Male.....	335	487	572	819	1,064	1,227	1,068	674	295	48	3	-
Female.....	331	479	538	643	976	1,153	1,144	870	468	136	19	-
White, both sexes.....	606	901	1,038	1,381	1,936	2,286	2,129	1,506	743	175	21	-
Male.....	301	457	530	770	1,009	1,177	1,018	656	288	47	3	-
Female.....	305	444	508	611	927	1,109	1,111	850	455	128	18	-
Black, both sexes.....	42	54	58	60	79	68	68	27	14	7	1	-
Male.....	24	25	31	38	43	33	39	12	6	-	-	-
Female.....	18	29	27	22	36	35	29	15	8	7	1	-
American Indian 1/, both sexes.....	2	-	-	1	3	2	1	-	1	-	-	-
Male.....	2	-	-	-	1	1	1	-	-	-	-	-
Female.....	-	-	-	1	2	1	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	16	11	14	20	22	24	14	11	5	2	-	-
Male.....	8	5	11	11	11	16	10	6	1	1	-	-
Female.....	8	6	3	9	11	8	4	5	4	1	-	-
Michigan												
All races, both sexes.....	1,190	1,531	1,835	2,260	3,087	3,350	2,769	1,795	752	200	34	-
Male.....	599	840	1,008	1,262	1,658	1,787	1,355	830	293	70	8	-
Female.....	591	691	827	998	1,429	1,563	1,414	965	459	130	26	-
White, both sexes.....	969	1,245	1,553	1,953	2,649	2,916	2,502	1,597	674	182	29	-
Male.....	488	683	847	1,098	1,427	1,537	1,222	732	266	66	8	-
Female.....	481	562	706	855	1,222	1,379	1,280	865	408	116	21	-
Black, both sexes.....	208	260	252	292	406	409	250	189	77	16	5	-
Male.....	104	144	139	156	213	236	128	93	27	4	-	-
Female.....	104	116	113	136	193	173	122	96	50	12	5	-
American Indian 1/, both sexes.....	6	13	17	10	17	11	9	2	1	1	-	-
Male.....	3	9	13	5	10	6	3	-	-	-	-	-
Female.....	3	4	4	5	7	5	6	2	1	1	-	-
Asian or Pacific Islander 2/, both sexes.....	7	13	13	5	15	14	8	7	-	1	-	-
Male.....	4	4	9	3	8	8	2	5	-	-	-	-
Female.....	3	9	4	2	7	6	6	2	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
II. Neoplasms (C00-D48)												
Minnesota												
All races, both sexes.....	446	620	766	955	1,333	1,525	1,421	1,057	554	154	10	-
Male.....	227	318	436	528	745	827	704	503	215	43	5	-
Female.....	219	302	330	427	588	698	717	554	339	111	5	-
White, both sexes.....	416	587	724	923	1,303	1,498	1,395	1,043	549	153	10	-
Male.....	206	296	410	509	728	815	689	497	215	43	5	-
Female.....	210	291	314	414	575	683	706	546	334	110	5	-
Black, both sexes.....	18	15	22	20	20	12	14	7	2	-	-	-
Male.....	11	10	15	12	11	7	11	3	-	-	-	-
Female.....	7	5	7	8	9	5	3	4	2	-	-	-
American Indian 1/, both sexes.....	4	15	8	6	6	6	2	3	1	1	-	-
Male.....	3	9	4	5	4	1	1	2	-	-	-	-
Female.....	1	6	4	1	2	5	1	1	1	1	-	-
Asian or Pacific Islander 2/, both sexes.....	8	3	12	6	4	9	10	4	2	-	-	-
Male.....	7	3	7	2	2	4	3	1	-	-	-	-
Female.....	1	-	5	4	2	5	7	3	2	-	-	-
Mississippi												
All races, both sexes.....	357	516	632	751	884	942	733	497	227	59	10	-
Male.....	195	278	378	465	513	519	386	225	101	26	3	-
Female.....	162	238	254	286	371	423	347	272	126	33	7	-
White, both sexes.....	217	337	412	525	636	705	523	334	130	28	2	-
Male.....	124	182	250	323	375	382	267	149	56	11	-	-
Female.....	93	155	162	202	261	323	256	185	74	17	2	-
Black, both sexes.....	139	174	218	224	241	235	209	161	94	31	8	-
Male.....	71	95	127	141	134	136	119	75	44	15	3	-
Female.....	68	79	91	83	107	99	90	86	50	16	5	-
American Indian 1/, both sexes.....	-	1	1	2	5	2	1	1	-	-	-	-
Male.....	-	-	1	1	2	1	-	1	-	-	-	-
Female.....	-	1	-	1	3	1	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	4	1	-	2	-	-	1	3	-	-	-
Male.....	-	1	-	-	2	-	-	-	1	-	-	-
Female.....	1	3	1	-	-	-	-	1	2	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

II. Neoplasms (C00-D48)

Nebraska

All races, both sexes.....	140	223	289	390	532	581	500	363	203	64	8	-
Male.....	71	108	170	220	307	300	267	142	85	18	-	-
Female.....	69	115	119	170	225	281	233	221	118	46	8	-
White, both sexes.....	130	212	268	370	521	565	490	357	202	62	8	-
Male.....	68	105	155	211	299	293	259	142	85	17	-	-
Female.....	62	107	113	159	222	272	231	215	117	45	8	-
Black, both sexes.....	8	7	14	15	10	13	6	4	-	2	-	-
Male.....	3	2	12	7	8	5	4	-	-	1	-	-
Female.....	5	5	2	8	2	8	2	4	-	1	-	-
American Indian 1/, both sexes.....	1	3	4	3	-	2	-	2	1	-	-	-
Male.....	-	1	1	1	-	2	-	-	-	-	-	-
Female.....	1	2	3	2	-	-	-	2	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	3	2	1	1	4	-	-	-	-	-
Male.....	-	-	2	1	-	-	4	-	-	-	-	-
Female.....	1	1	1	1	1	1	-	-	-	-	-	-

Nevada

All races, both sexes.....	224	333	427	572	644	598	508	279	115	18	-	-
Male.....	129	178	233	310	357	331	263	136	49	10	-	-
Female.....	95	155	194	262	287	267	245	143	66	8	-	-
White, both sexes.....	196	309	385	512	604	562	472	266	99	17	-	-
Male.....	113	172	215	282	338	313	246	131	42	9	-	-
Female.....	83	137	170	230	266	249	226	135	57	8	-	-
Black, both sexes.....	15	11	25	38	26	24	17	10	12	1	-	-
Male.....	9	3	11	19	13	13	6	3	6	1	-	-
Female.....	6	8	14	19	13	11	11	7	6	-	-	-
American Indian 1/, both sexes.....	2	1	4	6	3	2	4	-	-	-	-	-
Male.....	2	1	2	3	1	-	3	-	-	-	-	-
Female.....	-	-	2	3	2	2	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	11	12	13	16	11	10	15	3	4	-	-	-
Male.....	5	2	5	6	5	5	8	2	1	-	-	-
Female.....	6	10	8	10	6	5	7	1	3	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
II. Neoplasms (C00-D48)												
New Hampshire												
All races, both sexes.....	131	197	246	309	359	404	337	259	113	25	5	-
Male.....	68	106	131	170	190	235	168	130	45	10	2	-
Female.....	63	91	115	139	169	169	169	129	68	15	3	-
White, both sexes.....	129	197	240	306	359	401	336	259	113	25	5	-
Male.....	66	106	127	169	190	232	168	130	45	10	2	-
Female.....	63	91	113	137	169	169	168	129	68	15	3	-
Black, both sexes.....	-	-	2	-	-	2	-	-	-	-	-	-
Male.....	-	-	2	-	-	2	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	1	1	-	-	-	-	-
Male.....	-	-	-	1	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	4	2	-	-	-	-	-	-	-	-
Male.....	2	-	2	-	-	-	-	-	-	-	-	-
Female.....	-	-	2	2	-	-	-	-	-	-	-	-
New Jersey												
All races, both sexes.....	901	1,303	1,594	1,945	2,659	3,033	2,715	1,817	807	209	19	-
Male.....	430	659	828	1,060	1,377	1,522	1,287	825	306	62	3	-
Female.....	471	644	766	885	1,282	1,511	1,428	992	501	147	16	-
White, both sexes.....	720	1,041	1,288	1,624	2,299	2,726	2,481	1,681	757	187	16	-
Male.....	356	509	664	869	1,188	1,363	1,181	757	287	57	3	-
Female.....	364	532	624	755	1,111	1,363	1,300	924	470	130	13	-
Black, both sexes.....	143	217	272	283	327	271	210	116	47	20	3	-
Male.....	53	121	144	168	169	133	97	56	16	4	-	-
Female.....	90	96	128	115	158	138	113	60	31	16	3	-
American Indian 1/, both sexes.....	1	2	-	2	2	-	2	1	-	-	-	-
Male.....	-	1	-	1	2	-	-	1	-	-	-	-
Female.....	1	1	-	1	-	-	2	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	37	43	34	36	31	36	22	19	3	2	-	-
Male.....	21	28	20	22	18	26	9	11	3	1	-	-
Female.....	16	15	14	14	13	10	13	8	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
II. Neoplasms (C00-D48)												
New Mexico												
All races, both sexes.....	139	256	250	351	469	508	468	309	128	30	7	-
Male.....	72	139	140	212	249	278	254	165	57	13	5	-
Female.....	67	117	110	139	220	230	214	144	71	17	2	-
White, both sexes.....	118	235	226	318	441	492	444	288	125	29	7	-
Male.....	62	133	124	193	235	269	239	155	56	13	5	-
Female.....	56	102	102	125	206	223	205	133	69	16	2	-
Black, both sexes.....	4	3	8	9	4	7	2	5	1	-	-	-
Male.....	1	2	6	7	3	5	1	4	1	-	-	-
Female.....	3	1	2	2	1	2	1	1	-	-	-	-
American Indian 1/, both sexes.....	16	15	15	21	23	8	19	15	2	1	-	-
Male.....	8	4	9	12	11	3	12	6	-	-	-	-
Female.....	8	11	6	9	12	5	7	9	2	1	-	-
Asian or Pacific Islander 2/, both sexes.....	1	3	1	3	1	1	3	1	-	-	-	-
Male.....	1	-	1	-	-	1	2	-	-	-	-	-
Female.....	-	3	-	3	1	-	1	1	-	-	-	-
New York												
All races, both sexes.....	2,081	2,772	3,312	4,126	5,335	5,932	5,346	3,544	1,628	467	56	1
Male.....	968	1,417	1,762	2,206	2,871	3,052	2,484	1,622	627	141	12	1
Female.....	1,113	1,355	1,550	1,920	2,464	2,880	2,862	1,922	1,001	326	44	-
White, both sexes.....	1,627	2,186	2,617	3,359	4,553	5,202	4,762	3,220	1,483	415	48	1
Male.....	768	1,129	1,371	1,802	2,465	2,664	2,206	1,477	574	124	9	1
Female.....	859	1,057	1,246	1,557	2,088	2,538	2,556	1,743	909	291	39	-
Black, both sexes.....	383	510	594	656	660	631	502	275	119	41	6	-
Male.....	172	249	330	336	332	332	231	119	40	14	3	-
Female.....	211	261	264	320	328	299	271	156	79	27	3	-
American Indian 1/, both sexes.....	3	2	3	6	11	5	5	1	4	-	-	-
Male.....	1	2	2	4	5	3	2	-	2	-	-	-
Female.....	2	-	1	2	6	2	3	1	2	-	-	-
Asian or Pacific Islander 2/, both sexes.....	68	74	98	105	111	94	77	48	22	11	2	-
Male.....	27	37	59	64	69	53	45	26	11	3	-	-
Female.....	41	37	39	41	42	41	32	22	11	8	2	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
II. Neoplasms (C00-D48)												
Ohio												
All races, both sexes.....	1,308	1,782	2,408	2,933	3,974	4,232	3,676	2,313	982	273	36	-
Male.....	699	942	1,303	1,604	2,169	2,244	1,868	999	379	92	8	-
Female.....	609	840	1,105	1,329	1,805	1,988	1,808	1,314	603	181	28	-
White, both sexes.....	1,111	1,561	2,111	2,543	3,504	3,842	3,378	2,153	896	246	31	-
Male.....	592	825	1,140	1,384	1,913	2,048	1,707	923	344	82	7	-
Female.....	519	736	971	1,159	1,591	1,794	1,671	1,230	552	164	24	-
Black, both sexes.....	191	217	285	376	448	378	294	158	85	27	5	-
Male.....	103	115	155	211	245	191	159	76	35	10	1	-
Female.....	88	102	130	165	203	187	135	82	50	17	4	-
American Indian 1/, both sexes.....	-	2	1	1	1	2	-	1	-	-	-	-
Male.....	-	1	-	1	1	-	-	-	-	-	-	-
Female.....	-	1	1	-	-	2	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	2	11	13	21	10	4	1	1	-	-	-
Male.....	4	1	8	8	10	5	2	-	-	-	-	-
Female.....	2	1	3	5	11	5	2	1	1	-	-	-
Oklahoma												
All races, both sexes.....	418	657	734	887	1,116	1,270	998	647	286	83	13	-
Male.....	217	364	402	497	645	706	528	297	104	32	5	-
Female.....	201	293	332	390	471	564	470	350	182	51	8	-
White, both sexes.....	346	574	642	780	991	1,163	917	587	250	76	12	-
Male.....	175	321	354	435	577	651	484	273	92	29	4	-
Female.....	171	253	288	345	414	512	433	314	158	47	8	-
Black, both sexes.....	42	48	43	55	69	61	56	39	24	5	-	-
Male.....	27	28	24	33	41	32	33	18	9	2	-	-
Female.....	15	20	19	22	28	29	23	21	15	3	-	-
American Indian 1/, both sexes.....	27	29	41	49	52	46	23	20	12	2	1	-
Male.....	13	13	22	27	26	23	10	6	3	1	1	-
Female.....	14	16	19	22	26	23	13	14	9	1	-	-
Asian or Pacific Islander 2/, both sexes.....	3	6	8	3	4	-	2	1	-	-	-	-
Male.....	2	2	2	2	1	-	1	-	-	-	-	-
Female.....	1	4	6	1	3	-	1	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
II. Neoplasms (C00-D48)												
Oregon												
All races, both sexes.....	361	516	667	819	1,029	1,164	1,166	731	352	82	14	-
Male.....	187	263	350	424	562	595	585	339	175	27	7	-
Female.....	174	253	317	395	467	569	581	392	177	55	7	-
White, both sexes.....	353	490	633	793	993	1,136	1,133	712	343	81	14	-
Male.....	183	243	331	410	548	583	569	326	173	27	7	-
Female.....	170	247	302	383	445	553	564	386	170	54	7	-
Black, both sexes.....	2	7	9	9	18	12	11	9	5	-	-	-
Male.....	2	6	6	5	7	5	5	6	2	-	-	-
Female.....	-	1	3	4	11	7	6	3	3	-	-	-
American Indian 1/, both sexes.....	3	8	7	7	8	7	9	3	1	-	-	-
Male.....	1	6	3	3	5	4	4	2	-	-	-	-
Female.....	2	2	4	4	3	3	5	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	11	18	10	10	9	13	7	3	1	-	-
Male.....	1	8	10	6	2	3	7	5	-	-	-	-
Female.....	2	3	8	4	8	6	6	2	3	1	-	-
Pennsylvania												
All races, both sexes.....	1,409	1,943	2,494	3,251	4,553	5,386	4,817	3,133	1,350	339	47	-
Male.....	750	979	1,356	1,787	2,456	2,818	2,419	1,380	524	97	8	-
Female.....	659	964	1,138	1,464	2,097	2,568	2,398	1,753	826	242	39	-
White, both sexes.....	1,186	1,678	2,191	2,886	4,145	4,977	4,487	2,966	1,271	305	46	-
Male.....	623	856	1,204	1,599	2,247	2,592	2,259	1,312	490	85	8	-
Female.....	563	822	987	1,287	1,898	2,385	2,228	1,654	781	220	38	-
Black, both sexes.....	212	251	282	337	393	393	319	159	79	33	1	-
Male.....	119	113	143	170	205	218	155	63	34	12	-	-
Female.....	93	138	139	167	188	175	164	96	45	21	1	-
American Indian 1/, both sexes.....	-	1	2	3	4	1	-	-	-	-	-	-
Male.....	-	1	1	2	2	-	-	-	-	-	-	-
Female.....	-	-	1	1	2	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	11	13	19	25	11	15	11	8	-	1	-	-
Male.....	8	9	8	16	2	8	5	5	-	-	-	-
Female.....	3	4	11	9	9	7	6	3	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
II. Neoplasms (C00-D48)												
Rhode Island												
All races, both sexes.....	97	164	199	224	340	454	390	284	105	33	11	1
Male.....	51	92	108	127	171	242	196	110	46	9	4	-
Female.....	46	72	91	97	169	212	194	174	59	24	7	1
White, both sexes.....	90	155	188	214	323	436	383	281	104	31	11	1
Male.....	47	85	101	122	166	234	194	108	46	9	4	-
Female.....	43	70	87	92	157	202	189	173	58	22	7	1
Black, both sexes.....	6	8	10	8	14	14	6	2	-	1	-	-
Male.....	4	7	6	5	4	7	2	1	-	-	-	-
Female.....	2	1	4	3	10	7	4	1	-	1	-	-
American Indian 1/, both sexes.....	1	-	1	1	1	3	1	1	-	-	-	-
Male.....	-	-	1	-	-	1	-	1	-	-	-	-
Female.....	1	-	-	1	1	2	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	1	2	1	-	-	1	1	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	1	-	1	1	1	-	-	1	1	-	-
South Carolina												
All races, both sexes.....	520	707	894	1,097	1,177	1,304	1,055	653	305	79	7	-
Male.....	293	400	517	622	685	754	546	315	110	23	3	-
Female.....	227	307	377	475	492	550	509	338	195	56	4	-
White, both sexes.....	310	480	665	822	907	988	832	483	220	62	3	-
Male.....	172	266	387	478	541	578	420	231	73	19	1	-
Female.....	138	214	278	344	366	410	412	252	147	43	2	-
Black, both sexes.....	206	222	221	269	268	314	221	170	85	17	4	-
Male.....	118	133	127	141	144	175	124	84	37	4	2	-
Female.....	88	89	94	128	124	139	97	86	48	13	2	-
American Indian 1/, both sexes.....	3	-	2	-	1	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	2	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	5	6	6	1	2	2	-	-	-	-	-
Male.....	1	1	3	3	-	1	2	-	-	-	-	-
Female.....	-	4	3	3	1	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
II. Neoplasms (C00-D48)												
South Dakota												
All races, both sexes.....	71	92	112	167	236	247	248	175	114	23	5	-
Male.....	35	47	57	98	134	147	140	75	45	3	-	-
Female.....	36	45	55	69	102	100	108	100	69	20	5	-
White, both sexes.....	66	87	107	154	225	239	239	174	111	23	5	-
Male.....	34	45	55	91	125	142	134	74	45	3	-	-
Female.....	32	42	52	63	100	97	105	100	66	20	5	-
Black, both sexes.....	-	-	-	-	-	2	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	5	5	5	13	11	6	9	1	3	-	-	-
Male.....	1	2	2	7	9	4	6	1	-	-	-	-
Female.....	4	3	3	6	2	2	3	-	3	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Tennessee												
All races, both sexes.....	767	1,014	1,381	1,547	1,920	1,970	1,517	1,015	432	124	13	-
Male.....	425	584	807	892	1,093	1,078	785	463	166	33	4	-
Female.....	342	430	574	655	827	892	732	552	266	91	9	-
White, both sexes.....	619	850	1,164	1,341	1,671	1,742	1,340	884	379	99	10	-
Male.....	338	494	686	760	954	958	699	406	147	29	2	-
Female.....	281	356	478	581	717	784	641	478	232	70	8	-
Black, both sexes.....	142	161	210	199	244	225	173	128	53	25	3	-
Male.....	86	88	118	129	137	118	84	56	19	4	2	-
Female.....	56	73	92	70	107	107	89	72	34	21	1	-
American Indian 1/, both sexes.....	-	1	-	1	-	-	1	2	-	-	-	-
Male.....	-	1	-	1	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	2	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	2	7	6	5	3	3	1	-	-	-	-
Male.....	1	1	3	2	2	2	1	1	-	-	-	-
Female.....	5	1	4	4	3	1	2	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
II. Neoplasms (C00-D48)												
Texas												
All races, both sexes.....	2,134	2,788	3,365	4,059	5,082	5,292	4,431	2,847	1,234	329	43	-
Male.....	1,177	1,551	1,859	2,331	2,813	2,872	2,310	1,304	505	117	9	-
Female.....	957	1,237	1,506	1,728	2,269	2,420	2,121	1,543	729	212	34	-
White, both sexes.....	1,726	2,333	2,866	3,485	4,500	4,688	3,971	2,574	1,102	291	32	-
Male.....	951	1,291	1,578	2,016	2,493	2,524	2,070	1,189	448	108	5	-
Female.....	775	1,042	1,288	1,469	2,007	2,164	1,901	1,385	654	183	27	-
Black, both sexes.....	354	412	451	531	538	557	419	257	124	36	10	-
Male.....	195	239	254	292	297	319	216	110	52	8	4	-
Female.....	159	173	197	239	241	238	203	147	72	28	6	-
American Indian 1/, both sexes.....	3	3	-	1	4	4	4	1	-	-	1	-
Male.....	2	3	-	1	1	4	1	-	-	-	-	-
Female.....	1	-	-	-	3	-	3	1	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	51	40	48	42	40	43	37	15	8	2	-	-
Male.....	29	18	27	22	22	25	23	5	5	1	-	-
Female.....	22	22	21	20	18	18	14	10	3	1	-	-
Utah												
All races, both sexes.....	116	171	217	256	331	404	357	245	104	23	2	-
Male.....	55	88	114	141	198	227	202	140	48	9	2	-
Female.....	61	83	103	115	133	177	155	105	56	14	-	-
White, both sexes.....	110	168	212	247	325	395	349	241	103	22	2	-
Male.....	53	86	111	140	194	224	196	139	48	8	2	-
Female.....	57	82	101	107	131	171	153	102	55	14	-	-
Black, both sexes.....	1	1	-	2	-	2	-	2	-	1	-	-
Male.....	-	1	-	-	-	-	-	1	-	1	-	-
Female.....	1	-	-	2	-	2	-	1	-	-	-	-
American Indian 1/, both sexes.....	1	1	2	-	1	3	3	-	1	-	-	-
Male.....	-	-	1	-	-	2	2	-	-	-	-	-
Female.....	1	1	1	-	1	1	1	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	1	3	7	5	4	5	2	-	-	-	-
Male.....	2	1	2	1	4	1	4	-	-	-	-	-
Female.....	2	-	1	6	1	3	1	2	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
II. Neoplasms (C00-D48)												
Vermont												
All races, both sexes.....	84	80	121	132	171	193	190	114	55	18	2	-
Male.....	45	48	77	72	101	87	97	53	18	7	1	-
Female.....	39	32	44	60	70	106	93	61	37	11	1	-
White, both sexes.....	84	79	119	132	171	193	188	114	55	18	2	-
Male.....	45	47	76	72	101	87	97	53	18	7	1	-
Female.....	39	32	43	60	70	106	91	61	37	11	1	-
Black, both sexes.....	-	1	1	-	-	-	1	-	-	-	-	-
Male.....	-	1	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	1	-	-	-	-	-
Virginia												
All races, both sexes.....	814	1,100	1,378	1,716	1,963	2,179	1,910	1,150	464	122	13	2
Male.....	425	576	777	957	1,123	1,167	970	518	188	36	4	2
Female.....	389	524	601	759	840	1,012	940	632	276	86	9	-
White, both sexes.....	571	830	1,058	1,327	1,562	1,768	1,567	949	382	99	9	2
Male.....	304	432	596	743	887	925	795	423	156	25	3	2
Female.....	267	398	462	584	675	843	772	526	226	74	6	-
Black, both sexes.....	219	252	293	358	375	391	327	190	79	23	4	-
Male.....	115	136	167	199	221	233	170	90	31	11	1	-
Female.....	104	116	126	159	154	158	157	100	48	12	3	-
American Indian 1/, both sexes.....	2	-	2	2	1	2	-	-	-	-	-	-
Male.....	1	-	2	-	-	2	-	-	-	-	-	-
Female.....	1	-	-	2	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	22	18	25	29	25	18	16	11	3	-	-	-
Male.....	5	8	12	15	15	7	5	5	1	-	-	-
Female.....	17	10	13	14	10	11	11	6	2	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Malignant neoplasms (C00-C97)												
United States												
All races, both sexes.....	557,271	74	402	537	535	723	1,007	1,258	2,614	5,150	10,935	19,295
Male.....	288,768	42	216	297	303	424	592	678	1,190	2,166	4,890	9,418
Female.....	268,503	32	186	240	232	299	415	580	1,424	2,984	6,045	9,877
White, both sexes.....	482,481	56	306	428	418	574	825	975	2,022	4,009	8,573	15,180
Male.....	249,867	35	168	229	230	344	486	531	941	1,710	3,894	7,492
Female.....	232,614	21	138	199	188	230	339	444	1,081	2,299	4,679	7,688
Black, both sexes.....	62,617	12	74	85	87	115	135	212	457	918	1,985	3,449
Male.....	32,627	4	34	55	51	66	74	103	187	349	823	1,625
Female.....	29,990	8	40	30	36	49	61	109	270	569	1,162	1,824
American Indian 1/, both sexes.....	2,175	1	3	6	6	9	11	11	24	39	61	109
Male.....	1,081	-	2	3	4	4	6	6	8	14	30	44
Female.....	1,094	1	1	3	2	5	5	5	16	25	31	65
Asian or Pacific Islander 2/, both sexes.....	9,998	5	19	18	24	25	36	60	111	184	316	557
Male.....	5,193	3	12	10	18	10	26	38	54	93	143	257
Female.....	4,805	2	7	8	6	15	10	22	57	91	173	300
Alabama												
All races, both sexes.....	9,698	1	6	5	8	12	13	21	44	94	171	361
Male.....	5,291	-	4	4	6	8	5	5	23	28	85	188
Female.....	4,407	1	2	1	2	4	8	16	21	66	86	173
White, both sexes.....	7,435	-	5	4	5	7	8	11	31	60	113	236
Male.....	4,053	-	3	3	3	3	2	1	16	18	57	121
Female.....	3,382	-	2	1	2	4	6	10	15	42	56	115
Black, both sexes.....	2,234	1	1	1	2	5	5	9	13	33	58	123
Male.....	1,223	-	1	1	2	5	3	4	7	10	28	65
Female.....	1,011	1	-	-	-	-	2	5	6	23	30	58
American Indian 1/, both sexes.....	10	-	-	-	-	-	-	-	-	1	-	1
Male.....	6	-	-	-	-	-	-	-	-	-	-	1
Female.....	4	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	19	-	-	-	1	-	-	1	-	-	-	1
Male.....	9	-	-	-	1	-	-	-	-	-	-	1
Female.....	10	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Malignant neoplasms (C00-C97)												
Alaska												
All races, both sexes.....	715	-	-	-	1	1	1	3	2	10	21	38
Male.....	398	-	-	-	1	1	1	2	-	1	12	18
Female.....	317	-	-	-	-	-	-	1	2	9	9	20
White, both sexes.....	526	-	-	-	-	-	1	2	1	5	16	31
Male.....	293	-	-	-	-	-	1	1	-	-	9	13
Female.....	233	-	-	-	-	-	-	1	1	5	7	18
Black, both sexes.....	22	-	-	-	-	-	-	-	-	-	1	-
Male.....	15	-	-	-	-	-	-	-	-	-	1	-
Female.....	7	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	142	-	-	-	1	1	-	1	1	5	3	3
Male.....	79	-	-	-	1	1	-	1	-	1	2	2
Female.....	63	-	-	-	-	-	-	-	1	4	1	1
Asian or Pacific Islander 2/, both sexes.....	25	-	-	-	-	-	-	-	-	-	1	4
Male.....	11	-	-	-	-	-	-	-	-	-	-	3
Female.....	14	-	-	-	-	-	-	-	-	-	1	1
Arizona												
All races, both sexes.....	9,359	1	5	9	9	17	23	17	45	86	178	325
Male.....	5,094	1	2	5	2	11	12	10	24	32	88	174
Female.....	4,265	-	3	4	7	6	11	7	21	54	90	151
White, both sexes.....	8,892	1	4	7	8	15	19	15	35	71	158	301
Male.....	4,859	1	2	4	1	10	9	8	21	26	77	164
Female.....	4,033	-	2	3	7	5	10	7	14	45	81	137
Black, both sexes.....	221	-	1	-	-	-	1	-	2	2	13	14
Male.....	127	-	-	-	-	-	1	-	1	1	7	8
Female.....	94	-	1	-	-	-	-	-	1	1	6	6
American Indian 1/, both sexes.....	177	-	-	2	-	2	3	1	6	10	5	8
Male.....	78	-	-	1	-	1	2	1	2	3	3	1
Female.....	99	-	-	1	-	1	1	-	4	7	2	7
Asian or Pacific Islander 2/, both sexes.....	69	-	-	-	1	-	-	1	2	3	2	2
Male.....	30	-	-	-	1	-	-	1	-	2	1	1
Female.....	39	-	-	-	-	-	-	-	2	1	1	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Malignant neoplasms (C00-C97)												
Arkansas												
All races, both sexes.....	6,282	2	4	8	7	9	5	19	28	58	112	190
Male.....	3,435	-	2	5	5	7	2	8	17	26	58	84
Female.....	2,847	2	2	3	2	2	3	11	11	32	54	106
White, both sexes.....	5,432	2	3	6	6	8	2	15	23	46	82	140
Male.....	2,999	-	2	3	4	6	2	7	14	21	45	60
Female.....	2,433	2	1	3	2	2	-	8	9	25	37	80
Black, both sexes.....	815	-	1	2	1	1	3	4	5	12	28	49
Male.....	422	-	-	2	1	1	-	1	3	5	12	24
Female.....	393	-	1	-	-	-	3	3	2	7	16	25
American Indian 1/, both sexes.....	11	-	-	-	-	-	-	-	-	-	1	-
Male.....	7	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	24	-	-	-	-	-	-	-	-	-	1	1
Male.....	7	-	-	-	-	-	-	-	-	-	1	-
Female.....	17	-	-	-	-	-	-	-	-	-	-	1
California												
All races, both sexes.....	54,143	19	63	75	94	99	125	145	304	558	1,126	2,013
Male.....	27,564	11	31	41	57	61	81	90	139	229	468	911
Female.....	26,579	8	32	34	37	38	44	55	165	329	658	1,102
White, both sexes.....	45,630	12	50	61	76	78	106	113	243	428	901	1,537
Male.....	23,148	7	22	32	46	50	67	68	113	173	379	704
Female.....	22,482	5	28	29	30	28	39	45	130	255	522	833
Black, both sexes.....	4,047	5	4	5	4	9	9	7	25	56	96	236
Male.....	2,101	2	4	4	-	5	5	5	9	20	29	104
Female.....	1,946	3	-	1	4	4	4	2	16	36	67	132
American Indian 1/, both sexes.....	207	-	-	1	-	-	1	2	3	2	7	14
Male.....	109	-	-	1	-	-	1	2	2	2	4	5
Female.....	98	-	-	-	-	-	-	-	1	-	3	9
Asian or Pacific Islander 2/, both sexes.....	4,259	2	9	8	14	12	9	23	33	72	122	226
Male.....	2,206	2	5	4	11	6	8	15	15	34	56	98
Female.....	2,053	-	4	4	3	6	1	8	18	38	66	128

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Malignant neoplasms (C00-C97)												
Florida												
All races, both sexes.....	39,140	3	21	23	33	31	58	68	153	307	655	1,175
Male.....	21,002	2	12	14	18	21	34	35	77	121	310	571
Female.....	18,138	1	9	9	15	10	24	33	76	186	345	604
White, both sexes.....	35,366	3	17	18	29	17	50	49	116	237	529	947
Male.....	19,039	2	10	10	15	12	30	24	66	101	258	480
Female.....	16,327	1	7	8	14	5	20	25	50	136	271	467
Black, both sexes.....	3,568	-	4	5	4	14	8	18	36	64	120	213
Male.....	1,864	-	2	4	3	9	4	11	11	19	49	84
Female.....	1,704	-	2	1	1	5	4	7	25	45	71	129
American Indian 1/, both sexes.....	45	-	-	-	-	-	-	-	-	-	-	3
Male.....	25	-	-	-	-	-	-	-	-	-	-	2
Female.....	20	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	161	-	-	-	-	-	-	1	1	6	6	12
Male.....	74	-	-	-	-	-	-	-	-	1	3	5
Female.....	87	-	-	-	-	-	-	1	1	5	3	7
Georgia												
All races, both sexes.....	13,975	2	10	14	12	21	36	36	83	163	374	630
Male.....	7,420	-	4	7	6	10	16	15	34	66	151	319
Female.....	6,555	2	6	7	6	11	20	21	49	97	223	311
White, both sexes.....	10,257	-	9	8	6	13	29	22	47	95	215	397
Male.....	5,455	-	4	3	2	8	14	8	23	41	96	205
Female.....	4,802	-	5	5	4	5	15	14	24	54	119	192
Black, both sexes.....	3,599	2	1	5	6	8	7	14	33	66	152	229
Male.....	1,910	-	-	3	4	2	2	7	11	24	52	112
Female.....	1,689	2	1	2	2	6	5	7	22	42	100	117
American Indian 1/, both sexes.....	22	-	-	-	-	-	-	-	1	-	1	-
Male.....	11	-	-	-	-	-	-	-	-	-	1	-
Female.....	11	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	97	-	-	1	-	-	-	-	2	2	6	4
Male.....	44	-	-	1	-	-	-	-	-	1	2	2
Female.....	53	-	-	-	-	-	-	-	2	1	4	2

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Malignant neoplasms (C00-C97)												
Kentucky												
All races, both sexes.....	9,438	1	2	7	9	8	13	21	42	100	191	333
Male.....	5,084	1	1	4	2	7	4	8	18	44	100	173
Female.....	4,354	-	1	3	7	1	9	13	24	56	91	160
White, both sexes.....	8,802	1	2	7	8	7	12	18	42	90	170	295
Male.....	4,755	1	1	4	2	6	3	8	18	38	92	149
Female.....	4,047	-	1	3	6	1	9	10	24	52	78	146
Black, both sexes.....	615	-	-	-	1	1	1	2	-	10	18	37
Male.....	319	-	-	-	-	1	1	-	-	6	8	23
Female.....	296	-	-	-	1	-	-	2	-	4	10	14
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	20	-	-	-	-	-	-	1	-	-	3	1
Male.....	9	-	-	-	-	-	-	-	-	-	-	1
Female.....	11	-	-	-	-	-	-	1	-	-	3	-
Louisiana												
All races, both sexes.....	9,441	1	12	11	11	14	18	23	45	103	203	397
Male.....	5,042	1	7	9	8	10	13	10	19	43	92	198
Female.....	4,399	-	5	2	3	4	5	13	26	60	111	199
White, both sexes.....	6,533	1	8	4	5	11	9	14	22	52	103	211
Male.....	3,492	1	6	2	3	8	6	6	9	23	50	107
Female.....	3,041	-	2	2	2	3	3	8	13	29	53	104
Black, both sexes.....	2,848	-	4	7	6	3	8	9	20	49	99	182
Male.....	1,520	-	1	7	5	2	6	4	8	19	42	89
Female.....	1,328	-	3	-	1	1	2	5	12	30	57	93
American Indian 1/, both sexes.....	18	-	-	-	-	-	-	-	-	1	-	-
Male.....	8	-	-	-	-	-	-	-	-	1	-	-
Female.....	10	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	42	-	-	-	-	-	1	-	3	1	1	4
Male.....	22	-	-	-	-	-	1	-	2	-	-	2
Female.....	20	-	-	-	-	-	-	-	1	1	1	2

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Malignant neoplasms (C00-C97)												
Maine												
All races, both sexes.....	3,206	-	1	3	5	6	6	5	9	23	40	87
Male.....	1,685	-	-	2	4	5	2	3	3	8	19	41
Female.....	1,521	-	1	1	1	1	4	2	6	15	21	46
White, both sexes.....	3,178	-	1	2	5	6	6	5	9	23	39	87
Male.....	1,667	-	-	2	4	5	2	3	3	8	18	41
Female.....	1,511	-	1	-	1	1	4	2	6	15	21	46
Black, both sexes.....	6	-	-	1	-	-	-	-	-	-	-	-
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	15	-	-	-	-	-	-	-	-	-	-	-
Male.....	9	-	-	-	-	-	-	-	-	-	-	-
Female.....	6	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	-	-	-	-	-	-	-	-	-	1	-
Male.....	6	-	-	-	-	-	-	-	-	-	1	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Maryland												
All races, both sexes.....	10,395	1	10	7	7	15	18	15	50	124	223	406
Male.....	5,275	1	5	5	4	10	13	8	23	56	99	182
Female.....	5,120	-	5	2	3	5	5	7	27	68	124	224
White, both sexes.....	7,642	1	6	3	4	11	10	8	32	71	141	242
Male.....	3,885	1	5	3	3	7	8	6	15	38	68	124
Female.....	3,757	-	1	-	1	4	2	2	17	33	73	118
Black, both sexes.....	2,588	-	4	2	2	3	7	7	15	50	75	152
Male.....	1,301	-	-	1	1	3	4	2	6	18	28	55
Female.....	1,287	-	4	1	1	-	3	5	9	32	47	97
American Indian 1/, both sexes.....	18	-	-	-	-	-	1	-	1	-	1	2
Male.....	12	-	-	-	-	-	1	-	1	-	1	-
Female.....	6	-	-	-	-	-	-	-	-	-	-	2
Asian or Pacific Islander 2/, both sexes.....	147	-	-	2	1	1	-	-	2	3	6	10
Male.....	77	-	-	1	-	-	-	-	1	-	2	3
Female.....	70	-	-	1	1	1	-	-	1	3	4	7

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Malignant neoplasms (C00-C97)												
Massachusetts												
All races, both sexes.....	13,914	-	5	9	10	14	20	28	48	119	234	389
Male.....	6,875	-	3	6	6	8	11	15	23	54	113	188
Female.....	7,039	-	2	3	4	6	9	13	25	65	121	201
White, both sexes.....	13,203	-	3	7	9	12	16	26	38	111	203	354
Male.....	6,496	-	2	4	5	6	9	13	18	49	96	172
Female.....	6,707	-	1	3	4	6	7	13	20	62	107	182
Black, both sexes.....	541	-	2	2	-	2	4	2	9	5	22	23
Male.....	285	-	1	2	-	2	2	2	5	2	11	13
Female.....	256	-	1	-	-	-	2	-	4	3	11	10
American Indian 1/, both sexes.....	10	-	-	-	-	-	-	-	-	-	-	-
Male.....	5	-	-	-	-	-	-	-	-	-	-	-
Female.....	5	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	160	-	-	-	1	-	-	-	1	3	9	12
Male.....	89	-	-	-	1	-	-	-	-	3	6	3
Female.....	71	-	-	-	-	-	-	-	1	-	3	9
Michigan												
All races, both sexes.....	19,985	2	11	18	22	27	39	55	106	167	367	762
Male.....	10,266	2	5	12	10	15	23	32	48	65	165	377
Female.....	9,719	-	6	6	12	12	16	23	58	102	202	385
White, both sexes.....	17,136	2	10	13	19	23	32	44	78	130	291	593
Male.....	8,798	2	4	9	8	13	21	25	37	58	132	298
Female.....	8,338	-	6	4	11	10	11	19	41	72	159	295
Black, both sexes.....	2,650	-	1	4	3	4	6	10	26	29	73	155
Male.....	1,366	-	1	3	2	2	2	6	11	6	32	72
Female.....	1,284	-	-	1	1	2	4	4	15	23	41	83
American Indian 1/, both sexes.....	98	-	-	-	-	-	1	-	-	3	1	7
Male.....	51	-	-	-	-	-	-	-	-	-	1	1
Female.....	47	-	-	-	-	-	1	-	-	3	-	6
Asian or Pacific Islander 2/, both sexes.....	101	-	-	1	-	-	-	1	2	5	2	7
Male.....	51	-	-	-	-	-	-	1	-	1	-	6
Female.....	50	-	-	1	-	-	-	-	2	4	2	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Malignant neoplasms (C00-C97)												
Minnesota												
All races, both sexes.....	9,210	-	4	13	7	17	14	25	38	69	156	285
Male.....	4,751	-	2	7	4	9	9	10	17	37	72	144
Female.....	4,459	-	2	6	3	8	5	15	21	32	84	141
White, both sexes.....	8,924	-	4	13	6	14	12	22	35	60	142	268
Male.....	4,586	-	2	7	3	8	7	9	15	32	67	133
Female.....	4,338	-	2	6	3	6	5	13	20	28	75	135
Black, both sexes.....	154	-	-	-	1	1	1	1	1	3	9	9
Male.....	94	-	-	-	1	1	1	-	1	-	3	7
Female.....	60	-	-	-	-	-	-	1	-	3	6	2
American Indian 1/, both sexes.....	56	-	-	-	-	1	-	1	1	1	-	1
Male.....	31	-	-	-	-	-	-	1	-	-	-	1
Female.....	25	-	-	-	-	1	-	-	1	1	-	-
Asian or Pacific Islander 2/, both sexes.....	76	-	-	-	-	1	1	1	1	5	5	7
Male.....	40	-	-	-	-	-	1	-	1	5	2	3
Female.....	36	-	-	-	-	1	-	1	-	-	3	4
Mississippi												
All races, both sexes.....	6,069	-	3	7	-	8	10	17	33	68	135	260
Male.....	3,305	-	2	5	-	4	5	6	12	29	59	129
Female.....	2,764	-	1	2	-	4	5	11	21	39	76	131
White, both sexes.....	4,102	-	2	1	-	5	5	7	23	33	77	155
Male.....	2,233	-	1	1	-	3	3	3	6	14	32	77
Female.....	1,869	-	1	-	-	2	2	4	17	19	45	78
Black, both sexes.....	1,939	-	1	6	-	3	5	10	10	34	57	104
Male.....	1,060	-	1	4	-	1	2	3	6	15	26	51
Female.....	879	-	-	2	-	2	3	7	4	19	31	53
American Indian 1/, both sexes.....	14	-	-	-	-	-	-	-	-	-	1	-
Male.....	7	-	-	-	-	-	-	-	-	-	1	-
Female.....	7	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	14	-	-	-	-	-	-	-	-	1	-	1
Male.....	5	-	-	-	-	-	-	-	-	-	-	1
Female.....	9	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Malignant neoplasms (C00-C97)												
Nebraska												
All races, both sexes.....	3,433	1	2	5	3	1	6	6	13	25	64	92
Male.....	1,747	1	1	3	1	1	2	4	6	9	22	45
Female.....	1,686	-	1	2	2	-	4	2	7	16	42	47
White, both sexes.....	3,309	1	2	5	3	1	6	6	12	22	61	82
Male.....	1,685	1	1	3	1	1	2	4	6	8	22	38
Female.....	1,624	-	1	2	2	-	4	2	6	14	39	44
Black, both sexes.....	91	-	-	-	-	-	-	-	1	3	1	8
Male.....	49	-	-	-	-	-	-	-	-	1	-	6
Female.....	42	-	-	-	-	-	-	-	1	2	1	2
American Indian 1/, both sexes.....	17	-	-	-	-	-	-	-	-	-	1	-
Male.....	5	-	-	-	-	-	-	-	-	-	-	-
Female.....	12	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	16	-	-	-	-	-	-	-	-	-	1	2
Male.....	8	-	-	-	-	-	-	-	-	-	-	1
Female.....	8	-	-	-	-	-	-	-	-	-	1	1
Nevada												
All races, both sexes.....	3,937	2	2	1	2	5	12	12	19	37	61	126
Male.....	2,102	1	1	-	1	3	9	9	9	14	28	65
Female.....	1,835	1	1	1	1	2	3	3	10	23	33	61
White, both sexes.....	3,600	1	2	1	1	5	11	9	15	32	52	102
Male.....	1,949	1	1	-	-	3	9	6	6	13	23	57
Female.....	1,651	-	1	1	1	2	2	3	9	19	29	45
Black, both sexes.....	207	1	-	-	1	-	1	2	2	3	5	15
Male.....	97	-	-	-	1	-	-	2	2	1	2	6
Female.....	110	1	-	-	-	-	1	-	-	2	3	9
American Indian 1/, both sexes.....	25	-	-	-	-	-	-	-	1	-	-	2
Male.....	13	-	-	-	-	-	-	-	-	-	-	1
Female.....	12	-	-	-	-	-	-	-	1	-	-	1
Asian or Pacific Islander 2/, both sexes.....	105	-	-	-	-	-	-	1	1	2	4	7
Male.....	43	-	-	-	-	-	-	1	1	-	3	1
Female.....	62	-	-	-	-	-	-	-	-	2	1	6

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Malignant neoplasms (C00-C97)												
New Hampshire												
All races, both sexes.....	2,529	-	1	6	-	2	10	3	15	19	55	88
Male.....	1,333	-	1	2	-	1	8	1	9	12	25	44
Female.....	1,196	-	-	4	-	1	2	2	6	7	30	44
White, both sexes.....	2,512	-	1	6	-	2	10	3	14	19	55	87
Male.....	1,321	-	1	2	-	1	8	1	8	12	25	43
Female.....	1,191	-	-	4	-	1	2	2	6	7	30	44
Black, both sexes.....	4	-	-	-	-	-	-	-	-	-	-	-
Male.....	4	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	10	-	-	-	-	-	-	-	1	-	-	1
Male.....	6	-	-	-	-	-	-	-	1	-	-	1
Female.....	4	-	-	-	-	-	-	-	-	-	-	-
New Jersey												
All races, both sexes.....	17,827	3	10	14	20	27	33	37	78	167	310	566
Male.....	8,722	1	4	7	11	17	22	23	34	69	126	265
Female.....	9,105	2	6	7	9	10	11	14	44	98	184	301
White, both sexes.....	15,387	3	7	10	15	21	21	29	52	133	232	442
Male.....	7,489	1	3	3	6	15	15	19	24	59	93	213
Female.....	7,898	2	4	7	9	6	6	10	28	74	139	229
Black, both sexes.....	2,121	-	2	4	5	4	9	6	20	30	68	102
Male.....	1,047	-	1	4	5	2	5	2	8	9	28	39
Female.....	1,074	-	1	-	-	2	4	4	12	21	40	63
American Indian 1/, both sexes.....	14	-	-	-	-	-	-	-	1	-	-	3
Male.....	6	-	-	-	-	-	-	-	-	-	-	1
Female.....	8	-	-	-	-	-	-	-	1	-	-	2
Asian or Pacific Islander 2/, both sexes.....	305	-	1	-	-	2	3	2	5	4	10	19
Male.....	180	-	-	-	-	-	2	2	2	1	5	12
Female.....	125	-	1	-	-	2	1	-	3	3	5	7

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Malignant neoplasms (C00-C97)												
New Mexico												
All races, both sexes.....	3,067	2	1	4	2	6	5	6	15	34	60	95
Male.....	1,653	1	-	3	1	3	1	6	7	16	27	50
Female.....	1,414	1	1	1	1	3	4	-	8	18	33	45
White, both sexes.....	2,859	2	-	3	2	6	4	6	15	33	55	85
Male.....	1,547	1	-	2	1	3	-	6	7	16	25	45
Female.....	1,312	1	-	1	1	3	4	-	8	17	30	40
Black, both sexes.....	47	-	1	-	-	-	-	-	-	-	-	3
Male.....	33	-	-	-	-	-	-	-	-	-	-	3
Female.....	14	-	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	146	-	-	1	-	-	1	-	-	1	5	6
Male.....	68	-	-	1	-	-	1	-	-	-	2	2
Female.....	78	-	-	-	-	-	-	-	-	1	3	4
Asian or Pacific Islander 2/, both sexes.....	15	-	-	-	-	-	-	-	-	-	-	1
Male.....	5	-	-	-	-	-	-	-	-	-	-	-
Female.....	10	-	-	-	-	-	-	-	-	-	-	1
New York												
All races, both sexes.....	36,661	4	27	31	29	33	63	90	162	369	697	1,245
Male.....	18,073	1	17	16	19	18	40	51	68	162	282	555
Female.....	18,588	3	10	15	10	15	23	39	94	207	415	690
White, both sexes.....	30,871	3	18	21	21	22	47	62	110	266	510	927
Male.....	15,193	1	12	10	12	12	29	33	45	116	208	412
Female.....	15,678	2	6	11	9	10	18	29	65	150	302	515
Black, both sexes.....	4,927	-	9	9	7	8	9	23	41	84	158	270
Male.....	2,407	-	5	6	6	4	6	14	18	36	63	117
Female.....	2,520	-	4	3	1	4	3	9	23	48	95	153
American Indian 1/, both sexes.....	45	-	-	-	1	-	-	1	-	-	-	3
Male.....	24	-	-	-	1	-	-	1	-	-	-	1
Female.....	21	-	-	-	-	-	-	-	-	-	-	2
Asian or Pacific Islander 2/, both sexes.....	818	1	-	1	-	3	7	4	11	19	29	45
Male.....	449	-	-	-	-	2	5	3	5	10	11	25
Female.....	369	1	-	1	-	1	2	1	6	9	18	20

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Malignant neoplasms (C00-C97)												
North Carolina												
All races, both sexes.....	16,210	1	10	22	10	20	21	39	96	153	372	594
Male.....	8,550	-	6	9	6	13	11	25	42	59	165	273
Female.....	7,660	1	4	13	4	7	10	14	54	94	207	321
White, both sexes.....	12,747	1	5	15	5	12	15	21	69	112	269	394
Male.....	6,704	-	2	6	4	7	8	16	34	45	123	176
Female.....	6,043	1	3	9	1	5	7	5	35	67	146	218
Black, both sexes.....	3,298	-	4	7	5	8	5	13	24	38	95	192
Male.....	1,768	-	3	3	2	6	3	7	8	13	38	95
Female.....	1,530	-	1	4	3	2	2	6	16	25	57	97
American Indian 1/, both sexes.....	106	-	-	-	-	-	-	-	1	2	6	5
Male.....	52	-	-	-	-	-	-	-	-	-	2	1
Female.....	54	-	-	-	-	-	-	-	1	2	4	4
Asian or Pacific Islander 2/, both sexes.....	59	-	1	-	-	-	1	5	2	1	2	3
Male.....	26	-	1	-	-	-	-	2	-	1	2	1
Female.....	33	-	-	-	-	-	1	3	2	-	-	2
North Dakota												
All races, both sexes.....	1,293	-	3	1	2	-	1	1	3	9	24	30
Male.....	670	-	3	1	1	-	1	1	1	4	13	11
Female.....	623	-	-	-	1	-	-	-	2	5	11	19
White, both sexes.....	1,247	-	2	1	-	-	1	1	3	6	23	28
Male.....	650	-	2	1	-	-	1	1	1	3	13	10
Female.....	597	-	-	-	-	-	-	-	2	3	10	18
Black, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	44	-	1	-	1	-	-	-	-	2	1	2
Male.....	19	-	1	-	-	-	-	-	-	1	-	1
Female.....	25	-	-	-	1	-	-	-	-	1	1	1
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Malignant neoplasms (C00-C97)												
Ohio												
All races, both sexes.....	25,173	2	12	18	26	25	36	47	103	218	494	882
Male.....	12,920	-	2	10	15	12	22	20	40	101	226	453
Female.....	12,253	2	10	8	11	13	14	27	63	117	268	429
White, both sexes.....	22,376	2	11	16	18	21	31	35	91	181	422	738
Male.....	11,462	-	2	9	11	10	18	17	39	82	195	384
Female.....	10,914	2	9	7	7	11	13	18	52	99	227	354
Black, both sexes.....	2,708	-	1	2	8	4	5	12	11	34	69	138
Male.....	1,412	-	-	1	4	2	4	3	1	18	31	65
Female.....	1,296	-	1	1	4	2	1	9	10	16	38	73
American Indian 1/, both sexes.....	9	-	-	-	-	-	-	-	-	-	-	1
Male.....	4	-	-	-	-	-	-	-	-	-	-	1
Female.....	5	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	80	-	-	-	-	-	-	-	1	3	3	5
Male.....	42	-	-	-	-	-	-	-	-	1	-	3
Female.....	38	-	-	-	-	-	-	-	1	2	3	2
Oklahoma												
All races, both sexes.....	7,474	1	2	8	5	10	11	23	34	57	137	256
Male.....	3,967	1	1	6	2	3	8	9	12	29	56	138
Female.....	3,507	-	1	2	3	7	3	14	22	28	81	118
White, both sexes.....	6,633	-	2	8	4	8	10	19	29	48	111	222
Male.....	3,532	-	1	6	2	2	7	8	11	25	40	124
Female.....	3,101	-	1	2	2	6	3	11	18	23	71	98
Black, both sexes.....	477	1	-	-	-	-	1	2	2	4	16	17
Male.....	270	1	-	-	-	-	1	1	1	2	12	8
Female.....	207	-	-	-	-	-	-	1	1	2	4	9
American Indian 1/, both sexes.....	336	-	-	-	1	2	-	2	3	4	9	17
Male.....	155	-	-	-	-	1	-	-	-	2	4	6
Female.....	181	-	-	-	1	1	-	2	3	2	5	11
Asian or Pacific Islander 2/, both sexes.....	28	-	-	-	-	-	-	-	-	1	1	-
Male.....	10	-	-	-	-	-	-	-	-	-	-	-
Female.....	18	-	-	-	-	-	-	-	-	1	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Malignant neoplasms (C00-C97)												
Oregon												
All races, both sexes.....	7,249	-	3	11	4	9	21	12	35	57	119	245
Male.....	3,682	-	2	8	1	6	14	3	13	25	47	134
Female.....	3,567	-	1	3	3	3	7	9	22	32	72	111
White, both sexes.....	6,997	-	2	11	4	8	20	10	32	55	112	226
Male.....	3,553	-	2	8	1	5	14	3	12	25	45	121
Female.....	3,444	-	-	3	3	3	6	7	20	30	67	105
Black, both sexes.....	93	-	1	-	-	-	-	-	1	2	1	7
Male.....	49	-	-	-	-	-	-	-	-	-	-	5
Female.....	44	-	1	-	-	-	-	-	1	2	1	2
American Indian 1/, both sexes.....	57	-	-	-	-	-	-	1	-	-	2	1
Male.....	30	-	-	-	-	-	-	-	-	-	1	1
Female.....	27	-	-	-	-	-	-	1	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	102	-	-	-	-	1	1	1	2	-	4	11
Male.....	50	-	-	-	-	1	-	-	1	-	1	7
Female.....	52	-	-	-	-	-	1	1	1	-	3	4
Pennsylvania												
All races, both sexes.....	29,849	1	18	22	24	24	37	57	120	224	472	855
Male.....	15,099	1	14	14	12	18	22	34	56	94	205	410
Female.....	14,750	-	4	8	12	6	15	23	64	130	267	445
White, both sexes.....	27,013	1	11	18	20	22	32	51	99	191	386	732
Male.....	13,685	1	10	11	11	16	21	32	45	79	173	355
Female.....	13,328	-	1	7	9	6	11	19	54	112	213	377
Black, both sexes.....	2,684	-	5	2	3	2	5	5	20	29	80	113
Male.....	1,332	-	2	1	1	2	1	1	10	12	29	52
Female.....	1,352	-	3	1	2	-	4	4	10	17	51	61
American Indian 1/, both sexes.....	11	-	-	-	-	-	-	-	-	-	-	-
Male.....	6	-	-	-	-	-	-	-	-	-	-	-
Female.....	5	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	141	-	2	2	1	-	-	1	1	4	6	10
Male.....	76	-	2	2	-	-	-	1	1	3	3	3
Female.....	65	-	-	-	1	-	-	-	-	1	3	7

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Malignant neoplasms (C00-C97)												
South Dakota												
All races, both sexes.....	1,562	-	1	4	-	1	1	3	8	10	23	44
Male.....	802	-	-	2	-	1	-	-	3	3	7	16
Female.....	760	-	1	2	-	-	1	3	5	7	16	28
White, both sexes.....	1,490	-	-	3	-	1	-	2	5	8	21	43
Male.....	763	-	-	1	-	1	-	-	1	2	6	15
Female.....	727	-	-	2	-	-	-	2	4	6	15	28
Black, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	69	-	1	-	-	-	1	1	3	2	2	1
Male.....	37	-	-	-	-	-	-	-	2	1	1	1
Female.....	32	-	1	-	-	-	1	1	1	1	1	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Tennessee												
All races, both sexes.....	12,518	-	9	15	9	14	18	28	61	135	260	459
Male.....	6,724	-	8	8	3	7	10	15	26	60	118	243
Female.....	5,794	-	1	7	6	7	8	13	35	75	142	216
White, both sexes.....	10,733	-	5	12	6	8	16	23	43	112	209	365
Male.....	5,781	-	5	6	2	4	8	13	16	52	98	199
Female.....	4,952	-	-	6	4	4	8	10	27	60	111	166
Black, both sexes.....	1,740	-	4	3	2	6	2	5	18	23	48	89
Male.....	926	-	3	2	1	3	2	2	10	8	18	44
Female.....	814	-	1	1	1	3	-	3	8	15	30	45
American Indian 1/, both sexes.....	5	-	-	-	-	-	-	-	-	-	-	-
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	40	-	-	-	1	-	-	-	-	-	3	5
Male.....	14	-	-	-	-	-	-	-	-	-	2	-
Female.....	26	-	-	-	1	-	-	-	-	-	1	5

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Malignant neoplasms (C00-C97)												
Texas												
All races, both sexes.....	34,164	4	37	38	54	76	100	110	193	383	860	1,356
Male.....	18,091	3	20	16	31	49	62	52	84	157	382	708
Female.....	16,073	1	17	22	23	27	38	58	109	226	478	648
White, both sexes.....	29,578	4	30	31	47	68	94	86	156	314	670	1,092
Male.....	15,654	3	15	14	28	45	59	44	69	127	287	580
Female.....	13,924	1	15	17	19	23	35	42	87	187	383	512
Black, both sexes.....	4,177	-	3	6	6	8	5	21	30	58	173	242
Male.....	2,213	-	2	2	2	4	3	6	11	25	84	117
Female.....	1,964	-	1	4	4	4	2	15	19	33	89	125
American Indian 1/, both sexes.....	26	-	1	1	-	-	-	-	-	-	1	2
Male.....	16	-	1	-	-	-	-	-	-	-	1	2
Female.....	10	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	383	-	3	-	1	-	1	3	7	11	16	20
Male.....	208	-	2	-	1	-	-	2	4	5	10	9
Female.....	175	-	1	-	-	-	1	1	3	6	6	11
Utah												
All races, both sexes.....	2,376	2	4	6	1	3	10	13	18	23	48	104
Male.....	1,302	2	3	5	-	2	7	8	11	8	30	50
Female.....	1,074	-	1	1	1	1	3	5	7	15	18	54
White, both sexes.....	2,312	2	4	6	1	3	8	12	14	23	46	99
Male.....	1,274	2	3	5	-	2	5	7	9	8	30	48
Female.....	1,038	-	1	1	1	1	3	5	5	15	16	51
Black, both sexes.....	12	-	-	-	-	-	-	-	1	-	1	1
Male.....	4	-	-	-	-	-	-	-	-	-	-	1
Female.....	8	-	-	-	-	-	-	-	1	-	1	-
American Indian 1/, both sexes.....	15	-	-	-	-	-	-	-	-	-	1	3
Male.....	5	-	-	-	-	-	-	-	-	-	-	1
Female.....	10	-	-	-	-	-	-	-	-	-	1	2
Asian or Pacific Islander 2/, both sexes.....	37	-	-	-	-	-	2	1	3	-	-	1
Male.....	19	-	-	-	-	-	2	1	2	-	-	-
Female.....	18	-	-	-	-	-	-	-	1	-	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Malignant neoplasms (C00-C97)												
Vermont												
All races, both sexes.....	1,224	-	1	1	2	1	-	5	2	14	22	45
Male.....	633	-	-	1	1	-	-	2	-	5	13	18
Female.....	591	-	1	-	1	1	-	3	2	9	9	27
White, both sexes.....	1,216	-	1	1	1	1	-	4	2	13	22	45
Male.....	629	-	-	1	-	-	-	1	-	5	13	18
Female.....	587	-	1	-	1	1	-	3	2	8	9	27
Black, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	-	-	-	1	-	1	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	1	-	-
Virginia												
All races, both sexes.....	13,602	1	13	9	6	10	25	23	77	138	298	469
Male.....	7,119	1	4	4	4	4	10	16	36	56	133	243
Female.....	6,483	-	9	5	2	6	15	7	41	82	165	226
White, both sexes.....	10,628	-	7	7	4	7	20	16	55	85	202	319
Male.....	5,530	-	2	4	3	4	9	11	26	28	91	167
Female.....	5,098	-	5	3	1	3	11	5	29	57	111	152
Black, both sexes.....	2,764	1	5	2	1	3	5	7	19	47	86	132
Male.....	1,493	1	1	-	-	-	1	5	9	23	37	69
Female.....	1,271	-	4	2	1	3	4	2	10	24	49	63
American Indian 1/, both sexes.....	9	-	-	-	-	-	-	-	-	-	-	-
Male.....	5	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	201	-	1	-	1	-	-	-	3	6	10	18
Male.....	91	-	1	-	1	-	-	-	1	5	5	7
Female.....	110	-	-	-	-	-	-	-	2	1	5	11

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Malignant neoplasms (C00-C97)												
United States												
All races, both sexes.....	30,342	41,487	51,904	63,598	81,159	89,565	77,497	50,298	22,323	5,772	789	7
Male.....	15,774	22,407	28,708	35,374	44,711	47,734	39,218	23,345	9,106	1,952	218	5
Female.....	14,568	19,080	23,196	28,224	36,448	41,831	38,279	26,953	13,217	3,820	571	2
White, both sexes.....	24,336	34,425	43,715	54,326	71,132	79,678	69,847	45,714	20,162	5,114	662	4
Male.....	12,665	18,583	24,049	30,313	39,275	42,403	35,246	21,201	8,171	1,723	175	3
Female.....	11,671	15,842	19,666	24,013	31,857	37,275	34,601	24,513	11,991	3,391	487	1
Black, both sexes.....	5,001	5,954	6,871	7,845	8,400	8,300	6,364	3,856	1,832	552	110	3
Male.....	2,615	3,254	3,929	4,329	4,602	4,459	3,290	1,775	776	187	38	2
Female.....	2,386	2,700	2,942	3,516	3,798	3,841	3,074	2,081	1,056	365	72	1
American Indian 1/, both sexes.....	184	219	266	274	315	252	208	104	53	16	4	-
Male.....	94	123	142	141	166	129	107	41	13	3	1	-
Female.....	90	96	124	133	149	123	101	63	40	13	3	-
Asian or Pacific Islander 2/, both sexes.....	821	889	1,052	1,153	1,312	1,335	1,078	624	276	90	13	-
Male.....	400	447	588	591	668	743	575	328	146	39	4	-
Female.....	421	442	464	562	644	592	503	296	130	51	9	-
Alabama												
All races, both sexes.....	560	815	961	1,208	1,454	1,518	1,210	793	341	86	16	-
Male.....	317	473	568	704	843	820	650	379	142	35	4	-
Female.....	243	342	393	504	611	698	560	414	199	51	12	-
White, both sexes.....	373	613	756	929	1,163	1,217	976	618	243	60	7	-
Male.....	214	357	445	548	680	661	514	292	97	18	-	-
Female.....	159	256	311	381	483	556	462	326	146	42	7	-
Black, both sexes.....	185	198	200	274	286	300	232	175	98	26	9	-
Male.....	102	114	121	153	161	159	134	87	45	17	4	-
Female.....	83	84	79	121	125	141	98	88	53	9	5	-
American Indian 1/, both sexes.....	1	1	2	-	1	1	2	-	-	-	-	-
Male.....	1	1	1	-	-	-	2	-	-	-	-	-
Female.....	-	-	1	-	1	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	3	3	5	4	-	-	-	-	-	-	-
Male.....	-	1	1	3	2	-	-	-	-	-	-	-
Female.....	1	2	2	2	2	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms (C00-C97)

Alaska

All races, both sexes.....	66	86	96	67	93	106	62	35	18	7	2	-
Male.....	38	50	50	39	63	56	37	17	7	5	-	-
Female.....	28	36	46	28	30	50	25	18	11	2	2	-
White, both sexes.....	47	65	69	50	66	79	44	30	15	4	1	-
Male.....	24	37	37	29	46	41	28	16	7	4	-	-
Female.....	23	28	32	21	20	38	16	14	8	-	1	-
Black, both sexes.....	5	3	4	1	2	4	1	1	-	-	-	-
Male.....	3	2	3	1	1	3	1	-	-	-	-	-
Female.....	2	1	1	-	1	1	-	1	-	-	-	-
American Indian 1/, both sexes.....	11	16	21	13	24	18	15	4	2	2	1	-
Male.....	9	10	10	8	16	9	8	1	-	-	-	-
Female.....	2	6	11	5	8	9	7	3	2	2	1	-
Asian or Pacific Islander 2/, both sexes.....	3	2	2	3	1	5	2	-	1	1	-	-
Male.....	2	1	-	1	-	3	-	-	-	1	-	-
Female.....	1	1	2	2	1	2	2	-	1	-	-	-

Arizona

All races, both sexes.....	467	689	891	1,102	1,398	1,528	1,330	830	322	74	13	-
Male.....	240	396	480	659	807	833	686	431	166	31	4	-
Female.....	227	293	411	443	591	695	644	399	156	43	9	-
White, both sexes.....	435	644	839	1,052	1,326	1,480	1,286	808	311	65	12	-
Male.....	227	369	455	632	772	804	665	421	161	27	3	-
Female.....	208	275	384	420	554	676	621	387	150	38	9	-
Black, both sexes.....	14	28	25	27	36	27	18	7	3	2	1	-
Male.....	8	18	16	17	16	17	8	3	3	2	1	-
Female.....	6	10	9	10	20	10	10	4	-	-	-	-
American Indian 1/, both sexes.....	16	13	19	16	19	12	20	10	8	7	-	-
Male.....	5	6	7	7	13	7	11	4	2	2	-	-
Female.....	11	7	12	9	6	5	9	6	6	5	-	-
Asian or Pacific Islander 2/, both sexes.....	2	4	8	7	17	9	6	5	-	-	-	-
Male.....	-	3	2	3	6	5	2	3	-	-	-	-
Female.....	2	1	6	4	11	4	4	2	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Malignant neoplasms (C00-C97)												
Arkansas												
All races, both sexes.....	337	531	649	757	919	970	806	548	242	72	9	-
Male.....	178	285	382	444	543	545	432	271	116	20	5	-
Female.....	159	246	267	313	376	425	374	277	126	52	4	-
White, both sexes.....	284	446	566	679	818	857	701	475	208	57	8	-
Male.....	151	238	332	400	491	489	380	235	96	19	4	-
Female.....	133	208	234	279	327	368	321	240	112	38	4	-
Black, both sexes.....	49	79	75	77	97	108	103	72	33	15	1	-
Male.....	27	44	45	44	51	53	52	36	19	1	1	-
Female.....	22	35	30	33	46	55	51	36	14	14	-	-
American Indian 1/, both sexes.....	-	3	3	1	1	2	-	-	-	-	-	-
Male.....	-	2	2	-	1	2	-	-	-	-	-	-
Female.....	-	1	1	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	3	5	-	3	3	2	1	1	-	-	-
Male.....	-	1	3	-	-	1	-	-	1	-	-	-
Female.....	4	2	2	-	3	2	2	1	-	-	-	-
California												
All races, both sexes.....	2,993	3,948	5,006	6,016	7,533	8,595	7,688	4,986	2,088	587	82	-
Male.....	1,499	2,108	2,674	3,246	4,025	4,485	3,882	2,423	850	228	25	-
Female.....	1,494	1,840	2,332	2,770	3,508	4,110	3,806	2,563	1,238	359	57	-
White, both sexes.....	2,343	3,200	4,073	4,964	6,411	7,390	6,757	4,464	1,843	506	74	-
Male.....	1,178	1,719	2,130	2,693	3,442	3,836	3,379	2,159	735	193	23	-
Female.....	1,165	1,481	1,943	2,271	2,969	3,554	3,378	2,305	1,108	313	51	-
Black, both sexes.....	310	384	486	538	513	566	411	235	107	38	3	-
Male.....	161	206	289	289	285	298	216	110	45	14	1	-
Female.....	149	178	197	249	228	268	195	125	62	24	2	-
American Indian 1/, both sexes.....	16	15	28	17	38	33	20	7	1	1	1	-
Male.....	9	10	16	11	16	16	11	3	-	-	-	-
Female.....	7	5	12	6	22	17	9	4	1	1	1	-
Asian or Pacific Islander 2/, both sexes.....	324	349	419	497	571	606	500	280	137	42	4	-
Male.....	151	173	239	253	282	335	276	151	70	21	1	-
Female.....	173	176	180	244	289	271	224	129	67	21	3	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Malignant neoplasms (C00-C97)												
Colorado												
All races, both sexes.....	378	459	565	721	913	974	939	586	257	48	10	-
Male.....	188	252	293	388	513	490	493	284	110	16	3	-
Female.....	190	207	272	333	400	484	446	302	147	32	7	-
White, both sexes.....	359	442	528	681	871	922	908	570	250	46	10	-
Male.....	174	240	272	368	496	468	477	278	107	15	3	-
Female.....	185	202	256	313	375	454	431	292	143	31	7	-
Black, both sexes.....	12	14	27	27	32	31	20	10	5	2	-	-
Male.....	10	10	14	15	14	15	11	4	1	1	-	-
Female.....	2	4	13	12	18	16	9	6	4	1	-	-
American Indian 1/, both sexes.....	1	1	2	4	3	5	3	1	1	-	-	-
Male.....	1	1	-	2	-	1	1	1	1	-	-	-
Female.....	-	-	2	2	3	4	2	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	2	8	9	7	16	8	5	1	-	-	-
Male.....	3	1	7	3	3	6	4	1	1	-	-	-
Female.....	3	1	1	6	4	10	4	4	-	-	-	-
Connecticut												
All races, both sexes.....	347	515	546	657	1,000	1,250	1,090	801	398	92	9	-
Male.....	171	256	304	365	523	663	529	385	162	32	1	-
Female.....	176	259	242	292	477	587	561	416	236	60	8	-
White, both sexes.....	303	454	489	598	931	1,185	1,038	790	381	84	7	-
Male.....	146	223	269	333	496	631	501	383	153	29	1	-
Female.....	157	231	220	265	435	554	537	407	228	55	6	-
Black, both sexes.....	37	57	51	57	60	60	46	10	17	8	1	-
Male.....	21	31	31	31	26	31	25	2	9	3	-	-
Female.....	16	26	20	26	34	29	21	8	8	5	1	-
American Indian 1/, both sexes.....	1	1	1	-	3	2	2	-	-	-	-	-
Male.....	-	1	1	-	-	1	2	-	-	-	-	-
Female.....	1	-	-	-	3	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	3	5	2	6	3	4	1	-	-	1	-
Male.....	4	1	3	1	1	-	1	-	-	-	-	-
Female.....	2	2	2	1	5	3	3	1	-	-	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms (C00-C97)

Delaware

All races, both sexes.....	87	108	151	201	266	294	209	106	55	15	1	-
Male.....	47	66	66	125	145	168	121	47	25	7	1	-
Female.....	40	42	85	76	121	126	88	59	30	8	-	-
White, both sexes.....	70	82	126	161	224	258	186	99	46	15	-	-
Male.....	40	52	54	103	125	143	107	43	20	7	-	-
Female.....	30	30	72	58	99	115	79	56	26	8	-	-
Black, both sexes.....	15	23	25	37	41	34	22	7	9	-	1	-
Male.....	7	11	12	20	20	23	14	4	5	-	1	-
Female.....	8	12	13	17	21	11	8	3	4	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	3	-	3	1	2	1	-	-	-	-	-
Male.....	-	3	-	2	-	2	-	-	-	-	-	-
Female.....	2	-	-	1	1	-	1	-	-	-	-	-

Dist. of Columbia

All races, both sexes.....	88	105	129	135	185	189	166	118	53	15	1	2
Male.....	49	59	82	75	106	93	83	46	20	6	-	1
Female.....	39	46	47	60	79	96	83	72	33	9	1	1
White, both sexes.....	9	22	26	18	36	39	41	36	18	7	-	-
Male.....	4	7	14	12	20	22	19	9	8	2	-	-
Female.....	5	15	12	6	16	17	22	27	10	5	-	-
Black, both sexes.....	78	81	101	115	148	147	121	80	34	7	1	2
Male.....	45	52	68	63	86	69	62	37	12	3	-	1
Female.....	33	29	33	52	62	78	59	43	22	4	1	1
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	2	2	2	1	2	4	2	1	1	-	-
Male.....	-	-	-	-	-	1	2	-	-	1	-	-
Female.....	1	2	2	2	1	1	2	2	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Malignant neoplasms (C00-C97)												
Florida												
All races, both sexes.....	1,837	2,684	3,375	4,403	5,793	6,749	5,919	3,715	1,688	397	52	1
Male.....	990	1,464	1,929	2,444	3,290	3,697	3,177	1,847	757	180	11	1
Female.....	847	1,220	1,446	1,959	2,503	3,052	2,742	1,868	931	217	41	-
White, both sexes.....	1,532	2,312	2,965	3,931	5,283	6,261	5,552	3,505	1,601	363	49	-
Male.....	846	1,269	1,701	2,180	2,999	3,414	2,980	1,740	720	172	10	-
Female.....	686	1,043	1,264	1,751	2,284	2,847	2,572	1,765	881	191	39	-
Black, both sexes.....	278	351	391	443	483	463	350	203	84	32	3	1
Male.....	134	189	219	249	273	266	191	103	35	7	1	1
Female.....	144	162	172	194	210	197	159	100	49	25	2	-
American Indian 1/, both sexes.....	4	8	4	10	5	8	2	-	-	1	-	-
Male.....	3	3	2	5	5	5	-	-	-	-	-	-
Female.....	1	5	2	5	-	3	2	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	23	13	15	19	22	17	15	7	3	1	-	-
Male.....	7	3	7	10	13	12	6	4	2	1	-	-
Female.....	16	10	8	9	9	5	9	3	1	-	-	-
Georgia												
All races, both sexes.....	944	1,310	1,509	1,743	1,972	1,980	1,640	1,002	398	83	13	-
Male.....	524	740	894	1,033	1,123	1,047	777	455	174	20	5	-
Female.....	420	570	615	710	849	933	863	547	224	63	8	-
White, both sexes.....	619	917	1,101	1,279	1,528	1,532	1,317	765	295	56	7	-
Male.....	339	518	651	771	867	802	627	345	115	13	3	-
Female.....	280	399	450	508	661	730	690	420	180	43	4	-
Black, both sexes.....	310	382	398	442	431	434	314	230	102	27	6	-
Male.....	177	215	236	251	253	241	148	104	59	7	2	-
Female.....	133	167	162	191	178	193	166	126	43	20	4	-
American Indian 1/, both sexes.....	2	2	2	3	4	2	-	4	1	-	-	-
Male.....	-	2	1	1	1	1	-	4	-	-	-	-
Female.....	2	-	1	2	3	1	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	13	9	8	19	9	12	9	3	-	-	-	-
Male.....	8	5	6	10	2	3	2	2	-	-	-	-
Female.....	5	4	2	9	7	9	7	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms (C00-C97)

Hawaii

All races, both sexes.....	120	167	191	181	258	318	262	192	81	23	2	-
Male.....	71	92	119	90	145	192	145	102	50	9	1	-
Female.....	49	75	72	91	113	126	117	90	31	14	1	-
White, both sexes.....	29	45	66	52	69	81	87	63	22	4	-	-
Male.....	20	23	45	24	43	46	50	31	13	2	-	-
Female.....	9	22	21	28	26	35	37	32	9	2	-	-
Black, both sexes.....	1	2	2	1	1	1	1	1	-	-	-	-
Male.....	-	2	1	1	-	1	1	1	-	-	-	-
Female.....	1	-	1	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	2	-	-	-	1	3	1	-	-	-
Male.....	-	-	1	-	-	-	1	1	1	-	-	-
Female.....	1	-	1	-	-	-	-	2	-	-	-	-
Asian or Pacific Islander 2/, both sexes.	89	120	121	128	188	236	173	125	58	19	2	-
Male.....	51	67	72	65	102	145	93	69	36	7	1	-
Female.....	38	53	49	63	86	91	80	56	22	12	1	-

Idaho

All races, both sexes.....	120	123	187	264	306	355	300	214	99	19	2	-
Male.....	59	61	100	147	160	199	157	110	45	11	-	-
Female.....	61	62	87	117	146	156	143	104	54	8	2	-
White, both sexes.....	118	123	183	262	302	347	293	214	98	19	2	-
Male.....	59	61	99	147	157	198	152	110	45	11	-	-
Female.....	59	62	84	115	145	149	141	104	53	8	2	-
Black, both sexes.....	-	-	1	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	-	3	1	4	1	2	-	1	-	-	-
Male.....	-	-	1	-	3	-	1	-	-	-	-	-
Female.....	2	-	2	1	1	1	1	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.	-	-	-	1	-	7	4	-	-	-	-	-
Male.....	-	-	-	-	-	1	3	-	-	-	-	-
Female.....	-	-	-	1	-	6	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Malignant neoplasms (C00-C97)												
Illinois												
All races, both sexes.....	1,346	1,799	2,342	2,811	3,578	3,946	3,380	2,351	1,016	286	39	-
Male.....	659	935	1,310	1,506	1,984	2,125	1,697	1,021	394	84	13	-
Female.....	687	864	1,032	1,305	1,594	1,821	1,683	1,330	622	202	26	-
White, both sexes.....	1,003	1,427	1,891	2,266	3,006	3,421	2,964	2,133	925	257	29	-
Male.....	510	733	1,056	1,221	1,654	1,866	1,492	938	364	76	11	-
Female.....	493	694	835	1,045	1,352	1,555	1,472	1,195	561	181	18	-
Black, both sexes.....	312	335	412	514	525	494	377	200	86	29	10	-
Male.....	133	182	235	268	298	242	186	77	27	8	2	-
Female.....	179	153	177	246	227	252	191	123	59	21	8	-
American Indian 1/, both sexes.....	3	1	-	-	2	-	1	1	-	-	-	-
Male.....	3	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	1	-	-	1	-	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	28	36	39	31	45	31	38	17	5	-	-	-
Male.....	13	20	19	17	31	17	19	6	3	-	-	-
Female.....	15	16	20	14	14	14	19	11	2	-	-	-
Indiana												
All races, both sexes.....	719	933	1,245	1,458	1,946	2,129	1,711	1,068	530	146	19	-
Male.....	355	513	683	804	1,042	1,126	831	483	212	48	6	-
Female.....	364	420	562	654	904	1,003	880	585	318	98	13	-
White, both sexes.....	636	844	1,126	1,312	1,789	1,975	1,593	1,005	500	134	17	-
Male.....	311	463	614	727	970	1,050	774	451	201	42	5	-
Female.....	325	381	512	585	819	925	819	554	299	92	12	-
Black, both sexes.....	81	84	116	144	152	154	117	61	30	12	2	-
Male.....	44	47	67	77	71	76	57	31	11	6	1	-
Female.....	37	37	49	67	81	78	60	30	19	6	1	-
American Indian 1/, both sexes.....	1	1	3	-	2	-	-	-	-	-	-	-
Male.....	-	-	2	-	-	-	-	-	-	-	-	-
Female.....	1	1	1	-	2	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	4	-	2	3	-	1	2	-	-	-	-
Male.....	-	3	-	-	1	-	-	1	-	-	-	-
Female.....	1	1	-	2	2	-	1	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Malignant neoplasms (C00-C97)												
Iowa												
All races, both sexes.....	255	378	536	738	875	1,133	1,010	694	339	100	17	-
Male.....	141	208	308	398	505	610	508	318	122	31	6	-
Female.....	114	170	228	340	370	523	502	376	217	69	11	-
White, both sexes.....	247	366	524	724	859	1,109	1,000	689	338	100	16	-
Male.....	134	200	299	392	496	598	504	314	122	31	6	-
Female.....	113	166	225	332	363	511	496	375	216	69	10	-
Black, both sexes.....	7	10	8	11	13	21	10	4	1	-	1	-
Male.....	6	6	7	4	6	11	4	3	-	-	-	-
Female.....	1	4	1	7	7	10	6	1	1	-	1	-
American Indian 1/, both sexes.....	-	1	1	1	-	-	-	-	-	-	-	-
Male.....	-	1	1	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	3	2	3	3	-	1	-	-	-	-
Male.....	1	1	1	1	3	1	-	1	-	-	-	-
Female.....	-	-	2	1	-	2	-	-	-	-	-	-
Kansas												
All races, both sexes.....	283	367	423	566	712	867	814	543	289	84	8	-
Male.....	135	191	231	330	389	468	403	261	118	25	3	-
Female.....	148	176	192	236	323	399	411	282	171	59	5	-
White, both sexes.....	257	336	389	531	661	823	777	519	274	82	7	-
Male.....	118	173	214	308	363	448	380	248	111	24	2	-
Female.....	139	163	175	223	298	375	397	271	163	58	5	-
Black, both sexes.....	21	23	29	32	36	37	30	22	15	2	1	-
Male.....	15	15	14	21	20	15	20	12	7	1	1	-
Female.....	6	8	15	11	16	22	10	10	8	1	-	-
American Indian 1/, both sexes.....	4	3	3	2	2	3	7	2	-	-	-	-
Male.....	2	2	2	-	1	3	3	1	-	-	-	-
Female.....	2	1	1	2	1	-	4	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	5	2	1	13	4	-	-	-	-	-	-
Male.....	-	1	1	1	5	2	-	-	-	-	-	-
Female.....	1	4	1	-	8	2	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Malignant neoplasms (C00-C97)												
Kentucky												
All races, both sexes.....	554	800	1,047	1,201	1,402	1,470	1,134	701	330	66	6	-
Male.....	304	472	574	680	798	809	607	305	150	23	-	-
Female.....	250	328	473	521	604	661	527	396	180	43	6	-
White, both sexes.....	511	739	986	1,120	1,311	1,368	1,073	666	309	63	4	-
Male.....	283	433	546	632	752	759	576	291	139	22	-	-
Female.....	228	306	440	488	559	609	497	375	170	41	4	-
Black, both sexes.....	41	59	59	80	86	99	61	34	21	3	2	-
Male.....	21	37	28	47	44	47	31	13	11	1	-	-
Female.....	20	22	31	33	42	52	30	21	10	2	2	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	2	1	5	3	-	1	-	-	-	-
Male.....	-	1	-	1	2	3	-	1	-	-	-	-
Female.....	2	-	2	-	3	-	-	-	-	-	-	-
Louisiana												
All races, both sexes.....	565	769	968	1,112	1,390	1,452	1,229	675	355	74	14	-
Male.....	299	464	555	637	782	796	627	302	137	30	3	-
Female.....	266	305	413	475	608	656	602	373	218	44	11	-
White, both sexes.....	316	498	645	765	1,023	1,095	932	506	256	49	8	-
Male.....	181	302	366	433	576	618	457	228	88	19	3	-
Female.....	135	196	279	332	447	477	475	278	168	30	5	-
Black, both sexes.....	247	264	315	344	359	347	292	165	98	24	6	-
Male.....	118	157	185	203	200	173	170	72	49	10	-	-
Female.....	129	107	130	141	159	174	122	93	49	14	6	-
American Indian 1/, both sexes.....	1	2	5	1	1	2	3	1	1	-	-	-
Male.....	-	2	3	1	-	-	-	1	-	-	-	-
Female.....	1	-	2	-	1	2	3	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	5	3	2	7	8	2	3	-	1	-	-
Male.....	-	3	1	-	6	5	-	1	-	1	-	-
Female.....	1	2	2	2	1	3	2	2	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Malignant neoplasms (C00-C97)												
Maine												
All races, both sexes.....	184	243	292	346	494	516	457	307	133	42	7	-
Male.....	107	135	170	203	273	273	217	147	59	13	1	-
Female.....	77	108	122	143	221	243	240	160	74	29	6	-
White, both sexes.....	180	242	289	345	487	510	456	304	133	42	7	-
Male.....	104	134	168	202	268	270	217	145	59	13	1	-
Female.....	76	108	121	143	219	240	239	159	74	29	6	-
Black, both sexes.....	-	-	2	-	1	-	1	1	-	-	-	-
Male.....	-	-	1	-	1	-	-	1	-	-	-	-
Female.....	-	-	1	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	1	6	5	-	2	-	-	-	-
Male.....	1	-	-	1	4	2	-	1	-	-	-	-
Female.....	-	-	-	-	2	3	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	1	1	-	-	1	-	-	-	-	-	-
Male.....	2	1	1	-	-	1	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Maryland												
All races, both sexes.....	621	830	1,044	1,168	1,441	1,642	1,438	851	373	92	19	-
Male.....	309	454	575	639	759	853	727	369	152	28	4	-
Female.....	312	376	469	529	682	789	711	482	221	64	15	-
White, both sexes.....	382	536	721	819	1,096	1,299	1,164	714	299	72	11	-
Male.....	188	301	392	453	572	662	589	306	121	21	2	-
Female.....	194	235	329	366	524	637	575	408	178	51	9	-
Black, both sexes.....	224	277	308	329	327	325	255	130	71	19	6	-
Male.....	112	143	172	176	178	179	128	58	29	7	1	-
Female.....	112	134	136	153	149	146	127	72	42	12	5	-
American Indian 1/, both sexes.....	3	1	2	2	1	1	1	1	1	-	-	-
Male.....	2	1	-	1	1	1	1	1	1	-	-	-
Female.....	1	-	2	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	12	16	13	18	17	17	18	6	2	1	2	-
Male.....	7	9	11	9	8	11	9	4	1	-	1	-
Female.....	5	7	2	9	9	6	9	2	1	1	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Malignant neoplasms (C00-C97)												
Massachusetts												
All races, both sexes.....	655	955	1,093	1,443	2,003	2,340	2,154	1,477	723	173	22	-
Male.....	329	483	563	804	1,047	1,200	1,040	649	285	45	3	-
Female.....	326	472	530	639	956	1,140	1,114	828	438	128	19	-
White, both sexes.....	595	890	1,022	1,364	1,903	2,248	2,073	1,440	703	165	21	-
Male.....	295	453	522	757	995	1,152	992	631	278	44	3	-
Female.....	300	437	500	607	908	1,096	1,081	809	425	121	18	-
Black, both sexes.....	42	54	58	58	77	67	66	26	14	7	1	-
Male.....	24	25	31	36	42	32	37	12	6	-	-	-
Female.....	18	29	27	22	35	35	29	14	8	7	1	-
American Indian 1/, both sexes.....	2	-	-	1	3	2	1	-	1	-	-	-
Male.....	2	-	-	-	1	1	1	-	-	-	-	-
Female.....	-	-	-	1	2	1	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	16	11	13	20	20	23	14	11	5	1	-	-
Male.....	8	5	10	11	9	15	10	6	1	1	-	-
Female.....	8	6	3	9	11	8	4	5	4	-	-	-
Michigan												
All races, both sexes.....	1,176	1,518	1,815	2,243	3,030	3,290	2,668	1,728	718	189	34	-
Male.....	591	832	995	1,251	1,628	1,755	1,308	795	281	68	8	-
Female.....	585	686	820	992	1,402	1,535	1,360	933	437	121	26	-
White, both sexes.....	956	1,234	1,536	1,936	2,595	2,859	2,411	1,533	641	171	29	-
Male.....	480	676	837	1,087	1,398	1,506	1,181	699	255	64	8	-
Female.....	476	558	699	849	1,197	1,353	1,230	834	386	107	21	-
Black, both sexes.....	207	258	249	292	404	406	240	186	76	16	5	-
Male.....	104	143	136	156	212	235	122	91	26	4	-	-
Female.....	103	115	113	136	192	171	118	95	50	12	5	-
American Indian 1/, both sexes.....	6	13	17	10	16	11	9	2	1	1	-	-
Male.....	3	9	13	5	10	6	3	-	-	-	-	-
Female.....	3	4	4	5	6	5	6	2	1	1	-	-
Asian or Pacific Islander 2/, both sexes.....	7	13	13	5	15	14	8	7	-	1	-	-
Male.....	4	4	9	3	8	8	2	5	-	-	-	-
Female.....	3	9	4	2	7	6	6	2	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Malignant neoplasms (C00-C97)												
Minnesota												
All races, both sexes.....	439	604	755	942	1,305	1,478	1,377	1,010	523	139	10	-
Male.....	223	309	431	521	732	803	687	482	206	41	5	-
Female.....	216	295	324	421	573	675	690	528	317	98	5	-
White, both sexes.....	410	571	715	910	1,276	1,451	1,351	996	519	139	10	-
Male.....	202	287	406	502	715	791	672	476	206	41	5	-
Female.....	208	284	309	408	561	660	679	520	313	98	5	-
Black, both sexes.....	17	15	22	20	19	12	14	7	2	-	-	-
Male.....	11	10	15	12	11	7	11	3	-	-	-	-
Female.....	6	5	7	8	8	5	3	4	2	-	-	-
American Indian 1/, both sexes.....	4	15	8	6	6	6	2	3	1	-	-	-
Male.....	3	9	4	5	4	1	1	2	-	-	-	-
Female.....	1	6	4	1	2	5	1	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	3	10	6	4	9	10	4	1	-	-	-
Male.....	7	3	6	2	2	4	3	1	-	-	-	-
Female.....	1	-	4	4	2	5	7	3	1	-	-	-
Mississippi												
All races, both sexes.....	355	514	629	743	879	922	718	484	216	58	10	-
Male.....	193	277	377	461	511	510	380	220	97	25	3	-
Female.....	162	237	252	282	368	412	338	264	119	33	7	-
White, both sexes.....	215	335	411	521	634	687	512	326	123	28	2	-
Male.....	122	181	249	322	374	374	262	144	54	11	-	-
Female.....	93	154	162	199	260	313	250	182	69	17	2	-
Black, both sexes.....	139	174	216	220	238	233	205	156	90	30	8	-
Male.....	71	95	127	138	133	135	118	75	42	14	3	-
Female.....	68	79	89	82	105	98	87	81	48	16	5	-
American Indian 1/, both sexes.....	-	1	1	2	5	2	1	1	-	-	-	-
Male.....	-	-	1	1	2	1	-	1	-	-	-	-
Female.....	-	1	-	1	3	1	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	4	1	-	2	-	-	1	3	-	-	-
Male.....	-	1	-	-	2	-	-	-	1	-	-	-
Female.....	1	3	1	-	-	-	-	1	2	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Malignant neoplasms (C00-C97)												
Nebraska												
All races, both sexes.....	140	221	286	387	523	564	486	345	193	62	8	-
Male.....	71	107	167	218	301	294	258	138	80	18	-	-
Female.....	69	114	119	169	222	270	228	207	113	44	8	-
White, both sexes.....	130	210	265	367	512	549	476	339	192	60	8	-
Male.....	68	104	152	209	293	287	250	138	80	17	-	-
Female.....	62	106	113	158	219	262	226	201	112	43	8	-
Black, both sexes.....	8	7	14	15	10	12	6	4	-	2	-	-
Male.....	3	2	12	7	8	5	4	-	-	1	-	-
Female.....	5	5	2	8	2	7	2	4	-	1	-	-
American Indian 1/, both sexes.....	1	3	4	3	-	2	-	2	1	-	-	-
Male.....	-	1	1	1	-	2	-	-	-	-	-	-
Female.....	1	2	3	2	-	-	-	2	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	3	2	1	1	4	-	-	-	-	-
Male.....	-	-	2	1	-	-	4	-	-	-	-	-
Female.....	1	1	1	1	1	1	-	-	-	-	-	-
Nevada												
All races, both sexes.....	222	329	422	568	635	588	494	272	111	17	-	-
Male.....	127	176	228	307	352	328	255	134	46	9	-	-
Female.....	95	153	194	261	283	260	239	138	65	8	-	-
White, both sexes.....	194	306	380	508	598	554	458	259	96	16	-	-
Male.....	111	170	210	279	335	310	238	129	40	8	-	-
Female.....	83	136	170	229	263	244	220	130	56	8	-	-
Black, both sexes.....	15	11	25	38	26	23	17	10	11	1	-	-
Male.....	9	3	11	19	13	13	6	3	5	1	-	-
Female.....	6	8	14	19	13	10	11	7	6	-	-	-
American Indian 1/, both sexes.....	2	1	4	6	3	2	4	-	-	-	-	-
Male.....	2	1	2	3	1	-	3	-	-	-	-	-
Female.....	-	-	2	3	2	2	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	11	11	13	16	8	9	15	3	4	-	-	-
Male.....	5	2	5	6	3	5	8	2	1	-	-	-
Female.....	6	9	8	10	5	4	7	1	3	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms (C00-C97)

New Hampshire

All races, both sexes.....	129	194	244	307	351	395	325	252	104	24	5	-
Male.....	66	104	131	168	187	228	162	129	43	10	2	-
Female.....	63	90	113	139	164	167	163	123	61	14	3	-
White, both sexes.....	127	194	238	304	351	392	324	252	104	24	5	-
Male.....	64	104	127	167	187	225	162	129	43	10	2	-
Female.....	63	90	111	137	164	167	162	123	61	14	3	-
Black, both sexes.....	-	-	2	-	-	2	-	-	-	-	-	-
Male.....	-	-	2	-	-	2	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	1	1	-	-	-	-	-
Male.....	-	-	-	1	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	4	2	-	-	-	-	-	-	-	-
Male.....	2	-	2	-	-	-	-	-	-	-	-	-
Female.....	-	-	2	2	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	888	1,284	1,568	1,905	2,603	2,951	2,636	1,745	768	195	19	-
Male.....	426	651	814	1,038	1,346	1,469	1,253	798	286	59	3	-
Female.....	462	633	754	867	1,257	1,482	1,383	947	482	136	16	-
White, both sexes.....	709	1,027	1,270	1,586	2,249	2,649	2,409	1,613	720	174	16	-
Male.....	352	504	654	847	1,160	1,313	1,151	732	268	54	3	-
Female.....	357	523	616	739	1,089	1,336	1,258	881	452	120	13	-
Black, both sexes.....	142	213	265	281	321	266	203	113	45	19	3	-
Male.....	53	119	141	168	166	130	93	55	15	4	-	-
Female.....	89	94	124	113	155	136	110	58	30	15	3	-
American Indian 1/, both sexes.....	1	2	-	2	2	-	2	1	-	-	-	-
Male.....	-	1	-	1	2	-	-	1	-	-	-	-
Female.....	1	1	-	1	-	-	2	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	36	42	33	36	31	36	22	18	3	2	-	-
Male.....	21	27	19	22	18	26	9	10	3	1	-	-
Female.....	15	15	14	14	13	10	13	8	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Malignant neoplasms (C00-C97)												
New Mexico												
All races, both sexes.....	139	252	248	346	463	491	452	291	120	28	7	-
Male.....	72	138	138	207	245	267	244	155	54	13	5	-
Female.....	67	114	110	139	218	224	208	136	66	15	2	-
White, both sexes.....	118	231	225	314	435	475	428	271	117	27	7	-
Male.....	62	132	123	189	231	258	229	146	53	13	5	-
Female.....	56	99	102	125	204	217	199	125	64	14	2	-
Black, both sexes.....	4	3	8	9	4	7	2	5	1	-	-	-
Male.....	1	2	6	7	3	5	1	4	1	-	-	-
Female.....	3	1	2	2	1	2	1	1	-	-	-	-
American Indian 1/, both sexes.....	16	15	14	20	23	8	19	14	2	1	-	-
Male.....	8	4	8	11	11	3	12	5	-	-	-	-
Female.....	8	11	6	9	12	5	7	9	2	1	-	-
Asian or Pacific Islander 2/, both sexes.....	1	3	1	3	1	1	3	1	-	-	-	-
Male.....	1	-	1	-	-	1	2	-	-	-	-	-
Female.....	-	3	-	3	1	-	1	1	-	-	-	-
New York												
All races, both sexes.....	2,060	2,732	3,264	4,072	5,261	5,813	5,209	3,428	1,571	445	55	1
Male.....	957	1,399	1,736	2,175	2,832	2,990	2,423	1,572	610	137	12	1
Female.....	1,103	1,333	1,528	1,897	2,429	2,823	2,786	1,856	961	308	43	-
White, both sexes.....	1,614	2,151	2,577	3,315	4,486	5,096	4,637	3,113	1,433	394	47	1
Male.....	759	1,114	1,350	1,773	2,430	2,608	2,149	1,430	559	121	9	1
Female.....	855	1,037	1,227	1,542	2,056	2,488	2,488	1,683	874	273	38	-
Black, both sexes.....	378	506	587	646	655	620	490	267	114	40	6	-
Male.....	172	246	325	334	330	327	227	117	38	13	3	-
Female.....	206	260	262	312	325	293	263	150	76	27	3	-
American Indian 1/, both sexes.....	3	2	3	6	11	5	5	1	4	-	-	-
Male.....	1	2	2	4	5	3	2	-	2	-	-	-
Female.....	2	-	1	2	6	2	3	1	2	-	-	-
Asian or Pacific Islander 2/, both sexes.....	65	73	97	105	109	92	77	47	20	11	2	-
Male.....	25	37	59	64	67	52	45	25	11	3	-	-
Female.....	40	36	38	41	42	40	32	22	9	8	2	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Malignant neoplasms (C00-C97)												
Ohio												
All races, both sexes.....	1,292	1,742	2,386	2,885	3,904	4,112	3,556	2,221	917	260	35	-
Male.....	689	919	1,290	1,578	2,131	2,179	1,812	969	359	85	8	-
Female.....	603	823	1,096	1,307	1,773	1,933	1,744	1,252	558	175	27	-
White, both sexes.....	1,095	1,524	2,091	2,501	3,442	3,730	3,263	2,068	831	235	30	-
Male.....	582	804	1,129	1,361	1,875	1,988	1,652	896	324	77	7	-
Female.....	513	720	962	1,140	1,567	1,742	1,611	1,172	507	158	23	-
Black, both sexes.....	191	214	283	371	440	370	289	151	85	25	5	-
Male.....	103	113	153	208	245	186	158	73	35	8	1	-
Female.....	88	101	130	163	195	184	131	78	50	17	4	-
American Indian 1/, both sexes.....	-	2	1	1	1	2	-	1	-	-	-	-
Male.....	-	1	-	1	1	-	-	-	-	-	-	-
Female.....	-	1	1	-	-	2	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	2	11	12	21	10	4	1	1	-	-	-
Male.....	4	1	8	8	10	5	2	-	-	-	-	-
Female.....	2	1	3	4	11	5	2	1	1	-	-	-
Oklahoma												
All races, both sexes.....	411	645	724	870	1,098	1,237	965	614	275	79	12	-
Male.....	214	357	397	490	631	689	507	281	101	31	4	-
Female.....	197	288	327	380	467	548	458	333	174	48	8	-
White, both sexes.....	340	563	633	764	974	1,130	885	557	242	73	11	-
Male.....	172	315	350	429	564	634	463	259	89	28	3	-
Female.....	168	248	283	335	410	496	422	298	153	45	8	-
Black, both sexes.....	41	47	43	55	69	61	56	37	21	4	-	-
Male.....	27	27	24	33	41	32	33	16	9	2	-	-
Female.....	14	20	19	22	28	29	23	21	12	2	-	-
American Indian 1/, both sexes.....	27	29	40	48	51	46	22	20	12	2	1	-
Male.....	13	13	21	26	25	23	10	6	3	1	1	-
Female.....	14	16	19	22	26	23	12	14	9	1	-	-
Asian or Pacific Islander 2/, both sexes.....	3	6	8	3	4	-	2	-	-	-	-	-
Male.....	2	2	2	2	1	-	1	-	-	-	-	-
Female.....	1	4	6	1	3	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Malignant neoplasms (C00-C97)												
Oregon												
All races, both sexes.....	353	511	660	808	1,017	1,138	1,125	705	328	74	14	-
Male.....	183	260	345	416	556	584	562	325	166	25	7	-
Female.....	170	251	315	392	461	554	563	380	162	49	7	-
White, both sexes.....	345	485	626	782	981	1,112	1,093	686	320	73	14	-
Male.....	179	240	326	402	542	574	546	312	164	25	7	-
Female.....	166	245	300	380	439	538	547	374	156	48	7	-
Black, both sexes.....	2	7	9	9	18	12	11	9	4	-	-	-
Male.....	2	6	6	5	7	5	5	6	2	-	-	-
Female.....	-	1	3	4	11	7	6	3	2	-	-	-
American Indian 1/, both sexes.....	3	8	7	7	8	7	9	3	1	-	-	-
Male.....	1	6	3	3	5	4	4	2	-	-	-	-
Female.....	2	2	4	4	3	3	5	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	11	18	10	10	7	12	7	3	1	-	-
Male.....	1	8	10	6	2	1	7	5	-	-	-	-
Female.....	2	3	8	4	8	6	5	2	3	1	-	-
Pennsylvania												
All races, both sexes.....	1,395	1,918	2,469	3,191	4,472	5,256	4,662	2,999	1,269	320	44	-
Male.....	740	967	1,347	1,754	2,409	2,748	2,340	1,319	496	91	8	-
Female.....	655	951	1,122	1,437	2,063	2,508	2,322	1,680	773	229	36	-
White, both sexes.....	1,172	1,654	2,170	2,830	4,069	4,854	4,341	2,837	1,192	288	43	-
Male.....	613	844	1,196	1,567	2,201	2,525	2,182	1,252	463	80	8	-
Female.....	559	810	974	1,263	1,868	2,329	2,159	1,585	729	208	35	-
Black, both sexes.....	212	250	278	333	388	386	310	154	77	31	1	-
Male.....	119	113	142	169	204	215	153	62	33	11	-	-
Female.....	93	137	136	164	184	171	157	92	44	20	1	-
American Indian 1/, both sexes.....	-	1	2	3	4	1	-	-	-	-	-	-
Male.....	-	1	1	2	2	-	-	-	-	-	-	-
Female.....	-	-	1	1	2	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	11	13	19	25	11	15	11	8	-	1	-	-
Male.....	8	9	8	16	2	8	5	5	-	-	-	-
Female.....	3	4	11	9	9	7	6	3	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Malignant neoplasms (C00-C97)												
Rhode Island												
All races, both sexes.....	96	161	197	221	334	441	379	271	98	33	11	1
Male.....	50	89	108	127	169	237	188	102	44	9	4	-
Female.....	46	72	89	94	165	204	191	169	54	24	7	1
White, both sexes.....	89	154	186	211	317	423	372	268	97	31	11	1
Male.....	46	84	101	122	164	229	186	100	44	9	4	-
Female.....	43	70	85	89	153	194	186	168	53	22	7	1
Black, both sexes.....	6	6	10	8	14	14	6	2	-	1	-	-
Male.....	4	5	6	5	4	7	2	1	-	-	-	-
Female.....	2	1	4	3	10	7	4	1	-	1	-	-
American Indian 1/, both sexes.....	1	-	1	1	1	3	1	1	-	-	-	-
Male.....	-	-	1	-	-	1	-	1	-	-	-	-
Female.....	1	-	-	1	1	2	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	1	2	1	-	-	1	1	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	1	-	1	1	1	-	-	1	1	-	-
South Carolina												
All races, both sexes.....	515	700	885	1,085	1,154	1,287	1,028	631	294	74	7	-
Male.....	292	396	514	614	672	743	533	310	106	23	3	-
Female.....	223	304	371	471	482	544	495	321	188	51	4	-
White, both sexes.....	307	475	657	812	884	971	809	467	212	58	3	-
Male.....	172	263	384	470	528	567	407	228	70	19	1	-
Female.....	135	212	273	342	356	404	402	239	142	39	2	-
Black, both sexes.....	204	221	220	267	268	314	217	164	82	16	4	-
Male.....	117	132	127	141	144	175	124	82	36	4	2	-
Female.....	87	89	93	126	124	139	93	82	46	12	2	-
American Indian 1/, both sexes.....	3	-	2	-	1	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	2	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	4	6	6	1	2	2	-	-	-	-	-
Male.....	1	1	3	3	-	1	2	-	-	-	-	-
Female.....	-	3	3	3	1	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms (C00-C97)

South Dakota

All races, both sexes.....	71	92	111	166	233	245	242	169	112	21	5	-
Male.....	35	47	56	97	133	146	136	73	44	3	-	-
Female.....	36	45	55	69	100	99	106	96	68	18	5	-
White, both sexes.....	66	87	106	153	222	237	233	168	109	21	5	-
Male.....	34	45	54	90	124	141	130	72	44	3	-	-
Female.....	32	42	52	63	98	96	103	96	65	18	5	-
Black, both sexes.....	-	-	-	-	-	2	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	5	5	5	13	11	6	9	1	3	-	-	-
Male.....	1	2	2	7	9	4	6	1	-	-	-	-
Female.....	4	3	3	6	2	2	3	-	3	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Tennessee

All races, both sexes.....	765	1,006	1,374	1,530	1,896	1,924	1,477	985	421	120	12	-
Male.....	425	578	803	882	1,080	1,051	764	446	161	33	3	-
Female.....	340	428	571	648	816	873	713	539	260	87	9	-
White, both sexes.....	618	844	1,159	1,327	1,649	1,700	1,304	859	369	96	9	-
Male.....	338	490	683	751	942	932	678	392	142	29	1	-
Female.....	280	354	476	576	707	768	626	467	227	67	8	-
Black, both sexes.....	141	159	208	196	242	222	170	123	52	24	3	-
Male.....	86	86	117	128	136	118	84	53	19	4	2	-
Female.....	55	73	91	68	106	104	86	70	33	20	1	-
American Indian 1/, both sexes.....	-	1	-	1	-	-	1	2	-	-	-	-
Male.....	-	1	-	1	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	2	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	2	7	6	5	2	2	1	-	-	-	-
Male.....	1	1	3	2	2	1	1	1	-	-	-	-
Female.....	5	1	4	4	3	1	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Malignant neoplasms (C00-C97)												
Texas												
All races, both sexes.....	2,113	2,755	3,337	3,997	5,005	5,184	4,292	2,739	1,178	314	39	-
Male.....	1,168	1,528	1,844	2,301	2,779	2,812	2,240	1,252	483	112	8	-
Female.....	945	1,227	1,493	1,696	2,226	2,372	2,052	1,487	695	202	31	-
White, both sexes.....	1,711	2,307	2,841	3,431	4,431	4,591	3,843	2,472	1,051	279	29	-
Male.....	946	1,274	1,565	1,988	2,461	2,468	2,005	1,140	428	104	4	-
Female.....	765	1,033	1,276	1,443	1,970	2,123	1,838	1,332	623	175	25	-
Black, both sexes.....	348	405	448	523	532	547	410	251	119	33	9	-
Male.....	191	233	252	290	296	315	212	107	50	7	4	-
Female.....	157	172	196	233	236	232	198	144	69	26	5	-
American Indian 1/, both sexes.....	3	3	-	1	4	4	4	1	-	-	1	-
Male.....	2	3	-	1	1	4	1	-	-	-	-	-
Female.....	1	-	-	-	3	-	3	1	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	51	40	48	42	38	42	35	15	8	2	-	-
Male.....	29	18	27	22	21	25	22	5	5	1	-	-
Female.....	22	22	21	20	17	17	13	10	3	1	-	-
Utah												
All races, both sexes.....	115	167	212	251	323	385	340	230	97	23	1	-
Male.....	54	84	113	139	192	217	190	133	44	9	1	-
Female.....	61	83	99	112	131	168	150	97	53	14	-	-
White, both sexes.....	109	164	207	242	317	376	334	226	96	22	1	-
Male.....	52	82	110	138	188	214	186	132	44	8	1	-
Female.....	57	82	97	104	129	162	148	94	52	14	-	-
Black, both sexes.....	1	1	-	2	-	2	-	2	-	1	-	-
Male.....	-	1	-	-	-	-	-	1	-	1	-	-
Female.....	1	-	-	2	-	2	-	1	-	-	-	-
American Indian 1/, both sexes.....	1	1	2	-	1	3	2	-	1	-	-	-
Male.....	-	-	1	-	-	2	1	-	-	-	-	-
Female.....	1	1	1	-	1	1	1	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	1	3	7	5	4	4	2	-	-	-	-
Male.....	2	1	2	1	4	1	3	-	-	-	-	-
Female.....	2	-	1	6	1	3	1	2	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Malignant neoplasms (C00-C97)												
Vermont												
All races, both sexes.....	84	78	120	130	169	185	184	109	53	17	2	-
Male.....	45	47	76	72	100	81	94	53	18	6	1	-
Female.....	39	31	44	58	69	104	90	56	35	11	1	-
White, both sexes.....	84	77	118	130	169	185	182	109	53	17	2	-
Male.....	45	46	75	72	100	81	94	53	18	6	1	-
Female.....	39	31	43	58	69	104	88	56	35	11	1	-
Black, both sexes.....	-	1	1	-	-	-	1	-	-	-	-	-
Male.....	-	1	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	1	-	-	-	-	-
Virginia												
All races, both sexes.....	802	1,084	1,357	1,694	1,932	2,106	1,860	1,118	449	117	12	2
Male.....	418	567	768	943	1,106	1,130	949	501	186	34	4	2
Female.....	384	517	589	751	826	976	911	617	263	83	8	-
White, both sexes.....	564	819	1,039	1,310	1,539	1,707	1,529	923	369	96	9	2
Male.....	300	426	588	733	874	893	779	409	154	24	3	2
Female.....	264	393	451	577	665	814	750	514	215	72	6	-
Black, both sexes.....	214	247	291	354	369	380	316	184	77	21	3	-
Male.....	112	133	166	196	218	228	165	87	31	10	1	-
Female.....	102	114	125	158	151	152	151	97	46	11	2	-
American Indian 1/, both sexes.....	2	-	2	2	1	2	-	-	-	-	-	-
Male.....	1	-	2	-	-	2	-	-	-	-	-	-
Female.....	1	-	-	2	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	22	18	25	28	23	17	15	11	3	-	-	-
Male.....	5	8	12	14	14	7	5	5	1	-	-	-
Female.....	17	10	13	14	9	10	10	6	2	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)												
Arkansas												
All races, both sexes.....	94	-	-	-	-	-	-	-	-	-	2	6
Male.....	71	-	-	-	-	-	-	-	-	-	2	4
Female.....	23	-	-	-	-	-	-	-	-	-	-	2
White, both sexes.....	79	-	-	-	-	-	-	-	-	-	1	4
Male.....	56	-	-	-	-	-	-	-	-	-	1	2
Female.....	23	-	-	-	-	-	-	-	-	-	-	2
Black, both sexes.....	15	-	-	-	-	-	-	-	-	-	1	2
Male.....	15	-	-	-	-	-	-	-	-	-	1	2
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	890	-	1	-	1	2	2	4	7	10	18	57
Male.....	576	-	-	-	-	2	1	3	6	7	11	44
Female.....	314	-	1	-	1	-	1	1	1	3	7	13
White, both sexes.....	717	-	-	-	1	1	-	1	4	7	12	36
Male.....	466	-	-	-	-	1	-	-	4	5	9	30
Female.....	251	-	-	-	1	-	-	1	-	2	3	6
Black, both sexes.....	72	-	-	-	-	1	1	-	1	-	3	13
Male.....	48	-	-	-	-	1	1	-	1	-	1	8
Female.....	24	-	-	-	-	-	-	-	-	-	2	5
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	1	-	-	-	-
Male.....	2	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	99	-	1	-	-	-	1	2	2	3	3	8
Male.....	60	-	-	-	-	-	-	2	1	2	1	6
Female.....	39	-	1	-	-	-	1	-	1	1	2	2

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)												
New Hampshire												
All races, both sexes.....	50	-	-	-	-	-	-	-	-	-	1	3
Male.....	30	-	-	-	-	-	-	-	-	-	1	2
Female.....	20	-	-	-	-	-	-	-	-	-	-	1
White, both sexes.....	50	-	-	-	-	-	-	-	-	-	1	3
Male.....	30	-	-	-	-	-	-	-	-	-	1	2
Female.....	20	-	-	-	-	-	-	-	-	-	-	1
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New Jersey												
All races, both sexes.....	216	-	-	-	-	-	1	-	2	5	2	5
Male.....	139	-	-	-	-	-	-	-	1	4	1	5
Female.....	77	-	-	-	-	-	1	-	1	1	1	-
White, both sexes.....	169	-	-	-	-	-	-	-	1	4	2	4
Male.....	106	-	-	-	-	-	-	-	-	4	1	4
Female.....	63	-	-	-	-	-	-	-	1	-	1	-
Black, both sexes.....	38	-	-	-	-	-	-	-	1	1	-	1
Male.....	28	-	-	-	-	-	-	-	1	-	-	1
Female.....	10	-	-	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	9	-	-	-	-	-	1	-	-	-	-	-
Male.....	5	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)												
Arkansas												
All races, both sexes.....	5	11	11	9	15	16	9	6	3	1	-	-
Male.....	4	10	9	7	10	10	8	5	2	-	-	-
Female.....	1	1	2	2	5	6	1	1	1	1	-	-
White, both sexes.....	4	7	7	7	14	16	9	6	3	1	-	-
Male.....	3	6	5	5	9	10	8	5	2	-	-	-
Female.....	1	1	2	2	5	6	1	1	1	1	-	-
Black, both sexes.....	1	4	4	2	1	-	-	-	-	-	-	-
Male.....	1	4	4	2	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	71	89	98	95	123	115	103	51	34	5	4	-
Male.....	55	62	62	68	75	72	56	31	16	3	2	-
Female.....	16	27	36	27	48	43	47	20	18	2	2	-
White, both sexes.....	45	77	73	76	115	96	91	42	32	4	4	-
Male.....	35	56	46	54	69	62	48	27	15	3	2	-
Female.....	10	21	27	22	46	34	43	15	17	1	2	-
Black, both sexes.....	11	4	14	9	3	4	6	2	-	-	-	-
Male.....	9	1	9	8	3	2	2	2	-	-	-	-
Female.....	2	3	5	1	-	2	4	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	15	8	11	10	5	14	6	7	2	1	-	-
Male.....	11	5	7	6	3	7	6	2	1	-	-	-
Female.....	4	3	4	4	2	7	-	5	1	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)												
Maine												
All races, both sexes.....	3	5	6	6	2	7	5	2	3	1	-	-
Male.....	2	4	6	3	1	5	2	2	1	-	-	-
Female.....	1	1	-	3	1	2	3	-	2	1	-	-
White, both sexes.....	3	5	6	6	2	7	5	2	3	1	-	-
Male.....	2	4	6	3	1	5	2	2	1	-	-	-
Female.....	1	1	-	3	1	2	3	-	2	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Maryland												
All races, both sexes.....	12	24	17	16	19	24	14	9	9	1	-	-
Male.....	8	17	14	13	15	13	7	4	1	-	-	-
Female.....	4	7	3	3	4	11	7	5	8	1	-	-
White, both sexes.....	7	13	9	10	12	21	12	9	7	1	-	-
Male.....	5	9	8	7	10	12	5	4	1	-	-	-
Female.....	2	4	1	3	2	9	7	5	6	1	-	-
Black, both sexes.....	5	11	8	5	7	2	2	-	2	-	-	-
Male.....	3	8	6	5	5	1	2	-	-	-	-	-
Female.....	2	3	2	-	2	1	-	-	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.	-	-	-	1	-	1	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)												
Massachusetts												
All races, both sexes.....	15	30	18	24	14	35	17	13	4	4	-	-
Male.....	13	23	13	19	7	26	10	8	1	2	-	-
Female.....	2	7	5	5	7	9	7	5	3	2	-	-
White, both sexes.....	10	27	17	19	13	32	16	13	4	3	-	-
Male.....	9	21	12	16	7	24	9	8	1	1	-	-
Female.....	1	6	5	3	6	8	7	5	3	2	-	-
Black, both sexes.....	3	2	-	2	-	2	-	-	-	-	-	-
Male.....	3	2	-	1	-	1	-	-	-	-	-	-
Female.....	-	-	-	1	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	1	2	-	1	1	-	-	1	-	-
Male.....	1	-	1	2	-	1	1	-	-	1	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-
Michigan												
All races, both sexes.....	23	32	31	33	30	30	27	11	8	-	1	-
Male.....	20	27	25	23	19	15	13	4	4	-	1	-
Female.....	3	5	6	10	11	15	14	7	4	-	-	-
White, both sexes.....	18	23	26	24	28	26	24	11	7	-	1	-
Male.....	15	18	21	15	17	13	12	4	3	-	1	-
Female.....	3	5	5	9	11	13	12	7	4	-	-	-
Black, both sexes.....	5	6	3	8	2	4	2	-	1	-	-	-
Male.....	5	6	2	7	2	2	1	-	1	-	-	-
Female.....	-	-	1	1	-	2	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	2	2	1	-	-	-	-	-	-	-	-
Male.....	-	2	2	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	-	1	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)												
New Hampshire												
All races, both sexes.....	2	10	3	4	11	8	4	3	1	-	-	-
Male.....	2	5	1	2	8	5	2	2	-	-	-	-
Female.....	-	5	2	2	3	3	2	1	1	-	-	-
White, both sexes.....	2	10	3	4	11	8	4	3	1	-	-	-
Male.....	2	5	1	2	8	5	2	2	-	-	-	-
Female.....	-	5	2	2	3	3	2	1	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New Jersey												
All races, both sexes.....	17	23	33	25	31	32	18	15	2	3	2	-
Male.....	14	16	22	16	20	19	10	8	1	2	-	-
Female.....	3	7	11	9	11	13	8	7	1	1	2	-
White, both sexes.....	8	17	26	20	24	28	16	12	2	3	2	-
Male.....	6	12	16	13	15	16	10	6	1	2	-	-
Female.....	2	5	10	7	9	12	6	6	1	1	2	-
Black, both sexes.....	8	5	7	4	5	4	1	1	-	-	-	-
Male.....	7	3	6	2	4	3	-	1	-	-	-	-
Female.....	1	2	1	2	1	1	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	-	1	2	-	1	2	-	-	-	-
Male.....	1	1	-	1	1	-	-	1	-	-	-	-
Female.....	-	-	-	-	1	-	1	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)

Oregon

All races, both sexes.....	6	6	16	11	15	10	12	9	3	1	-	-
Male.....	4	6	8	7	10	5	6	4	2	-	-	-
Female.....	2	-	8	4	5	5	6	5	1	1	-	-
White, both sexes.....	6	4	16	11	14	10	12	9	3	1	-	-
Male.....	4	4	8	7	10	5	6	4	2	-	-	-
Female.....	2	-	8	4	4	5	6	5	1	1	-	-
Black, both sexes.....	-	1	-	-	1	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Pennsylvania

All races, both sexes.....	34	31	45	31	45	48	35	22	13	3	1	-
Male.....	28	21	38	23	32	26	22	13	5	1	-	-
Female.....	6	10	7	8	13	22	13	9	8	2	1	-
White, both sexes.....	26	23	34	28	41	47	32	21	13	2	1	-
Male.....	21	14	29	21	31	25	20	12	5	1	-	-
Female.....	5	9	5	7	10	22	12	9	8	1	1	-
Black, both sexes.....	7	8	10	3	3	1	2	1	-	1	-	-
Male.....	6	7	9	2	1	1	2	1	-	-	-	-
Female.....	1	1	1	1	2	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	1	-	1	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	1	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Of tongue (C01-C02)												
Arkansas												
All races, both sexes.....	22	-	-	-	-	-	-	-	-	-	-	2
Male.....	15	-	-	-	-	-	-	-	-	-	-	1
Female.....	7	-	-	-	-	-	-	-	-	-	-	1
White, both sexes.....	18	-	-	-	-	-	-	-	-	-	-	1
Male.....	11	-	-	-	-	-	-	-	-	-	-	-
Female.....	7	-	-	-	-	-	-	-	-	-	-	1
Black, both sexes.....	4	-	-	-	-	-	-	-	-	-	-	1
Male.....	4	-	-	-	-	-	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	254	-	-	-	-	-	-	1	3	3	9	22
Male.....	161	-	-	-	-	-	-	1	2	3	6	15
Female.....	93	-	-	-	-	-	-	-	1	-	3	7
White, both sexes.....	210	-	-	-	-	-	-	-	2	3	7	14
Male.....	136	-	-	-	-	-	-	-	2	3	5	10
Female.....	74	-	-	-	-	-	-	-	-	-	2	4
Black, both sexes.....	24	-	-	-	-	-	-	-	-	-	2	5
Male.....	15	-	-	-	-	-	-	-	-	-	1	3
Female.....	9	-	-	-	-	-	-	-	-	-	1	2
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	19	-	-	-	-	-	-	-	1	-	-	3
Male.....	9	-	-	-	-	-	-	-	-	-	-	2
Female.....	10	-	-	-	-	-	-	-	1	-	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Of tongue (C01-C02)												
Arkansas												
All races, both sexes.....	1	2	2	4	2	4	3	1	-	1	-	-
Male.....	-	1	2	4	2	1	3	1	-	-	-	-
Female.....	1	1	-	-	-	3	-	-	-	1	-	-
White, both sexes.....	1	2	1	2	2	4	3	1	-	1	-	-
Male.....	-	1	1	2	2	1	3	1	-	-	-	-
Female.....	1	1	-	-	-	3	-	-	-	1	-	-
Black, both sexes.....	-	-	1	2	-	-	-	-	-	-	-	-
Male.....	-	-	1	2	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	15	25	32	29	28	32	31	13	8	2	1	-
Male.....	10	18	18	23	17	19	16	7	4	1	1	-
Female.....	5	7	14	6	11	13	15	6	4	1	-	-
White, both sexes.....	9	22	28	26	26	26	29	8	7	2	1	-
Male.....	7	17	16	20	15	16	15	5	3	1	1	-
Female.....	2	5	12	6	11	10	14	3	4	1	-	-
Black, both sexes.....	4	2	3	3	1	2	1	1	-	-	-	-
Male.....	2	-	2	3	1	2	-	1	-	-	-	-
Female.....	2	2	1	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	1	-	1	4	1	4	1	-	-	-
Male.....	1	1	-	-	1	1	1	1	1	-	-	-
Female.....	1	-	1	-	-	3	-	3	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Of tongue (C01-C02)												
New Hampshire												
All races, both sexes.....	1	2	-	1	3	3	2	-	-	-	-	-
Male.....	1	-	-	-	1	1	-	-	-	-	-	-
Female.....	-	2	-	1	2	2	2	-	-	-	-	-
White, both sexes.....	1	2	-	1	3	3	2	-	-	-	-	-
Male.....	1	-	-	-	1	1	-	-	-	-	-	-
Female.....	-	2	-	1	2	2	2	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New Jersey												
All races, both sexes.....	6	7	9	8	8	6	5	3	1	-	-	-
Male.....	4	4	6	5	5	2	1	2	1	-	-	-
Female.....	2	3	3	3	3	4	4	1	-	-	-	-
White, both sexes.....	4	3	8	7	6	6	4	1	1	-	-	-
Male.....	3	2	5	5	3	2	1	1	1	-	-	-
Female.....	1	1	3	2	3	4	3	-	-	-	-	-
Black, both sexes.....	2	3	1	1	2	-	-	1	-	-	-	-
Male.....	1	1	1	-	2	-	-	1	-	-	-	-
Female.....	1	2	-	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	-	1	1	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Of tongue (C01-C02)												
Oregon												
All races, both sexes.....	4	1	2	3	5	4	3	-	1	-	-	-
Male.....	2	1	1	2	2	-	2	-	1	-	-	-
Female.....	2	-	1	1	3	4	1	-	-	-	-	-
White, both sexes.....	4	1	2	3	5	4	3	-	1	-	-	-
Male.....	2	1	1	2	2	-	2	-	1	-	-	-
Female.....	2	-	1	1	3	4	1	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Pennsylvania												
All races, both sexes.....	6	4	13	6	20	12	4	8	4	-	-	-
Male.....	5	3	12	5	13	8	-	5	1	-	-	-
Female.....	1	1	1	1	7	4	4	3	3	-	-	-
White, both sexes.....	6	4	10	6	19	12	4	8	4	-	-	-
Male.....	5	3	9	5	13	8	-	5	1	-	-	-
Female.....	1	1	1	1	6	4	4	3	3	-	-	-
Black, both sexes.....	-	-	3	-	-	-	-	-	-	-	-	-
Male.....	-	-	3	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Of pharynx (C10-C13,C14.0)												
Arkansas												
All races, both sexes.....	49	-	-	-	-	-	-	-	-	-	1	2
Male.....	35	-	-	-	-	-	-	-	-	-	1	1
Female.....	14	-	-	-	-	-	-	-	-	-	-	1
White, both sexes.....	42	-	-	-	-	-	-	-	-	-	-	2
Male.....	28	-	-	-	-	-	-	-	-	-	-	1
Female.....	14	-	-	-	-	-	-	-	-	-	-	1
Black, both sexes.....	7	-	-	-	-	-	-	-	-	-	1	-
Male.....	7	-	-	-	-	-	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	338	-	1	-	1	1	2	2	1	6	7	19
Male.....	225	-	-	-	-	1	1	2	1	4	4	16
Female.....	113	-	1	-	1	-	1	-	-	2	3	3
White, both sexes.....	241	-	-	-	1	1	-	-	1	3	3	9
Male.....	159	-	-	-	-	1	-	-	1	2	3	8
Female.....	82	-	-	-	1	-	-	-	-	1	-	1
Black, both sexes.....	28	-	-	-	-	-	1	-	-	-	1	5
Male.....	21	-	-	-	-	-	1	-	-	-	-	4
Female.....	7	-	-	-	-	-	-	-	-	-	1	1
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	68	-	1	-	-	-	1	2	-	3	3	5
Male.....	44	-	-	-	-	-	-	2	-	2	1	4
Female.....	24	-	1	-	-	-	1	-	-	1	2	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks

preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Of pharynx (C10-C13,C14.0)												
New Hampshire												
All races, both sexes.....	21	-	-	-	-	-	-	-	-	-	-	2
Male.....	14	-	-	-	-	-	-	-	-	-	-	1
Female.....	7	-	-	-	-	-	-	-	-	-	-	1
White, both sexes.....	21	-	-	-	-	-	-	-	-	-	-	2
Male.....	14	-	-	-	-	-	-	-	-	-	-	1
Female.....	7	-	-	-	-	-	-	-	-	-	-	1
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New Jersey												
All races, both sexes.....	82	-	-	-	-	-	1	-	-	1	2	-
Male.....	51	-	-	-	-	-	-	-	-	-	1	-
Female.....	31	-	-	-	-	-	1	-	-	1	1	-
White, both sexes.....	59	-	-	-	-	-	-	-	-	-	2	-
Male.....	34	-	-	-	-	-	-	-	-	-	1	-
Female.....	25	-	-	-	-	-	-	-	-	-	1	-
Black, both sexes.....	17	-	-	-	-	-	-	-	-	1	-	-
Male.....	13	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	-	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	-	-	-	-	-	1	-	-	-	-	-
Male.....	4	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Of pharynx (C10-C13,C14.0)												
South Dakota												
All races, both sexes.....	6	-	-	-	-	-	-	-	-	-	-	-
Male.....	6	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	5	-	-	-	-	-	-	-	-	-	-	-
Male.....	5	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Tennessee												
All races, both sexes.....	78	-	-	-	1	-	-	-	1	1	2	6
Male.....	55	-	-	-	-	-	-	-	-	-	2	5
Female.....	23	-	-	-	1	-	-	-	1	1	-	1
White, both sexes.....	56	-	-	-	-	-	-	-	-	-	1	4
Male.....	41	-	-	-	-	-	-	-	-	-	1	3
Female.....	15	-	-	-	-	-	-	-	-	-	-	1
Black, both sexes.....	21	-	-	-	-	-	-	-	1	1	1	2
Male.....	14	-	-	-	-	-	-	-	-	-	1	2
Female.....	7	-	-	-	-	-	-	-	1	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Of pharynx (C10-C13,C14.0)												
Arkansas												
All races, both sexes.....	2	6	7	2	10	10	4	4	1	-	-	-
Male.....	2	6	5	-	6	7	3	3	1	-	-	-
Female.....	-	-	2	2	4	3	1	1	-	-	-	-
White, both sexes.....	2	4	4	2	9	10	4	4	1	-	-	-
Male.....	2	4	2	-	5	7	3	3	1	-	-	-
Female.....	-	-	2	2	4	3	1	1	-	-	-	-
Black, both sexes.....	-	2	3	-	1	-	-	-	-	-	-	-
Male.....	-	2	3	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	32	37	42	38	46	44	30	17	11	1	-	-
Male.....	24	26	28	27	27	29	17	13	5	-	-	-
Female.....	8	11	14	11	19	15	13	4	6	1	-	-
White, both sexes.....	16	29	25	27	43	33	24	15	11	-	-	-
Male.....	11	21	16	19	26	22	12	12	5	-	-	-
Female.....	5	8	9	8	17	11	12	3	6	-	-	-
Black, both sexes.....	5	1	7	4	-	1	3	-	-	-	-	-
Male.....	5	1	5	3	-	-	2	-	-	-	-	-
Female.....	-	-	2	1	-	1	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	11	7	10	7	3	9	3	2	-	1	-	-
Male.....	8	4	7	5	1	6	3	1	-	-	-	-
Female.....	3	3	3	2	2	3	-	1	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Of pharynx (C10-C13,C14.0)												
Maine												
All races, both sexes.....	1	1	1	-	-	-	2	2	-	-	-	-
Male.....	1	1	1	-	-	-	-	2	-	-	-	-
Female.....	-	-	-	-	-	-	2	-	-	-	-	-
White, both sexes.....	1	1	1	-	-	-	2	2	-	-	-	-
Male.....	1	1	1	-	-	-	-	2	-	-	-	-
Female.....	-	-	-	-	-	-	2	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Maryland												
All races, both sexes.....	9	9	7	8	9	10	4	4	1	-	-	-
Male.....	5	5	4	8	6	5	2	2	1	-	-	-
Female.....	4	4	3	-	3	5	2	2	-	-	-	-
White, both sexes.....	5	6	4	5	6	9	3	4	1	-	-	-
Male.....	3	3	3	5	5	5	1	2	1	-	-	-
Female.....	2	3	1	-	1	4	2	2	-	-	-	-
Black, both sexes.....	4	3	3	2	3	-	1	-	-	-	-	-
Male.....	2	2	1	2	1	-	1	-	-	-	-	-
Female.....	2	1	2	-	2	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	1	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Of pharynx (C10-C13,C14.0)												
New Hampshire												
All races, both sexes.....	-	5	2	1	4	3	2	2	-	-	-	-
Male.....	-	3	-	-	4	2	2	2	-	-	-	-
Female.....	-	2	2	1	-	1	-	-	-	-	-	-
White, both sexes.....	-	5	2	1	4	3	2	2	-	-	-	-
Male.....	-	3	-	-	4	2	2	2	-	-	-	-
Female.....	-	2	2	1	-	1	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New Jersey												
All races, both sexes.....	6	11	10	11	13	15	5	5	1	-	1	-
Male.....	6	9	5	8	6	11	3	2	-	-	-	-
Female.....	-	2	5	3	7	4	2	3	1	-	1	-
White, both sexes.....	1	10	7	7	9	12	5	4	1	-	1	-
Male.....	1	8	3	5	4	8	3	1	-	-	-	-
Female.....	-	2	4	2	5	4	2	3	1	-	1	-
Black, both sexes.....	4	1	3	3	2	3	-	-	-	-	-	-
Male.....	4	1	2	2	1	3	-	-	-	-	-	-
Female.....	-	-	1	1	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	1	2	-	-	1	-	-	-	-
Male.....	1	-	-	1	1	-	-	1	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks

preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of other and unspecified sites within the lip, oral cavity and pharynx (C03-C09,C14.2-C14.8)

Arkansas

All races, both sexes.....	2	3	2	3	3	2	2	1	2	-	-	-
Male.....	2	3	2	3	2	2	2	1	1	-	-	-
Female.....	-	-	-	-	1	-	-	-	1	-	-	-
White, both sexes.....	1	1	2	3	3	2	2	1	2	-	-	-
Male.....	1	1	2	3	2	2	2	1	1	-	-	-
Female.....	-	-	-	-	1	-	-	-	1	-	-	-
Black, both sexes.....	1	2	-	-	-	-	-	-	-	-	-	-
Male.....	1	2	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	24	26	24	28	49	38	42	20	15	2	3	-
Male.....	21	17	16	18	31	23	23	10	7	2	1	-
Female.....	3	9	8	10	18	15	19	10	8	-	2	-
White, both sexes.....	20	25	20	23	46	36	38	18	14	2	3	-
Male.....	17	17	14	15	28	23	21	9	7	2	1	-
Female.....	3	8	6	8	18	13	17	9	7	-	2	-
Black, both sexes.....	2	1	4	2	2	1	2	1	-	-	-	-
Male.....	2	-	2	2	2	-	-	1	-	-	-	-
Female.....	-	1	2	-	-	1	2	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	3	1	1	2	1	1	-	-	-
Male.....	2	-	-	1	1	-	2	-	-	-	-	-
Female.....	-	-	-	2	-	1	-	1	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Of other and unspecified sites within the lip, oral cavity and pharynx (C03-C09,C14.2-C14.8)

Massachusetts

All races, both sexes.....	6	13	7	7	2	15	8	2	2	-	-	-
Male.....	5	9	3	4	1	12	5	2	-	-	-	-
Female.....	1	4	4	3	1	3	3	-	2	-	-	-
White, both sexes.....	6	11	7	5	2	14	8	2	2	-	-	-
Male.....	5	8	3	4	1	11	5	2	-	-	-	-
Female.....	1	3	4	1	1	3	3	-	2	-	-	-
Black, both sexes.....	-	1	-	1	-	1	-	-	-	-	-	-
Male.....	-	1	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-

Michigan

All races, both sexes.....	6	11	10	13	8	13	11	8	3	-	1	-
Male.....	5	10	9	8	6	6	6	2	2	-	1	-
Female.....	1	1	1	5	2	7	5	6	1	-	-	-
White, both sexes.....	4	7	10	13	8	10	10	8	2	-	1	-
Male.....	3	6	9	8	6	5	6	2	1	-	1	-
Female.....	1	1	1	5	2	5	4	6	1	-	-	-
Black, both sexes.....	2	3	-	-	-	3	-	-	1	-	-	-
Male.....	2	3	-	-	-	1	-	-	1	-	-	-
Female.....	-	-	-	-	-	2	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	-	1	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of other and unspecified sites within the lip, oral cavity and pharynx (C03-C09,C14.2-C14.8)

Oregon

All races, both sexes.....	2	4	8	4	5	6	5	3	2	1	-	-
Male.....	2	4	3	2	4	5	2	2	1	-	-	-
Female.....	-	-	5	2	1	1	3	1	1	1	-	-
White, both sexes.....	2	2	8	4	4	6	5	3	2	1	-	-
Male.....	2	2	3	2	4	5	2	2	1	-	-	-
Female.....	-	-	5	2	-	1	3	1	1	1	-	-
Black, both sexes.....	-	1	-	-	1	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Pennsylvania

All races, both sexes.....	7	18	13	13	7	22	17	10	8	1	1	-
Male.....	6	13	11	8	6	10	12	4	3	-	-	-
Female.....	1	5	2	5	1	12	5	6	5	1	1	-
White, both sexes.....	5	12	10	12	6	21	15	9	8	1	1	-
Male.....	4	8	9	8	6	9	11	3	3	-	-	-
Female.....	1	4	1	4	-	12	4	6	5	1	1	-
Black, both sexes.....	2	6	3	1	1	1	1	1	-	-	-	-
Male.....	2	5	2	-	-	1	1	1	-	-	-	-
Female.....	-	1	1	1	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Malignant neoplasms of digestive organs (C15-C26)												
Alaska												
All races, both sexes.....	183	-	-	-	-	-	1	-	1	1	7	7
Male.....	108	-	-	-	-	-	1	-	-	1	4	5
Female.....	75	-	-	-	-	-	-	-	1	-	3	2
White, both sexes.....	111	-	-	-	-	-	1	-	-	-	4	4
Male.....	65	-	-	-	-	-	1	-	-	-	3	3
Female.....	46	-	-	-	-	-	-	-	-	-	1	1
Black, both sexes.....	5	-	-	-	-	-	-	-	-	-	-	-
Male.....	4	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	58	-	-	-	-	-	-	-	1	1	2	2
Male.....	33	-	-	-	-	-	-	-	-	1	1	1
Female.....	25	-	-	-	-	-	-	-	1	-	1	1
Asian or Pacific Islander 2/, both sexes.....	9	-	-	-	-	-	-	-	-	-	1	1
Male.....	6	-	-	-	-	-	-	-	-	-	-	1
Female.....	3	-	-	-	-	-	-	-	-	-	1	-
Arizona												
All races, both sexes.....	2,196	-	1	-	-	1	1	-	10	15	43	89
Male.....	1,294	-	-	-	-	-	-	-	5	7	24	60
Female.....	902	-	1	-	-	1	1	-	5	8	19	29
White, both sexes.....	2,058	-	1	-	-	1	1	-	7	13	38	80
Male.....	1,221	-	-	-	-	-	-	-	4	5	22	56
Female.....	837	-	1	-	-	1	1	-	3	8	16	24
Black, both sexes.....	65	-	-	-	-	-	-	-	1	-	5	4
Male.....	37	-	-	-	-	-	-	-	-	-	2	3
Female.....	28	-	-	-	-	-	-	-	1	-	3	1
American Indian 1/, both sexes.....	54	-	-	-	-	-	-	-	1	1	-	4
Male.....	26	-	-	-	-	-	-	-	1	1	-	-
Female.....	28	-	-	-	-	-	-	-	-	-	-	4
Asian or Pacific Islander 2/, both sexes.....	19	-	-	-	-	-	-	-	1	1	-	1
Male.....	10	-	-	-	-	-	-	-	-	1	-	1
Female.....	9	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Malignant neoplasms of digestive organs (C15-C26)												
Arkansas												
All races, both sexes.....	1,335	-	1	-	-	1	-	4	8	18	23	45
Male.....	737	-	1	-	-	1	-	3	5	8	14	26
Female.....	598	-	-	-	-	-	-	1	3	10	9	19
White, both sexes.....	1,098	-	1	-	-	-	-	4	7	11	16	28
Male.....	614	-	1	-	-	-	-	3	4	4	11	17
Female.....	484	-	-	-	-	-	-	1	3	7	5	11
Black, both sexes.....	223	-	-	-	-	1	-	-	1	7	7	16
Male.....	120	-	-	-	-	1	-	-	1	4	3	9
Female.....	103	-	-	-	-	-	-	-	-	3	4	7
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	11	-	-	-	-	-	-	-	-	-	-	1
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	9	-	-	-	-	-	-	-	-	-	-	1
California												
All races, both sexes.....	13,584	1	4	1	3	2	6	26	50	121	256	496
Male.....	7,360	-	2	1	1	2	4	16	26	68	157	298
Female.....	6,224	1	2	-	2	-	2	10	24	53	99	198
White, both sexes.....	10,927	-	4	1	2	1	5	19	39	84	194	373
Male.....	5,878	-	2	1	-	1	3	11	19	44	117	230
Female.....	5,049	-	2	-	2	-	2	8	20	40	77	143
Black, both sexes.....	1,050	1	-	-	-	-	-	-	1	12	23	47
Male.....	561	-	-	-	-	-	-	-	1	9	15	22
Female.....	489	1	-	-	-	-	-	-	-	3	8	25
American Indian 1/, both sexes.....	55	-	-	-	-	-	-	-	-	1	-	4
Male.....	29	-	-	-	-	-	-	-	-	1	-	3
Female.....	26	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	1,552	-	-	-	1	1	1	7	10	24	39	72
Male.....	892	-	-	-	1	1	1	5	6	14	25	43
Female.....	660	-	-	-	-	-	-	2	4	10	14	29

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Malignant neoplasms of digestive organs (C15-C26)												
Florida												
All races, both sexes.....	9,009	-	2	-	1	1	6	10	26	59	128	276
Male.....	5,097	-	-	-	1	1	3	5	13	34	84	174
Female.....	3,912	-	2	-	-	-	3	5	13	25	44	102
White, both sexes.....	7,998	-	1	-	1	-	5	3	20	51	96	214
Male.....	4,563	-	-	-	1	-	3	2	11	30	66	139
Female.....	3,435	-	1	-	-	-	2	1	9	21	30	75
Black, both sexes.....	938	-	1	-	-	1	1	7	6	7	30	54
Male.....	498	-	-	-	-	1	-	3	2	4	16	31
Female.....	440	-	1	-	-	-	1	4	4	3	14	23
American Indian 1/, both sexes.....	13	-	-	-	-	-	-	-	-	-	-	3
Male.....	9	-	-	-	-	-	-	-	-	-	-	2
Female.....	4	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	60	-	-	-	-	-	-	-	-	1	2	5
Male.....	27	-	-	-	-	-	-	-	-	-	2	2
Female.....	33	-	-	-	-	-	-	-	-	1	-	3
Georgia												
All races, both sexes.....	3,124	-	1	-	-	1	4	4	17	29	82	140
Male.....	1,686	-	-	-	-	1	1	3	10	14	49	82
Female.....	1,438	-	1	-	-	-	3	1	7	15	33	58
White, both sexes.....	2,121	-	1	-	-	1	1	1	8	16	42	76
Male.....	1,172	-	-	-	-	1	-	1	6	10	27	47
Female.....	949	-	1	-	-	-	1	-	2	6	15	29
Black, both sexes.....	949	-	-	-	-	-	3	3	8	12	36	62
Male.....	484	-	-	-	-	-	1	2	4	3	19	34
Female.....	465	-	-	-	-	-	2	1	4	9	17	28
American Indian 1/, both sexes.....	9	-	-	-	-	-	-	-	-	-	1	-
Male.....	8	-	-	-	-	-	-	-	-	-	1	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	45	-	-	-	-	-	-	-	1	1	3	2
Male.....	22	-	-	-	-	-	-	-	-	1	2	1
Female.....	23	-	-	-	-	-	-	-	1	-	1	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Malignant neoplasms of digestive organs (C15-C26)												
Maine												
All races, both sexes.....	735	-	-	-	-	-	-	1	1	4	7	21
Male.....	412	-	-	-	-	-	-	-	1	2	5	15
Female.....	323	-	-	-	-	-	-	1	-	2	2	6
White, both sexes.....	731	-	-	-	-	-	-	1	1	4	6	21
Male.....	408	-	-	-	-	-	-	-	1	2	4	15
Female.....	323	-	-	-	-	-	-	1	-	2	2	6
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	-
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Maryland												
All races, both sexes.....	2,412	-	-	-	-	2	2	1	8	22	50	87
Male.....	1,323	-	-	-	-	2	1	1	4	14	33	53
Female.....	1,089	-	-	-	-	-	1	-	4	8	17	34
White, both sexes.....	1,721	-	-	-	-	1	2	1	5	13	34	52
Male.....	949	-	-	-	-	1	1	1	3	10	25	36
Female.....	772	-	-	-	-	-	1	-	2	3	9	16
Black, both sexes.....	638	-	-	-	-	1	-	-	3	7	13	33
Male.....	339	-	-	-	-	1	-	-	1	4	6	15
Female.....	299	-	-	-	-	-	-	-	2	3	7	18
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	-	-	-	1	-
Male.....	3	-	-	-	-	-	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	50	-	-	-	-	-	-	-	-	2	2	2
Male.....	32	-	-	-	-	-	-	-	-	-	1	2
Female.....	18	-	-	-	-	-	-	-	-	2	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Malignant neoplasms of digestive organs (C15-C26)												
New Hampshire												
All races, both sexes.....	549	-	-	-	-	-	1	-	2	3	11	17
Male.....	333	-	-	-	-	-	1	-	2	3	8	14
Female.....	216	-	-	-	-	-	-	-	-	-	3	3
White, both sexes.....	543	-	-	-	-	-	1	-	2	3	11	16
Male.....	327	-	-	-	-	-	1	-	2	3	8	13
Female.....	216	-	-	-	-	-	-	-	-	-	3	3
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	-	-	-	-	-	-	-	-	-	1
Male.....	5	-	-	-	-	-	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New Jersey												
All races, both sexes.....	4,414	-	1	-	1	-	2	8	13	25	66	139
Male.....	2,318	-	1	-	-	-	2	6	7	11	40	98
Female.....	2,096	-	-	-	1	-	-	2	6	14	26	41
White, both sexes.....	3,770	-	1	-	1	-	-	5	11	19	45	107
Male.....	1,962	-	1	-	-	-	-	4	7	8	27	80
Female.....	1,808	-	-	-	1	-	-	1	4	11	18	27
Black, both sexes.....	544	-	-	-	-	-	1	3	2	5	18	25
Male.....	283	-	-	-	-	-	1	2	-	3	11	11
Female.....	261	-	-	-	-	-	-	1	2	2	7	14
American Indian 1/, both sexes.....	4	-	-	-	-	-	-	-	-	-	-	1
Male.....	2	-	-	-	-	-	-	-	-	-	-	1
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	96	-	-	-	-	-	1	-	-	1	3	6
Male.....	71	-	-	-	-	-	1	-	-	-	2	6
Female.....	25	-	-	-	-	-	-	-	-	1	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Malignant neoplasms of digestive organs (C15-C26)												
New Mexico												
All races, both sexes.....	815	-	-	-	-	-	1	-	6	7	16	20
Male.....	467	-	-	-	-	-	-	-	3	4	11	17
Female.....	348	-	-	-	-	-	1	-	3	3	5	3
White, both sexes.....	743	-	-	-	-	-	1	-	6	7	14	17
Male.....	429	-	-	-	-	-	-	-	3	4	9	15
Female.....	314	-	-	-	-	-	1	-	3	3	5	2
Black, both sexes.....	11	-	-	-	-	-	-	-	-	-	-	1
Male.....	9	-	-	-	-	-	-	-	-	-	-	1
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	56	-	-	-	-	-	-	-	-	-	2	2
Male.....	27	-	-	-	-	-	-	-	-	-	2	1
Female.....	29	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	5	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	9,512	-	3	-	2	1	4	16	27	76	152	306
Male.....	5,001	-	3	-	1	1	2	11	16	43	98	184
Female.....	4,511	-	-	-	1	-	2	5	11	33	54	122
White, both sexes.....	7,827	-	3	-	2	1	2	8	16	50	102	221
Male.....	4,116	-	3	-	1	1	1	5	9	27	63	137
Female.....	3,711	-	-	-	1	-	1	3	7	23	39	84
Black, both sexes.....	1,362	-	-	-	-	-	1	7	7	19	37	66
Male.....	685	-	-	-	-	-	-	5	4	12	26	34
Female.....	677	-	-	-	-	-	1	2	3	7	11	32
American Indian 1/, both sexes.....	13	-	-	-	-	-	-	-	-	-	-	-
Male.....	4	-	-	-	-	-	-	-	-	-	-	-
Female.....	9	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	310	-	-	-	-	-	1	1	4	7	13	19
Male.....	196	-	-	-	-	-	1	1	3	4	9	13
Female.....	114	-	-	-	-	-	-	-	1	3	4	6

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Malignant neoplasms of digestive organs (C15-C26)												
North Carolina												
All races, both sexes.....	3,609	-	-	-	-	1	-	9	24	23	79	127
Male.....	1,957	-	-	-	-	1	-	5	16	14	47	76
Female.....	1,652	-	-	-	-	-	-	4	8	9	32	51
White, both sexes.....	2,734	-	-	-	-	1	-	6	15	19	55	76
Male.....	1,486	-	-	-	-	1	-	4	10	10	31	45
Female.....	1,248	-	-	-	-	-	-	2	5	9	24	31
Black, both sexes.....	837	-	-	-	-	-	-	2	8	3	23	48
Male.....	451	-	-	-	-	-	-	1	6	3	15	29
Female.....	386	-	-	-	-	-	-	1	2	-	8	19
American Indian 1/, both sexes.....	17	-	-	-	-	-	-	-	-	-	-	1
Male.....	8	-	-	-	-	-	-	-	-	-	-	1
Female.....	9	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	21	-	-	-	-	-	-	1	1	1	1	2
Male.....	12	-	-	-	-	-	-	-	-	1	1	1
Female.....	9	-	-	-	-	-	-	1	1	-	-	1
North Dakota												
All races, both sexes.....	304	-	1	-	-	-	-	-	-	5	6	6
Male.....	149	-	1	-	-	-	-	-	-	2	3	5
Female.....	155	-	-	-	-	-	-	-	-	3	3	1
White, both sexes.....	293	-	1	-	-	-	-	-	-	2	6	5
Male.....	144	-	1	-	-	-	-	-	-	1	3	4
Female.....	149	-	-	-	-	-	-	-	-	1	3	1
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	10	-	-	-	-	-	-	-	-	2	-	1
Male.....	5	-	-	-	-	-	-	-	-	1	-	1
Female.....	5	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Malignant neoplasms of digestive organs (C15-C26)												
Vermont												
All races, both sexes.....	294	-	-	-	-	-	-	3	-	1	3	7
Male.....	166	-	-	-	-	-	-	1	-	1	2	5
Female.....	128	-	-	-	-	-	-	2	-	-	1	2
White, both sexes.....	292	-	-	-	-	-	-	2	-	1	3	7
Male.....	164	-	-	-	-	-	-	-	-	1	2	5
Female.....	128	-	-	-	-	-	-	2	-	-	1	2
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Virginia												
All races, both sexes.....	3,034	-	-	-	-	-	3	2	14	29	59	108
Male.....	1,650	-	-	-	-	-	-	2	11	15	39	71
Female.....	1,384	-	-	-	-	-	3	-	3	14	20	37
White, both sexes.....	2,250	-	-	-	-	-	3	1	10	19	35	64
Male.....	1,238	-	-	-	-	-	-	1	8	8	24	45
Female.....	1,012	-	-	-	-	-	3	-	2	11	11	19
Black, both sexes.....	720	-	-	-	-	-	-	1	3	9	21	39
Male.....	380	-	-	-	-	-	-	1	3	6	13	25
Female.....	340	-	-	-	-	-	-	-	-	3	8	14
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	61	-	-	-	-	-	-	-	1	1	3	5
Male.....	30	-	-	-	-	-	-	-	-	1	2	1
Female.....	31	-	-	-	-	-	-	-	1	-	1	4

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Malignant neoplasms of digestive organs (C15-C26)												
United States												
All races, both sexes.....	7,422	9,719	11,731	14,603	18,472	20,915	18,810	13,161	6,357	1,722	226	3
Male.....	4,915	6,312	7,504	8,972	10,747	11,193	9,024	5,265	2,018	425	46	2
Female.....	2,507	3,407	4,227	5,631	7,725	9,722	9,786	7,896	4,339	1,297	180	1
White, both sexes.....	5,715	7,751	9,532	12,018	15,701	18,162	16,603	11,788	5,643	1,499	186	1
Male.....	3,818	5,090	6,161	7,510	9,250	9,844	8,000	4,735	1,787	370	30	1
Female.....	1,897	2,661	3,371	4,508	6,451	8,318	8,603	7,053	3,856	1,129	156	-
Black, both sexes.....	1,357	1,597	1,747	2,047	2,207	2,212	1,720	1,118	582	177	31	2
Male.....	872	991	1,045	1,156	1,183	1,065	786	402	172	40	12	1
Female.....	485	606	702	891	1,024	1,147	934	716	410	137	19	1
American Indian 1/, both sexes.....	60	62	74	78	91	65	73	30	15	5	1	-
Male.....	37	41	46	44	47	29	35	11	3	-	1	-
Female.....	23	21	28	34	44	36	38	19	12	5	-	-
Asian or Pacific Islander 2/, both sexes.....	290	309	378	460	473	476	414	225	117	41	8	-
Male.....	188	190	252	262	267	255	203	117	56	15	3	-
Female.....	102	119	126	198	206	221	211	108	61	26	5	-
Alabama												
All races, both sexes.....	137	185	205	259	293	280	278	181	96	22	2	-
Male.....	89	122	142	171	171	138	139	70	27	8	1	-
Female.....	48	63	63	88	122	142	139	111	69	14	1	-
White, both sexes.....	91	133	161	188	219	206	218	141	66	15	1	-
Male.....	61	88	111	133	127	108	111	58	18	5	-	-
Female.....	30	45	50	55	92	98	107	83	48	10	1	-
Black, both sexes.....	45	52	42	71	72	74	60	40	30	7	1	-
Male.....	27	34	30	38	43	30	28	12	9	3	1	-
Female.....	18	18	12	33	29	44	32	28	21	4	-	-
American Indian 1/, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	2	-	-	-	-	-	-	-
Male.....	-	-	1	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Malignant neoplasms of digestive organs (C15-C26)												
Alaska												
All races, both sexes.....	17	28	19	19	26	29	16	8	3	1	-	-
Male.....	11	19	11	11	16	16	11	2	-	-	-	-
Female.....	6	9	8	8	10	13	5	6	3	1	-	-
White, both sexes.....	11	20	12	13	14	19	5	6	2	-	-	-
Male.....	6	15	8	8	9	7	3	2	-	-	-	-
Female.....	5	5	4	5	5	12	2	4	2	-	-	-
Black, both sexes.....	-	2	-	-	1	2	-	-	-	-	-	-
Male.....	-	1	-	-	1	2	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	4	6	7	4	10	6	11	2	1	1	-	-
Male.....	3	3	3	2	6	5	8	-	-	-	-	-
Female.....	1	3	4	2	4	1	3	2	1	1	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	2	1	2	-	-	-	-	-	-
Male.....	2	-	-	1	-	2	-	-	-	-	-	-
Female.....	-	-	-	1	1	-	-	-	-	-	-	-
Arizona												
All races, both sexes.....	112	164	206	258	315	363	295	218	81	22	2	-
Male.....	75	113	135	177	204	201	152	96	35	9	1	-
Female.....	37	51	71	81	111	162	143	122	46	13	1	-
White, both sexes.....	100	153	197	246	290	345	278	210	78	19	1	-
Male.....	70	103	130	168	193	189	146	94	33	8	-	-
Female.....	30	50	67	78	97	156	132	116	45	11	1	-
Black, both sexes.....	6	6	4	5	10	10	7	3	2	1	1	-
Male.....	3	5	3	5	2	7	3	-	2	1	1	-
Female.....	3	1	1	-	8	3	4	3	-	-	-	-
American Indian 1/, both sexes.....	6	3	4	5	9	6	8	4	1	2	-	-
Male.....	2	3	2	4	6	3	2	2	-	-	-	-
Female.....	4	-	2	1	3	3	6	2	1	2	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	1	2	6	2	2	1	-	-	-	-
Male.....	-	2	-	-	3	2	1	-	-	-	-	-
Female.....	-	-	1	2	3	-	1	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Malignant neoplasms of digestive organs (C15-C26)												
Arkansas												
All races, both sexes.....	73	108	116	144	190	201	173	141	67	21	1	-
Male.....	43	72	78	93	116	96	86	60	31	3	1	-
Female.....	30	36	38	51	74	105	87	81	36	18	-	-
White, both sexes.....	58	83	95	120	167	178	148	113	54	15	-	-
Male.....	37	55	66	74	103	88	75	51	22	3	-	-
Female.....	21	28	29	46	64	90	73	62	32	12	-	-
Black, both sexes.....	13	21	18	24	21	22	24	28	13	6	1	-
Male.....	6	15	11	19	13	8	11	9	9	-	1	-
Female.....	7	6	7	5	8	14	13	19	4	6	-	-
American Indian 1/, both sexes.....	-	2	1	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	2	2	-	2	1	1	-	-	-	-	-
Male.....	-	1	1	-	-	-	-	-	-	-	-	-
Female.....	2	1	1	-	2	1	1	-	-	-	-	-
California												
All races, both sexes.....	813	1,023	1,261	1,562	1,874	2,074	1,869	1,293	619	202	28	-
Male.....	525	663	790	952	1,063	1,092	871	566	206	52	5	-
Female.....	288	360	471	610	811	982	998	727	413	150	23	-
White, both sexes.....	609	785	962	1,216	1,514	1,710	1,567	1,126	526	165	25	-
Male.....	401	502	603	756	866	906	724	477	173	37	5	-
Female.....	208	283	359	460	648	804	843	649	353	128	20	-
Black, both sexes.....	87	105	132	140	141	147	102	58	38	15	1	-
Male.....	56	75	83	77	73	69	46	22	8	5	-	-
Female.....	31	30	49	63	68	78	56	36	30	10	1	-
American Indian 1/, both sexes.....	3	5	10	5	10	11	4	2	-	-	-	-
Male.....	2	3	6	3	5	4	1	1	-	-	-	-
Female.....	1	2	4	2	5	7	3	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	114	128	157	201	209	206	196	107	55	22	2	-
Male.....	66	83	98	116	119	113	100	66	25	10	-	-
Female.....	48	45	59	85	90	93	96	41	30	12	2	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Malignant neoplasms of digestive organs (C15-C26)												
Colorado												
All races, both sexes.....	99	98	135	160	231	247	227	144	60	14	1	-
Male.....	71	57	83	93	148	123	117	61	17	5	-	-
Female.....	28	41	52	67	83	124	110	83	43	9	1	-
White, both sexes.....	92	96	126	149	217	230	216	138	59	13	1	-
Male.....	65	56	78	87	142	118	111	58	17	4	-	-
Female.....	27	40	48	62	75	112	105	80	42	9	1	-
Black, both sexes.....	4	2	5	7	9	7	6	3	1	1	-	-
Male.....	4	1	1	4	3	3	3	2	-	1	-	-
Female.....	-	1	4	3	6	4	3	1	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	2	2	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	1	2	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	4	4	4	8	3	3	-	-	-	-
Male.....	2	-	4	2	3	2	2	1	-	-	-	-
Female.....	1	-	-	2	1	6	1	2	-	-	-	-
Connecticut												
All races, both sexes.....	76	135	144	179	240	304	272	202	100	29	2	-
Male.....	47	84	87	105	131	185	132	83	30	7	-	-
Female.....	29	51	57	74	109	119	140	119	70	22	2	-
White, both sexes.....	66	114	122	157	219	283	259	199	98	27	2	-
Male.....	43	70	74	91	120	173	125	83	30	6	-	-
Female.....	23	44	48	66	99	110	134	116	68	21	2	-
Black, both sexes.....	7	19	21	22	19	19	10	3	2	2	-	-
Male.....	2	13	13	14	11	11	7	-	-	1	-	-
Female.....	5	6	8	8	8	8	3	3	2	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	2	1	-	2	1	3	-	-	-	-	-
Male.....	2	1	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	1	-	2	1	3	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Malignant neoplasms of digestive organs (C15-C26)												
Delaware												
All races, both sexes.....	23	30	26	47	60	62	50	33	14	5	-	-
Male.....	18	20	15	35	28	34	36	13	6	1	-	-
Female.....	5	10	11	12	32	28	14	20	8	4	-	-
White, both sexes.....	18	21	22	35	48	52	43	30	13	5	-	-
Male.....	15	16	13	27	23	27	31	11	6	1	-	-
Female.....	3	5	9	8	25	25	12	19	7	4	-	-
Black, both sexes.....	4	8	4	12	11	10	7	3	1	-	-	-
Male.....	3	3	2	8	5	7	5	2	-	-	-	-
Female.....	1	5	2	4	6	3	2	1	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	-	-	1	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-
Dist. of Columbia												
All races, both sexes.....	27	31	39	40	39	46	42	42	18	4	-	1
Male.....	19	17	30	25	23	17	16	12	7	1	-	-
Female.....	8	14	9	15	16	29	26	30	11	3	-	1
White, both sexes.....	2	2	7	6	3	9	11	15	7	3	-	-
Male.....	2	-	6	4	2	6	5	4	3	1	-	-
Female.....	-	2	1	2	1	3	6	11	4	2	-	-
Black, both sexes.....	25	29	32	34	36	37	29	25	11	1	-	1
Male.....	17	17	24	21	21	11	10	8	4	-	-	-
Female.....	8	12	8	13	15	26	19	17	7	1	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	2	2	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	2	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms of digestive organs (C15-C26)

Florida

All races, both sexes.....	430	585	744	994	1,305	1,546	1,350	915	498	115	17	1
Male.....	276	388	483	633	806	847	687	423	186	50	2	1
Female.....	154	197	261	361	499	699	663	492	312	65	15	-
White, both sexes.....	353	482	634	876	1,165	1,415	1,238	856	471	102	15	-
Male.....	235	326	415	567	729	780	636	393	179	49	2	-
Female.....	118	156	219	309	436	635	602	463	292	53	13	-
Black, both sexes.....	68	95	105	110	130	122	101	58	27	12	2	1
Male.....	35	58	65	63	70	64	47	30	7	1	-	1
Female.....	33	37	40	47	60	58	54	28	20	11	2	-
American Indian 1/, both sexes.....	1	3	1	1	2	1	-	-	-	1	-	-
Male.....	1	2	1	1	2	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	1	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	8	5	4	7	8	8	11	1	-	-	-	-
Male.....	5	2	2	2	5	3	4	-	-	-	-	-
Female.....	3	3	2	5	3	5	7	1	-	-	-	-

Georgia

All races, both sexes.....	228	299	316	390	405	429	373	267	111	26	2	-
Male.....	155	191	196	237	220	215	163	103	41	5	-	-
Female.....	73	108	120	153	185	214	210	164	70	21	2	-
White, both sexes.....	127	198	201	253	298	322	282	193	81	20	-	-
Male.....	89	128	127	161	164	171	133	75	27	5	-	-
Female.....	38	70	74	92	134	151	149	118	54	15	-	-
Black, both sexes.....	97	96	112	120	103	103	86	70	30	6	2	-
Male.....	63	60	66	66	54	43	30	25	14	-	-	-
Female.....	34	36	46	54	49	60	56	45	16	6	2	-
American Indian 1/, both sexes.....	-	1	1	1	2	-	-	3	-	-	-	-
Male.....	-	1	1	1	1	-	-	3	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	4	2	16	2	4	5	1	-	-	-	-
Male.....	3	2	2	9	1	1	-	-	-	-	-	-
Female.....	1	2	-	7	1	3	5	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Malignant neoplasms of digestive organs (C15-C26)												
Hawaii												
All races, both sexes.....	41	59	52	67	88	108	86	63	32	11	1	-
Male.....	30	34	37	40	53	60	42	31	18	3	1	-
Female.....	11	25	15	27	35	48	44	32	14	8	-	-
White, both sexes.....	12	19	16	15	20	21	21	16	7	1	-	-
Male.....	7	9	12	10	15	15	13	10	3	1	-	-
Female.....	5	10	4	5	5	6	8	6	4	-	-	-
Black, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	1	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	29	40	36	51	68	87	65	46	24	10	1	-
Male.....	23	25	25	29	38	45	29	21	14	2	1	-
Female.....	6	15	11	22	30	42	36	25	10	8	-	-
Idaho												
All races, both sexes.....	30	25	38	62	64	75	78	52	22	5	1	-
Male.....	24	18	25	33	32	45	34	21	9	3	-	-
Female.....	6	7	13	29	32	30	44	31	13	2	1	-
White, both sexes.....	30	25	36	61	63	72	76	52	21	5	1	-
Male.....	24	18	25	33	31	44	34	21	9	3	-	-
Female.....	6	7	11	28	32	28	42	31	12	2	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	2	-	1	-	1	-	1	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	2	-	-	-	1	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	3	1	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	1	-	2	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Malignant neoplasms of digestive organs (C15-C26)												
Iowa												
All races, both sexes.....	52	95	137	175	210	273	234	176	87	30	5	-
Male.....	40	63	90	100	121	140	108	69	19	5	-	-
Female.....	12	32	47	75	89	133	126	107	68	25	5	-
White, both sexes.....	48	92	130	172	204	268	232	175	86	30	4	-
Male.....	36	62	85	99	118	138	107	69	19	5	-	-
Female.....	12	30	45	73	86	130	125	106	67	25	4	-
Black, both sexes.....	3	3	4	1	5	5	2	1	1	-	1	-
Male.....	3	1	3	-	2	2	1	-	-	-	-	-
Female.....	-	2	1	1	3	3	1	1	1	-	1	-
American Indian 1/, both sexes.....	-	-	1	1	-	-	-	-	-	-	-	-
Male.....	-	-	1	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	2	1	1	-	-	-	-	-	-	-
Male.....	1	-	1	-	1	-	-	-	-	-	-	-
Female.....	-	-	1	1	-	-	-	-	-	-	-	-
Kansas												
All races, both sexes.....	55	76	73	130	154	191	208	118	92	26	3	-
Male.....	36	46	41	86	96	106	104	40	31	5	-	-
Female.....	19	30	32	44	58	85	104	78	61	21	3	-
White, both sexes.....	50	66	67	119	136	180	192	112	88	25	3	-
Male.....	33	40	38	79	85	103	93	39	30	4	-	-
Female.....	17	26	29	40	51	77	99	73	58	21	3	-
Black, both sexes.....	5	4	4	10	9	9	15	5	4	1	-	-
Male.....	3	3	1	7	7	2	10	1	1	1	-	-
Female.....	2	1	3	3	2	7	5	4	3	-	-	-
American Indian 1/, both sexes.....	-	3	1	1	-	-	1	1	-	-	-	-
Male.....	-	2	1	-	-	-	1	-	-	-	-	-
Female.....	-	1	-	1	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	3	1	-	9	2	-	-	-	-	-	-
Male.....	-	1	1	-	4	1	-	-	-	-	-	-
Female.....	-	2	-	-	5	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Malignant neoplasms of digestive organs (C15-C26)												
Kentucky												
All races, both sexes.....	113	162	199	225	289	327	279	173	99	17	2	-
Male.....	70	112	115	136	178	181	144	62	38	3	-	-
Female.....	43	50	84	89	111	146	135	111	61	14	2	-
White, both sexes.....	99	143	182	203	265	303	259	160	93	16	2	-
Male.....	63	102	106	124	165	170	134	57	34	3	-	-
Female.....	36	41	76	79	100	133	125	103	59	13	2	-
Black, both sexes.....	14	19	16	22	19	22	20	13	6	1	-	-
Male.....	7	10	9	12	11	9	10	5	4	-	-	-
Female.....	7	9	7	10	8	13	10	8	2	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	5	2	-	-	-	-	-	-
Male.....	-	-	-	-	2	2	-	-	-	-	-	-
Female.....	-	-	1	-	3	-	-	-	-	-	-	-
Louisiana												
All races, both sexes.....	138	182	219	281	304	371	300	178	110	26	2	-
Male.....	91	128	136	184	174	204	135	58	34	5	-	-
Female.....	47	54	83	97	130	167	165	120	76	21	2	-
White, both sexes.....	76	117	143	175	204	256	226	124	72	21	-	-
Male.....	54	85	91	116	116	155	100	42	20	5	-	-
Female.....	22	32	52	59	88	101	126	82	52	16	-	-
Black, both sexes.....	62	62	76	103	98	111	73	53	37	5	2	-
Male.....	37	40	45	67	57	47	35	16	14	-	-	-
Female.....	25	22	31	36	41	64	38	37	23	5	2	-
American Indian 1/, both sexes.....	-	1	-	1	-	2	1	-	1	-	-	-
Male.....	-	1	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	2	1	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	-	2	2	2	-	1	-	-	-	-
Male.....	-	2	-	-	1	2	-	-	-	-	-	-
Female.....	-	-	-	2	1	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Malignant neoplasms of digestive organs (C15-C26)												
Maine												
All races, both sexes.....	40	45	51	75	109	123	110	90	41	15	2	-
Male.....	32	34	39	47	67	59	58	37	13	3	-	-
Female.....	8	11	12	28	42	64	52	53	28	12	2	-
White, both sexes.....	39	45	51	75	107	123	110	90	41	15	2	-
Male.....	31	34	39	47	65	59	58	37	13	3	-	-
Female.....	8	11	12	28	42	64	52	53	28	12	2	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	2	-	-	-	-	-	-	-
Male.....	1	-	-	-	2	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Maryland												
All races, both sexes.....	138	197	237	267	328	384	329	213	108	34	5	-
Male.....	90	124	162	165	189	207	168	69	29	11	1	-
Female.....	48	73	75	102	139	177	161	144	79	23	4	-
White, both sexes.....	87	116	154	180	232	303	257	175	80	26	3	-
Male.....	52	79	108	115	136	161	132	61	21	7	-	-
Female.....	35	37	46	65	96	142	125	114	59	19	3	-
Black, both sexes.....	47	74	77	84	87	76	65	38	26	7	-	-
Male.....	35	40	48	47	49	42	32	8	7	4	-	-
Female.....	12	34	29	37	38	34	33	30	19	3	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	1	-	-	-
Male.....	-	-	-	1	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	7	6	2	9	5	7	-	1	1	2	-
Male.....	3	5	6	2	4	4	4	-	-	-	1	-
Female.....	1	2	-	-	5	1	3	-	1	1	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Malignant neoplasms of digestive organs (C15-C26)												
Massachusetts												
All races, both sexes.....	153	226	255	339	459	553	610	394	242	60	6	-
Male.....	105	134	166	213	257	294	305	138	83	6	1	-
Female.....	48	92	89	126	202	259	305	256	159	54	5	-
White, both sexes.....	130	207	235	317	427	535	584	384	237	54	5	-
Male.....	88	123	150	198	237	288	289	133	82	6	1	-
Female.....	42	84	85	119	190	247	295	251	155	48	4	-
Black, both sexes.....	15	17	16	15	24	10	23	9	3	6	1	-
Male.....	10	9	12	12	14	2	14	4	-	-	-	-
Female.....	5	8	4	3	10	8	9	5	3	6	1	-
American Indian 1/, both sexes.....	1	-	-	-	1	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	2	4	7	7	7	3	1	2	-	-	-
Male.....	6	2	4	3	6	3	2	1	1	-	-	-
Female.....	1	-	-	4	1	4	1	-	1	-	-	-
Michigan												
All races, both sexes.....	293	358	411	484	698	730	627	471	199	48	9	-
Male.....	195	237	269	316	418	376	311	178	62	9	2	-
Female.....	98	121	142	168	280	354	316	293	137	39	7	-
White, both sexes.....	233	272	336	414	594	609	565	412	178	40	8	-
Male.....	159	180	218	278	363	319	282	152	55	8	2	-
Female.....	74	92	118	136	231	290	283	260	123	32	6	-
Black, both sexes.....	59	78	67	70	98	111	55	55	21	7	1	-
Male.....	35	53	43	38	53	53	27	25	7	1	-	-
Female.....	24	25	24	32	45	58	28	30	14	6	1	-
American Indian 1/, both sexes.....	1	4	6	-	3	2	3	1	-	-	-	-
Male.....	1	3	6	-	1	-	1	-	-	-	-	-
Female.....	-	1	-	-	2	2	2	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	4	2	-	3	8	4	3	-	1	-	-
Male.....	-	1	2	-	1	4	1	1	-	-	-	-
Female.....	-	3	-	-	2	4	3	2	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Malignant neoplasms of digestive organs (C15-C26)												
Minnesota												
All races, both sexes.....	122	151	175	234	273	366	307	256	148	29	2	-
Male.....	86	98	118	139	158	190	142	100	41	8	1	-
Female.....	36	53	57	95	115	176	165	156	107	21	1	-
White, both sexes.....	109	138	161	223	262	350	296	251	145	29	2	-
Male.....	75	87	109	131	153	182	137	98	41	8	1	-
Female.....	34	51	52	92	109	168	159	153	104	21	1	-
Black, both sexes.....	8	5	6	8	8	9	2	2	1	-	-	-
Male.....	6	4	5	5	4	6	2	1	-	-	-	-
Female.....	2	1	1	3	4	3	-	1	1	-	-	-
American Indian 1/, both sexes.....	2	6	3	2	2	2	2	1	1	-	-	-
Male.....	2	5	1	2	1	-	1	-	-	-	-	-
Female.....	-	1	2	-	1	2	1	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	2	5	1	1	5	7	2	1	-	-	-
Male.....	3	2	3	1	-	2	2	1	-	-	-	-
Female.....	-	-	2	-	1	3	5	1	1	-	-	-
Mississippi												
All races, both sexes.....	77	112	140	178	186	210	168	128	64	24	2	-
Male.....	50	63	88	114	106	114	78	40	21	6	1	-
Female.....	27	49	52	64	80	96	90	88	43	18	1	-
White, both sexes.....	39	65	85	112	121	146	119	89	36	12	1	-
Male.....	24	42	58	70	75	79	56	28	13	4	-	-
Female.....	15	23	27	42	46	67	63	61	23	8	1	-
Black, both sexes.....	37	45	54	64	60	63	48	39	25	12	1	-
Male.....	26	20	29	43	29	34	22	12	7	2	1	-
Female.....	11	25	25	21	31	29	26	27	18	10	-	-
American Indian 1/, both sexes.....	-	1	1	2	4	1	1	-	-	-	-	-
Male.....	-	-	1	1	1	1	-	-	-	-	-	-
Female.....	-	1	-	1	3	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	-	-	1	-	-	-	3	-	-	-
Male.....	-	1	-	-	1	-	-	-	1	-	-	-
Female.....	1	-	-	-	-	-	-	-	2	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms of digestive organs (C15-C26)

Nebraska

All races, both sexes.....	24	41	69	103	110	141	109	100	51	16	2	-
Male.....	17	27	42	59	59	77	58	31	19	4	-	-
Female.....	7	14	27	44	51	64	51	69	32	12	2	-
White, both sexes.....	23	38	62	96	109	134	109	99	51	16	2	-
Male.....	16	26	35	56	58	75	58	31	19	4	-	-
Female.....	7	12	27	40	51	59	51	68	32	12	2	-
Black, both sexes.....	1	2	5	5	1	7	-	1	-	-	-	-
Male.....	1	1	5	2	1	2	-	-	-	-	-	-
Female.....	-	1	-	3	-	5	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	2	1	-	-	-	-	-	-	-	-
Male.....	-	-	2	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	63	63	99	150	146	140	136	65	30	5	-	-
Male.....	44	44	68	92	82	84	80	31	6	1	-	-
Female.....	19	19	31	58	64	56	56	34	24	4	-	-
White, both sexes.....	57	57	88	129	136	134	121	61	25	5	-	-
Male.....	38	41	63	81	77	82	74	28	6	1	-	-
Female.....	19	16	25	48	59	52	47	33	19	4	-	-
Black, both sexes.....	3	3	5	10	5	4	8	2	3	-	-	-
Male.....	3	1	1	5	3	1	3	1	-	-	-	-
Female.....	-	2	4	5	2	3	5	1	3	-	-	-
American Indian 1/, both sexes.....	-	1	1	2	1	-	1	-	-	-	-	-
Male.....	-	1	1	1	1	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	2	5	9	4	2	6	2	2	-	-	-
Male.....	3	1	3	5	1	1	3	2	-	-	-	-
Female.....	-	1	2	4	3	1	3	-	2	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms of digestive organs (C15-C26)

New Hampshire

All races, both sexes.....	31	48	58	70	71	77	71	61	23	4	1	-
Male.....	25	34	41	38	46	44	34	32	8	3	-	-
Female.....	6	14	17	32	25	33	37	29	15	1	1	-
White, both sexes.....	29	48	56	70	71	76	71	61	23	4	1	-
Male.....	23	34	39	38	46	43	34	32	8	3	-	-
Female.....	6	14	17	32	25	33	37	29	15	1	1	-
Black, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	2	-	-	-	-	-	-	-	-	-
Male.....	2	-	2	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	185	296	368	459	637	745	729	462	222	52	4	-
Male.....	119	174	242	276	364	391	324	187	63	12	1	-
Female.....	66	122	126	183	273	354	405	275	159	40	3	-
White, both sexes.....	150	226	302	368	525	654	659	442	206	46	3	-
Male.....	100	131	198	219	298	344	293	179	61	11	1	-
Female.....	50	95	104	149	227	310	366	263	145	35	2	-
Black, both sexes.....	27	58	53	73	102	77	65	14	15	5	1	-
Male.....	13	37	33	44	58	35	29	5	1	-	-	-
Female.....	14	21	20	29	44	42	36	9	14	5	1	-
American Indian 1/, both sexes.....	-	1	-	1	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	1	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	11	13	17	10	14	5	5	1	1	-	-
Male.....	6	6	11	13	8	12	2	2	1	1	-	-
Female.....	2	5	2	4	2	2	3	3	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Malignant neoplasms of digestive organs (C15-C26)												
New Mexico												
All races, both sexes.....	42	78	69	92	130	118	124	73	31	7	1	-
Male.....	22	56	46	57	72	72	69	27	8	2	1	-
Female.....	20	22	23	35	58	46	55	46	23	5	-	-
White, both sexes.....	34	71	59	78	125	114	113	66	31	6	1	-
Male.....	18	53	39	50	70	70	63	24	8	2	1	-
Female.....	16	18	20	28	55	44	50	42	23	4	-	-
Black, both sexes.....	-	2	1	3	1	1	1	1	-	-	-	-
Male.....	-	2	-	3	1	1	-	1	-	-	-	-
Female.....	-	-	1	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	7	5	8	10	4	3	9	5	-	1	-	-
Male.....	3	1	6	4	1	1	6	2	-	-	-	-
Female.....	4	4	2	6	3	2	3	3	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	1	1	-	-	1	1	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	1	1	-	-	-	-
New York												
All races, both sexes.....	504	695	796	1,021	1,405	1,463	1,395	1,008	479	137	22	-
Male.....	310	436	487	616	824	772	618	394	146	36	3	-
Female.....	194	259	309	405	581	691	777	614	333	101	19	-
White, both sexes.....	388	521	614	796	1,168	1,266	1,218	893	416	124	18	-
Male.....	239	334	381	485	708	682	528	352	126	33	1	-
Female.....	149	187	233	311	460	584	690	541	290	91	17	-
Black, both sexes.....	89	141	148	177	193	171	148	97	48	10	3	-
Male.....	54	82	82	96	93	76	71	35	12	1	2	-
Female.....	35	59	66	81	100	95	77	62	36	9	1	-
American Indian 1/, both sexes.....	1	-	-	3	3	1	3	-	2	-	-	-
Male.....	1	-	-	2	-	-	1	-	-	-	-	-
Female.....	-	-	-	1	3	1	2	-	2	-	-	-
Asian or Pacific Islander 2/, both sexes.....	26	33	34	45	41	25	26	18	13	3	1	-
Male.....	16	20	24	33	23	14	18	7	8	2	-	-
Female.....	10	13	10	12	18	11	8	11	5	1	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Malignant neoplasms of digestive organs (C15-C26)												
Ohio												
All races, both sexes.....	304	386	498	619	820	951	871	560	271	72	15	-
Male.....	214	254	319	373	467	491	424	223	84	16	3	-
Female.....	90	132	179	246	353	460	447	337	187	56	12	-
White, both sexes.....	249	325	418	522	721	839	791	517	240	66	13	-
Male.....	169	215	272	313	412	441	386	206	74	15	2	-
Female.....	80	110	146	209	309	398	405	311	166	51	11	-
Black, both sexes.....	52	61	72	90	92	106	79	43	31	6	2	-
Male.....	43	39	40	55	50	47	38	17	10	1	1	-
Female.....	9	22	32	35	42	59	41	26	21	5	1	-
American Indian 1/, both sexes.....	-	-	-	1	-	1	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	8	6	7	5	1	-	-	-	-	-
Male.....	2	-	7	4	5	3	-	-	-	-	-	-
Female.....	1	-	1	2	2	2	1	-	-	-	-	-
Oklahoma												
All races, both sexes.....	83	135	150	187	211	245	215	144	66	23	4	-
Male.....	50	87	107	114	134	131	116	55	17	4	2	-
Female.....	33	48	43	73	77	114	99	89	49	19	2	-
White, both sexes.....	66	120	126	151	184	217	195	126	57	23	3	-
Male.....	39	78	91	91	119	118	108	50	14	4	1	-
Female.....	27	42	35	60	65	99	87	76	43	19	2	-
Black, both sexes.....	12	9	8	19	15	14	13	15	7	-	-	-
Male.....	9	5	7	11	9	7	5	4	3	-	-	-
Female.....	3	4	1	8	6	7	8	11	4	-	-	-
American Indian 1/, both sexes.....	5	5	11	16	11	14	6	3	2	-	1	-
Male.....	2	4	8	11	6	6	3	1	-	-	1	-
Female.....	3	1	3	5	5	8	3	2	2	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	5	1	1	-	1	-	-	-	-	-
Male.....	-	-	1	1	-	-	-	-	-	-	-	-
Female.....	-	1	4	-	1	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Malignant neoplasms of digestive organs (C15-C26)												
Oregon												
All races, both sexes.....	85	122	149	156	192	248	269	173	85	18	1	-
Male.....	53	85	94	94	113	138	143	73	35	5	-	-
Female.....	32	37	55	62	79	110	126	100	50	13	1	-
White, both sexes.....	80	111	136	146	183	241	257	165	83	18	1	-
Male.....	49	76	84	87	110	136	137	69	34	5	-	-
Female.....	31	35	52	59	73	105	120	96	49	13	1	-
Black, both sexes.....	2	2	3	3	6	2	5	4	1	-	-	-
Male.....	2	2	2	2	2	1	3	2	1	-	-	-
Female.....	-	-	1	1	4	1	2	2	-	-	-	-
American Indian 1/, both sexes.....	2	3	4	2	3	1	4	1	-	-	-	-
Male.....	1	3	2	2	1	-	-	1	-	-	-	-
Female.....	1	-	2	-	2	1	4	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	6	6	5	-	4	3	3	1	-	-	-
Male.....	1	4	6	3	-	1	3	1	-	-	-	-
Female.....	-	2	-	2	-	3	-	2	1	-	-	-
Pennsylvania												
All races, both sexes.....	335	444	559	728	1,012	1,302	1,157	778	368	102	13	-
Male.....	255	265	351	455	592	728	548	310	114	21	2	-
Female.....	80	179	208	273	420	574	609	468	254	81	11	-
White, both sexes.....	276	383	477	623	904	1,206	1,067	737	347	95	12	-
Male.....	209	240	307	397	533	673	509	298	105	19	2	-
Female.....	67	143	170	226	371	533	558	439	242	76	10	-
Black, both sexes.....	54	54	76	94	102	89	86	38	21	6	1	-
Male.....	42	20	40	51	57	52	38	10	9	2	-	-
Female.....	12	34	36	43	45	37	48	28	12	4	1	-
American Indian 1/, both sexes.....	-	-	-	-	2	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	7	6	11	4	7	4	3	-	1	-	-
Male.....	4	5	4	7	1	3	1	2	-	-	-	-
Female.....	1	2	2	4	3	4	3	1	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Malignant neoplasms of digestive organs (C15-C26)												
South Dakota												
All races, both sexes.....	16	24	22	39	47	64	52	48	27	10	1	-
Male.....	7	15	13	25	30	42	22	14	9	1	-	-
Female.....	9	9	9	14	17	22	30	34	18	9	1	-
White, both sexes.....	14	23	21	35	45	62	49	48	25	10	1	-
Male.....	6	15	13	24	28	40	20	14	9	1	-	-
Female.....	8	8	8	11	17	22	29	34	16	9	1	-
Black, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	1	1	4	2	1	3	-	2	-	-	-
Male.....	1	-	-	1	2	1	2	-	-	-	-	-
Female.....	1	1	1	3	-	-	1	-	2	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Tennessee												
All races, both sexes.....	197	197	281	292	379	414	329	228	113	35	7	-
Male.....	130	128	179	193	204	219	157	87	39	9	2	-
Female.....	67	69	102	99	175	195	172	141	74	26	5	-
White, both sexes.....	150	148	228	254	313	351	284	195	92	27	5	-
Male.....	104	100	150	167	171	189	131	76	34	7	-	-
Female.....	46	48	78	87	142	162	153	119	58	20	5	-
Black, both sexes.....	44	48	52	37	65	63	44	32	21	8	2	-
Male.....	26	27	28	25	33	30	25	11	5	2	2	-
Female.....	18	21	24	12	32	33	19	21	16	6	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	1	1	1	1	-	-	-	-	-	-	-
Male.....	-	1	1	1	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms of digestive organs (C15-C26)

Texas

All races, both sexes.....	579	675	774	937	1,175	1,151	1,029	768	343	94	9	-
Male.....	385	460	474	571	679	623	482	296	100	24	-	-
Female.....	194	215	300	366	496	528	547	472	243	70	9	-
White, both sexes.....	446	551	636	794	1,006	1,002	891	678	299	78	7	-
Male.....	293	378	394	493	601	539	429	262	87	21	-	-
Female.....	153	173	242	301	405	463	462	416	212	57	7	-
Black, both sexes.....	111	108	118	125	151	134	121	86	39	16	2	-
Male.....	77	73	67	69	69	75	43	33	11	3	-	-
Female.....	34	35	51	56	82	59	78	53	28	13	2	-
American Indian 1/, both sexes.....	2	1	-	1	2	-	1	-	-	-	-	-
Male.....	2	1	-	1	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	20	15	20	17	16	15	16	4	5	-	-	-
Male.....	13	8	13	8	8	9	10	1	2	-	-	-
Female.....	7	7	7	9	8	6	6	3	3	-	-	-

Utah

All races, both sexes.....	29	48	56	63	74	103	82	65	18	3	-	-
Male.....	15	35	36	40	43	60	42	36	5	1	-	-
Female.....	14	13	20	23	31	43	40	29	13	2	-	-
White, both sexes.....	27	47	52	62	73	101	80	64	18	3	-	-
Male.....	14	34	33	40	42	60	42	36	5	1	-	-
Female.....	13	13	19	22	31	41	38	28	13	2	-	-
Black, both sexes.....	1	1	-	1	-	-	-	1	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	1	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	3	-	1	2	1	-	-	-	-	-
Male.....	1	-	2	-	1	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	2	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Malignant neoplasms of digestive organs (C15-C26)												
Vermont												
All races, both sexes.....	20	21	27	31	41	42	43	27	21	7	-	-
Male.....	17	16	23	18	26	17	22	11	5	2	-	-
Female.....	3	5	4	13	15	25	21	16	16	5	-	-
White, both sexes.....	20	21	26	31	41	42	43	27	21	7	-	-
Male.....	17	16	22	18	26	17	22	11	5	2	-	-
Female.....	3	5	4	13	15	25	21	16	16	5	-	-
Black, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Virginia												
All races, both sexes.....	184	258	288	375	427	464	397	266	118	37	4	1
Male.....	108	173	186	230	250	228	189	106	32	8	1	1
Female.....	76	85	102	145	177	236	208	160	86	29	3	-
White, both sexes.....	117	191	211	264	335	345	309	215	99	28	3	1
Male.....	73	129	141	172	196	170	152	86	27	4	1	1
Female.....	44	62	70	92	139	175	157	129	72	24	2	-
Black, both sexes.....	60	62	67	101	86	108	86	48	19	9	1	-
Male.....	34	42	38	53	48	53	37	18	5	4	-	-
Female.....	26	20	29	48	38	55	49	30	14	5	1	-
American Indian 1/, both sexes.....	1	-	-	-	-	2	-	-	-	-	-	-
Male.....	-	-	-	-	-	2	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	5	10	10	6	9	2	3	-	-	-	-
Male.....	1	2	7	5	6	3	-	2	-	-	-	-
Female.....	5	3	3	5	-	6	2	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Of esophagus (C15)												
Alaska												
All races, both sexes.....	-	3	-	3	3	4	3	-	1	1	-	-
Male.....	-	3	-	3	3	3	3	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	1	1	-	-
White, both sexes.....	-	3	-	3	1	3	1	-	1	-	-	-
Male.....	-	3	-	3	1	2	1	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	1	-	-	-
Black, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	1	2	-	-	1	-	-
Male.....	-	-	-	-	1	1	2	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Arizona												
All races, both sexes.....	10	22	27	42	36	38	29	17	6	2	-	-
Male.....	9	19	23	37	32	27	18	13	3	-	-	-
Female.....	1	3	4	5	4	11	11	4	3	2	-	-
White, both sexes.....	9	20	27	41	33	38	28	17	6	2	-	-
Male.....	8	17	23	36	30	27	17	13	3	-	-	-
Female.....	1	3	4	5	3	11	11	4	3	2	-	-
Black, both sexes.....	1	1	-	1	1	-	-	-	-	-	-	-
Male.....	1	1	-	1	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	1	-	1	-	-	-	-	-
Male.....	-	1	-	-	1	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Of esophagus (C15)												
Arkansas												
All races, both sexes.....	8	15	10	12	11	16	9	5	-	-	-	-
Male.....	5	14	8	10	9	12	8	3	-	-	-	-
Female.....	3	1	2	2	2	4	1	2	-	-	-	-
White, both sexes.....	5	11	8	11	9	16	7	3	-	-	-	-
Male.....	3	10	7	9	8	12	6	2	-	-	-	-
Female.....	2	1	1	2	1	4	1	1	-	-	-	-
Black, both sexes.....	3	4	2	1	2	-	2	2	-	-	-	-
Male.....	2	4	1	1	1	-	2	1	-	-	-	-
Female.....	1	-	1	-	1	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	77	102	114	174	193	187	148	70	35	9	1	-
Male.....	69	81	90	136	153	137	99	51	20	2	-	-
Female.....	8	21	24	38	40	50	49	19	15	7	1	-
White, both sexes.....	65	91	92	144	175	168	136	62	33	9	1	-
Male.....	60	73	73	112	143	127	92	46	20	2	-	-
Female.....	5	18	19	32	32	41	44	16	13	7	1	-
Black, both sexes.....	9	4	13	15	12	9	2	3	-	-	-	-
Male.....	7	4	9	10	8	4	2	1	-	-	-	-
Female.....	2	-	4	5	4	5	-	2	-	-	-	-
American Indian 1/, both sexes.....	-	-	2	1	-	1	2	-	-	-	-	-
Male.....	-	-	2	1	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	7	7	14	6	9	8	5	2	-	-	-
Male.....	2	4	6	13	2	6	4	4	-	-	-	-
Female.....	1	3	1	1	4	3	4	1	2	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Of esophagus (C15)												
Colorado												
All races, both sexes.....	15	8	17	18	25	23	20	5	6	-	-	-
Male.....	14	6	12	13	21	20	13	4	4	-	-	-
Female.....	1	2	5	5	4	3	7	1	2	-	-	-
White, both sexes.....	15	8	15	17	24	23	20	5	6	-	-	-
Male.....	14	6	10	13	21	20	13	4	4	-	-	-
Female.....	1	2	5	4	3	3	7	1	2	-	-	-
Black, both sexes.....	-	-	1	1	1	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Connecticut												
All races, both sexes.....	6	13	22	24	27	25	17	16	4	-	-	-
Male.....	6	9	19	20	18	23	11	9	2	-	-	-
Female.....	-	4	3	4	9	2	6	7	2	-	-	-
White, both sexes.....	6	11	19	21	25	24	16	16	4	-	-	-
Male.....	6	7	17	17	16	22	11	9	2	-	-	-
Female.....	-	4	2	4	9	2	5	7	2	-	-	-
Black, both sexes.....	-	2	3	3	2	1	-	-	-	-	-	-
Male.....	-	2	2	3	2	1	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Of esophagus (C15)												
Florida												
All races, both sexes.....	45	84	93	149	135	143	92	48	20	4	-	-
Male.....	39	74	78	120	112	114	66	31	9	2	-	-
Female.....	6	10	15	29	23	29	26	17	11	2	-	-
White, both sexes.....	36	69	74	130	122	124	87	46	20	4	-	-
Male.....	33	62	63	106	100	101	62	31	9	2	-	-
Female.....	3	7	11	24	22	23	25	15	11	2	-	-
Black, both sexes.....	8	15	19	18	12	18	5	2	-	-	-	-
Male.....	5	12	15	13	12	13	4	-	-	-	-	-
Female.....	3	3	4	5	-	5	1	2	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	1	1	1	-	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	1	-	-	-	-	-	-
Georgia												
All races, both sexes.....	40	43	47	43	36	29	36	18	3	-	-	-
Male.....	34	36	37	33	27	19	19	9	1	-	-	-
Female.....	6	7	10	10	9	10	17	9	2	-	-	-
White, both sexes.....	17	27	23	23	25	17	27	14	1	-	-	-
Male.....	17	24	19	20	19	11	16	7	1	-	-	-
Female.....	-	3	4	3	6	6	11	7	-	-	-	-
Black, both sexes.....	22	16	24	20	10	12	8	4	2	-	-	-
Male.....	16	12	18	13	7	8	3	2	-	-	-	-
Female.....	6	4	6	7	3	4	5	2	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	1	-	1	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Of esophagus (C15)												
Nebraska												
All races, both sexes.....	3	3	10	13	19	14	11	1	3	-	-	-
Male.....	3	2	7	10	12	13	7	1	1	-	-	-
Female.....	-	1	3	3	7	1	4	-	2	-	-	-
White, both sexes.....	3	2	10	12	19	14	11	1	3	-	-	-
Male.....	3	2	7	10	12	13	7	1	1	-	-	-
Female.....	-	-	3	2	7	1	4	-	2	-	-	-
Black, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Nevada												
All races, both sexes.....	10	11	18	15	16	17	14	3	2	-	-	-
Male.....	8	11	15	12	15	15	10	3	-	-	-	-
Female.....	2	-	3	3	1	2	4	-	2	-	-	-
White, both sexes.....	10	9	18	14	16	17	13	3	-	-	-	-
Male.....	8	9	15	11	15	15	10	3	-	-	-	-
Female.....	2	-	3	3	1	2	3	-	-	-	-	-
Black, both sexes.....	-	1	-	1	-	-	1	-	1	-	-	-
Male.....	-	1	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	-	-	-	1	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Of esophagus (C15)												
New Hampshire												
All races, both sexes.....	4	10	10	9	9	12	10	5	1	-	-	-
Male.....	4	10	8	7	9	11	6	3	-	-	-	-
Female.....	-	-	2	2	-	1	4	2	1	-	-	-
White, both sexes.....	4	10	10	9	9	12	10	5	1	-	-	-
Male.....	4	10	8	7	9	11	6	3	-	-	-	-
Female.....	-	-	2	2	-	1	4	2	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New Jersey												
All races, both sexes.....	26	33	44	62	74	42	46	25	12	3	-	-
Male.....	20	27	34	45	57	33	29	15	5	-	-	-
Female.....	6	6	10	17	17	9	17	10	7	3	-	-
White, both sexes.....	24	25	40	50	61	37	43	25	11	3	-	-
Male.....	19	20	31	37	46	28	29	15	5	-	-	-
Female.....	5	5	9	13	15	9	14	10	6	3	-	-
Black, both sexes.....	2	7	2	11	13	5	2	-	1	-	-	-
Male.....	1	6	1	8	11	5	-	-	-	-	-	-
Female.....	1	1	1	3	2	-	2	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	2	1	-	-	1	-	-	-	-	-
Male.....	-	1	2	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Of esophagus (C15)												
New Mexico												
All races, both sexes.....	5	7	6	6	14	8	11	3	1	-	-	-
Male.....	5	7	6	5	10	7	9	2	-	-	-	-
Female.....	-	-	-	1	4	1	2	1	1	-	-	-
White, both sexes.....	4	7	5	5	13	7	9	3	1	-	-	-
Male.....	4	7	5	4	9	6	7	2	-	-	-	-
Female.....	-	-	-	1	4	1	2	1	1	-	-	-
Black, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	1	1	-	1	2	-	-	-	-	-
Male.....	1	-	1	1	-	1	2	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	52	82	95	107	131	114	113	47	28	6	3	-
Male.....	41	65	78	89	103	77	73	23	11	3	1	-
Female.....	11	17	17	18	28	37	40	24	17	3	2	-
White, both sexes.....	39	62	70	82	113	99	100	41	26	6	2	-
Male.....	32	51	61	70	89	69	66	20	11	3	-	-
Female.....	7	11	9	12	24	30	34	21	15	3	2	-
Black, both sexes.....	9	20	23	21	17	14	11	5	2	-	1	-
Male.....	6	14	15	16	13	7	5	3	-	-	1	-
Female.....	3	6	8	5	4	7	6	2	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	2	4	1	1	2	1	-	-	-	-
Male.....	3	-	2	3	1	1	2	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Of esophagus (C15)

Oregon

All races, both sexes.....	13	16	29	15	19	29	32	15	6	1	-	-
Male.....	10	14	24	13	17	19	22	8	2	-	-	-
Female.....	3	2	5	2	2	10	10	7	4	1	-	-
White, both sexes.....	13	16	29	15	19	28	31	15	6	1	-	-
Male.....	10	14	24	13	17	19	21	8	2	-	-	-
Female.....	3	2	5	2	2	9	10	7	4	1	-	-
Black, both sexes.....	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Pennsylvania

All races, both sexes.....	54	70	84	110	113	131	81	41	18	4	-	-
Male.....	49	57	74	89	92	106	54	23	6	1	-	-
Female.....	5	13	10	21	21	25	27	18	12	3	-	-
White, both sexes.....	48	63	71	95	102	121	75	38	18	4	-	-
Male.....	44	52	63	79	86	97	50	23	6	1	-	-
Female.....	4	11	8	16	16	24	25	15	12	3	-	-
Black, both sexes.....	6	7	12	14	10	10	6	2	-	-	-	-
Male.....	5	5	10	9	5	9	4	-	-	-	-	-
Female.....	1	2	2	5	5	1	2	2	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	1	-	-	-	1	-	-	-	-
Male.....	-	-	1	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Of stomach (C16)												
Arkansas												
All races, both sexes.....	115	-	-	-	-	-	-	2	1	5	-	2
Male.....	78	-	-	-	-	-	-	2	1	3	-	2
Female.....	37	-	-	-	-	-	-	-	-	2	-	-
White, both sexes.....	78	-	-	-	-	-	-	2	1	2	-	2
Male.....	58	-	-	-	-	-	-	2	1	1	-	2
Female.....	20	-	-	-	-	-	-	-	-	1	-	-
Black, both sexes.....	33	-	-	-	-	-	-	-	-	3	-	-
Male.....	20	-	-	-	-	-	-	-	-	2	-	-
Female.....	13	-	-	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	1,599	-	1	-	-	-	1	7	18	28	35	81
Male.....	916	-	1	-	-	-	-	4	10	8	18	42
Female.....	683	-	-	-	-	-	1	3	8	20	17	39
White, both sexes.....	1,171	-	1	-	-	-	1	5	15	24	27	63
Male.....	676	-	1	-	-	-	-	4	8	5	15	32
Female.....	495	-	-	-	-	-	1	1	7	19	12	31
Black, both sexes.....	137	-	-	-	-	-	-	-	1	2	2	7
Male.....	83	-	-	-	-	-	-	-	1	2	-	5
Female.....	54	-	-	-	-	-	-	-	-	-	2	2
American Indian 1/, both sexes.....	5	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	286	-	-	-	-	-	-	2	2	2	6	11
Male.....	155	-	-	-	-	-	-	-	1	1	3	5
Female.....	131	-	-	-	-	-	-	2	1	1	3	6

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Of stomach (C16)												
Maine												
All races, both sexes.....	66	-	-	-	-	-	-	1	1	1	-	1
Male.....	39	-	-	-	-	-	-	-	1	-	-	1
Female.....	27	-	-	-	-	-	-	1	-	1	-	-
White, both sexes.....	66	-	-	-	-	-	-	1	1	1	-	1
Male.....	39	-	-	-	-	-	-	-	1	-	-	1
Female.....	27	-	-	-	-	-	-	1	-	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Maryland												
All races, both sexes.....	206	-	-	-	-	-	1	-	1	4	9	10
Male.....	120	-	-	-	-	-	-	-	1	1	3	7
Female.....	86	-	-	-	-	-	1	-	-	3	6	3
White, both sexes.....	125	-	-	-	-	-	1	-	1	1	3	4
Male.....	73	-	-	-	-	-	-	-	1	1	1	2
Female.....	52	-	-	-	-	-	1	-	-	-	2	2
Black, both sexes.....	70	-	-	-	-	-	-	-	-	2	5	5
Male.....	41	-	-	-	-	-	-	-	-	-	2	4
Female.....	29	-	-	-	-	-	-	-	-	2	3	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	11	-	-	-	-	-	-	-	-	1	1	1
Male.....	6	-	-	-	-	-	-	-	-	-	-	1
Female.....	5	-	-	-	-	-	-	-	-	1	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Of stomach (C16)												
New Mexico												
All races, both sexes.....	85	-	-	-	-	-	1	-	3	2	1	3
Male.....	54	-	-	-	-	-	-	-	2	2	1	3
Female.....	31	-	-	-	-	-	1	-	1	-	-	-
White, both sexes.....	72	-	-	-	-	-	1	-	3	2	1	2
Male.....	49	-	-	-	-	-	-	-	2	2	1	2
Female.....	23	-	-	-	-	-	1	-	1	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	12	-	-	-	-	-	-	-	-	-	-	1
Male.....	4	-	-	-	-	-	-	-	-	-	-	1
Female.....	8	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	995	-	-	-	-	-	2	5	7	18	19	27
Male.....	561	-	-	-	-	-	-	3	2	11	11	19
Female.....	434	-	-	-	-	-	2	2	5	7	8	8
White, both sexes.....	735	-	-	-	-	-	1	3	4	10	11	16
Male.....	419	-	-	-	-	-	-	2	2	8	8	12
Female.....	316	-	-	-	-	-	1	1	2	2	3	4
Black, both sexes.....	191	-	-	-	-	-	1	2	2	5	3	8
Male.....	100	-	-	-	-	-	-	1	-	2	1	5
Female.....	91	-	-	-	-	-	1	1	2	3	2	3
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	68	-	-	-	-	-	-	-	1	3	5	3
Male.....	41	-	-	-	-	-	-	-	-	1	2	2
Female.....	27	-	-	-	-	-	-	-	1	2	3	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Of stomach (C16)

Vermont

All races, both sexes.....	19	-	-	-	-	-	-	2	-	-	-	-
Male.....	8	-	-	-	-	-	-	-	-	-	-	-
Female.....	11	-	-	-	-	-	-	2	-	-	-	-
White, both sexes.....	19	-	-	-	-	-	-	2	-	-	-	-
Male.....	8	-	-	-	-	-	-	-	-	-	-	-
Female.....	11	-	-	-	-	-	-	2	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	287	-	-	-	-	-	-	2	2	2	9	11
Male.....	173	-	-	-	-	-	-	2	1	1	5	6
Female.....	114	-	-	-	-	-	-	-	1	1	4	5
White, both sexes.....	172	-	-	-	-	-	-	1	1	2	7	8
Male.....	101	-	-	-	-	-	-	1	1	1	4	4
Female.....	71	-	-	-	-	-	-	-	-	1	3	4
Black, both sexes.....	103	-	-	-	-	-	-	1	-	-	2	3
Male.....	66	-	-	-	-	-	-	1	-	-	1	2
Female.....	37	-	-	-	-	-	-	-	-	-	1	1
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	11	-	-	-	-	-	-	-	1	-	-	-
Male.....	5	-	-	-	-	-	-	-	-	-	-	-
Female.....	6	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Of stomach (C16)												
Arkansas												
All races, both sexes.....	7	11	10	10	17	17	12	11	8	1	1	-
Male.....	5	7	8	7	13	13	3	7	6	-	1	-
Female.....	2	4	2	3	4	4	9	4	2	1	-	-
White, both sexes.....	4	7	7	8	14	14	6	7	4	-	-	-
Male.....	3	5	5	6	11	12	2	4	4	-	-	-
Female.....	1	2	2	2	3	2	4	3	-	-	-	-
Black, both sexes.....	2	2	3	2	3	2	6	4	4	1	1	-
Male.....	2	2	3	1	2	1	1	3	2	-	1	-
Female.....	-	-	-	1	1	1	5	1	2	1	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	1	-	-	-	-	-	-
California												
All races, both sexes.....	85	114	148	148	214	227	237	162	69	21	3	-
Male.....	47	72	100	98	130	140	135	82	21	8	-	-
Female.....	38	42	48	50	84	87	102	80	48	13	3	-
White, both sexes.....	58	77	110	100	156	161	174	128	50	19	2	-
Male.....	35	48	79	71	98	96	99	63	15	7	-	-
Female.....	23	29	31	29	58	65	75	65	35	12	2	-
Black, both sexes.....	11	11	11	19	20	26	12	9	4	1	1	-
Male.....	7	10	7	12	10	17	7	3	1	1	-	-
Female.....	4	1	4	7	10	9	5	6	3	-	1	-
American Indian 1/, both sexes.....	-	-	2	1	1	1	-	-	-	-	-	-
Male.....	-	-	1	1	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	1	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	16	26	25	28	37	39	51	25	15	1	-	-
Male.....	5	14	13	14	22	27	29	16	5	-	-	-
Female.....	11	12	12	14	15	12	22	9	10	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Of stomach (C16)												
Colorado												
All races, both sexes.....	9	9	12	7	11	15	14	10	5	6	-	-
Male.....	5	5	11	4	6	7	9	6	1	2	-	-
Female.....	4	4	1	3	5	8	5	4	4	4	-	-
White, both sexes.....	7	9	10	6	11	11	12	8	5	5	-	-
Male.....	3	5	9	3	6	6	7	5	1	1	-	-
Female.....	4	4	1	3	5	5	5	3	4	4	-	-
Black, both sexes.....	-	-	-	1	-	2	1	-	-	1	-	-
Male.....	-	-	-	1	-	1	1	-	-	1	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	2	-	-	1	1	2	-	-	-	-
Male.....	2	-	2	-	-	-	1	1	-	-	-	-
Female.....	-	-	-	-	-	1	-	1	-	-	-	-
Connecticut												
All races, both sexes.....	15	13	15	13	24	29	34	24	17	3	-	-
Male.....	11	8	9	8	17	19	20	12	4	-	-	-
Female.....	4	5	6	5	7	10	14	12	13	3	-	-
White, both sexes.....	12	9	10	9	22	24	29	23	16	3	-	-
Male.....	9	6	6	6	16	16	17	12	4	-	-	-
Female.....	3	3	4	3	6	8	12	11	12	3	-	-
Black, both sexes.....	1	3	5	4	2	4	3	1	1	-	-	-
Male.....	1	1	3	2	1	2	3	-	-	-	-	-
Female.....	-	2	2	2	1	2	-	1	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	-	-	-	-	2	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	2	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Of stomach (C16)												
Delaware												
All races, both sexes.....	2	1	1	5	3	5	7	3	-	-	-	-
Male.....	1	-	-	5	1	1	4	-	-	-	-	-
Female.....	1	1	1	-	2	4	3	3	-	-	-	-
White, both sexes.....	1	-	1	2	2	4	6	2	-	-	-	-
Male.....	1	-	-	2	-	1	4	-	-	-	-	-
Female.....	-	-	1	-	2	3	2	2	-	-	-	-
Black, both sexes.....	1	1	-	3	1	1	1	1	-	-	-	-
Male.....	-	-	-	3	1	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	1	1	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Dist. of Columbia												
All races, both sexes.....	5	2	4	6	3	5	7	7	5	-	-	-
Male.....	5	1	3	6	2	1	3	2	2	-	-	-
Female.....	-	1	1	-	1	4	4	5	3	-	-	-
White, both sexes.....	-	-	-	2	1	-	1	-	2	-	-	-
Male.....	-	-	-	2	-	-	1	-	1	-	-	-
Female.....	-	-	-	-	1	-	-	-	1	-	-	-
Black, both sexes.....	5	2	4	4	2	5	6	6	3	-	-	-
Male.....	5	1	3	4	2	1	2	2	1	-	-	-
Female.....	-	1	1	-	-	4	4	4	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Of stomach (C16)												
Florida												
All races, both sexes.....	35	57	55	75	117	140	122	95	45	15	2	-
Male.....	25	42	32	49	79	86	77	44	22	5	1	-
Female.....	10	15	23	26	38	54	45	51	23	10	1	-
White, both sexes.....	25	46	41	64	93	113	105	84	40	11	1	-
Male.....	18	34	23	41	65	73	69	40	20	4	1	-
Female.....	7	12	18	23	28	40	36	44	20	7	-	-
Black, both sexes.....	9	10	13	11	22	24	17	11	5	4	1	-
Male.....	6	8	9	8	12	12	8	4	2	1	-	-
Female.....	3	2	4	3	10	12	9	7	3	3	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	1	-	2	3	-	-	-	-	-	-
Male.....	1	-	-	-	2	1	-	-	-	-	-	-
Female.....	-	1	1	-	-	2	-	-	-	-	-	-
Georgia												
All races, both sexes.....	24	25	24	36	43	44	25	24	16	2	-	-
Male.....	16	18	11	24	28	22	11	8	10	1	-	-
Female.....	8	7	13	12	15	22	14	16	6	1	-	-
White, both sexes.....	15	10	9	17	30	27	17	14	9	2	-	-
Male.....	10	7	6	11	20	13	8	4	6	1	-	-
Female.....	5	3	3	6	10	14	9	10	3	1	-	-
Black, both sexes.....	9	15	15	16	13	15	8	10	7	-	-	-
Male.....	6	11	5	11	8	8	3	4	4	-	-	-
Female.....	3	4	10	5	5	7	5	6	3	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	3	-	2	-	-	-	-	-	-
Male.....	-	-	-	2	-	1	-	-	-	-	-	-
Female.....	-	-	-	1	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Of stomach (C16)												
Hawaii												
All races, both sexes.....	2	8	7	13	13	16	14	16	3	4	-	-
Male.....	1	4	5	9	6	9	4	5	2	-	-	-
Female.....	1	4	2	4	7	7	10	11	1	4	-	-
White, both sexes.....	1	2	1	2	3	2	1	3	-	-	-	-
Male.....	1	-	1	2	2	2	-	2	-	-	-	-
Female.....	-	2	-	-	1	-	1	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	6	6	11	10	14	13	13	3	4	-	-
Male.....	-	4	4	7	4	7	4	3	2	-	-	-
Female.....	1	2	2	4	6	7	9	10	1	4	-	-
Idaho												
All races, both sexes.....	3	4	2	2	2	8	2	3	-	-	-	-
Male.....	2	4	2	2	2	5	-	-	-	-	-	-
Female.....	1	-	-	-	-	3	2	3	-	-	-	-
White, both sexes.....	3	4	2	2	2	7	2	3	-	-	-	-
Male.....	2	4	2	2	2	5	-	-	-	-	-	-
Female.....	1	-	-	-	-	2	2	3	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Of stomach (C16)												
Massachusetts												
All races, both sexes.....	15	15	17	38	42	45	74	42	23	10	2	-
Male.....	14	8	7	25	28	22	40	15	7	2	-	-
Female.....	1	7	10	13	14	23	34	27	16	8	2	-
White, both sexes.....	12	13	17	34	36	41	68	40	23	10	1	-
Male.....	12	7	7	23	23	22	35	14	7	2	-	-
Female.....	-	6	10	11	13	19	33	26	16	8	1	-
Black, both sexes.....	1	2	-	3	5	1	6	1	-	-	1	-
Male.....	1	1	-	2	4	-	5	-	-	-	-	-
Female.....	-	1	-	1	1	1	1	1	-	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	1	1	3	-	1	-	-	-	-
Male.....	1	-	-	-	1	-	-	1	-	-	-	-
Female.....	1	-	-	1	-	3	-	-	-	-	-	-
Michigan												
All races, both sexes.....	17	26	29	35	59	73	48	58	20	5	1	-
Male.....	9	18	22	29	45	39	31	26	7	1	-	-
Female.....	8	8	7	6	14	34	17	32	13	4	1	-
White, both sexes.....	12	16	21	26	44	55	40	42	19	4	1	-
Male.....	6	12	16	23	34	29	28	20	7	1	-	-
Female.....	6	4	5	3	10	26	12	22	12	3	1	-
Black, both sexes.....	5	9	6	9	14	17	6	16	1	1	-	-
Male.....	3	5	4	6	11	9	2	6	-	-	-	-
Female.....	2	4	2	3	3	8	4	10	1	1	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	-	1	1	2	-	-	-	-	-
Male.....	-	1	1	-	-	1	1	-	-	-	-	-
Female.....	-	-	-	-	1	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Of stomach (C16)												
Minnesota												
All races, both sexes.....	7	9	13	14	14	35	24	18	22	1	-	-
Male.....	5	9	8	9	8	21	13	9	6	1	-	-
Female.....	2	-	5	5	6	14	11	9	16	-	-	-
White, both sexes.....	6	9	10	11	14	32	20	18	21	1	-	-
Male.....	4	9	7	6	8	19	13	9	6	1	-	-
Female.....	2	-	3	5	6	13	7	9	15	-	-	-
Black, both sexes.....	-	-	-	2	-	2	-	-	1	-	-	-
Male.....	-	-	-	2	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	2	1	-	1	4	-	-	-	-	-
Male.....	1	-	1	1	-	1	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	4	-	-	-	-	-
Mississippi												
All races, both sexes.....	7	9	11	14	14	18	12	14	12	3	-	-
Male.....	5	4	6	9	12	12	5	8	6	-	-	-
Female.....	2	5	5	5	2	6	7	6	6	3	-	-
White, both sexes.....	1	7	7	7	8	14	8	7	3	-	-	-
Male.....	-	4	3	4	7	9	4	4	2	-	-	-
Female.....	1	3	4	3	1	5	4	3	1	-	-	-
Black, both sexes.....	6	2	4	7	6	4	4	7	7	3	-	-
Male.....	5	-	3	5	5	3	1	4	3	-	-	-
Female.....	1	2	1	2	1	1	3	3	4	3	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	2	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Of stomach (C16)												
New Hampshire												
All races, both sexes.....	2	3	2	8	7	7	4	4	1	-	-	-
Male.....	2	3	2	5	4	5	3	3	-	-	-	-
Female.....	-	-	-	3	3	2	1	1	1	-	-	-
White, both sexes.....	1	3	2	8	7	7	4	4	1	-	-	-
Male.....	1	3	2	5	4	5	3	3	-	-	-	-
Female.....	-	-	-	3	3	2	1	1	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New Jersey												
All races, both sexes.....	15	26	42	57	70	75	69	40	31	5	1	-
Male.....	13	15	32	42	45	43	34	21	14	1	1	-
Female.....	2	11	10	15	25	32	35	19	17	4	-	-
White, both sexes.....	10	21	34	43	54	63	52	38	28	4	1	-
Male.....	9	11	25	30	34	34	26	20	14	-	1	-
Female.....	1	10	9	13	20	29	26	18	14	4	-	-
Black, both sexes.....	3	3	8	12	14	12	15	2	3	-	-	-
Male.....	2	3	7	10	9	9	8	1	-	-	-	-
Female.....	1	-	1	2	5	3	7	1	3	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	2	-	2	2	-	2	-	-	1	-	-
Male.....	2	1	-	2	2	-	-	-	-	1	-	-
Female.....	-	1	-	-	-	-	2	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Of stomach (C16)												
New Mexico												
All races, both sexes.....	5	11	5	11	10	13	9	9	2	-	-	-
Male.....	1	4	3	7	9	10	3	7	2	-	-	-
Female.....	4	7	2	4	1	3	6	2	-	-	-	-
White, both sexes.....	4	8	4	8	10	13	8	6	2	-	-	-
Male.....	1	4	3	6	9	10	2	5	2	-	-	-
Female.....	3	4	1	2	1	3	6	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	3	1	3	-	-	1	2	-	-	-	-
Male.....	-	-	-	1	-	-	1	1	-	-	-	-
Female.....	1	3	1	2	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	50	72	78	91	137	150	155	121	50	9	4	-
Male.....	32	45	53	62	89	80	70	67	13	3	1	-
Female.....	18	27	25	29	48	70	85	54	37	6	3	-
White, both sexes.....	36	49	53	62	105	111	122	102	41	7	2	-
Male.....	22	32	37	42	71	62	52	56	11	2	-	-
Female.....	14	17	16	20	34	49	70	46	30	5	2	-
Black, both sexes.....	11	19	19	16	23	31	24	17	7	1	2	-
Male.....	8	11	11	10	14	12	12	10	2	-	1	-
Female.....	3	8	8	6	9	19	12	7	5	1	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	4	6	13	9	8	8	2	2	1	-	-
Male.....	2	2	5	10	4	6	5	1	-	1	-	-
Female.....	1	2	1	3	5	2	3	1	2	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks

preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Of stomach (C16)												
Ohio												
All races, both sexes.....	14	34	42	47	61	74	85	46	33	4	1	-
Male.....	12	20	30	30	34	39	44	25	14	2	1	-
Female.....	2	14	12	17	27	35	41	21	19	2	-	-
White, both sexes.....	11	27	31	39	49	56	75	36	27	3	1	-
Male.....	9	17	22	26	28	31	41	18	11	2	1	-
Female.....	2	10	9	13	21	25	34	18	16	1	-	-
Black, both sexes.....	3	7	9	8	12	17	10	10	6	1	-	-
Male.....	3	3	6	4	6	8	3	7	3	-	-	-
Female.....	-	4	3	4	6	9	7	3	3	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	2	-	-	-	-	-	-	-	-	-
Male.....	-	-	2	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Oklahoma												
All races, both sexes.....	5	12	10	10	22	20	17	12	7	3	-	-
Male.....	3	9	9	7	16	15	8	7	2	-	-	-
Female.....	2	3	1	3	6	5	9	5	5	3	-	-
White, both sexes.....	4	10	8	9	17	17	13	9	7	3	-	-
Male.....	2	7	8	6	13	14	6	4	2	-	-	-
Female.....	2	3	-	3	4	3	7	5	5	3	-	-
Black, both sexes.....	1	2	1	-	3	1	2	2	-	-	-	-
Male.....	1	2	1	-	2	1	1	2	-	-	-	-
Female.....	-	-	-	-	1	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	1	2	2	1	-	-	-	-
Male.....	-	-	-	1	1	-	1	1	-	-	-	-
Female.....	-	-	-	-	-	2	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Of stomach (C16)												
Texas												
All races, both sexes.....	55	54	77	82	122	114	113	81	33	17	-	-
Male.....	32	38	45	53	76	66	60	33	16	4	-	-
Female.....	23	16	32	29	46	48	53	48	17	13	-	-
White, both sexes.....	45	46	60	64	99	96	92	64	26	11	-	-
Male.....	24	35	32	40	69	56	53	26	12	3	-	-
Female.....	21	11	28	24	30	40	39	38	14	8	-	-
Black, both sexes.....	9	5	13	13	20	16	17	17	5	6	-	-
Male.....	7	2	10	10	6	9	5	7	3	1	-	-
Female.....	2	3	3	3	14	7	12	10	2	5	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	3	4	5	3	2	4	-	2	-	-	-
Male.....	1	1	3	3	1	1	2	-	1	-	-	-
Female.....	-	2	1	2	2	1	2	-	1	-	-	-
Utah												
All races, both sexes.....	2	2	1	3	3	10	13	3	4	-	-	-
Male.....	1	1	-	3	1	5	8	1	1	-	-	-
Female.....	1	1	1	-	2	5	5	2	3	-	-	-
White, both sexes.....	2	2	1	3	3	9	13	3	4	-	-	-
Male.....	1	1	-	3	1	5	8	1	1	-	-	-
Female.....	1	1	1	-	2	4	5	2	3	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Of stomach (C16)												
Vermont												
All races, both sexes.....	-	2	2	-	1	2	4	2	2	2	-	-
Male.....	-	1	2	-	1	-	2	1	-	1	-	-
Female.....	-	1	-	-	-	2	2	1	2	1	-	-
White, both sexes.....	-	2	2	-	1	2	4	2	2	2	-	-
Male.....	-	1	2	-	1	-	2	1	-	1	-	-
Female.....	-	1	-	-	-	2	2	1	2	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Virginia												
All races, both sexes.....	14	30	22	20	41	49	32	34	16	3	-	-
Male.....	7	16	18	15	28	32	17	19	6	-	-	-
Female.....	7	14	4	5	13	17	15	15	10	3	-	-
White, both sexes.....	5	16	13	11	20	27	22	26	11	2	-	-
Male.....	4	8	9	10	12	18	12	13	4	-	-	-
Female.....	1	8	4	1	8	9	10	13	7	2	-	-
Black, both sexes.....	8	12	7	7	19	20	10	8	5	1	-	-
Male.....	3	8	7	4	14	13	5	6	2	-	-	-
Female.....	5	4	-	3	5	7	5	2	3	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	2	2	2	2	1	-	-	-	-	-	-
Male.....	-	-	2	1	2	-	-	-	-	-	-	-
Female.....	1	2	-	1	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Of small intestine (C17)												
Arkansas												
All races, both sexes.....	-	-	4	-	-	2	3	1	1	-	-	-
Male.....	-	-	4	-	-	1	1	-	-	-	-	-
Female.....	-	-	-	-	-	1	2	1	1	-	-	-
White, both sexes.....	-	-	3	-	-	2	2	-	1	-	-	-
Male.....	-	-	3	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	2	-	1	-	-	-
Black, both sexes.....	-	-	1	-	-	-	1	1	-	-	-	-
Male.....	-	-	1	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	6	15	12	14	12	14	19	12	9	2	-	-
Male.....	3	7	10	9	3	8	10	5	4	-	-	-
Female.....	3	8	2	5	9	6	9	7	5	2	-	-
White, both sexes.....	5	12	5	10	10	11	17	8	8	1	-	-
Male.....	3	4	4	7	3	6	10	3	3	-	-	-
Female.....	2	8	1	3	7	5	7	5	5	1	-	-
Black, both sexes.....	1	3	4	1	2	1	2	4	-	-	-	-
Male.....	-	3	3	-	-	1	-	2	-	-	-	-
Female.....	1	-	1	1	2	-	2	2	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	3	3	-	2	-	-	1	1	-	-
Male.....	-	-	3	2	-	1	-	-	1	-	-	-
Female.....	-	-	-	1	-	1	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Of small intestine (C17)												
Florida												
All races, both sexes.....	5	4	4	5	14	10	10	6	3	-	-	-
Male.....	4	1	2	2	8	2	5	3	-	-	-	-
Female.....	1	3	2	3	6	8	5	3	3	-	-	-
White, both sexes.....	4	4	4	5	13	9	9	6	3	-	-	-
Male.....	4	1	2	2	7	2	4	3	-	-	-	-
Female.....	-	3	2	3	6	7	5	3	3	-	-	-
Black, both sexes.....	1	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Georgia												
All races, both sexes.....	1	5	1	1	2	5	6	-	1	-	-	-
Male.....	-	1	-	1	1	1	1	-	-	-	-	-
Female.....	1	4	1	-	1	4	5	-	1	-	-	-
White, both sexes.....	-	1	1	1	1	4	2	-	1	-	-	-
Male.....	-	-	-	1	1	1	-	-	-	-	-	-
Female.....	-	1	1	-	-	3	2	-	1	-	-	-
Black, both sexes.....	1	4	-	-	1	1	3	-	-	-	-	-
Male.....	-	1	-	-	-	-	1	-	-	-	-	-
Female.....	1	3	-	-	1	1	2	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Of colon, rectum and anus (C18-C21)												
Arkansas												
All races, both sexes.....	610	-	-	-	-	1	-	2	3	8	11	20
Male.....	313	-	-	-	-	1	-	1	1	3	6	11
Female.....	297	-	-	-	-	-	-	1	2	5	5	9
White, both sexes.....	506	-	-	-	-	-	-	2	3	6	10	13
Male.....	260	-	-	-	-	-	-	1	1	2	6	7
Female.....	246	-	-	-	-	-	-	1	2	4	4	6
Black, both sexes.....	99	-	-	-	-	1	-	-	-	2	1	7
Male.....	51	-	-	-	-	1	-	-	-	1	-	4
Female.....	48	-	-	-	-	-	-	-	-	1	1	3
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	5,251	-	-	-	-	-	2	13	17	45	90	170
Male.....	2,609	-	-	-	-	-	2	7	5	22	53	79
Female.....	2,642	-	-	-	-	-	-	6	12	23	37	91
White, both sexes.....	4,340	-	-	-	-	-	2	11	15	31	64	120
Male.....	2,139	-	-	-	-	-	2	5	4	16	37	61
Female.....	2,201	-	-	-	-	-	-	6	11	15	27	59
Black, both sexes.....	425	-	-	-	-	-	-	-	-	6	10	19
Male.....	212	-	-	-	-	-	-	-	-	3	7	7
Female.....	213	-	-	-	-	-	-	-	-	3	3	12
American Indian 1/, both sexes.....	24	-	-	-	-	-	-	-	-	-	-	1
Male.....	12	-	-	-	-	-	-	-	-	-	-	-
Female.....	12	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	462	-	-	-	-	-	-	2	2	8	16	30
Male.....	246	-	-	-	-	-	-	2	1	3	9	11
Female.....	216	-	-	-	-	-	-	-	1	5	7	19

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Of colon, rectum and anus (C18-C21)												
Maine												
All races, both sexes.....	315	-	-	-	-	-	-	-	-	2	4	7
Male.....	165	-	-	-	-	-	-	-	-	1	3	3
Female.....	150	-	-	-	-	-	-	-	-	1	1	4
White, both sexes.....	313	-	-	-	-	-	-	-	-	2	3	7
Male.....	163	-	-	-	-	-	-	-	-	1	2	3
Female.....	150	-	-	-	-	-	-	-	-	1	1	4
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Maryland												
All races, both sexes.....	1,068	-	-	-	-	2	-	1	5	7	21	43
Male.....	537	-	-	-	-	2	-	1	3	4	12	25
Female.....	531	-	-	-	-	-	-	-	2	3	9	18
White, both sexes.....	784	-	-	-	-	1	-	1	4	5	15	22
Male.....	395	-	-	-	-	1	-	1	2	3	10	17
Female.....	389	-	-	-	-	-	-	-	2	2	5	5
Black, both sexes.....	272	-	-	-	-	1	-	-	1	1	6	21
Male.....	135	-	-	-	-	1	-	-	1	1	2	8
Female.....	137	-	-	-	-	-	-	-	-	-	4	13
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	12	-	-	-	-	-	-	-	-	-	1	-
Male.....	7	-	-	-	-	-	-	-	-	-	-	-
Female.....	5	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Of colon, rectum and anus (C18-C21)												
New Hampshire												
All races, both sexes.....	223	-	-	-	-	-	-	-	-	1	4	7
Male.....	117	-	-	-	-	-	-	-	-	1	3	5
Female.....	106	-	-	-	-	-	-	-	-	-	1	2
White, both sexes.....	221	-	-	-	-	-	-	-	-	1	4	6
Male.....	115	-	-	-	-	-	-	-	-	1	3	4
Female.....	106	-	-	-	-	-	-	-	-	-	1	2
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	1
Male.....	2	-	-	-	-	-	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New Jersey												
All races, both sexes.....	1,962	-	-	-	-	-	-	3	4	12	27	59
Male.....	973	-	-	-	-	-	-	3	2	4	15	41
Female.....	989	-	-	-	-	-	-	-	2	8	12	18
White, both sexes.....	1,707	-	-	-	-	-	-	3	4	10	18	42
Male.....	843	-	-	-	-	-	-	3	2	3	9	31
Female.....	864	-	-	-	-	-	-	-	2	7	9	11
Black, both sexes.....	225	-	-	-	-	-	-	-	-	1	8	15
Male.....	106	-	-	-	-	-	-	-	-	1	6	8
Female.....	119	-	-	-	-	-	-	-	-	-	2	7
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	29	-	-	-	-	-	-	-	-	1	1	2
Male.....	23	-	-	-	-	-	-	-	-	-	-	2
Female.....	6	-	-	-	-	-	-	-	-	1	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Of colon, rectum and anus (C18-C21)												
United States												
All races, both sexes.....	2,818	3,694	4,727	5,901	7,491	8,826	8,672	6,453	3,433	1,075	128	1
Male.....	1,606	2,185	2,850	3,455	4,125	4,536	3,968	2,508	1,024	267	24	1
Female.....	1,212	1,509	1,877	2,446	3,366	4,290	4,704	3,945	2,409	808	104	-
White, both sexes.....	2,240	2,985	3,873	4,933	6,460	7,731	7,686	5,857	3,073	955	110	1
Male.....	1,287	1,796	2,360	2,932	3,615	3,998	3,521	2,270	916	237	18	1
Female.....	953	1,189	1,513	2,001	2,845	3,733	4,165	3,587	2,157	718	92	-
Black, both sexes.....	493	596	712	817	857	934	836	509	309	94	13	-
Male.....	269	319	401	438	414	455	373	197	86	19	4	-
Female.....	224	277	311	379	443	479	463	312	223	75	9	-
American Indian 1/, both sexes.....	19	31	33	34	34	25	21	14	7	2	1	-
Male.....	12	23	24	17	16	11	10	3	1	-	1	-
Female.....	7	8	9	17	18	14	11	11	6	2	-	-
Asian or Pacific Islander 2/, both sexes.....	66	82	109	117	140	136	129	73	44	24	4	-
Male.....	38	47	65	68	80	72	64	38	21	11	1	-
Female.....	28	35	44	49	60	64	65	35	23	13	3	-
Alabama												
All races, both sexes.....	46	59	79	106	129	118	128	82	50	12	-	-
Male.....	24	38	52	63	74	51	65	35	16	6	-	-
Female.....	22	21	27	43	55	67	63	47	34	6	-	-
White, both sexes.....	31	38	58	70	94	83	98	67	34	8	-	-
Male.....	15	26	36	45	56	38	52	29	12	4	-	-
Female.....	16	12	22	25	38	45	46	38	22	4	-	-
Black, both sexes.....	14	21	21	36	33	35	30	15	16	4	-	-
Male.....	8	12	16	18	17	13	13	6	4	2	-	-
Female.....	6	9	5	18	16	22	17	9	12	2	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	2	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Of colon, rectum and anus (C18-C21)

Alaska

All races, both sexes.....	3	16	8	5	10	10	7	4	1	-	-	-
Male.....	1	10	5	3	6	5	3	1	-	-	-	-
Female.....	2	6	3	2	4	5	4	3	1	-	-	-
White, both sexes.....	2	11	5	3	3	7	3	3	1	-	-	-
Male.....	1	7	3	2	3	2	1	1	-	-	-	-
Female.....	1	4	2	1	-	5	2	2	1	-	-	-
Black, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	4	3	2	7	2	4	1	-	-	-	-
Male.....	-	2	2	1	3	2	2	-	-	-	-	-
Female.....	1	2	1	1	4	-	2	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Arizona

All races, both sexes.....	38	62	86	86	127	141	122	114	41	14	1	-
Male.....	21	42	53	51	76	78	66	45	18	7	-	-
Female.....	17	20	33	35	51	63	56	69	23	7	1	-
White, both sexes.....	35	59	81	82	120	135	120	111	39	13	1	-
Male.....	20	39	50	48	73	73	65	45	17	7	-	-
Female.....	15	20	31	34	47	62	55	66	22	6	1	-
Black, both sexes.....	1	2	3	1	4	5	1	2	1	-	-	-
Male.....	-	2	2	1	1	4	1	-	1	-	-	-
Female.....	1	-	1	-	3	1	-	2	-	-	-	-
American Indian 1/, both sexes.....	2	1	2	3	-	-	-	1	1	1	-	-
Male.....	1	1	1	2	-	-	-	-	-	-	-	-
Female.....	1	-	1	1	-	-	-	1	1	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	3	1	1	-	-	-	-	-
Male.....	-	-	-	-	2	1	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Of colon, rectum and anus (C18-C21)												
Arkansas												
All races, both sexes.....	36	41	51	63	91	80	86	68	37	12	-	-
Male.....	21	23	31	40	50	26	50	31	17	1	-	-
Female.....	15	18	20	23	41	54	36	37	20	11	-	-
White, both sexes.....	30	29	41	52	81	71	74	54	30	10	-	-
Male.....	20	15	26	31	45	23	45	26	11	1	-	-
Female.....	10	14	15	21	36	48	29	28	19	9	-	-
Black, both sexes.....	6	11	7	11	9	9	12	14	7	2	-	-
Male.....	1	7	4	9	5	3	5	5	6	-	-	-
Female.....	5	4	3	2	4	6	7	9	1	2	-	-
American Indian 1/, both sexes.....	-	1	1	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	2	-	1	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	1	-	-	-	-	-	-	-
California												
All races, both sexes.....	287	350	458	568	648	792	789	580	307	124	11	-
Male.....	168	221	282	337	358	388	321	236	96	30	4	-
Female.....	119	129	176	231	290	404	468	344	211	94	7	-
White, both sexes.....	222	274	374	459	537	669	668	515	266	102	11	-
Male.....	133	171	229	276	301	334	260	203	83	20	4	-
Female.....	89	103	145	183	236	335	408	312	183	82	7	-
Black, both sexes.....	36	35	40	51	51	61	57	27	23	9	-	-
Male.....	21	23	29	28	25	24	27	11	5	2	-	-
Female.....	15	12	11	23	26	37	30	16	18	7	-	-
American Indian 1/, both sexes.....	-	3	3	3	5	7	2	-	-	-	-	-
Male.....	-	3	3	1	2	3	-	-	-	-	-	-
Female.....	-	-	-	2	3	4	2	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	29	38	41	55	55	55	62	38	18	13	-	-
Male.....	14	24	21	32	30	27	34	22	8	8	-	-
Female.....	15	14	20	23	25	28	28	16	10	5	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Of colon, rectum and anus (C18-C21)												
Colorado												
All races, both sexes.....	31	32	53	70	106	107	99	70	34	6	1	-
Male.....	20	18	31	40	64	53	46	30	10	1	-	-
Female.....	11	14	22	30	42	54	53	40	24	5	1	-
White, both sexes.....	30	31	51	63	100	102	96	68	33	6	1	-
Male.....	19	18	31	37	61	51	45	28	10	1	-	-
Female.....	11	13	20	26	39	51	51	40	23	5	1	-
Black, both sexes.....	1	1	2	5	5	1	2	2	1	-	-	-
Male.....	1	-	-	3	2	-	1	2	-	-	-	-
Female.....	-	1	2	2	3	1	1	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	2	1	4	-	-	-	-	-	-
Male.....	-	-	-	-	1	2	-	-	-	-	-	-
Female.....	-	-	-	2	-	2	-	-	-	-	-	-
Connecticut												
All races, both sexes.....	25	52	53	74	98	131	116	93	48	17	1	-
Male.....	9	31	29	37	50	79	54	35	11	6	-	-
Female.....	16	21	24	37	48	52	62	58	37	11	1	-
White, both sexes.....	23	43	48	65	92	124	113	93	48	15	1	-
Male.....	9	25	26	32	48	76	52	35	11	5	-	-
Female.....	14	18	22	33	44	48	61	58	37	10	1	-
Black, both sexes.....	2	8	5	9	6	6	3	-	-	2	-	-
Male.....	-	6	3	5	2	3	2	-	-	1	-	-
Female.....	2	2	2	4	4	3	1	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Of colon, rectum and anus (C18-C21)												
Delaware												
All races, both sexes.....	6	13	14	18	28	30	19	13	11	4	-	-
Male.....	5	8	8	11	13	16	13	7	5	1	-	-
Female.....	1	5	6	7	15	14	6	6	6	3	-	-
White, both sexes.....	5	8	12	15	22	24	15	12	10	4	-	-
Male.....	4	7	7	11	11	11	9	6	5	1	-	-
Female.....	1	1	5	4	11	13	6	6	5	3	-	-
Black, both sexes.....	1	5	2	3	5	6	4	1	1	-	-	-
Male.....	1	1	1	-	2	5	4	1	-	-	-	-
Female.....	-	4	1	3	3	1	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Dist. of Columbia												
All races, both sexes.....	12	7	14	17	18	19	15	20	8	3	-	-
Male.....	7	3	9	8	10	7	5	8	4	1	-	-
Female.....	5	4	5	9	8	12	10	12	4	2	-	-
White, both sexes.....	1	1	3	2	1	3	4	7	3	3	-	-
Male.....	1	-	2	1	1	3	1	3	2	1	-	-
Female.....	-	1	1	1	-	-	3	4	1	2	-	-
Black, both sexes.....	11	6	11	15	17	16	10	13	5	-	-	-
Male.....	6	3	7	7	9	4	4	5	2	-	-	-
Female.....	5	3	4	8	8	12	6	8	3	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Of colon, rectum and anus (C18-C21)												
Florida												
All races, both sexes.....	169	205	309	394	537	665	638	474	261	70	10	-
Male.....	86	119	195	243	305	334	301	216	87	31	1	-
Female.....	83	86	114	151	232	331	337	258	174	39	9	-
White, both sexes.....	141	168	264	346	472	621	591	444	246	63	10	-
Male.....	74	98	169	221	277	312	282	198	85	31	1	-
Female.....	67	70	95	125	195	309	309	246	161	32	9	-
Black, both sexes.....	27	35	41	45	63	44	45	30	15	6	-	-
Male.....	11	20	23	20	27	22	18	18	2	-	-	-
Female.....	16	15	18	25	36	22	27	12	13	6	-	-
American Indian 1/, both sexes.....	-	1	1	1	-	-	-	-	-	1	-	-
Male.....	-	1	1	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	3	2	2	-	2	-	-	-	-	-
Male.....	1	-	2	1	1	-	1	-	-	-	-	-
Female.....	-	1	1	1	1	-	1	-	-	-	-	-
Georgia												
All races, both sexes.....	75	120	132	151	171	185	183	121	56	18	1	-
Male.....	44	64	82	87	89	89	84	54	19	2	-	-
Female.....	31	56	50	64	82	96	99	67	37	16	1	-
White, both sexes.....	52	85	88	103	122	144	139	88	40	13	-	-
Male.....	34	48	58	64	66	76	67	39	11	2	-	-
Female.....	18	37	30	39	56	68	72	49	29	11	-	-
Black, both sexes.....	23	34	44	40	47	41	43	31	16	5	1	-
Male.....	10	16	24	19	22	13	17	14	8	-	-	-
Female.....	13	18	20	21	25	28	26	17	8	5	1	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	1	-	-	-	-
Male.....	-	-	-	-	1	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	8	1	-	1	1	-	-	-	-
Male.....	-	-	-	4	-	-	-	-	-	-	-	-
Female.....	-	1	-	4	1	-	1	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Of colon, rectum and anus (C18-C21)												
Hawaii												
All races, both sexes.....	14	21	24	20	28	40	33	20	17	7	-	-
Male.....	10	13	16	14	15	26	14	11	7	3	-	-
Female.....	4	8	8	6	13	14	19	9	10	4	-	-
White, both sexes.....	4	11	7	6	3	12	9	7	6	1	-	-
Male.....	2	6	5	4	1	9	4	4	2	1	-	-
Female.....	2	5	2	2	2	3	5	3	4	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	10	10	17	14	25	28	24	12	11	6	-	-
Male.....	8	7	11	10	14	17	10	7	5	2	-	-
Female.....	2	3	6	4	11	11	14	5	6	4	-	-
Idaho												
All races, both sexes.....	9	9	14	23	30	25	30	25	12	3	1	-
Male.....	7	6	9	11	15	15	12	9	5	3	-	-
Female.....	2	3	5	12	15	10	18	16	7	-	1	-
White, both sexes.....	9	9	14	23	30	24	29	25	12	3	1	-
Male.....	7	6	9	11	15	14	12	9	5	3	-	-
Female.....	2	3	5	12	15	10	17	16	7	-	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Of colon, rectum and anus (C18-C21)

Iowa

All races, both sexes.....	21	36	52	81	80	113	116	99	58	21	2	-
Male.....	14	23	30	40	49	56	50	40	13	5	-	-
Female.....	7	13	22	41	31	57	66	59	45	16	2	-
White, both sexes.....	18	35	50	81	78	112	114	99	58	21	2	-
Male.....	11	23	28	40	49	56	49	40	13	5	-	-
Female.....	7	12	22	41	29	56	65	59	45	16	2	-
Black, both sexes.....	3	1	1	-	2	1	2	-	-	-	-	-
Male.....	3	-	1	-	-	-	1	-	-	-	-	-
Female.....	-	1	-	-	2	1	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Kansas

All races, both sexes.....	15	35	35	51	77	91	98	71	56	18	3	-
Male.....	7	21	19	30	49	47	45	25	15	1	-	-
Female.....	8	14	16	21	28	44	53	46	41	17	3	-
White, both sexes.....	15	28	32	47	71	86	93	66	54	18	3	-
Male.....	7	17	18	27	45	46	41	24	14	1	-	-
Female.....	8	11	14	20	26	40	52	42	40	17	3	-
Black, both sexes.....	-	3	2	4	5	4	4	4	2	-	-	-
Male.....	-	2	-	3	4	-	3	1	1	-	-	-
Female.....	-	1	2	1	1	4	1	3	1	-	-	-
American Indian 1/, both sexes.....	-	3	1	-	-	-	1	1	-	-	-	-
Male.....	-	2	1	-	-	-	1	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	1	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	1	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Of colon, rectum and anus (C18-C21)												
Maine												
All races, both sexes.....	17	9	18	29	57	44	55	38	23	11	1	-
Male.....	12	8	12	20	36	19	26	11	11	3	-	-
Female.....	5	1	6	9	21	25	29	27	12	8	1	-
White, both sexes.....	17	9	18	29	56	44	55	38	23	11	1	-
Male.....	12	8	12	20	35	19	26	11	11	3	-	-
Female.....	5	1	6	9	21	25	29	27	12	8	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Maryland												
All races, both sexes.....	48	87	106	99	137	169	148	108	59	23	5	-
Male.....	29	48	67	63	77	84	63	38	10	10	1	-
Female.....	19	39	39	36	60	85	85	70	49	13	4	-
White, both sexes.....	32	53	76	70	104	136	116	88	42	16	3	-
Male.....	18	35	49	42	58	68	48	32	5	6	-	-
Female.....	14	18	27	28	46	68	68	56	37	10	3	-
Black, both sexes.....	15	34	30	28	32	32	28	20	16	7	-	-
Male.....	10	13	18	20	18	15	13	6	5	4	-	-
Female.....	5	21	12	8	14	17	15	14	11	3	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	1	1	1	4	-	1	-	2	-
Male.....	1	-	-	1	1	1	2	-	-	-	1	-
Female.....	-	-	-	-	-	-	2	-	1	-	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Of colon, rectum and anus (C18-C21)												
Massachusetts												
All races, both sexes.....	58	95	99	124	191	246	281	170	134	38	3	-
Male.....	30	47	58	70	98	128	128	50	40	3	1	-
Female.....	28	48	41	54	93	118	153	120	94	35	2	-
White, both sexes.....	52	91	89	116	181	241	268	166	130	32	3	-
Male.....	25	46	52	64	93	126	123	47	39	3	1	-
Female.....	27	45	37	52	88	115	145	119	91	29	2	-
Black, both sexes.....	4	4	9	6	8	4	10	4	2	6	-	-
Male.....	3	1	5	5	3	1	3	3	-	-	-	-
Female.....	1	3	4	1	5	3	7	1	2	6	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	1	2	2	1	3	-	2	-	-	-
Male.....	1	-	1	1	2	1	2	-	1	-	-	-
Female.....	-	-	-	1	-	-	1	-	1	-	-	-
Michigan												
All races, both sexes.....	128	121	148	186	270	298	305	222	116	33	5	-
Male.....	79	74	88	114	149	154	141	83	36	6	1	-
Female.....	49	47	60	72	121	144	164	139	80	27	4	-
White, both sexes.....	105	98	111	152	238	242	270	203	105	27	4	-
Male.....	67	61	66	96	135	123	127	75	30	5	1	-
Female.....	38	37	45	56	103	119	143	128	75	22	3	-
Black, both sexes.....	23	20	34	34	30	54	33	17	11	5	1	-
Male.....	12	11	19	18	14	30	14	8	6	1	-	-
Female.....	11	9	15	16	16	24	19	9	5	4	1	-
American Indian 1/, both sexes.....	-	3	2	-	1	-	2	1	-	-	-	-
Male.....	-	2	2	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	1	-	2	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	1	2	-	1	-	1	-	-
Male.....	-	-	1	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	1	1	-	1	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Of colon, rectum and anus (C18-C21)												
Minnesota												
All races, both sexes.....	51	55	74	86	106	155	138	129	68	20	1	-
Male.....	29	28	51	53	48	76	64	45	17	6	-	-
Female.....	22	27	23	33	58	79	74	84	51	14	1	-
White, both sexes.....	47	51	68	82	103	149	138	127	68	20	1	-
Male.....	27	26	47	50	47	74	64	45	17	6	-	-
Female.....	20	25	21	32	56	75	74	82	51	14	1	-
Black, both sexes.....	2	2	3	2	3	3	-	-	-	-	-	-
Male.....	-	1	2	1	1	2	-	-	-	-	-	-
Female.....	2	1	1	1	2	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	2	2	2	-	1	-	1	-	-	-	-
Male.....	2	1	1	2	-	-	-	-	-	-	-	-
Female.....	-	1	1	-	-	1	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	2	-	1	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	2	-	1	-	-	-	-
Mississippi												
All races, both sexes.....	33	42	53	73	79	102	89	59	31	10	1	-
Male.....	22	19	31	42	38	66	43	12	9	3	1	-
Female.....	11	23	22	31	41	36	46	47	22	7	-	-
White, both sexes.....	17	26	25	46	54	69	65	41	20	7	-	-
Male.....	11	16	19	27	30	44	32	8	7	2	-	-
Female.....	6	10	6	19	24	25	33	33	13	5	-	-
Black, both sexes.....	16	15	28	27	22	32	24	18	10	3	1	-
Male.....	11	3	12	15	8	21	11	4	2	1	1	-
Female.....	5	12	16	12	14	11	13	14	8	2	-	-
American Indian 1/, both sexes.....	-	1	-	-	3	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	1	-	-	3	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Of colon, rectum and anus (C18-C21)												
Nebraska												
All races, both sexes.....	14	22	35	52	47	60	55	55	31	8	2	-
Male.....	9	13	19	28	25	32	26	14	12	2	-	-
Female.....	5	9	16	24	22	28	29	41	19	6	2	-
White, both sexes.....	13	21	30	46	47	58	55	54	31	8	2	-
Male.....	8	13	14	25	25	31	26	14	12	2	-	-
Female.....	5	8	16	21	22	27	29	40	19	6	2	-
Black, both sexes.....	1	1	4	4	-	2	-	1	-	-	-	-
Male.....	1	-	4	2	-	1	-	-	-	-	-	-
Female.....	-	1	-	2	-	1	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	1	-	-	-	-	-	-	-	-
Male.....	-	-	1	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Nevada												
All races, both sexes.....	20	25	41	57	69	59	57	38	15	2	-	-
Male.....	11	14	27	34	34	32	33	19	4	1	-	-
Female.....	9	11	14	23	35	27	24	19	11	1	-	-
White, both sexes.....	19	21	35	54	65	58	49	36	14	2	-	-
Male.....	10	13	25	33	34	31	29	18	4	1	-	-
Female.....	9	8	10	21	31	27	20	18	10	1	-	-
Black, both sexes.....	1	2	3	1	2	-	4	2	1	-	-	-
Male.....	1	-	-	-	-	-	2	1	-	-	-	-
Female.....	-	2	3	1	2	-	2	1	1	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	3	2	2	1	4	-	-	-	-	-
Male.....	-	-	2	1	-	1	2	-	-	-	-	-
Female.....	-	1	1	1	2	-	2	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Of colon, rectum and anus (C18-C21)												
New Hampshire												
All races, both sexes.....	14	16	23	27	30	31	26	28	12	3	1	-
Male.....	10	7	16	9	19	15	10	12	7	3	-	-
Female.....	4	9	7	18	11	16	16	16	5	-	1	-
White, both sexes.....	14	16	22	27	30	31	26	28	12	3	1	-
Male.....	10	7	15	9	19	15	10	12	7	3	-	-
Female.....	4	9	7	18	11	16	16	16	5	-	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New Jersey												
All races, both sexes.....	79	117	149	172	253	336	366	236	116	31	2	-
Male.....	43	60	94	96	138	174	169	93	31	10	-	-
Female.....	36	57	55	76	115	162	197	143	85	21	2	-
White, both sexes.....	64	85	128	142	209	298	341	227	106	29	1	-
Male.....	36	41	80	78	113	159	159	90	29	10	-	-
Female.....	28	44	48	64	96	139	182	137	77	19	1	-
Black, both sexes.....	13	28	18	25	41	32	25	7	9	2	1	-
Male.....	5	16	11	13	22	11	10	2	1	-	-	-
Female.....	8	12	7	12	19	21	15	5	8	2	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	4	3	5	3	6	-	1	1	-	-	-
Male.....	2	3	3	5	3	4	-	-	1	-	-	-
Female.....	-	1	-	-	-	2	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Of colon, rectum and anus (C18-C21)												
New Mexico												
All races, both sexes.....	16	26	32	35	43	51	50	29	20	4	-	-
Male.....	8	17	20	22	24	30	31	12	4	1	-	-
Female.....	8	9	12	13	19	21	19	17	16	3	-	-
White, both sexes.....	16	24	25	28	41	50	49	27	20	4	-	-
Male.....	8	16	15	17	24	29	31	11	4	1	-	-
Female.....	8	8	10	11	17	21	18	16	16	3	-	-
Black, both sexes.....	-	-	1	3	-	1	1	-	-	-	-	-
Male.....	-	-	-	3	-	1	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	2	6	3	2	-	-	1	-	-	-	-
Male.....	-	1	5	2	-	-	-	1	-	-	-	-
Female.....	-	1	1	1	2	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	1	-	-	-	-
New York												
All races, both sexes.....	184	255	318	423	566	609	647	500	255	79	11	-
Male.....	97	136	181	232	318	316	286	196	83	20	1	-
Female.....	87	119	137	191	248	293	361	304	172	59	10	-
White, both sexes.....	142	194	255	341	487	538	570	444	226	73	10	-
Male.....	77	111	148	191	281	283	247	174	72	19	1	-
Female.....	65	83	107	150	206	255	323	270	154	54	9	-
Black, both sexes.....	35	48	54	73	67	67	70	48	22	5	-	-
Male.....	16	20	29	35	29	32	34	16	8	-	-	-
Female.....	19	28	25	38	38	35	36	32	14	5	-	-
American Indian 1/, both sexes.....	1	-	-	2	-	1	-	-	2	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	1	-	-	2	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	13	9	7	12	3	7	8	5	1	1	-
Male.....	3	5	4	5	8	1	5	6	3	1	-	-
Female.....	3	8	5	2	4	2	2	2	2	-	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Of colon, rectum and anus (C18-C21)												
Oregon												
All races, both sexes.....	29	40	47	66	77	90	125	83	52	12	1	-
Male.....	14	27	30	40	46	48	65	39	21	3	-	-
Female.....	15	13	17	26	31	42	60	44	31	9	1	-
White, both sexes.....	27	36	43	63	73	89	122	80	52	12	1	-
Male.....	13	24	27	37	43	48	64	38	21	3	-	-
Female.....	14	12	16	26	30	41	58	42	31	9	1	-
Black, both sexes.....	-	1	-	-	3	-	2	3	-	-	-	-
Male.....	-	1	-	-	2	-	1	1	-	-	-	-
Female.....	-	-	-	-	1	-	1	2	-	-	-	-
American Indian 1/, both sexes.....	2	1	2	2	1	1	1	-	-	-	-	-
Male.....	1	1	1	2	1	-	-	-	-	-	-	-
Female.....	1	-	1	-	-	1	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	2	1	-	-	-	-	-	-	-	-
Male.....	-	1	2	1	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
Pennsylvania												
All races, both sexes.....	123	175	226	295	440	598	531	385	201	73	11	-
Male.....	78	97	126	172	241	321	257	149	53	15	1	-
Female.....	45	78	100	123	199	277	274	236	148	58	10	-
White, both sexes.....	107	150	196	257	399	562	486	368	189	70	10	-
Male.....	66	90	114	150	220	297	236	144	49	14	1	-
Female.....	41	60	82	107	179	265	250	224	140	56	9	-
Black, both sexes.....	15	24	29	37	39	34	44	16	12	2	1	-
Male.....	11	6	12	21	20	24	21	4	4	1	-	-
Female.....	4	18	17	16	19	10	23	12	8	1	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	1	1	2	2	1	1	-	1	-	-
Male.....	1	1	-	1	1	-	-	1	-	-	-	-
Female.....	-	-	1	-	1	2	1	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Of colon, rectum and anus (C18-C21)												
Texas												
All races, both sexes.....	215	257	311	369	428	447	451	355	179	49	5	-
Male.....	126	163	191	216	230	236	204	131	45	12	-	-
Female.....	89	94	120	153	198	211	247	224	134	37	5	-
White, both sexes.....	163	208	249	320	365	377	382	319	153	42	4	-
Male.....	96	131	158	192	203	195	177	115	39	12	-	-
Female.....	67	77	91	128	162	182	205	204	114	30	4	-
Black, both sexes.....	47	46	56	48	57	66	65	33	25	7	1	-
Male.....	28	30	28	24	24	41	26	16	5	-	-	-
Female.....	19	16	28	24	33	25	39	17	20	7	1	-
American Indian 1/, both sexes.....	-	1	-	-	1	-	-	-	-	-	-	-
Male.....	-	1	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	2	6	1	5	4	4	3	1	-	-	-
Male.....	2	1	5	-	2	-	1	-	1	-	-	-
Female.....	3	1	1	1	3	4	3	3	-	-	-	-
Utah												
All races, both sexes.....	11	18	18	29	30	43	33	40	8	2	-	-
Male.....	1	10	9	17	16	22	15	22	4	-	-	-
Female.....	10	8	9	12	14	21	18	18	4	2	-	-
White, both sexes.....	10	17	18	28	29	42	32	39	8	2	-	-
Male.....	1	9	9	17	15	22	15	22	4	-	-	-
Female.....	9	8	9	11	14	20	17	17	4	2	-	-
Black, both sexes.....	1	1	-	1	-	-	-	1	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	1	1	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Of colon, rectum and anus (C18-C21)

Vermont

All races, both sexes.....	5	9	11	19	20	18	23	17	13	4	-	-
Male.....	5	6	8	10	12	5	11	7	4	-	-	-
Female.....	-	3	3	9	8	13	12	10	9	4	-	-
White, both sexes.....	5	9	10	19	20	18	23	17	13	4	-	-
Male.....	5	6	7	10	12	5	11	7	4	-	-	-
Female.....	-	3	3	9	8	13	12	10	9	4	-	-
Black, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	77	103	133	171	187	194	192	124	66	26	-	1
Male.....	40	66	79	105	99	92	81	43	19	5	-	1
Female.....	37	37	54	66	88	102	111	81	47	21	-	-
White, both sexes.....	58	83	105	125	155	141	144	104	58	21	-	1
Male.....	31	52	64	82	84	65	63	36	17	2	-	1
Female.....	27	31	41	43	71	76	81	68	41	19	-	-
Black, both sexes.....	19	19	24	45	31	48	48	19	8	5	-	-
Male.....	9	13	13	23	14	24	18	7	2	3	-	-
Female.....	10	6	11	22	17	24	30	12	6	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	4	1	1	4	-	1	-	-	-	-
Male.....	-	1	2	-	1	2	-	-	-	-	-	-
Female.....	-	-	2	1	-	2	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Colon (C18)												
Arkansas												
All races, both sexes.....	542	-	-	-	-	1	-	2	2	6	9	17
Male.....	275	-	-	-	-	1	-	1	1	2	5	9
Female.....	267	-	-	-	-	-	-	1	1	4	4	8
White, both sexes.....	446	-	-	-	-	-	-	2	2	5	8	11
Male.....	227	-	-	-	-	-	-	1	1	2	5	6
Female.....	219	-	-	-	-	-	-	1	1	3	3	5
Black, both sexes.....	92	-	-	-	-	1	-	-	-	1	1	6
Male.....	47	-	-	-	-	1	-	-	-	-	-	3
Female.....	45	-	-	-	-	-	-	-	-	1	1	3
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	4,330	-	-	-	-	-	2	9	13	33	74	123
Male.....	2,117	-	-	-	-	-	2	5	4	14	41	58
Female.....	2,213	-	-	-	-	-	-	4	9	19	33	65
White, both sexes.....	3,580	-	-	-	-	-	2	8	12	21	54	85
Male.....	1,733	-	-	-	-	-	2	4	4	9	30	45
Female.....	1,847	-	-	-	-	-	-	4	8	12	24	40
Black, both sexes.....	360	-	-	-	-	-	-	-	-	4	9	14
Male.....	182	-	-	-	-	-	-	-	-	2	6	6
Female.....	178	-	-	-	-	-	-	-	-	2	3	8
American Indian 1/, both sexes.....	19	-	-	-	-	-	-	-	-	-	-	1
Male.....	8	-	-	-	-	-	-	-	-	-	-	-
Female.....	11	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	371	-	-	-	-	-	-	1	1	8	11	23
Male.....	194	-	-	-	-	-	-	1	-	3	5	7
Female.....	177	-	-	-	-	-	-	-	1	5	6	16

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Colon (C18)												
United States												
All races, both sexes.....	2,229	2,968	3,769	4,835	6,321	7,531	7,563	5,647	2,995	946	116	1
Male.....	1,242	1,726	2,221	2,805	3,466	3,831	3,413	2,187	886	242	24	1
Female.....	987	1,242	1,548	2,030	2,855	3,700	4,150	3,460	2,109	704	92	-
White, both sexes.....	1,749	2,380	3,060	4,008	5,425	6,569	6,713	5,121	2,675	843	100	1
Male.....	981	1,412	1,820	2,360	3,026	3,356	3,041	1,976	793	214	18	1
Female.....	768	968	1,240	1,648	2,399	3,213	3,672	3,145	1,882	629	82	-
Black, both sexes.....	414	501	600	704	748	831	727	455	273	83	11	-
Male.....	222	264	335	378	357	407	312	177	73	19	4	-
Female.....	192	237	265	326	391	424	415	278	200	64	7	-
American Indian 1/, both sexes.....	16	20	25	27	29	22	17	11	6	1	1	-
Male.....	9	13	18	12	14	10	7	2	1	-	1	-
Female.....	7	7	7	15	15	12	10	9	5	1	-	-
Asian or Pacific Islander 2/, both sexes.....	50	67	84	96	119	109	106	60	41	19	4	-
Male.....	30	37	48	55	69	58	53	32	19	9	1	-
Female.....	20	30	36	41	50	51	53	28	22	10	3	-
Alabama												
All races, both sexes.....	37	49	67	86	110	103	113	75	41	9	-	-
Male.....	19	31	45	53	63	45	57	31	15	5	-	-
Female.....	18	18	22	33	47	58	56	44	26	4	-	-
White, both sexes.....	25	31	52	57	81	70	86	61	27	6	-	-
Male.....	12	21	33	37	47	33	45	26	11	3	-	-
Female.....	13	10	19	20	34	37	41	35	16	3	-	-
Black, both sexes.....	11	18	15	29	27	33	27	14	14	3	-	-
Male.....	6	10	12	16	15	12	12	5	4	2	-	-
Female.....	5	8	3	13	12	21	15	9	10	1	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	2	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Colon (C18)												
Alaska												
All races, both sexes.....	2	11	3	3	10	9	4	4	1	-	-	-
Male.....	1	7	3	1	6	5	1	1	-	-	-	-
Female.....	1	4	-	2	4	4	3	3	1	-	-	-
White, both sexes.....	1	7	2	1	3	6	2	3	1	-	-	-
Male.....	1	5	2	-	3	2	1	1	-	-	-	-
Female.....	-	2	-	1	-	4	1	2	1	-	-	-
Black, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	3	1	2	7	2	2	1	-	-	-	-
Male.....	-	1	1	1	3	2	-	-	-	-	-	-
Female.....	1	2	-	1	4	-	2	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Arizona												
All races, both sexes.....	30	49	65	74	116	116	111	98	36	13	1	-
Male.....	16	31	40	43	69	63	62	37	15	7	-	-
Female.....	14	18	25	31	47	53	49	61	21	6	1	-
White, both sexes.....	27	46	63	71	110	111	109	96	35	12	1	-
Male.....	15	28	40	41	67	59	61	37	15	7	-	-
Female.....	12	18	23	30	43	52	48	59	20	5	1	-
Black, both sexes.....	1	2	1	1	3	4	1	1	-	-	-	-
Male.....	-	2	-	1	-	3	1	-	-	-	-	-
Female.....	1	-	1	-	3	1	-	1	-	-	-	-
American Indian 1/, both sexes.....	2	1	1	2	-	-	-	1	1	1	-	-
Male.....	1	1	-	1	-	-	-	-	-	-	-	-
Female.....	1	-	1	1	-	-	-	1	1	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	3	1	1	-	-	-	-	-
Male.....	-	-	-	-	2	1	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Colon (C18)												
Arkansas												
All races, both sexes.....	33	34	45	61	80	70	78	59	35	10	-	-
Male.....	18	17	26	40	42	23	45	28	16	1	-	-
Female.....	15	17	19	21	38	47	33	31	19	9	-	-
White, both sexes.....	27	24	35	50	70	61	68	47	28	8	-	-
Male.....	17	11	21	31	37	20	41	23	10	1	-	-
Female.....	10	13	14	19	33	41	27	24	18	7	-	-
Black, both sexes.....	6	10	7	11	9	9	10	12	7	2	-	-
Male.....	1	6	4	9	5	3	4	5	6	-	-	-
Female.....	5	4	3	2	4	6	6	7	1	2	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	2	-	1	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	1	-	-	-	-	-	-	-
California												
All races, both sexes.....	231	266	360	456	529	665	688	499	266	105	11	-
Male.....	136	169	216	266	291	324	275	205	83	24	4	-
Female.....	95	97	144	190	238	341	413	294	183	81	7	-
White, both sexes.....	178	205	294	364	437	566	586	442	228	87	11	-
Male.....	107	128	176	218	242	279	223	175	71	16	4	-
Female.....	71	77	118	146	195	287	363	267	157	71	7	-
Black, both sexes.....	31	26	31	48	42	50	49	26	22	8	-	-
Male.....	19	18	22	25	21	21	24	11	5	2	-	-
Female.....	12	8	9	23	21	29	25	15	17	6	-	-
American Indian 1/, both sexes.....	-	2	2	2	4	6	2	-	-	-	-	-
Male.....	-	2	2	1	1	2	-	-	-	-	-	-
Female.....	-	-	-	1	3	4	2	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	22	33	33	42	46	43	51	31	16	10	-	-
Male.....	10	21	16	22	27	22	28	19	7	6	-	-
Female.....	12	12	17	20	19	21	23	12	9	4	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Colon (C18)												
Colorado												
All races, both sexes.....	26	23	39	56	76	93	84	65	28	5	-	-
Male.....	16	13	23	32	46	46	39	28	8	1	-	-
Female.....	10	10	16	24	30	47	45	37	20	4	-	-
White, both sexes.....	25	22	38	51	72	90	82	63	27	5	-	-
Male.....	15	13	23	30	43	46	39	26	8	1	-	-
Female.....	10	9	15	21	29	44	43	37	19	4	-	-
Black, both sexes.....	1	1	1	3	3	1	1	2	1	-	-	-
Male.....	1	-	-	2	2	-	-	2	-	-	-	-
Female.....	-	1	1	1	1	1	1	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	2	1	2	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	2	-	2	-	-	-	-	-	-
Connecticut												
All races, both sexes.....	16	46	38	63	78	109	98	89	38	15	1	-
Male.....	5	26	18	31	40	68	44	34	8	6	-	-
Female.....	11	20	20	32	38	41	54	55	30	9	1	-
White, both sexes.....	15	37	36	54	73	103	95	89	38	14	1	-
Male.....	5	20	17	26	38	65	42	34	8	5	-	-
Female.....	10	17	19	28	35	38	53	55	30	9	1	-
Black, both sexes.....	1	8	2	9	5	5	3	-	-	1	-	-
Male.....	-	6	1	5	2	3	2	-	-	1	-	-
Female.....	1	2	1	4	3	2	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Colon (C18)												
Delaware												
All races, both sexes.....	5	13	12	18	24	26	15	12	11	4	-	-
Male.....	5	8	7	11	12	14	11	6	5	1	-	-
Female.....	-	5	5	7	12	12	4	6	6	3	-	-
White, both sexes.....	4	8	10	15	18	20	12	11	10	4	-	-
Male.....	4	7	6	11	10	9	8	5	5	1	-	-
Female.....	-	1	4	4	8	11	4	6	5	3	-	-
Black, both sexes.....	1	5	2	3	5	6	3	1	1	-	-	-
Male.....	1	1	1	-	2	5	3	1	-	-	-	-
Female.....	-	4	1	3	3	1	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Dist. of Columbia												
All races, both sexes.....	9	7	12	15	15	18	13	18	8	2	-	-
Male.....	5	3	7	6	8	6	3	8	4	-	-	-
Female.....	4	4	5	9	7	12	10	10	4	2	-	-
White, both sexes.....	1	1	2	1	1	2	4	6	3	2	-	-
Male.....	1	-	1	-	1	2	1	3	2	-	-	-
Female.....	-	1	1	1	-	-	3	3	1	2	-	-
Black, both sexes.....	8	6	10	14	14	16	8	12	5	-	-	-
Male.....	4	3	6	6	7	4	2	5	2	-	-	-
Female.....	4	3	4	8	7	12	6	7	3	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Colon (C18)												
Florida												
All races, both sexes.....	146	159	244	321	461	580	568	403	225	59	10	-
Male.....	74	94	151	196	256	283	265	180	69	30	1	-
Female.....	72	65	93	125	205	297	303	223	156	29	9	-
White, both sexes.....	122	129	208	279	403	540	527	376	213	56	10	-
Male.....	64	79	130	178	232	265	249	163	67	30	1	-
Female.....	58	50	78	101	171	275	278	213	146	26	9	-
Black, both sexes.....	23	28	32	40	57	40	39	27	12	3	-	-
Male.....	9	14	18	17	23	18	15	17	2	-	-	-
Female.....	14	14	14	23	34	22	24	10	10	3	-	-
American Indian 1/, both sexes.....	-	1	1	-	-	-	-	-	-	-	-	-
Male.....	-	1	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	3	2	1	-	2	-	-	-	-	-
Male.....	1	-	2	1	1	-	1	-	-	-	-	-
Female.....	-	1	1	1	-	-	1	-	-	-	-	-
Georgia												
All races, both sexes.....	54	98	108	116	144	165	159	106	48	18	-	-
Male.....	30	51	65	70	72	83	68	50	17	2	-	-
Female.....	24	47	43	46	72	82	91	56	31	16	-	-
White, both sexes.....	36	68	69	79	103	129	124	79	34	13	-	-
Male.....	22	38	43	52	53	71	57	37	11	2	-	-
Female.....	14	30	26	27	50	58	67	42	23	11	-	-
Black, both sexes.....	18	30	39	30	40	36	34	26	14	5	-	-
Male.....	8	13	22	15	18	12	11	13	6	-	-	-
Female.....	10	17	17	15	22	24	23	13	8	5	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	7	-	-	1	1	-	-	-	-
Male.....	-	-	-	3	-	-	-	-	-	-	-	-
Female.....	-	-	-	4	-	-	1	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Colon (C18)												
Hawaii												
All races, both sexes.....	11	16	20	16	24	36	26	16	15	6	-	-
Male.....	9	9	12	12	12	24	10	9	5	3	-	-
Female.....	2	7	8	4	12	12	16	7	10	3	-	-
White, both sexes.....	3	8	6	5	3	11	7	6	5	1	-	-
Male.....	2	4	4	3	1	9	3	4	1	1	-	-
Female.....	1	4	2	2	2	2	4	2	4	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	8	14	11	21	25	19	9	10	5	-	-
Male.....	7	5	8	9	11	15	7	5	4	2	-	-
Female.....	1	3	6	2	10	10	12	4	6	3	-	-
Idaho												
All races, both sexes.....	7	9	10	20	25	22	28	19	12	1	1	-
Male.....	5	6	7	11	13	14	11	7	5	1	-	-
Female.....	2	3	3	9	12	8	17	12	7	-	1	-
White, both sexes.....	7	9	10	20	25	21	27	19	12	1	1	-
Male.....	5	6	7	11	13	13	11	7	5	1	-	-
Female.....	2	3	3	9	12	8	16	12	7	-	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Colon (C18)												
Iowa												
All races, both sexes.....	14	30	44	71	67	98	103	84	51	19	2	-
Male.....	9	19	23	37	42	49	43	31	12	5	-	-
Female.....	5	11	21	34	25	49	60	53	39	14	2	-
White, both sexes.....	11	29	42	71	65	98	101	84	51	19	2	-
Male.....	6	19	21	37	42	49	42	31	12	5	-	-
Female.....	5	10	21	34	23	49	59	53	39	14	2	-
Black, both sexes.....	3	1	1	-	2	-	2	-	-	-	-	-
Male.....	3	-	1	-	-	-	1	-	-	-	-	-
Female.....	-	1	-	-	2	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Kansas												
All races, both sexes.....	13	29	26	46	65	74	90	62	51	16	3	-
Male.....	6	19	13	27	41	39	41	17	14	1	-	-
Female.....	7	10	13	19	24	35	49	45	37	15	3	-
White, both sexes.....	13	22	23	42	60	70	86	57	49	16	3	-
Male.....	6	15	12	24	38	38	38	16	13	1	-	-
Female.....	7	7	11	18	22	32	48	41	36	15	3	-
Black, both sexes.....	-	3	2	4	4	3	3	4	2	-	-	-
Male.....	-	2	-	3	3	-	2	1	1	-	-	-
Female.....	-	1	2	1	1	3	1	3	1	-	-	-
American Indian 1/, both sexes.....	-	3	1	-	-	-	1	1	-	-	-	-
Male.....	-	2	1	-	-	-	1	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	1	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	1	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Colon (C18)												
Maine												
All races, both sexes.....	12	8	16	26	48	41	47	33	21	11	1	-
Male.....	8	7	11	18	34	17	21	10	10	3	-	-
Female.....	4	1	5	8	14	24	26	23	11	8	1	-
White, both sexes.....	12	8	16	26	47	41	47	33	21	11	1	-
Male.....	8	7	11	18	33	17	21	10	10	3	-	-
Female.....	4	1	5	8	14	24	26	23	11	8	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Maryland												
All races, both sexes.....	33	67	78	83	113	143	128	96	53	23	5	-
Male.....	20	36	47	50	63	73	50	32	8	10	1	-
Female.....	13	31	31	33	50	70	78	64	45	13	4	-
White, both sexes.....	22	39	57	58	82	113	102	79	38	16	3	-
Male.....	13	25	34	33	46	57	40	27	4	6	-	-
Female.....	9	14	23	25	36	56	62	52	34	10	3	-
Black, both sexes.....	10	28	21	24	30	29	23	17	14	7	-	-
Male.....	6	11	13	16	16	15	9	5	4	4	-	-
Female.....	4	17	8	8	14	14	14	12	10	3	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	1	1	1	3	-	1	-	2	-
Male.....	1	-	-	1	1	1	1	-	-	-	1	-
Female.....	-	-	-	-	-	-	2	-	1	-	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Colon (C18)												
Massachusetts												
All races, both sexes.....	44	76	72	99	164	194	230	143	116	29	3	-
Male.....	21	36	41	57	84	98	107	39	32	2	1	-
Female.....	23	40	31	42	80	96	123	104	84	27	2	-
White, both sexes.....	40	72	63	91	155	190	223	140	112	24	3	-
Male.....	17	35	36	51	80	96	103	37	31	2	1	-
Female.....	23	37	27	40	75	94	120	103	81	22	2	-
Black, both sexes.....	3	4	8	6	8	3	6	3	2	5	-	-
Male.....	3	1	4	5	3	1	3	2	-	-	-	-
Female.....	-	3	4	1	5	2	3	1	2	5	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	1	2	1	1	1	-	2	-	-	-
Male.....	1	-	1	1	1	1	1	-	1	-	-	-
Female.....	-	-	-	1	-	-	-	-	1	-	-	-
Michigan												
All races, both sexes.....	102	107	124	150	227	261	265	185	99	30	5	-
Male.....	64	65	74	90	125	140	120	69	33	5	1	-
Female.....	38	42	50	60	102	121	145	116	66	25	4	-
White, both sexes.....	85	85	92	117	200	209	235	168	91	24	4	-
Male.....	55	52	54	73	113	112	109	63	29	4	1	-
Female.....	30	33	38	44	87	97	126	105	62	20	3	-
Black, both sexes.....	17	19	29	33	25	51	28	15	8	5	1	-
Male.....	9	11	17	17	12	28	11	6	4	1	-	-
Female.....	8	8	12	16	13	23	17	9	4	4	1	-
American Indian 1/, both sexes.....	-	3	2	-	1	-	2	1	-	-	-	-
Male.....	-	2	2	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	1	-	2	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	1	1	-	1	-	1	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	1	-	1	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Colon (C18)												
Minnesota												
All races, both sexes.....	44	48	52	64	94	134	115	121	63	19	1	-
Male.....	24	25	36	39	44	64	54	42	14	6	-	-
Female.....	20	23	16	25	50	70	61	79	49	13	1	-
White, both sexes.....	40	45	48	62	91	128	115	119	63	19	1	-
Male.....	22	24	33	37	43	62	54	42	14	6	-	-
Female.....	18	21	15	25	48	66	61	77	49	13	1	-
Black, both sexes.....	2	2	2	1	3	3	-	-	-	-	-	-
Male.....	-	1	2	1	1	2	-	-	-	-	-	-
Female.....	2	1	-	-	2	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	1	2	1	-	1	-	1	-	-	-	-
Male.....	2	-	1	1	-	-	-	-	-	-	-	-
Female.....	-	1	1	-	-	1	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	2	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	2	-	1	-	-	-	-
Mississippi												
All races, both sexes.....	29	35	49	58	64	94	76	56	26	10	1	-
Male.....	18	15	29	30	31	61	34	12	8	3	1	-
Female.....	11	20	20	28	33	33	42	44	18	7	-	-
White, both sexes.....	14	21	24	35	41	64	56	38	16	7	-	-
Male.....	8	12	18	19	23	41	26	8	6	2	-	-
Female.....	6	9	6	16	18	23	30	30	10	5	-	-
Black, both sexes.....	15	14	25	23	21	29	20	18	9	3	1	-
Male.....	10	3	11	11	8	19	8	4	2	1	1	-
Female.....	5	11	14	12	13	10	12	14	7	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	2	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	2	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Colon (C18)												
Nebraska												
All races, both sexes.....	9	20	29	44	40	52	46	48	27	6	2	-
Male.....	5	12	14	23	21	29	18	11	12	2	-	-
Female.....	4	8	15	21	19	23	28	37	15	4	2	-
White, both sexes.....	8	19	24	38	40	51	46	47	27	6	2	-
Male.....	4	12	9	20	21	28	18	11	12	2	-	-
Female.....	4	7	15	18	19	23	28	36	15	4	2	-
Black, both sexes.....	1	1	4	4	-	1	-	1	-	-	-	-
Male.....	1	-	4	2	-	1	-	-	-	-	-	-
Female.....	-	1	-	2	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	1	-	-	-	-	-	-	-	-
Male.....	-	-	1	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Nevada												
All races, both sexes.....	13	16	38	44	63	44	50	33	13	2	-	-
Male.....	8	8	24	26	32	21	29	18	3	1	-	-
Female.....	5	8	14	18	31	23	21	15	10	1	-	-
White, both sexes.....	12	13	33	41	59	44	42	31	12	2	-	-
Male.....	7	8	23	25	32	21	25	17	3	1	-	-
Female.....	5	5	10	16	27	23	17	14	9	1	-	-
Black, both sexes.....	1	2	3	1	2	-	4	2	1	-	-	-
Male.....	1	-	-	-	-	-	2	1	-	-	-	-
Female.....	-	2	3	1	2	-	2	1	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	2	2	2	-	4	-	-	-	-	-
Male.....	-	-	1	1	-	-	2	-	-	-	-	-
Female.....	-	1	1	1	2	-	2	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Colon (C18)												
New Hampshire												
All races, both sexes.....	12	12	21	20	23	26	24	23	12	3	1	-
Male.....	9	5	14	6	14	13	8	8	7	3	-	-
Female.....	3	7	7	14	9	13	16	15	5	-	1	-
White, both sexes.....	12	12	20	20	23	26	24	23	12	3	1	-
Male.....	9	5	13	6	14	13	8	8	7	3	-	-
Female.....	3	7	7	14	9	13	16	15	5	-	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New Jersey												
All races, both sexes.....	64	91	118	140	216	282	315	204	105	29	2	-
Male.....	36	46	73	77	118	145	140	79	27	8	-	-
Female.....	28	45	45	63	98	137	175	125	78	21	2	-
White, both sexes.....	52	63	97	114	177	247	291	197	96	27	1	-
Male.....	30	30	59	61	97	131	130	76	25	8	-	-
Female.....	22	33	38	53	80	116	161	121	71	19	1	-
Black, both sexes.....	10	25	18	21	36	30	24	6	8	2	1	-
Male.....	4	14	11	11	18	11	10	2	1	-	-	-
Female.....	6	11	7	10	18	19	14	4	7	2	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	3	3	5	3	5	-	-	1	-	-	-
Male.....	2	2	3	5	3	3	-	-	1	-	-	-
Female.....	-	1	-	-	-	2	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Colon (C18)												
New Mexico												
All races, both sexes.....	12	23	23	30	36	44	42	22	18	4	-	-
Male.....	5	14	11	18	22	25	27	11	4	1	-	-
Female.....	7	9	12	12	14	19	15	11	14	3	-	-
White, both sexes.....	12	22	18	24	36	43	41	21	18	4	-	-
Male.....	5	14	8	14	22	24	27	10	4	1	-	-
Female.....	7	8	10	10	14	19	14	11	14	3	-	-
Black, both sexes.....	-	-	1	3	-	1	1	-	-	-	-	-
Male.....	-	-	-	3	-	1	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	4	2	-	-	-	1	-	-	-	-
Male.....	-	-	3	1	-	-	-	1	-	-	-	-
Female.....	-	1	1	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	139	209	252	358	475	511	557	430	222	71	8	-
Male.....	74	108	142	195	271	262	242	169	74	17	1	-
Female.....	65	101	110	163	204	249	315	261	148	54	7	-
White, both sexes.....	106	158	197	285	403	453	485	381	195	65	7	-
Male.....	58	89	114	160	237	234	205	151	63	16	1	-
Female.....	48	69	83	125	166	219	280	230	132	49	6	-
Black, both sexes.....	30	41	48	64	62	56	65	41	21	5	-	-
Male.....	14	16	25	29	28	27	32	12	8	-	-	-
Female.....	16	25	23	35	34	29	33	29	13	5	-	-
American Indian 1/, both sexes.....	1	-	-	2	-	-	-	-	1	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	10	7	7	10	2	7	8	5	1	1	-
Male.....	1	3	3	5	6	1	5	6	3	1	-	-
Female.....	1	7	4	2	4	1	2	2	2	-	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Colon (C18)												
Oregon												
All races, both sexes.....	21	29	33	55	68	72	108	76	45	11	1	-
Male.....	10	21	18	33	39	35	56	35	17	3	-	-
Female.....	11	8	15	22	29	37	52	41	28	8	1	-
White, both sexes.....	19	26	29	53	64	71	106	73	45	11	1	-
Male.....	9	18	15	31	36	35	55	34	17	3	-	-
Female.....	10	8	14	22	28	36	51	39	28	8	1	-
Black, both sexes.....	-	1	-	-	3	-	2	3	-	-	-	-
Male.....	-	1	-	-	2	-	1	1	-	-	-	-
Female.....	-	-	-	-	1	-	1	2	-	-	-	-
American Indian 1/, both sexes.....	2	1	2	1	1	1	-	-	-	-	-	-
Male.....	1	1	1	1	1	-	-	-	-	-	-	-
Female.....	1	-	1	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	2	1	-	-	-	-	-	-	-	-
Male.....	-	1	2	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Pennsylvania												
All races, both sexes.....	92	142	185	251	362	515	463	336	179	65	8	-
Male.....	53	78	100	150	194	273	226	126	48	14	1	-
Female.....	39	64	85	101	168	242	237	210	131	51	7	-
White, both sexes.....	82	124	162	219	328	483	424	324	169	63	7	-
Male.....	46	73	90	131	176	252	208	124	45	13	1	-
Female.....	36	51	72	88	152	231	216	200	124	50	6	-
Black, both sexes.....	10	17	22	31	32	30	39	12	10	2	1	-
Male.....	7	4	10	18	17	21	18	2	3	1	-	-
Female.....	3	13	12	13	15	9	21	10	7	1	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	1	2	2	-	-	-	-	-	-
Male.....	-	1	-	1	1	-	-	-	-	-	-	-
Female.....	-	-	1	-	1	2	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Colon (C18)												
Vermont												
All races, both sexes.....	5	6	8	15	16	15	23	16	12	4	-	-
Male.....	5	5	6	7	9	4	11	7	4	-	-	-
Female.....	-	1	2	8	7	11	12	9	8	4	-	-
White, both sexes.....	5	6	8	15	16	15	23	16	12	4	-	-
Male.....	5	5	6	7	9	4	11	7	4	-	-	-
Female.....	-	1	2	8	7	11	12	9	8	4	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Virginia												
All races, both sexes.....	61	76	103	139	155	168	168	109	57	25	-	1
Male.....	29	44	61	84	81	79	69	42	15	5	-	1
Female.....	32	32	42	55	74	89	99	67	42	20	-	-
White, both sexes.....	46	64	82	99	128	119	121	90	49	21	-	1
Male.....	23	35	50	63	68	53	51	35	13	2	-	1
Female.....	23	29	32	36	60	66	70	55	36	19	-	-
Black, both sexes.....	15	12	19	39	26	45	47	18	8	4	-	-
Male.....	6	9	10	21	12	23	18	7	2	3	-	-
Female.....	9	3	9	18	14	22	29	11	6	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	2	1	1	3	-	1	-	-	-	-
Male.....	-	-	1	-	1	2	-	-	-	-	-	-
Female.....	-	-	1	1	-	1	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Rectosigmoid junction and rectum (C19-C20)												
Maine												
All races, both sexes.....	37	-	-	-	-	-	-	-	-	-	-	-
Male.....	19	-	-	-	-	-	-	-	-	-	-	-
Female.....	18	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	37	-	-	-	-	-	-	-	-	-	-	-
Male.....	19	-	-	-	-	-	-	-	-	-	-	-
Female.....	18	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Maryland												
All races, both sexes.....	179	-	-	-	-	1	-	-	4	1	6	8
Male.....	107	-	-	-	-	1	-	-	2	-	4	4
Female.....	72	-	-	-	-	-	-	-	2	1	2	4
White, both sexes.....	133	-	-	-	-	1	-	-	3	-	3	4
Male.....	81	-	-	-	-	1	-	-	1	-	3	2
Female.....	52	-	-	-	-	-	-	-	2	-	-	2
Black, both sexes.....	44	-	-	-	-	-	-	-	1	-	3	4
Male.....	25	-	-	-	-	-	-	-	1	-	1	2
Female.....	19	-	-	-	-	-	-	-	-	-	2	2
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Rectosigmoid junction and rectum (C19-C20)												
New Hampshire												
All races, both sexes.....	35	-	-	-	-	-	-	-	-	1	1	-
Male.....	21	-	-	-	-	-	-	-	-	1	-	-
Female.....	14	-	-	-	-	-	-	-	-	-	1	-
White, both sexes.....	35	-	-	-	-	-	-	-	-	1	1	-
Male.....	21	-	-	-	-	-	-	-	-	1	-	-
Female.....	14	-	-	-	-	-	-	-	-	-	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New Jersey												
All races, both sexes.....	301	-	-	-	-	-	-	1	-	5	3	12
Male.....	166	-	-	-	-	-	-	1	-	2	2	7
Female.....	135	-	-	-	-	-	-	-	-	3	1	5
White, both sexes.....	274	-	-	-	-	-	-	1	-	3	3	9
Male.....	153	-	-	-	-	-	-	1	-	1	2	6
Female.....	121	-	-	-	-	-	-	-	-	2	1	3
Black, both sexes.....	23	-	-	-	-	-	-	-	-	1	-	3
Male.....	11	-	-	-	-	-	-	-	-	1	-	1
Female.....	12	-	-	-	-	-	-	-	-	-	-	2
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	-	-	-	-	-	1	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Rectosigmoid junction and rectum (C19-C20)												
Arkansas												
All races, both sexes.....	3	5	6	2	10	10	8	9	2	2	-	-
Male.....	3	5	5	-	7	3	5	3	1	-	-	-
Female.....	-	-	1	2	3	7	3	6	1	2	-	-
White, both sexes.....	3	4	6	-	10	10	6	7	2	2	-	-
Male.....	3	4	5	-	7	3	4	3	1	-	-	-
Female.....	-	-	1	2	3	7	2	4	1	2	-	-
Black, both sexes.....	-	-	-	-	-	-	2	2	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	2	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	50	73	90	109	111	120	95	76	38	19	-	-
Male.....	30	48	62	69	65	63	45	30	12	6	-	-
Female.....	20	25	28	40	46	57	50	46	26	13	-	-
White, both sexes.....	38	58	72	92	93	96	76	68	35	15	-	-
Male.....	24	39	49	56	57	54	36	27	11	4	-	-
Female.....	14	19	23	36	36	42	40	41	24	11	-	-
Black, both sexes.....	5	9	9	3	8	11	8	1	1	1	-	-
Male.....	2	5	7	3	4	3	3	-	-	-	-	-
Female.....	3	4	2	-	4	8	5	1	1	1	-	-
American Indian 1/, both sexes.....	-	1	1	1	1	1	-	-	-	-	-	-
Male.....	-	1	1	-	1	1	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	5	8	13	9	12	11	7	2	3	-	-
Male.....	4	3	5	10	3	5	6	3	1	2	-	-
Female.....	3	2	3	3	6	7	5	4	1	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Rectosigmoid junction and rectum (C19-C20)												
Florida												
All races, both sexes.....	21	41	55	66	66	77	63	68	32	11	-	-
Male.....	11	23	39	43	45	46	33	35	16	1	-	-
Female.....	10	18	16	23	21	31	30	33	16	10	-	-
White, both sexes.....	17	35	49	60	59	73	57	65	29	7	-	-
Male.....	9	18	35	39	41	42	30	34	16	1	-	-
Female.....	8	17	14	21	18	31	27	31	13	6	-	-
Black, both sexes.....	4	6	6	5	6	4	6	3	3	3	-	-
Male.....	2	5	4	3	4	4	3	1	-	-	-	-
Female.....	2	1	2	2	2	-	3	2	3	3	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	-	1	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Georgia												
All races, both sexes.....	17	22	19	33	27	19	23	15	8	-	1	-
Male.....	12	13	15	17	17	5	15	4	2	-	-	-
Female.....	5	9	4	16	10	14	8	11	6	-	1	-
White, both sexes.....	12	17	16	23	19	14	15	9	6	-	-	-
Male.....	10	10	14	12	13	4	10	2	-	-	-	-
Female.....	2	7	2	11	6	10	5	7	6	-	-	-
Black, both sexes.....	5	4	3	9	7	5	8	5	2	-	1	-
Male.....	2	3	1	4	4	1	5	1	2	-	-	-
Female.....	3	1	2	5	3	4	3	4	-	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	1	1	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Rectosigmoid junction and rectum (C19-C20)												
New Hampshire												
All races, both sexes.....	1	4	2	7	7	5	2	5	-	-	-	-
Male.....	-	2	2	3	5	2	2	4	-	-	-	-
Female.....	1	2	-	4	2	3	-	1	-	-	-	-
White, both sexes.....	1	4	2	7	7	5	2	5	-	-	-	-
Male.....	-	2	2	3	5	2	2	4	-	-	-	-
Female.....	1	2	-	4	2	3	-	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New Jersey												
All races, both sexes.....	15	24	28	29	37	53	51	31	10	2	-	-
Male.....	7	14	19	18	20	28	29	13	4	2	-	-
Female.....	8	10	9	11	17	25	22	18	6	-	-	-
White, both sexes.....	12	20	28	26	32	50	50	29	9	2	-	-
Male.....	6	11	19	16	16	27	29	13	4	2	-	-
Female.....	6	9	9	10	16	23	21	16	5	-	-	-
Black, both sexes.....	3	3	-	3	5	2	1	1	1	-	-	-
Male.....	1	2	-	2	4	-	-	-	-	-	-	-
Female.....	2	1	-	1	1	2	1	1	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	1	-	1	-	-	-	-
Male.....	-	1	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Rectosigmoid junction and rectum (C19-C20)												
New Mexico												
All races, both sexes.....	4	3	8	5	7	6	7	6	2	-	-	-
Male.....	3	3	8	4	2	5	4	1	-	-	-	-
Female.....	1	-	-	1	5	1	3	5	2	-	-	-
White, both sexes.....	4	2	6	4	5	6	7	5	2	-	-	-
Male.....	3	2	6	3	2	5	4	1	-	-	-	-
Female.....	1	-	-	1	3	1	3	4	2	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	2	1	2	-	-	-	-	-	-	-
Male.....	-	1	2	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	2	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
New York												
All races, both sexes.....	38	44	62	64	86	93	86	69	32	8	3	-
Male.....	19	27	36	37	45	53	44	27	9	3	-	-
Female.....	19	17	26	27	41	40	42	42	23	5	3	-
White, both sexes.....	30	34	54	55	79	80	81	63	30	8	3	-
Male.....	16	21	31	31	42	48	42	23	9	3	-	-
Female.....	14	13	23	24	37	32	39	40	21	5	3	-
Black, both sexes.....	4	7	6	9	5	11	5	6	1	-	-	-
Male.....	1	4	4	6	1	5	2	4	-	-	-	-
Female.....	3	3	2	3	4	6	3	2	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	3	2	-	2	1	-	-	-	-	-	-
Male.....	2	2	1	-	2	-	-	-	-	-	-	-
Female.....	2	1	1	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Rectosigmoid junction and rectum (C19-C20)

Oregon

All races, both sexes.....	8	11	14	11	9	17	16	7	6	1	-	-
Male.....	4	6	12	7	7	13	8	4	3	-	-	-
Female.....	4	5	2	4	2	4	8	3	3	1	-	-
White, both sexes.....	8	10	14	10	9	17	15	7	6	1	-	-
Male.....	4	6	12	6	7	13	8	4	3	-	-	-
Female.....	4	4	2	4	2	4	7	3	3	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	1	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-

Pennsylvania

All races, both sexes.....	30	33	41	40	74	78	67	48	21	8	3	-
Male.....	24	19	26	20	45	47	30	22	4	1	-	-
Female.....	6	14	15	20	29	31	37	26	17	7	3	-
White, both sexes.....	24	26	34	35	67	74	61	43	19	7	3	-
Male.....	19	17	24	18	42	44	27	19	3	1	-	-
Female.....	5	9	10	17	25	30	34	24	16	6	3	-
Black, both sexes.....	5	7	7	5	7	4	5	4	2	-	-	-
Male.....	4	2	2	2	3	3	3	2	1	-	-	-
Female.....	1	5	5	3	4	1	2	2	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	1	1	-	1	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Rectosigmoid junction and rectum (C19-C20)												
Texas												
All races, both sexes.....	38	46	52	62	65	71	46	34	27	4	-	-
Male.....	25	31	37	35	38	37	25	10	7	-	-	-
Female.....	13	15	15	27	27	34	21	24	20	4	-	-
White, both sexes.....	27	33	45	52	55	60	38	30	23	4	-	-
Male.....	18	22	32	30	30	31	22	8	7	-	-	-
Female.....	9	11	13	22	25	29	16	22	16	4	-	-
Black, both sexes.....	10	12	6	10	9	10	6	4	4	-	-	-
Male.....	7	8	4	5	7	6	3	2	-	-	-	-
Female.....	3	4	2	5	2	4	3	2	4	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	1	-	1	1	2	-	-	-	-	-
Male.....	-	-	1	-	1	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	2	-	-	-	-	-
Utah												
All races, both sexes.....	3	2	6	10	3	7	4	5	2	1	-	-
Male.....	-	1	3	7	2	2	2	4	-	-	-	-
Female.....	3	1	3	3	1	5	2	1	2	1	-	-
White, both sexes.....	3	2	6	10	3	6	3	5	2	1	-	-
Male.....	-	1	3	7	2	2	2	4	-	-	-	-
Female.....	3	1	3	3	1	4	1	1	2	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Rectosigmoid junction and rectum (C19-C20)												
Vermont												
All races, both sexes.....	-	3	2	4	4	3	-	1	1	-	-	-
Male.....	-	1	2	3	3	1	-	-	-	-	-	-
Female.....	-	2	-	1	1	2	-	1	1	-	-	-
White, both sexes.....	-	3	1	4	4	3	-	1	1	-	-	-
Male.....	-	1	1	3	3	1	-	-	-	-	-	-
Female.....	-	2	-	1	1	2	-	1	1	-	-	-
Black, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Virginia												
All races, both sexes.....	14	27	28	31	31	25	23	14	9	1	-	-
Male.....	10	22	17	21	17	13	12	1	4	-	-	-
Female.....	4	5	11	10	14	12	11	13	5	1	-	-
White, both sexes.....	10	19	21	25	27	21	22	13	9	-	-	-
Male.....	7	17	13	19	16	12	12	1	4	-	-	-
Female.....	3	2	8	6	11	9	10	12	5	-	-	-
Black, both sexes.....	4	7	5	6	4	3	1	1	-	1	-	-
Male.....	3	4	3	2	1	1	-	-	-	-	-	-
Female.....	1	3	2	4	3	2	1	1	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	2	-	-	1	-	-	-	-	-	-
Male.....	-	1	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Of liver and intrahepatic bile ducts (C22)												
Arkansas												
All races, both sexes.....	143	-	1	-	-	-	-	-	2	3	4	5
Male.....	82	-	1	-	-	-	-	-	1	2	1	3
Female.....	61	-	-	-	-	-	-	-	1	1	3	2
White, both sexes.....	117	-	1	-	-	-	-	-	1	1	1	4
Male.....	69	-	1	-	-	-	-	-	-	1	-	3
Female.....	48	-	-	-	-	-	-	-	1	-	1	1
Black, both sexes.....	23	-	-	-	-	-	-	-	1	2	3	-
Male.....	12	-	-	-	-	-	-	-	1	1	1	-
Female.....	11	-	-	-	-	-	-	-	-	1	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	1
California												
All races, both sexes.....	1,876	-	3	1	2	2	1	3	9	19	50	97
Male.....	1,165	-	1	1	1	2	1	3	6	13	35	78
Female.....	711	-	2	-	1	-	-	-	3	6	15	19
White, both sexes.....	1,308	-	3	1	1	1	-	1	4	7	36	68
Male.....	781	-	1	1	-	1	-	1	2	5	24	53
Female.....	527	-	2	-	1	-	-	-	2	2	12	15
Black, both sexes.....	129	-	-	-	-	-	-	-	-	-	1	6
Male.....	89	-	-	-	-	-	-	-	-	-	1	4
Female.....	40	-	-	-	-	-	-	-	-	-	-	2
American Indian 1/, both sexes.....	11	-	-	-	-	-	-	-	-	-	-	3
Male.....	7	-	-	-	-	-	-	-	-	-	-	3
Female.....	4	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	428	-	-	-	1	1	1	2	5	12	13	20
Male.....	288	-	-	-	1	1	1	2	4	8	10	18
Female.....	140	-	-	-	-	-	-	-	1	4	3	2

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Of liver and intrahepatic bile ducts (C22)												
Florida												
All races, both sexes.....	956	-	2	-	1	1	1	1	2	4	16	49
Male.....	643	-	-	-	1	1	1	-	2	3	9	40
Female.....	313	-	2	-	-	-	-	1	-	1	7	9
White, both sexes.....	854	-	1	-	1	-	1	-	1	4	10	36
Male.....	582	-	-	-	1	-	1	-	1	3	6	29
Female.....	272	-	1	-	-	-	-	-	-	1	4	7
Black, both sexes.....	84	-	1	-	-	1	-	1	-	-	5	11
Male.....	50	-	-	-	-	1	-	-	1	-	2	9
Female.....	34	-	1	-	-	-	-	1	-	-	3	2
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	17	-	-	-	-	-	-	-	-	-	1	2
Male.....	10	-	-	-	-	-	-	-	-	-	1	2
Female.....	7	-	-	-	-	-	-	-	-	-	-	-
Georgia												
All races, both sexes.....	326	-	1	-	-	1	-	1	2	1	10	15
Male.....	208	-	-	-	-	1	-	-	-	1	8	13
Female.....	118	-	1	-	-	-	-	1	2	-	2	2
White, both sexes.....	233	-	1	-	-	1	-	-	-	1	6	8
Male.....	145	-	-	-	-	1	-	-	-	1	4	7
Female.....	88	-	1	-	-	-	-	-	-	-	2	1
Black, both sexes.....	74	-	-	-	-	-	-	1	1	-	3	6
Male.....	50	-	-	-	-	-	-	-	-	-	3	5
Female.....	24	-	-	-	-	-	-	1	1	-	-	1
American Indian 1/, both sexes.....	5	-	-	-	-	-	-	-	-	-	1	-
Male.....	4	-	-	-	-	-	-	-	-	-	1	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	14	-	-	-	-	-	-	-	1	-	-	1
Male.....	9	-	-	-	-	-	-	-	-	-	-	1
Female.....	5	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Of liver and intrahepatic bile ducts (C22)												
Arkansas												
All races, both sexes.....	6	14	14	18	20	27	9	13	6	1	-	-
Male.....	4	11	10	12	11	16	3	6	1	-	-	-
Female.....	2	3	4	6	9	11	6	7	5	1	-	-
White, both sexes.....	6	12	12	16	16	21	8	12	5	1	-	-
Male.....	4	9	9	10	9	14	2	6	1	-	-	-
Female.....	2	3	3	6	7	7	6	6	4	1	-	-
Black, both sexes.....	-	1	2	2	3	6	1	1	1	-	-	-
Male.....	-	1	1	2	2	2	1	-	-	-	-	-
Female.....	-	-	1	-	1	4	-	1	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	1	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
California												
All races, both sexes.....	176	174	199	224	282	240	206	123	50	10	5	-
Male.....	143	130	130	144	166	136	104	51	18	2	-	-
Female.....	33	44	69	80	116	104	102	72	32	8	5	-
White, both sexes.....	109	115	120	157	197	171	162	103	43	6	3	-
Male.....	89	86	77	103	107	96	79	39	16	1	-	-
Female.....	20	29	43	54	90	75	83	64	27	5	3	-
Black, both sexes.....	18	23	24	12	15	17	9	3	1	-	-	-
Male.....	14	17	15	9	13	10	5	1	-	-	-	-
Female.....	4	6	9	3	2	7	4	2	1	-	-	-
American Indian 1/, both sexes.....	2	1	1	-	2	1	-	1	-	-	-	-
Male.....	2	-	-	-	2	-	-	-	-	-	-	-
Female.....	-	1	1	-	-	1	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	47	35	54	55	68	51	35	16	6	4	2	-
Male.....	38	27	38	32	44	30	20	11	2	1	-	-
Female.....	9	8	16	23	24	21	15	5	4	3	2	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Of liver and intrahepatic bile ducts (C22)												
Colorado												
All races, both sexes.....	17	15	17	14	15	15	22	8	2	2	-	-
Male.....	16	9	9	7	12	7	15	4	-	2	-	-
Female.....	1	6	8	7	3	8	7	4	2	-	-	-
White, both sexes.....	15	15	16	13	13	14	19	8	2	2	-	-
Male.....	15	9	8	6	10	6	12	4	-	2	-	-
Female.....	-	6	8	7	3	8	7	4	2	-	-	-
Black, both sexes.....	1	-	-	-	1	1	1	-	-	-	-	-
Male.....	1	-	-	-	1	1	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	1	1	1	-	1	-	-	-	-	-
Male.....	-	-	1	1	1	-	1	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Connecticut												
All races, both sexes.....	10	18	10	14	22	29	15	13	3	2	-	-
Male.....	9	12	8	8	16	18	10	7	2	1	-	-
Female.....	1	6	2	6	6	11	5	6	1	1	-	-
White, both sexes.....	8	16	8	11	16	28	15	12	3	2	-	-
Male.....	7	11	7	6	12	17	10	7	2	1	-	-
Female.....	1	5	1	5	4	11	5	5	1	1	-	-
Black, both sexes.....	1	2	1	3	5	1	-	1	-	-	-	-
Male.....	1	1	1	2	4	1	-	-	-	-	-	-
Female.....	-	1	-	1	1	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	1	-	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Of liver and intrahepatic bile ducts (C22)												
Delaware												
All races, both sexes.....	4	3	2	3	8	6	5	3	2	1	-	-
Male.....	4	3	2	1	4	5	4	1	1	-	-	-
Female.....	-	-	-	2	4	1	1	2	1	1	-	-
White, both sexes.....	4	2	2	3	7	5	3	3	2	1	-	-
Male.....	4	2	2	1	4	4	3	1	1	-	-	-
Female.....	-	-	-	2	3	1	-	2	1	1	-	-
Black, both sexes.....	-	1	-	-	1	1	2	-	-	-	-	-
Male.....	-	1	-	-	-	1	1	-	-	-	-	-
Female.....	-	-	-	-	1	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Dist. of Columbia												
All races, both sexes.....	4	5	5	3	4	3	3	3	1	-	-	-
Male.....	4	4	4	2	3	2	2	-	-	-	-	-
Female.....	-	1	1	1	1	1	1	3	1	-	-	-
White, both sexes.....	-	-	1	-	1	1	1	1	-	-	-	-
Male.....	-	-	1	-	1	1	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Black, both sexes.....	4	5	4	3	3	2	1	1	1	-	-	-
Male.....	4	4	3	2	2	1	-	-	-	-	-	-
Female.....	-	1	1	1	1	1	1	1	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Of liver and intrahepatic bile ducts (C22)												
Florida												
All races, both sexes.....	80	60	76	103	140	169	132	84	28	6	1	-
Male.....	67	42	58	69	99	106	83	48	11	3	-	-
Female.....	13	18	18	34	41	63	49	36	17	3	1	-
White, both sexes.....	64	47	72	91	134	156	122	79	28	6	1	-
Male.....	56	34	56	63	95	100	79	44	11	3	-	-
Female.....	8	13	16	28	39	56	43	35	17	3	1	-
Black, both sexes.....	12	11	4	10	4	11	8	4	-	-	-	-
Male.....	8	6	2	6	3	4	4	4	-	-	-	-
Female.....	4	5	2	4	1	7	4	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	2	-	2	2	2	2	1	-	-	-	-
Male.....	2	2	-	-	1	2	-	-	-	-	-	-
Female.....	1	-	-	2	1	-	2	1	-	-	-	-
Georgia												
All races, both sexes.....	40	35	33	41	45	42	28	22	8	1	-	-
Male.....	33	28	21	31	26	22	13	8	2	1	-	-
Female.....	7	7	12	10	19	20	15	14	6	-	-	-
White, both sexes.....	18	23	23	32	33	39	23	19	5	1	-	-
Male.....	14	19	12	25	19	22	12	7	1	1	-	-
Female.....	4	4	11	7	14	17	11	12	4	-	-	-
Black, both sexes.....	20	9	7	5	11	2	4	2	3	-	-	-
Male.....	17	7	6	3	7	-	1	-	1	-	-	-
Female.....	3	2	1	2	4	2	3	2	2	-	-	-
American Indian 1/, both sexes.....	-	-	1	1	1	-	-	1	-	-	-	-
Male.....	-	-	1	1	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	3	2	3	-	1	1	-	-	-	-	-
Male.....	2	2	2	2	-	-	-	-	-	-	-	-
Female.....	-	1	-	1	-	1	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of liver and intrahepatic bile ducts (C22)

Iowa

All races, both sexes.....	7	14	6	13	16	20	8	10	2	3	-	-
Male.....	6	10	2	9	10	9	4	6	1	-	-	-
Female.....	1	4	4	4	6	11	4	4	1	3	-	-
White, both sexes.....	6	14	4	13	14	20	8	10	1	3	-	-
Male.....	5	10	1	9	8	9	4	6	1	-	-	-
Female.....	1	4	3	4	6	11	4	4	-	3	-	-
Black, both sexes.....	-	-	-	-	1	-	-	-	1	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	2	-	1	-	-	-	-	-	-	-
Male.....	1	-	1	-	1	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-

Kansas

All races, both sexes.....	11	8	8	16	12	18	22	8	5	2	-	-
Male.....	8	6	5	13	6	12	16	3	2	1	-	-
Female.....	3	2	3	3	6	6	6	5	3	1	-	-
White, both sexes.....	9	7	7	16	7	18	21	7	5	2	-	-
Male.....	6	5	4	13	3	12	16	3	2	1	-	-
Female.....	3	2	3	3	4	6	5	4	3	1	-	-
Black, both sexes.....	2	-	-	-	1	-	1	1	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	1	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	-	4	-	-	-	-	-	-	-
Male.....	-	1	1	-	3	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Of liver and intrahepatic bile ducts (C22)

Kentucky

All races, both sexes.....	13	16	24	22	25	34	25	12	14	1	-	-
Male.....	12	13	12	16	16	21	16	4	8	-	-	-
Female.....	1	3	12	6	9	13	9	8	6	1	-	-
White, both sexes.....	10	15	24	19	23	32	23	12	14	1	-	-
Male.....	9	13	12	14	16	19	14	4	8	-	-	-
Female.....	1	2	12	5	7	13	9	8	6	1	-	-
Black, both sexes.....	3	1	-	3	-	2	2	-	-	-	-	-
Male.....	3	-	-	2	-	2	2	-	-	-	-	-
Female.....	-	1	-	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	2	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	2	-	-	-	-	-	-	-

Louisiana

All races, both sexes.....	18	23	33	31	42	39	40	18	11	1	-	-
Male.....	15	17	21	18	29	22	17	3	4	-	-	-
Female.....	3	6	12	13	13	17	23	15	7	1	-	-
White, both sexes.....	11	14	23	22	25	32	35	12	10	1	-	-
Male.....	9	11	14	11	16	19	13	1	4	-	-	-
Female.....	2	3	9	11	9	13	22	11	6	1	-	-
Black, both sexes.....	7	8	10	8	16	7	5	5	1	-	-	-
Male.....	6	5	7	7	13	3	4	2	-	-	-	-
Female.....	1	3	3	1	3	4	1	3	1	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	1	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	1	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Of liver and intrahepatic bile ducts (C22)												
Maine												
All races, both sexes.....	5	4	4	5	4	10	9	14	-	1	-	-
Male.....	5	4	4	-	2	3	7	8	-	-	-	-
Female.....	-	-	-	5	2	7	2	6	-	1	-	-
White, both sexes.....	5	4	4	5	4	10	9	14	-	1	-	-
Male.....	5	4	4	-	2	3	7	8	-	-	-	-
Female.....	-	-	-	5	2	7	2	6	-	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Maryland												
All races, both sexes.....	25	23	17	27	38	39	29	21	7	-	-	-
Male.....	18	20	14	19	21	27	19	4	4	-	-	-
Female.....	7	3	3	8	17	12	10	17	3	-	-	-
White, both sexes.....	13	8	9	21	27	30	21	17	6	-	-	-
Male.....	6	8	9	16	14	21	16	4	3	-	-	-
Female.....	7	-	-	5	13	9	5	13	3	-	-	-
Black, both sexes.....	11	12	6	6	7	8	8	4	1	-	-	-
Male.....	11	9	3	3	6	5	3	-	1	-	-	-
Female.....	-	3	3	3	1	3	5	4	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	3	2	-	4	1	-	-	-	-	-	-
Male.....	1	3	2	-	1	1	-	-	-	-	-	-
Female.....	-	-	-	-	3	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification

of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of liver and intrahepatic bile ducts (C22)

Massachusetts

All races, both sexes.....	26	24	26	31	51	43	39	31	16	1	-	-
Male.....	21	19	24	21	36	26	24	14	7	1	-	-
Female.....	5	5	2	10	15	17	15	17	9	-	-	-
White, both sexes.....	20	21	24	27	48	42	38	30	16	1	-	-
Male.....	16	17	22	17	33	25	23	14	7	1	-	-
Female.....	4	4	2	10	15	17	15	16	9	-	-	-
Black, both sexes.....	2	1	1	3	1	-	1	1	-	-	-	-
Male.....	1	-	1	3	1	-	1	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	2	1	1	2	1	-	-	-	-	-	-
Male.....	4	2	1	1	2	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Michigan

All races, both sexes.....	43	40	45	54	84	68	53	42	10	1	-	-
Male.....	34	29	30	37	48	38	27	23	3	-	-	-
Female.....	9	11	15	17	36	30	26	19	7	1	-	-
White, both sexes.....	31	26	37	46	69	61	49	32	9	1	-	-
Male.....	25	17	23	32	38	34	25	17	3	-	-	-
Female.....	6	9	14	14	31	27	24	15	6	1	-	-
Black, both sexes.....	11	11	5	8	14	5	2	9	1	-	-	-
Male.....	8	11	4	5	9	3	1	6	-	-	-	-
Female.....	3	-	1	3	5	2	1	3	1	-	-	-
American Indian 1/, both sexes.....	1	1	3	-	-	1	1	-	-	-	-	-
Male.....	1	1	3	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	-	-	1	1	1	1	-	-	-	-
Male.....	-	-	-	-	1	1	-	-	-	-	-	-
Female.....	-	2	-	-	-	-	1	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Of liver and intrahepatic bile ducts (C22)												
Nebraska												
All races, both sexes.....	1	4	9	8	6	13	6	10	1	1	-	-
Male.....	1	4	6	7	5	7	4	3	-	-	-	-
Female.....	-	-	3	1	1	6	2	7	1	1	-	-
White, both sexes.....	1	3	8	8	6	12	6	10	1	1	-	-
Male.....	1	3	5	7	5	6	4	3	-	-	-	-
Female.....	-	-	3	1	1	6	2	7	1	1	-	-
Black, both sexes.....	-	1	-	-	-	1	-	-	-	-	-	-
Male.....	-	1	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Nevada												
All races, both sexes.....	13	7	9	24	12	15	11	5	1	-	-	-
Male.....	11	5	7	13	9	8	5	1	-	-	-	-
Female.....	2	2	2	11	3	7	6	4	1	-	-	-
White, both sexes.....	11	7	8	16	11	14	9	5	1	-	-	-
Male.....	9	5	6	8	8	8	4	1	-	-	-	-
Female.....	2	2	2	8	3	6	5	4	1	-	-	-
Black, both sexes.....	-	-	1	2	-	-	-	-	-	-	-	-
Male.....	-	-	1	2	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	2	1	-	-	-	-	-	-	-
Male.....	-	-	-	1	1	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	4	-	1	2	-	-	-	-	-
Male.....	2	-	-	2	-	-	1	-	-	-	-	-
Female.....	-	-	-	2	-	1	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Of liver and intrahepatic bile ducts (C22)												
New Hampshire												
All races, both sexes.....	4	6	8	9	8	7	6	6	2	-	-	-
Male.....	4	4	6	8	7	5	3	4	-	-	-	-
Female.....	-	2	2	1	1	2	3	2	2	-	-	-
White, both sexes.....	3	6	7	9	8	7	6	6	2	-	-	-
Male.....	3	4	5	8	7	5	3	4	-	-	-	-
Female.....	-	2	2	1	1	2	3	2	2	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New Jersey												
All races, both sexes.....	25	31	34	43	52	74	49	25	10	1	-	-
Male.....	21	26	26	33	25	47	31	9	2	-	-	-
Female.....	4	5	8	10	27	27	18	16	8	1	-	-
White, both sexes.....	15	25	26	31	44	63	45	24	10	1	-	-
Male.....	14	22	18	24	21	40	28	9	2	-	-	-
Female.....	1	3	8	7	23	23	17	15	8	1	-	-
Black, both sexes.....	7	5	5	6	6	6	4	-	-	-	-	-
Male.....	5	4	5	5	3	2	3	-	-	-	-	-
Female.....	2	1	-	1	3	4	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	1	3	5	2	5	-	1	-	-	-	-
Male.....	2	-	3	4	1	5	-	-	-	-	-	-
Female.....	1	1	-	1	1	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Of liver and intrahepatic bile ducts (C22)												
New Mexico												
All races, both sexes.....	11	13	14	16	20	12	17	6	3	1	-	-
Male.....	6	11	10	9	9	9	11	3	2	-	-	-
Female.....	5	2	4	7	11	3	6	3	1	1	-	-
White, both sexes.....	7	12	13	15	18	12	13	5	3	-	-	-
Male.....	3	10	9	9	8	9	8	3	2	-	-	-
Female.....	4	2	4	6	10	3	5	2	1	-	-	-
Black, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	3	-	-	1	2	-	4	1	-	1	-	-
Male.....	2	-	-	-	1	-	3	-	-	-	-	-
Female.....	1	-	-	1	1	-	1	1	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	85	98	85	126	151	128	115	79	38	9	1	-
Male.....	69	79	63	86	106	85	58	28	17	1	-	-
Female.....	16	19	22	40	45	43	57	51	21	8	1	-
White, both sexes.....	64	66	59	97	121	116	96	69	29	7	1	-
Male.....	51	55	44	64	90	78	46	26	13	1	-	-
Female.....	13	11	15	33	31	38	50	43	16	6	1	-
Black, both sexes.....	14	22	14	16	18	10	14	7	5	1	-	-
Male.....	12	16	9	12	8	6	8	2	-	-	-	-
Female.....	2	6	5	4	10	4	6	5	5	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	10	12	13	12	2	4	3	4	1	-	-
Male.....	6	8	10	10	8	1	4	-	4	-	-	-
Female.....	1	2	2	3	4	1	-	3	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Of liver and intrahepatic bile ducts (C22)												
Ohio												
All races, both sexes.....	39	31	50	55	69	86	77	53	18	4	1	-
Male.....	33	23	37	40	52	47	43	22	5	2	-	-
Female.....	6	8	13	15	17	39	34	31	13	2	1	-
White, both sexes.....	26	25	44	37	59	77	73	50	15	3	1	-
Male.....	21	19	31	27	48	42	39	22	3	1	-	-
Female.....	5	6	13	10	11	35	34	28	12	2	1	-
Black, both sexes.....	13	6	5	17	8	9	4	3	3	1	-	-
Male.....	12	4	5	12	3	5	4	-	2	1	-	-
Female.....	1	2	-	5	5	4	-	3	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	1	2	-	-	-	-	-	-	-
Male.....	-	-	1	1	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Oklahoma												
All races, both sexes.....	9	15	24	16	19	15	12	12	4	1	-	-
Male.....	8	12	19	13	13	8	5	2	-	-	-	-
Female.....	1	3	5	3	6	7	7	10	4	1	-	-
White, both sexes.....	7	13	18	13	18	11	10	10	2	1	-	-
Male.....	6	10	15	11	13	6	4	2	-	-	-	-
Female.....	1	3	3	2	5	5	6	8	2	1	-	-
Black, both sexes.....	2	-	1	1	-	2	-	2	2	-	-	-
Male.....	2	-	1	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	1	-	1	-	2	2	-	-	-
American Indian 1/, both sexes.....	-	2	3	1	1	2	1	-	-	-	-	-
Male.....	-	2	2	1	-	1	1	-	-	-	-	-
Female.....	-	-	1	-	1	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	2	1	-	-	1	-	-	-	-	-
Male.....	-	-	1	1	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of liver and intrahepatic bile ducts (C22)

Oregon

All races, both sexes.....	11	24	14	13	19	14	22	14	1	1	-	-
Male.....	8	17	13	9	9	6	10	7	1	-	-	-
Female.....	3	7	1	4	10	8	12	7	-	1	-	-
White, both sexes.....	10	19	9	10	18	12	19	13	1	1	-	-
Male.....	7	12	8	7	9	5	8	6	1	-	-	-
Female.....	3	7	1	3	9	7	11	7	-	1	-	-
Black, both sexes.....	-	1	2	1	1	-	-	-	-	-	-	-
Male.....	-	1	2	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	2	-	-	-	-	1	1	-	-	-	-
Male.....	-	2	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	2	3	2	-	2	2	-	-	-	-	-
Male.....	1	2	3	1	-	1	2	-	-	-	-	-
Female.....	-	-	-	1	-	1	-	-	-	-	-	-

Pennsylvania

All races, both sexes.....	51	38	55	62	94	104	87	55	23	7	-	-
Male.....	47	26	37	45	64	60	43	25	12	2	-	-
Female.....	4	12	18	17	30	44	44	30	11	5	-	-
White, both sexes.....	31	27	49	48	80	93	78	53	22	7	-	-
Male.....	31	18	32	35	53	54	40	25	11	2	-	-
Female.....	-	9	17	13	27	39	38	28	11	5	-	-
Black, both sexes.....	18	9	3	11	13	8	7	2	1	-	-	-
Male.....	14	6	3	8	11	4	2	-	1	-	-	-
Female.....	4	3	-	3	2	4	5	2	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	2	3	3	-	3	2	-	-	-	-	-
Male.....	2	2	2	2	-	2	1	-	-	-	-	-
Female.....	-	-	1	1	-	1	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of liver and intrahepatic bile ducts (C22)

Vermont

All races, both sexes.....	4	2	4	1	2	3	3	-	2	-	-	-
Male.....	3	2	4	1	2	2	2	-	-	-	-	-
Female.....	1	-	-	-	-	1	1	-	2	-	-	-
White, both sexes.....	4	2	4	1	2	3	3	-	2	-	-	-
Male.....	3	2	4	1	2	2	2	-	-	-	-	-
Female.....	1	-	-	-	-	1	1	-	2	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	21	21	29	42	40	30	39	16	7	-	2	-
Male.....	17	15	23	29	30	16	22	7	2	-	-	-
Female.....	4	6	6	13	10	14	17	9	5	-	2	-
White, both sexes.....	11	14	22	25	37	23	35	14	5	-	1	-
Male.....	10	10	18	16	27	13	20	5	2	-	-	-
Female.....	1	4	4	9	10	10	15	9	3	-	1	-
Black, both sexes.....	8	6	5	12	1	4	3	1	2	-	1	-
Male.....	7	4	3	10	1	3	2	1	-	-	-	-
Female.....	1	2	2	2	-	1	1	-	2	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	2	5	2	3	1	1	-	-	-	-
Male.....	-	1	2	3	2	-	-	1	-	-	-	-
Female.....	2	-	-	2	-	3	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Liver (C22.0,C22.2-C22.9)												
Arkansas												
All races, both sexes.....	125	-	1	-	-	-	-	-	1	3	2	5
Male.....	74	-	1	-	-	-	-	-	1	2	-	3
Female.....	51	-	-	-	-	-	-	-	-	1	2	2
White, both sexes.....	104	-	1	-	-	-	-	-	-	1	-	4
Male.....	64	-	1	-	-	-	-	-	-	1	-	3
Female.....	40	-	-	-	-	-	-	-	-	-	-	1
Black, both sexes.....	19	-	-	-	-	-	-	-	1	2	2	-
Male.....	9	-	-	-	-	-	-	-	1	1	-	-
Female.....	10	-	-	-	-	-	-	-	-	1	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1
California												
All races, both sexes.....	1,517	-	3	1	2	2	1	3	9	16	44	91
Male.....	1,001	-	1	1	1	2	1	3	6	12	34	72
Female.....	516	-	2	-	1	-	-	-	3	4	10	19
White, both sexes.....	1,022	-	3	1	1	1	-	1	4	5	31	63
Male.....	650	-	1	1	-	1	-	1	2	4	23	48
Female.....	372	-	2	-	1	-	-	-	2	1	8	15
Black, both sexes.....	116	-	-	-	-	-	-	-	-	-	1	6
Male.....	82	-	-	-	-	-	-	-	-	-	1	4
Female.....	34	-	-	-	-	-	-	-	-	-	-	2
American Indian 1/, both sexes.....	9	-	-	-	-	-	-	-	-	-	-	3
Male.....	7	-	-	-	-	-	-	-	-	-	-	3
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	370	-	-	-	1	1	1	2	5	11	12	19
Male.....	262	-	-	-	1	1	1	2	4	8	10	17
Female.....	108	-	-	-	-	-	-	-	1	3	2	2

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Liver (C22.0,C22.2-C22.9)												
Florida												
All races, both sexes.....	757	-	2	-	1	1	1	1	2	2	10	43
Male.....	556	-	-	-	1	1	1	-	2	1	6	36
Female.....	201	-	2	-	-	-	-	1	-	1	4	7
White, both sexes.....	673	-	1	-	1	-	1	-	1	2	7	30
Male.....	498	-	-	-	1	-	1	-	1	1	4	25
Female.....	175	-	1	-	-	-	-	-	-	1	3	5
Black, both sexes.....	69	-	1	-	-	1	-	1	-	-	3	11
Male.....	48	-	-	-	-	1	-	-	1	-	2	9
Female.....	21	-	1	-	-	-	-	1	-	-	1	2
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	14	-	-	-	-	-	-	-	-	-	-	2
Male.....	9	-	-	-	-	-	-	-	-	-	-	2
Female.....	5	-	-	-	-	-	-	-	-	-	-	-
Georgia												
All races, both sexes.....	272	-	1	-	-	1	-	1	2	1	7	13
Male.....	176	-	-	-	-	1	-	-	-	1	7	12
Female.....	96	-	1	-	-	-	-	1	2	-	-	1
White, both sexes.....	189	-	1	-	-	1	-	-	-	1	3	7
Male.....	119	-	-	-	-	1	-	-	-	1	3	6
Female.....	70	-	1	-	-	-	-	-	-	-	-	1
Black, both sexes.....	65	-	-	-	-	-	-	1	1	-	3	5
Male.....	44	-	-	-	-	-	-	-	-	-	3	5
Female.....	21	-	-	-	-	-	-	1	1	-	-	-
American Indian 1/, both sexes.....	5	-	-	-	-	-	-	-	-	-	1	-
Male.....	4	-	-	-	-	-	-	-	-	-	1	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	13	-	-	-	-	-	-	-	1	-	-	1
Male.....	9	-	-	-	-	-	-	-	-	-	-	1
Female.....	4	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Liver (C22.0,C22.2-C22.9)												
Arkansas												
All races, both sexes.....	6	14	10	16	16	26	8	12	4	1	-	-
Male.....	4	11	8	12	9	15	2	5	1	-	-	-
Female.....	2	3	2	4	7	11	6	7	3	1	-	-
White, both sexes.....	6	12	8	14	14	20	8	11	4	1	-	-
Male.....	4	9	7	10	8	13	2	5	1	-	-	-
Female.....	2	3	1	4	6	7	6	6	3	1	-	-
Black, both sexes.....	-	1	2	2	2	6	-	1	-	-	-	-
Male.....	-	1	1	2	1	2	-	-	-	-	-	-
Female.....	-	-	1	-	1	4	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	157	148	161	183	226	191	159	77	33	7	3	-
Male.....	135	119	113	118	137	111	85	36	13	1	-	-
Female.....	22	29	48	65	89	80	74	41	20	6	3	-
White, both sexes.....	97	96	91	124	149	135	124	61	29	5	1	-
Male.....	83	77	64	83	81	79	63	26	12	1	-	-
Female.....	14	19	27	41	68	56	61	35	17	4	1	-
Black, both sexes.....	17	21	23	10	14	14	7	2	1	-	-	-
Male.....	14	16	15	7	12	8	4	1	-	-	-	-
Female.....	3	5	8	3	2	6	3	1	1	-	-	-
American Indian 1/, both sexes.....	2	-	1	-	2	1	-	-	-	-	-	-
Male.....	2	-	-	-	2	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	41	31	46	49	61	41	28	14	3	2	2	-
Male.....	36	26	34	28	42	24	18	9	1	-	-	-
Female.....	5	5	12	21	19	17	10	5	2	2	2	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Liver (C22.0,C22.2-C22.9)												
Colorado												
All races, both sexes.....	14	11	13	11	11	12	16	6	2	2	-	-
Male.....	14	8	6	7	9	4	12	3	-	2	-	-
Female.....	-	3	7	4	2	8	4	3	2	-	-	-
White, both sexes.....	13	11	12	10	9	11	13	6	2	2	-	-
Male.....	13	8	5	6	7	3	9	3	-	2	-	-
Female.....	-	3	7	4	2	8	4	3	2	-	-	-
Black, both sexes.....	1	-	-	-	1	1	1	-	-	-	-	-
Male.....	1	-	-	-	1	1	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	1	1	-	1	-	-	-	-	-
Male.....	-	-	1	1	1	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Connecticut												
All races, both sexes.....	8	13	6	12	17	20	9	8	-	-	-	-
Male.....	8	10	5	8	13	12	7	6	-	-	-	-
Female.....	-	3	1	4	4	8	2	2	-	-	-	-
White, both sexes.....	7	11	5	9	12	19	9	8	-	-	-	-
Male.....	7	9	4	6	10	11	7	6	-	-	-	-
Female.....	-	2	1	3	2	8	2	2	-	-	-	-
Black, both sexes.....	1	2	1	3	4	1	-	-	-	-	-	-
Male.....	1	1	1	2	3	1	-	-	-	-	-	-
Female.....	-	1	-	1	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Liver (C22.0,C22.2-C22.9)												
Florida												
All races, both sexes.....	66	51	68	77	116	127	100	63	21	5	-	-
Male.....	59	39	53	60	91	86	67	42	9	2	-	-
Female.....	7	12	15	17	25	41	33	21	12	3	-	-
White, both sexes.....	52	39	65	68	111	118	93	58	21	5	-	-
Male.....	48	31	51	55	87	81	63	38	9	2	-	-
Female.....	4	8	14	13	24	37	30	20	12	3	-	-
Black, both sexes.....	11	10	3	8	3	7	5	4	-	-	-	-
Male.....	8	6	2	5	3	3	4	4	-	-	-	-
Female.....	3	4	1	3	-	4	1	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	2	-	1	2	2	2	1	-	-	-	-
Male.....	2	2	-	-	1	2	-	-	-	-	-	-
Female.....	-	-	-	1	1	-	2	1	-	-	-	-
Georgia												
All races, both sexes.....	36	32	28	37	38	30	22	17	5	1	-	-
Male.....	31	25	19	27	20	14	11	6	1	1	-	-
Female.....	5	7	9	10	18	16	11	11	4	-	-	-
White, both sexes.....	16	21	19	29	27	28	19	14	2	1	-	-
Male.....	13	17	11	22	14	14	11	5	-	1	-	-
Female.....	3	4	8	7	13	14	8	9	2	-	-	-
Black, both sexes.....	18	8	6	4	10	1	3	2	3	-	-	-
Male.....	16	6	5	2	6	-	-	-	1	-	-	-
Female.....	2	2	1	2	4	1	3	2	2	-	-	-
American Indian 1/, both sexes.....	-	-	1	1	1	-	-	1	-	-	-	-
Male.....	-	-	1	1	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	3	2	3	-	1	-	-	-	-	-	-
Male.....	2	2	2	2	-	-	-	-	-	-	-	-
Female.....	-	1	-	1	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Liver (C22.0,C22.2-C22.9)												
Kentucky												
All races, both sexes.....	13	12	18	18	19	25	15	8	12	-	-	-
Male.....	12	10	10	14	13	16	9	4	6	-	-	-
Female.....	1	2	8	4	6	9	6	4	6	-	-	-
White, both sexes.....	10	12	18	16	18	24	13	8	12	-	-	-
Male.....	9	10	10	13	13	15	7	4	6	-	-	-
Female.....	1	2	8	3	5	9	6	4	6	-	-	-
Black, both sexes.....	3	-	-	2	-	1	2	-	-	-	-	-
Male.....	3	-	-	1	-	1	2	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Louisiana												
All races, both sexes.....	14	20	27	25	39	35	34	16	10	1	-	-
Male.....	13	16	17	15	27	20	15	3	4	-	-	-
Female.....	1	4	10	10	12	15	19	13	6	1	-	-
White, both sexes.....	7	11	19	18	22	28	29	11	9	1	-	-
Male.....	7	10	11	10	14	17	11	1	4	-	-	-
Female.....	-	1	8	8	8	11	18	10	5	1	-	-
Black, both sexes.....	7	8	8	6	16	7	5	4	1	-	-	-
Male.....	6	5	6	5	13	3	4	2	-	-	-	-
Female.....	1	3	2	1	3	4	1	2	1	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	1	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	1	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Liver (C22.0,C22.2-C22.9)												
Maine												
All races, both sexes.....	5	4	4	-	3	7	5	8	-	-	-	-
Male.....	5	4	4	-	1	3	3	3	-	-	-	-
Female.....	-	-	-	-	2	4	2	5	-	-	-	-
White, both sexes.....	5	4	4	-	3	7	5	8	-	-	-	-
Male.....	5	4	4	-	1	3	3	3	-	-	-	-
Female.....	-	-	-	-	2	4	2	5	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Maryland												
All races, both sexes.....	19	19	16	20	33	31	22	13	6	-	-	-
Male.....	15	16	13	15	20	21	16	3	4	-	-	-
Female.....	4	3	3	5	13	10	6	10	2	-	-	-
White, both sexes.....	9	6	8	16	22	25	17	10	5	-	-	-
Male.....	5	6	8	12	13	17	14	3	3	-	-	-
Female.....	4	-	-	4	9	8	3	7	2	-	-	-
Black, both sexes.....	10	12	6	4	7	5	5	3	1	-	-	-
Male.....	10	9	3	3	6	3	2	-	1	-	-	-
Female.....	-	3	3	1	1	2	3	3	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	2	-	4	1	-	-	-	-	-	-
Male.....	-	1	2	-	1	1	-	-	-	-	-	-
Female.....	-	-	-	-	3	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Liver (C22.0,C22.2-C22.9)												
Massachusetts												
All races, both sexes.....	22	20	21	28	41	32	29	22	10	-	-	-
Male.....	20	17	20	21	32	22	19	9	5	-	-	-
Female.....	2	3	1	7	9	10	10	13	5	-	-	-
White, both sexes.....	17	17	19	24	38	31	28	21	10	-	-	-
Male.....	15	15	18	17	29	21	18	9	5	-	-	-
Female.....	2	2	1	7	9	10	10	12	5	-	-	-
Black, both sexes.....	1	1	1	3	1	-	1	1	-	-	-	-
Male.....	1	-	1	3	1	-	1	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	2	1	1	2	1	-	-	-	-	-	-
Male.....	4	2	1	1	2	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Michigan												
All races, both sexes.....	37	36	35	43	66	56	44	31	8	1	-	-
Male.....	29	27	25	32	37	31	24	20	3	-	-	-
Female.....	8	9	10	11	29	25	20	11	5	1	-	-
White, both sexes.....	26	23	28	36	52	50	40	22	7	1	-	-
Male.....	21	16	19	28	28	27	22	14	3	-	-	-
Female.....	5	7	9	8	24	23	18	8	4	1	-	-
Black, both sexes.....	11	10	5	7	13	5	2	8	1	-	-	-
Male.....	8	10	4	4	8	3	1	6	-	-	-	-
Female.....	3	-	1	3	5	2	1	2	1	-	-	-
American Indian 1/, both sexes.....	-	1	2	-	-	-	1	-	-	-	-	-
Male.....	-	1	2	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	-	-	1	1	1	1	-	-	-	-
Male.....	-	-	-	-	1	1	-	-	-	-	-	-
Female.....	-	2	-	-	-	-	1	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Liver (C22.0,C22.2-C22.9)												
Nebraska												
All races, both sexes.....	-	2	7	8	6	11	5	7	-	1	-	-
Male.....	-	2	5	7	5	6	3	3	-	-	-	-
Female.....	-	-	2	1	1	5	2	4	-	1	-	-
White, both sexes.....	-	1	6	8	6	10	5	7	-	1	-	-
Male.....	-	1	4	7	5	5	3	3	-	-	-	-
Female.....	-	-	2	1	1	5	2	4	-	1	-	-
Black, both sexes.....	-	1	-	-	-	1	-	-	-	-	-	-
Male.....	-	1	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Nevada												
All races, both sexes.....	11	6	9	22	8	13	11	2	1	-	-	-
Male.....	10	4	7	11	7	8	5	-	-	-	-	-
Female.....	1	2	2	11	1	5	6	2	1	-	-	-
White, both sexes.....	9	6	8	15	7	13	9	2	1	-	-	-
Male.....	8	4	6	7	6	8	4	-	-	-	-	-
Female.....	1	2	2	8	1	5	5	2	1	-	-	-
Black, both sexes.....	-	-	1	2	-	-	-	-	-	-	-	-
Male.....	-	-	1	2	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	4	-	-	2	-	-	-	-	-
Male.....	2	-	-	2	-	-	1	-	-	-	-	-
Female.....	-	-	-	2	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Liver (C22.0,C22.2-C22.9)												
New Hampshire												
All races, both sexes.....	4	5	4	7	4	3	4	3	1	-	-	-
Male.....	4	4	3	7	4	3	1	3	-	-	-	-
Female.....	-	1	1	-	-	-	3	-	1	-	-	-
White, both sexes.....	3	5	4	7	4	3	4	3	1	-	-	-
Male.....	3	4	3	7	4	3	1	3	-	-	-	-
Female.....	-	1	1	-	-	-	3	-	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New Jersey												
All races, both sexes.....	22	24	25	38	40	51	42	18	6	1	-	-
Male.....	20	21	21	32	20	35	28	7	1	-	-	-
Female.....	2	3	4	6	20	16	14	11	5	1	-	-
White, both sexes.....	13	19	18	28	33	42	38	17	6	1	-	-
Male.....	13	18	14	23	16	28	25	7	1	-	-	-
Female.....	-	1	4	5	17	14	13	10	5	1	-	-
Black, both sexes.....	6	4	4	6	5	4	4	-	-	-	-	-
Male.....	5	3	4	5	3	2	3	-	-	-	-	-
Female.....	1	1	-	1	2	2	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	1	3	4	2	5	-	1	-	-	-	-
Male.....	2	-	3	4	1	5	-	-	-	-	-	-
Female.....	1	1	-	-	1	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Liver (C22.0,C22.2-C22.9)												
New Mexico												
All races, both sexes.....	9	11	10	12	17	8	16	4	3	1	-	-
Male.....	5	10	7	6	8	5	11	2	2	-	-	-
Female.....	4	1	3	6	9	3	5	2	1	1	-	-
White, both sexes.....	6	10	9	11	16	8	13	4	3	-	-	-
Male.....	3	9	6	6	8	5	8	2	2	-	-	-
Female.....	3	1	3	5	8	3	5	2	1	-	-	-
Black, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	3	-	-	1	1	-	3	-	-	1	-	-
Male.....	2	-	-	-	-	-	3	-	-	-	-	-
Female.....	1	-	-	1	1	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	75	80	64	108	118	101	85	52	25	8	1	-
Male.....	61	67	51	75	87	72	46	19	12	1	-	-
Female.....	14	13	13	33	31	29	39	33	13	7	1	-
White, both sexes.....	56	51	43	83	93	90	71	44	18	7	1	-
Male.....	44	44	34	55	74	65	37	17	9	1	-	-
Female.....	12	7	9	28	19	25	34	27	9	6	1	-
Black, both sexes.....	13	19	10	15	15	9	12	6	4	-	-	-
Male.....	11	15	7	11	6	6	8	2	-	-	-	-
Female.....	2	4	3	4	9	3	4	4	4	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	10	11	10	10	2	1	2	3	1	-	-
Male.....	6	8	10	9	7	1	1	-	3	-	-	-
Female.....	-	2	1	1	3	1	-	2	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Liver (C22.0,C22.2-C22.9)												
Ohio												
All races, both sexes.....	31	21	38	38	55	63	59	32	11	3	-	-
Male.....	27	19	33	28	42	34	32	14	3	2	-	-
Female.....	4	2	5	10	13	29	27	18	8	1	-	-
White, both sexes.....	19	16	32	23	45	56	55	31	9	2	-	-
Male.....	16	15	27	16	38	31	28	14	2	1	-	-
Female.....	3	1	5	7	7	25	27	17	7	1	-	-
Black, both sexes.....	12	5	5	14	8	7	4	1	2	1	-	-
Male.....	11	4	5	11	3	3	4	-	1	1	-	-
Female.....	1	1	-	3	5	4	-	1	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	1	2	-	-	-	-	-	-	-
Male.....	-	-	1	1	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Oklahoma												
All races, both sexes.....	7	12	21	15	17	15	9	9	3	1	-	-
Male.....	6	10	18	12	13	8	5	-	-	-	-	-
Female.....	1	2	3	3	4	7	4	9	3	1	-	-
White, both sexes.....	5	11	15	12	17	11	7	7	1	1	-	-
Male.....	4	9	14	10	13	6	4	-	-	-	-	-
Female.....	1	2	1	2	4	5	3	7	1	1	-	-
Black, both sexes.....	2	-	1	1	-	2	-	2	2	-	-	-
Male.....	2	-	1	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	1	-	1	-	2	2	-	-	-
American Indian 1/, both sexes.....	-	1	3	1	-	2	1	-	-	-	-	-
Male.....	-	1	2	1	-	1	1	-	-	-	-	-
Female.....	-	-	1	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	2	1	-	-	1	-	-	-	-	-
Male.....	-	-	1	1	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Liver (C22.0,C22.2-C22.9)												
Oregon												
All races, both sexes.....	10	16	12	11	11	11	13	9	1	1	-	-
Male.....	8	12	11	8	4	3	6	3	1	-	-	-
Female.....	2	4	1	3	7	8	7	6	-	1	-	-
White, both sexes.....	9	12	7	8	11	9	11	9	1	1	-	-
Male.....	7	8	6	6	4	2	5	3	1	-	-	-
Female.....	2	4	1	2	7	7	6	6	-	1	-	-
Black, both sexes.....	-	1	2	1	-	-	-	-	-	-	-	-
Male.....	-	1	2	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	1	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	2	3	2	-	2	1	-	-	-	-	-
Male.....	1	2	3	1	-	1	1	-	-	-	-	-
Female.....	-	-	-	1	-	1	-	-	-	-	-	-
Pennsylvania												
All races, both sexes.....	45	29	44	45	69	73	57	41	15	5	-	-
Male.....	42	24	34	35	51	45	29	19	8	2	-	-
Female.....	3	5	10	10	18	28	28	22	7	3	-	-
White, both sexes.....	28	20	38	33	57	65	51	39	14	5	-	-
Male.....	28	16	29	27	41	40	27	19	7	2	-	-
Female.....	-	4	9	6	16	25	24	20	7	3	-	-
Black, both sexes.....	16	7	3	10	11	7	5	2	1	-	-	-
Male.....	13	6	3	7	10	4	2	-	1	-	-	-
Female.....	3	1	-	3	1	3	3	2	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	2	3	2	-	1	1	-	-	-	-	-
Male.....	1	2	2	1	-	1	-	-	-	-	-	-
Female.....	-	-	1	1	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Liver (C22.0,C22.2-C22.9)												
Vermont												
All races, both sexes.....	4	1	3	1	2	2	3	-	1	-	-	-
Male.....	3	1	3	1	2	1	2	-	-	-	-	-
Female.....	1	-	-	-	-	1	1	-	1	-	-	-
White, both sexes.....	4	1	3	1	2	2	3	-	1	-	-	-
Male.....	3	1	3	1	2	1	2	-	-	-	-	-
Female.....	1	-	-	-	-	1	1	-	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Virginia												
All races, both sexes.....	17	15	20	30	34	21	29	10	4	-	2	-
Male.....	15	12	17	22	26	12	19	3	2	-	-	-
Female.....	2	3	3	8	8	9	10	7	2	-	2	-
White, both sexes.....	9	10	14	16	32	15	26	9	2	-	1	-
Male.....	8	9	12	12	24	9	17	2	2	-	-	-
Female.....	1	1	2	4	8	6	9	7	-	-	1	-
Black, both sexes.....	7	4	4	10	1	3	3	1	2	-	1	-
Male.....	7	2	3	8	1	3	2	1	-	-	-	-
Female.....	-	2	1	2	-	-	1	-	2	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	2	4	1	3	-	-	-	-	-	-
Male.....	-	1	2	2	1	-	-	-	-	-	-	-
Female.....	1	-	-	2	-	3	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Intrahepatic bile duct carcinoma (C22.1)												
Arkansas												
All races, both sexes.....	18	-	-	-	-	-	-	-	1	-	2	-
Male.....	8	-	-	-	-	-	-	-	-	-	1	-
Female.....	10	-	-	-	-	-	-	-	1	-	1	-
White, both sexes.....	13	-	-	-	-	-	-	-	1	-	1	-
Male.....	5	-	-	-	-	-	-	-	-	-	-	-
Female.....	8	-	-	-	-	-	-	-	1	-	1	-
Black, both sexes.....	4	-	-	-	-	-	-	-	-	-	1	-
Male.....	3	-	-	-	-	-	-	-	-	-	1	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	359	-	-	-	-	-	-	-	-	3	6	6
Male.....	164	-	-	-	-	-	-	-	-	1	1	6
Female.....	195	-	-	-	-	-	-	-	-	2	5	-
White, both sexes.....	286	-	-	-	-	-	-	-	-	2	5	5
Male.....	131	-	-	-	-	-	-	-	-	1	1	5
Female.....	155	-	-	-	-	-	-	-	-	1	4	-
Black, both sexes.....	13	-	-	-	-	-	-	-	-	-	-	-
Male.....	7	-	-	-	-	-	-	-	-	-	-	-
Female.....	6	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	58	-	-	-	-	-	-	-	-	1	1	1
Male.....	26	-	-	-	-	-	-	-	-	-	-	1
Female.....	32	-	-	-	-	-	-	-	-	1	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Intrahepatic bile duct carcinoma (C22.1)												
Arkansas												
All races, both sexes.....	-	-	4	2	4	1	1	1	2	-	-	-
Male.....	-	-	2	-	2	1	1	1	-	-	-	-
Female.....	-	-	2	2	2	-	-	-	2	-	-	-
White, both sexes.....	-	-	4	2	2	1	-	1	1	-	-	-
Male.....	-	-	2	-	1	1	-	1	-	-	-	-
Female.....	-	-	2	2	1	-	-	-	1	-	-	-
Black, both sexes.....	-	-	-	-	1	-	1	-	1	-	-	-
Male.....	-	-	-	-	1	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
California												
All races, both sexes.....	19	26	38	41	56	49	47	46	17	3	2	-
Male.....	8	11	17	26	29	25	19	15	5	1	-	-
Female.....	11	15	21	15	27	24	28	31	12	2	2	-
White, both sexes.....	12	19	29	33	48	36	38	42	14	1	2	-
Male.....	6	9	13	20	26	17	16	13	4	-	-	-
Female.....	6	10	16	13	22	19	22	29	10	1	2	-
Black, both sexes.....	1	2	1	2	1	3	2	1	-	-	-	-
Male.....	-	1	-	2	1	2	1	-	-	-	-	-
Female.....	1	1	1	-	-	1	1	1	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	4	8	6	7	10	7	2	3	2	-	-
Male.....	2	1	4	4	2	6	2	2	1	1	-	-
Female.....	4	3	4	2	5	4	5	-	2	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Intrahepatic bile duct carcinoma (C22.1)												
Delaware												
All races, both sexes.....	-	1	1	1	2	3	2	-	-	-	-	-
Male.....	-	1	1	-	1	2	1	-	-	-	-	-
Female.....	-	-	-	1	1	1	1	-	-	-	-	-
White, both sexes.....	-	1	1	1	2	2	1	-	-	-	-	-
Male.....	-	1	1	-	1	1	1	-	-	-	-	-
Female.....	-	-	-	1	1	1	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Dist. of Columbia												
All races, both sexes.....	-	-	-	2	-	-	-	1	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	1	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	2	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Intrahepatic bile duct carcinoma (C22.1)

Florida

All races, both sexes.....	14	9	8	26	24	42	32	21	7	1	1	-
Male.....	8	3	5	9	8	20	16	6	2	1	-	-
Female.....	6	6	3	17	16	22	16	15	5	-	1	-
White, both sexes.....	12	8	7	23	23	38	29	21	7	1	1	-
Male.....	8	3	5	8	8	19	16	6	2	1	-	-
Female.....	4	5	2	15	15	19	13	15	5	-	1	-
Black, both sexes.....	1	1	1	2	1	4	3	-	-	-	-	-
Male.....	-	-	-	1	-	1	-	-	-	-	-	-
Female.....	1	1	1	1	1	3	3	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-

Georgia

All races, both sexes.....	4	3	5	4	7	12	6	5	3	-	-	-
Male.....	2	3	2	4	6	8	2	2	1	-	-	-
Female.....	2	-	3	-	1	4	4	3	2	-	-	-
White, both sexes.....	2	2	4	3	6	11	4	5	3	-	-	-
Male.....	1	2	1	3	5	8	1	2	1	-	-	-
Female.....	1	-	3	-	1	3	3	3	2	-	-	-
Black, both sexes.....	2	1	1	1	1	1	1	-	-	-	-	-
Male.....	1	1	1	1	1	-	1	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Intrahepatic bile duct carcinoma (C22.1)												
Iowa												
All races, both sexes.....	1	8	1	2	6	2	5	4	2	3	-	-
Male.....	-	5	-	-	2	-	3	3	1	-	-	-
Female.....	1	3	1	2	4	2	2	1	1	3	-	-
White, both sexes.....	1	8	1	2	5	2	5	4	1	3	-	-
Male.....	-	5	-	-	1	-	3	3	1	-	-	-
Female.....	1	3	1	2	4	2	2	1	-	3	-	-
Black, both sexes.....	-	-	-	-	1	-	-	-	1	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Kansas												
All races, both sexes.....	6	4	2	2	7	2	9	3	4	-	-	-
Male.....	4	3	1	2	3	1	7	1	2	-	-	-
Female.....	2	1	1	-	4	1	2	2	2	-	-	-
White, both sexes.....	6	4	2	2	6	2	9	2	4	-	-	-
Male.....	4	3	1	2	3	1	7	1	2	-	-	-
Female.....	2	1	1	-	3	1	2	1	2	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Intrahepatic bile duct carcinoma (C22.1)												
Nebraska												
All races, both sexes.....	1	2	2	-	-	2	1	3	1	-	-	-
Male.....	1	2	1	-	-	1	1	-	-	-	-	-
Female.....	-	-	1	-	-	1	-	3	1	-	-	-
White, both sexes.....	1	2	2	-	-	2	1	3	1	-	-	-
Male.....	1	2	1	-	-	1	1	-	-	-	-	-
Female.....	-	-	1	-	-	1	-	3	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Nevada												
All races, both sexes.....	2	1	-	2	4	2	-	3	-	-	-	-
Male.....	1	1	-	2	2	-	-	1	-	-	-	-
Female.....	1	-	-	-	2	2	-	2	-	-	-	-
White, both sexes.....	2	1	-	1	4	1	-	3	-	-	-	-
Male.....	1	1	-	1	2	-	-	1	-	-	-	-
Female.....	1	-	-	-	2	1	-	2	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Intrahepatic bile duct carcinoma (C22.1)												
New Mexico												
All races, both sexes.....	2	2	4	4	3	4	1	2	-	-	-	-
Male.....	1	1	3	3	1	4	-	1	-	-	-	-
Female.....	1	1	1	1	2	-	1	1	-	-	-	-
White, both sexes.....	1	2	4	4	2	4	-	1	-	-	-	-
Male.....	-	1	3	3	-	4	-	1	-	-	-	-
Female.....	1	1	1	1	2	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	1	1	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	10	18	21	18	33	27	30	27	13	1	-	-
Male.....	8	12	12	11	19	13	12	9	5	-	-	-
Female.....	2	6	9	7	14	14	18	18	8	1	-	-
White, both sexes.....	8	15	16	14	28	26	25	25	11	-	-	-
Male.....	7	11	10	9	16	13	9	9	4	-	-	-
Female.....	1	4	6	5	12	13	16	16	7	-	-	-
Black, both sexes.....	1	3	4	1	3	1	2	1	1	1	-	-
Male.....	1	1	2	1	2	-	-	-	-	-	-	-
Female.....	-	2	2	-	1	1	2	1	1	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	1	3	2	-	3	1	1	-	-	-
Male.....	-	-	-	1	1	-	3	-	1	-	-	-
Female.....	1	-	1	2	1	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Intrahepatic bile duct carcinoma (C22.1)												
Oregon												
All races, both sexes.....	1	8	2	2	8	3	9	5	-	-	-	-
Male.....	-	5	2	1	5	3	4	4	-	-	-	-
Female.....	1	3	-	1	3	-	5	1	-	-	-	-
White, both sexes.....	1	7	2	2	7	3	8	4	-	-	-	-
Male.....	-	4	2	1	5	3	3	3	-	-	-	-
Female.....	1	3	-	1	2	-	5	1	-	-	-	-
Black, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	1	-	-	-	-
Male.....	-	1	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Pennsylvania												
All races, both sexes.....	6	9	11	17	25	31	30	14	8	2	-	-
Male.....	5	2	3	10	13	15	14	6	4	-	-	-
Female.....	1	7	8	7	12	16	16	8	4	2	-	-
White, both sexes.....	3	7	11	15	23	28	27	14	8	2	-	-
Male.....	3	2	3	8	12	14	13	6	4	-	-	-
Female.....	-	5	8	7	11	14	14	8	4	2	-	-
Black, both sexes.....	2	2	-	1	2	1	2	-	-	-	-	-
Male.....	1	-	-	1	1	-	-	-	-	-	-	-
Female.....	1	2	-	-	1	1	2	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	1	-	2	1	-	-	-	-	-
Male.....	1	-	-	1	-	1	1	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Intrahepatic bile duct carcinoma (C22.1)												
Vermont												
All races, both sexes.....	-	1	1	-	-	1	-	-	1	-	-	-
Male.....	-	1	1	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
White, both sexes.....	-	1	1	-	-	1	-	-	1	-	-	-
Male.....	-	1	1	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Virginia												
All races, both sexes.....	4	6	9	12	6	9	10	6	3	-	-	-
Male.....	2	3	6	7	4	4	3	4	-	-	-	-
Female.....	2	3	3	5	2	5	7	2	3	-	-	-
White, both sexes.....	2	4	8	9	5	8	9	5	3	-	-	-
Male.....	2	1	6	4	3	4	3	3	-	-	-	-
Female.....	-	3	2	5	2	4	6	2	3	-	-	-
Black, both sexes.....	1	2	1	2	-	1	-	-	-	-	-	-
Male.....	-	2	-	2	-	-	-	-	-	-	-	-
Female.....	1	-	1	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	1	1	-	1	1	-	-	-	-
Male.....	-	-	-	1	1	-	-	1	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Of gallbladder and extrahepatic bile ducts (C23-C24)												
Arkansas												
All races, both sexes.....	2	2	-	-	3	4	6	5	1	-	-	-
Male.....	1	1	-	-	2	3	3	1	1	-	-	-
Female.....	1	1	-	-	1	1	3	4	-	-	-	-
White, both sexes.....	2	2	-	-	3	4	6	5	1	-	-	-
Male.....	1	1	-	-	2	3	3	1	1	-	-	-
Female.....	1	1	-	-	1	1	3	4	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	20	25	23	41	41	70	39	32	10	4	1	-
Male.....	6	13	5	15	15	26	11	21	4	1	-	-
Female.....	14	12	18	26	26	44	28	11	6	3	1	-
White, both sexes.....	17	21	22	35	33	60	29	28	6	3	1	-
Male.....	4	11	5	13	11	23	8	18	1	-	-	-
Female.....	13	10	17	22	22	37	21	10	5	3	1	-
Black, both sexes.....	-	2	1	1	3	5	1	-	1	-	-	-
Male.....	-	-	-	-	1	1	-	-	1	-	-	-
Female.....	-	2	1	1	2	4	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	2	-	5	5	5	9	4	3	1	-	-
Male.....	2	2	-	2	3	2	3	3	2	1	-	-
Female.....	1	-	-	3	2	3	6	1	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Of gallbladder and extrahepatic bile ducts (C23-C24)

Hawaii

All races, both sexes.....	1	3	2	-	4	4	1	2	-	-	-	-
Male.....	-	1	2	-	3	3	1	1	-	-	-	-
Female.....	1	2	-	-	1	1	-	1	-	-	-	-
White, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	3	2	-	3	4	1	2	-	-	-	-
Male.....	-	1	2	-	2	3	1	1	-	-	-	-
Female.....	1	2	-	-	1	1	-	1	-	-	-	-

Idaho

All races, both sexes.....	-	-	1	2	2	2	3	1	-	-	-	-
Male.....	-	-	1	2	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	2	3	1	-	-	-	-
White, both sexes.....	-	-	1	2	1	1	3	1	-	-	-	-
Male.....	-	-	1	2	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	1	3	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Of gallbladder and extrahepatic bile ducts (C23-C24)												
Maine												
All races, both sexes.....	-	2	2	1	2	3	-	1	3	1	-	-
Male.....	-	-	-	-	2	2	-	-	-	-	-	-
Female.....	-	2	2	1	-	1	-	1	3	1	-	-
White, both sexes.....	-	2	2	1	2	3	-	1	3	1	-	-
Male.....	-	-	-	-	2	2	-	-	-	-	-	-
Female.....	-	2	2	1	-	1	-	1	3	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Maryland												
All races, both sexes.....	2	2	5	7	4	17	9	8	1	1	-	-
Male.....	1	-	3	3	2	7	4	-	1	-	-	-
Female.....	1	2	2	4	2	10	5	8	-	1	-	-
White, both sexes.....	2	1	4	4	4	10	7	8	-	1	-	-
Male.....	1	-	3	2	2	4	3	-	-	-	-	-
Female.....	1	1	1	2	2	6	4	8	-	1	-	-
Black, both sexes.....	-	1	1	3	-	5	1	-	1	-	-	-
Male.....	-	-	-	1	-	2	-	-	1	-	-	-
Female.....	-	1	1	2	-	3	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	2	1	-	-	-	-	-
Male.....	-	-	-	-	-	1	1	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Of gallbladder and extrahepatic bile ducts (C23-C24)												
New Mexico												
All races, both sexes.....	-	1	3	1	6	5	6	6	2	-	-	-
Male.....	-	1	-	-	2	3	2	1	-	-	-	-
Female.....	-	-	3	1	4	2	4	5	2	-	-	-
White, both sexes.....	-	1	3	1	6	4	5	5	2	-	-	-
Male.....	-	1	-	-	2	3	2	1	-	-	-	-
Female.....	-	-	3	1	4	1	3	4	2	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	15	13	18	29	34	45	33	35	10	1	2	-
Male.....	6	5	7	9	11	19	8	14	1	-	-	-
Female.....	9	8	11	20	23	26	25	21	9	1	2	-
White, both sexes.....	10	11	17	20	26	40	28	31	8	1	2	-
Male.....	4	4	6	6	10	15	6	13	1	-	-	-
Female.....	6	7	11	14	16	25	22	18	7	1	2	-
Black, both sexes.....	5	1	-	9	6	5	4	4	2	-	-	-
Male.....	2	1	-	3	1	4	1	1	-	-	-	-
Female.....	3	-	-	6	5	1	3	3	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	-	1	-	1	-	-	-	-	-
Male.....	-	-	1	-	-	-	1	-	-	-	-	-
Female.....	-	1	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Of gallbladder and extrahepatic bile ducts (C23-C24)												
Oregon												
All races, both sexes.....	2	2	2	3	1	11	7	3	2	1	-	-
Male.....	1	2	-	2	-	3	2	3	1	1	-	-
Female.....	1	-	2	1	1	8	5	-	1	-	-	-
White, both sexes.....	2	2	2	3	1	11	6	3	2	1	-	-
Male.....	1	2	-	2	-	3	2	3	1	1	-	-
Female.....	1	-	2	1	1	8	4	-	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Pennsylvania												
All races, both sexes.....	11	12	16	21	30	42	40	30	11	4	-	-
Male.....	5	3	9	8	9	26	11	9	3	1	-	-
Female.....	6	9	7	13	21	16	29	21	8	3	-	-
White, both sexes.....	10	10	15	20	29	38	39	29	11	4	-	-
Male.....	5	3	9	8	9	24	11	9	3	1	-	-
Female.....	5	7	6	12	20	14	28	20	8	3	-	-
Black, both sexes.....	-	2	1	-	-	4	1	1	-	-	-	-
Male.....	-	-	-	-	-	2	-	-	-	-	-	-
Female.....	-	2	1	-	-	2	1	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	1	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	1	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Of gallbladder and extrahepatic bile ducts (C23-C24)												
Vermont												
All races, both sexes.....	-	1	-	-	4	3	-	1	1	-	-	-
Male.....	-	1	-	-	3	3	-	1	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	1	-	-	-
White, both sexes.....	-	1	-	-	4	3	-	1	1	-	-	-
Male.....	-	1	-	-	3	3	-	1	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Virginia												
All races, both sexes.....	3	6	4	9	8	11	11	10	3	2	-	-
Male.....	1	3	3	4	3	3	5	4	-	1	-	-
Female.....	2	3	1	5	5	8	6	6	3	1	-	-
White, both sexes.....	1	3	-	5	6	6	9	5	3	1	-	-
Male.....	-	2	-	1	1	1	5	2	-	1	-	-
Female.....	1	1	-	4	5	5	4	3	3	-	-	-
Black, both sexes.....	2	3	4	4	2	4	1	4	-	1	-	-
Male.....	1	1	3	3	2	1	-	1	-	-	-	-
Female.....	1	2	1	1	-	3	1	3	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	1	1	-	-	-	-
Male.....	-	-	-	-	-	1	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Of pancreas (C25)												
Alaska												
All races, both sexes.....	42	-	-	-	-	-	-	-	1	-	3	2
Male.....	23	-	-	-	-	-	-	-	-	-	2	1
Female.....	19	-	-	-	-	-	-	-	1	-	1	1
White, both sexes.....	32	-	-	-	-	-	-	-	-	-	2	1
Male.....	17	-	-	-	-	-	-	-	-	-	1	1
Female.....	15	-	-	-	-	-	-	-	-	-	1	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	9	-	-	-	-	-	-	-	1	-	1	1
Male.....	6	-	-	-	-	-	-	-	-	-	1	-
Female.....	3	-	-	-	-	-	-	-	1	-	-	1
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Arizona												
All races, both sexes.....	486	-	-	-	-	-	-	-	1	-	5	16
Male.....	247	-	-	-	-	-	-	-	-	-	3	10
Female.....	239	-	-	-	-	-	-	-	1	-	2	6
White, both sexes.....	458	-	-	-	-	-	-	-	-	-	5	15
Male.....	234	-	-	-	-	-	-	-	-	-	3	9
Female.....	224	-	-	-	-	-	-	-	-	-	2	6
Black, both sexes.....	15	-	-	-	-	-	-	-	-	-	-	-
Male.....	7	-	-	-	-	-	-	-	-	-	-	-
Female.....	8	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	7	-	-	-	-	-	-	-	-	-	-	-
Male.....	4	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	-	-	-	-	-	-	-	1	-	-	1
Male.....	2	-	-	-	-	-	-	-	-	-	-	1
Female.....	4	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Of pancreas (C25)												
Arkansas												
All races, both sexes.....	316	-	-	-	-	-	-	-	2	1	7	9
Male.....	159	-	-	-	-	-	-	-	2	-	6	6
Female.....	157	-	-	-	-	-	-	-	-	1	1	3
White, both sexes.....	272	-	-	-	-	-	-	-	2	1	4	5
Male.....	141	-	-	-	-	-	-	-	2	-	4	4
Female.....	131	-	-	-	-	-	-	-	-	1	-	1
Black, both sexes.....	42	-	-	-	-	-	-	-	-	-	3	4
Male.....	18	-	-	-	-	-	-	-	-	-	2	2
Female.....	24	-	-	-	-	-	-	-	-	-	1	2
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	3,099	1	-	-	-	-	1	2	3	15	51	78
Male.....	1,517	-	-	-	-	-	-	1	2	13	29	47
Female.....	1,582	1	-	-	-	-	1	1	1	2	22	31
White, both sexes.....	2,591	-	-	-	-	-	1	1	2	9	42	64
Male.....	1,275	-	-	-	-	-	-	-	2	7	23	39
Female.....	1,316	-	-	-	-	-	1	1	-	2	19	25
Black, both sexes.....	239	1	-	-	-	-	-	-	-	4	6	7
Male.....	109	-	-	-	-	-	-	-	-	4	4	3
Female.....	130	1	-	-	-	-	-	-	-	-	2	4
American Indian 1/, both sexes.....	9	-	-	-	-	-	-	-	-	1	-	-
Male.....	4	-	-	-	-	-	-	-	-	1	-	-
Female.....	5	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	260	-	-	-	-	-	-	1	1	1	3	7
Male.....	129	-	-	-	-	-	-	1	-	1	2	5
Female.....	131	-	-	-	-	-	-	-	1	-	1	2

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Of pancreas (C25)												
New Mexico												
All races, both sexes.....	178	-	-	-	-	-	-	-	-	1	2	1
Male.....	86	-	-	-	-	-	-	-	-	1	-	-
Female.....	92	-	-	-	-	-	-	-	-	-	2	1
White, both sexes.....	170	-	-	-	-	-	-	-	-	1	2	1
Male.....	85	-	-	-	-	-	-	-	-	1	-	-
Female.....	85	-	-	-	-	-	-	-	-	-	2	1
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	6	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	6	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	2,188	-	-	-	-	1	-	1	1	13	32	47
Male.....	1,018	-	-	-	-	1	-	1	-	7	22	29
Female.....	1,170	-	-	-	-	-	-	-	1	6	10	18
White, both sexes.....	1,841	-	-	-	-	1	-	-	1	8	20	38
Male.....	858	-	-	-	-	1	-	-	-	4	12	23
Female.....	983	-	-	-	-	-	-	-	1	4	8	15
Black, both sexes.....	292	-	-	-	-	-	-	1	-	4	10	9
Male.....	135	-	-	-	-	-	-	1	-	3	8	6
Female.....	157	-	-	-	-	-	-	-	-	1	2	3
American Indian 1/, both sexes.....	4	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	51	-	-	-	-	-	-	-	-	1	2	-
Male.....	24	-	-	-	-	-	-	-	-	-	2	-
Female.....	27	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Of pancreas (C25)												
North Carolina												
All races, both sexes.....	872	-	-	-	-	-	-	-	4	1	10	28
Male.....	434	-	-	-	-	-	-	-	4	1	6	14
Female.....	438	-	-	-	-	-	-	-	-	-	4	14
White, both sexes.....	676	-	-	-	-	-	-	-	3	-	9	20
Male.....	340	-	-	-	-	-	-	-	3	-	5	10
Female.....	336	-	-	-	-	-	-	-	-	-	4	10
Black, both sexes.....	193	-	-	-	-	-	-	-	1	1	1	8
Male.....	94	-	-	-	-	-	-	-	1	1	1	4
Female.....	99	-	-	-	-	-	-	-	-	-	-	4
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
North Dakota												
All races, both sexes.....	66	-	-	-	-	-	-	-	-	1	1	3
Male.....	32	-	-	-	-	-	-	-	-	-	1	2
Female.....	34	-	-	-	-	-	-	-	-	1	-	1
White, both sexes.....	65	-	-	-	-	-	-	-	-	-	1	3
Male.....	32	-	-	-	-	-	-	-	-	-	1	2
Female.....	33	-	-	-	-	-	-	-	-	-	-	1
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Of pancreas (C25)												
Alaska												
All races, both sexes.....	6	5	7	2	6	7	1	2	-	-	-	-
Male.....	3	3	6	-	3	3	1	1	-	-	-	-
Female.....	3	2	1	2	3	4	-	1	-	-	-	-
White, both sexes.....	5	3	6	2	5	6	-	2	-	-	-	-
Male.....	2	3	5	-	2	2	-	1	-	-	-	-
Female.....	3	-	1	2	3	4	-	1	-	-	-	-
Black, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	1	1	-	1	1	1	-	-	-	-	-
Male.....	1	-	1	-	1	1	1	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Arizona												
All races, both sexes.....	18	40	50	54	75	98	72	43	13	1	-	-
Male.....	14	21	29	35	40	46	31	17	1	-	-	-
Female.....	4	19	21	19	35	52	41	26	12	1	-	-
White, both sexes.....	17	37	48	53	69	94	66	40	13	1	-	-
Male.....	13	18	29	34	39	43	29	16	1	-	-	-
Female.....	4	19	19	19	30	51	37	24	12	1	-	-
Black, both sexes.....	-	2	-	1	4	3	4	1	-	-	-	-
Male.....	-	2	-	1	-	2	2	-	-	-	-	-
Female.....	-	-	-	-	4	1	2	1	-	-	-	-
American Indian 1/, both sexes.....	1	1	1	-	-	1	2	1	-	-	-	-
Male.....	1	1	-	-	-	1	-	1	-	-	-	-
Female.....	-	-	1	-	-	-	2	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	2	-	-	1	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	1	-	1	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Of pancreas (C25)												
Arkansas												
All races, both sexes.....	12	22	27	38	44	54	47	35	11	7	-	-
Male.....	5	14	17	22	29	24	17	11	4	2	-	-
Female.....	7	8	10	16	15	30	30	24	7	5	-	-
White, both sexes.....	9	19	24	31	41	49	44	29	10	4	-	-
Male.....	4	13	16	17	27	22	16	11	3	2	-	-
Female.....	5	6	8	14	14	27	28	18	7	2	-	-
Black, both sexes.....	2	3	3	7	3	5	2	6	1	3	-	-
Male.....	1	1	1	5	2	2	1	-	1	-	-	-
Female.....	1	2	2	2	1	3	1	6	-	3	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-
California												
All races, both sexes.....	159	235	298	384	469	520	423	298	130	29	3	-
Male.....	87	133	167	206	233	245	187	117	42	8	-	-
Female.....	72	102	131	178	236	275	236	181	88	21	3	-
White, both sexes.....	130	188	232	303	393	447	373	266	113	24	3	-
Male.....	75	103	132	168	198	212	172	102	35	7	-	-
Female.....	55	85	100	135	195	235	201	164	78	17	3	-
Black, both sexes.....	12	26	37	40	37	27	19	12	7	4	-	-
Male.....	7	18	18	17	16	12	5	4	-	1	-	-
Female.....	5	8	19	23	21	15	14	8	7	3	-	-
American Indian 1/, both sexes.....	1	1	2	-	2	1	-	1	-	-	-	-
Male.....	-	-	-	-	1	1	-	1	-	-	-	-
Female.....	1	1	2	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	16	20	27	41	37	45	31	19	10	1	-	-
Male.....	5	12	17	21	18	20	10	10	7	-	-	-
Female.....	11	8	10	20	19	25	21	9	3	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Of pancreas (C25)												
Colorado												
All races, both sexes.....	23	30	34	45	63	79	54	38	9	-	-	-
Male.....	13	17	19	27	38	31	27	12	1	-	-	-
Female.....	10	13	15	18	25	48	27	26	8	-	-	-
White, both sexes.....	22	29	32	44	59	74	53	36	9	-	-	-
Male.....	12	16	19	26	37	31	27	12	1	-	-	-
Female.....	10	13	13	18	22	43	26	24	8	-	-	-
Black, both sexes.....	1	1	2	-	2	2	1	1	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	2	-	2	2	1	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	1	2	-	1	-	-	-	-
Male.....	-	-	-	1	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	2	-	1	-	-	-	-
Connecticut												
All races, both sexes.....	18	35	37	44	54	81	75	46	19	4	-	-
Male.....	11	23	18	24	23	43	32	15	9	-	-	-
Female.....	7	12	19	20	31	38	43	31	10	4	-	-
White, both sexes.....	15	31	30	41	50	74	71	45	19	4	-	-
Male.....	11	20	14	22	22	39	30	15	9	-	-	-
Female.....	4	11	16	19	28	35	41	30	10	4	-	-
Black, both sexes.....	3	4	7	3	3	7	4	1	-	-	-	-
Male.....	-	3	4	2	1	4	2	-	-	-	-	-
Female.....	3	1	3	1	2	3	2	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Of pancreas (C25)												
Florida												
All races, both sexes.....	87	159	185	232	311	355	302	169	117	15	2	1
Male.....	53	102	109	131	173	174	134	68	48	7	-	1
Female.....	34	57	76	101	138	181	168	101	69	8	2	-
White, both sexes.....	76	136	160	210	284	332	275	160	112	14	1	-
Male.....	48	91	94	117	156	163	122	65	46	7	-	-
Female.....	28	45	66	93	128	169	153	95	66	7	1	-
Black, both sexes.....	9	21	25	20	25	21	21	9	5	1	1	1
Male.....	5	11	15	14	15	11	9	3	2	-	-	1
Female.....	4	10	10	6	10	10	12	6	3	1	1	-
American Indian 1/, both sexes.....	-	1	-	-	2	1	-	-	-	-	-	-
Male.....	-	-	-	-	2	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	-	2	-	1	6	-	-	-	-	-
Male.....	-	-	-	-	-	-	3	-	-	-	-	-
Female.....	2	1	-	2	-	1	3	-	-	-	-	-
Georgia												
All races, both sexes.....	42	68	71	107	99	103	84	73	24	5	1	-
Male.....	27	44	41	58	46	54	32	22	9	1	-	-
Female.....	15	24	30	49	53	49	52	51	15	4	1	-
White, both sexes.....	20	49	52	70	82	77	66	53	22	4	-	-
Male.....	13	30	30	37	37	42	27	16	8	1	-	-
Female.....	7	19	22	33	45	35	39	37	14	3	-	-
Black, both sexes.....	21	18	19	35	17	25	17	19	2	1	1	-
Male.....	14	13	11	20	9	12	5	5	1	-	-	-
Female.....	7	5	8	15	8	13	12	14	1	1	1	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	1	-	-	-	-
Male.....	-	1	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	2	-	1	1	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	1	-	-	1	-	1	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Of pancreas (C25)												
Iowa												
All races, both sexes.....	12	20	37	40	56	74	66	32	6	4	1	-
Male.....	9	10	25	21	23	29	30	11	-	-	-	-
Female.....	3	10	12	19	33	45	36	21	6	4	1	-
White, both sexes.....	12	19	36	37	55	72	66	32	6	4	-	-
Male.....	9	10	25	20	23	28	30	11	-	-	-	-
Female.....	3	9	11	17	32	44	36	21	6	4	-	-
Black, both sexes.....	-	1	1	1	1	2	-	-	-	-	1	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	1	1	1	1	1	-	-	-	-	1	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Kansas												
All races, both sexes.....	18	16	13	31	32	48	48	24	17	4	-	-
Male.....	14	8	6	21	19	26	21	8	5	2	-	-
Female.....	4	8	7	10	13	22	27	16	12	2	-	-
White, both sexes.....	16	16	12	29	27	45	44	24	15	3	-	-
Male.....	13	8	6	21	16	26	19	8	5	1	-	-
Female.....	3	8	6	8	11	19	25	16	10	2	-	-
Black, both sexes.....	2	-	1	1	3	2	4	-	2	1	-	-
Male.....	1	-	-	-	3	-	2	-	-	1	-	-
Female.....	1	-	1	1	-	2	2	-	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	2	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	2	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Of pancreas (C25)												
Maine												
All races, both sexes.....	11	15	6	22	29	30	20	16	8	1	1	-
Male.....	9	8	4	12	14	12	11	6	-	-	-	-
Female.....	2	7	2	10	15	18	9	10	8	1	1	-
White, both sexes.....	10	15	6	22	28	30	20	16	8	1	1	-
Male.....	8	8	4	12	13	12	11	6	-	-	-	-
Female.....	2	7	2	10	15	18	9	10	8	1	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Maryland												
All races, both sexes.....	24	52	61	69	73	92	84	41	17	6	-	-
Male.....	12	31	39	33	33	49	43	12	7	-	-	-
Female.....	12	21	22	36	40	43	41	29	10	6	-	-
White, both sexes.....	14	34	35	46	42	80	67	34	14	5	-	-
Male.....	6	21	22	22	22	39	37	11	7	-	-	-
Female.....	8	13	13	24	20	41	30	23	7	5	-	-
Black, both sexes.....	9	17	25	21	29	11	16	7	3	-	-	-
Male.....	5	9	16	9	11	9	6	1	-	-	-	-
Female.....	4	8	9	12	18	2	10	6	3	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	1	1	2	1	1	-	-	1	-	-
Male.....	1	1	1	1	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	2	-	1	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Of pancreas (C25)												
Massachusetts												
All races, both sexes.....	28	46	73	86	117	139	131	97	39	8	1	-
Male.....	19	22	39	48	54	65	64	36	11	-	-	-
Female.....	9	24	34	38	63	74	67	61	28	8	1	-
White, both sexes.....	25	40	68	83	105	132	127	96	38	8	1	-
Male.....	16	18	34	47	48	63	61	35	11	-	-	-
Female.....	9	22	34	36	57	69	66	61	27	8	1	-
Black, both sexes.....	3	6	3	1	9	4	4	1	1	-	-	-
Male.....	3	4	3	1	5	-	3	1	-	-	-	-
Female.....	-	2	-	-	4	4	1	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	2	2	2	2	-	-	-	-	-	-
Male.....	-	-	2	-	1	1	-	-	-	-	-	-
Female.....	-	-	-	2	1	1	-	-	-	-	-	-
Michigan												
All races, both sexes.....	69	86	107	116	174	183	149	103	40	6	3	-
Male.....	46	51	66	65	95	80	69	27	10	1	1	-
Female.....	23	35	41	51	79	103	80	76	30	5	2	-
White, both sexes.....	54	66	98	104	144	152	138	95	35	5	3	-
Male.....	37	39	60	60	83	71	63	25	10	1	1	-
Female.....	17	27	38	44	61	81	75	70	25	4	2	-
Black, both sexes.....	15	19	9	12	28	26	10	7	5	1	-	-
Male.....	9	12	6	5	11	8	6	1	-	-	-	-
Female.....	6	7	3	7	17	18	4	6	5	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	2	1	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	4	1	1	-	-	-	-
Male.....	-	-	-	-	-	1	-	1	-	-	-	-
Female.....	-	1	-	-	-	3	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Of pancreas (C25)												
Nebraska												
All races, both sexes.....	4	10	11	21	28	31	30	21	12	4	-	-
Male.....	3	6	8	8	11	11	16	8	5	2	-	-
Female.....	1	4	3	13	17	20	14	13	7	2	-	-
White, both sexes.....	4	10	10	21	27	29	30	21	12	4	-	-
Male.....	3	6	7	8	10	11	16	8	5	2	-	-
Female.....	1	4	3	13	17	18	14	13	7	2	-	-
Black, both sexes.....	-	-	1	-	1	2	-	-	-	-	-	-
Male.....	-	-	1	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	2	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Nevada												
All races, both sexes.....	10	15	23	41	32	36	34	10	8	1	-	-
Male.....	7	12	14	23	14	21	19	5	1	-	-	-
Female.....	3	3	9	18	18	15	15	5	7	1	-	-
White, both sexes.....	8	15	21	33	29	32	33	8	6	1	-	-
Male.....	5	12	13	20	12	20	19	3	1	-	-	-
Female.....	3	3	8	13	17	12	14	5	5	1	-	-
Black, both sexes.....	1	-	-	5	2	4	1	-	1	-	-	-
Male.....	1	-	-	1	2	1	-	-	-	-	-	-
Female.....	-	-	-	4	-	3	1	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	2	3	1	-	-	2	1	-	-	-
Male.....	1	-	1	2	-	-	-	2	-	-	-	-
Female.....	-	-	1	1	1	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Of pancreas (C25)												
New Hampshire												
All races, both sexes.....	6	9	15	16	15	18	21	12	6	1	-	-
Male.....	4	7	9	8	7	6	9	8	1	-	-	-
Female.....	2	2	6	8	8	12	12	4	5	1	-	-
White, both sexes.....	6	9	15	16	15	17	21	12	6	1	-	-
Male.....	4	7	9	8	7	5	9	8	1	-	-	-
Female.....	2	2	6	8	8	12	12	4	5	1	-	-
Black, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New Jersey												
All races, both sexes.....	35	79	85	109	154	178	171	117	42	9	-	-
Male.....	19	41	49	54	83	76	53	43	11	1	-	-
Female.....	16	38	36	55	71	102	118	74	31	8	-	-
White, both sexes.....	32	65	66	90	127	158	154	112	40	8	-	-
Male.....	19	35	39	45	71	68	44	41	11	1	-	-
Female.....	13	30	27	45	56	90	110	71	29	7	-	-
Black, both sexes.....	2	11	14	15	24	18	16	2	2	1	-	-
Male.....	-	6	7	7	10	6	8	-	-	-	-	-
Female.....	2	5	7	8	14	12	8	2	2	1	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	2	5	4	3	2	1	3	-	-	-	-
Male.....	-	-	3	2	2	2	1	2	-	-	-	-
Female.....	1	2	2	2	1	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Of pancreas (C25)												
New Mexico												
All races, both sexes.....	5	20	9	23	36	28	31	17	2	2	1	-
Male.....	2	16	7	14	18	12	13	1	-	1	1	-
Female.....	3	4	2	9	18	16	18	16	2	1	-	-
White, both sexes.....	3	19	9	21	36	27	29	17	2	2	1	-
Male.....	2	15	7	14	18	12	13	1	-	1	1	-
Female.....	1	4	2	7	18	15	16	16	2	1	-	-
Black, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	-	-	2	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	2	-	1	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
New York												
All races, both sexes.....	113	167	195	233	363	391	306	209	86	29	1	-
Male.....	63	103	100	131	183	183	107	60	19	9	-	-
Female.....	50	64	95	102	180	208	199	149	67	20	1	-
White, both sexes.....	93	132	155	187	299	339	277	189	75	26	1	-
Male.....	51	79	81	108	157	164	96	57	17	8	-	-
Female.....	42	53	74	79	142	175	181	132	58	18	1	-
Black, both sexes.....	14	30	36	38	56	42	24	16	9	3	-	-
Male.....	10	19	17	18	24	14	10	3	1	1	-	-
Female.....	4	11	19	20	32	28	14	13	8	2	-	-
American Indian 1/, both sexes.....	-	-	-	1	2	-	1	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	2	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	5	4	7	6	10	4	4	2	-	-	-
Male.....	2	5	2	4	2	5	1	-	1	-	-	-
Female.....	4	-	2	3	4	5	3	4	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Of pancreas (C25)												
Oregon												
All races, both sexes.....	20	24	46	47	61	64	59	39	18	3	-	-
Male.....	14	14	22	23	31	38	28	10	7	1	-	-
Female.....	6	10	24	24	30	26	31	29	11	2	-	-
White, both sexes.....	19	23	45	45	58	62	57	38	17	3	-	-
Male.....	13	13	22	22	31	37	27	10	6	1	-	-
Female.....	6	10	23	23	27	25	30	28	11	2	-	-
Black, both sexes.....	1	-	-	1	2	1	1	-	1	-	-	-
Male.....	1	-	-	-	-	1	1	-	1	-	-	-
Female.....	-	-	-	1	2	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	1	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	1	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	1	-	1	-	1	-	-	-	-
Male.....	-	1	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	1	-	-	-	-
Pennsylvania												
All races, both sexes.....	63	115	133	175	231	290	280	175	69	9	2	-
Male.....	50	62	78	94	116	136	117	65	16	2	1	-
Female.....	13	53	55	81	115	154	163	110	53	7	1	-
White, both sexes.....	50	104	110	152	205	271	264	166	66	7	2	-
Male.....	40	60	67	85	103	131	113	61	14	1	1	-
Female.....	10	44	43	67	102	140	151	105	52	6	1	-
Black, both sexes.....	12	9	23	20	25	17	15	9	3	2	-	-
Male.....	9	1	11	8	13	4	4	4	2	1	-	-
Female.....	3	8	12	12	12	13	11	5	1	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	2	-	3	1	2	1	-	-	-	-	-
Male.....	1	1	-	1	-	1	-	-	-	-	-	-
Female.....	-	1	-	2	1	1	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Of pancreas (C25)												
South Dakota												
All races, both sexes.....	6	9	7	8	12	17	12	10	1	1	-	-
Male.....	2	3	4	4	7	10	3	2	-	1	-	-
Female.....	4	6	3	4	5	7	9	8	1	-	-	-
White, both sexes.....	5	8	7	8	12	17	11	10	1	1	-	-
Male.....	2	3	4	4	7	10	3	2	-	1	-	-
Female.....	3	5	3	4	5	7	8	8	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	1	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Tennessee												
All races, both sexes.....	36	56	76	77	112	118	74	35	21	12	4	-
Male.....	23	36	44	45	47	45	33	12	7	4	-	-
Female.....	13	20	32	32	65	73	41	23	14	8	4	-
White, both sexes.....	30	42	59	68	95	100	65	25	19	7	4	-
Male.....	21	29	37	40	41	39	30	8	7	2	-	-
Female.....	9	13	22	28	54	61	35	17	12	5	4	-
Black, both sexes.....	6	14	17	8	16	18	9	10	2	5	-	-
Male.....	2	7	7	4	6	6	3	4	-	2	-	-
Female.....	4	7	10	4	10	12	6	6	2	3	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	1	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Of other and ill-defined digestive organs (C26)												
Arkansas												
All races, both sexes.....	2	3	-	3	4	1	1	3	3	-	-	-
Male.....	2	2	-	2	2	1	1	1	2	-	-	-
Female.....	-	1	-	1	2	-	-	2	1	-	-	-
White, both sexes.....	2	3	-	2	3	1	1	3	3	-	-	-
Male.....	2	2	-	1	1	1	1	1	2	-	-	-
Female.....	-	1	-	1	2	-	-	2	1	-	-	-
Black, both sexes.....	-	-	-	1	1	-	-	-	-	-	-	-
Male.....	-	-	-	1	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	3	8	9	9	15	24	8	16	9	3	4	-
Male.....	2	6	6	7	5	12	4	3	1	1	1	-
Female.....	1	2	3	2	10	12	4	13	8	2	3	-
White, both sexes.....	3	7	7	8	13	23	8	16	7	1	4	-
Male.....	2	6	4	6	5	12	4	3	-	-	1	-
Female.....	1	1	3	2	8	11	4	13	7	1	3	-
Black, both sexes.....	-	1	2	1	1	1	-	-	2	1	-	-
Male.....	-	-	2	1	-	-	-	-	1	1	-	-
Female.....	-	1	-	-	1	1	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Of other and ill-defined digestive organs (C26)

New Mexico

All races, both sexes.....	-	-	-	-	-	-	-	2	1	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	1	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	2	1	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	1	4	3	4	10	19	15	8	11	4	-	-
Male.....	-	1	2	2	7	8	9	2	1	-	-	-
Female.....	1	3	1	2	3	11	6	6	10	4	-	-
White, both sexes.....	-	4	3	3	8	18	14	8	11	4	-	-
Male.....	-	1	2	1	6	8	8	2	1	-	-	-
Female.....	-	3	1	2	2	10	6	6	10	4	-	-
Black, both sexes.....	1	-	-	1	2	-	1	-	-	-	-	-
Male.....	-	-	-	1	1	-	1	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)												
Arkansas												
All races, both sexes.....	2,184	-	-	-	-	-	-	1	3	5	27	46
Male.....	1,366	-	-	-	-	-	-	1	2	3	22	29
Female.....	818	-	-	-	-	-	-	-	1	2	5	17
White, both sexes.....	1,961	-	-	-	-	-	-	-	3	5	20	35
Male.....	1,210	-	-	-	-	-	-	-	2	3	15	20
Female.....	751	-	-	-	-	-	-	-	1	2	5	15
Black, both sexes.....	215	-	-	-	-	-	-	1	-	-	6	11
Male.....	150	-	-	-	-	-	-	1	-	-	6	9
Female.....	65	-	-	-	-	-	-	-	-	-	-	2
American Indian 1/, both sexes.....	5	-	-	-	-	-	-	-	-	-	-	-
Male.....	4	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	-	-	-	-	1	-
Male.....	2	-	-	-	-	-	-	-	-	-	1	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	14,237	-	-	1	-	1	6	3	17	34	157	371
Male.....	7,790	-	-	1	-	1	5	1	11	18	67	212
Female.....	6,447	-	-	-	-	-	1	2	6	16	90	159
White, both sexes.....	12,125	-	-	1	-	1	5	-	14	25	121	283
Male.....	6,518	-	-	1	-	1	4	-	9	11	48	156
Female.....	5,607	-	-	-	-	-	1	-	5	14	73	127
Black, both sexes.....	1,075	-	-	-	-	-	-	-	3	1	15	52
Male.....	639	-	-	-	-	-	-	-	2	1	6	31
Female.....	436	-	-	-	-	-	-	-	1	-	9	21
American Indian 1/, both sexes.....	60	-	-	-	-	-	-	-	-	-	2	-
Male.....	35	-	-	-	-	-	-	-	-	-	2	-
Female.....	25	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	977	-	-	-	-	-	1	3	-	8	19	36
Male.....	598	-	-	-	-	-	1	1	-	6	11	25
Female.....	379	-	-	-	-	-	-	2	-	2	8	11

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)												
Florida												
All races, both sexes.....	12,221	-	-	-	-	-	2	2	11	42	139	322
Male.....	7,059	-	-	-	-	-	2	2	5	22	78	176
Female.....	5,162	-	-	-	-	-	-	-	6	20	61	146
White, both sexes.....	11,288	-	-	-	-	-	1	2	11	35	119	272
Male.....	6,440	-	-	-	-	-	1	2	5	18	65	145
Female.....	4,848	-	-	-	-	-	-	-	6	17	54	127
Black, both sexes.....	887	-	-	-	-	-	1	-	-	5	20	50
Male.....	590	-	-	-	-	-	1	-	-	4	13	31
Female.....	297	-	-	-	-	-	-	-	-	1	7	19
American Indian 1/, both sexes.....	16	-	-	-	-	-	-	-	-	-	-	-
Male.....	9	-	-	-	-	-	-	-	-	-	-	-
Female.....	7	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	30	-	-	-	-	-	-	-	-	2	-	-
Male.....	20	-	-	-	-	-	-	-	-	-	-	-
Female.....	10	-	-	-	-	-	-	-	-	2	-	-
Georgia												
All races, both sexes.....	4,313	-	-	-	-	-	-	-	8	20	76	191
Male.....	2,743	-	-	-	-	-	-	-	5	10	39	124
Female.....	1,570	-	-	-	-	-	-	-	3	10	37	67
White, both sexes.....	3,399	-	-	-	-	-	-	-	5	12	50	125
Male.....	2,106	-	-	-	-	-	-	-	3	4	27	75
Female.....	1,293	-	-	-	-	-	-	-	2	8	23	50
Black, both sexes.....	891	-	-	-	-	-	-	-	3	7	26	66
Male.....	624	-	-	-	-	-	-	-	2	6	12	49
Female.....	267	-	-	-	-	-	-	-	1	1	14	17
American Indian 1/, both sexes.....	4	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	19	-	-	-	-	-	-	-	-	1	-	-
Male.....	12	-	-	-	-	-	-	-	-	-	-	-
Female.....	7	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)												
Kentucky												
All races, both sexes.....	3,436	-	-	-	-	-	-	1	3	25	55	102
Male.....	2,058	-	-	-	-	-	-	1	2	12	32	61
Female.....	1,378	-	-	-	-	-	-	-	1	13	23	41
White, both sexes.....	3,251	-	-	-	-	-	-	1	3	23	52	93
Male.....	1,946	-	-	-	-	-	-	1	2	10	31	55
Female.....	1,305	-	-	-	-	-	-	-	1	13	21	38
Black, both sexes.....	183	-	-	-	-	-	-	-	-	2	2	9
Male.....	111	-	-	-	-	-	-	-	-	2	1	6
Female.....	72	-	-	-	-	-	-	-	-	-	1	3
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-
Louisiana												
All races, both sexes.....	2,914	-	-	-	-	-	2	1	2	16	50	110
Male.....	1,785	-	-	-	-	-	1	1	2	6	28	74
Female.....	1,129	-	-	-	-	-	1	-	-	10	22	36
White, both sexes.....	2,095	-	-	-	-	-	-	1	1	10	27	62
Male.....	1,242	-	-	-	-	-	-	1	1	4	13	38
Female.....	853	-	-	-	-	-	-	-	-	6	14	24
Black, both sexes.....	801	-	-	-	-	-	2	-	1	5	23	48
Male.....	530	-	-	-	-	-	1	-	1	2	15	36
Female.....	271	-	-	-	-	-	1	-	-	3	8	12
American Indian 1/, both sexes.....	8	-	-	-	-	-	-	-	-	-	-	-
Male.....	5	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	10	-	-	-	-	-	-	-	-	1	-	-
Male.....	8	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)												
New Hampshire												
All races, both sexes.....	717	-	-	-	-	-	1	-	2	4	14	23
Male.....	371	-	-	-	-	-	1	-	2	2	5	12
Female.....	346	-	-	-	-	-	-	-	-	2	9	11
White, both sexes.....	711	-	-	-	-	-	1	-	2	4	14	23
Male.....	368	-	-	-	-	-	1	-	2	2	5	12
Female.....	343	-	-	-	-	-	-	-	-	2	9	11
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	-	-
New Jersey												
All races, both sexes.....	4,710	-	-	-	-	-	4	1	7	17	57	136
Male.....	2,553	-	-	-	-	-	3	1	1	8	29	73
Female.....	2,157	-	-	-	-	-	1	-	6	9	28	63
White, both sexes.....	4,087	-	-	-	-	-	3	-	3	11	44	108
Male.....	2,187	-	-	-	-	-	2	-	-	6	21	58
Female.....	1,900	-	-	-	-	-	1	-	3	5	23	50
Black, both sexes.....	553	-	-	-	-	-	1	-	1	6	11	25
Male.....	318	-	-	-	-	-	1	-	-	2	7	13
Female.....	235	-	-	-	-	-	-	-	1	4	4	12
American Indian 1/, both sexes.....	6	-	-	-	-	-	-	-	-	-	-	1
Male.....	4	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	64	-	-	-	-	-	-	1	3	-	2	2
Male.....	44	-	-	-	-	-	-	1	1	-	1	2
Female.....	20	-	-	-	-	-	-	-	2	-	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)												
New Mexico												
All races, both sexes.....	722	-	-	-	-	-	-	1	1	2	12	13
Male.....	417	-	-	-	-	-	-	1	-	1	6	7
Female.....	305	-	-	-	-	-	-	-	1	1	6	6
White, both sexes.....	697	-	-	-	-	-	-	1	1	2	12	11
Male.....	398	-	-	-	-	-	-	1	-	1	6	5
Female.....	299	-	-	-	-	-	-	-	1	1	6	6
Black, both sexes.....	14	-	-	-	-	-	-	-	-	-	-	1
Male.....	13	-	-	-	-	-	-	-	-	-	-	1
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	11	-	-	-	-	-	-	-	-	-	-	1
Male.....	6	-	-	-	-	-	-	-	-	-	-	1
Female.....	5	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	9,964	-	-	-	-	1	3	8	9	37	140	277
Male.....	5,439	-	-	-	-	-	2	4	3	20	54	148
Female.....	4,525	-	-	-	-	1	1	4	6	17	86	129
White, both sexes.....	8,561	-	-	-	-	-	2	6	4	26	96	203
Male.....	4,611	-	-	-	-	-	1	3	1	11	37	111
Female.....	3,950	-	-	-	-	-	1	3	3	15	59	92
Black, both sexes.....	1,210	-	-	-	-	1	1	2	3	9	41	69
Male.....	707	-	-	-	-	-	1	1	2	7	17	34
Female.....	503	-	-	-	-	1	-	1	1	2	24	35
American Indian 1/, both sexes.....	11	-	-	-	-	-	-	-	-	-	-	1
Male.....	4	-	-	-	-	-	-	-	-	-	-	-
Female.....	7	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	182	-	-	-	-	-	-	-	2	2	3	4
Male.....	117	-	-	-	-	-	-	-	-	2	-	3
Female.....	65	-	-	-	-	-	-	-	2	-	3	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)												
Alaska												
All races, both sexes.....	21	23	32	25	31	36	9	7	3	1	-	-
Male.....	13	15	17	16	25	21	3	4	1	1	-	-
Female.....	8	8	15	9	6	15	6	3	2	-	-	-
White, both sexes.....	13	18	25	19	23	27	8	6	2	1	-	-
Male.....	7	10	11	11	20	18	3	3	1	1	-	-
Female.....	6	8	14	8	3	9	5	3	1	-	-	-
Black, both sexes.....	4	1	2	1	1	-	-	-	-	-	-	-
Male.....	3	1	2	1	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	3	4	5	5	7	8	1	1	-	-	-	-
Male.....	3	4	4	4	5	2	-	1	-	-	-	-
Female.....	-	-	1	1	2	6	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	1	-	-	1	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-
Arizona												
All races, both sexes.....	107	218	304	390	490	474	376	167	52	7	5	-
Male.....	66	137	173	224	287	265	186	89	25	1	2	-
Female.....	41	81	131	166	203	209	190	78	27	6	3	-
White, both sexes.....	104	207	286	373	473	466	366	163	52	7	5	-
Male.....	64	129	163	215	279	259	183	87	25	1	2	-
Female.....	40	78	123	158	194	207	183	76	27	6	3	-
Black, both sexes.....	1	10	11	14	13	3	5	2	-	-	-	-
Male.....	1	7	7	8	7	2	2	1	-	-	-	-
Female.....	-	3	4	6	6	1	3	1	-	-	-	-
American Indian 1/, both sexes.....	2	1	5	3	3	2	3	-	-	-	-	-
Male.....	1	1	2	1	1	2	1	-	-	-	-	-
Female.....	1	-	3	2	2	-	2	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	2	-	1	3	2	2	-	-	-	-
Male.....	-	-	1	-	-	2	-	1	-	-	-	-
Female.....	-	-	1	-	1	1	2	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)												
Arkansas												
All races, both sexes.....	113	213	294	340	370	379	253	104	28	8	-	-
Male.....	71	127	190	214	238	235	159	58	14	3	-	-
Female.....	42	86	104	126	132	144	94	46	14	5	-	-
White, both sexes.....	98	181	267	314	345	335	232	93	26	7	-	-
Male.....	58	107	169	196	221	204	147	52	13	3	-	-
Female.....	40	74	98	118	124	131	85	41	13	4	-	-
Black, both sexes.....	15	31	25	25	23	43	21	11	2	1	-	-
Male.....	13	19	19	18	16	30	12	6	1	-	-	-
Female.....	2	12	6	7	7	13	9	5	1	1	-	-
American Indian 1/, both sexes.....	-	1	1	1	1	1	-	-	-	-	-	-
Male.....	-	1	1	-	1	1	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	1	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
California												
All races, both sexes.....	642	1,081	1,522	1,892	2,450	2,631	1,957	1,036	365	63	8	-
Male.....	364	648	877	1,074	1,355	1,418	1,039	519	151	24	5	-
Female.....	278	433	645	818	1,095	1,213	918	517	214	39	3	-
White, both sexes.....	496	882	1,263	1,592	2,125	2,288	1,722	925	321	55	6	-
Male.....	279	531	696	900	1,169	1,218	880	462	127	21	5	-
Female.....	217	351	567	692	956	1,070	842	463	194	34	1	-
Black, both sexes.....	85	121	150	176	154	166	99	37	11	4	1	-
Male.....	48	68	101	104	95	96	64	17	5	1	-	-
Female.....	37	53	49	72	59	70	35	20	6	3	1	-
American Indian 1/, both sexes.....	5	4	8	6	14	9	8	3	-	-	1	-
Male.....	4	3	6	5	3	5	6	1	-	-	-	-
Female.....	1	1	2	1	11	4	2	2	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	56	74	101	118	157	168	128	71	33	4	-	-
Male.....	33	46	74	65	88	99	89	39	19	2	-	-
Female.....	23	28	27	53	69	69	39	32	14	2	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)

Colorado

All races, both sexes.....	60	119	176	231	290	273	211	105	46	7	1	-
Male.....	32	80	107	137	162	140	119	48	22	2	-	-
Female.....	28	39	69	94	128	133	92	57	24	5	1	-
White, both sexes.....	57	116	161	217	283	255	207	98	45	7	1	-
Male.....	29	77	96	129	158	129	118	46	22	2	-	-
Female.....	28	39	65	88	125	126	89	52	23	5	1	-
Black, both sexes.....	3	1	13	12	6	14	2	5	1	-	-	-
Male.....	3	1	9	8	4	9	-	1	-	-	-	-
Female.....	-	-	4	4	2	5	2	4	1	-	-	-
American Indian 1/, both sexes.....	-	1	-	1	1	1	1	1	-	-	-	-
Male.....	-	1	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	1	1	1	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	2	1	-	3	1	1	-	-	-	-
Male.....	-	1	2	-	-	2	1	-	-	-	-	-
Female.....	-	-	-	1	-	1	-	1	-	-	-	-

Connecticut

All races, both sexes.....	93	145	167	206	310	375	277	176	65	5	1	-
Male.....	55	71	97	119	176	195	139	81	34	1	-	-
Female.....	38	74	70	87	134	180	138	95	31	4	1	-
White, both sexes.....	80	132	154	193	293	352	265	174	63	5	-	-
Male.....	44	64	87	111	167	184	131	81	32	1	-	-
Female.....	36	68	67	82	126	168	134	93	31	4	-	-
Black, both sexes.....	12	12	11	12	14	22	10	1	2	-	-	-
Male.....	10	6	8	7	8	11	6	-	2	-	-	-
Female.....	2	6	3	5	6	11	4	1	-	-	-	-
American Indian 1/, both sexes.....	-	1	1	-	2	1	1	-	-	-	-	-
Male.....	-	1	1	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	2	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	1	1	1	-	1	1	-	-	1	-
Male.....	1	-	1	1	1	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)												
Delaware												
All races, both sexes.....	26	39	55	75	94	96	47	23	11	1	1	-
Male.....	18	24	30	47	56	59	25	10	4	1	1	-
Female.....	8	15	25	28	38	37	22	13	7	-	-	-
White, both sexes.....	22	32	46	61	83	83	45	23	9	1	-	-
Male.....	15	19	22	39	51	51	23	10	3	1	-	-
Female.....	7	13	24	22	32	32	22	13	6	-	-	-
Black, both sexes.....	4	5	9	13	11	13	2	-	2	-	1	-
Male.....	3	3	8	7	5	8	2	-	1	-	1	-
Female.....	1	2	1	6	6	5	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	-	1	-	-	-	-	-	-	-	-
Male.....	-	2	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Dist. of Columbia												
All races, both sexes.....	23	33	43	43	51	53	51	16	5	-	1	1
Male.....	13	23	31	28	36	32	25	7	3	-	-	1
Female.....	10	10	12	15	15	21	26	9	2	-	1	-
White, both sexes.....	1	9	10	5	12	11	12	7	3	-	-	-
Male.....	-	4	6	3	6	7	5	3	2	-	-	-
Female.....	1	5	4	2	6	4	7	4	1	-	-	-
Black, both sexes.....	22	24	33	38	38	41	38	9	2	-	1	1
Male.....	13	19	25	25	30	24	19	4	1	-	-	1
Female.....	9	5	8	13	8	17	19	5	1	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	1	1	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)

Florida

All races, both sexes.....	505	980	1,233	1,683	2,087	2,258	1,741	866	294	49	7	-
Male.....	326	612	784	974	1,239	1,297	961	440	123	18	-	-
Female.....	179	368	449	709	848	961	780	426	171	31	7	-
White, both sexes.....	422	870	1,114	1,514	1,952	2,124	1,678	838	282	47	7	-
Male.....	270	535	701	865	1,150	1,212	918	419	118	16	-	-
Female.....	152	335	413	649	802	912	760	419	164	31	7	-
Black, both sexes.....	81	107	114	159	128	125	60	25	11	1	-	-
Male.....	55	76	79	104	84	77	41	19	5	1	-	-
Female.....	26	31	35	55	44	48	19	6	6	-	-	-
American Indian 1/, both sexes.....	2	2	1	4	1	5	1	-	-	-	-	-
Male.....	1	1	1	1	1	4	-	-	-	-	-	-
Female.....	1	1	-	3	-	1	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	4	6	6	4	2	3	1	1	-	-
Male.....	-	-	3	4	4	4	2	2	-	1	-	-
Female.....	-	1	1	2	2	-	-	1	1	-	-	-

Georgia

All races, both sexes.....	280	450	549	650	737	657	426	206	56	7	-	-
Male.....	206	293	380	437	473	396	237	111	31	1	-	-
Female.....	74	157	169	213	264	261	189	95	25	6	-	-
White, both sexes.....	192	316	437	524	609	540	369	170	45	5	-	-
Male.....	139	200	292	353	384	313	206	88	22	-	-	-
Female.....	53	116	145	171	225	227	163	82	23	5	-	-
Black, both sexes.....	85	131	108	126	124	114	54	34	11	2	-	-
Male.....	65	91	85	84	88	81	30	21	9	1	-	-
Female.....	20	40	23	42	36	33	24	13	2	1	-	-
American Indian 1/, both sexes.....	1	-	1	-	1	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	1	-	1	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	3	3	-	3	3	3	1	-	-	-	-
Male.....	2	2	3	-	1	2	1	1	-	-	-	-
Female.....	-	1	-	-	2	1	2	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)

Illinois

All races, both sexes.....	348	561	795	1,024	1,213	1,240	875	455	151	29	1	-
Male.....	210	332	483	605	716	717	464	222	73	16	1	-
Female.....	138	229	312	419	497	523	411	233	78	13	-	-
White, both sexes.....	254	444	641	847	1,025	1,089	772	415	136	25	1	-
Male.....	158	258	372	503	609	643	424	205	65	16	1	-
Female.....	96	186	269	344	416	446	348	210	71	9	-	-
Black, both sexes.....	87	111	145	172	174	143	95	31	14	4	-	-
Male.....	47	69	105	100	101	70	38	13	7	-	-	-
Female.....	40	42	40	72	73	73	57	18	7	4	-	-
American Indian 1/, both sexes.....	1	-	-	-	2	-	-	1	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	6	9	5	12	8	8	8	1	-	-	-
Male.....	4	5	6	2	5	4	2	4	1	-	-	-
Female.....	2	1	3	3	7	4	6	4	-	-	-	-

Indiana

All races, both sexes.....	194	321	470	564	763	730	498	236	85	15	2	-
Male.....	118	194	278	329	445	418	277	127	41	5	1	-
Female.....	76	127	192	235	318	312	221	109	44	10	1	-
White, both sexes.....	177	290	411	510	712	676	467	221	81	13	2	-
Male.....	103	174	242	296	417	392	262	119	38	4	1	-
Female.....	74	116	169	214	295	284	205	102	43	9	1	-
Black, both sexes.....	17	30	58	54	50	54	30	15	4	2	-	-
Male.....	15	19	36	33	28	26	15	8	3	1	-	-
Female.....	2	11	22	21	22	28	15	7	1	1	-	-
American Indian 1/, both sexes.....	-	-	1	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	-	1	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)												
Iowa												
All races, both sexes.....	78	104	186	258	294	347	255	138	41	6	3	-
Male.....	52	62	113	165	176	228	154	80	24	2	2	-
Female.....	26	42	73	93	118	119	101	58	17	4	1	-
White, both sexes.....	76	101	183	253	289	336	253	136	41	6	3	-
Male.....	50	59	110	162	173	223	153	78	24	2	2	-
Female.....	26	42	73	91	116	113	100	58	17	4	1	-
Black, both sexes.....	2	3	3	4	4	9	2	2	-	-	-	-
Male.....	2	3	3	2	2	4	1	2	-	-	-	-
Female.....	-	-	-	2	2	5	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	1	2	-	-	-	-	-	-
Male.....	-	-	-	1	1	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Kansas												
All races, both sexes.....	80	117	161	235	254	270	209	102	23	4	2	-
Male.....	45	73	95	141	142	154	116	61	11	2	1	-
Female.....	35	44	66	94	112	116	93	41	12	2	1	-
White, both sexes.....	72	109	150	224	239	259	205	97	22	4	2	-
Male.....	39	67	87	135	138	147	114	57	11	2	1	-
Female.....	33	42	63	89	101	112	91	40	11	2	1	-
Black, both sexes.....	7	8	9	10	10	9	3	5	1	-	-	-
Male.....	6	6	7	6	3	6	2	4	-	-	-	-
Female.....	1	2	2	4	7	3	1	1	1	-	-	-
American Indian 1/, both sexes.....	-	-	2	1	2	1	1	-	-	-	-	-
Male.....	-	-	1	-	1	1	-	-	-	-	-	-
Female.....	-	-	1	1	1	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	3	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	3	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)												
Kentucky												
All races, both sexes.....	189	329	447	549	613	543	344	161	64	10	1	-
Male.....	125	216	261	339	362	327	202	85	30	3	-	-
Female.....	64	113	186	210	251	216	142	76	34	7	1	-
White, both sexes.....	179	307	428	519	583	513	329	154	57	10	-	-
Male.....	117	202	252	318	348	306	192	81	28	3	-	-
Female.....	62	105	176	201	235	207	137	73	29	7	-	-
Black, both sexes.....	10	21	19	30	30	30	15	7	7	-	1	-
Male.....	8	13	9	21	14	21	10	4	2	-	-	-
Female.....	2	8	10	9	16	9	5	3	5	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Louisiana												
All races, both sexes.....	171	260	379	416	505	465	329	141	58	7	2	-
Male.....	101	185	256	257	318	265	179	85	22	5	-	-
Female.....	70	75	123	159	187	200	150	56	36	2	2	-
White, both sexes.....	90	170	260	292	396	373	258	106	44	4	1	-
Male.....	56	116	170	173	243	211	136	64	13	3	-	-
Female.....	34	54	90	119	153	162	122	42	31	1	1	-
Black, both sexes.....	80	88	114	124	106	90	69	33	14	3	1	-
Male.....	45	67	82	84	72	52	43	19	9	2	-	-
Female.....	35	21	32	40	34	38	26	14	5	1	1	-
American Indian 1/, both sexes.....	1	1	4	-	-	-	1	1	-	-	-	-
Male.....	-	1	3	-	-	-	-	1	-	-	-	-
Female.....	1	-	1	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	-	3	2	1	1	-	-	-	-
Male.....	-	1	1	-	3	2	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)												
Maine												
All races, both sexes.....	51	101	107	128	186	175	108	67	14	1	-	-
Male.....	34	58	58	86	103	88	50	36	8	1	-	-
Female.....	17	43	49	42	83	87	58	31	6	-	-	-
White, both sexes.....	50	100	105	127	183	172	107	65	14	1	-	-
Male.....	33	57	56	85	101	87	50	35	8	1	-	-
Female.....	17	43	49	42	82	85	57	30	6	-	-	-
Black, both sexes.....	-	-	1	-	1	-	1	-	-	-	-	-
Male.....	-	-	1	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	2	3	-	2	-	-	-	-
Male.....	-	-	-	1	1	1	-	1	-	-	-	-
Female.....	-	-	-	-	1	2	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.	1	1	1	-	-	-	-	-	-	-	-	-
Male.....	1	1	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Maryland												
All races, both sexes.....	176	269	358	399	502	528	410	182	52	11	3	-
Male.....	113	169	216	233	276	280	205	83	26	2	-	-
Female.....	63	100	142	166	226	248	205	99	26	9	3	-
White, both sexes.....	96	167	251	289	396	423	347	158	45	8	-	-
Male.....	64	103	152	161	218	224	183	68	23	2	-	-
Female.....	32	64	99	128	178	199	164	90	22	6	-	-
Black, both sexes.....	75	99	103	105	101	98	60	23	7	3	3	-
Male.....	45	63	62	69	54	51	21	14	3	-	-	-
Female.....	30	36	41	36	47	47	39	9	4	3	3	-
American Indian 1/, both sexes.....	2	1	1	1	1	-	-	-	-	-	-	-
Male.....	2	1	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	1	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.	3	2	3	4	4	7	3	1	-	-	-	-
Male.....	2	2	2	3	3	5	1	1	-	-	-	-
Female.....	1	-	1	1	1	2	2	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)												
Massachusetts												
All races, both sexes.....	182	307	362	501	710	729	562	263	107	16	1	-
Male.....	103	175	201	276	390	384	285	131	43	7	-	-
Female.....	79	132	161	225	320	345	277	132	64	9	1	-
White, both sexes.....	171	289	345	480	680	701	548	255	104	15	1	-
Male.....	96	164	189	264	375	364	277	127	42	7	-	-
Female.....	75	125	156	216	305	337	271	128	62	8	1	-
Black, both sexes.....	8	15	15	16	25	21	8	3	2	1	-	-
Male.....	6	9	10	9	13	14	3	2	1	-	-	-
Female.....	2	6	5	7	12	7	5	1	1	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	3	2	5	5	7	6	5	1	-	-	-
Male.....	1	2	2	3	2	6	5	2	-	-	-	-
Female.....	2	1	-	2	3	1	1	3	1	-	-	-
Michigan												
All races, both sexes.....	308	484	667	834	1,093	1,082	668	330	102	16	4	-
Male.....	173	291	373	479	607	647	374	177	53	6	1	-
Female.....	135	193	294	355	486	435	294	153	49	10	3	-
White, both sexes.....	249	396	565	716	944	958	599	294	90	16	3	-
Male.....	137	231	306	411	520	563	336	155	48	6	1	-
Female.....	112	165	259	305	424	395	263	139	42	10	2	-
Black, both sexes.....	56	81	91	109	137	120	64	34	12	-	1	-
Male.....	35	55	58	65	80	81	35	20	5	-	-	-
Female.....	21	26	33	44	57	39	29	14	7	-	1	-
American Indian 1/, both sexes.....	2	4	7	6	6	2	2	-	-	-	-	-
Male.....	-	3	5	2	4	2	2	-	-	-	-	-
Female.....	2	1	2	4	2	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	3	4	3	6	2	3	2	-	-	-	-
Male.....	1	2	4	1	3	1	1	2	-	-	-	-
Female.....	-	1	-	2	3	1	2	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)												
Minnesota												
All races, both sexes.....	103	172	269	285	433	431	345	176	53	14	1	-
Male.....	48	96	162	168	238	245	178	91	21	2	-	-
Female.....	55	76	107	117	195	186	167	85	32	12	1	-
White, both sexes.....	93	165	259	275	429	428	343	172	53	14	1	-
Male.....	40	92	156	163	236	244	177	88	21	2	-	-
Female.....	53	73	103	112	193	184	166	84	32	12	1	-
Black, both sexes.....	7	2	8	4	3	-	2	2	-	-	-	-
Male.....	5	1	5	3	2	-	1	1	-	-	-	-
Female.....	2	1	3	1	1	-	1	1	-	-	-	-
American Indian 1/, both sexes.....	1	4	1	2	1	2	-	2	-	-	-	-
Male.....	1	2	-	1	-	-	-	2	-	-	-	-
Female.....	-	2	1	1	1	2	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	1	4	-	1	-	-	-	-	-	-
Male.....	2	1	1	1	-	1	-	-	-	-	-	-
Female.....	-	-	-	3	-	-	-	-	-	-	-	-
Mississippi												
All races, both sexes.....	127	185	248	302	347	299	190	96	29	1	2	-
Male.....	90	116	170	204	220	178	119	52	13	-	1	-
Female.....	37	69	78	98	127	121	71	44	16	1	1	-
White, both sexes.....	85	122	164	234	265	242	145	68	20	1	1	-
Male.....	61	71	111	156	169	139	88	38	9	-	-	-
Female.....	24	51	53	78	96	103	57	30	11	1	1	-
Black, both sexes.....	42	61	83	68	82	57	45	26	9	-	1	-
Male.....	29	45	59	48	51	39	31	13	4	-	1	-
Female.....	13	16	24	20	31	18	14	13	5	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	1	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	2	1	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)

Nebraska

All races, both sexes.....	37	67	88	125	179	156	122	55	28	7	-	-
Male.....	22	35	56	80	120	86	74	25	16	1	-	-
Female.....	15	32	32	45	59	70	48	30	12	6	-	-
White, both sexes.....	32	65	82	119	173	151	119	53	28	7	-	-
Male.....	20	35	55	77	116	84	72	25	16	1	-	-
Female.....	12	30	27	42	57	67	47	28	12	6	-	-
Black, both sexes.....	5	2	2	4	5	4	2	-	-	-	-	-
Male.....	2	-	1	2	4	2	1	-	-	-	-	-
Female.....	3	2	1	2	1	2	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	3	2	-	-	-	2	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	3	1	-	-	-	2	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	1	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	1	-	1	1	-	-	-	-	-	-

Nevada

All races, both sexes.....	53	121	151	219	231	175	134	56	17	1	-	-
Male.....	35	54	76	120	140	105	60	28	5	-	-	-
Female.....	18	67	75	99	91	70	74	28	12	1	-	-
White, both sexes.....	44	113	137	200	224	169	126	54	15	1	-	-
Male.....	30	53	70	110	137	101	57	28	4	-	-	-
Female.....	14	60	67	90	87	68	69	26	11	1	-	-
Black, both sexes.....	5	5	8	12	3	4	5	2	2	-	-	-
Male.....	4	1	4	8	1	3	2	-	1	-	-	-
Female.....	1	4	4	4	2	1	3	2	1	-	-	-
American Indian 1/, both sexes.....	1	-	1	2	1	1	-	-	-	-	-	-
Male.....	1	-	1	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	1	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	3	5	5	3	1	3	-	-	-	-	-
Male.....	-	-	1	1	2	1	1	-	-	-	-	-
Female.....	3	3	4	4	1	-	2	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)												
New Hampshire												
All races, both sexes.....	35	56	87	94	128	131	84	40	16	2	-	-
Male.....	15	27	46	49	64	84	37	17	9	1	-	-
Female.....	20	29	41	45	64	47	47	23	7	1	-	-
White, both sexes.....	35	56	84	92	128	130	84	40	16	2	-	-
Male.....	15	27	45	48	64	83	37	17	9	1	-	-
Female.....	20	29	39	44	64	47	47	23	7	1	-	-
Black, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	1	-	-	-	-	-	-
Male.....	-	-	-	1	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	2	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	2	1	-	-	-	-	-	-	-	-
New Jersey												
All races, both sexes.....	222	397	504	629	804	853	642	312	100	23	2	-
Male.....	114	239	274	361	436	479	329	159	37	10	-	-
Female.....	108	158	230	268	368	374	313	153	63	13	2	-
White, both sexes.....	177	326	400	531	720	764	595	290	92	21	2	-
Male.....	92	182	217	302	390	422	303	149	33	10	-	-
Female.....	85	144	183	229	330	342	292	141	59	11	2	-
Black, both sexes.....	37	58	98	91	79	78	42	19	6	1	-	-
Male.....	18	45	54	54	42	50	21	9	2	-	-	-
Female.....	19	13	44	37	37	28	21	10	4	1	-	-
American Indian 1/, both sexes.....	1	1	-	1	2	-	-	-	-	-	-	-
Male.....	-	1	-	1	2	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	12	6	6	3	11	5	3	2	1	-	-
Male.....	4	11	3	4	2	7	5	1	2	-	-	-
Female.....	3	1	3	2	1	4	-	2	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)												
New Mexico												
All races, both sexes.....	24	50	57	112	134	138	110	49	14	3	2	-
Male.....	16	28	36	69	77	72	59	33	8	2	2	-
Female.....	8	22	21	43	57	66	51	16	6	1	-	-
White, both sexes.....	23	48	54	109	133	132	107	46	13	3	2	-
Male.....	15	28	33	67	76	67	57	31	7	2	2	-
Female.....	8	20	21	42	57	65	50	15	6	1	-	-
Black, both sexes.....	-	1	3	1	1	4	-	2	1	-	-	-
Male.....	-	-	3	1	1	4	-	2	1	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	1	-	2	-	2	3	1	-	-	-	-
Male.....	1	-	-	1	-	1	2	-	-	-	-	-
Female.....	-	1	-	1	-	1	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	544	839	1,114	1,315	1,684	1,775	1,285	641	229	60	3	-
Male.....	292	498	661	746	961	963	649	321	96	20	1	-
Female.....	252	341	453	569	723	812	636	320	133	40	2	-
White, both sexes.....	435	693	901	1,105	1,481	1,591	1,158	591	211	55	3	-
Male.....	233	415	518	616	830	851	575	298	91	19	1	-
Female.....	202	278	383	489	651	740	583	293	120	36	2	-
Black, both sexes.....	100	130	188	189	159	154	106	37	18	3	-	-
Male.....	57	74	125	118	99	92	59	15	5	1	-	-
Female.....	43	56	63	71	60	62	47	22	13	2	-	-
American Indian 1/, both sexes.....	1	1	-	1	3	2	2	-	-	-	-	-
Male.....	-	1	-	-	1	1	1	-	-	-	-	-
Female.....	1	-	-	1	2	1	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	15	25	20	41	28	19	13	-	2	-	-
Male.....	2	8	18	12	31	19	14	8	-	-	-	-
Female.....	6	7	7	8	10	9	5	5	-	2	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)

Ohio

All races, both sexes.....	384	591	904	1,107	1,417	1,339	930	476	135	32	5	-
Male.....	241	334	541	640	835	770	533	230	62	13	2	-
Female.....	143	257	363	467	582	569	397	246	73	19	3	-
White, both sexes.....	338	537	798	978	1,259	1,226	860	449	126	29	4	-
Male.....	210	305	475	556	739	713	485	217	56	13	2	-
Female.....	128	232	323	422	520	513	375	232	70	16	2	-
Black, both sexes.....	45	53	106	124	152	111	68	26	9	3	1	-
Male.....	30	29	66	81	92	56	46	13	6	-	-	-
Female.....	15	24	40	43	60	55	22	13	3	3	1	-
American Indian 1/, both sexes.....	-	1	-	-	1	-	-	1	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	5	5	2	2	-	-	-	-	-
Male.....	1	-	-	3	3	1	2	-	-	-	-	-
Female.....	-	-	-	2	2	1	-	-	-	-	-	-

Oklahoma

All races, both sexes.....	120	244	287	356	443	440	289	128	39	15	-	-
Male.....	70	154	170	207	268	268	169	74	16	7	-	-
Female.....	50	90	117	149	175	172	120	54	23	8	-	-
White, both sexes.....	104	212	251	317	395	412	270	121	33	14	-	-
Male.....	58	132	150	189	240	250	154	69	14	7	-	-
Female.....	46	80	101	128	155	162	116	52	19	7	-	-
Black, both sexes.....	12	15	18	20	28	13	14	4	2	1	-	-
Male.....	9	14	12	10	17	9	11	3	1	-	-	-
Female.....	3	1	6	10	11	4	3	1	1	1	-	-
American Indian 1/, both sexes.....	3	13	16	18	18	15	5	3	4	-	-	-
Male.....	2	6	7	8	10	9	4	2	1	-	-	-
Female.....	1	7	9	10	8	6	1	1	3	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	4	2	1	2	-	-	-	-	-	-	-
Male.....	1	2	1	-	1	-	-	-	-	-	-	-
Female.....	-	2	1	1	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)

Oregon

All races, both sexes.....	93	151	214	298	388	381	320	145	45	5	-	-
Male.....	51	78	117	145	216	197	165	67	20	1	-	-
Female.....	42	73	97	153	172	184	155	78	25	4	-	-
White, both sexes.....	93	143	208	290	374	374	315	141	44	5	-	-
Male.....	51	72	114	140	208	192	162	63	20	1	-	-
Female.....	42	71	94	150	166	182	153	78	24	4	-	-
Black, both sexes.....	-	2	2	2	4	1	1	1	1	-	-	-
Male.....	-	2	1	1	2	1	-	1	-	-	-	-
Female.....	-	-	1	1	2	-	1	-	1	-	-	-
American Indian 1/, both sexes.....	-	3	-	2	5	5	3	-	-	-	-	-
Male.....	-	2	-	1	4	4	2	-	-	-	-	-
Female.....	-	1	-	1	1	1	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	3	4	4	5	1	1	3	-	-	-	-
Male.....	-	2	2	3	2	-	1	3	-	-	-	-
Female.....	-	1	2	1	3	1	-	-	-	-	-	-

Pennsylvania

All races, both sexes.....	357	642	824	1,114	1,502	1,634	1,175	567	190	36	5	-
Male.....	211	382	504	682	873	893	645	283	80	15	1	-
Female.....	146	260	320	432	629	741	530	284	110	21	4	-
White, both sexes.....	289	546	728	994	1,372	1,504	1,091	534	176	35	5	-
Male.....	168	323	445	613	799	816	595	269	76	14	1	-
Female.....	121	223	283	381	573	688	496	265	100	21	4	-
Black, both sexes.....	65	92	90	111	125	124	81	32	14	1	-	-
Male.....	41	55	56	63	73	73	47	14	4	1	-	-
Female.....	24	37	34	48	52	51	34	18	10	-	-	-
American Indian 1/, both sexes.....	-	1	2	2	2	-	-	-	-	-	-	-
Male.....	-	1	1	2	1	-	-	-	-	-	-	-
Female.....	-	-	1	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	3	4	7	3	6	3	1	-	-	-	-
Male.....	2	3	2	4	-	4	3	-	-	-	-	-
Female.....	1	-	2	3	3	2	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)

Rhode Island

All races, both sexes.....	38	58	74	85	119	134	105	50	19	5	-	-
Male.....	24	34	40	51	69	76	52	17	12	-	-	-
Female.....	14	24	34	34	50	58	53	33	7	5	-	-
White, both sexes.....	34	53	71	81	113	131	103	50	19	4	-	-
Male.....	20	30	38	48	67	74	52	17	12	-	-	-
Female.....	14	23	33	33	46	57	51	33	7	4	-	-
Black, both sexes.....	4	5	2	4	5	2	1	-	-	-	-	-
Male.....	4	4	1	3	2	1	-	-	-	-	-	-
Female.....	-	1	1	1	3	1	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	1	1	1	-	-	-	-	-
Male.....	-	-	1	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-

South Carolina

All races, both sexes.....	163	236	320	422	428	438	264	126	34	4	-	-
Male.....	109	145	203	280	286	288	154	72	18	1	-	-
Female.....	54	91	117	142	142	150	110	54	16	3	-	-
White, both sexes.....	104	155	250	337	363	348	221	104	27	3	-	-
Male.....	66	89	159	220	246	224	125	61	14	-	-	-
Female.....	38	66	91	117	117	124	96	43	13	3	-	-
Black, both sexes.....	59	79	66	83	63	89	42	22	7	1	-	-
Male.....	43	55	42	59	40	63	28	11	4	1	-	-
Female.....	16	24	24	24	23	26	14	11	3	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	3	2	1	1	1	-	-	-	-	-
Male.....	-	1	2	1	-	1	1	-	-	-	-	-
Female.....	-	1	1	1	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)												
South Dakota												
All races, both sexes.....	17	31	46	54	76	74	60	27	14	1	-	-
Male.....	11	20	26	32	47	44	42	13	7	-	-	-
Female.....	6	11	20	22	29	30	18	14	7	1	-	-
White, both sexes.....	16	30	44	51	73	70	58	27	13	1	-	-
Male.....	11	19	25	29	45	42	40	13	7	-	-	-
Female.....	5	11	19	22	28	28	18	14	6	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	1	2	3	3	4	2	-	1	-	-	-
Male.....	-	1	1	3	2	2	2	-	-	-	-	-
Female.....	1	-	1	-	1	2	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Tennessee												
All races, both sexes.....	223	382	559	622	778	663	441	224	65	14	-	-
Male.....	150	254	356	380	503	411	263	125	26	5	-	-
Female.....	73	128	203	242	275	252	178	99	39	9	-	-
White, both sexes.....	175	330	473	548	700	603	399	195	63	9	-	-
Male.....	111	223	299	330	450	372	241	112	25	5	-	-
Female.....	64	107	174	218	250	231	158	83	38	4	-	-
Black, both sexes.....	48	51	84	70	76	58	42	28	2	5	-	-
Male.....	39	31	55	49	51	38	22	13	1	-	-	-
Female.....	9	20	29	21	25	20	20	15	1	5	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	1	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	2	3	2	2	-	-	-	-	-	-
Male.....	-	-	2	-	2	1	-	-	-	-	-	-
Female.....	-	1	-	3	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)												
Texas												
All races, both sexes.....	545	836	1,181	1,472	1,757	1,749	1,244	572	172	31	6	-
Male.....	353	523	732	945	1,046	1,010	715	298	88	9	1	-
Female.....	192	313	449	527	711	739	529	274	84	22	5	-
White, both sexes.....	447	694	1,003	1,268	1,572	1,583	1,138	522	154	27	5	-
Male.....	292	429	612	811	925	900	647	273	80	9	1	-
Female.....	155	265	391	457	647	683	491	249	74	18	4	-
Black, both sexes.....	87	130	170	193	180	152	99	46	16	3	1	-
Male.....	55	86	116	128	118	101	63	24	6	-	-	-
Female.....	32	44	54	65	62	51	36	22	10	3	1	-
American Indian 1/, both sexes.....	1	1	-	-	1	2	1	-	-	-	-	-
Male.....	-	1	-	-	-	2	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	10	11	8	11	4	12	6	4	2	1	-	-
Male.....	6	7	4	6	3	7	5	1	2	-	-	-
Female.....	4	4	4	5	1	5	1	3	-	1	-	-
Utah												
All races, both sexes.....	15	27	42	56	76	77	57	29	8	1	-	-
Male.....	8	11	24	29	53	43	36	17	3	-	-	-
Female.....	7	16	18	27	23	34	21	12	5	1	-	-
White, both sexes.....	15	26	42	54	72	73	56	28	8	1	-	-
Male.....	8	10	24	29	51	41	35	17	3	-	-	-
Female.....	7	16	18	25	21	32	21	11	5	1	-	-
Black, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	2	3	2	1	1	-	-	-	-
Male.....	-	1	-	-	2	1	1	-	-	-	-	-
Female.....	-	-	-	2	1	1	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)												
Vermont												
All races, both sexes.....	25	22	36	35	52	62	47	21	4	1	-	-
Male.....	8	18	25	16	31	34	22	13	2	-	-	-
Female.....	17	4	11	19	21	28	25	8	2	1	-	-
White, both sexes.....	25	22	36	35	52	62	46	21	4	1	-	-
Male.....	8	18	25	16	31	34	22	13	2	-	-	-
Female.....	17	4	11	19	21	28	24	8	2	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Virginia												
All races, both sexes.....	221	324	503	598	685	659	526	244	79	5	4	-
Male.....	142	180	316	359	413	381	293	125	34	2	1	-
Female.....	79	144	187	239	272	278	233	119	45	3	3	-
White, both sexes.....	160	253	401	480	547	559	444	203	64	5	3	-
Male.....	99	136	252	281	325	312	243	101	28	2	1	-
Female.....	61	117	149	199	222	247	201	102	36	3	2	-
Black, both sexes.....	58	70	94	109	131	95	77	37	13	-	1	-
Male.....	41	43	60	73	84	66	47	22	6	-	-	-
Female.....	17	27	34	36	47	29	30	15	7	-	1	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	1	8	8	7	5	5	4	2	-	-	-
Male.....	2	1	4	5	4	3	3	2	-	-	-	-
Female.....	1	-	4	3	3	2	2	2	2	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Of trachea, bronchus and lung (C33-C34)												
Arkansas												
All races, both sexes.....	2,136	-	-	-	-	-	-	1	2	5	27	43
Male.....	1,328	-	-	-	-	-	-	1	1	3	22	28
Female.....	808	-	-	-	-	-	-	-	1	2	5	15
White, both sexes.....	1,918	-	-	-	-	-	-	-	2	5	20	32
Male.....	1,176	-	-	-	-	-	-	-	1	3	15	19
Female.....	742	-	-	-	-	-	-	-	1	2	5	13
Black, both sexes.....	210	-	-	-	-	-	-	1	-	-	6	11
Male.....	146	-	-	-	-	-	-	1	-	-	6	9
Female.....	64	-	-	-	-	-	-	-	-	-	-	2
American Indian 1/, both sexes.....	5	-	-	-	-	-	-	-	-	-	-	-
Male.....	4	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	-	-	-	-	1	-
Male.....	2	-	-	-	-	-	-	-	-	-	1	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	13,799	-	-	1	-	-	4	3	13	29	147	353
Male.....	7,459	-	-	1	-	-	3	1	10	14	61	198
Female.....	6,340	-	-	-	-	-	1	2	3	15	86	155
White, both sexes.....	11,754	-	-	1	-	-	4	-	10	21	115	270
Male.....	6,240	-	-	1	-	-	3	-	8	8	44	146
Female.....	5,514	-	-	-	-	-	1	-	2	13	71	124
Black, both sexes.....	1,031	-	-	-	-	-	-	-	3	1	13	50
Male.....	604	-	-	-	-	-	-	-	2	1	6	30
Female.....	427	-	-	-	-	-	-	-	1	-	7	20
American Indian 1/, both sexes.....	55	-	-	-	-	-	-	-	-	-	1	-
Male.....	32	-	-	-	-	-	-	-	-	-	1	-
Female.....	23	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	959	-	-	-	-	-	-	3	-	7	18	33
Male.....	583	-	-	-	-	-	-	1	-	5	10	22
Female.....	376	-	-	-	-	-	-	2	-	2	8	11

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Of trachea, bronchus and lung (C33-C34)												
Florida												
All races, both sexes.....	11,852	-	-	-	-	-	1	2	10	40	125	302
Male.....	6,773	-	-	-	-	-	1	2	5	20	66	161
Female.....	5,079	-	-	-	-	-	-	-	5	20	59	141
White, both sexes.....	10,969	-	-	-	-	-	-	2	10	33	107	255
Male.....	6,196	-	-	-	-	-	-	2	5	16	55	132
Female.....	4,773	-	-	-	-	-	-	-	5	17	52	123
Black, both sexes.....	838	-	-	-	-	-	1	-	-	5	18	47
Male.....	548	-	-	-	-	-	1	-	-	4	11	29
Female.....	290	-	-	-	-	-	-	-	-	1	7	18
American Indian 1/, both sexes.....	16	-	-	-	-	-	-	-	-	-	-	-
Male.....	9	-	-	-	-	-	-	-	-	-	-	-
Female.....	7	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	29	-	-	-	-	-	-	-	-	2	-	-
Male.....	20	-	-	-	-	-	-	-	-	-	-	-
Female.....	9	-	-	-	-	-	-	-	-	2	-	-
Georgia												
All races, both sexes.....	4,188	-	-	-	-	-	-	-	8	17	75	181
Male.....	2,640	-	-	-	-	-	-	-	5	8	38	115
Female.....	1,548	-	-	-	-	-	-	-	3	9	37	66
White, both sexes.....	3,318	-	-	-	-	-	-	-	5	11	50	120
Male.....	2,041	-	-	-	-	-	-	-	3	4	27	70
Female.....	1,277	-	-	-	-	-	-	-	2	7	23	50
Black, both sexes.....	847	-	-	-	-	-	-	-	3	5	25	61
Male.....	586	-	-	-	-	-	-	-	2	4	11	45
Female.....	261	-	-	-	-	-	-	-	1	1	14	16
American Indian 1/, both sexes.....	4	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	19	-	-	-	-	-	-	-	-	1	-	-
Male.....	12	-	-	-	-	-	-	-	-	-	-	-
Female.....	7	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Of trachea, bronchus and lung (C33-C34)												
Kentucky												
All races, both sexes.....	3,347	-	-	-	-	-	-	-	2	23	52	98
Male.....	1,991	-	-	-	-	-	-	-	2	12	29	57
Female.....	1,356	-	-	-	-	-	-	-	-	11	23	41
White, both sexes.....	3,167	-	-	-	-	-	-	-	2	21	50	89
Male.....	1,884	-	-	-	-	-	-	-	2	10	29	51
Female.....	1,283	-	-	-	-	-	-	-	-	11	21	38
Black, both sexes.....	178	-	-	-	-	-	-	-	-	2	1	9
Male.....	106	-	-	-	-	-	-	-	-	2	-	6
Female.....	72	-	-	-	-	-	-	-	-	-	1	3
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-
Louisiana												
All races, both sexes.....	2,839	-	-	-	-	-	1	1	2	15	49	105
Male.....	1,730	-	-	-	-	-	1	1	2	6	27	69
Female.....	1,109	-	-	-	-	-	-	-	-	9	22	36
White, both sexes.....	2,047	-	-	-	-	-	-	1	1	9	27	60
Male.....	1,210	-	-	-	-	-	-	1	1	4	13	36
Female.....	837	-	-	-	-	-	-	-	-	5	14	24
Black, both sexes.....	774	-	-	-	-	-	1	-	1	5	22	45
Male.....	507	-	-	-	-	-	1	-	1	2	14	33
Female.....	267	-	-	-	-	-	-	-	-	3	8	12
American Indian 1/, both sexes.....	8	-	-	-	-	-	-	-	-	-	-	-
Male.....	5	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	10	-	-	-	-	-	-	-	-	1	-	-
Male.....	8	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Of trachea, bronchus and lung (C33-C34)												
New Hampshire												
All races, both sexes.....	703	-	-	-	-	-	1	-	2	4	14	22
Male.....	362	-	-	-	-	-	1	-	2	2	5	12
Female.....	341	-	-	-	-	-	-	-	-	2	9	10
White, both sexes.....	697	-	-	-	-	-	1	-	2	4	14	22
Male.....	359	-	-	-	-	-	1	-	2	2	5	12
Female.....	338	-	-	-	-	-	-	-	-	2	9	10
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	-	-
New Jersey												
All races, both sexes.....	4,560	-	-	-	-	-	1	1	6	14	56	126
Male.....	2,439	-	-	-	-	-	1	1	-	5	29	66
Female.....	2,121	-	-	-	-	-	-	-	6	9	27	60
White, both sexes.....	3,972	-	-	-	-	-	1	-	3	9	43	100
Male.....	2,100	-	-	-	-	-	1	-	-	4	21	52
Female.....	1,872	-	-	-	-	-	-	-	3	5	22	48
Black, both sexes.....	522	-	-	-	-	-	-	-	1	5	11	23
Male.....	295	-	-	-	-	-	-	-	-	1	7	12
Female.....	227	-	-	-	-	-	-	-	1	4	4	11
American Indian 1/, both sexes.....	6	-	-	-	-	-	-	-	-	-	-	1
Male.....	4	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	60	-	-	-	-	-	-	1	2	-	2	2
Male.....	40	-	-	-	-	-	-	1	-	-	1	2
Female.....	20	-	-	-	-	-	-	-	2	-	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Of trachea, bronchus and lung (C33-C34)												
New Mexico												
All races, both sexes.....	699	-	-	-	-	-	-	1	1	2	10	11
Male.....	405	-	-	-	-	-	-	1	-	1	4	5
Female.....	294	-	-	-	-	-	-	-	1	1	6	6
White, both sexes.....	676	-	-	-	-	-	-	1	1	2	10	10
Male.....	388	-	-	-	-	-	-	1	-	1	4	4
Female.....	288	-	-	-	-	-	-	-	1	1	6	6
Black, both sexes.....	14	-	-	-	-	-	-	-	-	-	-	1
Male.....	13	-	-	-	-	-	-	-	-	-	-	1
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	9	-	-	-	-	-	-	-	-	-	-	-
Male.....	4	-	-	-	-	-	-	-	-	-	-	-
Female.....	5	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	9,619	-	-	-	-	1	1	6	9	33	133	263
Male.....	5,181	-	-	-	-	-	-	2	3	17	50	137
Female.....	4,438	-	-	-	-	1	1	4	6	16	83	126
White, both sexes.....	8,295	-	-	-	-	-	1	5	4	24	93	195
Male.....	4,409	-	-	-	-	-	-	2	1	10	34	105
Female.....	3,886	-	-	-	-	-	1	3	3	14	59	90
Black, both sexes.....	1,132	-	-	-	-	1	-	1	3	7	37	63
Male.....	651	-	-	-	-	-	-	-	2	5	16	29
Female.....	481	-	-	-	-	1	-	1	1	2	21	34
American Indian 1/, both sexes.....	10	-	-	-	-	-	-	-	-	-	-	1
Male.....	4	-	-	-	-	-	-	-	-	-	-	-
Female.....	6	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	182	-	-	-	-	-	-	-	2	2	3	4
Male.....	117	-	-	-	-	-	-	-	-	2	-	3
Female.....	65	-	-	-	-	-	-	-	2	-	3	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Of trachea, bronchus and lung (C33-C34)												
Alaska												
All races, both sexes.....	21	23	32	24	30	36	8	7	3	1	-	-
Male.....	13	15	17	15	24	21	2	4	1	1	-	-
Female.....	8	8	15	9	6	15	6	3	2	-	-	-
White, both sexes.....	13	18	25	18	22	27	7	6	2	1	-	-
Male.....	7	10	11	10	19	18	2	3	1	1	-	-
Female.....	6	8	14	8	3	9	5	3	1	-	-	-
Black, both sexes.....	4	1	2	1	1	-	-	-	-	-	-	-
Male.....	3	1	2	1	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	3	4	5	5	7	8	1	1	-	-	-	-
Male.....	3	4	4	4	5	2	-	1	-	-	-	-
Female.....	-	-	1	1	2	6	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	1	-	-	1	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-
Arizona												
All races, both sexes.....	104	209	295	380	478	469	367	162	50	7	5	-
Male.....	63	130	165	215	280	260	179	87	24	1	2	-
Female.....	41	79	130	165	198	209	188	75	26	6	3	-
White, both sexes.....	101	199	278	363	462	461	357	158	50	7	5	-
Male.....	61	123	156	206	273	254	176	85	24	1	2	-
Female.....	40	76	122	157	189	207	181	73	26	6	3	-
Black, both sexes.....	1	9	10	14	12	3	5	2	-	-	-	-
Male.....	1	6	6	8	6	2	2	1	-	-	-	-
Female.....	-	3	4	6	6	1	3	1	-	-	-	-
American Indian 1/, both sexes.....	2	1	5	3	3	2	3	-	-	-	-	-
Male.....	1	1	2	1	1	2	1	-	-	-	-	-
Female.....	1	-	3	2	2	-	2	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	2	-	1	3	2	2	-	-	-	-
Male.....	-	-	1	-	-	2	-	1	-	-	-	-
Female.....	-	-	1	-	1	1	2	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Of trachea, bronchus and lung (C33-C34)												
Arkansas												
All races, both sexes.....	110	211	289	327	364	368	251	102	28	8	-	-
Male.....	68	126	185	203	234	226	157	57	14	3	-	-
Female.....	42	85	104	124	130	142	94	45	14	5	-	-
White, both sexes.....	96	180	264	302	339	324	230	91	26	7	-	-
Male.....	56	106	166	186	217	195	145	51	13	3	-	-
Female.....	40	74	98	116	122	129	85	40	13	4	-	-
Black, both sexes.....	14	30	23	24	23	43	21	11	2	1	-	-
Male.....	12	19	17	17	16	30	12	6	1	-	-	-
Female.....	2	11	6	7	7	13	9	5	1	1	-	-
American Indian 1/, both sexes.....	-	1	1	1	1	1	-	-	-	-	-	-
Male.....	-	1	1	-	1	1	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	1	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
California												
All races, both sexes.....	605	1,034	1,470	1,833	2,385	2,569	1,910	1,015	357	63	8	-
Male.....	337	607	834	1,030	1,308	1,370	1,005	504	147	24	5	-
Female.....	268	427	636	803	1,077	1,199	905	511	210	39	3	-
White, both sexes.....	464	846	1,220	1,541	2,066	2,237	1,681	904	313	55	6	-
Male.....	255	500	661	861	1,127	1,179	851	447	123	21	5	-
Female.....	209	346	559	680	939	1,058	830	457	190	34	1	-
Black, both sexes.....	82	113	142	170	149	160	95	37	11	4	1	-
Male.....	46	61	93	100	91	90	61	17	5	1	-	-
Female.....	36	52	49	70	58	70	34	20	6	3	1	-
American Indian 1/, both sexes.....	4	4	8	6	13	7	8	3	-	-	1	-
Male.....	3	3	6	5	2	5	6	1	-	-	-	-
Female.....	1	1	2	1	11	2	2	2	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	55	71	100	116	157	165	126	71	33	4	-	-
Male.....	33	43	74	64	88	96	87	39	19	2	-	-
Female.....	22	28	26	52	69	69	39	32	14	2	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Of trachea, bronchus and lung (C33-C34)												
Colorado												
All races, both sexes.....	57	113	172	228	286	265	210	103	44	7	1	-
Male.....	30	75	104	134	159	137	118	48	20	2	-	-
Female.....	27	38	68	94	127	128	92	55	24	5	1	-
White, both sexes.....	54	110	159	215	279	247	206	96	43	7	1	-
Male.....	27	72	95	127	155	126	117	46	20	2	-	-
Female.....	27	38	64	88	124	121	89	50	23	5	1	-
Black, both sexes.....	3	1	11	11	6	14	2	5	1	-	-	-
Male.....	3	1	7	7	4	9	-	1	-	-	-	-
Female.....	-	-	4	4	2	5	2	4	1	-	-	-
American Indian 1/, both sexes.....	-	1	-	1	1	1	1	1	-	-	-	-
Male.....	-	1	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	1	1	1	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	2	1	-	3	1	1	-	-	-	-
Male.....	-	1	2	-	-	2	1	-	-	-	-	-
Female.....	-	-	-	1	-	1	-	1	-	-	-	-
Connecticut												
All races, both sexes.....	89	136	160	195	306	367	271	176	61	5	1	-
Male.....	53	64	90	112	173	189	134	81	31	1	-	-
Female.....	36	72	70	83	133	178	137	95	30	4	1	-
White, both sexes.....	77	123	149	183	289	344	259	174	59	5	-	-
Male.....	43	57	82	105	164	178	126	81	29	1	-	-
Female.....	34	66	67	78	125	166	133	93	30	4	-	-
Black, both sexes.....	11	12	9	11	14	22	10	1	2	-	-	-
Male.....	9	6	6	6	8	11	6	-	2	-	-	-
Female.....	2	6	3	5	6	11	4	1	-	-	-	-
American Indian 1/, both sexes.....	-	1	1	-	2	1	1	-	-	-	-	-
Male.....	-	1	1	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	2	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	1	1	1	-	1	1	-	-	1	-
Male.....	1	-	1	1	1	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Of trachea, bronchus and lung (C33-C34)												
Delaware												
All races, both sexes.....	22	39	54	75	91	93	46	23	10	1	1	-
Male.....	16	24	29	47	54	56	24	10	3	1	1	-
Female.....	6	15	25	28	37	37	22	13	7	-	-	-
White, both sexes.....	19	32	45	61	81	82	44	23	8	1	-	-
Male.....	14	19	21	39	50	50	22	10	2	1	-	-
Female.....	5	13	24	22	31	32	22	13	6	-	-	-
Black, both sexes.....	3	5	9	13	10	11	2	-	2	-	1	-
Male.....	2	3	8	7	4	6	2	-	1	-	1	-
Female.....	1	2	1	6	6	5	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	-	1	-	-	-	-	-	-	-	-
Male.....	-	2	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Dist. of Columbia												
All races, both sexes.....	23	28	43	43	48	49	50	15	5	-	1	-
Male.....	13	18	31	28	33	28	24	7	3	-	-	-
Female.....	10	10	12	15	15	21	26	8	2	-	1	-
White, both sexes.....	1	8	10	5	10	11	12	6	3	-	-	-
Male.....	-	3	6	3	4	7	5	3	2	-	-	-
Female.....	1	5	4	2	6	4	7	3	1	-	-	-
Black, both sexes.....	22	20	33	38	37	37	37	9	2	-	1	-
Male.....	13	15	25	25	29	20	18	4	1	-	-	-
Female.....	9	5	8	13	8	17	19	5	1	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	1	1	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Of trachea, bronchus and lung (C33-C34)												
Florida												
All races, both sexes.....	485	937	1,194	1,636	2,032	2,204	1,701	844	283	49	7	-
Male.....	310	574	752	936	1,196	1,255	933	426	118	18	-	-
Female.....	175	363	442	700	836	949	768	418	165	31	7	-
White, both sexes.....	407	831	1,084	1,478	1,904	2,077	1,639	817	271	47	7	-
Male.....	258	501	678	836	1,112	1,176	891	405	113	16	-	-
Female.....	149	330	406	642	792	901	748	412	158	31	7	-
Black, both sexes.....	76	103	105	148	121	118	59	25	11	1	-	-
Male.....	51	72	70	95	79	71	40	19	5	1	-	-
Female.....	25	31	35	53	42	47	19	6	6	-	-	-
American Indian 1/, both sexes.....	2	2	1	4	1	5	1	-	-	-	-	-
Male.....	1	1	1	1	1	4	-	-	-	-	-	-
Female.....	1	1	-	3	-	1	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	4	6	6	4	2	2	1	1	-	-
Male.....	-	-	3	4	4	4	2	2	-	1	-	-
Female.....	-	1	1	2	2	-	-	-	1	-	-	-
Georgia												
All races, both sexes.....	274	431	531	629	724	638	416	203	54	7	-	-
Male.....	200	276	365	423	462	381	228	109	29	1	-	-
Female.....	74	155	166	206	262	257	188	94	25	6	-	-
White, both sexes.....	189	308	425	507	600	527	361	167	43	5	-	-
Male.....	136	192	282	342	377	303	199	86	20	-	-	-
Female.....	53	116	143	165	223	224	162	81	23	5	-	-
Black, both sexes.....	82	120	102	122	120	108	52	34	11	2	-	-
Male.....	62	82	80	81	84	76	28	21	9	1	-	-
Female.....	20	38	22	41	36	32	24	13	2	1	-	-
American Indian 1/, both sexes.....	1	-	1	-	1	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	1	-	1	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	3	3	-	3	3	3	1	-	-	-	-
Male.....	2	2	3	-	1	2	1	1	-	-	-	-
Female.....	-	1	-	-	2	1	2	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Of trachea, bronchus and lung (C33-C34)												
Illinois												
All races, both sexes.....	332	541	772	994	1,186	1,207	855	449	147	29	1	-
Male.....	196	315	463	581	697	689	450	219	70	16	1	-
Female.....	136	226	309	413	489	518	405	230	77	13	-	-
White, both sexes.....	244	429	623	820	1,001	1,059	756	410	133	25	1	-
Male.....	149	245	356	481	592	618	413	203	62	16	1	-
Female.....	95	184	267	339	409	441	343	207	71	9	-	-
Black, both sexes.....	82	106	140	169	171	140	91	30	13	4	-	-
Male.....	42	65	101	98	99	67	35	12	7	-	-	-
Female.....	40	41	39	71	72	73	56	18	6	4	-	-
American Indian 1/, both sexes.....	1	-	-	-	2	-	-	1	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	6	9	5	12	8	8	8	1	-	-	-
Male.....	4	5	6	2	5	4	2	4	1	-	-	-
Female.....	1	1	3	3	7	4	6	4	-	-	-	-
Indiana												
All races, both sexes.....	188	315	458	549	744	709	491	225	83	15	2	-
Male.....	114	190	269	317	436	406	272	121	39	5	1	-
Female.....	74	125	189	232	308	303	219	104	44	10	1	-
White, both sexes.....	171	284	400	499	695	655	461	211	80	13	2	-
Male.....	99	170	234	287	409	380	258	114	37	4	1	-
Female.....	72	114	166	212	286	275	203	97	43	9	1	-
Black, both sexes.....	17	30	57	50	48	54	29	14	3	2	-	-
Male.....	15	19	35	30	27	26	14	7	2	1	-	-
Female.....	2	11	22	20	21	28	15	7	1	1	-	-
American Indian 1/, both sexes.....	-	-	1	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	-	1	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Of trachea, bronchus and lung (C33-C34)												
Iowa												
All races, both sexes.....	77	99	180	254	284	340	253	133	41	6	3	-
Male.....	51	57	109	162	169	222	153	76	24	2	2	-
Female.....	26	42	71	92	115	118	100	57	17	4	1	-
White, both sexes.....	75	96	177	249	279	330	251	131	41	6	3	-
Male.....	49	54	106	159	166	218	152	74	24	2	2	-
Female.....	26	42	71	90	113	112	99	57	17	4	1	-
Black, both sexes.....	2	3	3	4	4	8	2	2	-	-	-	-
Male.....	2	3	3	2	2	3	1	2	-	-	-	-
Female.....	-	-	-	2	2	5	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	1	2	-	-	-	-	-	-
Male.....	-	-	-	1	1	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Kansas												
All races, both sexes.....	79	112	150	229	250	261	205	98	23	4	2	-
Male.....	44	70	86	137	140	151	112	58	11	2	1	-
Female.....	35	42	64	92	110	110	93	40	12	2	1	-
White, both sexes.....	71	104	139	219	235	251	201	93	22	4	2	-
Male.....	38	64	78	131	136	144	110	54	11	2	1	-
Female.....	33	40	61	88	99	107	91	39	11	2	1	-
Black, both sexes.....	7	8	9	9	10	8	3	5	1	-	-	-
Male.....	6	6	7	6	3	6	2	4	-	-	-	-
Female.....	1	2	2	3	7	2	1	1	1	-	-	-
American Indian 1/, both sexes.....	-	-	2	1	2	1	1	-	-	-	-	-
Male.....	-	-	1	-	1	1	-	-	-	-	-	-
Female.....	-	-	1	1	1	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	3	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	3	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Of trachea, bronchus and lung (C33-C34)												
Kentucky												
All races, both sexes.....	183	316	437	537	603	529	337	157	62	10	1	-
Male.....	120	207	253	331	354	314	197	83	29	3	-	-
Female.....	63	109	184	206	249	215	140	74	33	7	1	-
White, both sexes.....	173	296	418	507	573	501	322	150	55	10	-	-
Male.....	112	195	244	310	340	295	187	79	27	3	-	-
Female.....	61	101	174	197	233	206	135	71	28	7	-	-
Black, both sexes.....	10	19	19	30	30	28	15	7	7	-	1	-
Male.....	8	11	9	21	14	19	10	4	2	-	-	-
Female.....	2	8	10	9	16	9	5	3	5	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Louisiana												
All races, both sexes.....	163	252	368	411	492	455	322	137	57	7	2	-
Male.....	96	178	248	253	307	259	173	83	22	5	-	-
Female.....	67	74	120	158	185	196	149	54	35	2	2	-
White, both sexes.....	85	164	253	289	390	364	253	103	43	4	1	-
Male.....	53	111	166	170	238	206	132	63	13	3	-	-
Female.....	32	53	87	119	152	158	121	40	30	1	1	-
Black, both sexes.....	77	86	110	122	99	89	67	32	14	3	1	-
Male.....	43	65	78	83	66	51	41	18	9	2	-	-
Female.....	34	21	32	39	33	38	26	14	5	1	1	-
American Indian 1/, both sexes.....	1	1	4	-	-	-	1	1	-	-	-	-
Male.....	-	1	3	-	-	-	-	1	-	-	-	-
Female.....	1	-	1	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	-	3	2	1	1	-	-	-	-
Male.....	-	1	1	-	3	2	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Of trachea, bronchus and lung (C33-C34)												
Maine												
All races, both sexes.....	49	97	103	123	183	173	107	67	14	1	-	-
Male.....	33	56	55	82	101	87	50	36	8	1	-	-
Female.....	16	41	48	41	82	86	57	31	6	-	-	-
White, both sexes.....	48	96	101	122	180	170	106	65	14	1	-	-
Male.....	32	55	53	81	99	86	50	35	8	1	-	-
Female.....	16	41	48	41	81	84	56	30	6	-	-	-
Black, both sexes.....	-	-	1	-	1	-	1	-	-	-	-	-
Male.....	-	-	1	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	2	3	-	2	-	-	-	-
Male.....	-	-	-	1	1	1	-	1	-	-	-	-
Female.....	-	-	-	-	1	2	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	1	-	-	-	-	-	-	-	-	-
Male.....	1	1	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Maryland												
All races, both sexes.....	165	258	349	390	492	509	395	179	50	11	3	-
Male.....	105	159	210	228	270	268	197	81	25	2	-	-
Female.....	60	99	139	162	222	241	198	98	25	9	3	-
White, both sexes.....	91	161	248	285	388	410	335	155	43	8	-	-
Male.....	60	98	149	160	214	215	175	66	22	2	-	-
Female.....	31	63	99	125	174	195	160	89	21	6	-	-
Black, both sexes.....	69	94	97	100	99	92	57	23	7	3	3	-
Male.....	41	58	59	65	52	48	21	14	3	-	-	-
Female.....	28	36	38	35	47	44	36	9	4	3	3	-
American Indian 1/, both sexes.....	2	1	1	1	1	-	-	-	-	-	-	-
Male.....	2	1	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	1	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	2	3	4	4	7	3	1	-	-	-	-
Male.....	2	2	2	3	3	5	1	1	-	-	-	-
Female.....	1	-	1	1	1	2	2	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Of trachea, bronchus and lung (C33-C34)												
Massachusetts												
All races, both sexes.....	175	299	352	487	686	714	542	252	100	15	1	-
Male.....	97	169	195	266	373	371	270	124	37	7	-	-
Female.....	78	130	157	221	313	343	272	128	63	8	1	-
White, both sexes.....	164	281	335	466	658	687	529	244	97	14	1	-
Male.....	90	158	183	254	359	352	263	120	36	7	-	-
Female.....	74	123	152	212	299	335	266	124	61	7	1	-
Black, both sexes.....	8	15	15	16	23	20	8	3	2	1	-	-
Male.....	6	9	10	9	12	13	3	2	1	-	-	-
Female.....	2	6	5	7	11	7	5	1	1	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	3	2	5	7	5	5	5	1	-	-	-
Male.....	1	2	2	3	2	6	4	2	-	-	-	-
Female.....	2	1	-	2	3	1	1	3	1	-	-	-
Michigan												
All races, both sexes.....	291	463	641	811	1,071	1,058	655	323	101	16	4	-
Male.....	160	275	352	462	588	626	365	174	52	6	1	-
Female.....	131	188	289	349	483	432	290	149	49	10	3	-
White, both sexes.....	243	379	546	695	925	936	588	288	89	16	3	-
Male.....	134	218	292	396	504	544	328	153	47	6	1	-
Female.....	109	161	254	299	421	392	260	135	42	10	2	-
Black, both sexes.....	45	77	84	107	135	118	62	33	12	-	1	-
Male.....	25	52	51	63	78	79	34	19	5	-	-	-
Female.....	20	25	33	44	57	39	28	14	7	-	1	-
American Indian 1/, both sexes.....	2	4	7	6	6	2	2	-	-	-	-	-
Male.....	-	3	5	2	4	2	2	-	-	-	-	-
Female.....	2	1	2	4	2	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	3	4	3	5	2	3	2	-	-	-	-
Male.....	1	2	4	1	2	1	1	2	-	-	-	-
Female.....	-	1	-	2	3	1	2	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Of trachea, bronchus and lung (C33-C34)												
Minnesota												
All races, both sexes.....	100	168	263	274	428	420	339	173	49	13	1	-
Male.....	47	93	156	160	236	236	172	88	18	2	-	-
Female.....	53	75	107	114	192	184	167	85	31	11	1	-
White, both sexes.....	90	162	253	264	425	417	338	169	49	13	1	-
Male.....	39	90	150	155	234	235	172	85	18	2	-	-
Female.....	51	72	103	109	191	182	166	84	31	11	1	-
Black, both sexes.....	7	2	8	4	2	-	1	2	-	-	-	-
Male.....	5	1	5	3	2	-	-	1	-	-	-	-
Female.....	2	1	3	1	-	-	1	1	-	-	-	-
American Indian 1/, both sexes.....	1	3	1	2	1	2	-	2	-	-	-	-
Male.....	1	1	-	1	-	-	-	2	-	-	-	-
Female.....	-	2	1	1	1	2	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	1	4	-	1	-	-	-	-	-	-
Male.....	2	1	1	1	-	1	-	-	-	-	-	-
Female.....	-	-	-	3	-	-	-	-	-	-	-	-
Mississippi												
All races, both sexes.....	125	181	242	298	342	296	185	91	29	1	2	-
Male.....	88	114	164	201	215	175	116	47	13	-	1	-
Female.....	37	67	78	97	127	121	69	44	16	1	1	-
White, both sexes.....	83	119	162	230	262	241	141	64	20	1	1	-
Male.....	59	70	109	153	166	138	85	34	9	-	-	-
Female.....	24	49	53	77	96	103	56	30	11	1	1	-
Black, both sexes.....	42	60	79	68	80	55	44	25	9	-	1	-
Male.....	29	44	55	48	49	37	31	12	4	-	1	-
Female.....	13	16	24	20	31	18	13	13	5	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	1	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	2	1	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Of trachea, bronchus and lung (C33-C34)												
Nebraska												
All races, both sexes.....	35	66	86	124	175	153	119	54	27	7	-	-
Male.....	20	34	54	79	116	84	73	25	15	1	-	-
Female.....	15	32	32	45	59	69	46	29	12	6	-	-
White, both sexes.....	30	64	80	118	170	148	116	52	27	7	-	-
Male.....	18	34	53	76	113	82	71	25	15	1	-	-
Female.....	12	30	27	42	57	66	45	27	12	6	-	-
Black, both sexes.....	5	2	2	4	4	4	2	-	-	-	-	-
Male.....	2	-	1	2	3	2	1	-	-	-	-	-
Female.....	3	2	1	2	1	2	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	3	2	-	-	-	2	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	3	1	-	-	-	2	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	1	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	1	-	1	1	-	-	-	-	-	-
Nevada												
All races, both sexes.....	52	115	144	217	223	171	132	56	17	1	-	-
Male.....	35	49	70	119	134	102	60	28	5	-	-	-
Female.....	17	66	74	98	89	69	72	28	12	1	-	-
White, both sexes.....	43	107	131	198	216	165	124	54	15	1	-	-
Male.....	30	48	65	109	131	98	57	28	4	-	-	-
Female.....	13	59	66	89	85	67	67	26	11	1	-	-
Black, both sexes.....	5	5	8	12	3	4	5	2	2	-	-	-
Male.....	4	1	4	8	1	3	2	-	1	-	-	-
Female.....	1	4	4	4	2	1	3	2	1	-	-	-
American Indian 1/, both sexes.....	1	-	-	2	1	1	-	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	1	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	3	5	5	3	1	3	-	-	-	-	-
Male.....	-	-	1	1	2	1	1	-	-	-	-	-
Female.....	3	3	4	4	1	-	2	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Of trachea, bronchus and lung (C33-C34)												
New Hampshire												
All races, both sexes.....	34	55	84	92	126	130	83	39	15	2	-	-
Male.....	14	26	43	48	64	83	37	16	8	1	-	-
Female.....	20	29	41	44	62	47	46	23	7	1	-	-
White, both sexes.....	34	55	81	90	126	129	83	39	15	2	-	-
Male.....	14	26	42	47	64	82	37	16	8	1	-	-
Female.....	20	29	39	43	62	47	46	23	7	1	-	-
Black, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	1	-	-	-	-	-	-
Male.....	-	-	-	1	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	2	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	2	1	-	-	-	-	-	-	-	-
New Jersey												
All races, both sexes.....	212	385	485	605	781	832	628	307	96	23	2	-
Male.....	107	229	262	340	419	464	318	154	34	10	-	-
Female.....	105	156	223	265	362	368	310	153	62	13	2	-
White, both sexes.....	170	316	386	515	702	748	582	285	89	21	2	-
Male.....	87	174	208	288	377	410	293	144	31	10	-	-
Female.....	83	142	178	227	325	338	289	141	58	11	2	-
Black, both sexes.....	35	56	93	84	74	73	41	19	6	1	-	-
Male.....	17	43	51	48	38	47	20	9	2	-	-	-
Female.....	18	13	42	36	36	26	21	10	4	1	-	-
American Indian 1/, both sexes.....	1	1	-	1	2	-	-	-	-	-	-	-
Male.....	-	1	-	1	2	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	12	6	5	3	11	5	3	1	1	-	-
Male.....	3	11	3	3	2	7	5	1	1	-	-	-
Female.....	3	1	3	2	1	4	-	2	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Of trachea, bronchus and lung (C33-C34)												
New Mexico												
All races, both sexes.....	23	48	55	111	131	132	106	49	14	3	2	-
Male.....	15	27	34	68	76	72	57	33	8	2	2	-
Female.....	8	21	21	43	55	60	49	16	6	1	-	-
White, both sexes.....	22	46	52	109	130	126	103	46	13	3	2	-
Male.....	14	27	31	67	75	67	55	31	7	2	2	-
Female.....	8	19	21	42	55	59	48	15	6	1	-	-
Black, both sexes.....	-	1	3	1	1	4	-	2	1	-	-	-
Male.....	-	-	3	1	1	4	-	2	1	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	1	-	1	-	2	3	1	-	-	-	-
Male.....	1	-	-	-	-	1	2	-	-	-	-	-
Female.....	-	1	-	1	-	1	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	525	792	1,078	1,282	1,624	1,724	1,247	621	219	58	3	-
Male.....	279	458	628	723	921	927	618	307	90	20	1	-
Female.....	246	334	450	559	703	797	629	314	129	38	2	-
White, both sexes.....	420	664	876	1,080	1,432	1,547	1,125	572	201	53	3	-
Male.....	221	390	496	599	798	817	547	284	85	19	1	-
Female.....	199	274	380	481	634	730	578	288	116	34	2	-
Black, both sexes.....	96	112	177	181	148	148	101	36	18	3	-	-
Male.....	56	59	114	112	91	90	56	15	5	1	-	-
Female.....	40	53	63	69	57	58	45	21	13	2	-	-
American Indian 1/, both sexes.....	1	1	-	1	3	1	2	-	-	-	-	-
Male.....	-	1	-	-	1	1	1	-	-	-	-	-
Female.....	1	-	-	1	2	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	15	25	20	41	28	19	13	-	2	-	-
Male.....	2	8	18	12	31	19	14	8	-	-	-	-
Female.....	6	7	7	8	10	9	5	5	-	2	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Of trachea, bronchus and lung (C33-C34)												
Ohio												
All races, both sexes.....	368	572	877	1,076	1,382	1,301	908	466	132	32	5	-
Male.....	227	325	520	616	809	743	517	225	59	13	2	-
Female.....	141	247	357	460	573	558	391	241	73	19	3	-
White, both sexes.....	325	523	778	952	1,229	1,197	840	440	123	29	4	-
Male.....	199	297	460	536	715	693	471	212	53	13	2	-
Female.....	126	226	318	416	514	504	369	228	70	16	2	-
Black, both sexes.....	42	48	99	119	148	102	66	25	9	3	1	-
Male.....	27	28	60	77	90	49	44	13	6	-	-	-
Female.....	15	20	39	42	58	53	22	12	3	3	1	-
American Indian 1/, both sexes.....	-	1	-	-	1	-	-	1	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	5	4	2	2	-	-	-	-	-
Male.....	1	-	-	3	3	1	2	-	-	-	-	-
Female.....	-	-	-	2	1	1	-	-	-	-	-	-
Oklahoma												
All races, both sexes.....	114	237	279	348	435	431	284	124	38	14	-	-
Male.....	65	151	166	202	261	262	165	71	15	7	-	-
Female.....	49	86	113	146	174	169	119	53	23	7	-	-
White, both sexes.....	100	207	243	310	388	403	265	117	32	13	-	-
Male.....	55	131	146	185	234	244	150	66	13	7	-	-
Female.....	45	76	97	125	154	159	115	51	19	6	-	-
Black, both sexes.....	10	15	18	20	27	13	14	4	2	1	-	-
Male.....	7	14	12	10	16	9	11	3	1	-	-	-
Female.....	3	1	6	10	11	4	3	1	1	1	-	-
American Indian 1/, both sexes.....	3	11	16	17	18	15	5	3	4	-	-	-
Male.....	2	4	7	7	10	9	4	2	1	-	-	-
Female.....	1	7	9	10	8	6	1	1	3	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	4	2	1	2	-	-	-	-	-	-	-
Male.....	1	2	1	-	1	-	-	-	-	-	-	-
Female.....	-	2	1	1	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Of trachea, bronchus and lung (C33-C34)												
Oregon												
All races, both sexes.....	89	147	206	291	376	372	310	144	44	5	-	-
Male.....	48	76	110	142	208	190	157	67	19	1	-	-
Female.....	41	71	96	149	168	182	153	77	25	4	-	-
White, both sexes.....	89	139	200	283	362	365	305	140	43	5	-	-
Male.....	48	70	107	137	200	185	154	63	19	1	-	-
Female.....	41	69	93	146	162	180	151	77	24	4	-	-
Black, both sexes.....	-	2	2	2	4	1	1	1	1	-	-	-
Male.....	-	2	1	1	2	1	-	1	-	-	-	-
Female.....	-	-	1	1	2	-	1	-	1	-	-	-
American Indian 1/, both sexes.....	-	3	-	2	5	5	3	-	-	-	-	-
Male.....	-	2	-	1	4	4	2	-	-	-	-	-
Female.....	-	1	-	1	1	1	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	3	4	4	5	1	1	3	-	-	-	-
Male.....	-	2	2	3	2	-	1	3	-	-	-	-
Female.....	-	1	2	1	3	1	-	-	-	-	-	-
Pennsylvania												
All races, both sexes.....	336	620	798	1,083	1,462	1,587	1,139	549	183	35	5	-
Male.....	195	365	482	660	841	862	620	272	75	15	1	-
Female.....	141	255	316	423	621	725	519	277	108	20	4	-
White, both sexes.....	275	528	706	971	1,336	1,461	1,060	518	169	34	5	-
Male.....	158	310	427	597	771	788	572	258	71	14	1	-
Female.....	117	218	279	374	565	673	488	260	98	20	4	-
Black, both sexes.....	58	88	86	104	121	120	76	30	14	1	-	-
Male.....	35	51	52	58	69	70	45	14	4	1	-	-
Female.....	23	37	34	46	52	50	31	16	10	-	-	-
American Indian 1/, both sexes.....	-	1	2	2	2	-	-	-	-	-	-	-
Male.....	-	1	1	2	1	-	-	-	-	-	-	-
Female.....	-	-	1	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	3	4	6	3	6	3	1	-	-	-	-
Male.....	2	3	2	3	-	4	3	-	-	-	-	-
Female.....	1	-	2	3	3	2	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Of trachea, bronchus and lung (C33-C34)												
Rhode Island												
All races, both sexes.....	36	53	72	84	115	132	102	47	19	5	-	-
Male.....	22	30	39	50	66	74	50	15	12	-	-	-
Female.....	14	23	33	34	49	58	52	32	7	5	-	-
White, both sexes.....	32	49	69	80	109	129	100	47	19	4	-	-
Male.....	18	27	37	47	64	72	50	15	12	-	-	-
Female.....	14	22	32	33	45	57	50	32	7	4	-	-
Black, both sexes.....	4	4	2	4	5	2	1	-	-	-	-	-
Male.....	4	3	1	3	2	1	-	-	-	-	-	-
Female.....	-	1	1	1	3	1	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	1	1	1	-	-	-	-	-
Male.....	-	-	1	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-
South Carolina												
All races, both sexes.....	155	227	311	412	419	422	259	121	32	3	-	-
Male.....	101	138	194	270	279	274	150	69	17	-	-	-
Female.....	54	89	117	142	140	148	109	52	15	3	-	-
White, both sexes.....	99	151	244	330	356	338	217	101	25	3	-	-
Male.....	61	86	153	213	240	215	122	59	13	-	-	-
Female.....	38	65	91	117	116	123	95	42	12	3	-	-
Black, both sexes.....	56	74	63	80	61	83	41	20	7	-	-	-
Male.....	40	51	39	56	39	58	27	10	4	-	-	-
Female.....	16	23	24	24	22	25	14	10	3	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	3	2	1	1	1	-	-	-	-	-
Male.....	-	1	2	1	-	1	1	-	-	-	-	-
Female.....	-	1	1	1	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Of trachea, bronchus and lung (C33-C34)												
South Dakota												
All races, both sexes.....	16	28	43	52	73	74	60	27	14	1	-	-
Male.....	10	17	23	31	44	44	42	13	7	-	-	-
Female.....	6	11	20	21	29	30	18	14	7	1	-	-
White, both sexes.....	15	27	41	49	70	70	58	27	13	1	-	-
Male.....	10	16	22	28	42	42	40	13	7	-	-	-
Female.....	5	11	19	21	28	28	18	14	6	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	1	2	3	3	4	2	-	1	-	-	-
Male.....	-	1	1	3	2	2	2	-	-	-	-	-
Female.....	1	-	1	-	1	2	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Tennessee												
All races, both sexes.....	213	368	544	609	764	652	433	221	62	14	-	-
Male.....	142	245	345	370	491	403	259	123	25	5	-	-
Female.....	71	123	199	239	273	249	174	98	37	9	-	-
White, both sexes.....	166	317	461	540	687	594	392	192	60	9	-	-
Male.....	104	215	291	323	439	365	237	110	24	5	-	-
Female.....	62	102	170	217	248	229	155	82	36	4	-	-
Black, both sexes.....	47	50	81	66	75	56	41	28	2	5	-	-
Male.....	38	30	52	46	50	37	22	13	1	-	-	-
Female.....	9	20	29	20	25	19	19	15	1	5	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	1	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	2	2	2	2	-	-	-	-	-	-
Male.....	-	-	2	-	2	1	-	-	-	-	-	-
Female.....	-	1	-	2	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Of trachea, bronchus and lung (C33-C34)												
Texas												
All races, both sexes.....	521	813	1,143	1,441	1,719	1,704	1,212	557	160	30	6	-
Male.....	337	503	700	919	1,019	977	694	287	78	9	1	-
Female.....	184	310	443	522	700	727	518	270	82	21	5	-
White, both sexes.....	433	675	976	1,243	1,536	1,542	1,110	508	144	26	5	-
Male.....	280	411	590	791	899	871	630	263	72	9	1	-
Female.....	153	264	386	452	637	671	480	245	72	17	4	-
Black, both sexes.....	77	126	159	187	178	148	96	45	15	3	1	-
Male.....	51	84	106	122	117	97	60	23	5	-	-	-
Female.....	26	42	53	65	61	51	36	22	10	3	1	-
American Indian 1/, both sexes.....	1	1	-	-	1	2	1	-	-	-	-	-
Male.....	-	1	-	-	-	2	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	10	11	8	11	4	12	5	4	1	1	-	-
Male.....	6	7	4	6	3	7	4	1	1	-	-	-
Female.....	4	4	4	5	1	5	1	3	-	1	-	-
Utah												
All races, both sexes.....	15	27	42	55	72	74	56	28	7	1	-	-
Male.....	8	11	24	29	49	41	36	16	2	-	-	-
Female.....	7	16	18	26	23	33	20	12	5	1	-	-
White, both sexes.....	15	26	42	53	69	70	55	27	7	1	-	-
Male.....	8	10	24	29	48	39	35	16	2	-	-	-
Female.....	7	16	18	24	21	31	20	11	5	1	-	-
Black, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	2	2	2	1	1	-	-	-	-
Male.....	-	1	-	-	1	1	1	-	-	-	-	-
Female.....	-	-	-	2	1	1	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Of trachea, bronchus and lung (C33-C34)												
Vermont												
All races, both sexes.....	24	22	34	32	51	62	46	21	4	1	-	-
Male.....	7	18	25	13	30	34	22	13	2	-	-	-
Female.....	17	4	9	19	21	28	24	8	2	1	-	-
White, both sexes.....	24	22	34	32	51	62	45	21	4	1	-	-
Male.....	7	18	25	13	30	34	22	13	2	-	-	-
Female.....	17	4	9	19	21	28	23	8	2	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Virginia												
All races, both sexes.....	218	313	487	578	665	645	517	235	78	5	4	-
Male.....	140	172	305	345	400	370	287	120	33	2	1	-
Female.....	78	141	182	233	265	275	230	115	45	3	3	-
White, both sexes.....	157	245	390	468	535	547	435	195	63	5	3	-
Male.....	97	130	244	271	317	303	237	97	27	2	1	-
Female.....	60	115	146	197	218	244	198	98	36	3	2	-
Black, both sexes.....	58	67	90	101	124	93	77	37	13	-	1	-
Male.....	41	41	58	69	79	64	47	22	6	-	-	-
Female.....	17	26	32	32	45	29	30	15	7	-	1	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	1	7	8	6	5	5	3	2	-	-	-
Male.....	2	1	3	5	4	3	3	1	-	-	-	-
Female.....	1	-	4	3	2	2	2	2	2	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Of thymus, heart, mediastinum and pleura (C37-C38)												
Vermont												
All races, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Virginia												
All races, both sexes.....	-	-	-	-	5	1	1	4	-	-	-	-
Male.....	-	-	-	-	2	1	1	2	-	-	-	-
Female.....	-	-	-	-	3	-	-	2	-	-	-	-
White, both sexes.....	-	-	-	-	3	1	1	4	-	-	-	-
Male.....	-	-	-	-	2	1	1	2	-	-	-	-
Female.....	-	-	-	-	1	-	-	2	-	-	-	-
Black, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Malignant neoplasms of bone and articular cartilage (C40-C41)												
New Mexico												
All races, both sexes.....	4	-	-	-	-	-	1	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	1	-	-	-	-	-
White, both sexes.....	4	-	-	-	-	-	1	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	1	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	74	-	1	-	3	5	5	8	3	7	6	3
Male.....	45	-	-	-	2	3	5	6	2	6	5	1
Female.....	29	-	1	-	1	2	-	2	1	1	1	2
White, both sexes.....	57	-	1	-	2	2	4	5	1	7	5	2
Male.....	37	-	-	-	1	2	4	4	1	6	4	1
Female.....	20	-	1	-	1	-	-	1	-	1	1	1
Black, both sexes.....	14	-	-	-	1	3	1	1	1	-	1	1
Male.....	6	-	-	-	1	1	1	1	-	-	1	-
Female.....	8	-	-	-	-	2	-	-	1	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	-	2	1	-	-	-
Male.....	2	-	-	-	-	-	-	1	1	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms of bone and articular cartilage (C40-C41)

Arkansas

All races, both sexes.....	-	-	2	-	2	3	5	4	3	-	-	-
Male.....	-	-	-	-	-	3	5	3	1	-	-	-
Female.....	-	-	2	-	2	-	-	1	2	-	-	-
White, both sexes.....	-	-	2	-	1	2	5	4	3	-	-	-
Male.....	-	-	-	-	-	2	5	3	1	-	-	-
Female.....	-	-	2	-	1	-	-	1	2	-	-	-
Black, both sexes.....	-	-	-	-	1	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	6	11	8	5	12	9	9	6	-	-	-	-
Male.....	4	7	5	3	6	6	4	2	-	-	-	-
Female.....	2	4	3	2	6	3	5	4	-	-	-	-
White, both sexes.....	5	11	4	5	10	9	9	4	-	-	-	-
Male.....	3	7	2	3	6	6	4	2	-	-	-	-
Female.....	2	4	2	2	4	3	5	2	-	-	-	-
Black, both sexes.....	1	-	3	-	1	-	-	1	-	-	-	-
Male.....	1	-	3	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	1	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	1	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Melanoma and other malignant neoplasms of skin (C43-C44)

New Mexico

All races, both sexes.....	50	-	-	-	-	-	-	-	2	1	1
Male.....	34	-	-	-	-	-	-	-	2	1	1
Female.....	16	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	47	-	-	-	-	-	-	-	2	1	1
Male.....	32	-	-	-	-	-	-	-	2	1	1
Female.....	15	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	527	-	-	-	-	1	2	3	5	13	15	40
Male.....	282	-	-	-	-	-	-	-	3	6	8	20
Female.....	245	-	-	-	-	1	2	3	2	7	7	20
White, both sexes.....	508	-	-	-	-	1	2	3	5	12	14	38
Male.....	274	-	-	-	-	-	-	-	3	6	7	19
Female.....	234	-	-	-	-	1	2	3	2	6	7	19
Black, both sexes.....	16	-	-	-	-	-	-	-	-	-	1	1
Male.....	8	-	-	-	-	-	-	-	-	-	1	1
Female.....	8	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	-	-	-	1	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	1	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Melanoma and other malignant neoplasms of skin (C43-C44)

Vermont

All races, both sexes.....	24	-	-	-	-	-	-	1	-	1	2	1
Male.....	17	-	-	-	-	-	-	-	-	1	1	-
Female.....	7	-	-	-	-	-	-	1	-	-	1	1
White, both sexes.....	24	-	-	-	-	-	-	1	-	1	2	1
Male.....	17	-	-	-	-	-	-	-	-	1	1	-
Female.....	7	-	-	-	-	-	-	1	-	-	1	1
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	257	-	-	-	-	-	1	2	3	3	15	19
Male.....	156	-	-	-	-	-	1	1	2	1	8	15
Female.....	101	-	-	-	-	-	-	1	1	2	7	4
White, both sexes.....	246	-	-	-	-	-	1	2	3	2	15	18
Male.....	151	-	-	-	-	-	1	1	2	1	8	14
Female.....	95	-	-	-	-	-	-	1	1	1	7	4
Black, both sexes.....	10	-	-	-	-	-	-	-	-	-	-	1
Male.....	5	-	-	-	-	-	-	-	-	-	-	1
Female.....	5	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Melanoma and other malignant neoplasms of skin (C43-C44)												
Arkansas												
All races, both sexes.....	6	9	11	11	6	8	15	5	5	2	1	-
Male.....	5	7	7	6	6	6	5	2	3	1	1	-
Female.....	1	2	4	5	-	2	10	3	2	1	-	-
White, both sexes.....	6	9	10	11	5	8	15	5	5	2	1	-
Male.....	5	7	7	6	5	6	5	2	3	1	1	-
Female.....	1	2	3	5	-	2	10	3	2	1	-	-
Black, both sexes.....	-	-	1	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	80	74	99	109	104	131	128	93	30	16	5	-
Male.....	49	60	72	78	70	83	75	56	17	3	1	-
Female.....	31	14	27	31	34	48	53	37	13	13	4	-
White, both sexes.....	80	72	95	103	95	128	124	93	30	15	5	-
Male.....	49	58	70	74	63	81	73	56	17	3	1	-
Female.....	31	14	25	29	32	47	51	37	13	12	4	-
Black, both sexes.....	-	2	1	3	4	2	2	-	-	-	-	-
Male.....	-	2	1	2	3	1	1	-	-	-	-	-
Female.....	-	-	-	1	1	1	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	3	3	4	1	2	-	-	1	-	-
Male.....	-	-	1	2	3	1	1	-	-	-	-	-
Female.....	-	-	2	1	1	-	1	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Melanoma and other malignant neoplasms of skin (C43-C44)												
Colorado												
All races, both sexes.....	14	10	12	9	14	15	19	12	4	-	1	-
Male.....	8	5	8	4	9	8	11	4	-	-	-	-
Female.....	6	5	4	5	5	7	8	8	4	-	1	-
White, both sexes.....	14	9	11	9	14	15	19	12	4	-	1	-
Male.....	8	5	8	4	9	8	11	4	-	-	-	-
Female.....	6	4	3	5	5	7	8	8	4	-	1	-
Black, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
Connecticut												
All races, both sexes.....	10	6	10	6	11	26	16	18	11	4	1	-
Male.....	5	5	8	4	6	17	6	11	6	2	-	-
Female.....	5	1	2	2	5	9	10	7	5	2	1	-
White, both sexes.....	10	6	8	6	11	25	16	18	11	4	1	-
Male.....	5	5	7	4	6	17	6	11	6	2	-	-
Female.....	5	1	1	2	5	8	10	7	5	2	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	2	-	-	1	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Melanoma and other malignant neoplasms of skin (C43-C44)												
New Hampshire												
All races, both sexes.....	3	3	8	10	7	10	8	4	2	-	1	-
Male.....	2	2	8	9	4	8	5	3	-	-	1	-
Female.....	1	1	-	1	3	2	3	1	2	-	-	-
White, both sexes.....	3	3	8	10	7	10	8	4	2	-	1	-
Male.....	2	2	8	9	4	8	5	3	-	-	1	-
Female.....	1	1	-	1	3	2	3	1	2	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New Jersey												
All races, both sexes.....	26	23	25	25	44	47	35	22	12	6	1	-
Male.....	16	20	18	19	29	27	24	12	7	-	-	-
Female.....	10	3	7	6	15	20	11	10	5	6	1	-
White, both sexes.....	26	23	24	24	44	44	35	21	12	5	1	-
Male.....	16	20	18	18	29	26	24	12	7	-	-	-
Female.....	10	3	6	6	15	18	11	9	5	5	1	-
Black, both sexes.....	-	-	-	1	-	2	-	1	-	1	-	-
Male.....	-	-	-	1	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	1	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Melanoma and other malignant neoplasms of skin (C43-C44)

South Dakota

All races, both sexes.....	1	-	3	2	2	-	8	1	2	2	-	-
Male.....	1	-	1	2	1	-	6	-	-	-	-	-
Female.....	-	-	2	-	1	-	2	1	2	2	-	-
White, both sexes.....	1	-	3	1	2	-	8	1	2	2	-	-
Male.....	1	-	1	1	1	-	6	-	-	-	-	-
Female.....	-	-	2	-	1	-	2	1	2	2	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Tennessee

All races, both sexes.....	20	18	23	28	32	27	33	16	15	2	-	-
Male.....	13	12	17	19	26	21	20	8	7	1	-	-
Female.....	7	6	6	9	6	6	13	8	8	1	-	-
White, both sexes.....	20	15	23	26	31	26	32	16	15	2	-	-
Male.....	13	9	17	17	26	20	20	8	7	1	-	-
Female.....	7	6	6	9	5	6	12	8	8	1	-	-
Black, both sexes.....	-	3	-	2	-	1	1	-	-	-	-	-
Male.....	-	3	-	2	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Malignant melanoma of skin (C43)												
New Mexico												
All races, both sexes.....	38	-	-	-	-	-	-	-	-	2	1	1
Male.....	25	-	-	-	-	-	-	-	-	2	1	1
Female.....	13	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	36	-	-	-	-	-	-	-	-	2	1	1
Male.....	24	-	-	-	-	-	-	-	-	2	1	1
Female.....	12	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	430	-	-	-	-	1	2	3	5	12	14	39
Male.....	222	-	-	-	-	-	-	-	3	5	7	20
Female.....	208	-	-	-	-	1	2	3	2	7	7	19
White, both sexes.....	418	-	-	-	-	1	2	3	5	11	13	37
Male.....	219	-	-	-	-	-	-	-	3	5	6	19
Female.....	199	-	-	-	-	1	2	3	2	6	7	18
Black, both sexes.....	9	-	-	-	-	-	-	-	-	-	1	1
Male.....	3	-	-	-	-	-	-	-	-	-	1	1
Female.....	6	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	-	-	-	1	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	1	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Malignant melanoma of skin (C43)												
Vermont												
All races, both sexes.....	22	-	-	-	-	-	-	1	-	1	2	1
Male.....	15	-	-	-	-	-	-	-	-	1	1	-
Female.....	7	-	-	-	-	-	-	1	-	-	1	1
White, both sexes.....	22	-	-	-	-	-	-	1	-	1	2	1
Male.....	15	-	-	-	-	-	-	-	-	1	1	-
Female.....	7	-	-	-	-	-	-	1	-	-	1	1
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Virginia												
All races, both sexes.....	201	-	-	-	-	-	1	2	3	3	12	16
Male.....	115	-	-	-	-	-	1	1	2	1	6	12
Female.....	86	-	-	-	-	-	-	1	1	2	6	4
White, both sexes.....	196	-	-	-	-	-	1	2	3	2	12	16
Male.....	114	-	-	-	-	-	1	1	2	1	6	12
Female.....	82	-	-	-	-	-	-	1	1	1	6	4
Black, both sexes.....	4	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Malignant melanoma of skin (C43)												
Arkansas												
All races, both sexes.....	6	7	5	8	4	6	14	3	1	1	1	-
Male.....	5	5	2	4	4	4	5	1	1	1	1	-
Female.....	1	2	3	4	-	2	9	2	-	-	-	-
White, both sexes.....	6	7	5	8	4	6	14	3	1	1	1	-
Male.....	5	5	2	4	4	4	5	1	1	1	1	-
Female.....	1	2	3	4	-	2	9	2	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	63	61	78	84	72	86	87	59	16	7	4	-
Male.....	36	50	56	57	45	52	50	36	10	1	1	-
Female.....	27	11	22	27	27	34	37	23	6	6	3	-
White, both sexes.....	63	59	76	81	68	85	85	59	16	6	4	-
Male.....	36	48	55	55	43	51	50	36	10	1	1	-
Female.....	27	11	21	26	25	34	35	23	6	5	3	-
Black, both sexes.....	-	2	-	1	1	-	1	-	-	-	-	-
Male.....	-	2	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	1	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	2	2	3	1	1	-	-	1	-	-
Male.....	-	-	1	2	2	1	-	-	-	-	-	-
Female.....	-	-	1	-	1	-	1	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Malignant melanoma of skin (C43)												
New Hampshire												
All races, both sexes.....	2	3	6	8	6	6	5	2	2	-	-	-
Male.....	2	2	6	7	4	4	2	1	-	-	-	-
Female.....	-	1	-	1	2	2	3	1	2	-	-	-
White, both sexes.....	2	3	6	8	6	6	5	2	2	-	-	-
Male.....	2	2	6	7	4	4	2	1	-	-	-	-
Female.....	-	1	-	1	2	2	3	1	2	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New Jersey												
All races, both sexes.....	23	21	21	23	34	34	26	16	8	1	1	-
Male.....	14	18	15	17	21	18	17	7	5	-	-	-
Female.....	9	3	6	6	13	16	9	9	3	1	1	-
White, both sexes.....	23	21	21	23	34	33	26	15	8	1	1	-
Male.....	14	18	15	17	21	18	17	7	5	-	-	-
Female.....	9	3	6	6	13	15	9	8	3	1	1	-
Black, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other malignant neoplasms of skin (C44)												
Colorado												
All races, both sexes.....	2	1	3	1	3	7	7	2	1	-	-	-
Male.....	2	-	2	-	1	5	4	-	-	-	-	-
Female.....	-	1	1	1	2	2	3	2	1	-	-	-
White, both sexes.....	2	1	3	1	3	7	7	2	1	-	-	-
Male.....	2	-	2	-	1	5	4	-	-	-	-	-
Female.....	-	1	1	1	2	2	3	2	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Connecticut												
All races, both sexes.....	-	-	3	3	-	9	5	10	3	4	-	-
Male.....	-	-	1	2	-	4	2	5	-	2	-	-
Female.....	-	-	2	1	-	5	3	5	3	2	-	-
White, both sexes.....	-	-	2	3	-	8	5	10	3	4	-	-
Male.....	-	-	1	2	-	4	2	5	-	2	-	-
Female.....	-	-	1	1	-	4	3	5	3	2	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other malignant neoplasms of skin (C44)												
South Dakota												
All races, both sexes.....	-	-	1	1	-	-	2	1	1	2	-	-
Male.....	-	-	1	1	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	1	1	2	-	-
White, both sexes.....	-	-	1	-	-	-	2	1	1	2	-	-
Male.....	-	-	1	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	1	1	2	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Tennessee												
All races, both sexes.....	3	4	8	9	12	8	17	9	6	2	-	-
Male.....	3	3	6	7	11	6	10	5	3	1	-	-
Female.....	-	1	2	2	1	2	7	4	3	1	-	-
White, both sexes.....	3	2	8	8	11	8	16	9	6	2	-	-
Male.....	3	1	6	6	11	6	10	5	3	1	-	-
Female.....	-	1	2	2	-	2	6	4	3	1	-	-
Black, both sexes.....	-	2	-	1	-	-	1	-	-	-	-	-
Male.....	-	2	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Malignant neoplasms of mesothelial and soft tissue (C45-C49)												
Arkansas												
All races, both sexes.....	58	-	-	-	-	1	1	-	1	2	2	1
Male.....	35	-	-	-	-	-	-	-	1	2	2	-
Female.....	23	-	-	-	-	1	1	-	-	-	-	1
White, both sexes.....	51	-	-	-	-	1	-	-	1	2	2	1
Male.....	32	-	-	-	-	-	-	-	1	2	2	-
Female.....	19	-	-	-	-	1	-	-	-	-	-	1
Black, both sexes.....	7	-	-	-	-	-	1	-	-	-	-	-
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	702	1	1	4	5	5	5	11	14	14	26	27
Male.....	398	-	1	2	1	3	3	9	10	7	16	14
Female.....	304	1	-	2	4	2	2	2	4	7	10	13
White, both sexes.....	620	1	1	3	3	4	4	8	10	11	25	24
Male.....	360	-	1	2	-	2	2	6	6	6	16	12
Female.....	260	1	-	1	3	2	2	2	4	5	9	12
Black, both sexes.....	47	-	-	-	-	1	1	2	2	3	1	3
Male.....	25	-	-	-	-	1	1	2	2	1	-	2
Female.....	22	-	-	-	-	-	-	-	-	2	1	1
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	34	-	-	1	2	-	-	-	2	-	-	-
Male.....	12	-	-	-	1	-	-	-	2	-	-	-
Female.....	22	-	-	1	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Malignant neoplasms of mesothelial and soft tissue (C45-C49)												
Maine												
All races, both sexes.....	42	-	-	-	-	-	-	-	-	1	-	2
Male.....	25	-	-	-	-	-	-	-	-	1	-	-
Female.....	17	-	-	-	-	-	-	-	-	-	-	2
White, both sexes.....	42	-	-	-	-	-	-	-	-	1	-	2
Male.....	25	-	-	-	-	-	-	-	-	1	-	-
Female.....	17	-	-	-	-	-	-	-	-	-	-	2
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Maryland												
All races, both sexes.....	139	-	-	-	-	-	1	2	2	7	2	6
Male.....	84	-	-	-	-	-	1	1	-	6	1	3
Female.....	55	-	-	-	-	-	-	1	2	1	1	3
White, both sexes.....	117	-	-	-	-	-	1	2	1	6	1	2
Male.....	71	-	-	-	-	-	1	1	-	5	-	1
Female.....	46	-	-	-	-	-	-	1	1	1	1	1
Black, both sexes.....	18	-	-	-	-	-	-	-	-	1	1	4
Male.....	12	-	-	-	-	-	-	-	-	1	1	2
Female.....	6	-	-	-	-	-	-	-	-	-	-	2
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Malignant neoplasms of mesothelial and soft tissue (C45-C49)												
New Mexico												
All races, both sexes.....	35	-	-	-	1	-	-	-	-	2	-	1
Male.....	20	-	-	-	1	-	-	-	-	1	-	1
Female.....	15	-	-	-	-	-	-	-	-	1	-	-
White, both sexes.....	34	-	-	-	1	-	-	-	-	1	-	1
Male.....	20	-	-	-	1	-	-	-	-	1	-	1
Female.....	14	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	381	1	4	4	2	1	6	6	4	9	12	12
Male.....	210	-	3	3	1	-	4	3	2	7	4	3
Female.....	171	1	1	1	1	1	2	3	2	2	8	9
White, both sexes.....	336	1	2	2	2	1	5	5	3	6	10	11
Male.....	191	-	2	1	1	-	4	3	1	4	3	2
Female.....	145	1	-	1	1	1	1	2	2	2	7	9
Black, both sexes.....	38	-	2	2	-	-	-	1	1	3	2	1
Male.....	17	-	1	2	-	-	-	-	1	3	1	1
Female.....	21	-	1	-	-	-	-	1	-	-	1	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	-	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	5	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Malignant neoplasms of mesothelial and soft tissue (C45-C49)												
Arkansas												
All races, both sexes.....	2	2	6	9	11	7	6	5	1	-	1	-
Male.....	1	1	4	8	5	5	2	3	1	-	-	-
Female.....	1	1	2	1	6	2	4	2	-	-	1	-
White, both sexes.....	1	2	5	8	9	7	6	4	1	-	1	-
Male.....	-	1	4	7	5	5	2	2	1	-	-	-
Female.....	1	1	1	1	4	2	4	2	-	-	1	-
Black, both sexes.....	1	-	1	1	2	-	-	1	-	-	-	-
Male.....	1	-	-	1	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	2	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	40	51	62	73	99	114	76	56	15	3	-	-
Male.....	18	30	38	30	54	68	45	40	7	2	-	-
Female.....	22	21	24	43	45	46	31	16	8	1	-	-
White, both sexes.....	34	42	51	62	91	105	71	53	14	3	-	-
Male.....	15	26	35	27	50	64	43	39	6	2	-	-
Female.....	19	16	16	35	41	41	28	14	8	1	-	-
Black, both sexes.....	3	5	6	7	2	5	4	1	1	-	-	-
Male.....	2	2	3	2	2	2	2	-	1	-	-	-
Female.....	1	3	3	5	-	3	2	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	4	5	4	6	4	1	2	-	-	-	-
Male.....	1	2	-	1	2	2	-	1	-	-	-	-
Female.....	2	2	5	3	4	2	1	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Malignant neoplasms of mesothelial and soft tissue (C45-C49)												
Florida												
All races, both sexes.....	22	24	44	35	51	67	51	35	22	3	-	-
Male.....	12	15	29	18	36	47	40	22	9	-	-	-
Female.....	10	9	15	17	15	20	11	13	13	3	-	-
White, both sexes.....	20	22	38	35	46	64	51	33	22	3	-	-
Male.....	11	13	27	18	33	44	40	22	9	-	-	-
Female.....	9	9	11	17	13	20	11	11	13	3	-	-
Black, both sexes.....	2	2	4	-	5	3	-	2	-	-	-	-
Male.....	1	2	1	-	3	3	-	-	-	-	-	-
Female.....	1	-	3	-	2	-	-	2	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	2	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Georgia												
All races, both sexes.....	10	11	20	10	23	22	15	4	3	-	-	-
Male.....	4	7	12	7	13	9	4	3	2	-	-	-
Female.....	6	4	8	3	10	13	11	1	1	-	-	-
White, both sexes.....	8	8	17	8	17	17	12	2	3	-	-	-
Male.....	4	6	10	7	11	7	4	2	2	-	-	-
Female.....	4	2	7	1	6	10	8	-	1	-	-	-
Black, both sexes.....	2	3	3	2	5	5	3	2	-	-	-	-
Male.....	-	1	2	-	2	2	-	1	-	-	-	-
Female.....	2	2	1	2	3	3	3	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the

International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms of mesothelial and soft tissue (C45-C49)

Maine

All races, both sexes.....	2	2	5	3	8	5	8	3	3	-	-	-
Male.....	-	2	5	3	5	4	2	2	1	-	-	-
Female.....	2	-	-	-	3	1	6	1	2	-	-	-
White, both sexes.....	2	2	5	3	8	5	8	3	3	-	-	-
Male.....	-	2	5	3	5	4	2	2	1	-	-	-
Female.....	2	-	-	-	3	1	6	1	2	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	4	12	15	9	21	16	29	7	6	-	-	-
Male.....	1	8	7	5	15	12	15	6	3	-	-	-
Female.....	3	4	8	4	6	4	14	1	3	-	-	-
White, both sexes.....	3	9	15	7	21	14	24	6	5	-	-	-
Male.....	1	7	7	4	15	10	11	5	3	-	-	-
Female.....	2	2	8	3	6	4	13	1	2	-	-	-
Black, both sexes.....	1	2	-	2	-	2	3	1	1	-	-	-
Male.....	-	1	-	1	-	2	3	1	-	-	-	-
Female.....	1	1	-	1	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms of mesothelial and soft tissue (C45-C49)

New Hampshire

All races, both sexes.....	1	3	1	2	2	3	5	4	1	-	-	-
Male.....	1	2	-	2	-	2	5	2	-	-	-	-
Female.....	-	1	1	-	2	1	-	2	1	-	-	-
White, both sexes.....	1	3	1	2	2	3	5	4	1	-	-	-
Male.....	1	2	-	2	-	2	5	2	-	-	-	-
Female.....	-	1	1	-	2	1	-	2	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	12	20	22	29	38	52	32	19	7	-	-	-
Male.....	4	8	12	16	28	34	23	9	4	-	-	-
Female.....	8	12	10	13	10	18	9	10	3	-	-	-
White, both sexes.....	8	16	17	25	34	49	31	19	7	-	-	-
Male.....	4	6	10	14	25	32	22	9	4	-	-	-
Female.....	4	10	7	11	9	17	9	10	3	-	-	-
Black, both sexes.....	3	4	5	3	3	3	1	-	-	-	-	-
Male.....	-	2	2	1	3	2	1	-	-	-	-	-
Female.....	3	2	3	2	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	1	1	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Malignant neoplasms of mesothelial and soft tissue (C45-C49)												
New Mexico												
All races, both sexes.....	1	-	5	5	3	8	5	4	-	-	-	-
Male.....	-	-	3	2	3	4	2	3	-	-	-	-
Female.....	1	-	2	3	-	4	3	1	-	-	-	-
White, both sexes.....	1	-	5	5	3	8	5	4	-	-	-	-
Male.....	-	-	3	2	3	4	2	3	-	-	-	-
Female.....	1	-	2	3	-	4	3	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	20	28	28	46	45	58	59	28	6	2	-	-
Male.....	9	14	14	31	26	36	28	19	2	1	-	-
Female.....	11	14	14	15	19	22	31	9	4	1	-	-
White, both sexes.....	17	23	23	41	42	53	53	28	6	2	-	-
Male.....	8	13	13	30	25	33	26	19	2	1	-	-
Female.....	9	10	10	11	17	20	27	9	4	1	-	-
Black, both sexes.....	3	3	3	4	2	5	6	-	-	-	-	-
Male.....	1	-	-	1	1	3	2	-	-	-	-	-
Female.....	2	3	3	3	1	2	4	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	1	1	1	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	1	1	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Malignant neoplasms of mesothelial and soft tissue (C45-C49)												
Oregon												
All races, both sexes.....	5	10	6	9	6	12	10	8	2	1	-	-
Male.....	1	3	6	4	6	7	5	5	2	-	-	-
Female.....	4	7	-	5	-	5	5	3	-	1	-	-
White, both sexes.....	4	10	6	9	6	12	10	8	2	1	-	-
Male.....	1	3	6	4	6	7	5	5	2	-	-	-
Female.....	3	7	-	5	-	5	5	3	-	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Pennsylvania												
All races, both sexes.....	19	25	38	43	68	70	49	31	10	1	1	-
Male.....	7	10	23	25	44	36	24	19	3	1	-	-
Female.....	12	15	15	18	24	34	25	12	7	-	1	-
White, both sexes.....	19	23	33	40	63	65	46	31	9	1	1	-
Male.....	7	9	21	23	43	35	24	19	2	1	-	-
Female.....	12	14	12	17	20	30	22	12	7	-	1	-
Black, both sexes.....	-	2	4	2	4	5	3	-	1	-	-	-
Male.....	-	1	1	1	1	1	-	-	1	-	-	-
Female.....	-	1	3	1	3	4	3	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	1	1	-	-	-	-	-	-	-
Male.....	-	-	1	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the

International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Of other mesothelial and soft tissue (C47-C49)

Arkansas

All races, both sexes.....	44	-	-	-	-	1	1	-	1	2	-	1
Male.....	21	-	-	-	-	-	-	-	1	2	-	-
Female.....	23	-	-	-	-	1	1	-	-	-	-	1
White, both sexes.....	38	-	-	-	-	1	-	-	1	2	-	1
Male.....	19	-	-	-	-	-	-	-	1	2	-	-
Female.....	19	-	-	-	-	1	-	-	-	-	-	1
Black, both sexes.....	6	-	-	-	-	-	1	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	466	1	1	4	5	5	5	10	14	13	21	23
Male.....	212	-	1	2	1	3	3	8	10	6	13	13
Female.....	254	1	-	2	4	2	2	2	4	7	8	10
White, both sexes.....	396	1	1	3	3	4	4	8	10	10	20	20
Male.....	181	-	1	2	-	2	2	6	6	5	13	11
Female.....	215	1	-	1	3	2	2	2	4	5	7	9
Black, both sexes.....	42	-	-	-	-	1	1	1	2	3	1	3
Male.....	21	-	-	-	-	1	1	1	2	1	-	2
Female.....	21	-	-	-	-	-	-	-	-	2	1	1
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	27	-	-	1	2	-	-	-	2	-	-	-
Male.....	9	-	-	-	1	-	-	-	2	-	-	-
Female.....	18	-	-	1	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Of other mesothelial and soft tissue (C47-C49)												
Maine												
All races, both sexes.....	19	-	-	-	-	-	-	-	-	-	-	2
Male.....	6	-	-	-	-	-	-	-	-	-	-	-
Female.....	13	-	-	-	-	-	-	-	-	-	-	2
White, both sexes.....	19	-	-	-	-	-	-	-	-	-	-	2
Male.....	6	-	-	-	-	-	-	-	-	-	-	-
Female.....	13	-	-	-	-	-	-	-	-	-	-	2
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Maryland												
All races, both sexes.....	91	-	-	-	-	-	1	2	2	7	2	6
Male.....	44	-	-	-	-	-	1	1	-	6	1	3
Female.....	47	-	-	-	-	-	-	1	2	1	1	3
White, both sexes.....	74	-	-	-	-	-	1	2	1	6	1	2
Male.....	36	-	-	-	-	-	1	1	-	5	-	1
Female.....	38	-	-	-	-	-	-	1	1	1	1	1
Black, both sexes.....	13	-	-	-	-	-	-	-	-	1	1	4
Male.....	7	-	-	-	-	-	-	-	-	1	1	2
Female.....	6	-	-	-	-	-	-	-	-	-	-	2
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Of other mesothelial and soft tissue (C47-C49)												
New Mexico												
All races, both sexes.....	22	-	-	-	1	-	-	-	-	2	-	1
Male.....	10	-	-	-	1	-	-	-	-	1	-	1
Female.....	12	-	-	-	-	-	-	-	-	1	-	-
White, both sexes.....	21	-	-	-	1	-	-	-	-	1	-	1
Male.....	10	-	-	-	1	-	-	-	-	1	-	1
Female.....	11	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	227	1	4	4	2	-	6	6	4	6	11	9
Male.....	84	-	3	3	1	-	4	3	2	4	3	1
Female.....	143	1	1	1	1	-	2	3	2	2	8	8
White, both sexes.....	194	1	2	2	2	-	5	5	3	6	9	9
Male.....	75	-	2	1	1	-	4	3	1	4	2	1
Female.....	119	1	-	1	1	-	1	2	2	2	7	8
Black, both sexes.....	27	-	2	2	-	-	-	1	1	-	2	-
Male.....	8	-	1	2	-	-	-	-	1	-	1	-
Female.....	19	-	1	-	-	-	-	1	-	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	-	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	5	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of other mesothelial and soft tissue (C47-C49)

Arkansas

All races, both sexes.....	1	2	3	7	10	4	4	5	1	-	1	-
Male.....	-	1	1	6	4	2	-	3	1	-	-	-
Female.....	1	1	2	1	6	2	4	2	-	-	1	-
White, both sexes.....	1	2	2	6	8	4	4	4	1	-	1	-
Male.....	-	1	1	5	4	2	-	2	1	-	-	-
Female.....	1	1	1	1	4	2	4	2	-	-	1	-
Black, both sexes.....	-	-	1	1	2	-	-	1	-	-	-	-
Male.....	-	-	-	1	-	-	-	1	-	-	-	-
Female.....	-	-	1	-	2	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	32	36	40	48	64	61	39	35	8	1	-	-
Male.....	12	17	22	11	24	26	17	22	1	-	-	-
Female.....	20	19	18	37	40	35	22	13	7	1	-	-
White, both sexes.....	27	27	32	38	58	54	36	32	7	1	-	-
Male.....	9	13	19	9	22	24	16	21	-	-	-	-
Female.....	18	14	13	29	36	30	20	11	7	1	-	-
Black, both sexes.....	3	5	6	7	1	4	2	1	1	-	-	-
Male.....	2	2	3	2	1	1	1	-	1	-	-	-
Female.....	1	3	3	5	-	3	1	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	4	2	3	5	3	1	2	-	-	-	-
Male.....	1	2	-	-	1	1	-	1	-	-	-	-
Female.....	1	2	2	3	4	2	1	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Of other mesothelial and soft tissue (C47-C49)

Florida

All races, both sexes.....	19	17	25	16	20	39	25	17	16	3	-	-
Male.....	9	10	11	3	10	23	16	6	6	-	-	-
Female.....	10	7	14	13	10	16	9	11	10	3	-	-
White, both sexes.....	17	16	19	16	18	36	25	15	16	3	-	-
Male.....	8	9	9	3	10	20	16	6	6	-	-	-
Female.....	9	7	10	13	8	16	9	9	10	3	-	-
Black, both sexes.....	2	1	4	-	2	3	-	2	-	-	-	-
Male.....	1	1	1	-	-	3	-	-	-	-	-	-
Female.....	1	-	3	-	2	-	-	2	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	2	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-

Georgia

All races, both sexes.....	10	10	17	6	12	14	11	3	2	-	-	-
Male.....	4	6	11	3	3	3	2	2	1	-	-	-
Female.....	6	4	6	3	9	11	9	1	1	-	-	-
White, both sexes.....	8	7	14	4	6	10	9	1	2	-	-	-
Male.....	4	5	9	3	1	2	2	1	1	-	-	-
Female.....	4	2	5	1	5	8	7	-	1	-	-	-
Black, both sexes.....	2	3	3	2	5	4	2	2	-	-	-	-
Male.....	-	1	2	-	2	1	-	1	-	-	-	-
Female.....	2	2	1	2	3	3	2	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of other mesothelial and soft tissue (C47-C49)

Maine

All races, both sexes.....	2	1	2	-	3	1	5	2	1	-	-	-
Male.....	-	1	2	-	-	1	-	1	1	-	-	-
Female.....	2	-	-	-	3	-	5	1	-	-	-	-
White, both sexes.....	2	1	2	-	3	1	5	2	1	-	-	-
Male.....	-	1	2	-	-	1	-	1	1	-	-	-
Female.....	2	-	-	-	3	-	5	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	2	8	11	6	12	9	14	4	5	-	-	-
Male.....	-	5	3	2	7	6	4	3	2	-	-	-
Female.....	2	3	8	4	5	3	10	1	3	-	-	-
White, both sexes.....	1	5	11	5	12	8	12	3	4	-	-	-
Male.....	-	4	3	2	7	5	3	2	2	-	-	-
Female.....	1	1	8	3	5	3	9	1	2	-	-	-
Black, both sexes.....	1	2	-	1	-	1	-	1	1	-	-	-
Male.....	-	1	-	-	-	1	-	1	-	-	-	-
Female.....	1	1	-	1	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Of other mesothelial and soft tissue (C47-C49)												
New Hampshire												
All races, both sexes.....	1	1	1	-	1	1	2	2	1	-	-	-
Male.....	1	-	-	-	-	-	2	-	-	-	-	-
Female.....	-	1	1	-	1	1	-	2	1	-	-	-
White, both sexes.....	1	1	1	-	1	1	2	2	1	-	-	-
Male.....	1	-	-	-	-	-	2	-	-	-	-	-
Female.....	-	1	1	-	1	1	-	2	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New Jersey												
All races, both sexes.....	8	10	14	13	15	23	10	13	1	-	-	-
Male.....	1	2	5	2	7	8	6	5	-	-	-	-
Female.....	7	8	9	11	8	15	4	8	1	-	-	-
White, both sexes.....	5	7	9	10	13	22	9	13	1	-	-	-
Male.....	1	1	3	1	6	8	5	5	-	-	-	-
Female.....	4	6	6	9	7	14	4	8	1	-	-	-
Black, both sexes.....	3	3	5	2	1	1	1	-	-	-	-	-
Male.....	-	1	2	-	1	-	1	-	-	-	-	-
Female.....	3	2	3	2	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	1	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Of other mesothelial and soft tissue (C47-C49)												
New Mexico												
All races, both sexes.....	-	-	2	5	1	5	3	2	-	-	-	-
Male.....	-	-	1	2	1	1	1	1	-	-	-	-
Female.....	-	-	1	3	-	4	2	1	-	-	-	-
White, both sexes.....	-	-	2	5	1	5	3	2	-	-	-	-
Male.....	-	-	1	2	1	1	1	1	-	-	-	-
Female.....	-	-	1	3	-	4	2	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	13	18	21	22	28	22	34	10	5	1	-	-
Male.....	6	8	7	9	11	6	8	4	1	-	-	-
Female.....	7	10	14	13	17	16	26	6	4	1	-	-
White, both sexes.....	11	14	17	17	25	21	29	10	5	1	-	-
Male.....	6	7	7	8	10	6	7	4	1	-	-	-
Female.....	5	7	10	9	15	15	22	6	4	1	-	-
Black, both sexes.....	2	2	3	4	2	1	5	-	-	-	-	-
Male.....	-	-	-	1	1	-	1	-	-	-	-	-
Female.....	2	2	3	3	1	1	4	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	1	1	1	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	1	1	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Of other mesothelial and soft tissue (C47-C49)

Oregon

All races, both sexes.....	4	8	4	6	3	4	8	5	-	1	-	-
Male.....	1	2	4	2	3	-	3	3	-	-	-	-
Female.....	3	6	-	4	-	4	5	2	-	1	-	-
White, both sexes.....	3	8	4	6	3	4	8	5	-	1	-	-
Male.....	1	2	4	2	3	-	3	3	-	-	-	-
Female.....	2	6	-	4	-	4	5	2	-	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-

Pennsylvania

All races, both sexes.....	17	16	24	27	29	39	26	17	8	-	1	-
Male.....	5	4	12	11	12	11	6	5	2	-	-	-
Female.....	12	12	12	16	17	28	20	12	6	-	1	-
White, both sexes.....	17	14	20	25	27	35	23	17	8	-	1	-
Male.....	5	3	11	10	12	11	6	5	2	-	-	-
Female.....	12	11	9	15	15	24	17	12	6	-	1	-
Black, both sexes.....	-	2	4	1	1	4	3	-	-	-	-	-
Male.....	-	1	1	-	-	-	-	-	-	-	-	-
Female.....	-	1	3	1	1	4	3	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	1	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Malignant neoplasm of breast (C50)												
Alaska												
All races, both sexes.....	47	-	-	-	-	-	-	-	-	5	-	5
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	47	-	-	-	-	-	-	-	-	5	-	5
White, both sexes.....	36	-	-	-	-	-	-	-	-	3	-	4
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	36	-	-	-	-	-	-	-	-	3	-	4
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	7	-	-	-	-	-	-	-	-	2	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	7	-	-	-	-	-	-	-	-	2	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	-	1
Arizona												
All races, both sexes.....	669	-	-	-	-	-	-	1	6	17	28	49
Male.....	10	-	-	-	-	-	-	-	-	-	1	-
Female.....	659	-	-	-	-	-	-	1	6	17	27	49
White, both sexes.....	625	-	-	-	-	-	-	1	4	11	25	44
Male.....	10	-	-	-	-	-	-	-	-	-	1	-
Female.....	615	-	-	-	-	-	-	1	4	11	24	44
Black, both sexes.....	24	-	-	-	-	-	-	-	-	1	3	4
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	24	-	-	-	-	-	-	-	-	1	3	4
American Indian 1/, both sexes.....	13	-	-	-	-	-	-	-	1	4	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	13	-	-	-	-	-	-	-	1	4	-	1
Asian or Pacific Islander 2/, both sexes.....	7	-	-	-	-	-	-	-	1	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	7	-	-	-	-	-	-	-	1	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Malignant neoplasm of breast (C50)												
Arkansas												
All races, both sexes.....	420	-	-	-	-	-	-	1	1	7	20	29
Male.....	4	-	-	-	-	-	-	-	-	-	-	-
Female.....	416	-	-	-	-	-	-	1	1	7	20	29
White, both sexes.....	341	-	-	-	-	-	-	1	-	5	12	19
Male.....	4	-	-	-	-	-	-	-	-	-	-	-
Female.....	337	-	-	-	-	-	-	1	-	5	12	19
Black, both sexes.....	76	-	-	-	-	-	-	-	1	2	7	10
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	76	-	-	-	-	-	-	-	1	2	7	10
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	4,174	-	-	-	-	-	-	5	32	111	199	331
Male.....	41	-	-	-	-	-	-	1	-	-	1	3
Female.....	4,133	-	-	-	-	-	-	4	32	111	198	328
White, both sexes.....	3,501	-	-	-	-	-	-	5	26	81	149	243
Male.....	36	-	-	-	-	-	-	1	-	-	1	2
Female.....	3,465	-	-	-	-	-	-	4	26	81	148	241
Black, both sexes.....	350	-	-	-	-	-	-	-	3	17	30	42
Male.....	1	-	-	-	-	-	-	-	-	-	-	1
Female.....	349	-	-	-	-	-	-	-	3	17	30	41
American Indian 1/, both sexes.....	10	-	-	-	-	-	-	-	-	-	1	2
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	10	-	-	-	-	-	-	-	-	-	1	2
Asian or Pacific Islander 2/, both sexes.....	313	-	-	-	-	-	-	-	3	13	19	44
Male.....	4	-	-	-	-	-	-	-	-	-	-	-
Female.....	309	-	-	-	-	-	-	-	3	13	19	44

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Malignant neoplasm of breast (C50)												
Florida												
All races, both sexes.....	2,682	-	-	-	-	-	-	1	18	60	95	141
Male.....	14	-	-	-	-	-	-	-	-	-	1	1
Female.....	2,668	-	-	-	-	-	-	1	18	60	94	140
White, both sexes.....	2,324	-	-	-	-	-	-	1	8	34	64	97
Male.....	11	-	-	-	-	-	-	-	-	-	1	-
Female.....	2,313	-	-	-	-	-	-	1	8	34	63	97
Black, both sexes.....	342	-	-	-	-	-	-	-	10	24	30	42
Male.....	3	-	-	-	-	-	-	-	-	-	-	1
Female.....	339	-	-	-	-	-	-	-	10	24	30	41
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	13	-	-	-	-	-	-	-	-	2	1	2
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	13	-	-	-	-	-	-	-	-	2	1	2
Georgia												
All races, both sexes.....	1,050	-	-	-	-	-	1	7	11	33	76	77
Male.....	8	-	-	-	-	-	-	-	-	-	-	1
Female.....	1,042	-	-	-	-	-	1	7	11	33	76	76
White, both sexes.....	734	-	-	-	-	-	-	4	3	19	32	50
Male.....	7	-	-	-	-	-	-	-	-	-	-	1
Female.....	727	-	-	-	-	-	-	4	3	19	32	49
Black, both sexes.....	306	-	-	-	-	-	1	3	6	14	43	27
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	305	-	-	-	-	-	1	3	6	14	43	27
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	-	-	-	-	-	-	-	1	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	7	-	-	-	-	-	-	-	1	-	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Malignant neoplasm of breast (C50)												
Massachusetts												
All races, both sexes.....	1,062	-	-	-	-	-	-	-	7	22	45	54
Male.....	7	-	-	-	-	-	-	-	-	-	-	-
Female.....	1,055	-	-	-	-	-	-	-	7	22	45	54
White, both sexes.....	1,005	-	-	-	-	-	-	-	5	22	39	47
Male.....	6	-	-	-	-	-	-	-	-	-	-	-
Female.....	999	-	-	-	-	-	-	-	5	22	39	47
Black, both sexes.....	43	-	-	-	-	-	-	-	2	-	6	3
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	43	-	-	-	-	-	-	-	2	-	6	3
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	13	-	-	-	-	-	-	-	-	-	-	4
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	12	-	-	-	-	-	-	-	-	-	-	4
Michigan												
All races, both sexes.....	1,530	-	-	-	-	-	1	2	19	39	72	104
Male.....	14	-	-	-	-	-	-	-	-	-	-	1
Female.....	1,516	-	-	-	-	-	1	2	19	39	72	103
White, both sexes.....	1,270	-	-	-	-	-	1	1	14	24	59	82
Male.....	11	-	-	-	-	-	-	-	-	-	-	1
Female.....	1,259	-	-	-	-	-	1	1	14	24	59	81
Black, both sexes.....	243	-	-	-	-	-	-	1	5	11	13	21
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	240	-	-	-	-	-	-	1	5	11	13	21
American Indian 1/, both sexes.....	7	-	-	-	-	-	-	-	-	1	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	7	-	-	-	-	-	-	-	-	1	-	1
Asian or Pacific Islander 2/, both sexes.....	10	-	-	-	-	-	-	-	-	3	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	10	-	-	-	-	-	-	-	-	3	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Malignant neoplasm of breast (C50)												
New Hampshire												
All races, both sexes.....	176	-	-	-	-	-	-	1	2	3	4	11
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	176	-	-	-	-	-	-	1	2	3	4	11
White, both sexes.....	175	-	-	-	-	-	-	1	2	3	4	11
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	175	-	-	-	-	-	-	1	2	3	4	11
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New Jersey												
All races, both sexes.....	1,496	-	-	-	-	-	-	1	10	32	60	82
Male.....	20	-	-	-	-	-	-	-	-	-	-	1
Female.....	1,476	-	-	-	-	-	-	1	10	32	60	81
White, both sexes.....	1,263	-	-	-	-	-	-	1	7	24	45	59
Male.....	17	-	-	-	-	-	-	-	-	-	-	1
Female.....	1,246	-	-	-	-	-	-	1	7	24	45	58
Black, both sexes.....	207	-	-	-	-	-	-	-	2	7	12	19
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	204	-	-	-	-	-	-	-	2	7	12	19
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	-	1	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	1	-	-	1
Asian or Pacific Islander 2/, both sexes.....	23	-	-	-	-	-	-	-	-	1	3	3
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	23	-	-	-	-	-	-	-	-	1	3	3

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks

preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Malignant neoplasm of breast (C50)												
New Mexico												
All races, both sexes.....	219	-	-	-	-	-	1	-	1	4	11	17
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	216	-	-	-	-	-	1	-	1	4	11	17
White, both sexes.....	206	-	-	-	-	-	1	-	1	4	11	15
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	203	-	-	-	-	-	1	-	1	4	11	15
Black, both sexes.....	6	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	6	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	6	-	-	-	-	-	-	-	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	6	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1
New York												
All races, both sexes.....	3,022	-	-	-	-	-	-	2	24	61	127	189
Male.....	34	-	-	-	-	-	-	-	-	-	1	1
Female.....	2,988	-	-	-	-	-	-	2	24	61	126	188
White, both sexes.....	2,497	-	-	-	-	-	-	1	16	39	83	137
Male.....	30	-	-	-	-	-	-	-	-	-	1	-
Female.....	2,467	-	-	-	-	-	-	1	16	39	82	137
Black, both sexes.....	473	-	-	-	-	-	-	1	7	19	36	49
Male.....	4	-	-	-	-	-	-	-	-	-	-	1
Female.....	469	-	-	-	-	-	-	1	7	19	36	48
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	51	-	-	-	-	-	-	-	1	3	8	3
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	51	-	-	-	-	-	-	-	1	3	8	3

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Malignant neoplasm of breast (C50)												
Oregon												
All races, both sexes.....	503	-	-	-	-	-	1	-	5	12	22	21
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	501	-	-	-	-	-	1	-	5	12	22	21
White, both sexes.....	485	-	-	-	-	-	-	-	4	12	20	19
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	483	-	-	-	-	-	-	-	4	12	20	19
Black, both sexes.....	5	-	-	-	-	-	-	-	1	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	5	-	-	-	-	-	-	-	1	-	1	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	12	-	-	-	-	-	1	-	-	-	1	2
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	12	-	-	-	-	-	1	-	-	-	1	2
Pennsylvania												
All races, both sexes.....	2,335	-	-	-	-	-	1	4	11	36	67	141
Male.....	18	-	-	-	-	-	-	-	-	-	-	-
Female.....	2,317	-	-	-	-	-	1	4	11	36	67	141
White, both sexes.....	2,070	-	-	-	-	-	1	1	7	30	51	118
Male.....	15	-	-	-	-	-	-	-	-	-	-	-
Female.....	2,055	-	-	-	-	-	1	1	7	30	51	118
Black, both sexes.....	261	-	-	-	-	-	-	3	4	5	15	22
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	258	-	-	-	-	-	-	3	4	5	15	22
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	-	-	-	-	-	1	1	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	-	-	-	-	-	-	-	1	1	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Malignant neoplasm of breast (C50)												
Texas												
All races, both sexes.....	2,531	-	-	-	-	-	1	7	31	69	136	178
Male.....	21	-	-	-	-	-	-	1	-	-	1	1
Female.....	2,510	-	-	-	-	-	1	6	31	69	135	177
White, both sexes.....	2,148	-	-	-	-	-	1	5	27	49	103	132
Male.....	19	-	-	-	-	-	-	1	-	-	1	1
Female.....	2,129	-	-	-	-	-	1	4	27	49	102	131
Black, both sexes.....	360	-	-	-	-	-	-	2	4	19	31	42
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	358	-	-	-	-	-	-	2	4	19	31	42
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	22	-	-	-	-	-	-	-	-	1	2	4
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	22	-	-	-	-	-	-	-	-	1	2	4
Utah												
All races, both sexes.....	222	-	-	-	-	-	-	-	2	5	8	22
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	220	-	-	-	-	-	-	-	2	5	8	22
White, both sexes.....	215	-	-	-	-	-	-	-	1	5	7	22
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	213	-	-	-	-	-	-	-	1	5	7	22
Black, both sexes.....	2	-	-	-	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	1	-
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Malignant neoplasm of breast (C50)												
Alaska												
All races, both sexes.....	6	9	6	2	1	2	5	4	-	-	2	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	6	9	6	2	1	2	5	4	-	-	2	-
White, both sexes.....	5	8	3	1	1	2	5	3	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	5	8	3	1	1	2	5	3	-	-	1	-
Black, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	1	1	2	-	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	2	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	1	-	-	-	-	-	-	-	-
Arizona												
All races, both sexes.....	55	62	74	65	73	91	70	46	21	9	2	-
Male.....	-	2	1	1	1	-	2	1	1	-	-	-
Female.....	55	60	73	64	72	91	68	45	20	9	2	-
White, both sexes.....	51	55	70	63	70	86	69	46	19	9	2	-
Male.....	-	2	1	1	1	-	2	1	1	-	-	-
Female.....	51	53	69	62	69	86	67	45	18	9	2	-
Black, both sexes.....	2	5	2	-	3	3	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	5	2	-	3	3	1	-	-	-	-	-
American Indian 1/, both sexes.....	1	2	-	2	-	-	-	-	2	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	2	-	2	-	-	-	-	2	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	2	-	-	2	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	2	-	-	2	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Malignant neoplasm of breast (C50)												
Arkansas												
All races, both sexes.....	38	48	44	38	42	38	45	34	23	11	1	-
Male.....	-	-	1	-	-	3	-	-	-	-	-	-
Female.....	38	48	43	38	42	35	45	34	23	11	1	-
White, both sexes.....	31	40	38	34	34	33	34	29	22	8	1	-
Male.....	-	-	1	-	-	3	-	-	-	-	-	-
Female.....	31	40	37	34	34	30	34	29	22	8	1	-
Black, both sexes.....	7	7	6	4	8	4	11	5	1	3	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	7	7	6	4	8	4	11	5	1	3	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	1	-	-	-	-	-	-
California												
All races, both sexes.....	382	392	395	418	423	489	483	310	149	47	8	-
Male.....	5	3	5	2	4	4	8	3	2	-	-	-
Female.....	377	389	390	416	419	485	475	307	147	47	8	-
White, both sexes.....	299	313	330	358	362	436	430	285	134	42	8	-
Male.....	4	3	4	2	4	3	7	3	2	-	-	-
Female.....	295	310	326	356	358	433	423	282	132	42	8	-
Black, both sexes.....	35	39	29	39	27	32	28	17	8	4	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	35	39	29	39	27	32	28	17	8	4	-	-
American Indian 1/, both sexes.....	2	-	2	1	1	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	2	1	1	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	46	40	34	20	33	21	24	8	7	1	-	-
Male.....	1	-	1	-	-	1	1	-	-	-	-	-
Female.....	45	40	33	20	33	20	23	8	7	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Malignant neoplasm of breast (C50)												
Colorado												
All races, both sexes.....	59	35	56	41	40	56	61	38	20	7	1	-
Male.....	-	1	-	-	-	-	1	-	-	-	-	-
Female.....	59	34	56	41	40	56	60	38	20	7	1	-
White, both sexes.....	58	34	54	41	37	52	59	38	20	6	1	-
Male.....	-	1	-	-	-	-	1	-	-	-	-	-
Female.....	58	33	54	41	37	52	58	38	20	6	1	-
Black, both sexes.....	1	1	1	-	3	3	2	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	1	-	3	3	2	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	1	-	-	-	-	-	-
Connecticut												
All races, both sexes.....	42	60	46	43	60	74	66	50	39	11	1	-
Male.....	-	-	1	-	1	-	-	2	1	-	-	-
Female.....	42	60	45	43	59	74	66	48	38	11	1	-
White, both sexes.....	36	55	44	40	54	74	59	49	38	9	1	-
Male.....	-	-	1	-	1	-	-	1	1	-	-	-
Female.....	36	55	43	40	53	74	59	48	37	9	1	-
Black, both sexes.....	4	5	2	3	5	-	7	1	1	2	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	4	5	2	3	5	-	7	-	1	2	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Malignant neoplasm of breast (C50)												
Delaware												
All races, both sexes.....	9	6	12	11	15	17	15	6	4	1	-	-
Male.....	-	-	-	-	-	-	2	-	-	-	-	-
Female.....	9	6	12	11	15	17	13	6	4	1	-	-
White, both sexes.....	6	3	9	7	14	16	13	5	3	1	-	-
Male.....	-	-	-	-	-	-	2	-	-	-	-	-
Female.....	6	3	9	7	14	16	11	5	3	1	-	-
Black, both sexes.....	3	3	3	4	1	1	2	1	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	3	3	4	1	1	2	1	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Dist. of Columbia												
All races, both sexes.....	11	10	7	8	19	17	6	5	7	2	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	11	9	7	8	19	17	6	5	7	2	-	-
White, both sexes.....	2	3	1	1	5	6	2	3	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	3	1	1	5	6	2	3	1	-	-	-
Black, both sexes.....	9	6	6	7	14	10	4	2	6	2	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	9	5	6	7	14	10	4	2	6	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Malignant neoplasm of breast (C50)												
Florida												
All races, both sexes.....	222	258	253	255	303	365	339	225	110	31	6	-
Male.....	-	-	1	-	1	5	2	3	-	-	-	-
Female.....	222	258	252	255	302	360	337	222	110	31	6	-
White, both sexes.....	174	215	215	233	271	346	316	212	103	29	6	-
Male.....	-	-	1	-	-	5	2	2	-	-	-	-
Female.....	174	215	214	233	271	341	314	210	103	29	6	-
Black, both sexes.....	43	41	37	21	31	18	23	13	7	2	-	-
Male.....	-	-	-	-	1	-	-	1	-	-	-	-
Female.....	43	41	37	21	30	18	23	12	7	2	-	-
American Indian 1/, both sexes.....	-	1	-	1	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	1	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	1	1	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	5	1	1	-	1	-	-	-	-	-	-	-
Georgia												
All races, both sexes.....	106	120	103	98	110	91	102	70	34	7	4	-
Male.....	-	1	-	-	3	1	-	1	1	-	-	-
Female.....	106	119	103	98	107	90	102	69	33	7	4	-
White, both sexes.....	66	86	74	78	88	71	83	50	25	3	2	-
Male.....	-	1	-	-	3	1	-	1	-	-	-	-
Female.....	66	85	74	78	85	70	83	49	25	3	2	-
Black, both sexes.....	38	33	28	19	21	19	19	20	9	4	2	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	38	33	28	19	21	19	19	20	8	4	2	-
American Indian 1/, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	1	-	1	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	1	-	1	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malignant neoplasm of breast (C50)

Hawaii

All races, both sexes.....	7	24	14	18	9	9	10	4	4	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	7	24	14	18	9	9	10	4	4	-	-	-
White, both sexes.....	1	5	4	7	1	5	5	1	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	5	4	7	1	5	5	1	1	-	-	-
Black, both sexes.....	-	-	1	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	19	8	11	7	4	5	3	3	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	6	19	8	11	7	4	5	3	3	-	-	-

Idaho

All races, both sexes.....	18	18	14	14	18	23	21	16	14	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	18	18	14	14	18	23	21	16	14	1	-	-
White, both sexes.....	17	18	14	14	18	22	21	16	14	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	17	18	14	14	18	22	21	16	14	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification

of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasm of breast (C50)

Illinois

All races, both sexes.....	184	189	181	181	223	203	208	175	95	32	10	-
Male.....	8	1	1	2	1	1	2	1	1	-	-	-
Female.....	176	188	180	179	222	202	206	174	94	32	10	-
White, both sexes.....	130	149	136	150	191	178	179	155	85	28	5	-
Male.....	6	1	1	1	1	1	1	1	1	-	-	-
Female.....	124	148	135	149	190	177	178	154	84	28	5	-
Black, both sexes.....	50	32	41	28	32	25	28	19	9	4	5	-
Male.....	2	-	-	1	-	-	1	-	-	-	-	-
Female.....	48	32	41	27	32	25	27	19	9	4	5	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	8	4	3	-	-	1	1	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	8	4	3	-	-	1	1	1	-	-	-

Indiana

All races, both sexes.....	95	71	78	87	84	116	113	79	50	19	4	-
Male.....	-	2	1	2	3	-	-	-	1	-	-	-
Female.....	95	69	77	85	81	116	113	79	49	19	4	-
White, both sexes.....	85	65	73	75	76	106	106	75	43	19	4	-
Male.....	-	2	-	2	3	-	-	-	1	-	-	-
Female.....	85	63	73	73	73	106	106	75	42	19	4	-
Black, both sexes.....	10	5	5	11	6	10	7	3	7	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	10	5	4	11	6	10	7	3	7	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	1	1	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	1	1	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Malignant neoplasm of breast (C50)												
Kentucky												
All races, both sexes.....	65	60	74	75	81	71	64	52	28	10	1	-
Male.....	-	-	1	-	1	3	2	-	-	-	-	-
Female.....	65	60	73	75	80	68	62	52	28	10	1	-
White, both sexes.....	56	58	70	71	74	65	59	51	26	9	-	-
Male.....	-	-	1	-	1	2	2	-	-	-	-	-
Female.....	56	58	69	71	73	63	57	51	26	9	-	-
Black, both sexes.....	7	2	4	4	7	6	5	1	2	1	1	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	7	2	4	4	7	5	5	1	2	1	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Louisiana												
All races, both sexes.....	73	62	72	77	81	68	77	52	31	8	2	-
Male.....	-	-	1	1	-	2	2	-	1	-	-	-
Female.....	73	62	71	76	81	66	75	52	30	8	2	-
White, both sexes.....	35	36	46	53	60	57	50	41	23	5	1	-
Male.....	-	-	1	-	-	2	1	-	-	-	-	-
Female.....	35	36	45	53	60	55	49	41	23	5	1	-
Black, both sexes.....	38	25	25	24	21	11	26	11	8	3	1	-
Male.....	-	-	-	1	-	-	1	-	1	-	-	-
Female.....	38	25	25	23	21	11	25	11	7	3	1	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Malignant neoplasm of breast (C50)												
Maine												
All races, both sexes.....	19	15	16	15	23	21	33	16	13	5	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	19	15	16	15	23	21	32	16	13	5	-	-
White, both sexes.....	19	15	16	15	23	20	33	16	13	5	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	19	15	16	15	23	20	32	16	13	5	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Maryland												
All races, both sexes.....	103	82	96	86	71	103	91	64	29	7	3	-
Male.....	2	1	2	2	1	2	1	-	-	-	-	-
Female.....	101	81	94	84	70	101	90	64	29	7	3	-
White, both sexes.....	61	54	68	62	51	82	73	54	23	5	3	-
Male.....	1	-	1	1	-	-	1	-	-	-	-	-
Female.....	60	54	67	61	51	82	72	54	23	5	3	-
Black, both sexes.....	38	25	28	21	19	20	18	10	6	2	-	-
Male.....	1	1	1	1	1	2	-	-	-	-	-	-
Female.....	37	24	27	20	18	18	18	10	6	2	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	3	-	3	1	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	3	-	3	1	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Malignant neoplasm of breast (C50)												
Massachusetts												
All races, both sexes.....	85	94	97	82	110	129	126	111	70	25	5	-
Male.....	1	-	-	-	2	2	1	-	1	-	-	-
Female.....	84	94	97	82	108	127	125	111	69	25	5	-
White, both sexes.....	78	86	89	78	104	126	126	108	67	25	5	-
Male.....	1	-	-	-	2	1	1	-	1	-	-	-
Female.....	77	86	89	78	102	125	125	108	66	25	5	-
Black, both sexes.....	7	6	7	4	4	2	-	1	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	7	6	7	4	4	2	-	1	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	1	-	2	1	-	2	1	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	2	1	-	2	-	-	2	1	-	-	-
Michigan												
All races, both sexes.....	149	137	132	147	158	197	158	111	74	24	6	-
Male.....	1	-	2	2	4	2	1	1	-	-	-	-
Female.....	148	137	130	145	154	195	157	110	74	24	6	-
White, both sexes.....	117	106	116	125	131	168	142	94	64	21	5	-
Male.....	1	-	2	1	2	2	1	1	-	-	-	-
Female.....	116	106	114	124	129	166	141	93	64	21	5	-
Black, both sexes.....	30	29	13	21	26	27	15	17	10	3	1	-
Male.....	-	-	-	1	2	-	-	-	-	-	-	-
Female.....	30	29	13	20	24	27	15	17	10	3	1	-
American Indian 1/, both sexes.....	-	-	1	1	-	2	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	1	-	2	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	2	2	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	2	2	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Malignant neoplasm of breast (C50)												
Nebraska												
All races, both sexes.....	21	24	16	20	25	34	27	26	18	13	1	-
Male.....	-	-	-	1	1	1	-	-	-	1	-	-
Female.....	21	24	16	19	24	33	27	26	18	12	1	-
White, both sexes.....	18	21	15	18	25	34	26	25	17	13	1	-
Male.....	-	-	-	1	1	1	-	-	-	1	-	-
Female.....	18	21	15	17	24	33	26	25	17	12	1	-
Black, both sexes.....	2	1	1	2	-	-	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	1	1	2	-	-	1	1	-	-	-	-
American Indian 1/, both sexes.....	1	1	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
Nevada												
All races, both sexes.....	21	20	37	36	37	34	22	20	11	-	-	-
Male.....	-	-	2	1	1	-	-	-	-	-	-	-
Female.....	21	20	35	35	36	34	22	20	11	-	-	-
White, both sexes.....	17	18	33	30	33	31	21	18	11	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	17	18	33	30	33	31	21	18	11	-	-	-
Black, both sexes.....	2	1	3	5	3	2	-	2	-	-	-	-
Male.....	-	-	2	1	1	-	-	-	-	-	-	-
Female.....	2	1	1	4	2	2	-	2	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	1	1	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	1	1	1	-	1	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Malignant neoplasm of breast (C50)												
New Hampshire												
All races, both sexes.....	9	21	17	19	12	21	18	22	11	4	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	9	21	17	19	12	21	18	22	11	4	1	-
White, both sexes.....	9	21	17	19	12	21	17	22	11	4	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	9	21	17	19	12	21	17	22	11	4	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New Jersey												
All races, both sexes.....	105	134	142	140	171	202	186	133	70	27	1	-
Male.....	2	1	1	1	-	5	6	2	1	-	-	-
Female.....	103	133	141	139	171	197	180	131	69	27	1	-
White, both sexes.....	78	110	110	121	149	179	167	121	67	24	1	-
Male.....	2	1	-	1	-	4	5	2	1	-	-	-
Female.....	76	109	110	120	149	175	162	119	66	24	1	-
Black, both sexes.....	23	22	28	16	22	22	16	12	3	3	-	-
Male.....	-	-	1	-	-	1	1	-	-	-	-	-
Female.....	23	22	27	16	22	21	15	12	3	3	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	2	4	3	-	1	2	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	2	4	3	-	1	2	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Malignant neoplasm of breast (C50)												
New Mexico												
All races, both sexes.....	17	26	16	16	29	30	24	18	8	1	-	-
Male.....	-	-	-	-	1	-	-	2	-	-	-	-
Female.....	17	26	16	16	28	30	24	16	8	1	-	-
White, both sexes.....	14	25	16	14	27	28	24	17	8	1	-	-
Male.....	-	-	-	-	1	-	-	2	-	-	-	-
Female.....	14	25	16	14	26	28	24	15	8	1	-	-
Black, both sexes.....	2	-	-	1	-	2	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	1	-	2	-	1	-	-	-	-
American Indian 1/, both sexes.....	1	1	-	1	2	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	1	2	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	254	270	247	283	328	352	405	266	143	57	14	-
Male.....	4	5	2	-	7	6	3	4	1	-	-	-
Female.....	250	265	245	283	321	346	402	262	142	57	14	-
White, both sexes.....	193	210	197	233	277	320	356	240	133	50	12	-
Male.....	2	4	2	-	7	6	3	4	1	-	-	-
Female.....	191	206	195	233	270	314	353	236	132	50	12	-
Black, both sexes.....	48	59	47	48	46	27	45	25	9	6	1	-
Male.....	2	1	-	-	-	-	-	-	-	-	-	-
Female.....	46	58	47	48	46	27	45	25	9	6	1	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	12	1	3	2	5	5	4	1	1	1	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	12	1	3	2	5	5	4	1	1	1	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Malignant neoplasm of breast (C50)												
South Dakota												
All races, both sexes.....	8	12	8	10	15	9	12	8	8	1	4	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	8	12	8	10	15	9	12	8	8	1	4	-
White, both sexes.....	8	10	8	9	15	8	12	8	8	1	4	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	8	10	8	9	15	8	12	8	8	1	4	-
Black, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	2	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	2	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Tennessee												
All races, both sexes.....	75	91	90	86	102	95	80	69	35	18	3	-
Male.....	-	1	-	2	2	2	-	1	-	-	-	-
Female.....	75	90	90	84	100	93	80	68	35	18	3	-
White, both sexes.....	62	75	75	76	86	80	65	64	33	16	3	-
Male.....	-	-	-	2	2	1	-	1	-	-	-	-
Female.....	62	75	75	74	84	79	65	63	33	16	3	-
Black, both sexes.....	12	16	13	9	15	15	14	5	2	2	-	-
Male.....	-	1	-	-	-	1	-	-	-	-	-	-
Female.....	12	15	13	9	15	14	14	5	2	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	2	1	1	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	2	1	1	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States, 2002

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2002"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Malignant neoplasm of breast (C50)												
Vermont												
All races, both sexes.....	4	11	7	6	11	5	7	12	4	3	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	4	11	6	6	11	5	7	12	4	3	-	-
White, both sexes.....	4	11	7	6	11	5	7	12	4	3	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	4	11	6	6	11	5	7	12	4	3	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Virginia												
All races, both sexes.....	97	117	104	113	109	115	120	84	34	16	1	-
Male.....	1	2	1	2	-	2	3	1	-	-	-	-
Female.....	96	115	103	111	109	113	117	83	34	16	1	-
White, both sexes.....	65	84	75	81	87	93	99	68	28	13	1	-
Male.....	1	2	-	1	-	1	3	1	-	-	-	-
Female.....	64	82	75	80	87	92	96	67	28	13	1	-
Black, both sexes.....	26	29	27	26	17	21	21	16	6	3	-	-
Male.....	-	-	1	1	-	1	-	-	-	-	-	-
Female.....	26	29	26	25	17	20	21	16	6	3	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	4	2	6	4	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	6	4	2	6	4	1	-	-	-	-	-	-

