





























































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

XIV. Diseases of the genitourinary system (N00-N98)

Alaska

All races, both sexes.....	1	2	1	7	1	5	6	6	5	-	-	-
Male.....	-	1	1	5	1	2	4	1	1	-	-	-
Female.....	1	1	-	2	-	3	2	5	4	-	-	-
White, both sexes.....	-	2	1	4	1	4	5	4	5	-	-	-
Male.....	-	1	1	2	1	1	4	-	1	-	-	-
Female.....	-	1	-	2	-	3	1	4	4	-	-	-
Black, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	1	-	1	1	2	-	-	-	-
Male.....	-	-	-	1	-	1	-	1	-	-	-	-
Female.....	1	-	-	-	-	-	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Arizona

All races, both sexes.....	33	40	55	60	100	130	167	130	84	29	10	-
Male.....	21	22	25	38	48	61	90	63	27	13	3	-
Female.....	12	18	30	22	52	69	77	67	57	16	7	-
White, both sexes.....	27	32	43	49	87	115	159	124	81	27	9	-
Male.....	16	18	22	30	46	56	87	59	27	12	3	-
Female.....	11	14	21	19	41	59	72	65	54	15	6	-
Black, both sexes.....	1	1	7	1	3	6	2	3	1	1	-	-
Male.....	1	1	1	-	1	2	-	2	-	-	-	-
Female.....	-	-	6	1	2	4	2	1	1	1	-	-
American Indian 1/, both sexes.....	5	7	5	9	10	6	3	2	2	1	-	-
Male.....	4	3	2	8	1	2	1	2	-	1	-	-
Female.....	1	4	3	1	9	4	2	-	2	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	3	3	1	-	-	1	-
Male.....	-	-	-	-	-	1	2	-	-	-	-	-
Female.....	-	-	-	1	-	2	1	1	-	-	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

XIV. Diseases of the genitourinary system (N00-N98)

Arkansas

All races, both sexes.....	22	26	42	48	65	108	139	136	90	49	6	-
Male.....	9	21	24	21	36	65	54	40	25	13	2	-
Female.....	13	5	18	27	29	43	85	96	65	36	4	-
White, both sexes.....	15	16	26	34	54	89	128	121	75	40	5	-
Male.....	7	14	16	13	30	55	51	36	19	9	2	-
Female.....	8	2	10	21	24	34	77	85	56	31	3	-
Black, both sexes.....	7	10	16	14	11	19	11	15	13	9	1	-
Male.....	2	7	8	8	6	10	3	4	5	4	-	-
Female.....	5	3	8	6	5	9	8	11	8	5	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-

California

All races, both sexes.....	126	171	186	267	381	623	828	744	572	203	43	-
Male.....	69	104	82	115	181	277	354	283	211	56	11	-
Female.....	57	67	104	152	200	346	474	461	361	147	32	-
White, both sexes.....	92	126	136	215	309	497	688	658	505	181	33	-
Male.....	50	74	57	93	145	223	288	244	181	47	8	-
Female.....	42	52	79	122	164	274	400	414	324	134	25	-
Black, both sexes.....	27	33	31	27	40	53	64	37	32	9	5	-
Male.....	15	20	12	13	17	28	25	13	11	2	2	-
Female.....	12	13	19	14	23	25	39	24	21	7	3	-
American Indian 1/, both sexes.....	1	2	2	2	1	5	4	-	-	-	-	-
Male.....	1	1	2	-	-	2	3	-	-	-	-	-
Female.....	-	1	-	2	1	3	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	10	17	23	31	68	72	49	35	13	5	-
Male.....	3	9	11	9	19	24	38	26	19	7	1	-
Female.....	3	1	6	14	12	44	34	23	16	6	4	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

XIV. Diseases of the genitourinary system (N00-N98)

Colorado

All races, both sexes.....	11	21	22	34	43	83	122	117	87	40	1	-
Male.....	7	9	7	12	22	38	55	55	31	8	-	-
Female.....	4	12	15	22	21	45	67	62	56	32	1	-
White, both sexes.....	9	20	21	30	39	79	117	114	84	39	1	-
Male.....	6	8	6	9	21	36	53	54	30	7	-	-
Female.....	3	12	15	21	18	43	64	60	54	32	1	-
Black, both sexes.....	1	1	1	4	3	1	3	3	2	-	-	-
Male.....	1	1	1	3	-	-	2	1	1	-	-	-
Female.....	-	-	-	1	3	1	1	2	1	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	1	1	-	1	1	-	-
Male.....	-	-	-	-	-	1	-	-	-	1	-	-
Female.....	1	-	-	-	-	-	1	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	2	1	-	-	-	-	-
Male.....	-	-	-	-	1	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	-	-	-	-	-

Connecticut

All races, both sexes.....	18	25	30	42	66	115	166	152	136	56	7	-
Male.....	13	15	17	20	28	60	82	68	54	11	2	-
Female.....	5	10	13	22	38	55	84	84	82	45	5	-
White, both sexes.....	12	17	21	31	57	101	152	146	129	51	7	-
Male.....	9	10	11	16	26	55	75	66	51	8	2	-
Female.....	3	7	10	15	31	46	77	80	78	43	5	-
Black, both sexes.....	6	6	8	11	6	13	14	6	6	5	-	-
Male.....	4	4	6	4	2	5	7	2	2	3	-	-
Female.....	2	2	2	7	4	8	7	4	4	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	1	-	3	-	-	-	1	-	-	-
Male.....	-	1	-	-	-	-	-	-	1	-	-	-
Female.....	-	1	1	-	3	-	-	-	-	-	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

XIV. Diseases of the genitourinary system (N00-N98)

Florida

All races, both sexes.....	71	104	142	179	269	398	580	671	461	137	24	-
Male.....	37	55	72	109	134	213	290	323	203	40	8	-
Female.....	34	49	70	70	135	185	290	348	258	97	16	-
White, both sexes.....	40	71	106	129	218	337	527	617	429	127	20	-
Male.....	20	42	50	85	111	188	271	300	188	38	7	-
Female.....	20	29	56	44	107	149	256	317	241	89	13	-
Black, both sexes.....	30	33	34	48	49	59	51	54	31	10	4	-
Male.....	16	13	20	24	21	24	19	23	15	2	1	-
Female.....	14	20	14	24	28	35	32	31	16	8	3	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	2	2	2	2	2	-	1	-	-	-
Male.....	1	-	2	-	2	1	-	-	-	-	-	-
Female.....	-	-	-	2	-	1	2	-	1	-	-	-

Georgia

All races, both sexes.....	73	108	118	139	204	299	300	289	210	70	17	-
Male.....	35	64	68	69	92	149	128	116	64	18	4	-
Female.....	38	44	50	70	112	150	172	173	146	52	13	-
White, both sexes.....	31	40	53	77	115	204	220	209	146	44	11	-
Male.....	12	24	33	48	52	114	99	90	47	10	2	-
Female.....	19	16	20	29	63	90	121	119	99	34	9	-
Black, both sexes.....	41	66	64	60	87	93	80	79	64	26	6	-
Male.....	23	38	34	21	39	35	29	25	17	8	2	-
Female.....	18	28	30	39	48	58	51	54	47	18	4	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	2	1	2	2	1	-	-	-	-	-	-
Male.....	-	2	1	-	1	-	-	-	-	-	-	-
Female.....	1	-	-	2	1	1	-	-	-	-	-	-







Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

XIV. Diseases of the genitourinary system (N00-N98)

Iowa

All races, both sexes.....	7	7	14	17	38	70	96	90	94	44	6	-
Male.....	6	4	9	8	19	33	41	37	27	12	1	-
Female.....	1	3	5	9	19	37	55	53	67	32	5	-
White, both sexes.....	6	7	14	17	37	70	95	89	93	43	6	-
Male.....	5	4	9	8	19	33	41	37	26	11	1	-
Female.....	1	3	5	9	18	37	54	52	67	32	5	-
Black, both sexes.....	1	-	-	-	1	-	1	1	1	1	-	-
Male.....	1	-	-	-	-	-	-	-	1	1	-	-
Female.....	-	-	-	-	1	-	1	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Kansas

All races, both sexes.....	13	18	36	29	43	94	122	148	105	48	15	-
Male.....	6	9	26	15	21	49	57	55	37	17	1	-
Female.....	7	9	10	14	22	45	65	93	68	31	14	-
White, both sexes.....	9	14	28	24	40	83	117	140	101	45	13	-
Male.....	3	7	20	11	20	41	56	50	36	16	1	-
Female.....	6	7	8	13	20	42	61	90	65	29	12	-
Black, both sexes.....	4	3	7	4	3	10	4	8	3	3	2	-
Male.....	3	1	6	3	1	7	1	5	-	1	-	-
Female.....	1	2	1	1	2	3	3	3	3	2	2	-
American Indian 1/, both sexes.....	-	1	1	1	-	1	-	-	-	-	-	-
Male.....	-	1	-	1	-	1	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

XIV. Diseases of the genitourinary system (N00-N98)

Kentucky

All races, both sexes.....	27	33	56	64	115	143	207	193	129	49	10	-
Male.....	16	17	23	34	55	75	96	73	37	12	1	-
Female.....	11	16	33	30	60	68	111	120	92	37	9	-
White, both sexes.....	23	25	43	55	98	126	197	185	120	45	9	-
Male.....	13	13	20	32	46	65	91	68	35	11	1	-
Female.....	10	12	23	23	52	61	106	117	85	34	8	-
Black, both sexes.....	4	8	13	9	17	17	10	8	9	4	1	-
Male.....	3	4	3	2	9	10	5	5	2	1	-	-
Female.....	1	4	10	7	8	7	5	3	7	3	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Louisiana

All races, both sexes.....	53	75	80	119	128	217	225	238	133	52	6	-
Male.....	31	27	30	53	63	105	105	88	37	9	1	-
Female.....	22	48	50	66	65	112	120	150	96	43	5	-
White, both sexes.....	17	32	41	56	75	139	158	169	100	36	4	-
Male.....	10	15	16	25	37	68	81	65	30	6	1	-
Female.....	7	17	25	31	38	71	77	104	70	30	3	-
Black, both sexes.....	36	43	39	61	53	77	66	67	33	15	2	-
Male.....	21	12	14	27	26	37	24	22	7	2	-	-
Female.....	15	31	25	34	27	40	42	45	26	13	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	2	-	1	1	2	-	1	-	-
Male.....	-	-	-	1	-	-	-	1	-	1	-	-
Female.....	-	-	-	1	-	1	1	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

XIV. Diseases of the genitourinary system (N00-N98)

Maine

All races, both sexes.....	5	12	8	22	28	53	84	70	39	20	1	-
Male.....	1	6	3	8	10	25	33	21	15	6	-	-
Female.....	4	6	5	14	18	28	51	49	24	14	1	-
White, both sexes.....	5	12	8	22	28	52	82	70	39	20	1	-
Male.....	1	6	3	8	10	25	31	21	15	6	-	-
Female.....	4	6	5	14	18	27	51	49	24	14	1	-
Black, both sexes.....	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	28	46	40	59	89	155	200	172	124	49	9	-
Male.....	13	25	23	27	43	80	95	59	44	12	-	-
Female.....	15	21	17	32	46	75	105	113	80	37	9	-
White, both sexes.....	11	15	20	30	53	114	145	138	96	37	7	-
Male.....	5	8	10	13	25	59	74	48	37	8	-	-
Female.....	6	7	10	17	28	55	71	90	59	29	7	-
Black, both sexes.....	16	29	18	29	36	40	52	33	24	12	2	-
Male.....	8	17	12	14	18	20	20	10	6	4	-	-
Female.....	8	12	6	15	18	20	32	23	18	8	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	2	2	-	-	1	3	1	4	-	-	-
Male.....	-	-	1	-	-	1	1	1	1	-	-	-
Female.....	1	2	1	-	-	-	2	-	3	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

XIV. Diseases of the genitourinary system (N00-N98)

Massachusetts

All races, both sexes.....	26	39	63	77	125	226	341	377	250	93	19	-
Male.....	17	30	35	44	69	113	157	154	82	25	5	-
Female.....	9	9	28	33	56	113	184	223	168	68	14	-
White, both sexes.....	22	33	56	64	114	206	313	361	240	90	18	-
Male.....	15	26	31	36	63	103	146	148	77	22	5	-
Female.....	7	7	25	28	51	103	167	213	163	68	13	-
Black, both sexes.....	4	6	7	11	10	12	23	14	7	2	1	-
Male.....	2	4	4	6	6	6	9	6	4	2	-	-
Female.....	2	2	3	5	4	6	14	8	3	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	2	1	7	4	2	3	1	-	-
Male.....	-	-	-	2	-	3	2	-	1	1	-	-
Female.....	-	-	-	-	1	4	2	2	2	-	-	-

Michigan

All races, both sexes.....	46	72	86	102	194	334	417	391	259	92	20	-
Male.....	31	34	49	55	96	162	173	169	77	27	6	-
Female.....	15	38	37	47	98	172	244	222	182	65	14	-
White, both sexes.....	24	43	59	76	154	279	353	357	226	82	12	-
Male.....	15	20	36	43	76	133	150	156	65	25	3	-
Female.....	9	23	23	33	78	146	203	201	161	57	9	-
Black, both sexes.....	20	28	26	25	38	53	60	32	33	10	8	-
Male.....	14	13	13	12	19	28	20	12	12	2	3	-
Female.....	6	15	13	13	19	25	40	20	21	8	5	-
American Indian 1/, both sexes.....	2	1	1	1	1	1	-	2	-	-	-	-
Male.....	2	1	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	1	1	1	1	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	1	4	-	-	-	-	-
Male.....	-	-	-	-	1	1	3	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-







Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
XIV. Diseases of the genitourinary system (N00-N98)												
Nebraska												
All races, both sexes.....	9	8	10	21	35	53	73	67	45	29	2	-
Male.....	4	4	7	11	19	26	35	33	17	8	-	-
Female.....	5	4	3	10	16	27	38	34	28	21	2	-
White, both sexes.....	6	7	9	17	32	49	68	66	43	29	2	-
Male.....	3	3	7	9	18	25	34	32	16	8	-	-
Female.....	3	4	2	8	14	24	34	34	27	21	2	-
Black, both sexes.....	2	1	1	2	2	3	4	1	2	-	-	-
Male.....	1	1	-	-	1	-	1	1	1	-	-	-
Female.....	1	-	1	2	1	3	3	-	1	-	-	-
American Indian 1/, both sexes.....	1	-	-	2	1	1	1	-	-	-	-	-
Male.....	-	-	-	2	-	1	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Nevada												
All races, both sexes.....	12	24	34	44	56	88	96	68	37	9	1	-
Male.....	10	5	21	32	36	52	59	31	19	3	-	-
Female.....	2	19	13	12	20	36	37	37	18	6	1	-
White, both sexes.....	11	19	29	32	45	77	91	61	37	9	1	-
Male.....	9	4	18	23	29	50	55	30	19	3	-	-
Female.....	2	15	11	9	16	27	36	31	18	6	1	-
Black, both sexes.....	1	2	4	6	5	6	1	2	-	-	-	-
Male.....	1	-	2	4	3	1	1	1	-	-	-	-
Female.....	-	2	2	2	2	5	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	2	1	3	1	1	-	-	-	-
Male.....	-	1	-	2	1	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	3	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	1	4	5	2	3	4	-	-	-	-
Male.....	-	-	1	3	3	1	2	-	-	-	-	-
Female.....	-	2	-	1	2	1	1	4	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

XIV. Diseases of the genitourinary system (N00-N98)

New Hampshire

All races, both sexes.....	2	5	6	19	22	35	42	37	38	17	3	-
Male.....	2	4	2	11	9	21	12	17	11	3	1	-
Female.....	-	1	4	8	13	14	30	20	27	14	2	-
White, both sexes.....	2	5	6	19	22	35	42	37	38	16	3	-
Male.....	2	4	2	11	9	21	12	17	11	3	1	-
Female.....	-	1	4	8	13	14	30	20	27	13	2	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	39	63	89	104	181	275	388	412	303	93	16	-
Male.....	21	42	38	59	106	132	188	178	104	22	5	-
Female.....	18	21	51	45	75	143	200	234	199	71	11	-
White, both sexes.....	22	37	55	62	133	232	340	368	272	82	15	-
Male.....	13	29	26	31	80	113	167	161	94	19	5	-
Female.....	9	8	29	31	53	119	173	207	178	63	10	-
Black, both sexes.....	17	26	32	39	45	35	39	37	28	10	1	-
Male.....	8	13	11	26	26	16	18	13	9	3	-	-
Female.....	9	13	21	13	19	19	21	24	19	7	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	2	3	3	7	9	7	3	1	-	-
Male.....	-	-	1	2	-	2	3	4	1	-	-	-
Female.....	-	-	1	1	3	5	6	3	2	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

XIV. Diseases of the genitourinary system (N00-N98)

New Mexico

All races, both sexes.....	11	15	17	23	24	45	67	43	38	13	3	-
Male.....	4	10	13	12	13	19	35	22	21	1	1	-
Female.....	7	5	4	11	11	26	32	21	17	12	2	-
White, both sexes.....	7	13	13	20	22	38	62	40	36	11	2	-
Male.....	2	9	10	9	12	19	32	20	20	1	1	-
Female.....	5	4	3	11	10	19	30	20	16	10	1	-
Black, both sexes.....	-	1	-	-	-	3	1	-	-	-	-	-
Male.....	-	1	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	3	-	-	-	-	-	-
American Indian 1/, both sexes.....	4	1	4	3	2	4	4	3	2	2	1	-
Male.....	2	-	3	3	1	-	2	2	1	-	-	-
Female.....	2	1	1	-	1	4	2	1	1	2	1	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	71	120	147	193	295	521	674	699	503	223	46	-
Male.....	44	63	77	105	134	247	306	313	152	63	9	-
Female.....	27	57	70	88	161	274	368	386	351	160	37	-
White, both sexes.....	49	80	89	139	228	434	584	631	449	204	40	-
Male.....	32	42	48	79	113	212	276	284	135	56	9	-
Female.....	17	38	41	60	115	222	308	347	314	148	31	-
Black, both sexes.....	22	36	52	42	61	78	74	61	47	17	5	-
Male.....	12	19	25	21	20	31	22	24	13	5	-	-
Female.....	10	17	27	21	41	47	52	37	34	12	5	-
American Indian 1/, both sexes.....	-	-	1	1	-	-	1	1	-	-	-	-
Male.....	-	-	1	1	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	4	5	11	6	9	15	6	7	2	1	-
Male.....	-	2	3	4	1	4	8	4	4	2	-	-
Female.....	-	2	2	7	5	5	7	2	3	-	1	-





Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

XIV. Diseases of the genitourinary system (N00-N98)

Oregon

All races, both sexes.....	11	12	16	34	39	67	100	127	88	25	9	-
Male.....	6	6	8	9	14	31	51	58	32	13	3	-
Female.....	5	6	8	25	25	36	49	69	56	12	6	-
White, both sexes.....	11	11	16	32	36	66	94	122	85	25	9	-
Male.....	6	6	8	8	12	31	48	55	30	13	3	-
Female.....	5	5	8	24	24	35	46	67	55	12	6	-
Black, both sexes.....	-	-	-	-	-	-	2	4	1	-	-	-
Male.....	-	-	-	-	-	-	1	2	-	-	-	-
Female.....	-	-	-	-	-	-	1	2	1	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	1	1	1	-	1	-	-	-
Male.....	-	-	-	-	-	-	1	-	1	-	-	-
Female.....	-	1	-	-	1	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	2	2	-	3	1	1	-	-	-
Male.....	-	-	-	1	2	-	1	1	1	-	-	-
Female.....	-	-	-	1	-	-	2	-	-	-	-	-

Pennsylvania

All races, both sexes.....	78	108	128	231	365	618	850	757	488	164	22	1
Male.....	43	58	71	106	192	307	414	318	163	43	2	1
Female.....	35	50	57	125	173	311	436	439	325	121	20	-
White, both sexes.....	48	68	91	181	312	542	781	713	465	149	19	1
Male.....	25	39	54	84	175	269	387	294	157	39	2	1
Female.....	23	29	37	97	137	273	394	419	308	110	17	-
Black, both sexes.....	29	39	36	50	53	73	66	42	19	15	3	-
Male.....	18	19	16	22	17	36	26	24	5	4	-	-
Female.....	11	20	20	28	36	37	40	18	14	11	3	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	1	-	-	3	2	2	4	-	-	-
Male.....	-	-	1	-	-	2	1	-	1	-	-	-
Female.....	1	1	-	-	-	1	1	2	3	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

XIV. Diseases of the genitourinary system (N00-N98)

Rhode Island

All races, both sexes.....	4	3	5	11	16	33	53	51	42	22	1	-
Male.....	3	1	3	5	7	20	28	24	9	6	-	-
Female.....	1	2	2	6	9	13	25	27	33	16	1	-
White, both sexes.....	4	2	5	9	14	33	52	51	39	22	1	-
Male.....	3	1	3	4	6	20	27	24	9	6	-	-
Female.....	1	1	2	5	8	13	25	27	30	16	1	-
Black, both sexes.....	-	1	-	1	2	-	1	-	2	-	-	-
Male.....	-	-	-	1	1	-	1	-	-	-	-	-
Female.....	-	1	-	-	1	-	-	-	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	1	-	-	-

South Carolina

All races, both sexes.....	35	52	69	86	103	152	199	189	108	41	10	-
Male.....	20	27	38	49	46	75	80	73	25	15	2	-
Female.....	15	25	31	37	57	77	119	116	83	26	8	-
White, both sexes.....	14	16	27	41	57	99	136	126	79	20	8	-
Male.....	10	9	14	24	29	58	64	54	17	8	2	-
Female.....	4	7	13	17	28	41	72	72	62	12	6	-
Black, both sexes.....	21	36	41	45	46	53	63	60	29	21	2	-
Male.....	10	18	24	25	17	17	16	18	8	7	-	-
Female.....	11	18	17	20	29	36	47	42	21	14	2	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	2	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
XIV. Diseases of the genitourinary system (N00-N98)												
South Dakota												
All races, both sexes.....	3	5	4	8	10	22	32	17	30	11	5	-
Male.....	2	4	1	2	4	10	17	6	9	3	2	-
Female.....	1	1	3	6	6	12	15	11	21	8	3	-
White, both sexes.....	1	3	3	6	7	17	32	16	30	11	5	-
Male.....	1	3	1	2	3	9	17	6	9	3	2	-
Female.....	-	-	2	4	4	8	15	10	21	8	3	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	2	1	2	3	5	-	1	-	-	-	-
Male.....	1	1	-	-	1	1	-	-	-	-	-	-
Female.....	1	1	1	2	2	4	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Tennessee												
All races, both sexes.....	32	58	52	89	131	163	251	205	160	70	12	-
Male.....	19	30	32	38	59	82	103	66	48	14	-	-
Female.....	13	28	20	51	72	81	148	139	112	56	12	-
White, both sexes.....	13	39	39	61	104	124	209	177	140	54	9	-
Male.....	7	17	23	26	49	60	81	53	44	10	-	-
Female.....	6	22	16	35	55	64	128	124	96	44	9	-
Black, both sexes.....	19	19	13	28	27	39	41	28	20	16	3	-
Male.....	12	13	9	12	10	22	22	13	4	4	-	-
Female.....	7	6	4	16	17	17	19	15	16	12	3	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

XIV. Diseases of the genitourinary system (N00-N98)

Texas

All races, both sexes.....	136	142	210	293	327	514	622	589	416	171	38	-
Male.....	78	81	115	155	171	245	286	252	140	43	7	-
Female.....	58	61	95	138	156	269	336	337	276	128	31	-
White, both sexes.....	97	105	160	236	258	421	540	517	350	153	28	-
Male.....	54	63	90	123	139	205	249	229	119	37	6	-
Female.....	43	42	70	113	119	216	291	288	231	116	22	-
Black, both sexes.....	37	33	47	57	63	82	77	64	62	16	10	-
Male.....	23	16	22	32	32	33	33	21	18	6	1	-
Female.....	14	17	25	25	31	49	44	43	44	10	9	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	4	3	-	6	10	5	8	4	2	-	-
Male.....	1	2	3	-	-	7	4	2	3	-	-	-
Female.....	1	2	-	-	6	3	1	6	1	2	-	-

Utah

All races, both sexes.....	8	3	14	25	25	42	75	59	42	10	5	-
Male.....	6	-	7	9	14	22	40	28	18	2	1	-
Female.....	2	3	7	16	11	20	35	31	24	8	4	-
White, both sexes.....	7	3	12	24	24	40	72	57	41	10	4	-
Male.....	5	-	5	9	14	20	38	28	17	2	-	-
Female.....	2	3	7	15	10	20	34	29	24	8	4	-
Black, both sexes.....	-	-	1	-	1	-	-	1	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	1	-	1	2	-	1	-	-	-
Male.....	1	-	-	-	-	1	1	-	1	-	-	-
Female.....	-	-	-	1	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	1	1	1	-	-	1	-
Male.....	-	-	1	-	-	1	1	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

XIV. Diseases of the genitourinary system (N00-N98)

Vermont

All races, both sexes.....	1	2	3	6	8	15	22	22	15	7	1	-
Male.....	-	1	3	1	-	7	14	10	2	3	-	-
Female.....	1	1	-	5	8	8	8	12	13	4	1	-
White, both sexes.....	1	2	3	6	8	15	22	22	15	7	1	-
Male.....	-	1	3	1	-	7	14	10	2	3	-	-
Female.....	1	1	-	5	8	8	8	12	13	4	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	60	55	87	116	164	256	302	293	217	76	14	-
Male.....	32	25	48	55	77	123	145	115	75	23	1	-
Female.....	28	30	39	61	87	133	157	178	142	53	13	-
White, both sexes.....	28	23	49	73	105	184	231	230	175	69	9	-
Male.....	16	15	27	36	54	91	109	92	64	20	1	-
Female.....	12	8	22	37	51	93	122	138	111	49	8	-
Black, both sexes.....	30	31	33	42	54	66	67	59	39	7	5	-
Male.....	16	10	19	18	21	31	35	21	9	3	-	-
Female.....	14	21	14	24	33	35	32	38	30	4	5	-
American Indian 1/, both sexes.....	-	-	-	1	1	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	5	-	4	6	4	4	3	-	-	-
Male.....	-	-	2	-	2	1	1	2	2	-	-	-
Female.....	2	1	3	-	2	5	3	2	1	-	-	-

































































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Diseases of urinary system (N00-N39)												
Alaska												
All races, both sexes.....	1	2	1	7	1	4	6	6	5	-	-	-
Male.....	-	1	1	5	1	1	4	1	1	-	-	-
Female.....	1	1	-	2	-	3	2	5	4	-	-	-
White, both sexes.....	-	2	1	4	1	4	5	4	5	-	-	-
Male.....	-	1	1	2	1	1	4	-	1	-	-	-
Female.....	-	1	-	2	-	3	1	4	4	-	-	-
Black, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	1	-	-	1	2	-	-	-	-
Male.....	-	-	-	1	-	-	-	1	-	-	-	-
Female.....	1	-	-	-	-	-	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Arizona												
All races, both sexes.....	32	40	53	59	99	129	163	129	81	28	10	-
Male.....	20	22	23	37	47	60	86	62	24	12	3	-
Female.....	12	18	30	22	52	69	77	67	57	16	7	-
White, both sexes.....	26	32	41	49	86	114	156	123	78	26	9	-
Male.....	15	18	20	30	45	55	84	58	24	11	3	-
Female.....	11	14	21	19	41	59	72	65	54	15	6	-
Black, both sexes.....	1	1	7	1	3	6	2	3	1	1	-	-
Male.....	1	1	1	-	1	2	-	2	-	-	-	-
Female.....	-	-	6	1	2	4	2	1	1	1	-	-
American Indian 1/, both sexes.....	5	7	5	8	10	6	3	2	2	1	-	-
Male.....	4	3	2	7	1	2	1	2	-	1	-	-
Female.....	1	4	3	1	9	4	2	-	2	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	3	2	1	-	-	1	-
Male.....	-	-	-	-	-	1	1	-	-	-	-	-
Female.....	-	-	-	1	-	2	1	1	-	-	1	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Diseases of urinary system (N00-N39)												
Arkansas												
All races, both sexes.....	22	26	42	48	63	107	138	135	90	48	6	-
Male.....	9	21	24	21	36	64	53	40	25	12	2	-
Female.....	13	5	18	27	27	43	85	95	65	36	4	-
White, both sexes.....	15	16	26	34	53	89	127	120	75	39	5	-
Male.....	7	14	16	13	30	55	50	36	19	8	2	-
Female.....	8	2	10	21	23	34	77	84	56	31	3	-
Black, both sexes.....	7	10	16	14	10	18	11	15	13	9	1	-
Male.....	2	7	8	8	6	9	3	4	5	4	-	-
Female.....	5	3	8	6	4	9	8	11	8	5	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
California												
All races, both sexes.....	120	165	179	264	370	612	798	718	545	195	43	-
Male.....	68	101	77	113	172	269	327	263	188	49	11	-
Female.....	52	64	102	151	198	343	471	455	357	146	32	-
White, both sexes.....	88	121	130	212	301	487	664	635	479	174	33	-
Male.....	50	72	53	91	138	216	266	227	159	41	8	-
Female.....	38	49	77	121	163	271	398	408	320	133	25	-
Black, both sexes.....	26	33	31	27	38	53	63	36	31	9	5	-
Male.....	14	20	12	13	16	28	24	12	10	2	2	-
Female.....	12	13	19	14	22	25	39	24	21	7	3	-
American Indian 1/, both sexes.....	1	2	2	2	1	5	4	-	-	-	-	-
Male.....	1	1	2	-	-	2	3	-	-	-	-	-
Female.....	-	1	-	2	1	3	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	9	16	23	30	67	67	47	35	12	5	-
Male.....	3	8	10	9	18	23	34	24	19	6	1	-
Female.....	2	1	6	14	12	44	33	23	16	6	4	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Diseases of urinary system (N00-N39)

Colorado

All races, both sexes.....	10	19	20	33	42	81	120	115	85	39	1	-
Male.....	6	9	5	12	22	38	53	54	30	7	-	-
Female.....	4	10	15	21	20	43	67	61	55	32	1	-
White, both sexes.....	8	18	19	29	38	77	115	112	82	38	1	-
Male.....	5	8	4	9	21	36	51	53	29	6	-	-
Female.....	3	10	15	20	17	41	64	59	53	32	1	-
Black, both sexes.....	1	1	1	4	3	1	3	3	2	-	-	-
Male.....	1	1	1	3	-	-	2	1	1	-	-	-
Female.....	-	-	-	1	3	1	1	2	1	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	1	1	-	1	1	-	-
Male.....	-	-	-	-	-	1	-	-	-	1	-	-
Female.....	1	-	-	-	-	-	1	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	2	1	-	-	-	-	-
Male.....	-	-	-	-	1	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	-	-	-	-	-

Connecticut

All races, both sexes.....	16	25	30	41	65	113	165	149	130	55	7	-
Male.....	11	15	17	19	27	58	81	67	49	10	2	-
Female.....	5	10	13	22	38	55	84	82	81	45	5	-
White, both sexes.....	11	17	21	30	56	99	152	143	123	50	7	-
Male.....	8	10	11	15	25	53	75	65	46	7	2	-
Female.....	3	7	10	15	31	46	77	78	77	43	5	-
Black, both sexes.....	5	6	8	11	6	13	13	6	6	5	-	-
Male.....	3	4	6	4	2	5	6	2	2	3	-	-
Female.....	2	2	2	7	4	8	7	4	4	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	1	-	3	-	-	-	1	-	-	-
Male.....	-	1	-	-	-	-	-	-	1	-	-	-
Female.....	-	1	1	-	3	-	-	-	-	-	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Diseases of urinary system (N00-N39)												
Florida												
All races, both sexes.....	71	103	141	174	261	393	566	656	451	137	24	-
Male.....	37	55	71	105	130	210	283	314	197	40	8	-
Female.....	34	48	70	69	131	183	283	342	254	97	16	-
White, both sexes.....	40	70	105	126	211	332	515	602	419	127	20	-
Male.....	20	42	49	83	107	185	265	291	182	38	7	-
Female.....	20	28	56	43	104	147	250	311	237	89	13	-
Black, both sexes.....	30	33	34	46	48	59	49	54	31	10	4	-
Male.....	16	13	20	22	21	24	18	23	15	2	1	-
Female.....	14	20	14	24	27	35	31	31	16	8	3	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	2	2	2	2	2	-	1	-	-	-
Male.....	1	-	2	-	2	1	-	-	-	-	-	-
Female.....	-	-	-	2	-	1	2	-	1	-	-	-
Georgia												
All races, both sexes.....	72	107	117	135	202	298	297	282	209	69	17	-
Male.....	35	63	67	68	91	148	126	110	64	18	4	-
Female.....	37	44	50	67	111	150	171	172	145	51	13	-
White, both sexes.....	30	40	53	75	114	203	217	202	146	43	11	-
Male.....	12	24	33	47	51	113	97	84	47	10	2	-
Female.....	18	16	20	28	63	90	120	118	99	33	9	-
Black, both sexes.....	41	65	63	58	86	93	80	79	63	26	6	-
Male.....	23	37	33	21	39	35	29	25	17	8	2	-
Female.....	18	28	30	37	47	58	51	54	46	18	4	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	2	1	2	2	1	-	-	-	-	-	-
Male.....	-	2	1	-	1	-	-	-	-	-	-	-
Female.....	1	-	-	2	1	1	-	-	-	-	-	-





Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Diseases of urinary system (N00-N39)												
Iowa												
All races, both sexes.....	7	7	14	17	37	69	96	84	92	42	5	-
Male.....	6	4	9	8	18	32	41	34	25	10	1	-
Female.....	1	3	5	9	19	37	55	50	67	32	4	-
White, both sexes.....	6	7	14	17	36	69	95	83	91	41	5	-
Male.....	5	4	9	8	18	32	41	34	24	9	1	-
Female.....	1	3	5	9	18	37	54	49	67	32	4	-
Black, both sexes.....	1	-	-	-	1	-	1	1	1	1	-	-
Male.....	1	-	-	-	-	-	-	-	1	1	-	-
Female.....	-	-	-	-	1	-	1	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Kansas												
All races, both sexes.....	13	17	35	29	42	94	122	145	104	48	14	-
Male.....	6	8	25	15	21	49	57	53	36	17	1	-
Female.....	7	9	10	14	21	45	65	92	68	31	13	-
White, both sexes.....	9	13	27	24	40	83	117	137	100	45	12	-
Male.....	3	6	19	11	20	41	56	48	35	16	1	-
Female.....	6	7	8	13	20	42	61	89	65	29	11	-
Black, both sexes.....	4	3	7	4	2	10	4	8	3	3	2	-
Male.....	3	1	6	3	1	7	1	5	-	1	-	-
Female.....	1	2	1	1	1	3	3	3	3	2	2	-
American Indian 1/, both sexes.....	-	1	1	1	-	1	-	-	-	-	-	-
Male.....	-	1	-	1	-	1	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Diseases of urinary system (N00-N39)

Kentucky

All races, both sexes.....	27	33	53	63	115	141	202	191	124	47	9	-
Male.....	16	17	21	33	55	73	92	71	33	11	1	-
Female.....	11	16	32	30	60	68	110	120	91	36	8	-
White, both sexes.....	23	25	40	54	98	124	193	183	115	43	8	-
Male.....	13	13	18	31	46	63	88	66	31	10	1	-
Female.....	10	12	22	23	52	61	105	117	84	33	7	-
Black, both sexes.....	4	8	13	9	17	17	9	8	9	4	1	-
Male.....	3	4	3	2	9	10	4	5	2	1	-	-
Female.....	1	4	10	7	8	7	5	3	7	3	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Louisiana

All races, both sexes.....	53	74	80	119	128	214	224	234	133	52	6	-
Male.....	31	27	30	53	63	103	104	86	37	9	1	-
Female.....	22	47	50	66	65	111	120	148	96	43	5	-
White, both sexes.....	17	32	41	56	75	137	157	165	100	36	4	-
Male.....	10	15	16	25	37	67	80	63	30	6	1	-
Female.....	7	17	25	31	38	70	77	102	70	30	3	-
Black, both sexes.....	36	42	39	61	53	76	66	67	33	15	2	-
Male.....	21	12	14	27	26	36	24	22	7	2	-	-
Female.....	15	30	25	34	27	40	42	45	26	13	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	2	-	1	1	2	-	1	-	-
Male.....	-	-	-	1	-	-	-	1	-	1	-	-
Female.....	-	-	-	1	-	1	1	1	-	-	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Diseases of urinary system (N00-N39)												
Maine												
All races, both sexes.....	5	12	8	22	28	52	82	70	39	19	1	-
Male.....	1	6	3	8	10	24	31	21	15	6	-	-
Female.....	4	6	5	14	18	28	51	49	24	13	1	-
White, both sexes.....	5	12	8	22	28	51	81	70	39	19	1	-
Male.....	1	6	3	8	10	24	30	21	15	6	-	-
Female.....	4	6	5	14	18	27	51	49	24	13	1	-
Black, both sexes.....	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Maryland												
All races, both sexes.....	26	45	39	57	89	155	197	168	118	49	9	-
Male.....	13	24	22	25	43	80	93	57	39	12	-	-
Female.....	13	21	17	32	46	75	104	111	79	37	9	-
White, both sexes.....	10	15	19	28	53	114	142	134	91	37	7	-
Male.....	5	8	9	11	25	59	72	46	33	8	-	-
Female.....	5	7	10	17	28	55	70	88	58	29	7	-
Black, both sexes.....	15	28	18	29	36	40	52	33	24	12	2	-
Male.....	8	16	12	14	18	20	20	10	6	4	-	-
Female.....	7	12	6	15	18	20	32	23	18	8	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	2	2	-	-	1	3	1	3	-	-	-
Male.....	-	-	1	-	-	1	1	1	-	-	-	-
Female.....	1	2	1	-	-	-	2	-	3	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Diseases of urinary system (N00-N39)												
Massachusetts												
All races, both sexes.....	26	39	63	76	122	226	333	367	245	91	18	-
Male.....	17	30	35	43	68	113	152	149	77	24	4	-
Female.....	9	9	28	33	54	113	181	218	168	67	14	-
White, both sexes.....	22	33	56	63	111	206	305	352	235	88	17	-
Male.....	15	26	31	35	62	103	141	143	72	21	4	-
Female.....	7	7	25	28	49	103	164	209	163	67	13	-
Black, both sexes.....	4	6	7	11	10	12	23	13	7	2	1	-
Male.....	2	4	4	6	6	6	9	6	4	2	-	-
Female.....	2	2	3	5	4	6	14	7	3	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	2	1	7	4	2	3	1	-	-
Male.....	-	-	-	2	-	3	2	-	1	1	-	-
Female.....	-	-	-	-	1	4	2	2	2	-	-	-
Michigan												
All races, both sexes.....	45	70	85	100	191	328	411	387	257	89	20	-
Male.....	31	32	48	53	95	158	168	168	76	26	6	-
Female.....	14	38	37	47	96	170	243	219	181	63	14	-
White, both sexes.....	23	43	58	75	152	275	348	354	224	80	12	-
Male.....	15	20	35	42	76	131	146	155	64	24	3	-
Female.....	8	23	23	33	76	144	202	199	160	56	9	-
Black, both sexes.....	20	27	26	24	37	51	60	31	33	9	8	-
Male.....	14	12	13	11	18	26	20	12	12	2	3	-
Female.....	6	15	13	13	19	25	40	19	21	7	5	-
American Indian 1/, both sexes.....	2	-	1	1	1	1	-	2	-	-	-	-
Male.....	2	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	1	1	1	1	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	1	3	-	-	-	-	-
Male.....	-	-	-	-	1	1	2	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-





Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Diseases of urinary system (N00-N39)												
Nebraska												
All races, both sexes.....	8	8	10	21	35	53	70	67	43	28	2	-
Male.....	4	4	7	11	19	26	33	33	16	8	-	-
Female.....	4	4	3	10	16	27	37	34	27	20	2	-
White, both sexes.....	5	7	9	17	32	49	65	66	41	28	2	-
Male.....	3	3	7	9	18	25	32	32	15	8	-	-
Female.....	2	4	2	8	14	24	33	34	26	20	2	-
Black, both sexes.....	2	1	1	2	2	3	4	1	2	-	-	-
Male.....	1	1	-	-	1	-	1	1	1	-	-	-
Female.....	1	-	1	2	1	3	3	-	1	-	-	-
American Indian 1/, both sexes.....	1	-	-	2	1	1	1	-	-	-	-	-
Male.....	-	-	-	2	-	1	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Nevada												
All races, both sexes.....	12	24	34	43	55	87	96	68	37	9	1	-
Male.....	10	5	21	32	35	51	59	31	19	3	-	-
Female.....	2	19	13	11	20	36	37	37	18	6	1	-
White, both sexes.....	11	19	29	31	44	76	91	61	37	9	1	-
Male.....	9	4	18	23	28	49	55	30	19	3	-	-
Female.....	2	15	11	8	16	27	36	31	18	6	1	-
Black, both sexes.....	1	2	4	6	5	6	1	2	-	-	-	-
Male.....	1	-	2	4	3	1	1	1	-	-	-	-
Female.....	-	2	2	2	2	5	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	2	1	3	1	1	-	-	-	-
Male.....	-	1	-	2	1	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	3	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	1	4	5	2	3	4	-	-	-	-
Male.....	-	-	1	3	3	1	2	-	-	-	-	-
Female.....	-	2	-	1	2	1	1	4	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Diseases of urinary system (N00-N39)

New Hampshire

All races, both sexes.....	2	5	5	19	22	34	40	37	35	17	3	-
Male.....	2	4	2	11	9	21	11	17	10	3	1	-
Female.....	-	1	3	8	13	13	29	20	25	14	2	-
White, both sexes.....	2	5	5	19	22	34	40	37	35	16	3	-
Male.....	2	4	2	11	9	21	11	17	10	3	1	-
Female.....	-	1	3	8	13	13	29	20	25	13	2	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	39	63	89	104	178	271	383	409	301	88	16	-
Male.....	21	42	38	59	105	130	186	178	103	19	5	-
Female.....	18	21	51	45	73	141	197	231	198	69	11	-
White, both sexes.....	22	37	55	62	131	228	335	365	270	77	15	-
Male.....	13	29	26	31	80	111	165	161	93	16	5	-
Female.....	9	8	29	31	51	117	170	204	177	61	10	-
Black, both sexes.....	17	26	32	39	44	35	39	37	28	10	1	-
Male.....	8	13	11	26	25	16	18	13	9	3	-	-
Female.....	9	13	21	13	19	19	21	24	19	7	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	2	3	3	7	9	7	3	1	-	-
Male.....	-	-	1	2	-	2	3	4	1	-	-	-
Female.....	-	-	1	1	3	5	6	3	2	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

## Diseases of urinary system (N00-N39)

## New Mexico

All races, both sexes.....	11	15	17	23	23	45	66	42	36	13	3	-
Male.....	4	10	13	12	12	19	34	22	19	1	1	-
Female.....	7	5	4	11	11	26	32	20	17	12	2	-
White, both sexes.....	7	13	13	20	21	38	61	39	34	11	2	-
Male.....	2	9	10	9	11	19	31	20	18	1	1	-
Female.....	5	4	3	11	10	19	30	19	16	10	1	-
Black, both sexes.....	-	1	-	-	-	3	1	-	-	-	-	-
Male.....	-	1	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	3	-	-	-	-	-	-
American Indian 1/, both sexes.....	4	1	4	3	2	4	4	3	2	2	1	-
Male.....	2	-	3	3	1	-	2	2	1	-	-	-
Female.....	2	1	1	-	1	4	2	1	1	2	1	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

## New York

All races, both sexes.....	69	113	147	188	291	504	660	687	494	219	46	-
Male.....	43	60	77	100	132	236	295	303	148	60	9	-
Female.....	26	53	70	88	159	268	365	384	346	159	37	-
White, both sexes.....	48	75	89	135	226	419	572	621	442	200	40	-
Male.....	32	40	48	75	111	203	266	276	132	53	9	-
Female.....	16	35	41	60	115	216	306	345	310	147	31	-
Black, both sexes.....	21	34	52	41	59	76	72	59	45	17	5	-
Male.....	11	18	25	20	20	29	21	22	12	5	-	-
Female.....	10	16	27	21	39	47	51	37	33	12	5	-
American Indian 1/, both sexes.....	-	-	1	1	-	-	1	1	-	-	-	-
Male.....	-	-	1	1	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	4	5	11	6	9	15	6	7	2	1	-
Male.....	-	2	3	4	1	4	8	4	4	2	-	-
Female.....	-	2	2	7	5	5	7	2	3	-	1	-







Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Diseases of urinary system (N00-N39)

Oregon

All races, both sexes.....	9	11	15	33	39	66	95	115	86	24	9	-
Male.....	5	6	8	8	14	30	47	50	31	12	3	-
Female.....	4	5	7	25	25	36	48	65	55	12	6	-
White, both sexes.....	9	10	15	31	36	65	89	110	83	24	9	-
Male.....	5	6	8	7	12	30	44	47	29	12	3	-
Female.....	4	4	7	24	24	35	45	63	54	12	6	-
Black, both sexes.....	-	-	-	-	-	-	2	4	1	-	-	-
Male.....	-	-	-	-	-	-	1	2	-	-	-	-
Female.....	-	-	-	-	-	-	1	2	1	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	1	1	1	-	1	-	-	-
Male.....	-	-	-	-	-	-	1	-	1	-	-	-
Female.....	-	1	-	-	1	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	2	2	-	3	1	1	-	-	-
Male.....	-	-	-	1	2	-	1	1	1	-	-	-
Female.....	-	-	-	1	-	-	2	-	-	-	-	-

Pennsylvania

All races, both sexes.....	78	108	125	227	359	612	841	746	479	159	22	1
Male.....	43	58	69	106	188	303	408	312	157	40	2	1
Female.....	35	50	56	121	171	309	433	434	322	119	20	-
White, both sexes.....	48	68	88	179	307	537	773	703	456	144	19	1
Male.....	25	39	52	84	171	265	381	288	151	36	2	1
Female.....	23	29	36	95	136	272	392	415	305	108	17	-
Black, both sexes.....	29	39	36	48	52	72	65	41	19	15	3	-
Male.....	18	19	16	22	17	36	26	24	5	4	-	-
Female.....	11	20	20	26	35	36	39	17	14	11	3	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	1	-	-	3	2	2	4	-	-	-
Male.....	-	-	1	-	-	2	1	-	1	-	-	-
Female.....	1	1	-	-	-	1	1	2	3	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Diseases of urinary system (N00-N39)

Rhode Island

All races, both sexes.....	4	3	5	11	16	33	49	49	42	22	1	-
Male.....	3	1	3	5	7	20	24	22	9	6	-	-
Female.....	1	2	2	6	9	13	25	27	33	16	1	-
White, both sexes.....	4	2	5	9	14	33	48	49	39	22	1	-
Male.....	3	1	3	4	6	20	23	22	9	6	-	-
Female.....	1	1	2	5	8	13	25	27	30	16	1	-
Black, both sexes.....	-	1	-	1	2	-	1	-	2	-	-	-
Male.....	-	-	-	1	1	-	1	-	-	-	-	-
Female.....	-	1	-	-	1	-	-	-	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	1	-	-	-

South Carolina

All races, both sexes.....	35	50	69	86	103	151	198	188	106	41	10	-
Male.....	20	26	38	49	46	74	79	72	23	15	2	-
Female.....	15	24	31	37	57	77	119	116	83	26	8	-
White, both sexes.....	14	14	27	41	57	98	135	125	77	20	8	-
Male.....	10	8	14	24	29	57	63	53	15	8	2	-
Female.....	4	6	13	17	28	41	72	72	62	12	6	-
Black, both sexes.....	21	36	41	45	46	53	63	60	29	21	2	-
Male.....	10	18	24	25	17	17	16	18	8	7	-	-
Female.....	11	18	17	20	29	36	47	42	21	14	2	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	2	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Diseases of urinary system (N00-N39)

South Dakota

All races, both sexes.....	3	5	4	8	10	22	31	16	29	11	5	-
Male.....	2	4	1	2	4	10	16	5	8	3	2	-
Female.....	1	1	3	6	6	12	15	11	21	8	3	-
White, both sexes.....	1	3	3	6	7	17	31	15	29	11	5	-
Male.....	1	3	1	2	3	9	16	5	8	3	2	-
Female.....	-	-	2	4	4	8	15	10	21	8	3	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	2	1	2	3	5	-	1	-	-	-	-
Male.....	1	1	-	-	1	1	-	-	-	-	-	-
Female.....	1	1	1	2	2	4	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Tennessee

All races, both sexes.....	31	58	51	88	127	160	246	200	155	69	12	-
Male.....	19	30	31	38	56	79	98	62	45	13	-	-
Female.....	12	28	20	50	71	81	148	138	110	56	12	-
White, both sexes.....	13	39	38	61	102	121	205	173	135	53	9	-
Male.....	7	17	22	26	47	57	77	50	41	9	-	-
Female.....	6	22	16	35	55	64	128	123	94	44	9	-
Black, both sexes.....	18	19	13	27	25	39	40	27	20	16	3	-
Male.....	12	13	9	12	9	22	21	12	4	4	-	-
Female.....	6	6	4	15	16	17	19	15	16	12	3	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Diseases of urinary system (N00-N39)

Texas

All races, both sexes.....	133	140	206	288	321	507	613	580	409	163	38	-
Male.....	76	79	113	153	166	240	280	247	135	37	7	-
Female.....	57	61	93	135	155	267	333	333	274	126	31	-
White, both sexes.....	96	103	156	231	253	414	533	510	347	145	28	-
Male.....	53	61	88	121	135	200	245	224	118	31	6	-
Female.....	43	42	68	110	118	214	288	286	229	114	22	-
Black, both sexes.....	35	33	47	57	62	82	75	62	58	16	10	-
Male.....	22	16	22	32	31	33	31	21	14	6	1	-
Female.....	13	17	25	25	31	49	44	41	44	10	9	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	4	3	-	6	10	5	8	4	2	-	-
Male.....	1	2	3	-	-	7	4	2	3	-	-	-
Female.....	1	2	-	-	6	3	1	6	1	2	-	-

Utah

All races, both sexes.....	8	3	14	25	22	41	74	58	42	9	5	-
Male.....	6	-	7	9	11	21	40	28	18	1	1	-
Female.....	2	3	7	16	11	20	34	30	24	8	4	-
White, both sexes.....	7	3	12	24	21	39	71	56	41	9	4	-
Male.....	5	-	5	9	11	19	38	28	17	1	-	-
Female.....	2	3	7	15	10	20	33	28	24	8	4	-
Black, both sexes.....	-	-	1	-	1	-	-	1	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	1	-	1	2	-	1	-	-	-
Male.....	1	-	-	-	-	1	1	-	1	-	-	-
Female.....	-	-	-	1	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	1	1	1	-	-	1	-
Male.....	-	-	1	-	-	1	1	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Diseases of urinary system (N00-N39)

Vermont

All races, both sexes.....	1	2	3	6	8	14	21	20	14	5	1	-
Male.....	-	1	3	1	-	6	13	9	1	2	-	-
Female.....	1	1	-	5	8	8	8	11	13	3	1	-
White, both sexes.....	1	2	3	6	8	14	21	20	14	5	1	-
Male.....	-	1	3	1	-	6	13	9	1	2	-	-
Female.....	1	1	-	5	8	8	8	11	13	3	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	60	55	86	113	162	256	295	289	214	73	14	-
Male.....	32	25	47	53	75	123	139	112	74	21	1	-
Female.....	28	30	39	60	87	133	156	177	140	52	13	-
White, both sexes.....	28	23	48	70	103	184	224	226	172	67	9	-
Male.....	16	15	26	34	52	91	103	89	63	19	1	-
Female.....	12	8	22	36	51	93	121	137	109	48	8	-
Black, both sexes.....	30	31	33	42	54	66	67	59	39	6	5	-
Male.....	16	10	19	18	21	31	35	21	9	2	-	-
Female.....	14	21	14	24	33	35	32	38	30	4	5	-
American Indian 1/, both sexes.....	-	-	-	1	1	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	5	-	4	6	4	4	3	-	-	-
Male.....	-	-	2	-	2	1	1	2	2	-	-	-
Female.....	2	1	3	-	2	5	3	2	1	-	-	-





































































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

## Glomerular and renal tubulo-interstitial diseases (N00-N15)

## Arkansas

All races, both sexes.....	1	-	1	1	1	3	3	4	4	1	-	-
Male.....	-	-	1	1	1	3	2	3	1	-	-	-
Female.....	1	-	-	-	-	-	1	1	3	1	-	-
White, both sexes.....	-	-	1	1	1	3	3	3	4	1	-	-
Male.....	-	-	1	1	1	3	2	3	1	-	-	-
Female.....	-	-	-	-	-	-	1	-	3	1	-	-
Black, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

## California

All races, both sexes.....	9	13	10	15	18	35	42	39	34	9	2	-
Male.....	3	7	2	4	7	19	17	16	16	4	1	-
Female.....	6	6	8	11	11	16	25	23	18	5	1	-
White, both sexes.....	8	10	8	13	16	29	33	36	28	8	1	-
Male.....	3	4	1	4	5	14	13	16	12	3	1	-
Female.....	5	6	7	9	11	15	20	20	16	5	-	-
Black, both sexes.....	1	3	1	1	1	4	4	1	2	-	1	-
Male.....	-	3	-	-	1	3	1	-	1	-	-	-
Female.....	1	-	1	1	-	1	3	1	1	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	1	1	2	5	2	4	1	-	-
Male.....	-	-	1	-	1	2	3	-	3	1	-	-
Female.....	-	-	-	1	-	-	2	2	1	-	-	-









































































































































































































































































































































































































































































































































































































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Renal tubulo-interstitial diseases (N10-N15)

Arkansas

All races, both sexes.....	-	-	-	1	1	1	2	3	3	1	-	-
Male.....	-	-	-	1	1	1	1	3	1	-	-	-
Female.....	-	-	-	-	-	-	1	-	2	1	-	-
White, both sexes.....	-	-	-	1	1	1	2	3	3	1	-	-
Male.....	-	-	-	1	1	1	1	3	1	-	-	-
Female.....	-	-	-	-	-	-	1	-	2	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	3	5	7	9	12	19	29	25	27	4	-	-
Male.....	1	2	1	2	3	10	12	9	12	2	-	-
Female.....	2	3	6	7	9	9	17	16	15	2	-	-
White, both sexes.....	2	4	5	8	11	17	24	22	22	4	-	-
Male.....	1	1	-	2	2	9	10	9	9	2	-	-
Female.....	1	3	5	6	9	8	14	13	13	2	-	-
Black, both sexes.....	1	1	1	-	-	2	2	1	2	-	-	-
Male.....	-	1	-	-	-	1	1	-	1	-	-	-
Female.....	1	-	1	-	-	1	1	1	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	1	1	-	3	2	3	-	-	-
Male.....	-	-	1	-	1	-	1	-	2	-	-	-
Female.....	-	-	-	1	-	-	2	2	1	-	-	-

















































































































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Renal failure (N17-N19)												
Alaska												
All races, both sexes.....	-	2	1	4	1	3	3	4	2	-	-	-
Male.....	-	1	1	3	1	1	2	1	-	-	-	-
Female.....	-	1	-	1	-	2	1	3	2	-	-	-
White, both sexes.....	-	2	1	2	1	3	3	2	2	-	-	-
Male.....	-	1	1	1	1	1	2	-	-	-	-	-
Female.....	-	1	-	1	-	2	1	2	2	-	-	-
Black, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	2	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Arizona												
All races, both sexes.....	19	32	42	47	79	96	122	87	40	10	3	-
Male.....	13	17	20	30	39	49	69	45	12	4	1	-
Female.....	6	15	22	17	40	47	53	42	28	6	2	-
White, both sexes.....	15	24	33	40	68	87	116	82	38	9	2	-
Male.....	10	13	17	25	37	46	68	42	12	4	1	-
Female.....	5	11	16	15	31	41	48	40	26	5	1	-
Black, both sexes.....	1	1	5	-	3	3	2	3	1	1	-	-
Male.....	1	1	1	-	1	1	-	2	-	-	-	-
Female.....	-	-	4	-	2	2	2	1	1	1	-	-
American Indian 1/, both sexes.....	3	7	4	6	8	5	2	1	1	-	-	-
Male.....	2	3	2	5	1	2	-	1	-	-	-	-
Female.....	1	4	2	1	7	3	2	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	1	2	1	-	-	1	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	1	-	1	1	1	-	-	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Renal failure (N17-N19)												
Arkansas												
All races, both sexes.....	15	24	35	32	48	83	98	94	59	36	3	-
Male.....	7	19	20	18	30	48	36	28	19	10	1	-
Female.....	8	5	15	14	18	35	62	66	40	26	2	-
White, both sexes.....	10	15	23	20	40	68	92	82	47	28	3	-
Male.....	6	13	14	10	25	40	36	24	14	7	1	-
Female.....	4	2	9	10	15	28	56	58	33	21	2	-
Black, both sexes.....	5	9	12	12	8	15	6	12	10	8	-	-
Male.....	1	6	6	8	5	8	-	4	4	3	-	-
Female.....	4	3	6	4	3	7	6	8	6	5	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
California												
All races, both sexes.....	95	116	131	175	231	364	379	287	236	73	19	-
Male.....	59	71	59	75	118	172	186	137	95	26	7	-
Female.....	36	45	72	100	113	192	193	150	141	47	12	-
White, both sexes.....	67	85	90	135	181	284	309	246	204	63	17	-
Male.....	41	51	40	59	91	138	152	115	81	22	5	-
Female.....	26	34	50	76	90	146	157	131	123	41	12	-
Black, both sexes.....	23	23	29	18	27	32	30	12	18	6	1	-
Male.....	14	14	11	8	12	17	13	5	4	1	1	-
Female.....	9	9	18	10	15	15	17	7	14	5	-	-
American Indian 1/, both sexes.....	1	2	1	1	1	3	1	-	-	-	-	-
Male.....	1	1	1	-	-	1	1	-	-	-	-	-
Female.....	-	1	-	1	1	2	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	6	11	21	22	45	39	29	14	4	1	-
Male.....	3	5	7	8	15	16	20	17	10	3	1	-
Female.....	1	1	4	13	7	29	19	12	4	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

## Renal failure (N17-N19)

## Colorado

All races, both sexes.....	9	15	16	25	27	64	78	68	54	24	1	-
Male.....	5	8	4	10	13	30	38	35	23	4	-	-
Female.....	4	7	12	15	14	34	40	33	31	20	1	-
White, both sexes.....	7	14	15	21	24	60	74	66	53	23	1	-
Male.....	4	7	3	7	13	28	36	34	23	3	-	-
Female.....	3	7	12	14	11	32	38	32	30	20	1	-
Black, both sexes.....	1	1	1	4	3	1	3	2	-	-	-	-
Male.....	1	1	1	3	-	-	2	1	-	-	-	-
Female.....	-	-	-	1	3	1	1	1	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	1	1	-	1	1	-	-
Male.....	-	-	-	-	-	1	-	-	-	1	-	-
Female.....	1	-	-	-	-	-	1	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	2	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

## Connecticut

All races, both sexes.....	12	21	28	36	50	97	119	88	85	31	5	-
Male.....	9	14	15	16	21	50	66	44	35	8	1	-
Female.....	3	7	13	20	29	47	53	44	50	23	4	-
White, both sexes.....	7	14	19	26	43	85	107	85	79	27	5	-
Male.....	6	10	9	13	20	45	60	44	33	6	1	-
Female.....	1	4	10	13	23	40	47	41	46	21	4	-
Black, both sexes.....	5	5	8	10	4	11	12	3	6	4	-	-
Male.....	3	3	6	3	1	5	6	-	2	2	-	-
Female.....	2	2	2	7	3	6	6	3	4	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	1	-	3	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	1	-	3	-	-	-	-	-	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Renal failure (N17-N19)

Florida

All races, both sexes.....	58	78	115	133	202	293	378	452	292	81	17	-
Male.....	30	42	56	82	107	164	210	236	139	30	7	-
Female.....	28	36	59	51	95	129	168	216	153	51	10	-
White, both sexes.....	31	53	82	92	158	249	343	413	269	74	14	-
Male.....	15	32	37	62	87	146	197	218	128	29	6	-
Female.....	16	21	45	30	71	103	146	195	141	45	8	-
Black, both sexes.....	26	25	31	40	42	43	33	39	22	7	3	-
Male.....	14	10	17	20	18	17	13	18	11	1	1	-
Female.....	12	15	14	20	24	26	20	21	11	6	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	2	1	2	1	2	-	1	-	-	-
Male.....	1	-	2	-	2	1	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	2	-	1	-	-	-

Georgia

All races, both sexes.....	61	86	107	115	163	231	215	183	132	48	6	-
Male.....	32	51	63	59	75	118	103	83	44	15	2	-
Female.....	29	35	44	56	88	113	112	100	88	33	4	-
White, both sexes.....	25	27	47	62	90	147	153	126	86	27	3	-
Male.....	10	17	30	40	44	86	79	65	29	8	1	-
Female.....	15	10	17	22	46	61	74	61	57	19	2	-
Black, both sexes.....	35	57	59	51	71	82	62	56	46	21	3	-
Male.....	22	32	32	19	30	32	24	17	15	7	1	-
Female.....	13	25	27	32	41	50	38	39	31	14	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	2	1	2	2	1	-	-	-	-	-	-
Male.....	-	2	1	-	1	-	-	-	-	-	-	-
Female.....	1	-	-	2	1	1	-	-	-	-	-	-









Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Renal failure (N17-N19)

Kentucky

All races, both sexes.....	20	28	45	49	93	114	155	136	86	36	4	-
Male.....	13	16	19	23	47	62	67	55	24	9	-	-
Female.....	7	12	26	26	46	52	88	81	62	27	4	-
White, both sexes.....	17	21	32	42	79	100	147	130	80	32	4	-
Male.....	10	12	16	22	39	54	63	52	23	8	-	-
Female.....	7	9	16	20	40	46	84	78	57	24	4	-
Black, both sexes.....	3	7	13	7	14	14	8	6	6	4	-	-
Male.....	3	4	3	1	8	8	4	3	1	1	-	-
Female.....	-	3	10	6	6	6	4	3	5	3	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Louisiana

All races, both sexes.....	49	68	68	100	112	177	156	167	89	33	4	-
Male.....	29	25	24	46	57	90	75	69	30	6	1	-
Female.....	20	43	44	54	55	87	81	98	59	27	3	-
White, both sexes.....	17	28	31	44	60	112	110	112	67	24	3	-
Male.....	10	14	11	20	31	61	58	48	25	4	1	-
Female.....	7	14	20	24	29	51	52	64	42	20	2	-
Black, both sexes.....	32	40	37	54	52	65	46	53	22	9	1	-
Male.....	19	11	13	25	26	29	17	20	5	2	-	-
Female.....	13	29	24	29	26	36	29	33	17	7	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	2	-	-	-	2	-	-	-	-
Male.....	-	-	-	1	-	-	-	1	-	-	-	-
Female.....	-	-	-	1	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Renal failure (N17-N19)												
Maine												
All races, both sexes.....	4	11	8	18	25	36	64	47	28	13	1	-
Male.....	1	6	3	7	7	16	26	15	13	5	-	-
Female.....	3	5	5	11	18	20	38	32	15	8	1	-
White, both sexes.....	4	11	8	18	25	35	63	47	28	13	1	-
Male.....	1	6	3	7	7	16	25	15	13	5	-	-
Female.....	3	5	5	11	18	19	38	32	15	8	1	-
Black, both sexes.....	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Maryland												
All races, both sexes.....	21	40	31	46	75	122	114	105	64	21	4	-
Male.....	10	21	18	24	36	58	56	47	24	9	-	-
Female.....	11	19	13	22	39	64	58	58	40	12	4	-
White, both sexes.....	8	12	15	20	45	93	77	82	50	14	3	-
Male.....	4	7	7	10	20	46	40	37	22	6	-	-
Female.....	4	5	8	10	25	47	37	45	28	8	3	-
Black, both sexes.....	12	26	14	26	30	29	34	22	11	7	1	-
Male.....	6	14	10	14	16	12	15	9	2	3	-	-
Female.....	6	12	4	12	14	17	19	13	9	4	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	2	2	-	-	-	3	1	3	-	-	-
Male.....	-	-	1	-	-	-	1	1	-	-	-	-
Female.....	1	2	1	-	-	-	2	-	3	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Renal failure (N17-N19)

Massachusetts

All races, both sexes.....	21	34	51	64	93	178	252	270	164	62	12	-
Male.....	14	25	31	35	50	97	124	118	61	18	3	-
Female.....	7	9	20	29	43	81	128	152	103	44	9	-
White, both sexes.....	17	29	45	52	83	161	232	257	158	60	12	-
Male.....	12	22	27	28	45	87	115	113	58	16	3	-
Female.....	5	7	18	24	38	74	117	144	100	44	9	-
Black, both sexes.....	4	5	6	10	9	11	17	11	4	1	-	-
Male.....	2	3	4	5	5	6	7	5	3	1	-	-
Female.....	2	2	2	5	4	5	10	6	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	2	1	5	2	2	2	1	-	-
Male.....	-	-	-	2	-	3	2	-	-	1	-	-
Female.....	-	-	-	-	1	2	-	2	2	-	-	-

Michigan

All races, both sexes.....	34	55	64	75	151	260	282	275	163	55	16	-
Male.....	26	29	34	41	75	129	123	130	54	20	6	-
Female.....	8	26	30	34	76	131	159	145	109	35	10	-
White, both sexes.....	16	33	44	55	119	217	233	251	139	49	9	-
Male.....	12	19	26	32	59	105	105	119	44	18	3	-
Female.....	4	14	18	23	60	112	128	132	95	31	6	-
Black, both sexes.....	16	22	19	19	30	41	46	22	24	6	7	-
Male.....	12	10	8	9	15	23	16	10	10	2	3	-
Female.....	4	12	11	10	15	18	30	12	14	4	4	-
American Indian 1/, both sexes.....	2	-	1	1	1	1	-	2	-	-	-	-
Male.....	2	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	1	1	1	1	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	1	3	-	-	-	-	-
Male.....	-	-	-	-	1	1	2	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-







Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Renal failure (N17-N19)												
Nebraska												
All races, both sexes.....	8	8	10	16	28	43	57	49	27	19	2	-
Male.....	4	4	7	7	15	21	30	26	10	6	-	-
Female.....	4	4	3	9	13	22	27	23	17	13	2	-
White, both sexes.....	5	7	9	12	25	39	52	48	27	19	2	-
Male.....	3	3	7	5	14	20	29	25	10	6	-	-
Female.....	2	4	2	7	11	19	23	23	17	13	2	-
Black, both sexes.....	2	1	1	2	2	3	4	1	-	-	-	-
Male.....	1	1	-	-	1	-	1	1	-	-	-	-
Female.....	1	-	1	2	1	3	3	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	2	1	1	1	-	-	-	-	-
Male.....	-	-	-	2	-	1	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Nevada												
All races, both sexes.....	12	23	31	41	50	73	83	55	25	9	1	-
Male.....	10	4	21	31	32	43	54	25	15	3	-	-
Female.....	2	19	10	10	18	30	29	30	10	6	1	-
White, both sexes.....	11	18	26	31	39	64	78	48	25	9	1	-
Male.....	9	3	18	23	25	42	50	24	15	3	-	-
Female.....	2	15	8	8	14	22	28	24	10	6	1	-
Black, both sexes.....	1	2	4	4	5	5	1	2	-	-	-	-
Male.....	1	-	2	3	3	-	1	1	-	-	-	-
Female.....	-	2	2	1	2	5	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	2	1	2	1	1	-	-	-	-
Male.....	-	1	-	2	1	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	2	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	1	4	5	2	3	4	-	-	-	-
Male.....	-	-	1	3	3	1	2	-	-	-	-	-
Female.....	-	2	-	1	2	1	1	4	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Renal failure (N17-N19)												
New Hampshire												
All races, both sexes.....	2	3	4	15	17	23	26	30	22	13	3	-
Male.....	2	2	2	9	7	15	8	15	9	2	1	-
Female.....	-	1	2	6	10	8	18	15	13	11	2	-
White, both sexes.....	2	3	4	15	17	23	26	30	22	12	3	-
Male.....	2	2	2	9	7	15	8	15	9	2	1	-
Female.....	-	1	2	6	10	8	18	15	13	10	2	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New Jersey												
All races, both sexes.....	35	53	80	90	153	219	294	321	217	52	11	-
Male.....	18	36	34	53	94	108	152	147	81	13	3	-
Female.....	17	17	46	37	59	111	142	174	136	39	8	-
White, both sexes.....	18	30	48	56	112	181	255	286	195	45	11	-
Male.....	10	26	23	29	71	91	134	132	74	13	3	-
Female.....	8	4	25	27	41	90	121	154	121	32	8	-
Black, both sexes.....	17	23	30	31	38	30	33	28	21	6	-	-
Male.....	8	10	10	22	23	14	16	11	7	-	-	-
Female.....	9	13	20	9	15	16	17	17	14	6	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	2	3	3	7	6	7	1	1	-	-
Male.....	-	-	1	2	-	2	2	4	-	-	-	-
Female.....	-	-	1	1	3	5	4	3	1	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Renal failure (N17-N19)												
New Mexico												
All races, both sexes.....	10	12	14	18	16	31	54	28	22	7	2	-
Male.....	4	9	10	9	9	13	30	18	14	1	1	-
Female.....	6	3	4	9	7	18	24	10	8	6	1	-
White, both sexes.....	7	10	11	17	15	26	50	26	22	6	1	-
Male.....	2	8	8	8	8	13	27	16	14	1	1	-
Female.....	5	2	3	9	7	13	23	10	8	5	-	-
Black, both sexes.....	-	1	-	-	-	3	1	-	-	-	-	-
Male.....	-	1	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	3	-	-	-	-	-	-
American Indian 1/, both sexes.....	3	1	3	1	1	2	3	2	-	1	1	-
Male.....	2	-	2	1	1	-	2	2	-	-	-	-
Female.....	1	1	1	-	-	2	1	-	-	1	1	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	56	88	110	139	218	336	422	399	292	135	27	-
Male.....	37	51	59	77	104	163	202	192	96	45	6	-
Female.....	19	37	51	62	114	173	220	207	196	90	21	-
White, both sexes.....	40	58	66	100	166	283	372	363	268	127	25	-
Male.....	27	35	35	56	86	142	185	177	87	41	6	-
Female.....	13	23	31	44	80	141	187	186	181	86	19	-
Black, both sexes.....	16	27	41	30	47	46	40	33	19	8	2	-
Male.....	10	15	21	17	17	18	12	12	6	4	-	-
Female.....	6	12	20	13	30	28	28	21	13	4	2	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	1	1	-	-	-	-
Male.....	-	-	-	1	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	3	3	8	5	7	9	2	5	-	-	-
Male.....	-	1	3	3	1	3	5	2	3	-	-	-
Female.....	-	2	-	5	4	4	4	-	2	-	-	-





Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Renal failure (N17-N19)												
Oregon												
All races, both sexes.....	6	5	11	20	25	35	60	61	39	15	2	-
Male.....	3	2	6	5	8	15	35	31	18	10	2	-
Female.....	3	3	5	15	17	20	25	30	21	5	-	-
White, both sexes.....	6	5	11	18	23	35	57	58	38	15	2	-
Male.....	3	2	6	4	6	15	33	29	17	10	2	-
Female.....	3	3	5	14	17	20	24	29	21	5	-	-
Black, both sexes.....	-	-	-	-	-	-	2	2	-	-	-	-
Male.....	-	-	-	-	-	-	1	1	-	-	-	-
Female.....	-	-	-	-	-	-	1	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	2	2	-	1	1	1	-	-	-
Male.....	-	-	-	1	2	-	1	1	1	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Pennsylvania												
All races, both sexes.....	63	98	112	192	302	506	652	547	345	107	19	1
Male.....	37	53	62	95	161	252	344	249	132	29	2	1
Female.....	26	45	50	97	141	254	308	298	213	78	17	-
White, both sexes.....	40	63	77	150	259	439	593	510	325	94	16	1
Male.....	22	36	46	75	148	218	318	228	127	26	2	1
Female.....	18	27	31	75	111	221	275	282	198	68	14	-
Black, both sexes.....	23	34	34	42	43	64	56	35	16	13	3	-
Male.....	15	17	15	20	13	32	25	21	4	3	-	-
Female.....	8	17	19	22	30	32	31	14	12	10	3	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	-	-	3	2	2	4	-	-	-
Male.....	-	-	1	-	-	2	1	-	1	-	-	-
Female.....	-	1	-	-	-	1	1	2	3	-	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

#### Renal failure (N17-N19)

##### South Dakota

All races, both sexes.....	2	4	3	4	7	14	22	10	15	5	3	-
Male.....	1	3	1	-	4	8	11	4	6	2	1	-
Female.....	1	1	2	4	3	6	11	6	9	3	2	-
White, both sexes.....	1	2	2	2	4	10	22	9	15	5	3	-
Male.....	1	2	1	-	3	7	11	4	6	2	1	-
Female.....	-	-	1	2	1	3	11	5	9	3	2	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	2	1	2	3	4	-	1	-	-	-	-
Male.....	-	1	-	-	1	1	-	-	-	-	-	-
Female.....	1	1	1	2	2	3	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

##### Tennessee

All races, both sexes.....	19	32	40	62	63	77	125	105	56	22	5	-
Male.....	13	18	25	27	38	41	50	37	21	4	-	-
Female.....	6	14	15	35	25	36	75	68	35	18	5	-
White, both sexes.....	6	20	31	40	47	55	95	86	47	17	4	-
Male.....	3	9	18	19	33	29	35	30	19	3	-	-
Female.....	3	11	13	21	14	26	60	56	28	14	4	-
Black, both sexes.....	13	12	9	22	16	22	29	19	9	5	1	-
Male.....	10	9	7	8	5	12	15	7	2	1	-	-
Female.....	3	3	2	14	11	10	14	12	7	4	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-





Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Renal failure (N17-N19)

Vermont

All races, both sexes.....	-	2	1	1	3	6	14	14	8	4	1	-
Male.....	-	1	1	-	-	4	10	8	-	2	-	-
Female.....	-	1	-	1	3	2	4	6	8	2	1	-
White, both sexes.....	-	2	1	1	3	6	14	14	8	4	1	-
Male.....	-	1	1	-	-	4	10	8	-	2	-	-
Female.....	-	1	-	1	3	2	4	6	8	2	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	50	50	74	95	136	199	210	191	131	32	7	-
Male.....	25	23	40	47	66	97	104	88	56	12	1	-
Female.....	25	27	34	48	70	102	106	103	75	20	6	-
White, both sexes.....	19	21	40	56	85	145	151	142	104	29	5	-
Male.....	10	15	22	30	46	74	74	67	49	11	1	-
Female.....	9	6	18	26	39	71	77	75	55	18	4	-
Black, both sexes.....	29	28	29	39	47	50	55	45	25	3	2	-
Male.....	15	8	16	17	18	22	29	19	5	1	-	-
Female.....	14	20	13	22	29	28	26	26	20	2	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	5	-	4	4	4	4	2	-	-	-
Male.....	-	-	2	-	2	1	1	2	2	-	-	-
Female.....	2	1	3	-	2	3	3	2	-	-	-	-



































































































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Urolithiasis (N20-N23)

New Mexico

All races, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	-	1	-	3	-	4	4	10	4	1	1	-
Male.....	-	-	-	1	-	2	-	5	1	-	-	-
Female.....	-	1	-	2	-	2	4	5	3	1	1	-
White, both sexes.....	-	-	-	2	-	3	3	9	4	1	1	-
Male.....	-	-	-	1	-	1	-	5	1	-	-	-
Female.....	-	-	-	1	-	2	3	4	3	1	1	-
Black, both sexes.....	-	1	-	-	-	1	-	1	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	1	-	-	-	-	-







































































































































































































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Urinary tract infection, site not specified (N39.0)

Alaska

All races, both sexes.....	1	-	-	2	-	1	2	2	3	-	-	-
Male.....	-	-	-	2	-	-	1	-	1	-	-	-
Female.....	1	-	-	-	-	1	1	2	2	-	-	-
White, both sexes.....	-	-	-	1	-	1	1	2	3	-	-	-
Male.....	-	-	-	1	-	-	1	-	1	-	-	-
Female.....	-	-	-	-	-	1	-	2	2	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	1	-	-	1	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Arizona

All races, both sexes.....	7	3	6	8	16	26	35	35	35	18	4	-
Male.....	5	2	1	5	7	9	13	13	9	8	1	-
Female.....	2	1	5	3	9	17	22	22	26	10	3	-
White, both sexes.....	6	3	5	5	14	21	34	34	34	17	4	-
Male.....	4	2	1	3	7	7	12	12	9	7	1	-
Female.....	2	1	4	2	7	14	22	22	25	10	3	-
Black, both sexes.....	-	-	1	1	-	2	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	1	1	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	2	2	1	1	1	1	1	-	-
Male.....	1	-	-	2	-	-	1	1	-	1	-	-
Female.....	-	-	-	-	2	1	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	2	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Urinary tract infection, site not specified (N39.0)

Arkansas

All races, both sexes.....	4	1	4	10	11	17	35	36	25	11	3	-
Male.....	2	1	2	1	4	9	15	8	3	2	1	-
Female.....	2	-	2	9	7	8	20	28	22	9	2	-
White, both sexes.....	3	1	2	8	11	15	30	34	22	10	2	-
Male.....	1	1	1	1	4	9	12	8	2	1	1	-
Female.....	2	-	1	7	7	6	18	26	20	9	1	-
Black, both sexes.....	1	-	2	2	-	2	5	2	3	1	1	-
Male.....	1	-	1	-	-	-	3	-	1	1	-	-
Female.....	-	-	1	2	-	2	2	2	2	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	10	27	29	63	110	195	349	368	262	107	21	-
Male.....	3	14	11	30	43	69	116	101	72	18	3	-
Female.....	7	13	18	33	67	126	233	267	190	89	18	-
White, both sexes.....	8	20	24	53	93	158	297	332	234	98	14	-
Male.....	3	11	7	24	38	55	93	88	61	16	2	-
Female.....	5	9	17	29	55	103	204	244	173	82	12	-
Black, both sexes.....	2	5	1	8	10	16	27	22	11	3	3	-
Male.....	-	1	1	5	3	8	10	7	5	1	1	-
Female.....	2	4	-	3	7	8	17	15	6	2	2	-
American Indian 1/, both sexes.....	-	-	1	1	-	2	3	-	-	-	-	-
Male.....	-	-	1	-	-	1	2	-	-	-	-	-
Female.....	-	-	-	1	-	1	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	3	1	7	19	22	14	17	6	4	-
Male.....	-	2	2	1	2	5	11	6	6	1	-	-
Female.....	-	-	1	-	5	14	11	8	11	5	4	-











Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Urinary tract infection, site not specified (N39.0)

Iowa

All races, both sexes.....	-	2	-	3	13	25	35	32	41	30	2	-
Male.....	-	-	-	4	13	8	10	8	7	7	-	-
Female.....	-	2	-	3	9	12	27	22	33	23	2	-
White, both sexes.....	-	2	-	3	13	25	35	32	40	29	2	-
Male.....	-	-	-	4	13	8	10	7	6	6	-	-
Female.....	-	2	-	3	9	12	27	22	33	23	2	-
Black, both sexes.....	-	-	-	-	-	-	-	-	1	1	-	-
Male.....	-	-	-	-	-	-	-	-	1	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Kansas

All races, both sexes.....	1	-	-	1	3	12	17	30	27	10	5	-
Male.....	-	-	-	1	-	3	5	6	7	3	-	-
Female.....	1	-	-	-	3	9	12	24	20	7	5	-
White, both sexes.....	1	-	-	1	3	11	15	30	26	10	5	-
Male.....	-	-	-	1	-	3	5	6	6	3	-	-
Female.....	1	-	-	-	3	8	10	24	20	7	5	-
Black, both sexes.....	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Urinary tract infection, site not specified (N39.0)												
Kentucky												
All races, both sexes.....	4	2	5	10	18	24	39	47	35	10	4	-
Male.....	1	1	2	8	6	10	20	14	9	2	1	-
Female.....	3	1	3	2	12	14	19	33	26	8	3	-
White, both sexes.....	3	2	5	8	15	21	38	45	32	10	4	-
Male.....	1	1	2	7	5	8	20	12	8	2	1	-
Female.....	2	1	3	1	10	13	18	33	24	8	3	-
Black, both sexes.....	1	-	-	2	3	3	1	2	3	-	-	-
Male.....	-	-	-	1	1	2	-	2	1	-	-	-
Female.....	1	-	-	1	2	1	1	-	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Louisiana												
All races, both sexes.....	1	5	5	6	11	25	51	52	39	18	2	-
Male.....	1	2	3	3	5	7	22	12	5	3	-	-
Female.....	-	3	2	3	6	18	29	40	34	15	2	-
White, both sexes.....	-	4	4	4	10	17	38	40	30	11	1	-
Male.....	-	1	2	2	5	1	17	10	4	2	-	-
Female.....	-	3	2	2	5	16	21	30	26	9	1	-
Black, both sexes.....	1	1	1	2	1	8	12	12	9	6	1	-
Male.....	1	1	1	1	-	6	5	2	1	-	-	-
Female.....	-	-	-	1	1	2	7	10	8	6	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-













Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Urinary tract infection, site not specified (N39.0)

New Hampshire

All races, both sexes.....	-	-	1	1	3	10	11	6	12	4	-	-
Male.....	-	-	-	1	2	6	2	1	1	1	-	-
Female.....	-	-	1	-	1	4	9	5	11	3	-	-
White, both sexes.....	-	-	1	1	3	10	11	6	12	4	-	-
Male.....	-	-	-	1	2	6	2	1	1	1	-	-
Female.....	-	-	1	-	1	4	9	5	11	3	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	2	7	4	12	18	40	73	77	73	32	4	-
Male.....	1	4	1	6	8	15	27	27	17	5	2	-
Female.....	1	3	3	6	10	25	46	50	56	27	2	-
White, both sexes.....	2	6	3	4	13	37	65	71	64	28	3	-
Male.....	1	3	1	2	6	15	24	26	14	2	2	-
Female.....	1	3	2	2	7	22	41	45	50	26	1	-
Black, both sexes.....	-	1	1	8	5	3	5	6	7	4	1	-
Male.....	-	1	-	4	2	-	2	1	2	3	-	-
Female.....	-	-	1	4	3	3	3	5	5	1	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	3	-	2	-	-	-
Male.....	-	-	-	-	-	-	1	-	1	-	-	-
Female.....	-	-	-	-	-	-	2	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Urinary tract infection, site not specified (N39.0)

New Mexico

All races, both sexes.....	-	2	1	5	5	9	8	13	11	5	1	-
Male.....	-	-	1	3	2	3	1	4	4	-	-	-
Female.....	-	2	-	2	3	6	7	9	7	5	1	-
White, both sexes.....	-	2	1	3	4	8	7	12	9	4	1	-
Male.....	-	-	1	1	2	3	1	4	3	-	-	-
Female.....	-	2	-	2	2	5	6	8	6	4	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	2	1	1	1	1	2	1	-	-
Male.....	-	-	-	2	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	1	1	1	1	1	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	10	12	21	36	63	133	201	236	177	78	18	-
Male.....	3	3	10	15	24	57	74	83	43	12	3	-
Female.....	7	9	11	21	39	76	127	153	134	66	15	-
White, both sexes.....	5	7	14	23	50	105	166	210	151	68	14	-
Male.....	2	1	8	11	21	47	64	73	38	10	3	-
Female.....	3	6	6	12	29	58	102	137	113	58	11	-
Black, both sexes.....	5	5	7	11	12	27	30	23	24	8	3	-
Male.....	1	2	2	3	3	10	7	9	4	-	-	-
Female.....	4	3	5	8	9	17	23	14	20	8	3	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	2	1	1	5	3	2	2	1	-
Male.....	-	-	-	1	-	-	3	1	1	2	-	-
Female.....	-	-	-	1	1	1	2	2	1	-	1	-









Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Urinary tract infection, site not specified (N39.0)

Rhode Island

All races, both sexes.....	3	-	1	3	7	9	23	23	16	12	1	-
Male.....	2	-	-	1	2	4	8	7	2	3	-	-
Female.....	1	-	1	2	5	5	15	16	14	9	1	-
White, both sexes.....	3	-	1	2	6	9	23	23	14	12	1	-
Male.....	2	-	-	1	2	4	8	7	2	3	-	-
Female.....	1	-	1	1	4	5	15	16	12	9	1	-
Black, both sexes.....	-	-	-	-	1	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	1	-	-	-

South Carolina

All races, both sexes.....	1	2	7	8	15	29	45	60	47	12	4	-
Male.....	1	1	-	4	6	10	13	18	8	5	-	-
Female.....	-	1	7	4	9	19	32	42	39	7	4	-
White, both sexes.....	-	1	4	3	11	19	33	40	36	6	4	-
Male.....	-	1	-	2	5	8	11	9	7	2	-	-
Female.....	-	-	4	1	6	11	22	31	29	4	4	-
Black, both sexes.....	1	1	2	5	4	10	12	18	11	6	-	-
Male.....	1	-	-	2	1	2	2	9	1	3	-	-
Female.....	-	1	2	3	3	8	10	9	10	3	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-



Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Urinary tract infection, site not specified (N39.0)												
Texas												
All races, both sexes.....	12	17	15	39	60	111	177	187	136	57	15	-
Male.....	7	8	4	21	27	45	66	73	37	7	2	-
Female.....	5	9	11	18	33	66	111	114	99	50	13	-
White, both sexes.....	11	11	14	31	53	94	160	173	122	52	10	-
Male.....	6	6	4	14	26	38	58	66	36	6	1	-
Female.....	5	5	10	17	27	56	102	107	86	46	9	-
Black, both sexes.....	1	6	1	8	7	14	17	13	14	5	5	-
Male.....	1	2	-	7	1	6	8	6	1	1	1	-
Female.....	-	4	1	1	6	8	9	7	13	4	4	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	2	-	1	-	-	-	-
Male.....	-	-	-	-	-	1	-	1	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Utah												
All races, both sexes.....	1	-	2	7	5	8	12	15	9	1	3	-
Male.....	1	-	1	1	2	1	6	6	3	-	-	-
Female.....	-	-	1	6	3	7	6	9	6	1	3	-
White, both sexes.....	1	-	1	7	4	8	11	13	9	1	3	-
Male.....	1	-	-	1	2	1	5	6	3	-	-	-
Female.....	-	-	1	6	2	7	6	7	6	1	3	-
Black, both sexes.....	-	-	-	-	1	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	-	-	1	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Urinary tract infection, site not specified (N39.0)

Vermont

All races, both sexes.....	1	-	1	4	3	6	5	3	6	1	-	-
Male.....	-	-	1	-	-	1	2	-	1	-	-	-
Female.....	1	-	-	4	3	5	3	3	5	1	-	-
White, both sexes.....	1	-	1	4	3	6	5	3	6	1	-	-
Male.....	-	-	1	-	-	1	2	-	1	-	-	-
Female.....	1	-	-	4	3	5	3	3	5	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	5	4	7	11	18	52	69	86	78	38	7	-
Male.....	4	1	5	2	5	22	27	18	16	8	-	-
Female.....	1	3	2	9	13	30	42	68	62	30	7	-
White, both sexes.....	5	2	4	10	13	36	60	73	64	35	4	-
Male.....	4	-	2	2	3	14	21	17	13	7	-	-
Female.....	1	2	2	8	10	22	39	56	51	28	4	-
Black, both sexes.....	-	2	3	1	4	14	9	13	13	3	3	-
Male.....	-	1	3	-	2	8	6	1	3	1	-	-
Female.....	-	1	-	1	2	6	3	12	10	2	3	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	2	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	2	-	-	1	-	-	-





































































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other diseases of urinary system (N28-N36,N39.1-N39.9)

Arkansas

All races, both sexes.....	2	1	2	3	2	3	2	1	1	-	-	-
Male.....	-	1	1	1	1	3	-	1	1	-	-	-
Female.....	2	-	1	2	1	-	2	-	-	-	-	-
White, both sexes.....	2	-	-	3	-	2	2	1	1	-	-	-
Male.....	-	-	-	1	-	2	-	1	1	-	-	-
Female.....	2	-	-	2	-	-	2	-	-	-	-	-
Black, both sexes.....	-	1	2	-	2	1	-	-	-	-	-	-
Male.....	-	1	1	-	1	1	-	-	-	-	-	-
Female.....	-	-	1	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	3	7	4	7	5	11	20	19	11	4	1	-
Male.....	1	7	3	4	3	5	6	7	5	-	-	-
Female.....	2	-	1	3	2	6	14	12	6	4	1	-
White, both sexes.....	3	5	4	7	5	9	17	17	11	4	1	-
Male.....	1	5	3	4	3	5	6	6	5	-	-	-
Female.....	2	-	1	3	2	4	11	11	6	4	1	-
Black, both sexes.....	-	1	-	-	-	1	2	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	2	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	1	1	2	-	-	-	-
Male.....	-	1	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	1	1	1	-	-	-	-















Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other diseases of urinary system (N28-N36,N39.1-N39.9)

Kentucky

All races, both sexes.....	1	2	-	1	2	1	4	4	2	1	1	-
Male.....	-	-	-	1	2	-	3	1	-	-	-	-
Female.....	1	2	-	-	-	1	1	3	2	1	1	-
White, both sexes.....	1	1	-	1	2	1	4	4	2	1	-	-
Male.....	-	-	-	1	2	-	3	1	-	-	-	-
Female.....	1	1	-	-	-	1	1	3	2	1	-	-
Black, both sexes.....	-	1	-	-	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Louisiana

All races, both sexes.....	3	1	7	10	4	8	11	10	3	1	-	-
Male.....	1	-	3	4	1	5	2	3	1	-	-	-
Female.....	2	1	4	6	3	3	9	7	2	1	-	-
White, both sexes.....	-	-	6	6	4	5	4	8	3	1	-	-
Male.....	-	-	3	3	1	4	1	3	1	-	-	-
Female.....	-	-	3	3	3	1	3	5	2	1	-	-
Black, both sexes.....	3	1	1	4	-	2	7	2	-	-	-	-
Male.....	1	-	-	1	-	1	1	-	-	-	-	-
Female.....	2	1	1	3	-	1	6	2	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

























































































































































































































































































































































































































































































































































































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Disorders of female genital organs (N70-N98)

Arkansas

All races, both sexes.....	-	-	-	-	2	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	-	-	-	2	-	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	4	2	2	1	2	3	3	6	4	1	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	4	2	2	1	2	3	3	6	4	1	-	-
White, both sexes.....	3	2	2	1	1	3	2	6	4	1	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	3	2	2	1	1	3	2	6	4	1	-	-
Black, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	1	-	-	-	-	-	1	-	-	-	-	-









































































































































































































































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Noninflammatory disorders of female genital tract (N80-N98)

Arkansas

All races, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	3	2	-	1	1	2	3	6	4	1	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	3	2	-	1	1	2	3	6	4	1	-	-
White, both sexes.....	2	2	-	1	-	2	2	6	4	1	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	2	2	-	1	-	2	2	6	4	1	-	-
Black, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	1	-	-	-	-	-	1	-	-	-	-	-

























































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
XV. Pregnancy, childbirth and the puerperium (O00-O99)												
Arkansas												
All races, both sexes.....	7	...	...	...	-	1	-	2	3	1	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	7	...	...	...	-	1	-	2	3	1	-	-
White, both sexes.....	7	...	...	...	-	1	-	2	3	1	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	7	...	...	...	-	1	-	2	3	1	-	-
Black, both sexes.....	-	...	...	...	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	...	...	...	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	...	...	...	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	150	...	...	...	2	3	16	26	27	19	18	15
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	150	...	...	...	2	3	16	26	27	19	18	15
White, both sexes.....	106	...	...	...	-	3	11	19	19	13	13	10
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	106	...	...	...	-	3	11	19	19	13	13	10
Black, both sexes.....	27	...	...	...	-	-	3	7	4	2	3	4
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	27	...	...	...	-	-	3	7	4	2	3	4
American Indian 1/, both sexes.....	2	...	...	...	-	-	1	-	-	1	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	2	...	...	...	-	-	1	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	15	...	...	...	2	-	1	-	4	3	2	1
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	15	...	...	...	2	-	1	-	4	3	2	1





Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
XV. Pregnancy, childbirth and the puerperium (000-099)												
Florida												
All races, both sexes.....	36	...	...	...	-	2	7	11	9	4	1	1
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	36	...	...	...	-	2	7	11	9	4	1	1
White, both sexes.....	15	...	...	...	-	1	3	2	4	4	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	15	...	...	...	-	1	3	2	4	4	-	-
Black, both sexes.....	20	...	...	...	-	-	4	9	5	-	1	1
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	20	...	...	...	-	-	4	9	5	-	1	1
American Indian 1/, both sexes.....	-	...	...	...	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	...	...	...	-	1	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	1	...	...	...	-	1	-	-	-	-	-	-
Georgia												
All races, both sexes.....	17	...	...	...	-	2	4	4	4	3	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	17	...	...	...	-	2	4	4	4	3	-	-
White, both sexes.....	2	...	...	...	-	1	-	-	1	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	2	...	...	...	-	1	-	-	1	-	-	-
Black, both sexes.....	14	...	...	...	-	1	4	4	2	3	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	14	...	...	...	-	1	4	4	2	3	-	-
American Indian 1/, both sexes.....	-	...	...	...	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	...	...	...	-	-	-	-	1	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	1	...	...	...	-	-	-	-	1	-	-	-













Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
XV. Pregnancy, childbirth and the puerperium (000-099)												
Massachusetts												
All races, both sexes.....	4	...	...	...	-	-	-	1	-	3	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	4	...	...	...	-	-	-	1	-	3	-	-
White, both sexes.....	3	...	...	...	-	-	-	-	-	3	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	3	...	...	...	-	-	-	-	-	3	-	-
Black, both sexes.....	1	...	...	...	-	-	-	1	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	1	...	...	...	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	...	...	...	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	...	...	...	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-	-
Michigan												
All races, both sexes.....	57	...	...	...	-	6	12	10	9	8	6	4
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	57	...	...	...	-	6	12	10	9	8	6	4
White, both sexes.....	30	...	...	...	-	2	4	5	8	4	4	2
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	30	...	...	...	-	2	4	5	8	4	4	2
Black, both sexes.....	25	...	...	...	-	4	8	5	1	2	2	2
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	25	...	...	...	-	4	8	5	1	2	2	2
American Indian 1/, both sexes.....	-	...	...	...	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	...	...	...	-	-	-	-	-	2	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	2	...	...	...	-	-	-	-	-	2	-	-











Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
XV. Pregnancy, childbirth and the puerperium (000-099)												
New Mexico												
All races, both sexes.....	4	...	...	...	-	1	-	2	1	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	4	...	...	...	-	1	-	2	1	-	-	-
White, both sexes.....	4	...	...	...	-	1	-	2	1	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	4	...	...	...	-	1	-	2	1	-	-	-
Black, both sexes.....	-	...	...	...	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	...	...	...	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	...	...	...	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	78	...	...	...	-	5	14	8	20	12	11	3
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	78	...	...	...	-	5	14	8	20	12	11	3
White, both sexes.....	44	...	...	...	-	4	6	4	12	5	7	2
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	44	...	...	...	-	4	6	4	12	5	7	2
Black, both sexes.....	30	...	...	...	-	1	6	4	8	7	2	1
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	30	...	...	...	-	1	6	4	8	7	2	1
American Indian 1/, both sexes.....	-	...	...	...	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	...	...	...	-	-	2	-	-	-	2	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	4	...	...	...	-	-	2	-	-	-	2	-





Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
XV. Pregnancy, childbirth and the puerperium (000-099)												
Oregon												
All races, both sexes.....	6	...	...	...	-	-	1	1	1	2	1	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	6	...	...	...	-	-	1	1	1	2	1	-
White, both sexes.....	5	...	...	...	-	-	1	1	-	2	1	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	5	...	...	...	-	-	1	1	-	2	1	-
Black, both sexes.....	-	...	...	...	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	...	...	...	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	...	...	...	-	-	-	-	1	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	1	...	...	...	-	-	-	-	1	-	-	-
Pennsylvania												
All races, both sexes.....	14	...	...	...	-	1	1	2	5	4	1	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	14	...	...	...	-	1	1	2	5	4	1	-
White, both sexes.....	7	...	...	...	-	-	1	1	3	2	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	7	...	...	...	-	-	1	1	3	2	-	-
Black, both sexes.....	6	...	...	...	-	1	-	-	2	2	1	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	6	...	...	...	-	1	-	-	2	2	1	-
American Indian 1/, both sexes.....	-	...	...	...	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	...	...	...	-	-	-	1	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	1	...	...	...	-	-	-	1	-	-	-	-



















Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

XV. Pregnancy, childbirth and the puerperium (000-099)

Arkansas

All races, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	23	-	-	-	-	1	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	23	-	-	-	-	1	-	-	-	-	-	-
White, both sexes.....	18	-	-	-	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	18	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	4	-	-	-	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	4	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	1	-	-	-	-	1	-	-	-	-	-	-



































































































































































































































































































































































































































































































































































































































































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Other direct obstetric deaths (O10-O92)												
Arkansas												
All races, both sexes.....	7	...	...	...	-	1	-	2	3	1	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	7	...	...	...	-	1	-	2	3	1	-	-
White, both sexes.....	7	...	...	...	-	1	-	2	3	1	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	7	...	...	...	-	1	-	2	3	1	-	-
Black, both sexes.....	-	...	...	...	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	...	...	...	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	...	...	...	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	52	...	...	...	-	-	9	7	16	11	4	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	52	...	...	...	-	-	9	7	16	11	4	-
White, both sexes.....	40	...	...	...	-	-	6	5	14	7	4	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	40	...	...	...	-	-	6	5	14	7	4	-
Black, both sexes.....	6	...	...	...	-	-	1	2	1	1	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	6	...	...	...	-	-	1	2	1	1	-	-
American Indian 1/, both sexes.....	2	...	...	...	-	-	1	-	-	1	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	2	...	...	...	-	-	1	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	4	...	...	...	-	-	1	-	1	2	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	4	...	...	...	-	-	1	-	1	2	-	-





Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Other direct obstetric deaths (O10-O92)

Florida

All races, both sexes.....	29	...	...	...	-	2	2	11	8	4	1	1
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	29	...	...	...	-	2	2	11	8	4	1	1
White, both sexes.....	11	...	...	...	-	1	-	2	4	4	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	11	...	...	...	-	1	-	2	4	4	-	-
Black, both sexes.....	17	...	...	...	-	-	2	9	4	-	1	1
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	17	...	...	...	-	-	2	9	4	-	1	1
American Indian 1/, both sexes.....	-	...	...	...	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	...	...	...	-	1	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	1	...	...	...	-	1	-	-	-	-	-	-

Georgia

All races, both sexes.....	12	...	...	...	-	1	2	4	2	3	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	12	...	...	...	-	1	2	4	2	3	-	-
White, both sexes.....	-	...	...	...	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-	-
Black, both sexes.....	11	...	...	...	-	1	2	4	1	3	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	11	...	...	...	-	1	2	4	1	3	-	-
American Indian 1/, both sexes.....	-	...	...	...	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	...	...	...	-	-	-	-	1	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	1	...	...	...	-	-	-	-	1	-	-	-













Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Other direct obstetric deaths (O10-O92)

Massachusetts

All races, both sexes.....	4	...	...	...	-	-	-	1	-	3	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	4	...	...	...	-	-	-	1	-	3	-	-
White, both sexes.....	3	...	...	...	-	-	-	-	-	3	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	3	...	...	...	-	-	-	-	-	3	-	-
Black, both sexes.....	1	...	...	...	-	-	-	1	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	1	...	...	...	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	...	...	...	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	...	...	...	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-	-

Michigan

All races, both sexes.....	24	...	...	...	-	3	6	4	5	3	3	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	24	...	...	...	-	3	6	4	5	3	3	-
White, both sexes.....	11	...	...	...	-	1	1	1	4	2	2	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	11	...	...	...	-	1	1	1	4	2	2	-
Black, both sexes.....	12	...	...	...	-	2	5	3	1	-	1	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	12	...	...	...	-	2	5	3	1	-	1	-
American Indian 1/, both sexes.....	-	...	...	...	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	...	...	...	-	-	-	-	-	1	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	1	...	...	...	-	-	-	-	-	1	-	-











Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Other direct obstetric deaths (O10-O92)												
New Mexico												
All races, both sexes.....	3	...	...	...	-	1	-	1	1	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	3	...	...	...	-	1	-	1	1	-	-	-
White, both sexes.....	3	...	...	...	-	1	-	1	1	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	3	...	...	...	-	1	-	1	1	-	-	-
Black, both sexes.....	-	...	...	...	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	...	...	...	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	...	...	...	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	42	...	...	...	-	2	6	5	12	6	8	1
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	42	...	...	...	-	2	6	5	12	6	8	1
White, both sexes.....	20	...	...	...	-	1	-	3	6	2	6	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	20	...	...	...	-	1	-	3	6	2	6	-
Black, both sexes.....	19	...	...	...	-	1	4	2	6	4	1	1
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	19	...	...	...	-	1	4	2	6	4	1	1
American Indian 1/, both sexes.....	-	...	...	...	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	...	...	...	-	-	2	-	-	-	1	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	3	...	...	...	-	-	2	-	-	-	1	-





Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Other direct obstetric deaths (O10-O92)												
Oregon												
All races, both sexes.....	4	...	...	...	-	-	1	-	1	1	1	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	4	...	...	...	-	-	1	-	1	1	1	-
White, both sexes.....	3	...	...	...	-	-	1	-	-	1	1	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	3	...	...	...	-	-	1	-	-	1	1	-
Black, both sexes.....	-	...	...	...	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	...	...	...	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	...	...	...	-	-	-	-	1	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	1	...	...	...	-	-	-	-	1	-	-	-
Pennsylvania												
All races, both sexes.....	10	...	...	...	-	1	1	1	4	2	1	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	10	...	...	...	-	1	1	1	4	2	1	-
White, both sexes.....	4	...	...	...	-	-	1	-	3	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	4	...	...	...	-	-	1	-	3	-	-	-
Black, both sexes.....	5	...	...	...	-	1	-	-	1	2	1	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	5	...	...	...	-	1	-	-	1	2	1	-
American Indian 1/, both sexes.....	-	...	...	...	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	...	...	...	-	-	-	1	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	1	...	...	...	-	-	-	1	-	-	-	-























































































































































































































































































































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Complications predominantly related to the puerperium (O85-O92)												
Arkansas												
All races, both sexes.....	5	...	...	...	-	-	-	2	2	1	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	5	...	...	...	-	-	-	2	2	1	-	-
White, both sexes.....	5	...	...	...	-	-	-	2	2	1	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	5	...	...	...	-	-	-	2	2	1	-	-
Black, both sexes.....	-	...	...	...	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	...	...	...	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	...	...	...	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	7	...	...	...	-	-	2	-	2	2	1	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	7	...	...	...	-	-	2	-	2	2	1	-
White, both sexes.....	4	...	...	...	-	-	1	-	1	1	1	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	4	...	...	...	-	-	1	-	1	1	1	-
Black, both sexes.....	1	...	...	...	-	-	-	-	1	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	1	...	...	...	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	...	...	...	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	...	...	...	-	-	1	-	-	1	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	2	...	...	...	-	-	1	-	-	1	-	-





































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Complications predominantly related to the puerperium (O85-O92)												
Oregon												
All races, both sexes.....	1	...	...	...	-	-	-	-	-	1	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	1	...	...	...	-	-	-	-	-	1	-	-
White, both sexes.....	1	...	...	...	-	-	-	-	-	1	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	1	...	...	...	-	-	-	-	-	1	-	-
Black, both sexes.....	-	...	...	...	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	...	...	...	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	...	...	...	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-	-
Pennsylvania												
All races, both sexes.....	6	...	...	...	-	1	-	1	3	-	1	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	6	...	...	...	-	1	-	1	3	-	1	-
White, both sexes.....	2	...	...	...	-	-	-	-	2	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	2	...	...	...	-	-	-	-	2	-	-	-
Black, both sexes.....	3	...	...	...	-	1	-	-	1	-	1	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	3	...	...	...	-	1	-	-	1	-	1	-
American Indian 1/, both sexes.....	-	...	...	...	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	...	...	...	-	-	-	1	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	1	...	...	...	-	-	-	1	-	-	-	-





















































































































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Obstetric embolism (O88)												
Oregon												
All races, both sexes.....	1	...	...	...	-	-	-	-	-	1	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	1	...	...	...	-	-	-	-	-	1	-	-
White, both sexes.....	1	...	...	...	-	-	-	-	-	1	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	1	...	...	...	-	-	-	-	-	1	-	-
Black, both sexes.....	-	...	...	...	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	...	...	...	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	...	...	...	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-	-
Pennsylvania												
All races, both sexes.....	4	...	...	...	-	-	-	1	3	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	4	...	...	...	-	-	-	1	3	-	-	-
White, both sexes.....	2	...	...	...	-	-	-	-	2	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	2	...	...	...	-	-	-	-	2	-	-	-
Black, both sexes.....	1	...	...	...	-	-	-	-	1	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	1	...	...	...	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	...	...	...	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	...	...	...	-	-	-	1	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	1	...	...	...	-	-	-	1	-	-	-	-













































































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Other complications predominately related to the puerperium (O85-O87,O89-O92)

Arkansas

All races, both sexes.....	2	...	...	...	-	-	-	2	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	2	...	...	...	-	-	-	2	-	-	-	-
White, both sexes.....	2	...	...	...	-	-	-	2	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	2	...	...	...	-	-	-	2	-	-	-	-
Black, both sexes.....	-	...	...	...	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	...	...	...	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	...	...	...	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-	-

California

All races, both sexes.....	5	...	...	...	-	-	2	-	-	2	1	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	5	...	...	...	-	-	2	-	-	2	1	-
White, both sexes.....	3	...	...	...	-	-	1	-	-	1	1	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	3	...	...	...	-	-	1	-	-	1	1	-
Black, both sexes.....	-	...	...	...	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	...	...	...	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	...	...	...	-	-	1	-	-	1	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	2	...	...	...	-	-	1	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Other complications predominately related to the puerperium (O85-O87,O89-O92)

Colorado

All races, both sexes.....	-	...	...	...	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-	-
White, both sexes.....	-	...	...	...	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-	-
Black, both sexes.....	-	...	...	...	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	...	...	...	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	...	...	...	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-	-

Connecticut

All races, both sexes.....	1	...	...	...	-	-	1	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	1	...	...	...	-	-	1	-	-	-	-	-
White, both sexes.....	1	...	...	...	-	-	1	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	1	...	...	...	-	-	1	-	-	-	-	-
Black, both sexes.....	-	...	...	...	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	...	...	...	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	...	...	...	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-	-















Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Other complications predominately related to the puerperium (O85-O87,O89-O92)

Maine

All races, both sexes.....	-	...	...	...	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-	-
White, both sexes.....	-	...	...	...	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-	-
Black, both sexes.....	-	...	...	...	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	...	...	...	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	...	...	...	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	-	...	...	...	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-	-
White, both sexes.....	-	...	...	...	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-	-
Black, both sexes.....	-	...	...	...	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	...	...	...	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	...	...	...	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-	-





Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Other complications predominately related to the puerperium (O85-O87,O89-O92)

Minnesota

All races, both sexes.....	-	...	...	...	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-	-
White, both sexes.....	-	...	...	...	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-	-
Black, both sexes.....	-	...	...	...	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	...	...	...	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	...	...	...	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-	-

Mississippi

All races, both sexes.....	-	...	...	...	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-	-
White, both sexes.....	-	...	...	...	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-	-
Black, both sexes.....	-	...	...	...	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	...	...	...	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	...	...	...	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-	-





























































































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

All other direct obstetric causes (010,012,021-043,047-066,068-071,073-075)

Arkansas

All races, both sexes.....	1	...	...	...	-	-	-	-	1	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	1	...	...	...	-	-	-	-	1	-	-	-
White, both sexes.....	1	...	...	...	-	-	-	-	1	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	1	...	...	...	-	-	-	-	1	-	-	-
Black, both sexes.....	-	...	...	...	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	...	...	...	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	...	...	...	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-	-

California

All races, both sexes.....	27	...	...	...	-	-	6	3	7	6	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	27	...	...	...	-	-	6	3	7	6	-	-
White, both sexes.....	18	...	...	...	-	-	4	1	6	3	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	18	...	...	...	-	-	4	1	6	3	-	-
Black, both sexes.....	5	...	...	...	-	-	1	2	-	1	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	5	...	...	...	-	-	1	2	-	1	-	-
American Indian 1/, both sexes.....	2	...	...	...	-	-	1	-	-	1	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	2	...	...	...	-	-	1	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	2	...	...	...	-	-	-	-	1	1	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	2	...	...	...	-	-	-	-	1	1	-	-





Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

All other direct obstetric causes (010,012,021-043,047-066,068-071,073-075)

Florida

All races, both sexes.....	9	...	...	...	-	-	-	4	3	2	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	9	...	...	...	-	-	-	4	3	2	-	-
White, both sexes.....	3	...	...	...	-	-	-	-	1	2	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	3	...	...	...	-	-	-	-	1	2	-	-
Black, both sexes.....	6	...	...	...	-	-	-	4	2	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	6	...	...	...	-	-	-	4	2	-	-	-
American Indian 1/, both sexes.....	-	...	...	...	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	...	...	...	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-	-

Georgia

All races, both sexes.....	4	...	...	...	-	-	-	1	2	1	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	4	...	...	...	-	-	-	1	2	1	-	-
White, both sexes.....	-	...	...	...	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-	-
Black, both sexes.....	3	...	...	...	-	-	-	1	1	1	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	3	...	...	...	-	-	-	1	1	1	-	-
American Indian 1/, both sexes.....	-	...	...	...	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	...	...	...	-	-	-	-	1	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	1	...	...	...	-	-	-	-	1	-	-	-













Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

All other direct obstetric causes (010,012,021-043,047-066,068-071,073-075)

Massachusetts

All races, both sexes.....	2	...	...	...	-	-	-	-	-	2	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	2	...	...	...	-	-	-	-	-	2	-	-
White, both sexes.....	2	...	...	...	-	-	-	-	-	2	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	2	...	...	...	-	-	-	-	-	2	-	-
Black, both sexes.....	-	...	...	...	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	...	...	...	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	...	...	...	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-	-

Michigan

All races, both sexes.....	8	...	...	...	-	-	-	1	3	2	2	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	8	...	...	...	-	-	-	1	3	2	2	-
White, both sexes.....	4	...	...	...	-	-	-	-	2	1	1	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	4	...	...	...	-	-	-	-	2	1	1	-
Black, both sexes.....	3	...	...	...	-	-	-	1	1	-	1	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	3	...	...	...	-	-	-	1	1	-	1	-
American Indian 1/, both sexes.....	-	...	...	...	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	...	...	...	-	-	-	-	-	1	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	1	...	...	...	-	-	-	-	-	1	-	-











Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

All other direct obstetric causes (010,012,021-043,047-066,068-071,073-075)

New Mexico

All races, both sexes.....	-	...	...	...	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-	-
White, both sexes.....	-	...	...	...	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-	-
Black, both sexes.....	-	...	...	...	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	...	...	...	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	...	...	...	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	23	...	...	...	-	1	4	4	5	2	5	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	23	...	...	...	-	1	4	4	5	2	5	-
White, both sexes.....	13	...	...	...	-	-	-	3	3	1	4	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	13	...	...	...	-	-	-	3	3	1	4	-
Black, both sexes.....	8	...	...	...	-	1	2	1	2	1	1	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	8	...	...	...	-	1	2	1	2	1	1	-
American Indian 1/, both sexes.....	-	...	...	...	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	...	...	...	-	-	2	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	2	...	...	...	-	-	2	-	-	-	-	-









































































































































































































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Other deaths related to pregnancy, childbirth and the puerperium (O96-O97)

Arkansas

All races, both sexes.....	-	...	...	...	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-	-
White, both sexes.....	-	...	...	...	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-	-
Black, both sexes.....	-	...	...	...	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	...	...	...	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	...	...	...	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-	-

California

All races, both sexes.....	69	...	...	...	-	3	5	8	9	5	12	11
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	69	...	...	...	-	3	5	8	9	5	12	11
White, both sexes.....	48	...	...	...	-	3	4	7	5	4	7	7
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	48	...	...	...	-	3	4	7	5	4	7	7
Black, both sexes.....	14	...	...	...	-	-	1	1	2	1	3	3
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	14	...	...	...	-	-	1	1	2	1	3	3
American Indian 1/, both sexes.....	-	...	...	...	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	...	...	...	-	-	-	-	2	-	2	1
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	7	...	...	...	-	-	-	-	2	-	2	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Other deaths related to pregnancy, childbirth and the puerperium (096-097)

Colorado

All races, both sexes.....	-	...	...	...	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-	-
White, both sexes.....	-	...	...	...	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-	-
Black, both sexes.....	-	...	...	...	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	...	...	...	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	...	...	...	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-	-

Connecticut

All races, both sexes.....	-	...	...	...	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-	-
White, both sexes.....	-	...	...	...	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-	-
Black, both sexes.....	-	...	...	...	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	...	...	...	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	...	...	...	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-	-







Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Other deaths related to pregnancy, childbirth and the puerperium (096-097)

Illinois

All races, both sexes.....	-	...	...	...	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-	-
White, both sexes.....	-	...	...	...	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-	-
Black, both sexes.....	-	...	...	...	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	...	...	...	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	...	...	...	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-	-

Indiana

All races, both sexes.....	-	...	...	...	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-	-
White, both sexes.....	-	...	...	...	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-	-
Black, both sexes.....	-	...	...	...	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	...	...	...	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	...	...	...	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-	-



































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Other deaths related to pregnancy, childbirth and the puerperium (O96-O97)

Vermont

All races, both sexes.....	-	...	...	...	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-
White, both sexes.....	-	...	...	...	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-
Black, both sexes.....	-	...	...	...	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	...	...	...	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	...	...	...	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	-	...	...	...	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-
White, both sexes.....	-	...	...	...	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-
Black, both sexes.....	-	...	...	...	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	...	...	...	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	...	...	...	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-











Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other deaths related to pregnancy, childbirth and the puerperium (O96-O97)

Arkansas

All races, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	15	-	-	-	-	1	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	15	-	-	-	-	1	-	-	-	-	-	-
White, both sexes.....	11	-	-	-	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	11	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	3	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	1	-	-	-	-	1	-	-	-	-	-	-

























































Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Indirect obstetric deaths (098-099)

Arkansas

All races, both sexes.....	-	...	...	...	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-	-
White, both sexes.....	-	...	...	...	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-	-
Black, both sexes.....	-	...	...	...	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	...	...	...	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	...	...	...	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-	-

California

All races, both sexes.....	24	...	...	...	2	-	1	7	2	3	2	4
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	24	...	...	...	2	-	1	7	2	3	2	4
White, both sexes.....	16	...	...	...	-	-	1	5	-	2	2	3
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	16	...	...	...	-	-	1	5	-	2	2	3
Black, both sexes.....	4	...	...	...	-	-	-	2	1	-	-	1
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	4	...	...	...	-	-	-	2	1	-	-	1
American Indian 1/, both sexes.....	-	...	...	...	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	...	...	...	2	-	-	-	1	1	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	4	...	...	...	2	-	-	-	1	1	-	-



















Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Indirect obstetric deaths (098-099)												
Massachusetts												
All races, both sexes.....	-	...	...	...	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-	-
White, both sexes.....	-	...	...	...	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-	-
Black, both sexes.....	-	...	...	...	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	...	...	...	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	...	...	...	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-	-
Michigan												
All races, both sexes.....	24	...	...	...	-	2	5	3	3	5	2	3
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	24	...	...	...	-	2	5	3	3	5	2	3
White, both sexes.....	13	...	...	...	-	1	2	2	3	2	1	2
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	13	...	...	...	-	1	2	2	3	2	1	2
Black, both sexes.....	10	...	...	...	-	1	3	1	-	2	1	1
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	10	...	...	...	-	1	3	1	-	2	1	1
American Indian 1/, both sexes.....	-	...	...	...	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	...	...	...	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	...	...	...	-	-	-	-	-	1	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	1	...	...	...	-	-	-	-	-	1	-	-























































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































